

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE plist PUBLIC "-//Apple//DTD PLIST 1.0//EN"
"http://www.apple.com/DTDs/PropertyList-1.0.dtd">
<plist version="1.0">
<array>
  <dict>
    <key>_SPCommandLineArguments</key>
    <array>
      <string>/usr/sbin/system_profiler</string>
      <string>-nospawn</string>
      <string>-xml</string>
      <string>SPParallelATADatatype</string>
      <string>-detailLevel</string>
      <string>full</string>
    </array>
    <key>_SPCompletionInterval</key>
    <real>0.17146003246307373</real>
    <key>_SPResponseTime</key>
    <real>0.20041406154632568</real>
    <key>_dataType</key>
    <string>SPParallelATADatatype</string>
    <key>_detailLevel</key>
    <integer>-1</integer>
    <key>_items</key>
    <array/>
    <key>_parentDataType</key>
    <string>SPHardwareDataType</string>
    <key>_properties</key>
    <dict>
      <key>_name</key>
      <dict>
        <key>_isColumn</key>
        <string>YES</string>
        <key>_isOutlineColumn</key>
        <string>YES</string>
        <key>_order</key>
        <string>0</string>
      </dict>
      <key>bsd_name</key>
      <dict>
        <key>_order</key>
        <string>62</string>
      </dict>
      <key>detachable_drive</key>
      <dict>
        <key>_order</key>
        <string>59</string>
      </dict>
      <key>device_manufacturer</key>
      <dict>
        <key>_order</key>
        <string>40</string>
      </dict>
      <key>device_model</key>
      <dict>
        <key>_order</key>
        <string>42</string>
      </dict>
      <key>device_revision</key>
      <dict>
        <key>_order</key>
        <string>44</string>
      </dict>
      <key>device_serial</key>
    </dict>
  </dict>
</array>
</plist>
```

```
<dict>
  <key>_detailLevel</key>
  <string>0</string>
  <key>_order</key>
  <string>46</string>
</dict>
<key>disc_burning</key>
<dict>
  <key>_order</key>
  <string>54</string>
</dict>
<key>file_system</key>
<dict>
  <key>_order</key>
  <string>60</string>
</dict>
<key>free_space</key>
<dict>
  <key>_deprecated</key>
  <true/>
  <key>_order</key>
  <string>12</string>
</dict>
<key>free_space_in_bytes</key>
<dict>
  <key>_isByteSize</key>
  <true/>
  <key>_order</key>
  <string>12</string>
</dict>
<key>mount_point</key>
<dict>
  <key>_order</key>
  <string>64</string>
</dict>
<key>optical_drive_type</key>
<dict>
  <key>_order</key>
  <string>50</string>
</dict>
<key>optical_media_type</key>
<dict>
  <key>_order</key>
  <string>52</string>
</dict>
<key>removable_media</key>
<dict>
  <key>_order</key>
  <string>56</string>
</dict>
<key>size</key>
<dict>
  <key>_deprecated</key>
  <true/>
  <key>_order</key>
  <string>10</string>
</dict>
<key>size_in_bytes</key>
<dict>
  <key>_isByteSize</key>
  <true/>
  <key>_order</key>
  <string>10</string>
</dict>
```

```
<key>spata_bus</key>
<dict>
  <key>_order</key>
  <string>22</string>
</dict>
<key>spata_device-id</key>
<dict>
  <key>_order</key>
  <string>30</string>
</dict>
<key>spata_lowpowerpolling</key>
<dict>
  <key>_order</key>
  <string>130</string>
</dict>
<key>spata_name</key>
<dict>
  <key>_order</key>
  <string>20</string>
</dict>
<key>spata_poweroff</key>
<dict>
  <key>_order</key>
  <string>140</string>
</dict>
<key>spata_protocol</key>
<dict>
  <key>_order</key>
  <string>100</string>
</dict>
<key>spata_revision-id</key>
<dict>
  <key>_order</key>
  <string>32</string>
</dict>
<key>spata_rom-revision</key>
<dict>
  <key>_order</key>
  <string>26</string>
</dict>
<key>spata_slot_name</key>
<dict>
  <key>_order</key>
  <string>24</string>
</dict>
<key>spata_socket_type</key>
<dict>
  <key>_order</key>
  <string>120</string>
</dict>
<key>spata_unit_number</key>
<dict>
  <key>_order</key>
  <string>110</string>
</dict>
<key>spata_vendor-id</key>
<dict>
  <key>_order</key>
  <string>28</string>
</dict>
<key>volumes</key>
<dict>
  <key>_detailLevel</key>
  <string>0</string>
</dict>
```

```
        </dict>
        <key>writable</key>
        <dict>
            <key>_order</key>
            <string>58</string>
        </dict>
    </dict>
    <key>_timeStamp</key>
    <date>2021-08-03T01:21:43Z</date>
    <key>_versionInfo</key>
    <dict>
        <key>com.apple.SystemProfiler.SPParallelLATAReporter</key>
        <string>2.7</string>
    </dict>
</dict>
<dict>
    <key>_SPCommandLineArguments</key>
    <array>
        <string>/usr/sbin/system_profiler</string>
        <string>-nospawn</string>
        <string>-xml</string>
        <string>SPUniversalAccessDataType</string>
        <string>-detailLevel</string>
        <string>full</string>
    </array>
    <key>_SPCompletionInterval</key>
    <real>0.24819505214691162</real>
    <key>_SPResponseTime</key>
    <real>0.27735400199890137</real>
    <key>_dataType</key>
    <string>SPUniversalAccessDataType</string>
    <key>_detailLevel</key>
    <integer>1</integer>
    <key>_items</key>
    <array>
        <dict>
            <key>_name</key>
            <string>ua_info</string>
            <key>contrast</key>
            <string>0</string>
            <key>cursor_mag</key>
            <string>off</string>
            <key>display</key>
            <string>black_on_white</string>
            <key>flash_screen</key>
            <string>off</string>
            <key>keyboardZoom</key>
            <string>off</string>
            <key>mouse_keys</key>
            <string>off</string>
            <key>scrollZoom</key>
            <string>off</string>
            <key>slow_keys</key>
            <string>off</string>
            <key>sticky_keys</key>
            <string>off</string>
            <key>voiceover</key>
            <string>off</string>
            <key>zoomMode</key>
            <string>zoom_full_screen</string>
        </dict>
    </array>
    <key>_parentDataType</key>
    <string>SPSoftwareDataType</string>
```

```
<key>_properties</key>
<dict>
  <key>cursor_mag</key>
  <dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>10</string>
  </dict>
  <key>display</key>
  <dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>20</string>
  </dict>
  <key>flash_screen</key>
  <dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>30</string>
  </dict>
  <key>mouse_keys</key>
  <dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>40</string>
  </dict>
  <key>slow_keys</key>
  <dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>50</string>
  </dict>
  <key>sticky_keys</key>
  <dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>60</string>
  </dict>
  <key>voiceover</key>
  <dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>70</string>
  </dict>
  <key>volumes</key>
  <dict>
    <key>_detailLevel</key>
    <string>0</string>
  </dict>
  <key>zoom</key>
  <dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>80</string>
  </dict>
  <key>zoomMode</key>

```

```
        <dict>
            <key>_isColumn</key>
            <string>NO</string>
            <key>_order</key>
            <string>90</string>
        </dict>
    </dict>
    <key>_timeStamp</key>
    <date>2021-08-03T01:21:43Z</date>
    <key>_versionInfo</key>
    <dict>
        <key>com.apple.SystemProfiler.SPUAReporter</key>
        <string>10</string>
    </dict>
</dict>
<dict>
    <key>_SPCommandLineArguments</key>
    <array>
        <string>/usr/sbin/system_profiler</string>
        <string>-nospawn</string>
        <string>-xml</string>
        <string>SPSecureElementDataType</string>
        <string>-detailLevel</string>
        <string>full</string>
    </array>
    <key>_SPCompletionInterval</key>
    <real>0.24019598960876465</real>
    <key>_SPResponseTime</key>
    <real>0.26956009864807129</real>
    <key>_dataType</key>
    <string>SPSecureElementDataType</string>
    <key>_detailLevel</key>
    <integer>-1</integer>
    <key>_items</key>
    <array>
        <dict>
            <key>ctl_fw</key>
            <string>1.52 rev 93462</string>
            <key>ctl_hw</key>
            <string>42.2 (PN80v ES2.1)</string>
            <key>ctl_info</key>
            <string> </string>
            <key>ctl_mw</key>
            <string>4.1.1.36</string>
            <key>se_device</key>
            <string>0x73</string>
            <key>se_fw</key>
            <string>0x0105</string>
            <key>se_hw</key>
            <string>0x00000005</string>
            <key>se_id</key>
            <string>04563AF33C5180019043216105949777DB4763EBFACE5E02</string>
            <key>se_in_restricted_mode</key>
            <string>No</string>
            <key>se_info</key>
            <string> </string>
            <key>se_os_version</key>
            <string>14.02
        </dict>
    </array>
    <key>se_plt</key>
    <string>J5Q2M002C3A70000</string>
    <key>se_prod_signed</key>
    <string>Yes</string>
</string>
```

```
        </dict>
</array>
<key>_parentDataType</key>
<string>SPHardwareDataType</string>
<key>_properties</key>
<dict>
  <key>_name</key>
  <dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>0</string>
  </dict>
  <key>ctl_fw</key>
  <dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>65</string>
  </dict>
  <key>ctl_hw</key>
  <dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>60</string>
  </dict>
  <key>ctl_info</key>
  <dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>55</string>
  </dict>
  <key>ctl_mw</key>
  <dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>70</string>
  </dict>
  <key>se_device</key>
  <dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>20</string>
  </dict>
  <key>se_fw</key>
  <dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>40</string>
  </dict>
  <key>se_hw</key>
  <dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>35</string>
  </dict>
  <key>se_id</key>
  <dict>
```

```
        <key>_isColumn</key>
        <string>NO</string>
        <key>_order</key>
        <string>15</string>
    </dict>
    <key>se_in_restricted_mode</key>
    <dict>
        <key>_isColumn</key>
        <string>NO</string>
        <key>_order</key>
        <string>30</string>
    </dict>
    <key>se_info</key>
    <dict>
        <key>_isColumn</key>
        <string>NO</string>
        <key>_order</key>
        <string>9</string>
    </dict>
    <key>se_os_version</key>
    <dict>
        <key>_isColumn</key>
        <string>NO</string>
        <key>_order</key>
        <string>45</string>
    </dict>
    <key>se_plt</key>
    <dict>
        <key>_isColumn</key>
        <string>NO</string>
        <key>_order</key>
        <string>10</string>
    </dict>
    <key>se_prod_signed</key>
    <dict>
        <key>_isColumn</key>
        <string>NO</string>
        <key>_order</key>
        <string>25</string>
    </dict>
    <key>volumes</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
    </dict>
</dict>
<key>_timeStamp</key>
<date>2021-08-03T01:21:43Z</date>
<key>_versionInfo</key>
<dict>
    <key>com.apple.SPSecureElementReporter</key>
    <string>1</string>
</dict>
</dict>
<dict>
    <key>_SPCommandLineArguments</key>
    <array>
        <string>/usr/sbin/system_profiler</string>
        <string>-nospawn</string>
        <string>-xml</string>
        <string>SPApplicationsDataType</string>
        <string>-detailLevel</string>
        <string>full</string>
    </array>
</dict>
```



```
<key>_SPCompletionInterval</key>
<real>4.7734850645065308</real>
<key>_SPResponseTime</key>
<real>4.8294689655303955</real>
<key>_dataType</key>
<string>SPApplicationsDataType</string>
<key>_detailLevel</key>
<integer>1</integer>
<key>_items</key>
<array>
  <dict>
    <key>_name</key>
    <string>ProtonVPN</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2021-06-16T08:28:39Z</date>
    <key>obtained_from</key>
    <string>identified_developer</string>
    <key>path</key>
    <string>/Applications/ProtonVPN.app</string>
    <key>signed_by</key>
    <array>
      <string>Developer ID Application: ProtonVPN AG
(J6S6Q257EK)</string>
      <string>Developer ID Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>2.0.3</string>
</dict>
<dict>
  <key>_name</key>
  <string>Avira Security</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2021-08-03T00:55:28Z</date>
  <key>obtained_from</key>
  <string>identified_developer</string>
  <key>path</key>
  <string>/Applications/Avira Security.app</string>
  <key>signed_by</key>
  <array>
    <string>Developer ID Application: Avira Operations
GmbH & Co. KG (8DP7YP837J)</string>
    <string>Developer ID Certification
Authority</string>
  <string>Apple Root CA</string>
</array>
  <key>version</key>
  <string>1.7.4</string>
</dict>
<dict>
  <key>_name</key>
  <string>Avira Security Notifications</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2021-08-03T00:55:28Z</date>
  <key>obtained_from</key>
  <string>identified_developer</string>
  <key>path</key>
```

```
        <string>/Library/Application Support/Avira
Security/UIAgent.app</string>
        <key>signed_by</key>
        <array>
            <string>Developer ID Application: Avira Operations
GmbH & Co. KG (8DP7YP837J)</string>
            <string>Developer ID Certification
Authority</string>
                <string>Apple Root CA</string>
            </array>
        <key>version</key>
        <string>0.2.3</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>UninstallerHelper</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2021-08-03T00:55:28Z</date>
        <key>obtained_from</key>
        <string>identified_developer</string>
        <key>path</key>
        <string>/Library/Application Support/Avira
Security/UninstallerHelper.app</string>
        <key>signed_by</key>
        <array>
            <string>Developer ID Application: Avira Operations
GmbH & Co. KG (8DP7YP837J)</string>
            <string>Developer ID Certification
Authority</string>
                <string>Apple Root CA</string>
            </array>
        <key>version</key>
        <string>3.2.5</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Avira Security Helper</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2021-08-03T00:55:28Z</date>
        <key>obtained_from</key>
        <string>identified_developer</string>
        <key>path</key>
        <string>/Library/Application Support/Avira
Security/privd.app</string>
        <key>signed_by</key>
        <array>
            <string>Developer ID Application: Avira Operations
GmbH & Co. KG (8DP7YP837J)</string>
            <string>Developer ID Certification
Authority</string>
                <string>Apple Root CA</string>
            </array>
        <key>version</key>
        <string>2.0.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Avira Updater</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
```

```
    <key>lastModified</key>
    <date>2021-08-03T00:55:28Z</date>
    <key>obtained_from</key>
    <string>identified_developer</string>
    <key>path</key>
    <string>/Library/Application Support/Avira
Security/Avira Updater.app</string>
    <key>signed_by</key>
    <array>
      <string>Developer ID Application: Avira Operations
GmbH & Co. KG (8DP7YP837J)</string>
      <string>Developer ID Certification
Authority</string>
    <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>0.3.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>installd</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2021-08-03T00:55:28Z</date>
    <key>obtained_from</key>
    <string>identified_developer</string>
    <key>path</key>
    <string>/Library/Application Support/Avira
Security/installd.app</string>
    <key>signed_by</key>
    <array>
      <string>Developer ID Application: Avira Operations
GmbH & Co. KG (8DP7YP837J)</string>
      <string>Developer ID Certification
Authority</string>
    <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>0.2.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>NetSpot</string>
    <key>arch_kind</key>
    <string>arch_i64</string>
    <key>lastModified</key>
    <date>2021-06-08T08:39:50Z</date>
    <key>obtained_from</key>
    <string>identified_developer</string>
    <key>path</key>
    <string>/Applications/NetSpot.app</string>
    <key>signed_by</key>
    <array>
      <string>Developer ID Application: Etwok Inc
(5QLDY8TU83)</string>
      <string>Developer ID Certification
Authority</string>
    <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>2.13.1025</string>
  </dict>
</dict>
```

```
    <key>_name</key>
    <string>Brave Browser</string>
    <key>arch_kind</key>
    <string>arch_i64</string>
    <key>info</key>
    <string>Brave Browser 92.1.27.109, Copyright Â© 2021 The
Brave Authors. All rights reserved.</string>
    <key>lastModified</key>
    <date>2021-07-27T07:05:08Z</date>
    <key>obtained_from</key>
    <string>identified_developer</string>
    <key>path</key>
    <string>/Applications/Brave Browser.app</string>
    <key>signed_by</key>
    <array>
      <string>Developer ID Application: Brave Software,
Inc. (KL8N8XSYF4)</string>
      <string>Developer ID Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>92.1.27.109</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Safari</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>info</key>
    <string>14.1.2, Copyright Â© 2003-2021 Apple
Inc.</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/Applications/Safari.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>14.1.2</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Cocoa-AppleScript Applet</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
    <string>/Library/Application Support/Script
Editor/Templates/Cocoa-AppleScript Applet.app</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
</dict>
```

```

        <key>_name</key>
        <string>Recursive Image File Processing Droplet</string>
        <key>arch_kind</key>
        <string>arch_other</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
        <string>/Library/Application Support/Script
Editor/Templates/Droplets/Recursive Image File Processing Droplet.app</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Droplet with Settable Properties</string>
        <key>arch_kind</key>
        <string>arch_other</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
        <string>/Library/Application Support/Script
Editor/Templates/Droplets/Droplet with Settable Properties.app</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Recursive File Processing Droplet</string>
        <key>arch_kind</key>
        <string>arch_other</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
        <string>/Library/Application Support/Script
Editor/Templates/Droplets/Recursive File Processing Droplet.app</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AirScanLegacyDiscovery</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
        <string>/Library/Image
Capture/Support/LegacyDeviceDiscoveryHelpers/AirScanLegacyDiscovery.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
            <string>Apple Root CA</string>
        </array>
        <key>version</key>

```

```
    <string>16.1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleMobileSync</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
```

```
<string>/Library/Apple/System/Library/PrivateFrameworks/MobileDevice.framework/
Versions/A/AppleMobileSync.app</string>
```

```
  <key>signed_by</key>
```

```
  <array>
```

```
    <string>Software Signing</string>
```

```
    <string>Apple Code Signing Certification
```

```
Authority</string>
```

```
    <string>Apple Root CA</string>
```

```
  </array>
```

```
  <key>version</key>
```

```
  <string>5.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
```

```
  <string>MobileDeviceUpdater</string>
```

```
  <key>arch_kind</key>
```

```
  <string>arch_arm_i64</string>
```

```
  <key>lastModified</key>
```

```
  <date>2020-01-01T08:00:00Z</date>
```

```
  <key>obtained_from</key>
```

```
  <string>apple</string>
```

```
  <key>path</key>
```

```
<string>/Library/Apple/System/Library/PrivateFrameworks/MobileDevice.framework/
Versions/A/Resources/MobileDeviceUpdater.app</string>
```

```
  <key>signed_by</key>
```

```
  <array>
```

```
    <string>Software Signing</string>
```

```
    <string>Apple Code Signing Certification
```

```
Authority</string>
```

```
    <string>Apple Root CA</string>
```

```
  </array>
```

```
  <key>version</key>
```

```
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
```

```
  <string>AppleMobileDeviceHelper</string>
```

```
  <key>arch_kind</key>
```

```
  <string>arch_arm_i64</string>
```

```
  <key>lastModified</key>
```

```
  <date>2020-01-01T08:00:00Z</date>
```

```
  <key>obtained_from</key>
```

```
  <string>apple</string>
```

```
  <key>path</key>
```

```
<string>/Library/Apple/System/Library/PrivateFrameworks/MobileDevice.framework/
Versions/A/AppleMobileDeviceHelper.app</string>
```

```

    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>5.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>MRT</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/Library/Apple/System/Library/CoreServices/MRT.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.81</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>App Store</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Applications/App Store.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>3.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>DiskImageMounter</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
```

```
<string>/System/Library/CoreServices/DiskImageMounter.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>595.140.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>System Preferences</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Applications/System
Preferences.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>14.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Mail</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Applications/Mail.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>14.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Disk Utility</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
```



```

Utility.app</string>    <string>/System/Applications/Utilities/Disk
                        <key>signed_by</key>
                        <array>
                          <string>Software Signing</string>
                          <string>Apple Code Signing Certification
Authority</string>
                        <string>Apple Root CA</string>
                        </array>
                        <key>version</key>
                        <string>20.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Terminal</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>

  <string>/System/Applications/Utilities/Terminal.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>2.11</string>
</dict>
<dict>
  <key>_name</key>
  <string>Finder</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>info</key>
  <string>macOS Finder 11.5</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Library/CoreServices/Finder.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>11.5</string>
</dict>
<dict>
  <key>_name</key>
  <string>VoiceOver Quickstart</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>

```

```

    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/ScreenReader.framework/Versions/A/
Resources/VoiceOver Quickstart.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>10</string>
</dict>
<dict>
    <key>_name</key>
    <string>VietnameseIM</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Library/Input
Methods/VietnameseIM.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>TrackpadIM</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Library/Input
Methods/TrackpadIM.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>TYIM</string>
```

```

    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Library/Input Methods/TYIM.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>TCIM</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Library/Input Methods/TCIM.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>SCIM</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Library/Input Methods/SCIM.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>KoreanIM</string>
    <key>arch_kind</key>
```

```
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
        <string>/System/Library/Input
Methods/KoreanIM.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
            <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>1.0</string>
    </dict>
<dict>
    <key>_name</key>
    <string>JapaneseIM-RomajiTyping</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Library/Input Methods/JapaneseIM-
RomajiTyping.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>6.3</string>
</dict>
<dict>
    <key>_name</key>
    <string>JapaneseIM-KanaTyping</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Library/Input Methods/JapaneseIM-
KanaTyping.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>6.3</string>
</dict>
<dict>
    <key>_name</key>
```

```
        <string>CharacterPalette</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
        <string>/System/Library/Input
Methods/CharacterPalette.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
                <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>2.0.1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Assistive Control</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
        <string>/System/Library/Input Methods/Assistive
Control.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
                <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>2.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>loginwindow</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
        <string>/System/Library/CoreServices/loginwindow.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
                <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>9.0</string>
    </dict>
```

```
<dict>
  <key>_name</key>
  <string>Setup Assistant</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Library/CoreServices/Setup
Assistant.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>10.10</string>
</dict>
<dict>
  <key>_name</key>
  <string>ARDAgent</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Library/CoreServices/RemoteManagement/ARDAgent.app</
string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>3.9.8</string>
</dict>
<dict>
  <key>_name</key>
  <string>Photo Library Migration Utility</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Library/CoreServices/Photo Library
Migration Utility.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
```

```
        <key>version</key>
        <string>2.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>ManagedClient</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>

    <string>/System/Library/CoreServices/ManagedClient.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>13.3</string>
</dict>
<dict>
    <key>_name</key>
    <string>Installer</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

    <string>/System/Library/CoreServices/Installer.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>6.2.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>Dock</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>info</key>
    <string>Dock 1.8</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Library/CoreServices/Dock.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
```

Authority</string>

```
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>1.8</string>
```

</dict>

<dict>

```
  <key>_name</key>
  <string>ControlStrip</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
```

<string>/System/Library/CoreServices/ControlStrip.app</string>

```
<key>signed_by</key>
```

```
<array>
```

```
  <string>Software Signing</string>
```

```
  <string>Apple Code Signing Certification
```

Authority</string>

```
    <string>Apple Root CA</string>
```

```
  </array>
```

```
  <key>version</key>
```

```
  <string>1.0</string>
```

</dict>

<dict>

```
  <key>_name</key>
  <string>ControlCenter</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
```

<string>/System/Library/CoreServices/ControlCenter.app</string>

```
<key>signed_by</key>
```

```
<array>
```

```
  <string>Software Signing</string>
```

```
  <string>Apple Code Signing Certification
```

Authority</string>

```
    <string>Apple Root CA</string>
```

```
  </array>
```

```
  <key>version</key>
```

```
  <string>1.0</string>
```

</dict>

<dict>

```
  <key>_name</key>
  <string>Clock</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
```

```
<string>/System/Library/CoreServices/Clock.app</string>
```

```
<key>signed_by</key>
```

```
<array>
```

```
  <string>Software Signing</string>
```



```

        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>Weather</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

    <string>/System/Library/CoreServices/ClimateProxy.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.4</string>
</dict>
<dict>
    <key>_name</key>
    <string>Certificate Assistant</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Library/CoreServices/Certificate
Assistant.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>5.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AddPrinter</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

    <string>/System/Library/CoreServices/AddPrinter.app</string>
    <key>signed_by</key>

```

```

    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>16.1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Directory Utility</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Library/CoreServices/Applications/Directory
Utility.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>6.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Archive Utility</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Library/CoreServices/Applications/Archive
Utility.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>10.15</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>VoiceOver Utility</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>

```

```

Utility.app</string>
  <key>path</key>
  <string>/System/Applications/Utilities/VoiceOver
Authority</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>10</string>
</dict>
<dict>
  <key>_name</key>
  <string>System Information</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Applications/Utilities/System
Information.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>11.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Script Editor</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Applications/Utilities/Script
Editor.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>2.11</string>
</dict>
<dict>
  <key>_name</key>
  <string>Keychain Access</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>

```

```

        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
        <string>/System/Applications/Utilities/Keychain
Access.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
                <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>11.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Grapher</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
        <string>/System/Applications/Utilities/Grapher.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
                <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>2.7</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>ColorSync Utility</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
        <string>/System/Applications/Utilities/ColorSync
Utility.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
                <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>4.14.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>HelpViewer</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>

```

```

        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
    </dict>
    <string>/System/Library/CoreServices/HelpViewer.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>6.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>Boot Camp Assistant</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Applications/Utilities/Boot Camp
Assistant.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>6.1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AirPort Utility</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>info</key>
    <string>6.3.9, Copyright 2001 -2020 Apple Inc.</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Applications/Utilities/AirPort
Utility.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>6.3.9</string>
</dict>
</dict>

```

```
    <key>_name</key>
    <string>TV</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>info</key>
    <string>TV 1.1.6.32, Â© 2019â€”2021 Apple Inc. All
rights reserved.</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Applications/TV.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.1.6</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Stocks</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Applications/Stocks.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>3.4.1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Reminders</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Applications/Reminders.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>7.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Preview</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Applications/Preview.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>11.0</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>Podcasts</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Applications/Podcasts.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>1.1.0</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>Photos</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Applications/Photos.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>6.0</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>Notes</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Applications/Notes.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>4.8.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Music</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>info</key>
  <string>Music 1.1.6.32, Â© 2019â€“2021 Apple Inc. All
rights reserved.</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Applications/Music.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>1.1.6</string>
</dict>
<dict>
  <key>_name</key>
  <string>Recents</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Library/CoreServices/Finder.app/Contents/Applications/
Recents.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
```



```
        </array>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>iCloud Drive</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>

        <string>/System/Library/CoreServices/Finder.app/Contents/Applications/
iCloud Drive.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
                <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Network</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>

        <string>/System/Library/CoreServices/Finder.app/Contents/Applications/
Network.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
                <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Computer</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>

        <string>/System/Library/CoreServices/Finder.app/Contents/Applications/
Computer.app</string>
        <key>signed_by</key>
```

```

        <array>
          <string>Software Signing</string>
          <string>Apple Code Signing Certification
Authority</string>
          <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>1.0</string>
      </dict>
    <dict>
      <key>_name</key>
      <string>AirDrop</string>
      <key>arch_kind</key>
      <string>arch_arm_i64</string>
      <key>lastModified</key>
      <date>2020-01-01T08:00:00Z</date>
      <key>obtained_from</key>
      <string>apple</string>
      <key>path</key>
      <string>/System/Library/CoreServices/Finder.app/Contents/Applications/
AirDrop.app</string>
      <key>signed_by</key>
      <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
      </array>
      <key>version</key>
      <string>1.0</string>
    </dict>
  <dict>
    <key>_name</key>
    <string>Messages</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Applications/Messages.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>14.0</string>
  </dict>
<dict>
  <key>_name</key>
  <string>Font Book</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Applications/Font Book.app</string>

```

```

    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>10.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Find My</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Applications/FindMy.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>2.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>FaceTime</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Applications/FaceTime.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>5.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Contacts</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Applications/Contacts.app</string>
    <key>signed_by</key>

```

```

    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>13.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Calendar</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Applications/Calendar.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>11.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Wireless Diagnostics</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Library/CoreServices/Applications/Wireless
Diagnostics.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>11.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>iOS App Installer</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Library/CoreServices/Applications/iOS
```

```
App Installer.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
  <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Storage Management</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Library/CoreServices/Applications/Storage
Management.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
  <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>About This Mac</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Library/CoreServices/Applications/About
This Mac.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
  <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Ticket Viewer</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
```

```

    <string>apple</string>
    <key>path</key>
    <string>/System/Library/CoreServices/Applications/Ticket
Viewer.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>4.1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Network Utility</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>info</key>
    <string>1.9.2, Copyright © 2000–2017 Apple Inc. All
rights reserved.</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Library/CoreServices/Applications/Network
Utility.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.9.2</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Screen Sharing</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Library/CoreServices/Applications/Screen
Sharing.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>556.1</string>
  </dict>
  <dict>
    <key>_name</key>

```

```

        <string>Folder Actions Setup</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
        <string>/System/Library/CoreServices/Applications/Folder
Actions Setup.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
                <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>1.2</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Expansion Slot Utility</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
        <string>/System/Library/CoreServices/Applications/Expansion Slot
Utility.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
                <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>2.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>DVD Player</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
        <string>/System/Library/CoreServices/Applications/DVD
Player.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
                <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>6.0</string>
    </dict>

```

```
</dict>
<dict>
  <key>_name</key>
  <string>Feedback Assistant</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Library/CoreServices/Applications/Feedback
Assistant.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>5.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Migration Assistant</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Applications/Utilities/Migration
Assistant.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>11.5</string>
</dict>
<dict>
  <key>_name</key>
  <string>Voice Memos</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Applications/VoiceMemos.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
```



```
        <key>version</key>
        <string>2.2</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Screenshot</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>

    <string>/System/Applications/Utilities/Screenshot.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>Digital Colour Meter</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Applications/Utilities/Digital Color
Meter.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>5.22</string>
</dict>
<dict>
    <key>_name</key>
    <string>Console</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

    <string>/System/Applications/Utilities/Console.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
```

```

        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.1</string>
</dict>
<dict>
    <key>_name</key>
    <string>Activity Monitor</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Applications/Utilities/Activity
Monitor.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>10.14</string>
</dict>
<dict>
    <key>_name</key>
    <string>Audio MIDI Setup</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>info</key>
    <string>3.5, Copyright 2002-2020 Apple Inc.</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Applications/Utilities/Audio MIDI
Setup.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>3.5</string>
</dict>
<dict>
    <key>_name</key>
    <string>Bluetooth File Exchange</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>info</key>
    <string>8.0.5, Copyright Â© 2002-2019 Apple Inc. All
rights reserved.</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

```

```
Exchange.app</string> <string>/System/Applications/Utilities/Bluetooth File
                        <key>signed_by</key>
                        <array>
                          <string>Software Signing</string>
                          <string>Apple Code Signing Certification
Authority</string>
                        <string>Apple Root CA</string>
                        </array>
                        <key>version</key>
                        <string>8.0.5</string>
</dict>
<dict>
  <key>_name</key>
  <string>Time Machine</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Applications/Time Machine.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>1.3</string>
</dict>
<dict>
  <key>_name</key>
  <string>TextEdit</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Applications/TextEdit.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>1.16</string>
</dict>
<dict>
  <key>_name</key>
  <string>Stickies</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
```

```

    <string>/System/Applications/Stickers.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>10.2</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>QuickTime Player</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>info</key>
    <string>10.4, Copyright © 2009-2020 Apple Inc. All
Rights Reserved.</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Applications/QuickTime
Player.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>10.5</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Siri</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Applications/Siri.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Books</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>

```

```
<key>obtained_from</key>
<string>apple</string>
<key>path</key>
<string>/System/Applications/Books.app</string>
<key>signed_by</key>
<array>
  <string>Software Signing</string>
  <string>Apple Code Signing Certification
Authority</string>
  <string>Apple Root CA</string>
</array>
<key>version</key>
<string>3.2</string>
</dict>
<dict>
  <key>_name</key>
  <string>Photo Booth</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Applications/Photo Booth.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>11.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Mission Control</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Applications/Mission
Control.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>1.2</string>
</dict>
<dict>
  <key>_name</key>
  <string>Maps</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
```

```

    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Applications/Maps.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>3.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Launchpad</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Applications/Launchpad.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Image Capture</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Applications/Image Capture.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>8.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Home</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
```

```
<string>apple</string>
<key>path</key>
<string>/System/Applications/Home.app</string>
<key>signed_by</key>
<array>
  <string>Software Signing</string>
  <string>Apple Code Signing Certification
Authority</string>
  <string>Apple Root CA</string>
</array>
<key>version</key>
<string>5.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Dictionary</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Applications/Dictionary.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>2.3.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Chess</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>info</key>
  <string>3.18, Copyright 2003â€”2017 Apple Inc.</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Applications/Chess.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>3.18</string>
</dict>
<dict>
  <key>_name</key>
  <string>Calculator</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>info</key>
  <string>10.14, Copyright Â© 2000-2018, Apple
```

```
Inc.</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Applications/Calculator.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>10.16</string>
</dict>
<dict>
    <key>_name</key>
    <string>Automator</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Applications/Automator.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>2.10</string>
</dict>
<dict>
    <key>_name</key>
    <string>Summary Service</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Library/Services/SummaryService.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>2.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>ChineseTextConverterService</string>
    <key>arch_kind</key>
```



```
    <string>arch_arm_i64</string>
    <key>info</key>
    <string>Chinese Text Converter 1.1</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

    <string>/System/Library/Services/ChineseTextConverterService.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>2.1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Speech Downloader</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/SpeechObjects.framework/
Versions/A/SpeechDataInstallerd.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>9.0.43.3</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Conflict Resolver</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>info</key>
    <string>1.0, Copyright Apple Computer Inc. 2004</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/SyncServicesUI.framework/
Versions/A/Resources/Conflict Resolver.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
```

```
    </array>
    <key>version</key>
    <string>8.1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>UASharedPasteboardProgressUI</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/UserActivity.framework/Agents/
UASharedPasteboardProgressUI.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>54.1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>universalAccessAuthWarn</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/UniversalAccess.framework/
Versions/A/Resources/universalAccessAuthWarn.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>UniversalAccessHUD</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/UniversalAccess.framework/
Versions/A/Resources/UniversalAccessHUD.app</string>
    <key>signed_by</key>
```

```

    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>syncuid</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>info</key>
    <string>4.0, Copyright Apple Computer Inc. 2004</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/SyncServicesUI.framework/
Versions/A/Resources/syncuid.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>8.1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AXVisualSupportAgent</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/UniversalAccess.framework/
Versions/A/Resources/AXVisualSupportAgent.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>DFRHUD</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>

```

```
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/UniversalAccess.framework/
Versions/A/Resources/DFRHUD.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
  </dict>
<dict>
  <key>_name</key>
  <string>STMUIHelper</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
```

```
    <string>/System/Library/PrivateFrameworks/StorageManagement.framework/
Versions/A/Resources/STMUIHelper.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
  </dict>
<dict>
  <key>_name</key>
  <string>AquaAppearanceHelper</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
```

```
    <string>/System/Library/PrivateFrameworks/SkyLight.framework/Versions/A/
Resources/AquaAppearanceHelper.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
  </dict>
<dict>
  <key>_name</key>
```

```
<string>SpeechRecognitionServer</string>
<key>arch_kind</key>
<string>arch_arm_i64</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>apple</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SpeechObjects.framework/
Versions/A/SpeechRecognitionServer.app</string>
```

```
<key>signed_by</key>
<array>
  <string>Software Signing</string>
  <string>Apple Code Signing Certification
```

```
Authority</string>
```

```
  <string>Apple Root CA</string>
</array>
<key>version</key>
<string>9.0.43.3</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>SoftwareUpdateNotificationManager</string>
<key>arch_kind</key>
<string>arch_arm_i64</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>apple</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SoftwareUpdate.framework/
Versions/A/Resources/SoftwareUpdateNotificationManager.app</string>
```

```
<key>signed_by</key>
<array>
  <string>Software Signing</string>
  <string>Apple Code Signing Certification
```

```
Authority</string>
```

```
  <string>Apple Root CA</string>
</array>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>SpeechSynthesizerAuditor</string>
<key>arch_kind</key>
<string>arch_arm_i64</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>apple</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/ScreenReader.framework/Versions/A/
Resources/SpeechSynthesizerAuditor.app</string>
```

```
<key>signed_by</key>
<array>
  <string>Software Signing</string>
  <string>Apple Code Signing Certification
```

```
Authority</string>
```

```
  <string>Apple Root CA</string>
```

```
    </array>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>ScreenReaderUIServer</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/ScreenReader.framework/Versions/A/
Resources/ScreenReaderUIServer.app</string>
```

```
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>10</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>nbagent</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/Noticeboard.framework/Versions/
A/Resources/nbagent.app</string>
```

```
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>IMTransferAgent</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/IMTransferServices.framework/
IMTransferAgent.app</string>
```

```

    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>10.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>IMAutomaticHistoryDeletionAgent</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

```

```

    <string>/System/Library/PrivateFrameworks/IMDPersistence.framework/
IMAutomaticHistoryDeletionAgent.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>10.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Family</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

```

```

    <string>/System/Library/PrivateFrameworks/FamilyNotification.framework/
Versions/A/Resources/Family.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>imagent</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>

```

```
        <string>apple</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/IMCore.framework/imagent.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>10.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>IDSRemoteURLConnectionAgent</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
</dict>
    <string>/System/Library/PrivateFrameworks/IDSFoundation.framework/
IDSRemoteURLConnectionAgent.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>10.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>identityservicesd</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
</dict>
    <string>/System/Library/PrivateFrameworks/IDS.framework/identityservicesd.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>10.0</string>
</dict>
<dict>
    <key>_name</key>
```



```
<string>FindMyMacMessenger</string>
<key>arch_kind</key>
<string>arch_arm_i64</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>apple</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/FindMyMac.framework/Versions/A/
Resources/FindMyMacMessenger.app</string>
```

```
<key>signed_by</key>
<array>
  <string>Software Signing</string>
  <string>Apple Code Signing Certification
```

```
Authority</string>
```

```
<string>Apple Root CA</string>
```

```
</array>
<key>version</key>
<string>4.1</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>ParentalControls</string>
<key>arch_kind</key>
<string>arch_arm_i64</string>
<key>info</key>
<string>2.0, Copyright Apple Inc. 2007-2019</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>apple</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/FamilyControls.framework/
Versions/A/Resources/ParentalControls.app</string>
```

```
<key>signed_by</key>
<array>
  <string>Software Signing</string>
  <string>Apple Code Signing Certification
```

```
Authority</string>
```

```
<string>Apple Root CA</string>
```

```
</array>
<key>version</key>
<string>4.1</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>eaptlstrust</string>
<key>arch_kind</key>
<string>arch_arm_i64</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>apple</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/EAP8021X.framework/Support/
eaptlstrust.app</string>
```

```
<key>signed_by</key>
<array>
  <string>Software Signing</string>
  <string>Apple Code Signing Certification
```

```
Authority</string>
```

```
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>13.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>CIMFindInputCodeTool</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CoreChineseEngine.framework/
Versions/A/SharedSupport/CIMFindInputCodeTool.app</string>
```

```
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
```

```
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>104</string>
</dict>
<dict>
```

```
    <key>_name</key>
    <string>KerberosMenuExtra</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AppSSOKerberos.framework/
Support/KerberosMenuExtra.app</string>
```

```
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
```

```
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
```

```
    <key>_name</key>
    <string>AppSSOAgent</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AppSSO.framework/Support/
AppSSOAgent.app</string>
```

```

    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AskPermissionUI</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

```

```

    <string>/System/Library/PrivateFrameworks/AskPermission.framework/
Versions/A/Resources/AskPermissionUI.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>DiskImages UI Agent</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

```

```

    <string>/System/Library/PrivateFrameworks/DiskImages.framework/Versions/
A/Resources/DiskImages UI Agent.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>595.140.1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>FollowUpUI</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>

```

```
<string>apple</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CoreFollowUp.framework/Versions/A/
Resources/FollowUpUI.app</string>
```

```
<key>signed_by</key>
<array>
  <string>Software Signing</string>
  <string>Apple Code Signing Certification
```

```
Authority</string>
```

```
<string>Apple Root CA</string>
```

```
</array>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>storeuid</string>
<key>arch_kind</key>
<string>arch_arm_i64</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>apple</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CommerceKit.framework/Versions/
A/Resources/storeuid.app</string>
```

```
<key>signed_by</key>
<array>
  <string>Software Signing</string>
  <string>Apple Code Signing Certification
```

```
Authority</string>
```

```
<string>Apple Root CA</string>
```

```
</array>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>iCloud Drive</string>
<key>arch_kind</key>
<string>arch_arm_i64</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>apple</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CloudDocsDaemon.framework/
Versions/A/Resources/iCloud Drive.app</string>
```

```
<key>signed_by</key>
<array>
  <string>Software Signing</string>
  <string>Apple Code Signing Certification
```

```
Authority</string>
```

```
<string>Apple Root CA</string>
```

```
</array>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
```

```
<string>Calibration Assistant</string>
<key>arch_kind</key>
<string>arch_arm_i64</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>apple</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AmbientDisplay.framework/
Versions/A/Resources/Calibration Assistant.app</string>
```

```
<key>signed_by</key>
<array>
  <string>Software Signing</string>
  <string>Apple Code Signing Certification
```

```
Authority</string>
```

```
<string>Apple Root CA</string>
```

```
</array>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AccessibilityVisualsAgent</string>
<key>arch_kind</key>
<string>arch_arm_i64</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>apple</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AccessibilitySupport.framework/
Versions/A/Resources/AccessibilityVisualsAgent.app</string>
```

```
<key>signed_by</key>
<array>
  <string>Software Signing</string>
  <string>Apple Code Signing Certification
```

```
Authority</string>
```

```
<string>Apple Root CA</string>
```

```
</array>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AOSPUSHRelay</string>
<key>arch_kind</key>
<string>arch_arm_i64</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>apple</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AOSKit.framework/Versions/A/
Helpers/AOSPUSHRelay.app</string>
```

```
<key>signed_by</key>
<array>
  <string>Software Signing</string>
  <string>Apple Code Signing Certification
```

```
Authority</string>
```

```
<string>Apple Root CA</string>
```

```
</array>
```

```
        <key>version</key>
        <string>1.07</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AOSHeartbeat</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/AOSKit.framework/Versions/A/
    Helpers/AOSHeartbeat.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
            <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>1.07</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AOSAlertManager</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/AOSKit.framework/Versions/A/
    Helpers/AOSAlertManager.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
            <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>1.07</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>iCloudUserNotificationsd</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/AOSAccounts.framework/Versions/
    A/Resources/iCloudUserNotificationsd.app</string>
        <key>signed_by</key>
        <array>
```

```

        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>TamilIM</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>info</key>
    <string>Tamil Input Method 1.5</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Library/Input
Methods/TamilIM.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.6</string>
</dict>
<dict>
    <key>_name</key>
    <string>PluginIM</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Library/Input
Methods/PluginIM.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>24</string>
</dict>
<dict>
    <key>_name</key>
    <string>PressAndHold</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
```

```
        <string>/System/Library/Input
Methods/PressAndHold.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
                <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Dictation</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
        <string>/System/Library/Input
Methods/DictationIM.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
                <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>6.0.99.1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>HindiIM</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
        <string>/System/Library/Input
Methods/HindiIM.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
                <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>EmojiFunctionRowIM</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
```



```

        <string>apple</string>
        <key>path</key>
        <string>/System/Library/Input
Methods/EmojiFunctionRowIM.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
                <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>50onPaletteServer</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
        <string>/System/Library/Input
Methods/50onPaletteServer.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
                <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>1.1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AinuIM</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
        <string>/System/Library/Input
Methods/AinuIM.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
                <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>VirtualScanner</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>

```

```

        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
        <string>/System/Library/Image
Capture/Devices/VirtualScanner.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
            <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>1711.5.2</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>PTPCamera</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
        <string>/System/Library/Image
Capture/Devices/PTPCamera.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
            <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>1711.5.2</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>MassStorageCamera</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
        <string>/System/Library/Image
Capture/Devices/MassStorageCamera.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
            <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>1711.5.2</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AirScanScanner</string>
        <key>arch_kind</key>

```

```
<string>arch_arm_i64</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>apple</string>
<key>path</key>
<string>/System/Library/Image
Capture/Devices/AirScanScanner.app</string>
<key>signed_by</key>
<array>
  <string>Software Signing</string>
  <string>Apple Code Signing Certification
Authority</string>
  <string>Apple Root CA</string>
</array>
<key>version</key>
<string>16</string>
</dict>
<dict>
  <key>_name</key>
  <string>MakePDF</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>info</key>
  <string>10.1, Â© Copyright 2003-2015 Apple Inc. All
rights reserved.</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Library/Image Capture/Automatic
Tasks/MakePDF.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>10.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Build Web Page</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>info</key>
  <string>10.1, Â© Copyright 2003-2014 Apple Inc. All
rights reserved.</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Library/Image Capture/Automatic
Tasks/Build Web Page.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
```

```
    </array>
    <key>version</key>
    <string>10.1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>WebKitPluginHost</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
```

```
<string>/System/Library/Frameworks/WebKit.framework/Versions/A/Frameworks/
WebKitLegacy.framework/Versions/A/WebKitPluginHost.app</string>
```

```
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>611</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>SyncServer</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>info</key>
  <string>© 2002-2003 Apple</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/SyncServices.framework/Versions/A/
Resources/SyncServer.app</string>
```

```
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>8.1</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Wish</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>info</key>
  <string>Wish Shell 8.5.9,
```

```
Copyright © 1989-2021 Tcl Core Team,
Copyright © 2002-2021 Daniel A. Steffen,
Copyright © 2001-2009 Apple Inc.,
Copyright © 2001-2002 Jim Ingham & Ian Reid</string>
```

```
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>apple</string>
<key>path</key>
```

```
<string>/System/Library/Frameworks/Tk.framework/Versions/8.5/Resources/
Wish.app</string>
```

```
<key>signed_by</key>
<array>
  <string>Software Signing</string>
  <string>Apple Code Signing Certification
Authority</string>
  <string>Apple Root CA</string>
</array>
<key>version</key>
<string>8.5.9</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>quicklookd</string>
<key>arch_kind</key>
<string>arch_arm_i64</string>
<key>info</key>
<string>5.0, Copyright Apple Inc. 2007-2013</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>apple</string>
<key>path</key>
```

```
<string>/System/Library/Frameworks/QuickLook.framework/Versions/A/
Resources/quicklookd.app</string>
```

```
<key>signed_by</key>
<array>
  <string>Software Signing</string>
  <string>Apple Code Signing Certification
Authority</string>
  <string>Apple Root CA</string>
</array>
<key>version</key>
<string>5.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>qlmanage</string>
<key>arch_kind</key>
<string>arch_arm_i64</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>apple</string>
<key>path</key>
```

```
<string>/System/Library/Frameworks/QuickLook.framework/Versions/A/
Resources/qlmanage.app</string>
```

```
<key>signed_by</key>
<array>
  <string>Software Signing</string>
  <string>Apple Code Signing Certification
Authority</string>
  <string>Apple Root CA</string>
</array>
<key>version</key>
```

```
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>QuickLookUIHelper</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>info</key>
    <string>5.0, Copyright Apple Inc. 2007-2013</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
```

```
<string>/System/Library/Frameworks/Quartz.framework/Versions/A/Frameworks/QuickLookUI.framework/Versions/A/Resources/QuickLookUIHelper.app</string>
```

```
  <key>signed_by</key>
```

```
  <array>
```

```
    <string>Software Signing</string>
```

```
    <string>Apple Code Signing Certification
```

```
Authority</string>
```

```
    <string>Apple Root CA</string>
```

```
  </array>
```

```
  <key>version</key>
```

```
  <string>5.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
```

```
  <string>Quick Look Simulator</string>
```

```
  <key>arch_kind</key>
```

```
  <string>arch_arm_i64</string>
```

```
  <key>lastModified</key>
```

```
  <date>2020-01-01T08:00:00Z</date>
```

```
  <key>obtained_from</key>
```

```
  <string>apple</string>
```

```
  <key>path</key>
```

```
<string>/System/Library/Frameworks/Quartz.framework/Versions/A/Frameworks/QuickLookUI.framework/Versions/A/Resources/Quick Look Simulator.app</string>
```

```
  <key>signed_by</key>
```

```
  <array>
```

```
    <string>Software Signing</string>
```

```
    <string>Apple Code Signing Certification
```

```
Authority</string>
```

```
    <string>Apple Root CA</string>
```

```
  </array>
```

```
  <key>version</key>
```

```
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
```

```
  <string>SmartCard Pairing</string>
```

```
  <key>arch_kind</key>
```

```
  <string>arch_arm_i64</string>
```

```
  <key>lastModified</key>
```

```
  <date>2020-01-01T08:00:00Z</date>
```

```
  <key>obtained_from</key>
```

```
  <string>apple</string>
```

```
  <key>path</key>
```

```
<string>/System/Library/Frameworks/CryptoTokenKit.framework/ctkbind.app</
```

```
string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>Python</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>info</key>
    <string>2.7.16, (c) 2001-2016 Python Software
Foundation.</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

<string>/System/Library/Frameworks/Python.framework/Versions/2.7/Resources/
Python.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>2.7.16</string>
</dict>
<dict>
    <key>_name</key>
    <string>PrinterProxy</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

<string>/System/Library/Frameworks/Carbon.framework/Versions/A/Frameworks/
Print.framework/Versions/A/Plugins/PrinterProxy.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>16.2</string>
</dict>
<dict>
    <key>_name</key>
```

```
<string>SpeechSynthesisServer</string>
<key>arch_kind</key>
<string>arch_arm_i64</string>
<key>info</key>
<string>9.0.66</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>apple</string>
<key>path</key>
```

```
<string>/System/Library/Frameworks/ApplicationServices.framework/Versions/A/
Frameworks/SpeechSynthesis.framework/Versions/A/SpeechSynthesisServer.app</
string>
```

```
<key>signed_by</key>
<array>
  <string>Software Signing</string>
  <string>Apple Code Signing Certification
```

```
Authority</string>
```

```
<string>Apple Root CA</string>
```

```
</array>
<key>version</key>
<string>9.0.66</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>FontRegistryUIAgent</string>
<key>arch_kind</key>
<string>arch_arm_i64</string>
<key>info</key>
<string>Copyright © 2008-2013 Apple Inc.</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>apple</string>
<key>path</key>
```

```
<string>/System/Library/Frameworks/ApplicationServices.framework/Versions/A/
Frameworks/ATS.framework/Versions/A/Support/FontRegistryUIAgent.app</string>
```

```
<key>signed_by</key>
<array>
  <string>Software Signing</string>
  <string>Apple Code Signing Certification
```

```
Authority</string>
```

```
<string>Apple Root CA</string>
```

```
</array>
<key>version</key>
<string>81.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AddressBookSourceSync</string>
<key>arch_kind</key>
<string>arch_arm_i64</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>apple</string>
<key>path</key>
```

```
<string>/System/Library/Frameworks/AddressBook.framework/Versions/A/
Helpers/AddressBookSourceSync.app</string>
```



```

    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>11.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>ABAssistantService</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

    <string>/System/Library/Frameworks/AddressBook.framework/Versions/A/
Helpers/ABAssistantService.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>11.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AddressBookManager</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

    <string>/System/Library/Frameworks/AddressBook.framework/Versions/A/
Helpers/AddressBookManager.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>11.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AddressBookSync</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
```

```
        <string>apple</string>
        <key>path</key>

<string>/System/Library/Frameworks/AddressBook.framework/Helpers/AddressBookSync
.app</string>
        <key>signed_by</key>
        <array>
                <string>Software Signing</string>
                <string>Apple Code Signing Certification
Authority</string>
                <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>11.0</string>
</dict>
<dict>
        <key>_name</key>
        <string>screencaptureui</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>

        <string>/System/Library/CoreServices/screencaptureui.app</string>
        <key>signed_by</key>
        <array>
                <string>Software Signing</string>
                <string>Apple Code Signing Certification
Authority</string>
                <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>1.0</string>
</dict>
<dict>
        <key>_name</key>
        <string>iCloud</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
        <string>/System/Library/CoreServices/iCloud.app</string>
        <key>signed_by</key>
        <array>
                <string>Software Signing</string>
                <string>Apple Code Signing Certification
Authority</string>
                <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>1.0</string>
</dict>
<dict>
        <key>_name</key>
        <string>Watch Face Help</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
```

```

    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
  <string>/System/Library/CoreServices/WatchFaceAlert.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>rcd</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>info</key>
  <string>360</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Library/CoreServices/rcd.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>360</string>
</dict>
<dict>
  <key>_name</key>
  <string>WidgetKit Simulator</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Library/CoreServices/WidgetKit
Simulator.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
```

```
    <string>WiFiAgent</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>info</key>
    <string>17.0, Copyright © 2012-2019 Apple Inc. All
rights reserved.</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
```

```
    <string>/System/Library/CoreServices/WiFiAgent.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>17.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>VoiceOver</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
```

```
    <string>/System/Library/CoreServices/VoiceOver.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>10</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Spotlight</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
```

```
    <string>/System/Library/CoreServices/Spotlight.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
```

```
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Software Update</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>info</key>
        <string>Software Update version 4.0, Copyright Â© 2000-
2009, Apple Inc. All rights reserved.</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
        <string>/System/Library/CoreServices/Software
Update.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
                <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>6</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SpacesTouchBarAgent</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
        <string>/System/Library/CoreServices/SpacesTouchBarAgent.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
                <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SystemUIServer</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
        <string>/System/Library/CoreServices/SystemUIServer.app</string>
        <key>signed_by</key>
        <array>
```

```

    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>1.7</string>
</dict>
<dict>
  <key>_name</key>
  <string>UnmountAssistantAgent</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>

  <string>/System/Library/CoreServices/UnmountAssistantAgent.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>5.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>UserNotificationCenter</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>

  <string>/System/Library/CoreServices/UserNotificationCenter.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>64.103</string>
</dict>
<dict>
  <key>_name</key>
  <string>UniversalAccessControl</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>

  <string>/System/Library/CoreServices/UniversalAccessControl.app</string>

```

```

    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>7.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>UIKitSystem</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

    <string>/System/Library/CoreServices/UIKitSystem.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>TextInputMenuAgent</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

    <string>/System/Library/CoreServices/TextInputMenuAgent.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>TextInputSwitcher</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

```

```
<string>/System/Library/CoreServices/TextInputSwitcher.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>1.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>System Events</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Library/CoreServices/System
Events.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>1.3.6</string>
</dict>
<dict>
  <key>_name</key>
  <string>ThermalTrap</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Library/CoreServices/ThermalTrap.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Siri</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
```



```

    <string>apple</string>
    <key>path</key>
    <string>/System/Library/CoreServices/Siri.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>3006.2.1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Screen Time</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Library/CoreServices/Screen
Time.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>3.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Script Menu</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Library/CoreServices/Script
Menu.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>ScriptMonitor</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>

```

```
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
  </dict>
  <string>/System/Library/CoreServices/ScriptMonitor.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>1.0.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>ScreenSaverEngine</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Library/CoreServices/ScreenSaverEngine.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>5.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Rosetta 2 Updater</string>
  <key>arch_kind</key>
  <string>arch_arm</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Library/CoreServices/Rosetta 2
Updater.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ReportPanic</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
```

```

    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
  </dict>
  <dict>
    <string>/System/Library/CoreServices/ReportPanic.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>10.13</string>
  </dict>
</dict>
<dict>
  <key>_name</key>
  <string>SSMenuAgent</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
</dict>
  <dict>
    <string>/System/Library/CoreServices/RemoteManagement/SSMenuAgent.app</
string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>3.9.8</string>
  </dict>
</dict>
<dict>
  <key>_name</key>
  <string>RapportUIAgent</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
</dict>
  <dict>
    <string>/System/Library/CoreServices/RapportUIAgent.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>2.6.0</string>
  </dict>
</dict>
<dict>
  <key>_name</key>
```

```
    <string>ProfileHelper</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

<string>/System/Library/CoreServices/ProfileHelper.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>RegisterPluginIMApp</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>

<string>/System/Library/CoreServices/RegisterPluginIMApp.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>24</string>
</dict>
<dict>
  <key>_name</key>
  <string>PowerChime</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>

<string>/System/Library/CoreServices/PowerChime.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>1.0</string>
</dict>
```

```

    <dict>
      <key>_name</key>
      <string>Problem Reporter</string>
      <key>arch_kind</key>
      <string>arch_arm_i64</string>
      <key>lastModified</key>
      <date>2020-01-01T08:00:00Z</date>
      <key>obtained_from</key>
      <string>apple</string>
      <key>path</key>
      <string>/System/Library/CoreServices/Problem
Reporter.app</string>
      <key>signed_by</key>
      <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
      </array>
      <key>version</key>
      <string>10.13</string>
    </dict>
    <dict>
      <key>_name</key>
      <string>PodcastsAuthAgent</string>
      <key>arch_kind</key>
      <string>arch_arm_i64</string>
      <key>lastModified</key>
      <date>2020-01-01T08:00:00Z</date>
      <key>obtained_from</key>
      <string>apple</string>
      <key>path</key>
      <string>/System/Library/CoreServices/PodcastsAuthAgent.app</string>
      <key>signed_by</key>
      <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
      </array>
      <key>version</key>
      <string>1.0</string>
    </dict>
    <dict>
      <key>_name</key>
      <string>Paired Devices</string>
      <key>arch_kind</key>
      <string>arch_arm_i64</string>
      <key>lastModified</key>
      <date>2020-01-01T08:00:00Z</date>
      <key>obtained_from</key>
      <string>apple</string>
      <key>path</key>
      <string>/System/Library/CoreServices/Paired
Devices.app</string>
      <key>signed_by</key>
      <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
      </array>
      <key>version</key>

```

```
        <string>2.6.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Pass Viewer</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
        <string>/System/Library/CoreServices/Pass
Viewer.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
                <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>ODSAgent</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>info</key>
        <string>1.9 (190.1), Copyright Â© 2007-2009 Apple Inc.
All Rights Reserved.</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
        <string>/System/Library/CoreServices/ODSAgent.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
                <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>1.9</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>PIPAgent</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
        <string>/System/Library/CoreServices/PIPAgent.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
```

```

        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>OSDUIHelper</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

    <string>/System/Library/CoreServices/OSDUIHelper.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>Notification Centre</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

    <string>/System/Library/CoreServices/NotificationCenter.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>Memory Slot Utility</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Library/CoreServices/Memory Slot
Utility.app</string>
    <key>signed_by</key>

```

```

    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.5.3</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>NowPlayingTouchUI</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

    <string>/System/Library/CoreServices/NowPlayingTouchUI.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>OBEXAgent</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>info</key>
    <string>8.0.5, Copyright Â© 2002-2019 Apple Inc. All
rights reserved.</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

    <string>/System/Library/CoreServices/OBEXAgent.app</string>
    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>8.0.5</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>NetAuthAgent</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
```



```
        <string>apple</string>
        <key>path</key>
    <string>/System/Library/CoreServices/NetAuthAgent.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>6.2</string>
</dict>
<dict>
    <key>_name</key>
    <string>Keychain Circle Notification</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Library/CoreServices/Keychain Circle
Notification.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>KeyboardSetupAssistant</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

    <string>/System/Library/CoreServices/KeyboardSetupAssistant.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>10.7</string>
</dict>
<dict>
    <key>_name</key>
    <string>Language Chooser</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
```

```

    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Library/CoreServices/Language
Chooser.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>LocationMenu</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Library/CoreServices/LocationMenu.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>JavaLauncher</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Library/CoreServices/JavaLauncher.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>319</string>
</dict>
<dict>
    <key>_name</key>
    <string>KeyboardAccessAgent</string>
    <key>arch_kind</key>

```

```
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

<string>/System/Library/CoreServices/KeyboardAccessAgent.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Games</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Library/CoreServices/Games.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Install Command Line Developer Tools</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Library/CoreServices/Install Command
Line Developer Tools.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>2384</string>
</dict>
<dict>
  <key>_name</key>
  <string>Installer Progress</string>
```

```

        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
        <string>/System/Library/CoreServices/Installer
Progress.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
            <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Image Events</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
        <string>/System/Library/CoreServices/Image
Events.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
            <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>1.1.6</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Install in Progress</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
        <string>/System/Library/CoreServices/Install in
Progress.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
            <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>3.0</string>
    </dict>
</dict>

```

```

    <key>_name</key>
    <string>FolderActionsDispatcher</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

<string>/System/Library/CoreServices/FolderActionsDispatcher.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Family (OSX)</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Library/CoreServices/Family
(OSX).app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>EscrowSecurityAlert</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>

<string>/System/Library/CoreServices/EscrowSecurityAlert.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>1.0</string>

```

```

    </dict>
    <dict>
      <key>_name</key>
      <string>Dwell Control</string>
      <key>arch_kind</key>
      <string>arch_arm_i64</string>
      <key>lastModified</key>
      <date>2020-01-01T08:00:00Z</date>
      <key>obtained_from</key>
      <string>apple</string>
      <key>path</key>
      <string>/System/Library/CoreServices/Dwell
Control.app</string>
      <key>signed_by</key>
      <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
          <string>Apple Root CA</string>
        </array>
      <key>version</key>
      <string>1.0</string>
    </dict>
    <dict>
      <key>_name</key>
      <string>CoreLocationAgent</string>
      <key>arch_kind</key>
      <string>arch_arm_i64</string>
      <key>info</key>
      <string>Copyright Â© 2013 Apple Inc.</string>
      <key>lastModified</key>
      <date>2020-01-01T08:00:00Z</date>
      <key>obtained_from</key>
      <string>apple</string>
      <key>path</key>
      <string>/System/Library/CoreServices/CoreLocationAgent.app</string>
      <key>signed_by</key>
      <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
          <string>Apple Root CA</string>
        </array>
      <key>version</key>
      <string>2420.19.23</string>
    </dict>
    <dict>
      <key>_name</key>
      <string>CoreServicesUIAgent</string>
      <key>arch_kind</key>
      <string>arch_arm_i64</string>
      <key>info</key>
      <string>Copyright Â© 2009 Apple Inc.</string>
      <key>lastModified</key>
      <date>2020-01-01T08:00:00Z</date>
      <key>obtained_from</key>
      <string>apple</string>
      <key>path</key>
      <string>/System/Library/CoreServices/CoreServicesUIAgent.app</string>
      <key>signed_by</key>
      <array>
        <string>Software Signing</string>

```

```

        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>358.10</string>
</dict>
<dict>
    <key>_name</key>
    <string>Database Events</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Library/CoreServices/Database
Events.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
    </array>
    <string>Apple Root CA</string>
</array>
    <key>version</key>
    <string>1.0.6</string>
</dict>
<dict>
    <key>_name</key>
    <string>DiscHelper</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
    <string>/System/Library/CoreServices/DiscHelper.app</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
    </array>
    <string>Apple Root CA</string>
</array>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>BluetoothUIServer</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>info</key>
    <string>8.0.5, Copyright Â© 2002-2019 Apple Inc. All
rights reserved.</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

```

```
<string>/System/Library/CoreServices/BluetoothUIServer.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>8.0.5</string>
</dict>
<dict>
  <key>_name</key>
  <string>Captive Network Assistant</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Library/CoreServices/Captive Network
Assistant.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>5.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>CalendarFileHandler</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Library/CoreServices/CalendarFileHandler.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>8.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Bluetooth Setup Assistant</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>info</key>
  <string>8.0.5, Copyright Â© 2002-2019 Apple Inc. All
rights reserved.</string>
```



```

        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
        <string>/System/Library/CoreServices/Bluetooth Setup
Assistant.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
            <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>8.0.5</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Automator Installer</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
        <string>/System/Library/CoreServices/Automator
Installer.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
            <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>2.10</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleScript Utility</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
        <string>/System/Library/CoreServices/AppleScript
Utility.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
            <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>1.1.2</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Automator Application Stub</string>

```

```

        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
        <string>/System/Library/CoreServices/Automator
Application Stub.app</string>
        <key>version</key>
        <string>1.3</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AirPlayUIAgent</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>

        <string>/System/Library/CoreServices/AirPlayUIAgent.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
                <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>2.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AirPort Base Station Agent</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>info</key>
        <string>2.2.1 (221.10), Copyright © 2006 -2020 Apple
Inc. All Rights Reserved.</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
        <string>/System/Library/CoreServices/AirPort Base
Station Agent.app</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
                <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>2.2.1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AddressBookUrlForwarder</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>

```

```

    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
</dict>
<string>/System/Library/CoreServices/AddressBookUrlForwarder.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>11.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AVB Audio Configuration</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Library/CoreServices/AVB Audio
Configuration.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>940.4</string>
</dict>
<dict>
  <key>_name</key>
  <string>Display Calibrator</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>info</key>
  <string>4.14, Copyright 2014-2018 Apple Computer,
Inc.</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
  <string>/System/Library/ColorSync/Calibrators/Display
Calibrator.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>4.14</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>ClassroomStudentMenuExtra</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>

  <string>/System/Library/Classroom/ClassroomStudentMenuExtra.app</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Spotlight</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>

  <string>/System/Library/Services/Spotlight.service</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>3.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>SpeechService</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>info</key>
  <string>9.0.66</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>

  <string>/System/Library/Services/SpeechService.service</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
```

```

        </array>
        <key>version</key>
        <string>9.0.66</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>OpenSpell</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>

    <string>/System/Library/Services/OpenSpell.service</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
                <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleSpell</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>

    <string>/System/Library/Services/AppleSpell.service</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
                <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>2.4</string>
    </dict>
</array>
<key>_parentDataType</key>
<string>SPSoftwareDataType</string>
<key>_properties</key>
<dict>
    <key>_name</key>
    <dict>
        <key>_isColumn</key>
        <string>YES</string>
        <key>_order</key>
        <string>0</string>
    </dict>
    <key>arch_kind</key>
    <dict>
        <key>_isColumn</key>
        <true/>

```

```
        <key>_order</key>
        <string>30</string>
    </dict>
    <key>lastModified</key>
    <dict>
        <key>_isColumn</key>
        <string>YES</string>
        <key>_order</key>
        <string>20</string>
    </dict>
    <key>obtained_from</key>
    <dict>
        <key>_isColumn</key>
        <string>YES</string>
        <key>_order</key>
        <string>15</string>
    </dict>
    <key>path</key>
    <dict>
        <key>_order</key>
        <string>90</string>
    </dict>
    <key>signed_by</key>
    <dict>
        <key>_order</key>
        <string>60</string>
    </dict>
    <key>version</key>
    <dict>
        <key>_isColumn</key>
        <string>YES</string>
        <key>_order</key>
        <string>10</string>
        <key>_suppressLocalization</key>
        <true/>
    </dict>
    <key>volumes</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
    </dict>
</dict>
<key>_timeStamp</key>
<date>2021-08-03T01:21:43Z</date>
<key>_versionInfo</key>
<dict>
    <key>com.apple.SystemProfiler.SPApplicationsReporter</key>
    <string>915</string>
</dict>
</dict>
<dict>
    <key>_SPCommandLineArguments</key>
    <array>
        <string>/usr/sbin/system_profiler</string>
        <string>-nospawn</string>
        <string>-xml</string>
        <string>SPAudioDataType</string>
        <string>-detailLevel</string>
        <string>full</string>
    </array>
    <key>_SPCompletionInterval</key>
    <real>0.20971798896789551</real>
    <key>_SPResponseTime</key>
    <real>0.30159103870391846</real>
```

```

<key>_dataType</key>
<string>SPAudioDataType</string>
<key>_detailLevel</key>
<integer>-1</integer>
<key>_items</key>
<array>
  <dict>
    <key>_items</key>
    <array>
      <dict>
        <key>_name</key>
        <string>MacBook Pro Microphone</string>
      </dict>
    </array>
  </dict>
</array>
<key>coreaudio_default_audio_input_device</key>
  <string>spaudio_yes</string>
  <key>coreaudio_device_input</key>
  <integer>1</integer>
  <key>coreaudio_device_manufacturer</key>
  <string>Apple Inc.</string>
  <key>coreaudio_device_srate</key>
  <real>48000</real>
  <key>coreaudio_device_transport</key>
</dict>
<string>coreaudio_device_type_builtin</string>
  <key>coreaudio_input_source</key>
  <string>MacBook Pro Microphone</string>
</dict>
<dict>
  <key>_name</key>
  <string>MacBook Pro Speakers</string>
  <key>_properties</key>
</dict>
<string>coreaudio_default_audio_system_device</string>
<key>coreaudio_default_audio_output_device</key>
  <string>spaudio_yes</string>
<key>coreaudio_default_audio_system_device</key>
  <string>spaudio_yes</string>
  <key>coreaudio_device_manufacturer</key>
  <string>Apple Inc.</string>
  <key>coreaudio_device_output</key>
  <integer>2</integer>
  <key>coreaudio_device_srate</key>
  <real>48000</real>
  <key>coreaudio_device_transport</key>
</dict>
<string>coreaudio_device_type_builtin</string>
  <key>coreaudio_output_source</key>
  <string>MacBook Pro Speakers</string>
</dict>
</array>
<key>_name</key>
<string>coreaudio_device</string>
</dict>
</array>
<key>_parentDataType</key>
<string>SPHardwareDataType</string>
<key>_properties</key>
<dict>
  <key>_name</key>
  <dict>
    <key>_isColumn</key>
    <string>YES</string>
  </dict>
</dict>

```

```
    <key>_isOutlineColumn</key>
    <string>YES</string>
    <key>_order</key>
    <string>0</string>
</dict>
<key>spaudio_bitdepth</key>
<dict>
    <key>_order</key>
    <string>100</string>
</dict>
<key>spaudio_bitwidth</key>
<dict>
    <key>_order</key>
    <string>110</string>
</dict>
<key>spaudio_channels</key>
<dict>
    <key>_order</key>
    <string>120</string>
</dict>
<key>spaudio_codec</key>
<dict>
    <key>_order</key>
    <string>10</string>
</dict>
<key>spaudio_controls</key>
<dict>
    <key>_order</key>
    <string>220</string>
</dict>
<key>spaudio_ismixable</key>
<dict>
    <key>_order</key>
    <string>130</string>
</dict>
<key>spaudio_newtype</key>
<dict>
    <key>_order</key>
    <string>200</string>
</dict>
<key>spaudio_num_inputs</key>
<dict>
    <key>_order</key>
    <string>40</string>
</dict>
<key>spaudio_num_outputs</key>
<dict>
    <key>_order</key>
    <string>50</string>
</dict>
<key>spaudio_oldtype</key>
<dict>
    <key>_order</key>
    <string>20</string>
</dict>
<key>spaudio_playthrough</key>
<dict>
    <key>_order</key>
    <string>230</string>
</dict>
<key>spaudio_pluginid</key>
<dict>
    <key>_order</key>
    <string>240</string>
```



```

    </dict>
    <key>spaudio_sample_rate</key>
    <dict>
      <key>_order</key>
      <string>30</string>
    </dict>
    <key>spaudio_samplerates</key>
    <dict>
      <key>_order</key>
      <string>140</string>
    </dict>
    <key>volumes</key>
    <dict>
      <key>_detailLevel</key>
      <string>0</string>
    </dict>
  </dict>
  <key>_timeStamp</key>
  <date>2021-08-03T01:21:43Z</date>
  <key>_versionInfo</key>
  <dict>
    <key>com.apple.SystemProfiler.SPAudioReporter</key>
    <string>800.1</string>
  </dict>
</dict>
<dict>
  <key>_SPCommandLineArguments</key>
  <array>
    <string>/usr/sbin/system_profiler</string>
    <string>-nospawn</string>
    <string>-xml</string>
    <string>SPBluetoothDataType</string>
    <string>-detailLevel</string>
    <string>full</string>
  </array>
  <key>_SPCompletionInterval</key>
  <real>0.38547098636627197</real>
  <key>_SPResponseTime</key>
  <real>0.41643404960632324</real>
  <key>_dataType</key>
  <string>SPBluetoothDataType</string>
  <key>_detailLevel</key>
  <integer>-1</integer>
  <key>_items</key>
  <array>
    <dict>
      <key>apple_bluetooth_version</key>
      <string>8.0.5d7</string>
      <key>incoming_serial_ports_title</key>
      <array>
        <dict>
          <key>Bluetooth-Incoming-Port</key>
          <dict>
            <key>device_authentication</key>
            <string>attrib_No</string>
            <key>device_channel</key>
            <string>3</string>
          </dict>
        </dict>
      </array>
      <key>local_device_title</key>
      <dict>
        <key>general_address</key>
        <string>A4-83-E7-2F-15-A9</string>
      </dict>
    </dict>
  </array>

```

```
<key>general_autoseek_keyboard</key>
<string>attrib_Off</string>
<key>general_autoseek_pointing</key>
<string>attrib_Off</string>
<key>general_chipset</key>
<string>4377</string>
<key>general_device_class_composite</key>
<string>0x38010C</string>
<key>general_device_class_major</key>
<string>0x01</string>
<key>general_device_class_minor</key>
<string>0x03</string>
<key>general_fw_version</key>
<string>v75 c143</string>
<key>general_hardware_transport</key>
<string>PCIe</string>
<key>general_hci_revision</key>
<string>0x8F</string>
<key>general_hci_version</key>
<string>5.0 (0x9)</string>
<key>general_lmp_subversion</key>
<string>0x204B</string>
<key>general_lmp_version</key>
<string>5.0 (0x9)</string>
<key>general_mfg</key>
<string>Broadcom</string>
<key>general_name</key>
<string>Kosomakâ€™s MacBook Pro</string>
<key>general_power</key>
<string>attrib_On</string>
<key>general_productID</key>
<string>0x0092</string>
<key>general_remoteWake</key>
<string>attrib_Off</string>
<key>general_service_class</key>
<string>0x1C0</string>
<key>general_supports_handoff</key>
<string>attrib_Yes</string>
<key>general_supports_instantHotspot</key>
<string>attrib_Yes</string>
<key>general_supports_lowEnergy</key>
<string>attrib_Yes</string>
<key>general_type_complete_string</key>
<string>Mac Portable</string>
<key>general_type_major_string</key>
<string>Computer</string>
<key>general_vendorID</key>
<string>0x05AC</string>
</dict>
<key>services_title</key>
<array>
  <dict>
    <key>file_browsing_title</key>
    <dict>
      <key>service_FTPRootFolder</key>
      <string>~/Public</string>
      <key>service_OBEXReceive</key>
      <string>service_acceptAll</string>
      <key>service_state</key>
      <string>attrib_disabled</string>
    </dict>
  </dict>
  <dict>
    <key>object_push_title</key>
  </dict>
</array>
</dict>
```

```

        <dict>
            <key>service_OBEXFolder</key>
            <string>~/Downloads</string>
            <key>service_OBEXHandle_Other</key>
        </dict>
    </array>
    <key>service_saveToLocation</string>
    <dict>
        <key>service_OBEXReceive</key>
        <string>service_acceptAll</string>
        <key>service_state</key>
        <string>attrib_disabled</string>
    </dict>
</dict>
<dict>
    <key>internet_sharing_title</key>
    <dict>
        <key>service_state</key>
        <string>attrib_disabled</string>
    </dict>
</dict>
</array>
</dict>
</array>
<key>_name</key>
<string>SPBluetoothDataType</string>
<key>_parentDataType</key>
<string>SPHardwareDataType</string>
<key>_properties</key>
<dict>
    <key>_name</key>
    <dict>
        <key>_detailLevel</key>
        <string>-1</string>
        <key>_isColumn</key>
        <string>YES</string>
        <key>_isOutlineColumn</key>
        <string>YES</string>
        <key>_order</key>
        <string>0</string>
    </dict>
    <key>apple_bluetooth_version</key>
    <dict>
        <key>_detailLevel</key>
        <string>-1</string>
        <key>_order</key>
        <string>10</string>
    </dict>
    <key>cache_title</key>
    <dict>
        <key>_detailLevel</key>
        <string>-1</string>
        <key>_order</key>
        <string>700</string>
    </dict>
    <key>device_AFHEnabled</key>
    <dict>
        <key>_detailLevel</key>
        <string>1</string>
        <key>_order</key>
        <string>245</string>
    </dict>
    <key>device_AFHMap</key>
    <dict>
        <key>_detailLevel</key>
        <string>1</string>

```

```
        <key>_order</key>
        <string>250</string>
    </dict>
    <key>device_ConnectionMode</key>
    <dict>
        <key>_detailLevel</key>
        <string>1</string>
        <key>_order</key>
        <string>265</string>
    </dict>
    <key>device_RSSI</key>
    <dict>
        <key>_detailLevel</key>
        <string>1</string>
        <key>_order</key>
        <string>255</string>
    </dict>
    <key>device_addr</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
        <key>_order</key>
        <string>160</string>
    </dict>
    <key>device_address_resolvable</key>
    <dict>
        <key>_detailLevel</key>
        <string>1</string>
        <key>_order</key>
        <string>170</string>
    </dict>
    <key>device_address_type</key>
    <dict>
        <key>_detailLevel</key>
        <string>1</string>
        <key>_order</key>
        <string>165</string>
    </dict>
    <key>device_authenticaiion</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
        <key>_order</key>
        <string>210</string>
    </dict>
    <key>device_batteryPercent</key>
    <dict>
        <key>_detailLevel</key>
        <string>-1</string>
        <key>_order</key>
        <string>205</string>
    </dict>
    <key>device_channel</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
        <key>_order</key>
        <string>220</string>
    </dict>
    <key>device_classOfDevice</key>
    <dict>
        <key>_detailLevel</key>
        <string>1</string>
        <key>_order</key>
```

```
        <string>240</string>
    </dict>
    <key>device_core_spec</key>
    <dict>
        <key>_detailLevel</key>
        <string>-1</string>
        <key>_order</key>
        <string>225</string>
    </dict>
    <key>device_encryption</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
        <key>_order</key>
        <string>215</string>
    </dict>
    <key>device_fw_version</key>
    <dict>
        <key>_detailLevel</key>
        <string>-1</string>
        <key>_order</key>
        <string>225</string>
    </dict>
    <key>device_interval</key>
    <dict>
        <key>_detailLevel</key>
        <string>1</string>
        <key>_order</key>
        <string>270</string>
    </dict>
    <key>device_isconfigured</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
        <key>_order</key>
        <string>190</string>
    </dict>
    <key>device_isconnected</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
        <key>_order</key>
        <string>195</string>
    </dict>
    <key>device_isplayed</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
        <key>_order</key>
        <string>185</string>
    </dict>
    <key>device_majorClassOfDevice_string</key>
    <dict>
        <key>_detailLevel</key>
        <string>-1</string>
        <key>_order</key>
        <string>175</string>
    </dict>
    <key>device_manufacturer</key>
    <dict>
        <key>_order</key>
        <string>200</string>
    </dict>
    <key>device_minorClassOfDevice_string</key>
```

```
<dict>
  <key>_detailLevel</key>
  <string>-1</string>
  <key>_order</key>
  <string>176</string>
</dict>
<key>device_name</key>
<dict>
  <key>_detailLevel</key>
  <string>0</string>
  <key>_order</key>
  <string>155</string>
</dict>
<key>device_productID</key>
<dict>
  <key>_detailLevel</key>
  <string>-1</string>
  <key>_order</key>
  <string>235</string>
</dict>
<key>device_role</key>
<dict>
  <key>_detailLevel</key>
  <string>1</string>
  <key>_order</key>
  <string>260</string>
</dict>
<key>device_services</key>
<dict>
  <key>_detailLevel</key>
  <string>-1</string>
  <key>_order</key>
  <string>180</string>
</dict>
<key>device_title</key>
<dict>
  <key>_order</key>
  <string>150</string>
</dict>
<key>device_vendorID</key>
<dict>
  <key>_detailLevel</key>
  <string>-1</string>
  <key>_order</key>
  <string>230</string>
</dict>
<key>devices_title</key>
<dict>
  <key>_order</key>
  <string>150</string>
</dict>
<key>general_address</key>
<dict>
  <key>_detailLevel</key>
  <string>0</string>
  <key>_order</key>
  <string>15</string>
</dict>
<key>general_autoseek_pointing</key>
<dict>
  <key>_detailLevel</key>
  <string>-1</string>
  <key>_order</key>
  <string>77</string>
</dict>
```

```
</dict>
<key>general_chipset</key>
<dict>
  <key>_detailLevel</key>
  <string>-1</string>
  <key>_order</key>
  <string>60</string>
</dict>
<key>general_connectable</key>
<dict>
  <key>_detailLevel</key>
  <string>-1</string>
  <key>_order</key>
  <string>72</string>
</dict>
<key>general_device_class_composite</key>
<dict>
  <key>_detailLevel</key>
  <string>1</string>
  <key>_order</key>
  <string>116</string>
</dict>
<key>general_device_class_major</key>
<dict>
  <key>_detailLevel</key>
  <string>1</string>
  <key>_order</key>
  <string>117</string>
</dict>
<key>general_device_class_minor</key>
<dict>
  <key>_detailLevel</key>
  <string>1</string>
  <key>_order</key>
  <string>118</string>
</dict>
<key>general_discoverable</key>
<dict>
  <key>_detailLevel</key>
  <string>0</string>
  <key>_order</key>
  <string>71</string>
</dict>
<key>general_fw_version</key>
<dict>
  <key>_detailLevel</key>
  <string>-1</string>
  <key>_order</key>
  <string>62</string>
</dict>
<key>general_hardware_features</key>
<dict>
  <key>_detailLevel</key>
  <string>-1</string>
  <key>_order</key>
  <string>50</string>
</dict>
<key>general_hardware_transport</key>
<dict>
  <key>_detailLevel</key>
  <string>-1</string>
  <key>_order</key>
  <string>51</string>
</dict>
```

```
<key>general_hci_revision</key>
<dict>
  <key>_detailLevel</key>
  <string>1</string>
  <key>_order</key>
  <string>111</string>
</dict>
<key>general_hci_version</key>
<dict>
  <key>_detailLevel</key>
  <string>1</string>
  <key>_order</key>
  <string>110</string>
</dict>
<key>general_lmp_subversion</key>
<dict>
  <key>_detailLevel</key>
  <string>1</string>
  <key>_order</key>
  <string>113</string>
</dict>
<key>general_lmp_version</key>
<dict>
  <key>_detailLevel</key>
  <string>1</string>
  <key>_order</key>
  <string>112</string>
</dict>
<key>general_mfg</key>
<dict>
  <key>_detailLevel</key>
  <string>-1</string>
  <key>_order</key>
  <string>41</string>
</dict>
<key>general_name</key>
<dict>
  <key>_detailLevel</key>
  <string>1</string>
  <key>_order</key>
  <string>13</string>
</dict>
<key>general_power</key>
<dict>
  <key>_detailLevel</key>
  <string>0</string>
  <key>_order</key>
  <string>70</string>
</dict>
<key>general_productID</key>
<dict>
  <key>_detailLevel</key>
  <string>-1</string>
  <key>_order</key>
  <string>91</string>
</dict>
<key>general_remoteWake</key>
<dict>
  <key>_detailLevel</key>
  <string>-1</string>
  <key>_order</key>
  <string>79</string>
</dict>
<key>general_service_class</key>
```



```
<dict>
  <key>_detailLevel</key>
  <string>1</string>
  <key>_order</key>
  <string>119</string>
</dict>
<key>general_supports_airDrop</key>
<dict>
  <key>_detailLevel</key>
  <string>-1</string>
  <key>_order</key>
  <string>31</string>
</dict>
<key>general_supports_handoff</key>
<dict>
  <key>_detailLevel</key>
  <string>-1</string>
  <key>_order</key>
  <string>32</string>
</dict>
<key>general_supports_instantHotspot</key>
<dict>
  <key>_detailLevel</key>
  <string>-1</string>
  <key>_order</key>
  <string>33</string>
</dict>
<key>general_supports_lowEnergy</key>
<dict>
  <key>_detailLevel</key>
  <string>-1</string>
  <key>_order</key>
  <string>30</string>
</dict>
<key>general_type_complete_string</key>
<dict>
  <key>_detailLevel</key>
  <string>1</string>
  <key>_order</key>
  <string>115</string>
</dict>
<key>general_type_major_string</key>
<dict>
  <key>_detailLevel</key>
  <string>1</string>
  <key>_order</key>
  <string>114</string>
</dict>
<key>general_vendorID</key>
<dict>
  <key>_detailLevel</key>
  <string>-1</string>
  <key>_order</key>
  <string>90</string>
</dict>
<key>incoming_serial_ports_title</key>
<dict>
  <key>_detailLevel</key>
  <string>0</string>
  <key>_order</key>
  <string>600</string>
</dict>
<key>local_device_title</key>
<dict>
```

```
        <key>_detailLevel</key>
        <string>-1</string>
        <key>_order</key>
        <string>20</string>
    </dict>
    <key>outgoing_serial_ports_title</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
        <key>_order</key>
        <string>601</string>
    </dict>
    <key>serialports_title</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
        <key>_order</key>
        <string>400</string>
    </dict>
    <key>service_FTPRootFolder</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
        <key>_order</key>
        <string>320</string>
    </dict>
    <key>service_OBEXFolder</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
        <key>_order</key>
        <string>330</string>
    </dict>
    <key>service_internet_sharing</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
        <key>_order</key>
        <string>310</string>
    </dict>
    <key>services_title</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
        <key>_order</key>
        <string>300</string>
    </dict>
    <key>volumes</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
    </dict>
</dict>
<key>_timeStamp</key>
<date>2021-08-03T01:21:43Z</date>
<key>_versionInfo</key>
<dict>
    <key>com.apple.SystemProfiler.SPBluetoothReporter</key>
    <string>8.0.5d7</string>
</dict>
</dict>
<dict>
    <key>_SPCommandLineArguments</key>
    <array>
```

```
        <string>/usr/sbin/system_profiler</string>
        <string>-nospawn</string>
        <string>-xml</string>
        <string>SPCameraDataType</string>
        <string>-detailLevel</string>
        <string>full</string>
    </array>
    <key>_SPCompletionInterval</key>
    <real>0.82180297374725342</real>
    <key>_SPResponseTime</key>
    <real>0.91457700729370117</real>
    <key>_dataType</key>
    <string>SPCameraDataType</string>
    <key>_detailLevel</key>
    <integer>-1</integer>
    <key>_items</key>
    <array>
        <dict>
            <key>_name</key>
            <string>FaceTime HD Camera (Built-in)</string>
            <key>spcamera_model-id</key>
            <string>UVC Camera VendorID_1452
ProductID_34068</string>
            <key>spcamera_unique-id</key>
            <string>0x8020000005ac8514</string>
        </dict>
    </array>
    <key>_parentDataType</key>
    <string>SPHardwareDataType</string>
    <key>_properties</key>
    <dict>
        <key>_name</key>
        <dict>
            <key>_isColumn</key>
            <string>NO</string>
            <key>_isOutlineColumn</key>
            <string>NO</string>
            <key>_order</key>
            <string>0</string>
        </dict>
        <key>spcamera</key>
        <dict>
            <key>_order</key>
            <string>10</string>
        </dict>
        <key>spcamera_model-id</key>
        <dict>
            <key>_order</key>
            <string>30</string>
        </dict>
        <key>spcamera_unique-id</key>
        <dict>
            <key>_order</key>
            <string>40</string>
        </dict>
        <key>volumes</key>
        <dict>
            <key>_detailLevel</key>
            <string>0</string>
        </dict>
    </dict>
    <key>_timeStamp</key>
    <date>2021-08-03T01:21:43Z</date>
    <key>_versionInfo</key>
```

```

    <dict>
      <key>com.apple.SystemProfiler.SPCameraReporter</key>
      <string>1.2.0</string>
    </dict>
  </dict>
</dict>
<dict>
  <key>_SPCommandLineArguments</key>
  <array>
    <string>/usr/sbin/system_profiler</string>
    <string>-nospawn</string>
    <string>-xml</string>
    <string>SPCardReaderDataType</string>
    <string>-detailLevel</string>
    <string>full</string>
  </array>
  <key>_SPCompletionInterval</key>
  <real>0.17131400108337402</real>
  <key>_SPResponseTime</key>
  <real>0.20039606094360352</real>
  <key>_dataType</key>
  <string>SPCardReaderDataType</string>
  <key>_detailLevel</key>
  <integer>-1</integer>
  <key>_items</key>
  <array/>
  <key>_parentDataType</key>
  <string>SPHardwareDataType</string>
  <key>_properties</key>
  <dict>
    <key>_name</key>
    <dict>
      <key>_isColumn</key>
      <string>NO</string>
      <key>_isOutlineColumn</key>
      <string>NO</string>
      <key>_order</key>
      <string>0</string>
    </dict>
    <key>bsd_name</key>
    <dict>
      <key>_order</key>
      <string>260</string>
    </dict>
    <key>detachable_drive</key>
    <dict>
      <key>_order</key>
      <string>240</string>
    </dict>
    <key>file_system</key>
    <dict>
      <key>_order</key>
      <string>250</string>
    </dict>
    <key>free_space</key>
    <dict>
      <key>_deprecated</key>
      <true/>
      <key>_order</key>
      <string>200</string>
    </dict>
    <key>free_space_in_bytes</key>
    <dict>
      <key>_isByteSize</key>
      <true/>

```

```
        <key>_order</key>
        <string>200</string>
    </dict>
    <key>mount_point</key>
    <dict>
        <key>_order</key>
        <string>270</string>
    </dict>
    <key>removable_media</key>
    <dict>
        <key>_order</key>
        <string>220</string>
    </dict>
    <key>size</key>
    <dict>
        <key>_deprecated</key>
        <true/>
        <key>_order</key>
        <string>210</string>
    </dict>
    <key>size_in_bytes</key>
    <dict>
        <key>_isByteSize</key>
        <true/>
        <key>_order</key>
        <string>210</string>
    </dict>
    <key>spcardreader</key>
    <dict>
        <key>_order</key>
        <string>10</string>
    </dict>
    <key>spcardreader_card_manufacturer-id</key>
    <dict>
        <key>_order</key>
        <string>140</string>
    </dict>
    <key>spcardreader_card_manufacturing_date</key>
    <dict>
        <key>_order</key>
        <string>170</string>
    </dict>
    <key>spcardreader_card_oemid</key>
    <dict>
        <key>_order</key>
        <string>130</string>
    </dict>
    <key>spcardreader_card_productname</key>
    <dict>
        <key>_order</key>
        <string>120</string>
    </dict>
    <key>spcardreader_card_productrevision</key>
    <dict>
        <key>_order</key>
        <string>150</string>
    </dict>
    <key>spcardreader_card_serialnumber</key>
    <dict>
        <key>_order</key>
        <string>160</string>
    </dict>
    <key>spcardreader_card_specversion</key>
    <dict>
```

```
        <key>_order</key>
        <string>180</string>
    </dict>
    <key>spcardreader_device-id</key>
    <dict>
        <key>_order</key>
        <string>50</string>
    </dict>
    <key>spcardreader_external</key>
    <dict>
        <key>_order</key>
        <string>10</string>
    </dict>
    <key>spcardreader_link-speed</key>
    <dict>
        <key>_order</key>
        <string>110</string>
    </dict>
    <key>spcardreader_link-width</key>
    <dict>
        <key>_order</key>
        <string>100</string>
    </dict>
    <key>spcardreader_product-id</key>
    <dict>
        <key>_order</key>
        <string>40</string>
    </dict>
    <key>spcardreader_revision-id</key>
    <dict>
        <key>_order</key>
        <string>80</string>
        <key>_suppressLocalization</key>
        <true/>
    </dict>
    <key>spcardreader_serialnumber</key>
    <dict>
        <key>_order</key>
        <string>90</string>
    </dict>
    <key>spcardreader_subsystem-id</key>
    <dict>
        <key>_order</key>
        <string>70</string>
    </dict>
    <key>spcardreader_subsystem_vendor-id</key>
    <dict>
        <key>_order</key>
        <string>60</string>
    </dict>
    <key>spcardreader_vendor-id</key>
    <dict>
        <key>_order</key>
        <string>30</string>
    </dict>
    <key>volumes</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
    </dict>
    <key>writable</key>
    <dict>
        <key>_order</key>
        <string>230</string>
```

```
        </dict>
    </dict>
    <key>_timeStamp</key>
    <date>2021-08-03T01:21:43Z</date>
    <key>_versionInfo</key>
    <dict>
        <key>com.apple.SystemProfiler.SPCardReaderReporter</key>
        <string>2.7</string>
    </dict>
</dict>
<dict>
    <key>_SPCommandLineArguments</key>
    <array>
        <string>/usr/sbin/system_profiler</string>
        <string>-nospawn</string>
        <string>-xml</string>
        <string>SPiBridgeDataType</string>
        <string>-detailLevel</string>
        <string>full</string>
    </array>
    <key>_SPCompletionInterval</key>
    <real>0.31019294261932373</real>
    <key>_SPResponseTime</key>
    <real>0.33057498931884766</real>
    <key>_dataType</key>
    <string>SPiBridgeDataType</string>
    <key>_detailLevel</key>
    <integer>-1</integer>
    <key>_items</key>
    <array>
        <dict>
            <key>_name</key>
            <string>Controller Information</string>
            <key>ibridge_boot_uuid</key>
            <string>E01AA167-DFC4-4898-9775-1B1AB9C4BC5F</string>
            <key>ibridge_build</key>
            <string>18P4759a</string>
            <key>ibridge_model_name</key>
            <string>Apple T2 Security Chip</string>
        </dict>
    </array>
    <key>_parentDataType</key>
    <string>SPHardwareDataType</string>
    <key>_properties</key>
    <dict>
        <key>_name</key>
        <dict>
            <key>_isColumn</key>
            <string>NO</string>
            <key>_order</key>
            <string>0</string>
        </dict>
        <key>ibridge_boot_rom_version</key>
        <dict>
            <key>_isColumn</key>
            <string>NO</string>
            <key>_order</key>
            <string>28</string>
        </dict>
        <key>ibridge_boot_uuid</key>
        <dict>
            <key>_order</key>
            <string>20</string>
        </dict>
    </dict>

```

```
<key>ibridge_build</key>
<dict>
  <key>_isColumn</key>
  <string>YES</string>
  <key>_order</key>
  <string>10</string>
</dict>
<key>ibridge_euou</key>
<dict>
  <key>_isColumn</key>
  <string>NO</string>
  <key>_order</key>
  <string>256</string>
</dict>
<key>ibridge_external_boot</key>
<dict>
  <key>_isColumn</key>
  <string>NO</string>
  <key>_order</key>
  <string>70</string>
</dict>
<key>ibridge_extra</key>
<dict>
  <key>_isColumn</key>
  <string>NO</string>
  <key>_order</key>
  <string>199</string>
</dict>
<key>ibridge_extra_boot_policies</key>
<dict>
  <key>_isColumn</key>
  <string>NO</string>
  <key>_order</key>
  <string>50</string>
</dict>
<key>ibridge_hostname</key>
<dict>
  <key>_isColumn</key>
  <string>YES</string>
  <key>_order</key>
  <string>250</string>
</dict>
<key>ibridge_hw_model</key>
<dict>
  <key>_isColumn</key>
  <string>YES</string>
  <key>_order</key>
  <string>200</string>
</dict>
<key>ibridge_hw_platform</key>
<dict>
  <key>_order</key>
  <string>210</string>
</dict>
<key>ibridge_hw_revision</key>
<dict>
  <key>_order</key>
  <string>220</string>
</dict>
<key>ibridge_iuos</key>
<dict>
  <key>_isColumn</key>
  <string>NO</string>
  <key>_order</key>
```



```
        <string>258</string>
</dict>
<key>ibridge_iuou</key>
<dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>257</string>
</dict>
<key>ibridge_link</key>
<dict>
    <key>_order</key>
    <string>260</string>
</dict>
<key>ibridge_mlb_serial_number</key>
<dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>281</string>
</dict>
<key>ibridge_model_identififier</key>
<dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>230</string>
</dict>
<key>ibridge_model_identififier_top</key>
<dict>
    <key>_isColumn</key>
    <string>YES</string>
    <key>_order</key>
    <string>6</string>
</dict>
<key>ibridge_model_name</key>
<dict>
    <key>_isColumn</key>
    <string>YES</string>
    <key>_order</key>
    <string>5</string>
</dict>
<key>ibridge_os_variant</key>
<dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>255</string>
</dict>
<key>ibridge_prod_fused</key>
<dict>
    <key>_order</key>
    <string>240</string>
</dict>
<key>ibridge_sb_boot_args</key>
<dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>55</string>
</dict>
<key>ibridge_sb_ctrr</key>
<dict>
    <key>_isColumn</key>
```

```
        <string>N0</string>
        <key>_order</key>
        <string>54</string>
    </dict>
<key>ibridge_sb_device_mdm</key>
<dict>
    <key>_isColumn</key>
    <string>N0</string>
    <key>_order</key>
    <string>58</string>
</dict>
<key>ibridge_sb_manual_mdm</key>
<dict>
    <key>_isColumn</key>
    <string>N0</string>
    <key>_order</key>
    <string>57</string>
</dict>
<key>ibridge_sb_other_kext</key>
<dict>
    <key>_isColumn</key>
    <string>N0</string>
    <key>_order</key>
    <string>56</string>
</dict>
<key>ibridge_sb_sip</key>
<dict>
    <key>_isColumn</key>
    <string>N0</string>
    <key>_order</key>
    <string>52</string>
</dict>
<key>ibridge_sb_ssv</key>
<dict>
    <key>_isColumn</key>
    <string>N0</string>
    <key>_order</key>
    <string>53</string>
</dict>
<key>ibridge_secure_boot</key>
<dict>
    <key>_isColumn</key>
    <string>N0</string>
    <key>_order</key>
    <string>51</string>
</dict>
<key>ibridge_serial_number</key>
<dict>
    <key>_isColumn</key>
    <string>N0</string>
    <key>_order</key>
    <string>280</string>
</dict>
<key>ibridge_unique_chip_id</key>
<dict>
    <key>_isColumn</key>
    <string>N0</string>
    <key>_order</key>
    <string>270</string>
</dict>
<key>volumes</key>
<dict>
    <key>_detailLevel</key>
    <string>0</string>
```

```

        </dict>
    </dict>
    <key>_timeStamp</key>
    <date>2021-08-03T01:21:43Z</date>
    <key>_versionInfo</key>
    <dict>
        <key>com.apple.SystemProfiler.SPiBridgeReporter</key>
        <string>1</string>
    </dict>
</dict>
<dict>
    <key>_SPCommandLineArguments</key>
    <array>
        <string>/usr/sbin/system_profiler</string>
        <string>-nospawn</string>
        <string>-xml</string>
        <string>SPDeveloperToolsDataType</string>
        <string>-detailLevel</string>
        <string>full</string>
    </array>
    <key>_SPCompletionInterval</key>
    <real>0.26534497737884521</real>
    <key>_SPResponseTime</key>
    <real>0.28518593311309814</real>
    <key>_dataType</key>
    <string>SPDeveloperToolsDataType</string>
    <key>_detailLevel</key>
    <integer>1</integer>
    <key>_items</key>
    <array/>
    <key>_parentDataType</key>
    <string>SPSoftwareDataType</string>
    <key>_properties</key>
    <dict>
        <key>spdashcode_app</key>
        <dict>
            <key>_order</key>
            <string>4</string>
        </dict>
        <key>spdevtools_additional_sdks</key>
        <dict>
            <key>_order</key>
            <string>61</string>
        </dict>
        <key>spdevtools_apps</key>
        <dict>
            <key>_order</key>
            <string>45</string>
        </dict>
        <key>spdevtools_path</key>
        <dict>
            <key>_isColumn</key>
            <string>YES</string>
            <key>_order</key>
            <string>10</string>
            <key>_width</key>
            <string>50</string>
        </dict>
        <key>spdevtools_sdks</key>
        <dict>
            <key>_order</key>
            <string>49</string>
        </dict>
        <key>spdevtools_version</key>

```

```
<dict>
  <key>_isColumn</key>
  <string>YES</string>
  <key>_order</key>
  <string>0</string>
  <key>_width</key>
  <string>15</string>
</dict>
<key>spib_app</key>
<dict>
  <key>_order</key>
  <string>2</string>
</dict>
<key>spinstruments_app</key>
<dict>
  <key>_order</key>
  <string>3</string>
</dict>
<key>spxcode_app</key>
<dict>
  <key>_order</key>
  <string>1</string>
</dict>
<key>volumes</key>
<dict>
  <key>_detailLevel</key>
  <string>0</string>
</dict>
</dict>
<key>_timeStamp</key>
<date>2021-08-03T01:21:43Z</date>
<key>_versionInfo</key>
<dict>
  <key>com.apple.SystemProfiler.SPDeveloperToolsReporter</key>
  <string>1206</string>
</dict>
</dict>
<dict>
  <key>_SPCommandLineArguments</key>
  <array>
    <string>/usr/sbin/system_profiler</string>
    <string>-nospawn</string>
    <string>-xml</string>
    <string>SPDiagnosticsDataType</string>
    <string>-detailLevel</string>
    <string>full</string>
  </array>
  <key>_SPCompletionInterval</key>
  <real>0.24715101718902588</real>
  <key>_SPResponseTime</key>
  <real>0.32896101474761963</real>
  <key>_dataType</key>
  <string>SPDiagnosticsDataType</string>
  <key>_detailLevel</key>
  <integer>-1</integer>
  <key>_items</key>
  <array>
    <dict>
      <key>_name</key>
      <string>spdiags_post_value</string>
      <key>spdiags_last_run_key</key>
      <date>2021-08-03T01:16:40Z</date>
      <key>spdiags_result_key</key>
      <string>spdiags_passed_value</string>
    </dict>
  </array>
</dict>
</dict>
```

```
    </dict>
  </array>
  <key>_parentDataType</key>
  <string>SPHardwareDataType</string>
  <key>_properties</key>
  <dict>
    <key>_name</key>
    <dict>
      <key>_detailLevel</key>
      <string>-1</string>
      <key>_isColumn</key>
      <string>YES</string>
      <key>_order</key>
      <string>0</string>
      <key>_width</key>
      <string>300</string>
    </dict>
    <key>spdiags_aht_suite_key</key>
    <dict>
      <key>_detailLevel</key>
      <string>-1</string>
      <key>_order</key>
      <string>30</string>
    </dict>
    <key>spdiags_failed_device_key</key>
    <dict>
      <key>_detailLevel</key>
      <string>0</string>
      <key>_order</key>
      <string>80</string>
    </dict>
    <key>spdiags_failure_code_key</key>
    <dict>
      <key>_detailLevel</key>
      <string>-1</string>
      <key>_order</key>
      <string>90</string>
    </dict>
    <key>spdiags_failure_type_key</key>
    <dict>
      <key>_detailLevel</key>
      <string>-1</string>
      <key>_order</key>
      <string>100</string>
    </dict>
    <key>spdiags_last_run_key</key>
    <dict>
      <key>_dateFormat</key>
      <string>%X</string>
      <key>_detailLevel</key>
      <string>-1</string>
      <key>_isColumn</key>
      <string>YES</string>
      <key>_order</key>
      <string>10</string>
      <key>_width</key>
      <string>150</string>
    </dict>
    <key>spdiags_loopcount_key</key>
    <dict>
      <key>_detailLevel</key>
      <string>0</string>
      <key>_order</key>
      <string>40</string>
    </dict>
  </dict>
</array>
```

```
</dict>
<key>spdiags_machine_result_key</key>
<dict>
  <key>_detailLevel</key>
  <string>0</string>
  <key>_order</key>
  <string>70</string>
</dict>
<key>spdiags_memory_slot_key</key>
<dict>
  <key>_detailLevel</key>
  <string>-1</string>
  <key>_order</key>
  <string>110</string>
</dict>
<key>spdiags_memory_slots_key</key>
<dict>
  <key>_detailLevel</key>
  <string>-1</string>
  <key>_order</key>
  <string>110</string>
</dict>
<key>spdiags_reference_code_key</key>
<dict>
  <key>_detailLevel</key>
  <string>-1</string>
  <key>_order</key>
  <string>50</string>
  <key>_width</key>
  <string>150</string>
</dict>
<key>spdiags_result_key</key>
<dict>
  <key>_detailLevel</key>
  <string>-1</string>
  <key>_isColumn</key>
  <string>YES</string>
  <key>_order</key>
  <string>50</string>
  <key>_width</key>
  <string>150</string>
</dict>
<key>spdiags_version_key</key>
<dict>
  <key>_detailLevel</key>
  <string>-1</string>
  <key>_order</key>
  <string>20</string>
</dict>
<key>spdiags_xrd_machine_serialnum_key</key>
<dict>
  <key>_detailLevel</key>
  <string>0</string>
  <key>_order</key>
  <string>60</string>
</dict>
<key>spdiags_xrd_tdf_key</key>
<dict>
  <key>_detailLevel</key>
  <string>0</string>
  <key>_order</key>
  <string>30</string>
</dict>
<key>volumes</key>
```

```
        <dict>
            <key>_detailLevel</key>
            <string>0</string>
        </dict>
    </dict>
    <key>_timeStamp</key>
    <date>2021-08-03T01:21:44Z</date>
    <key>_versionInfo</key>
    <dict>
        <key>com.apple.SystemProfiler.SPDiagnosticsReporter</key>
        <string>120</string>
    </dict>
</dict>
<dict>
    <key>_SPCommandLineArguments</key>
    <array>
        <string>/usr/sbin/system_profiler</string>
        <string>-nospawn</string>
        <string>-xml</string>
        <string>SPDisabledSoftwareDataType</string>
        <string>-detailLevel</string>
        <string>full</string>
    </array>
    <key>_SPCompletionInterval</key>
    <real>2.1535739898681641</real>
    <key>_SPResponseTime</key>
    <real>2.1723049879074097</real>
    <key>_dataType</key>
    <string>SPDisabledSoftwareDataType</string>
    <key>_detailLevel</key>
    <integer>1</integer>
    <key>_items</key>
    <array/>
    <key>_parentDataType</key>
    <string>SPSoftwareDataType</string>
    <key>_properties</key>
    <dict>
        <key>_name</key>
        <dict>
            <key>_isColumn</key>
            <string>YES</string>
            <key>_order</key>
            <string>0</string>
        </dict>
        <key>disabledDate</key>
        <dict>
            <key>_isColumn</key>
            <string>YES</string>
            <key>_order</key>
            <string>20</string>
        </dict>
        <key>reason</key>
        <dict>
            <key>_isColumn</key>
            <string>YES</string>
            <key>_order</key>
            <string>15</string>
        </dict>
        <key>version</key>
        <dict>
            <key>_isColumn</key>
            <string>YES</string>
            <key>_order</key>
            <string>10</string>
        </dict>
    </dict>
</dict>
</dict>
```

```

        </dict>
        <key>volumes</key>
        <dict>
            <key>_detailLevel</key>
            <string>0</string>
        </dict>
    </dict>
    <key>_timeStamp</key>
    <date>2021-08-03T01:21:44Z</date>
    <key>_versionInfo</key>
    <dict>

<key>com.apple.SystemProfiler.SPDisabledApplicationsReporter</key>
    <string>1</string>
    </dict>
</dict>
<dict>
    <key>_SPCommandLineArguments</key>
    <array>
        <string>/usr/sbin/system_profiler</string>
        <string>-nospawn</string>
        <string>-xml</string>
        <string>SPDiscBurningDataType</string>
        <string>-detailLevel</string>
        <string>full</string>
    </array>
    <key>_SPCompletionInterval</key>
    <real>0.21807801723480225</real>
    <key>_SPResponseTime</key>
    <real>0.29837799072265625</real>
    <key>_dataType</key>
    <string>SPDiscBurningDataType</string>
    <key>_detailLevel</key>
    <integer>-1</integer>
    <key>_items</key>
    <array/>
    <key>_parentDataType</key>
    <string>SPHardwareDataType</string>
    <key>_properties</key>
    <dict>
        <key>_name</key>
        <dict>
            <key>_isColumn</key>
            <string>YES</string>
            <key>_order</key>
            <string>10</string>
        </dict>
        <key>burn_support</key>
        <dict>
            <key>_isColumn</key>
            <string>YES</string>
            <key>_order</key>
            <string>40</string>
        </dict>
        <key>device_bdwrite</key>
        <dict>
            <key>_isColumn</key>
            <string>NO</string>
            <key>_order</key>
            <string>81</string>
        </dict>
        <key>device_bufecd</key>
        <dict>
            <key>_isColumn</key>

```



```
        <string>NO</string>
        <key>_order</key>
        <string>83</string>
</dict>
<key>device_bufedvd</key>
<dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>84</string>
</dict>
<key>device_cache</key>
<dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>50</string>
</dict>
<key>device_cdwrite</key>
<dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>70</string>
</dict>
<key>device_dvdwrite</key>
<dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>80</string>
</dict>
<key>device_hddvdwrite</key>
<dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>82</string>
</dict>
<key>device_media</key>
<dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>100</string>
</dict>
<key>device_readdvd</key>
<dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>60</string>
</dict>
<key>device_strategies</key>
<dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>90</string>
</dict>
<key>firmware</key>
<dict>
    <key>_isColumn</key>
    <string>YES</string>
```

```
        <key>_order</key>
        <string>20</string>
</dict>
<key>interconnect</key>
<dict>
    <key>_isColumn</key>
    <string>YES</string>
    <key>_order</key>
    <string>30</string>
</dict>
<key>media_appendable</key>
<dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>150</string>
</dict>
<key>media_blank</key>
<dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>120</string>
</dict>
<key>media_erasable</key>
<dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>130</string>
</dict>
<key>media_id</key>
<dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>115</string>
</dict>
<key>media_overwritable</key>
<dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>140</string>
</dict>
<key>media_type</key>
<dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>110</string>
</dict>
<key>media_writespeeds</key>
<dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>160</string>
</dict>
<key>profile_path</key>
<dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
```

```

        <string>45</string>
    </dict>
    <key>volumes</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
    </dict>
</dict>
<key>_timeStamp</key>
<date>2021-08-03T01:21:44Z</date>
<key>_versionInfo</key>
<dict>
    <key>com.apple.SystemProfiler.SPDiscBurningReporter</key>
    <string>201</string>
</dict>
</dict>
<dict>
    <key>_SPCommandLineArguments</key>
    <array>
        <string>/usr/sbin/system_profiler</string>
        <string>-nospawn</string>
        <string>-xml</string>
        <string>SPEthernetDataType</string>
        <string>-detailLevel</string>
        <string>full</string>
    </array>
    <key>_SPCompletionInterval</key>
    <real>0.28689098358154297</real>
    <key>_SPResponseTime</key>
    <real>0.36953794956207275</real>
    <key>_dataType</key>
    <string>SPEthernetDataType</string>
    <key>_detailLevel</key>
    <integer>-1</integer>
    <key>_items</key>
    <array>
        <dict>
            <key>_name</key>
            <string>iBridge</string>
            <key>spethernet_BSD_Name</key>
            <string>en4</string>
            <key>spethernet_BUNDLE_IDentifier</key>
            <string>AppleUSBNCM.kext</string>
            <key>spethernet_device_type</key>
            <string>USB</string>
            <key>spethernet_kext_path</key>
            <string>/System/Library/Extensions/AppleUSBNCM.kext</string>
            <key>spethernet_version</key>
            <string>5.0.0</string>
            <key>spusbethernet_PID</key>
            <string>33331</string>
            <key>spusbethernet_VID</key>
            <string>1452</string>
            <key>spusbethernet_mac_address</key>
            <string>ac:de:48:00:11:22</string>
        </dict>
    </array>
    <key>_parentDataType</key>
    <string>SPHardwareDataType</string>
    <key>_properties</key>
    <dict>
        <key>_name</key>
        <dict>

```

```
        <key>_isColumn</key>
        <string>YES</string>
        <key>_order</key>
        <string>0</string>
    </dict>
    <key>spethernet_bus</key>
    <dict>
        <key>_isColumn</key>
        <string>YES</string>
        <key>_order</key>
        <string>25</string>
    </dict>
    <key>spethernet_device-id</key>
    <dict>
        <key>_order</key>
        <string>50</string>
    </dict>
    <key>spethernet_device_type</key>
    <dict>
        <key>_isColumn</key>
        <string>YES</string>
        <key>_order</key>
        <string>20</string>
    </dict>
    <key>spethernet_link-width</key>
    <dict>
        <key>_order</key>
        <string>100</string>
    </dict>
    <key>spethernet_model</key>
    <dict>
        <key>_order</key>
        <string>1</string>
    </dict>
    <key>spethernet_name</key>
    <dict>
        <key>_order</key>
        <string>10</string>
    </dict>
    <key>spethernet_revision-id</key>
    <dict>
        <key>_order</key>
        <string>90</string>
    </dict>
    <key>spethernet_rom-revision</key>
    <dict>
        <key>_order</key>
        <string>80</string>
    </dict>
    <key>spethernet_slot_name</key>
    <dict>
        <key>_isColumn</key>
        <string>YES</string>
        <key>_order</key>
        <string>30</string>
    </dict>
    <key>spethernet_subsystem-id</key>
    <dict>
        <key>_order</key>
        <string>70</string>
    </dict>
    <key>spethernet_subsystem-vendor-id</key>
    <dict>
        <key>_order</key>
```

```

        <string>60</string>
    </dict>
    <key>spethernet_vendor-id</key>
    <dict>
        <key>_order</key>
        <string>40</string>
    </dict>
    <key>volumes</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
    </dict>
</dict>
<key>_timeStamp</key>
<date>2021-08-03T01:21:44Z</date>
<key>_versionInfo</key>
<dict>
    <key>com.apple.SystemProfiler.SPEthernetReporter</key>
    <string>121</string>
</dict>
</dict>
<dict>
    <key>_SPCommandLineArguments</key>
    <array>
        <string>/usr/sbin/system_profiler</string>
        <string>-nospawn</string>
        <string>-xml</string>
        <string>SPExtensionsDataType</string>
        <string>-detailLevel</string>
        <string>full</string>
    </array>
    <key>_SPCompletionInterval</key>
    <real>27.523120045661926</real>
    <key>_SPResponseTime</key>
    <real>27.605702996253967</real>
    <key>_dataType</key>
    <string>SPExtensionsDataType</string>
    <key>_detailLevel</key>
    <integer>1</integer>
    <key>_items</key>
    <array>
        <dict>
            <key>_name</key>
            <string>ACPI_SMC_PlatformPlugin</string>
            <key>spext_architectures</key>
            <array>
                <string>x86_64</string>
            </array>
            <key>spext_bundleid</key>
            <string>com.apple.driver.ACPI_SMC_PlatformPlugin</string>
            <key>spext_has64BitIntelCode</key>
            <string>spext_yes</string>
            <key>spext_hasAllDependencies</key>
            <string>spext_satisfied</string>
            <key>spext_lastModified</key>
            <date>2020-01-01T08:00:00Z</date>
            <key>spext_load_address</key>
            <string>18446743522260856832</string>
            <key>spext_loadable</key>
            <string>spext_yes</string>
            <key>spext_loaded</key>
            <string>spext_yes</string>
            <key>spext_notarized</key>

```

```
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/IOPlatformPluginFamily.kext/Contents/
    PlugIns/ACPI_SMC_PlatformPlugin.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_arch_x86</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
    Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1.0.0</string>
        <key>version</key>
        <string>1.0.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AFKACIPCKext</string>
        <key>spext_bundleid</key>
        <string>com.apple.driver.AFKACIPC</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/AFKACIPCKext.kext</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
    Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AGDCBacklightControl</string>
        <key>spext_architectures</key>
        <array>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.driver.AGDCBacklightControl</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_info</key>
        <string>6.3.5, Copyright 2008-2021 Apple Inc. All rights
    reserved.</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_load_address</key>
```

```
<string>18446743522235375616</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleGraphicsControl.kext/Contents/
PlugIns/AGDCBacklightControl.kext</string>
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>6.3.5</string>
<key>version</key>
<string>6.3.5</string>
</dict>
<dict>
<key>_name</key>
<string>AGDCPluginDisplayMetrics</string>
<key>spext_architectures</key>
<array>
<string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.AGDCPluginDisplayMetrics</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743522235396096</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleGraphicsControl.kext/Contents/
PlugIns/AGDCPluginDisplayMetrics.kext</string>
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>6.3.5</string>
<key>version</key>
<string>6.3.5</string>
</dict>
<dict>
<key>_name</key>
```

```
<string>AGXFirmwareKextG11GRTBuddy</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.AGXFirmwareKextG11GRTBuddy</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

  <string>/System/Library/Extensions/AGXFirmwareKextG11GRTBuddy.kext</
string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>173.28.7</string>
  <key>version</key>
  <string>173.28.7</string>
</dict>
<dict>
  <key>_name</key>
  <string>AGXFirmwareKextG13GRTBuddy</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.AGXFirmwareKextG13GRTBuddy</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AGXFirmwareKextG13GRTBuddy.kext</
string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
```



```
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>173.28.7</string>
    <key>version</key>
    <string>173.28.7</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AGXFirmwareKextRTBuddy64</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.AGXFirmwareKextRTBuddy64</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AGXFirmwareKextRTBuddy64.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>173.28.7</string>
    <key>version</key>
    <string>173.28.7</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AGXG11G</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.AGXG11G</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
```

```
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
<string>/System/Library/Extensions/AGXG11G.kext</string>
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>173.28.7</string>
<key>version</key>
<string>173.28.7</string>
</dict>
<dict>
  <key>_name</key>
  <string>AGXG13G</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.AGXG13G</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
  <string>/System/Library/Extensions/AGXG13G.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>173.28.7</string>
  <key>version</key>
  <string>173.28.7</string>
</dict>
<dict>
  <key>_name</key>
  <string>ALF</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.nke.applicationfirewall</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
```

```
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743523973791744</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
<string>/System/Library/Extensions/ALF.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>311</string>
<key>version</key>
<string>5.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AMD10000Controller</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.kext.AMD10000Controller</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>AMD10000Controller 4.6.20 23419</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
  <string>/System/Library/Extensions/AMD10000Controller.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>4.0.6</string>
  <key>version</key>
  <string>4.6.20</string>
</dict>
<dict>
  <key>_name</key>
```

```
<string>AMD7000Controller</string>
<key>spext_architectures</key>
<array>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.kext.AMD7000Controller</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>AMD7000Controller 4.6.20 23419</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AMD7000Controller.kext</string>
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>4.0.6</string>
<key>version</key>
<string>4.6.20</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AMD8000Controller</string>
<key>spext_architectures</key>
<array>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.kext.AMD8000Controller</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>AMD8000Controller 4.6.20 23419</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AMD8000Controller.kext</string>
```

```
    <key>spext_runtime_environment</key>
    <string>spext_arch_x86</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>4.0.6</string>
    <key>version</key>
    <string>4.6.20</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AMD9000Controller</string>
    <key>spext_architectures</key>
    <array>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.kext.AMD9000Controller</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>AMD9000Controller 4.6.20 23419</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AMD9000Controller.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_arch_x86</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>4.0.6</string>
    <key>version</key>
    <string>4.6.20</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AMD9500Controller</string>
    <key>spext_architectures</key>
    <array>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.kext.AMD9500Controller</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>AMD9500Controller 4.6.20 23419</string>
    <key>spext_lastModified</key>
```

```
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AMD9500Controller.kext</string>
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>4.0.6</string>
<key>version</key>
<string>4.6.20</string>
</dict>
<dict>
  <key>_name</key>
  <string>AMDFramebuffer</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.kext.AMDFramebuffer</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>AMDFramebuffer 4.6.20 23419</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AMDFramebuffer.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>4.0.6</string>
  <key>version</key>
  <string>4.6.20</string>
</dict>
<dict>
  <key>_name</key>
  <string>AMDRadeonServiceManager</string>
  <key>spext_architectures</key>
```

```
<array>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.kext.AMDRadeonServiceManager</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>AMDRadeonServiceManager 4.6.20 23419</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AMDRadeonServiceManager.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>4.0.6</string>
  <key>version</key>
  <string>4.6.20</string>
</dict>
<dict>
  <key>_name</key>
  <string>AMDRadeonX4000</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.kext.AMDRadeonX4000</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>AMDRadeonX4000 4.6.20 23419</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

<string>/System/Library/Extensions/AMDRadeonX4000.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
```

```
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>4.0.6</string>
    <key>version</key>
    <string>4.6.20</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AMDRadeonX4000HWLibs</string>
    <key>spext_architectures</key>
    <array>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.kext.AMDRadeonX4000HWLibs</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AMDRadeonX4000HWServices.kext/Contents/
PlugIns/AMDRadeonX4000HWLibs.kext</string>
```

```
    <key>spext_runtime_environment</key>
    <string>spext_arch_x86</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AMDRadeonX4000HWServices</string>
    <key>spext_architectures</key>
    <array>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.kext.AMDRadeonX4000HWServices</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>AMDRadeonX4000HWServices 4.6.20 23419</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
```



```
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AMDRadeonX4000HWServices.kext</string>
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>4.0.6</string>
<key>version</key>
<string>4.6.20</string>
</dict>
<dict>
<key>_name</key>
<string>AMDRadeonX4030HWLibs</string>
<key>spext_architectures</key>
<array>
<string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.kext.AMDRadeonX4030HWLibs</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AMDRadeonX4000HWServices.kext/Contents/
PlugIns/AMDRadeonX4030HWLibs.kext</string>
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.0</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
<key>_name</key>
<string>AMDRadeonX4050HWLibs</string>
<key>spext_architectures</key>
<array>
<string>x86_64</string>
```

```
</array>
<key>spext_bundleid</key>
<string>com.apple.kext.AMDRadeonX4050HWLibs</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AMDRadeonX4000HWServices.kext/Contents/
PlugIns/AMDRadeonX4050HWLibs.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.0</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AMDRadeonX4070HWLibs</string>
<key>spext_architectures</key>
<array>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.kext.AMDRadeonX4070HWLibs</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AMDRadeonX4000HWServices.kext/Contents/
PlugIns/AMDRadeonX4070HWLibs.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
```

```
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AMDRadeonX4100HWLibs</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.kext.AMDRadeonX4100HWLibs</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AMDRadeonX4000HWServices.kext/Contents/
PlugIns/AMDRadeonX4100HWLibs.kext</string>
```

```
  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
```

```
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AMDRadeonX4200HWLibs</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.kext.AMDRadeonX4200HWLibs</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
```

```
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AMDRadeonX4000HWServices.kext/Contents/
PlugIns/AMDRadeonX4200HWLibs.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.0</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AMDRadeonX4400HWLibs</string>
<key>spext_architectures</key>
<array>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.kext.AMDRadeonX4400HWLibs</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AMDRadeonX4000HWServices.kext/Contents/
PlugIns/AMDRadeonX4400HWLibs.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.0</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AMDRadeonX4700HWLibs</string>
<key>spext_architectures</key>
<array>
  <string>x86_64</stri
```

```
ng>
```

```
</array>
```

```
<key>spext_bundleid</key>
<string>com.apple.kext.AMDRadeonX4700HWLibs</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AMDRadeonX4000HWServices.kext/Contents/
PlugIns/AMDRadeonX4700HWLibs.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.0</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AMDRadeonX5000</string>
<key>spext_architectures</key>
<array>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.kext.AMDRadeonX5000</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>AMDRadeonX5000 4.6.20 23419</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AMDRadeonX5000.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
```

```
<key>spext_version</key>
<string>4.0.6</string>
<key>version</key>
<string>4.6.20</string>
</dict>
<dict>
  <key>_name</key>
  <string>AMDRadeonX5000HWLibs</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.kext.AMDRadeonX5000HWLibs</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AMDRadeonX5000HWServices.kext/Contents/
PlugIns/AMDRadeonX5000HWLibs.kext</string>
```

```
  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>AMDRadeonX5000HWServices</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.kext.AMDRadeonX5000HWServices</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>AMDRadeonX5000HWServices 4.6.20 23419</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
```

```
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AMDRadeonX5000HWServices.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_arch_x86</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>4.0.6</string>
    <key>version</key>
    <string>4.6.20</string>
</dict>
<dict>
    <key>_name</key>
    <string>AMDRadeonX5100HWLibs</string>
    <key>spext_architectures</key>
    <array>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.kext.AMDRadeonX5100HWLibs</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AMDRadeonX5000HWServices.kext/Contents/
PlugIns/AMDRadeonX5100HWLibs.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_arch_x86</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AMDRadeonX5200HWLibs</string>
    <key>spext_architectures</key>
    <array>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.kext.AMDRadeonX5200HWLibs</string>
```

```
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AMDRadeonX5000HWServices.kext/Contents/
PlugIns/AMDRadeonX5200HWLibs.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.0</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AMDRadeonX5400HWLibs</string>
<key>spext_architectures</key>
<array>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.kext.AMDRadeonX5400HWLibs</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AMDRadeonX5000HWServices.kext/Contents/
PlugIns/AMDRadeonX5400HWLibs.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.0</string>
```



```
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AMDRadeonX5700HWLibs</string>
    <key>spext_architectures</key>
    <array>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.kext.AMDRadeonX5700HWLibs</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AMDRadeonX5000HWServices.kext/Contents/
PlugIns/AMDRadeonX5700HWLibs.kext</string>
```

```
    <key>spext_runtime_environment</key>
    <string>spext_arch_x86</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0</string>
    <key>version</key>
    <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
    <key>_name</key>
    <string>AMDRadeonX6000</string>
    <key>spext_architectures</key>
    <array>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.kext.AMDRadeonX6000</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>AMDRadeonX6000 4.6.20 23419</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
```

```
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>
    </dict>
    <string>/System/Library/Extensions/AMDRadeonX6000.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_arch_x86</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>4.0.6</string>
    <key>version</key>
    <string>4.6.20</string>
</dict>
<dict>
    <key>_name</key>
    <string>AMDRadeonX6000Framebuffer</string>
    <key>spext_architectures</key>
    <array>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.kext.AMDRadeonX6000Framebuffer</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>AMDRadeonX6000Framebuffer 4.6.20 23419</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
    <string>/System/Library/Extensions/AMDRadeonX6000Framebuffer.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_arch_x86</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>4.0.6</string>
    <key>version</key>
    <string>4.6.20</string>
</dict>
<dict>
    <key>_name</key>
    <string>AMDRadeonX6000HWLibs</string>
    <key>spext_architectures</key>
    <array>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.kext.AMDRadeonX6000HWLibs</string>
    <key>spext_has64BitIntelCode</key>
```

```
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AMDRadeonX6000HWServices.kext/Contents/
PlugIns/AMDRadeonX6000HWLibs.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.0</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AMDRadeonX6000HWServices</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.kext.AMDRadeonX6000HWServices</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>AMDRadeonX6000HWServices 4.6.20 23419</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AMDRadeonX6000HWServices.kext</string>
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>4.0.6</string>
<key>version</key>
```

```
    <string>4.6.20</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AMDRadeonX6100HWLibs</string>
    <key>spext_architectures</key>
    <array>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.kext.AMDRadeonX6100HWLibs</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AMDRadeonX6000HWServices.kext/Contents/
PlugIns/AMDRadeonX6100HWLibs.kext</string>
```

```
  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>AMDRadeonX6200HWLibs</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.kext.AMDRadeonX6200HWLibs</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AMDRadeonX6000HWServices.kext/Contents/
PlugIns/AMDRadeonX6200HWLibs.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AMDRadeonX6300HWLibs</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.kext.AMDRadeonX6300HWLibs</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

```

```
<string>/System/Library/Extensions/AMDRadeonX6000HWServices.kext/Contents/
PlugIns/AMDRadeonX6300HWLibs.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AMDRadeonX6700HWLibs</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.kext.AMDRadeonX6700HWLibs</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>

```

```
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AMDRadeonX6000HWServices.kext/Contents/
PlugIns/AMDRadeonX6700HWLibs.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.0</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AMDRadeonX6800HWLibs</string>
<key>spext_architectures</key>
<array>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.kext.AMDRadeonX6800HWLibs</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AMDRadeonX6000HWServices.kext/Contents/
PlugIns/AMDRadeonX6800HWLibs.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.0</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>AMDSupport</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.kext.AMDSupport</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>AMDSupport 4.6.20 23419</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AMDSupport.kext</string>
```

```
  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>4.0.6</string>
  <key>version</key>
  <string>4.6.20</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>AUC</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.AUC</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>AUC 1.0 Copyright 2017, Apple Inc.</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AUC.kext</string>
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.0</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AirPortBrcmNIC</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AirPort.BrcmNIC</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>14.0, Copyright © 2006-2014 Apple Inc. All
rights reserved.</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/I080211Family.kext/Contents/PlugIns/
AirPortBrcmNIC.kext</string>
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1400.1.1</string>
<key>version</key>
<string>14.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Apple16X50ACPI</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.Apple16X50ACPI</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
```



```
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/Apple16X50Serial.kext/Contents/
PlugIns/Apple16X50ACPI.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>3.2</string>
<key>version</key>
<string>3.2</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>Apple16X50Serial</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.Apple16X50Serial</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/Apple16X50Serial.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>3.2</string>
<key>version</key>
<string>3.2</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
```

```
<string>AppleA7IOP</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleA7IOP</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleA7IOP.kext</string>
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.0.2</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleACPIButtons</string>
<key>spext_architectures</key>
<array>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleACPIButtons</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743523974385664</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleACPIPlatform.kext/Contents/
PlugIns/AppleACPIButtons.kext</string>
<key>spext_runtime_environment</key>
```

```
    <string>spext_arch_x86</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>6.1</string>
    <key>version</key>
    <string>6.1</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>AppleACPIEC</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleACPIEC</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743523974406144</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
  <string>/System/Library/Extensions/AppleACPIPlatform.kext/Contents/
PlugIns/AppleACPIEC.kext</string>
```

```
  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>6.1</string>
  <key>version</key>
  <string>6.1</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>AppleACPIPlatform</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleACPIPlatform</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
```

```
<string>18446743523973836800</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleACPIPlatform.kext</string>
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>6.1</string>
<key>version</key>
<string>6.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleAE2Audio</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleAE2Audio</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleAE2Audio.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>89.17</string>
  <key>version</key>
  <string>89.17</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleAHCIPort</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
```

```
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleAHCIPort</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>Version 346.100.2, Copyright © 2005-2019 Apple
Inc. All rights reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleAHCIPort.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>346.100.2</string>
    <key>version</key>
    <string>346.100.2</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleALSCoLorSensor</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleALSCoLorSensor</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleALSCoLorSensor.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
```

```
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.0d1</string>
  <key>version</key>
  <string>1.0.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleANXDPTX</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleANXDPTX</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleANXDPTX.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleAOPAudio</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleAOPAudio</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>16.2, Copyright Apple Computer, Inc.
2015</string>

  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
```

```
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleAOPAudio.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>16.2</string>
    <key>version</key>
    <string>16.2</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleAOPVoiceTrigger</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleAOPVoiceTrigger</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>11.5, Copyright Apple Computer, Inc.
2015</string>

    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleAOPVoiceTrigger.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>11.5</string>
    <key>version</key>
    <string>11.5</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleAPIC</string>
    <key>spext_architectures</key>
    <array>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
```

```
<string>com.apple.driver.AppleAPIC</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743523974504448</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleAPIC.kext</string>
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.7</string>
<key>version</key>
<string>1.7</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleARMGIC</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleARMGIC</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleARMGIC.kext</string>
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
```



```
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleARMIISAudio</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.iokit.AppleARMIISAudio</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_no</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/AppleARMIISAudio.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_unknown</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>80.34.1</string>
        <key>version</key>
        <string>80.34.1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleARMPMU</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.driver.AppleARMPMU</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_no</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_info</key>
        <string>Copyright © 2009 Apple Inc. All rights
reserved.</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
```

```

    <key>spext_path</key>
  <string>/System/Library/Extensions/AppleARMPMU.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleARMPatform</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleARMPatform</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>Copyright © 2009 Apple Inc. All rights
reserved.</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
  <string>/System/Library/Extensions/AppleARMPatform.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.2</string>
  <key>version</key>
  <string>1.0.2</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleATAPIStorage</string>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleATAPIStorage</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>511.141.1, Copyright Apple Inc.
2000-2016</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>

```

```

        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/AppleStorageDrivers.kext/Contents/
    PlugIns/AppleATAPIStorage.kext</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
    Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>511.141.1</string>
        <key>version</key>
        <string>511.141.1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleAVD</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.driver.AppleAVD</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_no</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_info</key>
        <string>AppleAVD 385 Copyright © 2016 Apple
    Inc.</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/AppleAVD.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_unknown</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
    Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>385</string>
        <key>version</key>
        <string>385</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleAVE2</string>
        <key>spext_architectures</key>
        <array>

```

```
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleAVE2</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>Copyright Apple Computer, Inc.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleAVE2.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>401.73.4</string>
    <key>version</key>
    <string>401.73.4</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleAVEBridge</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleAVEBridge</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>1844674352233442304</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleAVEBridge.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
```

```
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>6.1</string>
    <key>version</key>
    <string>26.5.4</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleActuatorDriver</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleActuatorDriver</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743523974516736</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleActuatorDriver.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>4440.3</string>
  <key>version</key>
  <string>4440.3</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleAfterburner</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleAfterburner</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
```

```

    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleAfterburner.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>3.2</string>
    <key>version</key>
    <string>3.2</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleAuthCP</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleAuthCP</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_incomplete</string>
    <key>spext_hasAllDependencies_errors</key>
    <dict>
      <key>Dependency Resolution Failures</key>
      <dict>
        <key>No kexts found for these
Libraries</key>
        <array>
          <string>com.apple.driver.AppleC26Charger</string>
        </array>
      </dict>
    </dict>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleAuthCP.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>

```

```
    <string>1.0.0</string>
    <key>version</key>
    <string>1.0.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleBCM5701Ethernet</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.iokit.AppleBCM5701Ethernet</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>Apple Broadcom 57XX Ethernet 11.0.0, Copyright
2002-2013 Apple Inc.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/IONetworkingFamily.kext/Contents/
PlugIns/AppleBCM5701Ethernet.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>11.0.0</string>
    <key>version</key>
    <string>11.0.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleBCM WLANBusInterfacePCIE</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>

    <string>com.apple.driver.AppleBCM WLANBusInterfacePCIE</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
```

```
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/AppleBCM WLANBusInterfacePCIe.kext</
string>
        <key>spext_runtime_environment</key>
        <string>spext_unknown</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleBCM WLANBusInterfacePCIeMac</string>
        <key>spext_architectures</key>
        <array>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>

    <string>com.apple.driver.AppleBCM WLANBusInterfacePCIeMac</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_load_address</key>
        <string>18446743523974557696</string>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_yes</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/AppleBCM WLANBusInterfacePCIeMac.kext</
string>
        <key>spext_runtime_environment</key>
        <string>spext_arch_x86</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleBCM WLANCore</string>
        <key>spext_architectures</key>
        <array>
```



```
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleBCM WLANCore</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleBCM WLANCore.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0.0</string>
    <key>version</key>
    <string>1.0.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleBCM WLANCoreMac</string>
    <key>spext_architectures</key>
    <array>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleBCM WLANCoreMac</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743523974926336</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleBCM WLANCoreMac.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_arch_x86</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
```

```
<key>spext_version</key>
<string>1.0.0</string>
<key>version</key>
<string>1.0.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleBSDKextStarter</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleBSDKextStarter</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743523976843264</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleBSDKextStarter.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>3</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleBSDKextStarterTMPFS</string>
<key>spext_bundleid</key>
```

```
<string>com.apple.driver.AppleBSDKextStarterTMPFS</string>
```

```
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleBSDKextStarter.kext/Contents/
PlugIns/AppleBSDKextStarterTMPFS.kext</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleBSDKextStarterVPN</string>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleBSDKextStarterVPN</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleBSDKextStarter.kext/Contents/
PlugIns/AppleBSDKextStarterVPN.kext</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>3</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleBTM</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleBTM</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleBTM.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.1</string>
  <key>version</key>
  <string>1.0.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleBacklight</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleBacklight</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>180.3, Copyright 2000-2018 Apple Inc. All rights
reserved.</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743522233516032</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleBacklight.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>180.3</string>
  <key>version</key>
  <string>180.3</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleBacklightExpert</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleBacklightExpert</string>
  <key>spext_has64BitIntelCode</key>
```

```
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>1.1.0, AppleBacklightExpert, Copyright 2000-2017
Apple Inc. All rights reserved.</string>
```

```
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743522233536512</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleBacklightExpert.kext</string>
```

```
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.1.0</string>
    <key>version</key>
    <string>1.1.0</string>
```

```
</dict>
```

```
<dict>
```

```
    <key>_name</key>
    <string>AppleBiometricSensor</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleBiometricSensor</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleBiometricSensor.kext</string>
```

```
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>2</string>
```

```
        <key>version</key>
        <string>1.0.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleBiometricServices</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.driver.AppleBiometricServices</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_no</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_incomplete</string>
        <key>spext_hasAllDependencies_errors</key>
        <dict>
            <key>Dependency Resolution Failures</key>
            <dict>
                <key>Indirect dependencies can't be
resolved</key>
                <array>
                    <string>com.apple.driver.AppleTrustedAccessory</string>
                    <string>com.apple.driver.AppleMesaSEPDriver</string>
                </array>
            </dict>
        </dict>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>
        <string>/System/Library/Extensions/AppleBiometricServices.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_unknown</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleBluetoothDebug</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.driver.AppleBluetoothDebug</string>
        <key>spext_has64BitIntelCode</key>
```

```
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743523976851456</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleBluetoothDebug.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleBluetoothDebugService</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
```

```
<string>com.apple.driver.AppleBluetoothDebugService</string>
```

```
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743523976900608</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleBluetoothDebugService.kext</
string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
```

```
        <key>spext_version</key>
        <string>1</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleBluetoothHIDKeyboard</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.driver.AppleBluetoothHIDKeyboard</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_info</key>
        <string>224</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

        <string>/System/Library/Extensions/AppleHIDKeyboard.kext/Contents/
PlugIns/AppleBluetoothHIDKeyboard.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>224</string>
        <key>version</key>
        <string>224</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleBluetoothHIDMouse</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.driver.AppleBluetoothHIDMouse</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_info</key>
        <string>194</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
```



```
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleHIDMouse.kext/Contents/PlugIns/
AppleBluetoothHIDMouse.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>194</string>
<key>version</key>
<string>194</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleBluetoothModule</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleBluetoothModule</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743523976908800</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleBluetoothModule.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleBluetoothMultitouch</string>
```

```
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
</dict>
<string>com.apple.driver.AppleBluetoothMultitouch</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
</dict>
<string>/System/Library/Extensions/AppleBluetoothMultitouch.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>99</string>
<key>version</key>
<string>99</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleBluetoothRemote</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleBluetoothRemote</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
</dict>
<string>/System/Library/Extensions/AppleBluetoothRemote.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
```

```

        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>70</string>
        <key>version</key>
        <string>70</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleBusPowerController</string>
        <key>spext_architectures</key>
        <array>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.driver.AppleBusPowerController</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_load_address</key>
        <string>18446743523976994816</string>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_yes</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>
        <string>/System/Library/Extensions/AppleBusPowerController.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_arch_x86</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1.0</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleCS42L83Audio</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.driver.AppleCS42L83Audio</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_no</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_incomplete</string>
        <key>spext_hasAllDependencies_errors</key>
        <dict>
            <key>Dependency Resolution Failures</key>
            <dict>

```

<key>Kexts already loaded for these  
libraries are not compatible with the requested version</key>  
<array>

<string>com.apple.driver.AppleSMC</string>  
</array>

</dict>  
</dict>  
<key>spext\_lastModified</key>  
<date>2020-01-01T08:00:00Z</date>  
<key>spext\_loadable</key>  
<string>spext\_yes</string>  
<key>spext\_loaded</key>  
<string>spext\_no</string>  
<key>spext\_notarized</key>  
<string>spext\_yes</string>  
<key>spext\_obtained\_from</key>  
<string>spext\_apple</string>  
<key>spext\_path</key>

<string>/System/Library/Extensions/AppleEmbeddedAudio.kext/Contents/  
PlugIns/AppleCS42L83Audio.kext</string>

<key>spext\_runtime\_environment</key>  
<string>spext\_unknown</string>  
<key>spext\_signed\_by</key>  
<string>Software Signing, Apple Code Signing  
Certification Authority, Apple Root CA</string>  
<key>spext\_version</key>  
<string>442.26</string>  
<key>version</key>  
<string>442.26</string>

</dict>  
<dict>

<key>\_name</key>  
<string>AppleCSEmbeddedAudio</string>  
<key>spext\_architectures</key>  
<array>  
<string>arm64e</string>  
</array>  
<key>spext\_bundleid</key>  
<string>com.apple.driver.AppleCSEmbeddedAudio</string>  
<key>spext\_has64BitIntelCode</key>  
<string>spext\_no</string>  
<key>spext\_hasAllDependencies</key>  
<string>spext\_satisfied</string>  
<key>spext\_lastModified</key>  
<date>2020-01-01T08:00:00Z</date>  
<key>spext\_loadable</key>  
<string>spext\_yes</string>  
<key>spext\_loaded</key>  
<string>spext\_no</string>  
<key>spext\_notarized</key>  
<string>spext\_yes</string>  
<key>spext\_obtained\_from</key>  
<string>spext\_apple</string>  
<key>spext\_path</key>

<string>/System/Library/Extensions/AppleCSEmbeddedAudio.kext</string>

<key>spext\_runtime\_environment</key>  
<string>spext\_unknown</string>  
<key>spext\_signed\_by</key>  
<string>Software Signing, Apple Code Signing  
Certification Authority, Apple Root CA</string>  
<key>spext\_version</key>

```
    <string>442.26</string>
    <key>version</key>
    <string>442.26</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleCameraInterface</string>
    <key>spext_architectures</key>
    <array>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleCameraInterface</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>AppleCameraInterface, Copyright © 2011 Apple
Inc. All rights reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

  <string>/System/Library/Extensions/AppleCameraInterface.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>7.6.0</string>
  <key>version</key>
  <string>7.6.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleConvergedIPCOLYBTControl</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>

  <string>com.apple.driver.AppleConvergedIPCOLYBTControl</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743523977015296</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
```

```
        <key>spext_loaded</key>
        <string>spext_yes</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/AppleConvergedIPC0LYBTControl.kext</
string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleConvergedPCI</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.driver.AppleConvergedPCI</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_load_address</key>
        <string>18446743523977252864</string>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_yes</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/AppleConvergedPCI.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleCredentialManager</string>
        <key>spext_architectures</key>
        <array>
```

```
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleCredentialManager</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743523977474048</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleCredentialManager.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleCycloneErrorHandler</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>

<string>com.apple.driver.AppleCycloneErrorHandler</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleCycloneErrorHandler.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
```

```
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleD1755PMU</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleD1755PMU</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleD1755PMU.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0.1</string>
    <key>version</key>
    <string>1.0.1</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleD1815PMU</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleD1815PMU</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
```



```
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleD1815PMU.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.1</string>
  <key>version</key>
  <string>1.0.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleD1881PMU</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleD1881PMU</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

<string>/System/Library/Extensions/AppleD1881PMU.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.1</string>
  <key>version</key>
  <string>1.0.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleD1946PMU</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleD1946PMU</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
```

```
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleD1946PMU.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0.1</string>
    <key>version</key>
    <string>1.0.1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleD1972PMU</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleD1972PMU</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleD1972PMU.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0.1</string>
    <key>version</key>
    <string>1.0.1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleD1974PMU</string>
    <key>spext_architectures</key>
    <array>
```

```
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleD1974PMU</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleD1974PMU.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0.1</string>
    <key>version</key>
    <string>1.0.1</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleD2018PMU</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleD2018PMU</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleD2018PMU.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0.1</string>
```

```
    <key>version</key>
    <string>1.0.1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleD2045PMU</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleD2045PMU</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleD2045PMU.kext</string>
```

```
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0.1</string>
    <key>version</key>
    <string>1.0.1</string>
```

```
</dict>
  <dict>
    <key>_name</key>
    <string>AppleD2089PMU</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleD2089PMU</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleD2089PMU.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.1</string>
  <key>version</key>
  <string>1.0.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleD2186PMU</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleD2186PMU</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleD2186PMU.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.1</string>
  <key>version</key>
  <string>1.0.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleD2207PMU</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleD2207PMU</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
```

```
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleD2207PMU.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.1</string>
  <key>version</key>
  <string>1.0.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleD2238PMU</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleD2238PMU</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

<string>/System/Library/Extensions/AppleD2238PMU.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.1</string>
  <key>version</key>
  <string>1.0.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleD2255PMU</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleD2255PMU</string>
```

```
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleD2255PMU.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.0.1</string>
<key>version</key>
<string>1.0.1</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleD2257PMU</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleD2257PMU</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleD2257PMU.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.0.1</string>
<key>version</key>
<string>1.0.1</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleD2333PMU</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleD2333PMU</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleD2333PMU.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.0.1</string>
<key>version</key>
<string>1.0.1</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleD2346PMU</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleD2346PMU</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleD2346PMU.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
```



```
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0.1</string>
    <key>version</key>
    <string>1.0.1</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleD2365PMU</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleD2365PMU</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleD2365PMU.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0.1</string>
    <key>version</key>
    <string>1.0.1</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleD2400PMU</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleD2400PMU</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
```

```
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleD2400PMU.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.1</string>
  <key>version</key>
  <string>1.0.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleD2401PMU</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleD2401PMU</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

<string>/System/Library/Extensions/AppleD2401PMU.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.1</string>
  <key>version</key>
  <string>1.0.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleD2422PMU</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleD2422PMU</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_incomplete</string>
```

```
    <key>spext_hasAllDependencies_errors</key>
    <dict>
      <key>Dependency Resolution Failures</key>
      <dict>
        <key>Kexts already loaded for these
libraries are not compatible with the requested version</key>
        <array>
          <string>com.apple.driver.AppleSMC</string>
          </array>
        </dict>
      </dict>
    </dict>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
  </dict>
  <string>/System/Library/Extensions/AppleD2422PMU.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.1</string>
  <key>version</key>
  <string>1.0.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleD2449PMU</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleD2449PMU</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_incomplete</string>
  <key>spext_hasAllDependencies_errors</key>
  <dict>
    <key>Dependency Resolution Failures</key>
    <dict>
      <key>Kexts already loaded for these
libraries are not compatible with the requested version</key>
      <array>
        <string>com.apple.driver.AppleSMC</string>
        </array>
      </dict>
    </dict>
  </dict>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
```

```
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleD2449PMU.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.1</string>
  <key>version</key>
  <string>1.0.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleD2460PMU</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleD2460PMU</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

<string>/System/Library/Extensions/AppleD2460PMU.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.1</string>
  <key>version</key>
  <string>1.0.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleDAPF</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleDAPF</string>
```

```
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleDAPF.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleDCP</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleDCP</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleDCP.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleDCPDDisplayProxy</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleDCPDDisplayProxy</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_incomplete</string>
<key>spext_hasAllDependencies_errors</key>
<dict>
  <key>Dependency Resolution Failures</key>
  <dict>
    <key>Kexts already loaded for these
libraries are not compatible with the requested version</key>
    <array>
      <string>com.apple.driver.AppleSMC</string>
      </array>
    </dict>
  </dict>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
</dict>
<string>/System/Library/Extensions/AppleDCPDDisplayProxy.kext</string>
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleDCPDTPXProxy</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleDCPDTPXProxy</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
</dict>
```

```
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleDCPDPTXProxy.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0.0</string>
    <key>version</key>
    <string>1.0.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleDPDisplay</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleDPDisplay</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleDPDisplay.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleDPDisplayTCON</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleDPDisplayTCON</string>
```

```
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleDPDisplayTCO.N.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleDPRepeater</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleDPRepeater</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleDPRepeater.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```



```
<key>_name</key>
<string>AppleDPTX</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleDPTX</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleDPTX.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.0</string>
  <key>version</key>
  <string>1.0.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleDiagnosticDataAccess</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>

  <string>com.apple.driver.AppleDiagnosticDataAccess</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleDiagnosticDataAccess.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
```

```
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0.0</string>
    <key>version</key>
    <string>1.0.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleDiagnosticDataAccessReadOnly</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleDiagnosticDataAccessReadOnly</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleDiagnosticDataAccessReadOnly.kext</
string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0.0</string>
    <key>version</key>
    <string>1.0.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleDialogPMU</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleDialogPMU</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
```

```
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleDialogPMU.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0.1</string>
    <key>version</key>
    <string>1.0.1</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleDiskImages2</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleDiskImages2</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743522234302464</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleDiskImages2.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleDiskImagesCryptoEncoding</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
```

```
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
<string>com.apple.driver.DiskImages.CryptoEncoding</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/IOHDIXController.kext/Contents/
PlugIns/AppleDiskImagesCryptoEncoding.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>493.0.0</string>
    <key>version</key>
    <string>493.0.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleDiskImagesFileBackingStore</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>

<string>com.apple.driver.DiskImages.FileBackingStore</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/IOHDIXController.kext/Contents/
PlugIns/AppleDiskImagesFileBackingStore.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
```

```
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>493.0.0</string>
    <key>version</key>
    <string>493.0.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleDiskImagesHTTPBackingStore</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.DiskImages.HTTPBackingStore</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/IOHDIXController.kext/Contents/
PlugIns/AppleDiskImagesHTTPBackingStore.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>493.0.0</string>
    <key>version</key>
    <string>493.0.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleDiskImagesKernelBacked</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.DiskImages.KernelBacked</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
```

```
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/IOHDIXController.kext/Contents/
PlugIns/AppleDiskImagesKernelBacked.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>493.0.0</string>
<key>version</key>
<string>493.0.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleDiskImagesRAMBackingStore</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
```

```
<string>com.apple.driver.DiskImages.RAMBackingStore</string>
```

```
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/IOHDIXController.kext/Contents/
PlugIns/AppleDiskImagesRAMBackingStore.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>493.0.0</string>
<key>version</key>
<string>493.0.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleDiskImagesReadWriteDiskImage</string>
```

```
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
    </dict>
    <string>com.apple.driver.DiskImages.ReadWriteDiskImage</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
</dict>
<dict>
    <string>/System/Library/Extensions/IOHDIXController.kext/Contents/
PlugIns/AppleDiskImagesReadWriteDiskImage.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>493.0.0</string>
    <key>version</key>
    <string>493.0.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleDiskImagesSparseDiskImage</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
</dict>
    <string>com.apple.driver.DiskImages.SparseDiskImage</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
</dict>
    <string>/System/Library/Extensions/IOHDIXController.kext/Contents/
```

```
PlugIns/AppleDiskImagesSparseDiskImage.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>493.0.0</string>
  <key>version</key>
  <string>493.0.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleDiskImagesUDIFDiskImage</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>

  <string>com.apple.driver.DiskImages.UDIFDiskImage</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/IOHDIXController.kext/Contents/
PlugIns/AppleDiskImagesUDIFDiskImage.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>493.0.0</string>
  <key>version</key>
  <string>493.0.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleDisplayCrossbar</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleDisplayCrossbar</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
```



```
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleDisplayCrossbar.kext</string>
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.0.0</string>
<key>version</key>
<string>1.0.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleDummyCodecAudio</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleDummyCodecAudio</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleEmbeddedAudio.kext/Contents/
PlugIns/AppleDummyCodecAudio.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>442.26</string>
  <key>version</key>
  <string>442.26</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleEFINVRAM</string>
  <key>spext_architectures</key>
  <array>
```

```
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleEFINVRAM</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743523977846784</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleEFIRuntime.kext/Contents/PlugIns/AppleEFINVRAM.kext</string>
```

```
    <key>spext_runtime_environment</key>
    <string>spext_arch_x86</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>2.1</string>
    <key>version</key>
    <string>2.0</string>
```

```
</dict>
```

```
<dict>
```

```
    <key>_name</key>
    <string>AppleEFIRuntime</string>
    <key>spext_architectures</key>
    <array>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleEFIRuntime</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743523977834496</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleEFIRuntime.kext</string>
```

```
    <key>spext_runtime_environment</key>
    <string>spext_arch_x86</string>
```

```
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>2.1</string>
    <key>version</key>
    <string>2.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleEffaceableBlockDevice</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleEffaceableBlockDevice</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleEffaceableBlockDevice.kext</
string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleEffaceableNOR</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleEffaceableNOR</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
```

```
<string>18446743523977895936</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleEffaceableNOR.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.0</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleEffaceableStorage</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleEffaceableStorage</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743523977924608</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleEffaceableStorage.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleEffaceableTDM</string>
```

```
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleEffaceableTDM</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleEffaceableTDM.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleEmbeddedAccelerometer</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>

  <string>com.apple.driver.AppleEmbeddedAccelerometer</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleEmbeddedAccelerometer.kext</
string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
```

```
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0.0d1</string>
    <key>version</key>
    <string>1.0.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleEmbeddedAudio</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleEmbeddedAudio</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleEmbeddedAudio.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>442.26</string>
    <key>version</key>
    <string>442.26</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleEmbeddedAudioButtonsHIDService</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>

    <string>com.apple.AppleEmbeddedAudioButtonsHIDService</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
```

```
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleEmbeddedAudio.kext/Contents/
PlugIns/AppleEmbeddedAudioButtonsHIDService.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleEmbeddedAudioLibs</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleEmbeddedAudioLibs</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleEmbeddedAudioLibs.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.17</string>
    <key>version</key>
    <string>1.17</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleEmbeddedBluetoothMultitouch</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>

    <string>com.apple.driver.AppleEmbeddedBluetoothMultitouch</string>
```

```
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleEmbeddedBluetoothMultitouch.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>82</string>
<key>version</key>
<string>82</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleEmbeddedLightSensor</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
```

```
<string>com.apple.driver.AppleEmbeddedLightSensor</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleEmbeddedLightSensor.kext</string>
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.0.0d1</string>
<key>version</key>
```



```
        <string>1.0.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleEmbeddedNewAccelerometer</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
        </array>
        <key>spext_bundleid</key>

    <string>com.apple.driver.AppleEmbeddedNewAccelerometer</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleEmbeddedNewAccelerometer.kext</
string>

        <key>spext_runtime_environment</key>
        <string>spext_unknown</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1.0.0d1</string>
        <key>version</key>
        <string>1.0.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleEmbeddedOSSupportHost</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>

    <string>com.apple.driver.AppleEmbeddedOSSupportHost</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
```

```
        <string>spext_apple</string>
        <key>spext_path</key>
    <string>/System/Library/Extensions/AppleEmbeddedOSSupportHost.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleEmbeddedPCIE</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.driver.AppleEmbeddedPCIE</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_no</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>
    </dict>
    <string>/System/Library/Extensions/AppleEmbeddedPCIE.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_unknown</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleEmbeddedSimpleSPINORFlasherDriver</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.AppleEmbeddedSimpleSPINORFlasher</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_no</string>
        <key>spext_hasAllDependencies</key>
```

```
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleEmbeddedSimpleSPINORFlasherDriver.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleEmbeddedTempSensor</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
</array>
<key>spext_bundleid</key>
```

```
<string>com.apple.driver.AppleEmbeddedTempSensor</string>
```

```
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleEmbeddedTempSensor.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.0.0</string>
<key>version</key>
<string>1.0.0</string>
```

```
</dict>
```

```
<dict>
```

```
    <key>_name</key>
    <string>AppleEmbeddedTouchEEPROMDriver</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
  <string>com.apple.driver.AppleEmbeddedTouchEEPROM</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
</dict>
<string>/System/Library/Extensions/AppleEmbeddedTouchEEPROMDriver.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleEmbeddedUSB</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleEmbeddedUSB</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
</dict>
<string>/System/Library/Extensions/AppleEmbeddedUSB.kext</string>
  <key>spext_runtime_environment</key>
```

```
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleEmbeddedUSBHost</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleEmbeddedUSBHost</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleEmbeddedUSBHost.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleEmbeddedUSBXHCIPCI</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>

    <string>com.apple.driver.usb.AppleEmbeddedUSBXHCIPCI</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
```

```
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleEmbeddedUSBXHCIPCI.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleEthernetAquantiaAqtion</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>

<string>com.apple.driver.AppleEthernetAquantiaAqtion</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/IONetworkingFamily.kext/Contents/
PlugIns/AppleEthernetAquantiaAqtion.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0.64</string>
    <key>version</key>
    <string>1.0.64</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleEthernetAquantiaAqtionFirmware</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
```

```
    </array>
    <key>spext_bundleid</key>
  <string>com.apple.AppleEthernetAquantiaAqtionFirmware</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/IONetworkingFamily.kext/Contents/
PlugIns/AppleEthernetAquantiaAqtionFirmware.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.36</string>
  <key>version</key>
  <string>1</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleEventLogHandler</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleEventLogHandler</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>Copyright © 2019 Apple Inc. All rights
reserved.</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleEventLogHandler.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
```

```
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleFAN53740</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleFAN53740</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleFAN53740.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleFDEKeyStore</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleFDEKeyStore</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743523977965568</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
```



```
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleFDEKeyStore.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>28.30</string>
  <key>version</key>
  <string>28.30</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleFIVRDriver</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleFIVRDriver</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743522234404864</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

<string>/System/Library/Extensions/AppleFIVRDriver.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>4.1.0</string>
  <key>version</key>
  <string>4.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleFSCompressionTypeDataless</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
```

```
        <key>spext_bundleid</key>
    <string>com.apple.AppleFSCompression.AppleFSCompressionTypeDataless</
string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_load_address</key>
        <string>18446743523977998336</string>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_yes</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/AppleFSCompressionTypeDataless.kext</
string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1.0.0d1</string>
        <key>version</key>
        <string>125</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleFSCompressionTypeZlib</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>

    <string>com.apple.AppleFSCompression.AppleFSCompressionTypeZlib</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_load_address</key>
        <string>18446743523978010624</string>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_yes</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/AppleFSCompressionTypeZlib.kext</
```

```
string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0.0</string>
    <key>version</key>
    <string>125</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleFWAudio</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleFWAudio</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>AppleFWAudio 270.19.2, Copyright © 2000-2020
Apple Inc. All rights reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleFWAudio.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>270.19.2</string>
    <key>version</key>
    <string>270.19.2</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleFWOHCI</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleFWOHCI</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
```

```
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>AppleFWOHCI version 5.7.4, Copyright © 2000-
2020 Apple Inc. All rights reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
```

```
<string>/System/Library/Extensions/IOWirelessFamily.kext/Contents/
PlugIns/AppleFWOHCI.kext</string>
```

```
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>5.7.4</string>
    <key>version</key>
    <string>5.7.4</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleFileSystemDriver</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleFileSystemDriver</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743523978092544</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleFileSystemDriver.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>3.0.1</string>
```

```
<key>version</key>
<string>3.0.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleFileUtil</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.fileutil</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743522234757120</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleFileUtil.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>20.036.15</string>
  <key>version</key>
  <string>20.036.15</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>AppleFireStormErrorHandler</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
```

```
<string>com.apple.driver.AppleFireStormErrorHandler</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
```

```

        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/AppleFireStormErrorHandler.kext</
string>
        <key>spext_runtime_environment</key>
        <string>spext_unknown</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleFireWireStorage</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.driver.AppleFireWireStorage</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_info</key>
        <string>511.141.1, Copyright Apple Inc.
2003-2016</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/AppleStorageDrivers.kext/Contents/
PlugIns/AppleFireWireStorage.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>511.141.1</string>
        <key>version</key>
        <string>511.141.1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleFirmwareKit</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
        </array>

```

```
<key>spext_bundleid</key>
<string>com.apple.driver.AppleFirmwareKit</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleFirmwareKit.kext</string>
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleFirmwareUpdateKext</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>

  <string>com.apple.driver.AppleFirmwareUpdateKext</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleFirmwareUpdateKext.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1</string>
```

```
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleGFXHDA</string>
        <key>spext_architectures</key>
        <array>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.driver.AppleGFXHDA</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_info</key>
        <string>AppleGFXHDA 100.1.433, Copyright Â© 2000-2017
Apple Inc. All rights reserved.</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_load_address</key>
        <string>18446743522234880000</string>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_yes</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

        <string>/System/Library/Extensions/AppleGFXHDA.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_arch_x86</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>100.1.433</string>
        <key>version</key>
        <string>100.1.433</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleGPIOICController</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.driver.AppleGPIOICController</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_no</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_info</key>
        <string>Copyright Â© 2019 Apple Inc. All rights
reserved.</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
```



```
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleGPIOICController.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0.2</string>
    <key>version</key>
    <string>1.0.2</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleGPUWrangler</string>
    <key>spext_architectures</key>
    <array>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.AppleGPUWrangler</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>6.3.5, Copyright 2016-2021 Apple Inc. All rights
reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743522235408384</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleGraphicsControl.kext/Contents/
PlugIns/AppleGPUWrangler.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_arch_x86</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>6.3.5</string>
    <key>version</key>
    <string>6.3.5</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleGameControllerPersonality</string>
```

```
        <key>spext_bundleid</key>
    <string>com.apple.driver.AppleGameControllerPersonality</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleGameControllerPersonality.kext</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleGraphicsControl</string>
    <key>spext_architectures</key>
    <array>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleGraphicsControl</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>6.3.5, Copyright 2008-2021 Apple Inc. All rights
reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743522235367424</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleGraphicsControl.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_arch_x86</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
```

```
        <string>6.3.5</string>
        <key>version</key>
        <string>6.3.5</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleGraphicsDeviceControl</string>
        <key>spext_architectures</key>
        <array>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.AppleGraphicsDeviceControl</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_info</key>
        <string>6.3.5, Copyright 2008-2021 Apple Inc. All rights
reserved.</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_load_address</key>
        <string>18446743522235449344</string>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_yes</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/AppleGraphicsControl.kext/Contents/
PlugIns/AppleGraphicsDeviceControl.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_arch_x86</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>6.3.5</string>
        <key>version</key>
        <string>6.3.5</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleGraphicsDevicePolicy</string>
        <key>spext_architectures</key>
        <array>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>

    <string>com.apple.driver.AppleGraphicsDevicePolicy</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_info</key>
        <string>6.3.5, Copyright 2008-2021 Apple Inc. All rights
reserved.</string>
        <key>spext_lastModified</key>
```

```
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743522235482112</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleGraphicsControl.kext/Contents/
PlugIns/AppleGraphicsDevicePolicy.kext</string>
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>6.3.5</string>
<key>version</key>
<string>6.3.5</string>
</dict>
<dict>
<key>_name</key>
<string>AppleGraphicsPowerManagement</string>
<key>spext_architectures</key>
<array>
<string>arm64e</string>
<string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AGPM</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>113, Copyright 2008-2019 Apple Inc. All rights
reserved.</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743522235813888</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleGraphicsPowerManagement.kext</
string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
```

```
    <string>122.1</string>
    <key>version</key>
    <string>122.1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleH10CameraInterface</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
```

```
<string>com.apple.driver.AppleH10CameraInterface</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleH10CameraInterface.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>16.15.1</string>
  <key>version</key>
  <string>16.15.1</string>
```

```
</dict>
  <dict>
    <key>_name</key>
    <string>AppleH10PearlCameraInterface</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
```

```
<string>com.apple.driver.AppleH10PearlCameraInterface</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
```

```
        <string>spext_apple</string>
        <key>spext_path</key>
    <string>/System/Library/Extensions/AppleH10PearlCameraInterface.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_unknown</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>16.15.1</string>
        <key>version</key>
        <string>16.15.1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleH11ANEInterface</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.driver.AppleH11ANEInterface</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_no</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>
    </dict>
    <string>/System/Library/Extensions/AppleH11ANEInterface.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_unknown</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>4.75.0</string>
        <key>version</key>
        <string>4.75.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleH13CameraInterface</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.driver.AppleH13CameraInterface</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_no</string>
        <key>spext_hasAllDependencies</key>
```

```
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleH13CameraInterface.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>3.58.0</string>
<key>version</key>
<string>3.58.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleHDA</string>
<key>spext_architectures</key>
<array>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleHDA</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>AppleHDA 283.15, Copyright © 2000-2019 Apple
Inc. All rights reserved.</string>
```

```
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleHDA.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>283.15</string>
<key>version</key>
<string>283.15</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleHDAController</string>
<key>spext_architectures</key>
<array>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleHDAController</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>AppleHDAController 283.15, Copyright © 2000-
2019 Apple Inc. All rights reserved.</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743522236690432</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleHDA.kext/Contents/PlugIns/
AppleHDAController.kext</string>
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>283.15</string>
<key>version</key>
<string>283.15</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleHDAHardwareConfigDriver</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>

  <string>com.apple.driver.AppleHDAHardwareConfigDriver</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>AppleHDAHardwareConfigDriver 283.15, Copyright
© 2000-2019 Apple Inc. All rights reserved.</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
```



```
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleHDA.kext/Contents/PlugIns/
AppleHDAHardwareConfigDriver.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_arch_x86</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>283.15</string>
    <key>version</key>
    <string>283.15</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleHIDALSService</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleHIDALSService</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743523978104832</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleHIDALSService.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleHIDKeyboard</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
```

```
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleHIDKeyboard</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>224</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743523978113024</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleHIDKeyboard.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>224</string>
    <key>version</key>
    <string>224</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleHIDKeyboardEmbedded</string>
    <key>spext_bundleid</key>

    <string>com.apple.driver.AppleHIDKeyboardEmbedded</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>1.2.0a3</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleHIDKeyboardEmbedded.kext</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.2.0a3</string>
    <key>version</key>
    <string>1.2.0</string>
```

```

</dict>
<dict>
  <key>_name</key>
  <string>AppleHIDMouse</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleHIDMouse</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>194</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleHIDMouse.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>194</string>
  <key>version</key>
  <string>194</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleHIDTransport</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleHIDTransport</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_incomplete</string>
  <key>spext_hasAllDependencies_errors</key>
  <dict>
    <key>Dependency Resolution Failures</key>
    <dict>
      <key>Kexts already loaded for these
libraries are not compatible with the requested version</key>
      <array>

  <string>com.apple.driver.AppleSMC</string>
    </array>
  </dict>
</dict>

```

```
    </dict>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleHIDTransport.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>4400.35</string>
    <key>version</key>
    <string>4400.35</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleHIDTransportSPI</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleHIDTransportSPI</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_incomplete</string>
    <key>spext_hasAllDependencies_errors</key>
    <dict>
      <key>Dependency Resolution Failures</key>
      <dict>
        <key>Indirect dependencies can't be
resolved</key>
        <array>

          <string>com.apple.driver.AppleHIDTransport</string>
          </array>
        </dict>
      </dict>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleHIDTransport.kext/Contents/
PlugIns/AppleHIDTransportSPI.kext</string>
    <key>spext_runtime_environment</key>
```

```

    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>4400.35</string>
    <key>version</key>
    <string>4400.35</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleHPET</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleHPET</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleHPET.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.8</string>
    <key>version</key>
    <string>1.8</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleHPM</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleHPM</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>AppleHPM version 3.4.4, Copyright © 2014-2019
Apple Inc. All rights reserved.</string>
    <key>spext_lastModified</key>

```

```
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743523978190848</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleHPM.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>3.4.4</string>
<key>version</key>
<string>3.4.4</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleHSBluetoothDriver</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleHSBluetoothDriver</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743523981574144</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleTopCase.kext/Contents/PlugIns/
  AppleHSBluetoothDriver.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>4050.1</string>
  <key>version</key>
  <string>4050.1</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>AppleHSSPIHIDDriver</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleHSSPIHIDDriver</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleHSSPIHIDDriver.kext</string>
```

```
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>61</string>
  <key>version</key>
  <string>61</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>AppleHSSPISupport</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleHSSPISupport</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleHSSPISupport.kext</string>
```

```
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>61</string>
    <key>version</key>
    <string>61</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleHV</string>
    <key>spext_architectures</key>
    <array>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleHV</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743522237902848</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
    <string>/System/Library/Extensions/AppleHV.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_arch_x86</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleHighVoltageCharger</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleHighVoltageCharger</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
```



```

    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleHighVoltageCharger.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleHollywood</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleHollywood</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>511.141.1, Copyright Apple Inc.
1999-2016</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleStorageDrivers.kext/Contents/
PlugIns/AppleHollywood.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>511.141.1</string>
    <key>version</key>
    <string>511.141.1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleI2CEthernetAquantia</string>

```

```
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
  <key>spext_bundleid</key>
</dict>
<string>com.apple.driver.AppleI2CEthernetAquantia</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
</dict>
<string>/System/Library/Extensions/IONetworkingFamily.kext/Contents/
PlugIns/AppleI2CEthernetAquantia.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.0</string>
  <key>version</key>
  <string>1.0.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleIPAppender</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleIPAppender</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
</dict>
<string>/System/Library/Extensions/AppleIPAppender.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
```

```
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleIRController</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleIRController</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>360</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleIRController.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>360</string>
    <key>version</key>
    <string>360</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleImage4</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.security.AppleImage4</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743523978366976</string>
```

```
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleImage4.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>3.0.0</string>
<key>version</key>
<string>3.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleInputDeviceSupport</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>

  <string>com.apple.driver.AppleInputDeviceSupport</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743523978457088</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleInputDeviceSupport.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>4400.35</string>
  <key>version</key>
  <string>4400.35</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleIntel8254XEthernet</string>
```

```
    <key>spext_architectures</key>
    <array>
      <string>x86_64</string>
    </array>
  <key>spext_bundleid</key>
</dict>
<string>com.apple.driver.AppleIntel8254XEthernet</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>3.1.5, Copyright Apple, Inc. 2009-2019</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
</dict>
<string>/System/Library/Extensions/IONetworkingFamily.kext/Contents/
PlugIns/AppleIntel8254XEthernet.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>3.1.5</string>
  <key>version</key>
  <string>3.1.5</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleIntelBDWGraphics</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleIntelBDWGraphics</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>AppleIntelBDWGraphics 16.5.2 10</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
</dict>
```

```
<string>/System/Library/Extensions/AppleIntelBDWGraphics.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>16.0.5</string>
  <key>version</key>
  <string>16.5.2</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleIntelBDWGraphicsFramebuffer</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>

  <string>com.apple.driver.AppleIntelBDWGraphicsFramebuffer</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>AppleIntelBDWGraphicsFramebuffer 16.5.2
10</string>

  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

<string>/System/Library/Extensions/AppleIntelBDWGraphicsFramebuffer.kext</
string>
  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>16.0.5</string>
  <key>version</key>
  <string>16.5.2</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleIntelCFLGraphicsFramebuffer</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>

  <string>com.apple.driver.AppleIntelCFLGraphicsFramebuffer</string>
  <key>spext_has64BitIntelCode</key>
```

```
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>AppleIntelCFLGraphicsFramebuffer 16.5.2
10</string>
```

```
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743522240151552</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleIntelCFLGraphicsFramebuffer.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>16.0.5</string>
<key>version</key>
<string>16.5.2</string>
```

```
</dict>
<dict>
```

```
<key>_name</key>
<string>AppleIntelCPUPowerManagement</string>
<key>spext_architectures</key>
<array>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
```

```
<string>com.apple.driver.AppleIntelCPUPowerManagement</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleIntelCPUPowerManagement.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
```

```
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>222.0.0</string>
    <key>version</key>
    <string>222.0.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleIntelCPUPowerManagementClient</string>
    <key>spext_architectures</key>
    <array>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>

<string>com.apple.driver.AppleIntelCPUPowerManagementClient</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>222.0.0, Copyright Â© 2005-2016 Apple Inc. All
rights reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleIntelCPUPowerManagementClient.kext</
string>
    <key>spext_runtime_environment</key>
    <string>spext_arch_x86</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>222.0.0</string>
    <key>version</key>
    <string>222.0.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleIntelFramebufferAzul</string>
    <key>spext_architectures</key>
    <array>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>

<string>com.apple.driver.AppleIntelFramebufferAzul</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
```



```
<string>AppleIntelFramebufferAzul 16.5.2 10</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleIntelFramebufferAzul.kext</string>
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>16.0.5</string>
<key>version</key>
<string>16.5.2</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleIntelFramebufferCapri</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>

  <string>com.apple.driver.AppleIntelFramebufferCapri</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>AppleIntelFramebufferCapri 16.5.2 10</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleIntelFramebufferCapri.kext</
string>
  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>16.0.5</string>
  <key>version</key>
  <string>16.5.2</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>AppleIntelLHD4000Graphics</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>

<string>com.apple.driver.AppleIntelLHD4000Graphics</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>AppleIntelLHD4000Graphics 16.5.2 10</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

<string>/System/Library/Extensions/AppleIntelLHD4000Graphics.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>16.0.5</string>
  <key>version</key>
  <string>16.5.2</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleIntelLHD5000Graphics</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>

<string>com.apple.driver.AppleIntelLHD5000Graphics</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>AppleIntelLHD5000Graphics 16.5.2 10</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
```

```
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/AppleIntelHD5000Graphics.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_arch_x86</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>16.0.5</string>
    <key>version</key>
    <string>16.5.2</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleIntelI210Ethernet</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleIntelI210Ethernet</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>Apple Intel I210 Ethernet, Copyright 2013-2016
Apple Inc.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/IONetworkingFamily.kext/Contents/
PlugIns/AppleIntelI210Ethernet.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>2.3.1</string>
    <key>version</key>
    <string>2.3.1</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleIntelICLGraphics</string>
    <key>spext_architectures</key>
    <array>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleIntelICLGraphics</string>
```

```
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>AppleIntelICLGraphics 16.5.2 10</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleIntelICLGraphics.kext</string>
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>16.0.5</string>
<key>version</key>
<string>16.5.2</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleIntelICLLPGraphicsFramebuffer</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>

  <string>com.apple.driver.AppleIntelICLLPGraphicsFramebuffer</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>AppleIntelICLLPGraphicsFramebuffer 16.5.2
10</string>

  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleIntelICLLPGraphicsFramebuffer.kext</
string>

  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
  <key>spext_signed_by</key>
```

```
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>16.0.5</string>
    <key>version</key>
    <string>16.5.2</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleIntelKBLGraphics</string>
    <key>spext_architectures</key>
    <array>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleIntelKBLGraphics</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>AppleIntelKBLGraphics 16.5.2 10</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743522249445376</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleIntelKBLGraphics.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_arch_x86</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>16.0.5</string>
    <key>version</key>
    <string>16.5.2</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleIntelKBLGraphicsFramebuffer</string>
    <key>spext_architectures</key>
    <array>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>

    <string>com.apple.driver.AppleIntelKBLGraphicsFramebuffer</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>AppleIntelKBLGraphicsFramebuffer 16.5.2
10</string>
```

```
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleIntelKBLGraphicsFramebuffer.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>16.0.5</string>
<key>version</key>
<string>16.5.2</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleIntelLpssDmac</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleIntelLpssDmac</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743523978715136</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleIntelLpssDmac.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>3.0.60</string>
<key>version</key>
<string>3.0.60</string>
</dict>
<dict>
```

```
<key>_name</key>
<string>AppleIntelLpssGspi</string>
<key>spext_architectures</key>
<array>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleIntelLpssGspi</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743523978739712</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleIntelLpssGspi.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>3.0.60</string>
<key>version</key>
<string>3.0.60</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleIntelLpssI2C</string>
<key>spext_architectures</key>
<array>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleIntelLpssI2C</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743523978776576</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleIntelLpssI2C.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>3.0.60</string>
  <key>version</key>
  <string>3.0.60</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleIntelLpssI2CController</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
```

```
<string>com.apple.driver.AppleIntelLpssI2CController</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743523978809344</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleIntelLpssI2CController.kext</
string>
  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>3.0.60</string>
  <key>version</key>
  <string>3.0.60</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleIntelLpssSpiController</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
```

```
<string>com.apple.driver.AppleIntelLpssSpiController</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
```



```
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleIntelLpssSpiController.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>3.0.60</string>
<key>version</key>
<string>3.0.60</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleIntelLpssUARTCommon</string>
<key>spext_architectures</key>
<array>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
```

```
<string>com.apple.driver.AppleIntelLpssUARTCommon</string>
```

```
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743522252599296</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_n
```

```
otarized</key>
```

```
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleIntelLpssUARTCommon.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>3.0.60</string>
<key>version</key>
<string>3.0.60</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>AppleIntelLpssUARTv0</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleIntelLpssUARTv0</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleIntelLpssUARTv0.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>3.0.60</string>
<key>version</key>
<string>3.0.60</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>AppleIntelLpssUARTv1</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleIntelLpssUARTv1</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743522252615680</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleIntelLpssUARTv1.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>3.0.60</string>
  <key>version</key>
  <string>3.0.60</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleIntelMCEReporter</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleIntelMCEReporter</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleIntelMCEReporter.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>115</string>
  <key>version</key>
  <string>1.1.5</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleIntelPCHPMC</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleIntelPCHPMC</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
```

```
<string>18446743522252697600</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleIntelPCHPMC.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>2.0.1</string>
<key>version</key>
<string>2.0.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleIntelSKLGraphics</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleIntelSKLGraphics</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>AppleIntelSKLGraphics 16.5.2 10</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleIntelSKLGraphics.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>16.0.5</string>
  <key>version</key>
  <string>16.5.2</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleIntelSKLGraphicsFramebuffer</string>
  <key>spext_architectures</key>
```

```

        <array>
          <string>x86_64</string>
        </array>
      <key>spext_bundleid</key>
    <string>com.apple.driver.AppleIntelSKLGraphicsFramebuffer</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>AppleIntelSKLGraphicsFramebuffer 16.5.2
10</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleIntelSKLGraphicsFramebuffer.kext</
string>
    <key>spext_runtime_environment</key>
    <string>spext_arch_x86</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>16.0.5</string>
    <key>version</key>
    <string>16.5.2</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleIntelSlowAdaptiveClocking</string>
    <key>spext_architectures</key>
    <array>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
  <string>com.apple.driver.AppleIntelSlowAdaptiveClocking</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743522255872000</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>

```

```
        <key>spext_path</key>
    <string>/System/Library/Extensions/AppleIntelSlowAdaptiveClocking.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_arch_x86</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>4.0.0</string>
        <key>version</key>
        <string>4.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleInterruptController</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.driver.AppleInterruptController</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_no</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_info</key>
        <string>Copyright © 2009-2019 Apple Inc. All rights
reserved.</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>
    </dict>
    <string>/System/Library/Extensions/AppleInterruptController.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_unknown</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1.0.0d1</string>
        <key>version</key>
        <string>1.0.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleJPEGDriver</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.driver.AppleJPEGDriver</string>
        <key>spext_has64BitIntelCode</key>
```

```
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>4.6.0, Copyright Apple, Inc. 2008</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleJPEGDriver.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>4.6.0</string>
<key>version</key>
<string>4.6.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleKextExcludeList</string>
<key>spext_bundleid</key>
<string>com.apple.driver.KextExcludeList</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/Library/Apple/System/Library/Extensions/AppleKextExcludeList.kext</string>
```

```
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>16.4.0</string>
<key>version</key>
<string>16.4.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleKeyStore</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
```

```
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleKeyStore</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743523978944512</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleKeyStore.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>2</string>
    <key>version</key>
    <string>2</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleLMBacklight</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleLMBacklight</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>Copyright © 2011 Apple Inc. All rights
reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleLMBacklight.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
```



```
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
```

```
<dict>
  <key>_name</key>
  <string>AppleLPC</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleLPC</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleLPC.kext</string>
```

```
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>3.1</string>
  <key>version</key>
  <string>3.1</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>AppleLSIFusionMPT</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleLSIFusionMPT</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>3.8.0, Copyright Apple Inc. 1999-2014</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
```

```
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleLSIFusionMPT.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>3.8.0</string>
<key>version</key>
<string>3.8.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleLightningErrorHandler</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>

  <string>com.apple.driver.AppleLightningErrorHandler</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleLightningErrorHandler.kext</
string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleM2ScalerCSC</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
```

```
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleM2ScalerCSCDriver</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>9.0.5, Copyright Apple Inc. 2007</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleM2ScalerCSC.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>265.0.0</string>
    <key>version</key>
    <string>266.0.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleM68Buttons</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleM68Buttons</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>Copyright © 2015 Apple Inc. All rights
reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleM68Buttons.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
```

```
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0.0d1</string>
    <key>version</key>
    <string>1.0.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleMAX98357Amp</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleMAX98357Amp</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleEmbeddedAudio.kext/Contents/
PlugIns/AppleMAX98357Amp.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>442.26</string>
    <key>version</key>
    <string>442.26</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleMAX98721Amp</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleMAX98721Amp</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
```

```
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleEmbeddedAudio.kext/Contents/
PlugIns/AppleMAX98721Amp.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>442.26</string>
    <key>version</key>
    <string>442.26</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleMAX98726Audio</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleMAX98726Audio</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleEmbeddedAudio.kext/Contents/
PlugIns/AppleMAX98726Audio.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>442.26</string>
    <key>version</key>
    <string>442.26</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleMCA2_T8020</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleMCA2-T8020</string>
    <key>spext_has64BitIntelCode</key>
```

```
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleMCA2_T8020.kext</string>
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>540.10</string>
<key>version</key>
<string>540.10</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleMCA2_T8027</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleMCA2-T8027</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleMCA2_T8027.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>540.10</string>
  <key>version</key>
  <string>540.10</string>
</dict>
<dict>
  <key>_name</key>
```

```
<string>AppleMCA2_T8103</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleMCA2-T8103</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleMCA2_T8103.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>540.10</string>
  <key>version</key>
  <string>540.10</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleMCCSControl</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleMCCSControl</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>1.11, Copyright 2011-2019 Apple Inc. All rights
reserved.</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743522255892480</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleMCCSControl.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.14</string>
  <key>version</key>
  <string>1.14</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleMCDP29XX</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleMCDP29XX</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

<string>/System/Library/Extensions/AppleMCDP29XX.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleMCDP29XXUpdateSupport</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>

<string>com.apple.driver.AppleMCDP29XXUpdateSupport</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
```



```

        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/AppleMCDP29XXUpdateSupport.kext</
string>
        <key>spext_runtime_environment</key>
        <string>spext_unknown</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleMCP89RootPortPM</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.driver.AppleMCP89RootPortPM</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_info</key>
        <string>1.11, Copyright Apple Inc. 2009-2010</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/AppleMCP89RootPortPM.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1.11</string>
        <key>version</key>
        <string>1.11</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleMGPUPowerControl</string>

```

```
    <key>spext_architectures</key>
    <array>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleMGPUPowerControl</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>6.3.5, Copyright 2008-2021 Apple Inc. All rights
reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleGraphicsControl.kext/Contents/
PlugIns/AppleMGPUPowerControl.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_arch_x86</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>6.3.5</string>
    <key>version</key>
    <string>6.3.5</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleMatch</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.kext.AppleMatch</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743523979673600</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleMatch.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.0d1</string>
  <key>version</key>
  <string>38</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleMemorexCDROMDriver</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>

  <string>com.apple.driver.AppleMemorexCDROMDriver</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>511.141.1, Copyright Apple Inc.
1999-2016</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleStorageDrivers.kext/Contents/
PlugIns/AppleMemorexCDROMDriver.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>511.141.1</string>
  <key>version</key>
  <string>511.141.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleMesaSEPDriver</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleMesaSEPDriver</string>
  <key>spext_has64BitIntelCode</key>
```

```

    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_incomplete</string>
    <key>spext_hasAllDependencies_errors</key>
    <dict>
      <key>Dependency Resolution Failures</key>
      <dict>
        <key>Indirect dependencies can't be
resolved</key>
          <array>

    <string>com.apple.driver.AppleTrustedAccessory</string>
    </array>
    <key>Kexts already loaded for these
libraries are not compatible with the requested version</key>
    <array>

    <string>com.apple.driver.AppleSMC</string>
    </array>
    </dict>
  </dict>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleMesaSEPDriver.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>100.99</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleMikeyDriver</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleMikeyDriver</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>AppleMikeyDriver 283.15, Copyright © 2000-2019
Apple Inc. All rights reserved.</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>

```

```
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleHDA.kext/Contents/PlugIns/AppleMikeyDriver.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>283.15</string>
<key>version</key>
<string>283.15</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleMikeyHIDDriver</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleMikeyHIDDriver</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleMikeyHIDDriver.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>131</string>
<key>version</key>
<string>1.3.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleMobileApNonce</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
</array>
```

```
<key>spext_bundleid</key>
<string>com.apple.driver.AppleMobileApNonce</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleMobileApNonce.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleMobileDevice</string>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleMobileDevice</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/Library/Apple/System/Library/Extensions/AppleMobileDevice.kext</string>
```

```
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>4.0</string>
<key>version</key>
<string>4.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleMobileDispH11G</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
```

```
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleMobileDispH11G</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleMobileDispH11G.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>140.0</string>
    <key>version</key>
    <string>140.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleMobileDispH13G-DCP</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>

    <string>com.apple.driver.AppleMobileDispH13G-DCP</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
    <string>/System/Library/Extensions/AppleMobileDispH13G-
DCP.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>140.0</string>
```

```
        <key>version</key>
        <string>140.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleMobileDispH13G-DFR</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.driver.AppleMobileDispH13G-DFR</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_no</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>
        <string>/System/Library/Extensions/AppleMobileDispH13G-
DFR.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_unknown</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>140.0</string>
        <key>version</key>
        <string>140.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleMobileDispH13G</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.driver.AppleMobileDispH13G</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_no</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>
```



```
<string>/System/Library/Extensions/AppleMobileDispH13G.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>140.0</string>
  <key>version</key>
  <string>140.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleMobileFileIntegrity</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
```

```
<string>com.apple.driver.AppleMobileFileIntegrity</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743523979689984</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleMobileFileIntegrity.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.5</string>
  <key>version</key>
  <string>1.0.5</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleMultiFunctionManager</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
```

```
<string>com.apple.driver.AppleMultiFunctionManager</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
```

```
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleMultiFunctionManager.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleMultiFunctionManagerMac</string>
    <key>spext_architectures</key>
    <array>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>

    <string>com.apple.driver.AppleMultiFunctionManagerMac</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743523979792384</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleMultiFunctionManagerMac.kext</
string>
    <key>spext_runtime_environment</key>
    <string>spext_arch_x86</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>AppleMultitouchDriver</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleMultitouchDriver</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743523979841536</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleMultitouchDriver.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>4440.3</string>
  <key>version</key>
  <string>4440.3</string>
```

```
</dict>
<dict>
```

```
  <key>_name</key>
  <string>AppleMuxControl</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleMuxControl</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>6.3.5, Copyright 2008-2021 Apple Inc. All rights
```

```
reserved.</string>
```

```
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
```

```
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/AppleGraphicsControl.kext/Contents/
    PlugIns/AppleMuxControl.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_arch_x86</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
    Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>6.3.5</string>
        <key>version</key>
        <string>6.3.5</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleMuxControl2</string>
        <key>spext_architectures</key>
        <array>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.driver.AppleMuxControl2</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_info</key>
        <string>6.3.5, Copyright 2008-2021 Apple Inc. All rights
    reserved.</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/AppleGraphicsControl.kext/Contents/
    PlugIns/AppleMuxControl2.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_arch_x86</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
    Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>6.3.5</string>
        <key>version</key>
        <string>6.3.5</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleNANDConfigAccess</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
        </array>
        <key>spext_bundleid</key>
```

```
<string>com.apple.driver.AppleNANDConfigAccess</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleNANDConfigAccess.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.0.0</string>
<key>version</key>
<string>1.0.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleNMI</string>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleNMI</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>AppleNMI Pseudoextension, Apple Inc,
20.6.0</string>
```

```
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/System.kext/PlugIns/AppleNMI.kext</string>
```

```
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>20.6.0</string>
<key>version</key>
<string>20.6.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleOnboardSerial</string>
<key>spext_architectures</key>
```

```
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleOnboardSerial</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743522255966208</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleOnboardSerial.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ApplePIODMA</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.ApplePIODMA</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

<string>/System/Library/Extensions/ApplePIODMA.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
```

```

    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>ApplePMGR</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.ApplePMGR</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>Copyright © 2014 Apple Inc. All rights
reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/ApplePMGR.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>ApplePMP</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.ApplePMP</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>

```

```
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/ApplePMP.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>ApplePMPFirmware</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.ApplePMPFirmware</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/ApplePMPFirmware.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>ApplePVPanic</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
```



```
<string>com.apple.driver.ApplePVPanic</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/ApplePVPanic.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleParavirtGPU</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleParavirtGPU</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleParavirtGPU.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>AppleParavirtGPUIOGPUFamily</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleParavirtGPUIOGPUFamily</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
  <string>/System/Library/Extensions/AppleParavirtGPUIOGPUFamily.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleParavirtIOSurface</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.AppleParavirtIOSurface</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

```

```
<string>/System/Library/Extensions/AppleParavirtIOSurface.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>11.4.4</string>
  <key>version</key>
  <string>11.4.4</string>
</dict>
<dict>
  <key>_name</key>
  <string>ApplePassthroughPPM</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.ApplePassthroughPPM</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

<string>/System/Library/Extensions/ApplePassthroughPPM.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>3.0</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ApplePerfPolicyControllers</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>

<string>com.apple.driver.ApplePerfPolicyControllers</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>Copyright © 2012 Apple Inc. All rights
reserved.</string>
```

```
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/ApplePerfPolicyControllers.kext</
string>

    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>ApplePlatformEnabler</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.ApplePlatformEnabler</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743522256207872</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/ApplePlatformEnabler.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>2.7.0d0</string>
    <key>version</key>
    <string>2.7.0</string>
  </dict>
</dict>
```

```
    <key>_name</key>
    <string>ApplePlatformFamily</string>
    <key>spext_bundleid</key>
    <string>com.apple.iokit.ApplePlatformFamily</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>Apple Platform Family Pseudoextension, Apple
Computer Inc, 20.6.0</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/System.kext/PlugIns/ApplePlatformFamily.kext<
/string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>20.6.0</string>
    <key>version</key>
    <string>20.6.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>ApplePolicyControl</string>
    <key>spext_architectures</key>
    <array>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.ApplePolicyControl</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>6.3.5, Copyright 2011-2021 Apple Inc. All rights
reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleGraphicsControl.kext/Contents/
PlugIns/ApplePolicyControl.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_arch_x86</string>
```

```

    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>6.3.5</string>
    <key>version</key>
    <string>6.3.5</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleRAID</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleRAID</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>AppleRAID 5.1, Copyright 2016 Apple
Inc.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleRAID.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>5.1.0</string>
    <key>version</key>
    <string>5.1</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleRSM</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleRSM</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>

```

```
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleRSM.kext</string>
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleRTC</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleRTC</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleRTC.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>2.0</string>
  <key>version</key>
  <string>2.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleS5L8920XPWM</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
```

```
<key>spext_bundleid</key>
<string>com.apple.driver.AppleS5L8920XPWM</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleS5L8920XPWM.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.0.0d1</string>
<key>version</key>
<string>1.0.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleS5L8930XUSB</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleS5L8930XUSB</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleS5L8930XUSB.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
```



```
</dict>
<dict>
  <key>_name</key>
  <string>AppleS5L8940XDWI</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleS5L8940XDWI</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleS5L8940XDWI.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.0d1</string>
  <key>version</key>
  <string>1.0.0</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>AppleS5L8940XI2C</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleS5L8940XI2C</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleS5L8940XI2C.kext</string>
  <key>spext_runtime_environment</key>
```

```
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0.0d2</string>
    <key>version</key>
    <string>1.0.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleS5L8960XNC0</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleS5L8960XNC0</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleS5L8960XNC0.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleS5L8960XUSB</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleS5L8960XUSB</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
```

```
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleS5L8960XUSB.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleS5L8960XWatchDogTimer</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>

    <string>com.apple.driver.AppleS5L8960XWatchDogTimer</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleS5L8960XWatchDogTimer.kext</
string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleS8000AES</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleS8000AES</string>
```

```
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleS8000AES.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleS8000DWI</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleS8000DWI</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleS8000DWI.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0.0d1</string>
    <key>version</key>
    <string>1.0.0</string>
  </dict>
</dict>
```

```
<key>_name</key>
<string>AppleSART</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleSART</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleSART.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleSDXC</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleSDXC</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>1.9.0, Copyright Apple Inc. 2009-2020</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

<string>/System/Library/Extensions/AppleSDXC.kext</string>
```

```
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.9.0</string>
    <key>version</key>
    <string>1.9.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleSEPGenericTransfer</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.iokit.AppleSEPGenericTransfer</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleSEPGenericTransfer.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleSEPHDCPManager</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleSEPHDCPManager</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
```

```
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleSEPHDCPManager.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.1</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleSEPKeyStore</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleSEPKeyStore</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

<string>/System/Library/Extensions/AppleSEPKeyStore.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>2</string>
  <key>version</key>
  <string>2</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleSEPManager</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleSEPManager</string>
```

```
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743523980193792</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleSEPManager.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.0.1</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleSMBIOS</string>
<key>spext_architectures</key>
<array>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleSMBIOS</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743523980288000</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleSMBIOS.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>2.1</string>
```



```
    <key>version</key>
    <string>2.1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleSMBusController</string>
    <key>spext_architectures</key>
    <array>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleSMBusController</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>AppleSMBusController version 1.0.18, Copyright
2008-2017 Apple Inc.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743522256224256</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleSMBusController.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_arch_x86</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0.18d1</string>
    <key>version</key>
    <string>1.0.18</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleSMBusPCI</string>
    <key>spext_architectures</key>
    <array>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleSMBusPCI</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>AppleSMBusPCI version 1.0.14, Copyright 2008-
2015 Apple Inc.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743522256265216</string>
```

```
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleSMBusPCI.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.14d1</string>
  <key>version</key>
  <string>1.0.14</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleSMC</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleSMC</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743523980304384</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

<string>/System/Library/Extensions/AppleSMC.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>3.1.9</string>
  <key>version</key>
  <string>3.1.9</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleSMCLMU</string>
  <key>spext_architectures</key>
```

```
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleSMCLMU</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleSMCLMU.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>212</string>
  <key>version</key>
  <string>212</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleSMCPDRC</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleSMCPDRC</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/IOPlatformPluginFamily.kext/Contents/
PlugIns/AppleSMCPDRC.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
```

```
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.0</string>
  <key>version</key>
  <string>1.0.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleSMRTC</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleSMRTC</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743523980419072</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleSMRTC.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleSPIMC</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleSPIMC</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
```

```
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleSPIMC.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleSPMI</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleSPMI</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleSPMI.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0.1</string>
    <key>version</key>
    <string>1.0.1</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleSPMIPMU</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleSPMIPMU</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
```

```

    <key>spext_hasAllDependencies</key>
    <string>spext_incomplete</string>
    <key>spext_hasAllDependencies_errors</key>
    <dict>
      <key>Dependency Resolution Failures</key>
      <dict>
        <key>Kexts already loaded for these
libraries are not compatible with the requested version</key>
        <array>

    <string>com.apple.driver.AppleSMC</string>
      </array>
    </dict>
  </dict>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleSPMIPMU.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.1</string>
  <key>version</key>
  <string>1.0.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleSPU</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleSPU</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleSPU.kext</string>
  <key>spext_runtime_environment</key>

```

```
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleSRP</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.security.SecureRemotePassword</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleSRP.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0</string>
    <key>version</key>
    <string>5.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleSSE</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleSSE</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743523980439552</string>
```

```

        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_yes</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/AppleSSE.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1.0</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleSSM3515Audio</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.driver.AppleSSM3515Audio</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_no</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/AppleEmbeddedAudio.kext/Contents/
PlugIns/AppleSSM3515Audio.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_unknown</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>442.26</string>
        <key>version</key>
        <string>442.26</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleSTDP2700</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>

```



```
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleSTDP2700</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleSTDP2700.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleSamsungSPI</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleSamsungSPI</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleSamsungSPI.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
```

```
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleSamsungSerial</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleSamsungSerial</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleSamsungSerial.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.0d1</string>
  <key>version</key>
  <string>1.0.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>AppleSmartBatteryManager</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
```

```
<string>com.apple.driver.AppleSmartBatteryManager</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743523980476416</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
```

```
        <string>spext_apple</string>
        <key>spext_path</key>
    </dict>
    <string>/System/Library/Extensions/AppleSmartBatteryManager.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>161.0.0</string>
    <key>version</key>
    <string>161.0.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleSmartI02</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleSmartI02</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
</dict>
    <string>/System/Library/Extensions/AppleSmartI02.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleStark</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleStark</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
```

```
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleStark.kext</string>
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleStockholmControl</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleStockholmControl</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleStockholmControl.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.0</string>
  <key>version</key>
  <string>1.0.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleStorageDrivers</string>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleStorageDrivers</string>
  <key>spext_hasAllDependencies</key>
```

```
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>511.141.1, Copyright Apple Inc.
1999-2016</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleStorageDrivers.kext</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>511.141.1</string>
    <key>version</key>
    <string>511.141.1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleSummitLCD</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleSummitLCD</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleSummitLCD.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0.0</string>
    <key>version</key>
    <string>1.0.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleSynopsysMIPIDSI</string>
```

```
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleSynopsysMIPIDSI</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleSynopsysMIPIDSI.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.0.0</string>
<key>version</key>
<string>1.0.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleSynopsysOTGDevice</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleSynopsysOTGDevice</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/IIOUSBDeviceFamily.kext/Contents/
PlugIns/AppleSynopsysOTGDevice.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
```

```
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.0d1</string>
  <key>version</key>
  <string>1.0.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleSystemPolicy</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.AppleSystemPolicy</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743523980795904</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleSystemPolicy.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>2.0.0</string>
  <key>version</key>
  <string>2.0.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleT6000AUSBPhy</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleT6000AUSBPhy</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
```

```
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleTypeCPhy.kext/Contents/PlugIns/
AppleT6000AUSBPhy.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleT6000TypeCPhy</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleT6000TypeCPhy</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleTypeCPhy.kext/Contents/PlugIns/
AppleT6000TypeCPhy.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleT7000USBOTGDevice</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleT7000USBOTGDevice</string>
```



```
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/IUSBDeviceFamily.kext/Contents/
PlugIns/AppleT7000USBOTGDevice.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.0.0d1</string>
<key>version</key>
<string>1.0.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleT8002USB</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleT8002USB</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleT8002USB.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>AppleT8006USB</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleT8006USB</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleT8006USB.kext</string>
```

```
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>AppleT8010PMPFirmware</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleT8010PMPFirmware</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleT8010PMPFirmware.kext</string>
```

```
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
```

```

    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleT8011PMPFirmware</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleT8011PMPFirmware</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleT8011PMPFirmware.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleT8011USB</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleT8011USB</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>

```

```
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleT8011USB.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>AppleT8011USBXDCI</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleT8011USBXDCI</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/IUSBDeviceFamily.kext/Contents/
PlugIns/AppleT8011USBXDCI.kext</string>
```

```
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>AppleT8015PMPFirmware</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleT8015PMPFirmware</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
```

```
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleT8015PMPFirmware.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleT8020</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleT8020</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleT8020.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleT8020DART</string>
```

```
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleT8020DART</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleT8020DART.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleT8020PMPFirmware</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleT8020PMPFirmware</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleT8020PMPFirmware.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
```

```
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleT8020SOCTuner</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleT8020SOCTuner</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>Copyright © 2017 Apple Inc. All rights
reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleT8020SOCTuner.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleT8020USB</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleT8020USB</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
```

```
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleT8020USB.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleT8027</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleT8027</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

<string>/System/Library/Extensions/AppleT8027.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleT8027CLPCv3</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleT8027CLPCv3</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
```



```
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>Copyright © 2018 Apple Inc. All rights
reserved.</string>
```

```
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleT8027CLPCv3.kext</string>
```

```
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
    <key>_name</key>
    <string>AppleT8027PCIE</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleT8027PCIE</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleT8027PCIE.kext</string>
```

```
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleT8027PMGR</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleT8027PMGR</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>Copyright © 2017 Apple Inc. All rights
reserved.</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleT8027PMGR.kext</string>
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleT8027PMPFirmware</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleT8027PMPFirmware</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

<string>/System/Library/Extensions/AppleT8027PMPFirmware.kext</string>
```

```
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleT8027TypeCPhy</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleT8027TypeCPhy</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleTypeCPhy.kext/Contents/PlugIns/
AppleT8027TypeCPhy.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleT8027USB</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleT8027USB</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
```

```
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleT8027USB.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleT8027USBXDCI</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleT8027USBXDCI</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/IUSBDeviceFamily.kext/Contents/
PlugIns/AppleT8027USBXDCI.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleT8030TypeCPhy</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
```

```
<string>com.apple.driver.AppleT8030TypeCPhy</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleTypeCPhy.kext/Contents/PlugIns/
AppleT8030TypeCPhy.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleT8101</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleT8101</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleT8101.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>AppleT8101AFT</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleT8101AFT</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleT8101AFT.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>AppleT8101TypeCPhy</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleT8101TypeCPhy</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleTypeCPhy.kext/Contents/PlugIns/
AppleT8101TypeCPhy.kext</string>
```

```
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleT8101USB</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleT8101USB</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleT8101USB.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleT8103CLPCv3</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleT8103CLPCv3</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>Copyright © 2019 Apple Inc. All rights
reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
```

```
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleT8103CLPCv3.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleT8103PCIE</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleT8103PCIE</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleT8103PCIE.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleT8103PCIEC</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
```



```
<key>spext_bundleid</key>
<string>com.apple.driver.AppleT8103PCIeC</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleT8103PCIeC.kext</string>
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleT8103PMGR</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleT8103PMGR</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>Copyright © 2019 Apple Inc. All rights
reserved.</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleT8103PMGR.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
```

```
<string>1</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleT8103TypeCPhy</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleT8103TypeCPhy</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleTypeCPhy.kext/Contents/PlugIns/
AppleT8103TypeCPhy.kext</string>
```

```
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>AppleT8103USB</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleT8103USB</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
```

```
    <key>spext_path</key>
  <string>/System/Library/Extensions/AppleT8103USB.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleTAS5770Lamp</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleTAS5770Lamp</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

```

```
  <string>/System/Library/Extensions/AppleEmbeddedAudio.kext/Contents/
PlugIns/AppleTAS5770Lamp.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>442.26</string>
  <key>version</key>
  <string>442.26</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleTCA6408GPIOIC</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleTCA6408GPIOIC</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>

```

```
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleTCA6408GPIOIC.kext</string>
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.0.0d1</string>
<key>version</key>
<string>1.0.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleTCA7408GPIOIC</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleTCA7408GPIOIC</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleTCA7408GPIOIC.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.0</string>
  <key>version</key>
  <string>1.0.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleThunderboltDPAdapterFamily</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
```

```
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
<string>com.apple.driver.AppleThunderboltDPAdapterFamily</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743523980865536</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleThunderboltDPAdapters.kext/
Contents/PlugIns/AppleThunderboltDPAdapterFamily.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>8.1.4</string>
    <key>version</key>
    <string>8.1.4</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleThunderboltDPAdapters</string>
    <key>spext_bundleid</key>

<string>com.apple.driver.AppleThunderboltDPAdapters</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleThunderboltDPAdapters.kext</
string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>8.1.4</string>
    <key>version</key>
    <string>8.1.4</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>AppleThunderboltDPInAdapter</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
```

```
<string>com.apple.driver.AppleThunderboltDPInAdapter</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743523980967936</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleThunderboltDPAdapters.kext/
Contents/PlugIns/AppleThunderboltDPInAdapter.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>8.1.4</string>
<key>version</key>
<string>8.1.4</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>AppleThunderboltDPOutAdapter</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
```

```
<string>com.apple.driver.AppleThunderboltDPOutAdapter</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743523981017088</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
```

```
        <string>spext_yes</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/AppleThunderboltDPAdapters.kext/
    Contents/PlugIns/AppleThunderboltDPOutAdapter.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
    Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>8.1.4</string>
        <key>version</key>
        <string>8.1.4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleThunderboltEDMService</string>
        <key>spext_bundleid</key>

    <string>com.apple.driver.AppleThunderboltEDMService</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/AppleThunderboltEDMService.kext</
    string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
    Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>5.0.3</string>
        <key>version</key>
        <string>5.0.3</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleThunderboltEDMSink</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>

    <string>com.apple.driver.AppleThunderboltEDMSink</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
```

```
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743522256441344</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleThunderboltEDMService.kext/
Contents/PlugIns/AppleThunderboltEDMSink.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>5.0.3</string>
<key>version</key>
<string>5.0.3</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleThunderboltEDMSource</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
```

```
<string>com.apple.driver.AppleThunderboltEDMSource</string>
```

```
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleThunderboltEDMService.kext/
Contents/PlugIns/AppleThunderboltEDMSource.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>5.0.3</string>
<key>version</key>
<string>5.0.3</string>
```



```
</dict>
<dict>
  <key>_name</key>
  <string>AppleThunderboltIP</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleThunderboltIP</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743522256510976</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleThunderboltIP.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>4.0.3</string>
<key>version</key>
<string>4.0.3</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleThunderboltNHI</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleThunderboltNHI</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
```

```
<string>AppleThunderboltNHI version 7.2.8, Copyright ©
2009-2020 Apple Inc. All rights reserved.</string>
```

```
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743523981160448</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
```

```
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleThunderboltNHI.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>7.2.8</string>
  <key>version</key>
  <string>7.2.8</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleThunderboltPCIAdapters</string>
  <key>spext_bundleid</key>

<string>com.apple.driver.AppleThunderboltPCIAdapters</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>AppleThunderboltPCIAdapters version 4.0.1,
Copyright © 2009-2020 Apple Inc. All rights reserved.</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

<string>/System/Library/Extensions/AppleThunderboltPCIAdapters.kext</
string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>4.0.1</string>
  <key>version</key>
  <string>4.0.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleThunderboltPCIDownAdapter</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>

<string>com.apple.driver.AppleThunderboltPCIDownAdapter</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
```

```
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>AppleThunderboltPCIAdapters version 4.1.1,
Copyright Â© 2009-2020 Apple Inc. All rights reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743523981398016</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleThunderboltPCIAdapters.kext/
Contents/PlugIns/AppleThunderboltPCIDownAdapter.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>4.1.1</string>
    <key>version</key>
    <string>4.1.1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleThunderboltPCIUpAdapter</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>

    <string>com.apple.driver.AppleThunderboltPCIUpAdapter</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>AppleThunderboltPCIAdapters version 4.1.1,
Copyright Â© 2009-2020 Apple Inc. All rights reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleThunderboltPCIAdapters.kext/
Contents/PlugIns/AppleThunderboltPCIUpAdapter.kext</string>
    <key>spext_runtime_environment</key>
```

```

        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>4.1.1</string>
        <key>version</key>
        <string>4.1.1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleThunderboltUSBAdapters</string>
        <key>spext_bundleid</key>

<string>com.apple.driver.AppleThunderboltUSBAdapters</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/AppleThunderboltUSBAdapters.kext</
string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1.0.4</string>
        <key>version</key>
        <string>1.0.4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleThunderboltUSBDownAdapter</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
        </array>
        <key>spext_bundleid</key>

<string>com.apple.driver.AppleThunderboltUSBDownAdapter</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_no</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

```

```
<string>/System/Library/Extensions/AppleThunderboltUSBAdapters.kext/  
Contents/PlugIns/AppleThunderboltUSBDownAdapter.kext</string>  
  <key>spext_runtime_environment</key>  
  <string>spext_unknown</string>  
  <key>spext_signed_by</key>  
  <string>Software Signing, Apple Code Signing  
Certification Authority, Apple Root CA</string>  
  <key>spext_version</key>  
  <string>1.0.4</string>  
  <key>version</key>  
  <string>1.0.4</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
```

```
  <string>AppleThunderboltUSBUpAdapter</string>
```

```
  <key>spext_architectures</key>
```

```
  <array>
```

```
    <string>arm64e</string>
```

```
  </array>
```

```
  <key>spext_bundleid</key>
```

```
<string>com.apple.driver.AppleThunderboltUSBUpAdapter</string>
```

```
  <key>spext_has64BitIntelCode</key>
```

```
  <string>spext_no</string>
```

```
  <key>spext_hasAllDependencies</key>
```

```
  <string>spext_satisfied</string>
```

```
  <key>spext_lastModified</key>
```

```
  <date>2020-01-01T08:00:00Z</date>
```

```
  <key>spext_loadable</key>
```

```
  <string>spext_yes</string>
```

```
  <key>spext_loaded</key>
```

```
  <string>spext_no</string>
```

```
  <key>spext_notarized</key>
```

```
  <string>spext_yes</string>
```

```
  <key>spext_obtained_from</key>
```

```
  <string>spext_apple</string>
```

```
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleThunderboltUSBAdapters.kext/  
Contents/PlugIns/AppleThunderboltUSBUpAdapter.kext</string>
```

```
  <key>spext_runtime_environment</key>
```

```
  <string>spext_unknown</string>
```

```
  <key>spext_signed_by</key>
```

```
  <string>Software Signing, Apple Code Signing  
Certification Authority, Apple Root CA</string>
```

```
  <key>spext_version</key>
```

```
  <string>1.0.4</string>
```

```
  <key>version</key>
```

```
  <string>1.0.4</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
```

```
  <string>AppleThunderboltUTDM</string>
```

```
  <key>spext_architectures</key>
```

```
  <array>
```

```
    <string>arm64e</string>
```

```
    <string>x86_64</string>
```

```
  </array>
```

```
  <key>spext_bundleid</key>
```

```
  <string>com.apple.driver.AppleThunderboltUTDM</string>
```

```
  <key>spext_has64BitIntelCode</key>
```

```
  <string>spext_yes</string>
```

```
  <key>spext_hasAllDependencies</key>
```

```
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleThunderboltUTDM.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>3.0.7</string>
    <key>version</key>
    <string>3.0.7</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleTopCase</string>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleTopCase</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleTopCase.kext</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>4050.1</string>
    <key>version</key>
    <string>4050.1</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleTopCaseActuatorHIDDriver</string>
    <key>spext_bundleid</key>

<string>com.apple.driver.AppleTopCaseActuatorHIDDriver</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
```

```
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleTopCase.kext/Contents/PlugIns/
AppleTopCaseActuatorHIDDriver.kext</string>
```

```
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>4050.1</string>
<key>version</key>
<string>4050.1</string>
```

```
</dict>
<dict>
```

```
<key>_name</key>
<string>AppleTopCaseDriverV2</string>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleTopCaseDriverV2</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleTopCase.kext/Contents/PlugIns/
AppleTopCaseDriverV2.kext</string>
```

```
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>4050.1</string>
<key>version</key>
<string>4050.1</string>
```

```
</dict>
<dict>
```

```
<key>_name</key>
<string>AppleTopCaseHIDEventDriver</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
```

```
<string>com.apple.driver.AppleTopCaseHIDEventDriver</string>
```

```
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
```

```
<key>spext_load_address</key>
<string>18446743523981611008</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleTopCase.kext/Contents/PlugIns/
AppleTopCaseHIDEventDriver.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>4050.1</string>
<key>version</key>
<string>4050.1</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleTriStar</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleTriStar</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleTriStar.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.0.0</string>
<key>version</key>
<string>1.0.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleTrustedAccessory</string>
<key>spext_architectures</key>
```



```
<array>
  <string>arm64e</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleTrustedAccessory</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_incomplete</string>
<key>spext_hasAllDependencies_errors</key>
<dict>
  <key>Dependency Resolution Failures</key>
  <dict>
    <key>Kexts already loaded for these
libraries are not compatible with the requested version</key>
    <array>

<string>com.apple.driver.AppleSMC</string>
  </array>
  </dict>
</dict>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleTrustedAccessory.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleTwisterErrorHandler</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>

<string>com.apple.driver.AppleTwisterErrorHandler</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
```

```
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleTwisterErrorHandler.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleTypeCPhy</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleTypeCPhy</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleTypeCPhy.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleUSBACM</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.usb.cdc.acm</string>
    <key>spext_has64BitIntelCode</key>
```

```
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleUSBACM.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>5.0.0</string>
<key>version</key>
<string>5.0.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleUSBAudio</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleUSBAudio</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>AppleUSBAudio 405.39, Copyright © 2000-2021
Apple Inc. All rights reserved.</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743522256797696</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleUSBAudio.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
```

```
<string>405.39</string>
<key>version</key>
<string>405.39</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleUSBCDC</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.usb.cdc</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743523981664256</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleUSBCDC.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>5.0.0</string>
<key>version</key>
<string>5.0.0</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>AppleUSBCardReader</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleUSBCardReader</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>511.141.1, Copyright Apple Inc.
```

```
2009-2016</string>
```

```
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
```

```
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/AppleStorageDrivers.kext/Contents/
    PlugIns/AppleUSBCardReader.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
    Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>511.141.1</string>
        <key>version</key>
        <string>511.141.1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleUSBCommon</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.driver.usb.AppleUSBCommon</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_load_address</key>
        <string>18446743523981680640</string>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_yes</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/AppleUSBCommon.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
    Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1.0</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleUSBDMMS</string>
        <key>spext_architectures</key>
        <array>
```

```
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.usb.cdc.dmm</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleUSBDMML.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>5.0.0</string>
    <key>version</key>
    <string>5.0.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleUSBDeviceMux</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleUSBDeviceMux</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleUSBDeviceMux.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
```

```
<string>1.0.0d1</string>
<key>version</key>
<string>1.0.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleUSBDeviceNCM</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleUSBDeviceNCM</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleUSBDeviceNCM.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>5.0.0</string>
  <key>version</key>
  <string>5.0.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>AppleUSBDisplays</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleUSBDisplays</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>AppleUSBDisplays 3.1</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
```

```
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
  </dict>
  <string>/System/Library/Extensions/AppleUSBDisplays.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>380</string>
  <key>version</key>
  <string>3.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleUSBECM</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.usb.cdc.ecm</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743523981791232</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
</dict>
  <string>/System/Library/Extensions/AppleUSBECM.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>5.0.0</string>
  <key>version</key>
  <string>5.0.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleUSBEEEM</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.usb.cdc.eem</string>
</dict>
```



```
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleUSBEEM.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>5.0.0</string>
<key>version</key>
<string>5.0.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleUSBHCI</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.usb.AppleUSBHCI</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/IOUSBHostFamily.kext/Contents/PlugIns/
AppleUSBHCI.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.2</string>
<key>version</key>
<string>1.2</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>AppleUSBHCIPCI</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.usb.AppleUSBHCIPCI</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
  <string>/System/Library/Extensions/IOUSBHostFamily.kext/Contents/PlugIns/AppleUSBHCIPCI.kext</string>
```

```
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.2</string>
  <key>version</key>
  <string>1.2</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>AppleUSBEthernet</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.usb.ethernet.asix</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleUSBEthernet.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>5.0.0</string>
  <key>version</key>
  <string>5.0.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleUSBEthernetHost</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
```

```
<string>com.apple.macos.driver.AppleUSBEthernetHost</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleUSBEthernetHost.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>8.1.1</string>
  <key>version</key>
  <string>8.1.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleUSBHIDMouse</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleUSBHIDMouse</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
```

```
<key>spext_info</key>
<string>194</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleHIDMouse.kext/Contents/PlugIns/
AppleUSBHIDMouse.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>194</string>
<key>version</key>
<string>194</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleUSBHSIC</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleUSBHSIC</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleUSBHSIC.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
```

```
<string>AppleUSBHostBillboardDevice</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
```

```
<string>com.apple.driver.usb.AppleUSBHostBillboardDevice</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/IIOUSBHostFamily.kext/Contents/PlugIns/
AppleUSBHostBillboardDevice.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.0</string>
<key>version</key>
<string>1.2</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleUSBHostCompositeDevice</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
```

```
<string>com.apple.driver.usb.AppleUSBHostCompositeDevice</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743524005642240</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
```

```
        <key>spext_path</key>
    <string>/System/Library/Extensions/IUSBHostFamily.kext/Contents/PlugIns/
AppleUSBHostCompositeDevice.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1.2</string>
        <key>version</key>
        <string>1.2</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleUSBHostMergeProperties</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>

    <string>com.apple.driver.AppleUSBHostMergeProperties</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_load_address</key>
        <string>18446743524005662720</string>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_yes</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/IUSBHostFamily.kext/Contents/PlugIns/
AppleUSBHostMergeProperties.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1.2</string>
        <key>version</key>
        <string>1.2</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleUSBHostPacketFilter</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
```

```
<string>com.apple.driver.usb.AppleUSBHostPacketFilter</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743524005670912</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/IUSBHostFamily.kext/Contents/PlugIns/AppleUSBHostPacketFilter.kext</string>
```

```
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleUSBHostPlatformProperties</string>
  <key>spext_bundleid</key>
```

```
<string>com.apple.driver.usb.AppleUSBHostPlatformProperties</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/IUSBHostFamily.kext/Contents/PlugIns/AppleUSBHostPlatformProperties.kext</string>
```

```
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.2</string>
  <key>version</key>
  <string>1.2</string>
</dict>
<dict>
  <key>_name</key>
```

```
<string>AppleUSBHostS5L8930X</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
</array>
<key>spext_bundleid</key>

<string>com.apple.driver.usb.AppleUSBHostS5L8930X</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleUSBHostS5L8930X.kext</string>
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleUSBHostS5L8960X</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>

  <string>com.apple.driver.usb.AppleUSBHostS5L8960X</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleUSBHostS5L8960X.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
```



```
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleUSBHostT7000</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.usb.AppleUSBHostT7000</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleUSBHostT7000.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleUSBHostT8002</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.usb.AppleUSBHostT8002</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
```

```
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleUSBHostT8002.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleUSBHostT8011</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.usb.AppleUSBHostT8011</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

<string>/System/Library/Extensions/AppleUSBHostT8011.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleUSBHostT8020</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.usb.AppleUSBHostT8020</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
```

```
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleUSBHostT8020.kext</string>
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleUSBHostT8027</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.usb.AppleUSBHostT8027</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleUSBHostT8027.kext</string>
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleUSBHostT8030</string>
<key>spext_architectures</key>
```

```
<array>
  <string>arm64e</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.usb.AppleUSBHostT8030</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleUSBHostT8030.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleUSBHostT8103</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.usb.AppleUSBHostT8103</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleUSBHostT8103.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
```

```
<string>1</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleUSBHub</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.usb.AppleUSBHub</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/IOUSBHostFamily.kext/Contents/PlugIns/AppleUSBHub.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.2</string>
<key>version</key>
<string>1.2</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleUSBLegacyHub</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleUSBLegacyHub</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>900.4.2, Copyright Â© 2000-2015 Apple Inc. All
rights reserved.</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
```

```
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/IOWUSBFamily.kext/Contents/PlugIns/
AppleUSBLegacyHub.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>900.4.2</string>
<key>version</key>
<string>900.4.2</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleUSBMassStorageInterfaceNub</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
```

```
<string>com.apple.driver.AppleUSBMassStorageInterfaceNub</string>
```

```
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>511.141.1, Copyright Apple Inc.
```

```
2008-2016</string>
```

```
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleStorageDrivers.kext/Contents/
PlugIns/AppleUSBMassStorageInterfaceNub.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>511.141.1</string>
<key>version</key>
<string>511.141.1</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleUSBMergeNub</string>
```

```
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleUSBMergeNub</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>900.4.2, Copyright © 2000-2020 Apple Inc. All
Rights Reserved.</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/IOUSBHostFamily.kext/Contents/PlugIns/
AppleUSBMergeNub.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>900.4.2</string>
<key>version</key>
<string>900.4.2</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleUSBMike</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleUSBMike</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

<string>/System/Library/Extensions/AppleUSBMike.kext</string>
```

```
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0.0d1</string>
    <key>version</key>
    <string>1.0.0d1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleUSBMultitouch</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleUSBMultitouch</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
```

```
  <string>/System/Library/Extensions/AppleUSBMultitouch.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>264</string>
    <key>version</key>
    <string>264</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleUSBNCM</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.usb.cdc.ncm</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
```



```
<string>18446743523981938688</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleUSBNCM.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>5.0.0</string>
<key>version</key>
<string>5.0.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleUSBNetworking</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.usb.networking</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743523981975552</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleUSBNetworking.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>5.0.0</string>
  <key>version</key>
  <string>5.0.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleUSBODD</string>
```

```

    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleUSBODD</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>511.141.1, Copyright Apple Inc.
2007-2016</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleStorageDrivers.kext/Contents/
PlugIns/AppleUSBODD.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>511.141.1</string>
    <key>version</key>
    <string>511.141.1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleUSBOHCI</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.usb.AppleUSBOHCI</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

```

```
<string>/System/Library/Extensions/IOUSBHostFamily.kext/Contents/PlugIns/
AppleUSBOHCI.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.2</string>
  <key>version</key>
  <string>1.2</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleUSBOHCIPCI</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.usb.AppleUSBOHCIPCI</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/IOUSBHostFamily.kext/Contents/PlugIns/
AppleUSBOHCIPCI.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.2</string>
  <key>version</key>
  <string>1.2</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleUSBOpticalMouse</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>

  <string>com.apple.driver.usb.AppleUSBOpticalMouse</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
```

```
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/IOUSBHostFamily.kext/Contents/PlugIns/
AppleUSBOpticalMouse.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.2</string>
<key>version</key>
<string>1.2</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleUSBRealtek8153Patcher</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.usb.realtek8153patcher</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleUSBRealtek8153Patcher.kext</
string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>5.0.0</string>
<key>version</key>
<string>5.0.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleUSBRecoveryHost</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
```

```
<string>com.apple.driver.usb.AppleUSBRecoveryHost</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/IOUSBHostFamily.kext/Contents/PlugIns/
AppleUSBRecoveryHost.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.2</string>
<key>version</key>
<string>1.2</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleUSBSerial</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.usb.serial</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleUSBSerial.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>6.0.0</string>
  <key>version</key>
  <string>6.0.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleUSBTCButtons</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleUSBTCButtons</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>256</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleUSBTopCase.kext/Contents/PlugIns/
AppleUSBTCButtons.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>256</string>
  <key>version</key>
  <string>256</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleUSBTCKeyEventDriver</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleUSBTCKeyEventDriver</string>
  <key>spext_has64BitIntelCode</key>
```

```
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>256</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleUSBTopCase.kext/Contents/PlugIns/
AppleUSBTCKeyEventDriver.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>256</string>
<key>version</key>
<string>256</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleUSBTCKeyboard</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleUSBTCKeyboard</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>256</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleUSBTopCase.kext/Contents/PlugIns/
AppleUSBTCKeyboard.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
```

```
    <key>spext_version</key>
    <string>256</string>
    <key>version</key>
    <string>256</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleUSBTDM</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleUSBTDM</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>511.141.1, Copyright © 2016 Apple Inc. All
rights reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743523980681216</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleStorageDrivers.kext/Contents/
PlugIns/AppleUSBTDM.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>511.141.1</string>
    <key>version</key>
    <string>511.141.1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleUSBTopCase</string>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleUSBTopCase</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>256</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
```



```
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleUSBTopCase.kext</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>256</string>
  <key>version</key>
  <string>256</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleUSBTopCaseDriver</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleUSBTopCaseDriver</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleTopCase.kext/Contents/PlugIns/
AppleUSBTopCaseDriver.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>4050.1</string>
    <key>version</key>
    <string>4050.1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleUSBHCI</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.usb.AppleUSBHCI</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
```

```
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/IOUSBHostFamily.kext/Contents/PlugIns/
AppleUSBHCI.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.2</string>
<key>version</key>
<string>1.2</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleUSBHCIPCI</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.usb.AppleUSBHCIPCI</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/IOUSBHostFamily.kext/Contents/PlugIns/
AppleUSBHCIPCI.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.2</string>
<key>version</key>
<string>1.2</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>AppleUSBUserHCI</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.usb.AppleUSBUserHCI</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743522261782528</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/IOUSBHostFamily.kext/Contents/PlugIns/AppleUSBUserHCI.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>AppleUSBVHCI</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.usb.AppleUSBVHCI</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743524006150144</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
```

```
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/IOUSBHostFamily.kext/Contents/PlugIns/
AppleUSBVHCI.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1.2</string>
        <key>version</key>
        <string>1.2</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleUSBVHCIBCE</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.driver.usb.AppleUSBVHCIBCE</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_load_address</key>
        <string>18446743524006289408</string>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_yes</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/IOUSBHostFamily.kext/Contents/PlugIns/
AppleUSBVHCIBCE.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1.2</string>
        <key>version</key>
        <string>1.2</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleUSBVHCICommon</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
```

```
    <key>spext_bundleid</key>
    <string>com.apple.driver.usb.AppleUSBVHCICommon</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>1.0, Copyright © 2000-2020 Apple Inc. All
Rights Reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743523981701120</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleUSBCommon.kext/Contents/PlugIns/
AppleUSBVHCICommon.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleUSBVHCICommonBCE</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>

    <string>com.apple.driver.usb.AppleUSBVHCICommonBCE</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>1.0, Copyright © 2000-2020 Apple Inc. All
Rights Reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743523981729792</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
```

```
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/AppleUSBCommon.kext/Contents/PlugIns/
AppleUSBVHCICommonBCE.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1.0</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleUSBVHCICommonRSM</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>

    <string>com.apple.driver.usb.AppleUSBVHCICommonRSM</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_info</key>
        <string>1.0, Copyright © 2000-2020 Apple Inc. All
Rights Reserved.</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/AppleUSBCommon.kext/Contents/PlugIns/
AppleUSBVHCICommonRSM.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1.0</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleUSBVHCIFirmware</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
        </array>
```

```

    <key>spext_bundleid</key>
  <string>com.apple.driver.usb.AppleUSBVHCIFirmware</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>1.0, Copyright Â© 2000-2018 Apple Inc. All
Rights Reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

  <string>/System/Library/Extensions/IOUSBDeviceFamily.kext/Contents/
PlugIns/AppleUSBVHCIFirmware.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
<dict>
  <key>_name</key>
  <string>AppleUSBVHCIFirmwareRSM</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>

  <string>com.apple.driver.usb.AppleUSBVHCIFirmwareRSM</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>1.0, Copyright Â© 2000-2018 Apple Inc. All
Rights Reserved.</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/IOUSBDeviceFamily.kext/Contents/
```

```
PlugIns/AppleUSBVHCIFirmwareRSM.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleUSBVHCIRSM</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.usb.AppleUSBVHCIRSM</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
  <string>/System/Library/Extensions/IOUSBHostFamily.kext/Contents/PlugIns/
AppleUSBVHCIRSM.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.2</string>
  <key>version</key>
  <string>1.2</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleUSBWCM</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.usb.cdc.wcm</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
```



```
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleUSBWCM.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>5.0.0</string>
<key>version</key>
<string>5.0.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleUSBXDCI</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleUSBXDCI</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/IOUSBDeviceFamily.kext/Contents/
PlugIns/AppleUSBXDCI.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleUSBXDCIARM</string>
  <key>spext_architectures</key>
  <array>
```

```
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleUSBXDCIARM</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
```

```
    <string>/System/Library/Extensions/IUSBDeviceFamily.kext/Contents/
    PlugIns/AppleUSBXDCIARM.kext</string>
```

```
        <key>spext_runtime_environment</key>
        <string>spext_unknown</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
    Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1.0</string>
        <key>version</key>
        <string>1.0</string>
```

```
    </dict>
```

```
    <dict>
```

```
        <key>_name</key>
        <string>AppleUSBXHCI</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.driver.usb.AppleUSBXHCI</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_load_address</key>
        <string>18446743524006297600</string>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_yes</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>
```

```
    <string>/System/Library/Extensions/IUSBHostFamily.kext/Contents/PlugIns/
    AppleUSBXHCI.kext</string>
```

```
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
```

```
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.2</string>
    <key>version</key>
    <string>1.2</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleUSBXHCIARM</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.usb.AppleUSBXHCIARM</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleUSBXHCIARM.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleUSBXHCIPCI</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.usb.AppleUSBXHCIPCI</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743524006653952</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
```

```

        <key>spext_loaded</key>
        <string>spext_yes</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/IOUSBHostFamily.kext/Contents/PlugIns/
AppleUSBXHCIPCI.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1.2</string>
        <key>version</key>
        <string>1.2</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleUSBiBridge</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.driver.usb.AppleUSBiBridge</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/AppleUSBiBridge.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1.0</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleUpstreamUserClient</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>

```

```
    </array>
    <key>spext_bundleid</key>
<string>com.apple.driver.AppleUpstreamUserClient</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743522257252352</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

<string>/System/Library/Extensions/AppleUpstreamUserClient.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>3.6.8</string>
  <key>version</key>
  <string>3.6.8</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleVPBootPolicy</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.security.AppleVPBootPolicy</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

<string>/System/Library/Extensions/AppleVPBootPolicy.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
```

```
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleVPCredentialManager</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleVPCredentialManager</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
    <string>/System/Library/Extensions/AppleVPCredentialManager.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleVPKeyStore</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleVPKeyStore</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
```

```
    <string>spext_apple</string>
    <key>spext_path</key>
  <string>/System/Library/Extensions/AppleVPKeyStore.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>2</string>
  <key>version</key>
  <string>2</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleVirtIO</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.AppleVirtIO</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
</dict>
  <string>/System/Library/Extensions/AppleVirtIO.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>74.120.4</string>
  <key>version</key>
  <string>74.120.4</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleVirtIOStorage</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.AppleVirtIOStorage</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
</dict>
```

```
reserved.</string>
    <key>spext_info</key>
    <string>Copyright © 2021 Apple Inc. All rights
```

```

    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleVirtIOStorage.kext</string>
```

```

    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0.0</string>
    <key>version</key>
    <string>1.0.0</string>
```

```
</dict>
```

```
<dict>
```

```

    <key>_name</key>
    <string>AppleVirtualGraphics</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleVirtualGraphics</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleVirtualGraphics.kext</string>
```

```

    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>74.120.4</string>
    <key>version</key>
    <string>74.120.4</string>
```

```
</dict>
```

```
<dict>
```



```
<key>_name</key>
<string>AppleVirtualMCA</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleVirtualMCA</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleVirtualMCA.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleVirtualPlatform</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleVirtualPlatform</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/AppleVirtualPlatform.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
```

```

    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleVmxnet3Ethernet</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleVmxnet3Ethernet</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/IONetworkingFamily.kext/Contents/
PlugIns/AppleVmxnet3Ethernet.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0.10</string>
    <key>version</key>
    <string>1.0.10</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleVortexErrorHandler</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>

    <string>com.apple.driver.AppleVortexErrorHandler</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>

```

```

    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/AppleVortexErrorHandler.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleWWANSupport</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleWWANSupport</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/IOSerialFamily.kext/Contents/PlugIns/
AppleWWANSupport.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>4.0.0</string>
    <key>version</key>
    <string>3.0.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleWWANSupport1</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>

```

```
<key>spext_bundleid</key>
<string>com.apple.driver.AppleWWANSupport1</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/IOSerialFamily.kext/Contents/PlugIns/
AppleWWANSupport1.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>4.0.0</string>
<key>version</key>
<string>4.0.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleWWANSupport2</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AppleWWANSupport2</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/IOSerialFamily.kext/Contents/PlugIns/
AppleWWANSupport2.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
```

```
    <string>4.0.0</string>
    <key>version</key>
    <string>3.0.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleXsanScheme</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleXsanScheme</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>16, Copyright © 2005-2009, 2014-2015 Apple
Inc.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743523982229504</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
    <string>/System/Library/Extensions/AppleXsanScheme.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>3</string>
    <key>version</key>
    <string>16</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleXserveRAID</string>
    <key>spext_bundleid</key>
    <string>com.apple.driver.AppleXserveRAID</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>511.141.1, Copyright Apple Inc.
2002-2016</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
```

```
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/AppleStorageDrivers.kext/Contents/
    PlugIns/AppleXserveRAID.kext</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
    Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>511.141.1</string>
        <key>version</key>
        <string>511.141.1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Apple_iSight</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.driver.Apple_iSight</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_info</key>
        <string>AppleQ8 version 4.0.1, Copyright 2008 Apple
    Computer, Inc.</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/Apple_iSight.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
    Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>4.0.1</string>
        <key>version</key>
        <string>4.0.1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>ArcMSR</string>
        <key>spext_architectures</key>
        <array>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.Areca.ArcMSR</string>
        <key>spext_has64BitIntelCode</key>
```

```
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>Areca RAID Driver 1.4.2</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_no</string>
<key>spext_obtained_from</key>
<string>spext_identified_developer</string>
<key>spext_path</key>
<string>/System/Library/Extensions/ArcMSR.kext</string>
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Developer ID Application: Areca Technology
Corporation (34JN824YNC), Developer ID Certification Authority, Apple Root
CA</string>
<key>spext_version</key>
<string>1.4.2</string>
<key>version</key>
<string>1.4.2</string>
</dict>
<dict>
<key>_name</key>
<string>AudioAUUC</string>
<key>spext_architectures</key>
<array>
<string>arm64e</string>
<string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.AudioAUUC</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
<string>/System/Library/Extensions/AudioAUUC.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.70</string>
<key>version</key>
<string>1.70</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>AudioDMAController_T8103</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>

<string>com.apple.driver.AudioDMAController-T8103</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

<string>/System/Library/Extensions/AudioDMAController_T8103.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.60.5</string>
  <key>version</key>
  <string>1.60.5</string>
</dict>
<dict>
  <key>_name</key>
  <string>BCM WLANFirmware4355_Hashstore</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>

<string>com.apple.driver.BCMWLANFirmware4355.Hashstore</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743523982323712</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
```



```
        <string>spext_apple</string>
        <key>spext_path</key>
    <string>/System/Library/Extensions/BCM WLANFirmware4355_Hashstore.kext</
string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>BCM WLANFirmware4364_Hashstore</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
    <string>com.apple.driver.BCM WLANFirmware4364.Hashstore</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_load_address</key>
        <string>18446743523982336000</string>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_yes</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>
    <string>/System/Library/Extensions/BCM WLANFirmware4364_Hashstore.kext</
string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>BCM WLANFirmware4377_Hashstore</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
    </dict>
```

```
        <key>spext_bundleid</key>
    <string>com.apple.driver.BCMWLANFirmware4377.Hashstore</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_load_address</key>
        <string>18446743523982385152</string>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_yes</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/BCMWLANFirmware4377.Hashstore.kext</
string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>BCMWLANFirmware4378.Hashstore</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>

    <string>com.apple.driver.BCMWLANFirmware4378.Hashstore</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_load_address</key>
        <string>18446743523982409728</string>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_yes</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/BCMWLANFirmware4378.Hashstore.kext</
string>
```

```

        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>BSDKernel</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.kpi.bsd</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_info</key>
        <string>BSD Kernel Pseudoextension, Apple Computer Inc,
20.6.0</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

        <string>/System/Library/Extensions/System.kext/PlugIns/BSDKernel.kext</
string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>20.6.0</string>
        <key>version</key>
        <string>20.6.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>BootCache</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.BootCache</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>

```

```
reserved.</string>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>Copyright © 2001-2008 Apple Inc. All rights
```

```

    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743523982438400</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
```

```

    <string>/System/Library/Extensions/BootCache.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>40</string>
    <key>version</key>
    <string>40</string>
```

```
</dict>
```

```
<dict>
```

```

    <key>_name</key>
    <string>BootPolicy</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.security.BootPolicy</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
```

```

    <string>/System/Library/Extensions/BootPolicy.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>BridgeAudioCommunication</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
<string>com.apple.driver.BridgeAudioCommunication</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743522257317888</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

<string>/System/Library/Extensions/BridgeAudioCommunication.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>140.4</string>
  <key>version</key>
  <string>140.4</string>
</dict>
<dict>
  <key>_name</key>
  <string>BridgeAudioController</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>

<string>com.apple.driver.AppleBridgeAudioController</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743522257371136</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
```

```
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/BridgeAudioController.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_arch_x86</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>140.4</string>
        <key>version</key>
        <string>140.4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>BroadcomBluetooth20703USBTransport</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>

    <string>com.apple.iokit.BroadcomBluetooth20703USBTransport</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_info</key>
        <string>8.0.5, Copyright © 2002-2019 Apple Inc. All
rights reserved.</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/IOPBluetoothFamily.kext/Contents/
PlugIns/BroadcomBluetooth20703USBTransport.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>8.0.5d7</string>
        <key>version</key>
        <string>8.0.5</string>
    </dict>
    <dict>
        <key>_name</key>

    <string>BroadcomBluetoothHostControllerUSBTransport</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
```

```
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.iokit.BroadcomBluetoothHostControllerUSBTransport</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>8.0.5, Copyright © 2002-2019 Apple Inc. All
rights reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/IOPBluetoothFamily.kext/Contents/
PlugIns/BroadcomBluetoothHostControllerUSBTransport.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>8.0.5d7</string>
    <key>version</key>
    <string>8.0.5</string>
</dict>
<dict>
    <key>_name</key>
    <string>CSRBluetoothHostControllerUSBTransport</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.iokit.CSRBluetoothHostControllerUSBTransport</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>8.0.5, Copyright © 2002-2019 Apple Inc. All
rights reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
```

```
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/IOBluetoothFamily.kext/Contents/
PlugIns/CSRBluetoothHostControllerUSBTransport.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>8.0.5d7</string>
    <key>version</key>
    <string>8.0.5</string>
</dict>
<dict>
    <key>_name</key>
    <string>CSRHIDTransitionDriver</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.CSRHIDTransitionDriver</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>8.0.5, Copyright © 2002-2019 Apple Inc. All
rights reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
```

```
    <string>/System/Library/Extensions/IOBluetoothFamily.kext/Contents/
PlugIns/CSRHIDTransitionDriver.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>8.0.5d7</string>
    <key>version</key>
    <string>8.0.5</string>
</dict>
<dict>
    <key>_name</key>
    <string>CanonEOS1D</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
```



```
<key>spext_bundleid</key>
<string>com.apple.driver.CanonEOS1D</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>511.141.1 Copyright Apple Inc.
2000-2016</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleStorageDrivers.kext/Contents/
PlugIns/CanonEOS1D.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>511.141.1</string>
<key>version</key>
<string>511.141.1</string>
</dict>
<dict>
<key>_name</key>
<string>CellPhoneHelper</string>
<key>spext_bundleid</key>
<string>com.apple.driver.CellPhoneHelper</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/CellPhoneHelper.kext</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.4.0</string>
<key>version</key>
<string>1.4.0</string>
</dict>
<dict>
<key>_name</key>
<string>CoreAnalyticsFamily</string>
```

```
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.iokit.CoreAnalyticsFamily</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743523982495744</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/CoreAnalyticsFamily.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>CoreKDL</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.CoreKDL</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
  <string>/System/Library/Extensions/CoreKDL.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
```

```
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>CoreStorage</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.CoreStorage</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>CoreStorage 1.0, Copyright © 2009 Apple
```

Inc.</string>

```
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
```

```
<string>/System/Library/Extensions/CoreStorage.kext</string>
```

```
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>554.140.2</string>
    <key>version</key>
    <string>554.140.2</string>
```

```
</dict>
```

```
<dict>
```

```
    <key>_name</key>
    <string>CoreStorageFsck</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.CoreStorageFsck</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>CoreStorage 1.0, Copyright © 2010 Apple
```

Inc.</string>

```
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/CoreStorage.kext/Contents/PlugIns/
CoreStorageFsck.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>554.140.2</string>
<key>version</key>
<string>554.140.2</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>CoreTrust</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.kext.CoreTrust</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743523983388672</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/CoreTrust.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>DCPAVFamilyProxy</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.DCPAVFamilyProxy</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/DCPAVFamilyProxy.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>DCPDPFamilyProxy</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.DCPDPFamilyProxy</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/DCPDPFamilyProxy.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
```

```

    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>DCPMIPIProxy</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.iokit.IOMIPIFamily</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/DCPMIPIProxy.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>Dont Steal Mac OS X</string>
    <key>spext_architectures</key>
    <array>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.Dont_Steal_Mac_OS_X</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>Copyright © 2006,2009 Apple Inc. All rights
reserved.

```

The purpose of this Apple software is to protect Apple copyrighted materials from unauthorized copying and use. You may not copy, modify, reverse engineer, publicly display, publicly perform, sublicense, transfer or redistribute this file, in whole or in part. If you have obtained a copy of this Apple software

and do not have a valid license from Apple to use it, please immediately destroy or delete it from your computer.</string>

```
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743522257420288</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
<string>/System/Library/Extensions/Dont Steal Mac OS
```

X.kext</string>

```
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>7.0.0</string>
<key>version</key>
<string>7.0.0</string>
```

```
</dict>
<dict>
```

```
<key>_name</key>
<string>DspFuncLib</string>
<key>spext_architectures</key>
<array>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.DspFuncLib</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>DspFuncLib 283.15, Copyright © 2000-2019 Apple
```

Inc. All rights reserved.</string>

```
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

<string>/System/Library/Extensions/AppleHDA.kext/Contents/PlugIns/DspFuncLib.kext</string>

```
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>283.15</string>
```

```
<key>version</key>
<string>283.15</string>
</dict>
<dict>
  <key>_name</key>
  <string>EncryptedBlockStorage</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.EncryptedBlockStorage</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/EncryptedBlockStorage.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.0.0</string>
<key>version</key>
<string>1.0.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>EndpointSecurity</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.EndpointSecurity</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743523983421440</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
```



```
        <string>spext_apple</string>
        <key>spext_path</key>
    </dict>
    <string>/System/Library/Extensions/EndpointSecurity.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>FSPlaceholder</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.fsplaceholder</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
</dict>
    <string>/System/Library/Extensions/FSPlaceholder.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.14.0</string>
    <key>version</key>
    <string>1.14.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>FWPreferredProtocolSpeed</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.FWPreferredProtocolSpeed</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
</dict>
```

```

    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>511.141.1, Copyright Apple Inc.
2005-2016</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleStorageDrivers.kext/Contents/
PlugIns/FWPreferredProtocolSpeed.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>511.141.1</string>
    <key>version</key>
    <string>511.141.1</string>
</dict>
<dict>
    <key>_name</key>
    <string>FairPlayIOKit</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.FairPlayIOKit</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/FairPlayIOKit.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>68.7.1</string>
    <key>version</key>
    <string>68.7.1</string>

```

```
</dict>
<dict>
  <key>_name</key>
  <string>FireWireStorageDeviceSpecifics</string>
  <key>spext_bundleid</key>
  <string>com.apple.driver.FireWireStorageDeviceSpecifics</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>511.141.1, Copyright Apple Inc.
1999-2016</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
  <string>/System/Library/Extensions/AppleStorageDrivers.kext/Contents/
PlugIns/FireWireStorageDeviceSpecifics.kext</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>511.141.1</string>
  <key>version</key>
  <string>511.141.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>GeForce</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.GeForce</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>GeForce 16.0.13 </string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
  <string>/System/Library/Extensions/GeForce.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
  <key>spext_signed_by</key>
```

```
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>16.0.0</string>
    <key>version</key>
    <string>16.0.13</string>
</dict>
<dict>
    <key>_name</key>
    <string>HFS</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.filesystems.hfs.kext</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743523983773696</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
    <string>/System/Library/Extensions/HFS.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>556.100.11</string>
    <key>version</key>
    <string>556.100.11</string>
</dict>
<dict>
    <key>_name</key>
    <string>HFSEncodings</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.filesystems.hfs.encodings.kext</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743523984211968</string>
```

```
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/HFSEncodings.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>HFS_MacCentralEurRoman</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.kext.HFS_MacCentralEurRoman</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

<string>/System/Library/Extensions/HFS_MacCentralEurRoman.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>90</string>
  <key>version</key>
  <string>8.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>HFS_MacChineseSimp</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
```

```
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.kext.HFS_MacChineseSimp</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/HFS_MacChineseSimp.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>90</string>
    <key>version</key>
    <string>8.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>HFS_MacChineseTrad</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.kext.HFS_MacChineseTrad</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/HFS_MacChineseTrad.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
```

```
<string>90</string>
<key>version</key>
<string>8.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>HFS_MacCyrillic</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.kext.HFS_MacCyrillic</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/HFS_MacCyrillic.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>90</string>
  <key>version</key>
  <string>8.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>HFS_MacJapanese</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.kext.HFS_MacJapanese</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
```

```
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/HFS_MacJapanese.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>90</string>
  <key>version</key>
  <string>8.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>HFS_MacKorean</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.kext.HFS_MacKorean</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

<string>/System/Library/Extensions/HFS_MacKorean.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>90</string>
  <key>version</key>
  <string>8.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>HighPointIOP</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.highpoint-tech.kext.HighPointIOP</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
```



```
    <key>spext_info</key>
    <string>Version: 4.4.5, Copyright (c) 2020 HighPoint
Technologies, Inc.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_identified_developer</string>
    <key>spext_path</key>
    <string>/Library/Extensions/HighPointIOP.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_arch_x86</string>
    <key>spext_signed_by</key>
    <string>Developer ID Application: HighPoint
Technologies, Inc (DX6G69M9N2), Developer ID Certification Authority, Apple Root
CA</string>
    <key>spext_version</key>
    <string>4.4.5</string>
    <key>version</key>
    <string>4.4.5</string>
</dict>
<dict>
  <key>_name</key>
  <string>HighPointRR</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.highpoint-tech.kext.HighPointRR</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>Version: 4.22.1, Copyright (c) 2020 HighPoint
Technologies, Inc.</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_identified_developer</string>
  <key>spext_path</key>
  <string>/Library/Extensions/HighPointRR.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
  <key>spext_signed_by</key>
  <string>Developer ID Application: HighPoint
Technologies, Inc (DX6G69M9N2), Developer ID Certification Authority, Apple Root
CA</string>
  <key>spext_version</key>
  <string>4.22.1</string>
  <key>version</key>
  <string>4.22.1</string>
</dict>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>I080211Family</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.I080211Family</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>12.0, Copyright © 2005-2016 Apple Inc. All
rights reserved.</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/I080211Family.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1200.12.2b1</string>
  <key>version</key>
  <string>12.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>I080211FamilyV2</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.I080211FamilyV2</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>12.0, Copyright © 2005-2016 Apple Inc. All
rights reserved.</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743523994234880</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
```

```
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/I080211FamilyV2.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1200.12.2b1</string>
    <key>version</key>
    <string>12.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>I080211NetBooter</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.I080211NetBooter</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>12.0, Copyright © 2005–2016 Apple Inc. All
rights reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/I080211Family.kext/Contents/PlugIns/
I080211NetBooter.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1200.12.2b1</string>
    <key>version</key>
    <string>12.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>I080211NetBooterV2</string>
    <key>spext_architectures</key>
```

```
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.I080211NetBooterV2</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>12.0, Copyright © 2005–2016 Apple Inc. All
rights reserved.</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

  <string>/System/Library/Extensions/I080211FamilyV2.kext/Contents/PlugIns/
I080211NetBooterV2.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1200.12.2b1</string>
  <key>version</key>
  <string>12.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOACPIFamily</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.IOACPIFamily</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743523995959296</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

```

```
<string>/System/Library/Extensions/IOACPIFamily.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.4</string>
  <key>version</key>
  <string>1.4</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOAHCIBlockStorage</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.IOAHCIBlockStorage</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>Version 332, Copyright Â© 2005-2019 Apple Inc.
All rights reserved.</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/IOAHCIFamily.kext/Contents/PlugIns/
IOAHCIBlockStorage.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>332</string>
  <key>version</key>
  <string>332</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOAHCIFamily</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.IOAHCIFamily</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
```

```
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>Version 294.100.1, Copyright © 2005-2019 Apple
Inc. All rights reserved.</string>
```

```
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/IOAHCIFamily.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>294.100.1</string>
    <key>version</key>
    <string>294.100.1</string>
```

```
</dict>
```

```
<dict>
```

```
    <key>_name</key>
    <string>IOAHCISerialATAPI</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.iokit.IOAHCISerialATAPI</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>268, Copyright (c) Apple Inc. 2006-2016</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
```

```
    <string>/System/Library/Extensions/IOAHCIFamily.kext/Contents/PlugIns/
IOAHCISerialATAPI.kext</string>
```

```
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
```

```
<string>268</string>
<key>version</key>
<string>268</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOATABlockStorage</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.IOATABlockStorage</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>3.1.2, Copyright Apple Inc. 1999-2015</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/IOATAFamily.kext/Contents/PlugIns/
IOATABlockStorage.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>3.1.2</string>
<key>version</key>
<string>3.1.2</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>IOATAFamily</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.IOATAFamily</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>2.5.3, Copyright Apple Inc. 2000-2014</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
```

```

        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/IOATAFamily.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_arch_x86</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>2.5.3</string>
        <key>version</key>
        <string>2.5.3</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>IOATAPIProtocolTransport</string>
        <key>spext_architectures</key>
        <array>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>

    <string>com.apple.iokit.IOATAPIProtocolTransport</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_info</key>
        <string>3.5.0, Copyright Apple Inc. 1999-2011</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/IOATAFamily.kext/Contents/PlugIns/
IOATAPIProtocolTransport.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_arch_x86</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>3.5.0</string>
        <key>version</key>
        <string>3.5.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>IOAVBControlPlugin</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>

```



```
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.plugin.IOAVBControlPlugin</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>IOAVBControlPlugin 940.4, Copyright © 2010-2020
Apple Inc. All rights reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/IOAVBFamily.kext/Contents/PlugIns/
IOAVBControlPlugin.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>940.4</string>
    <key>version</key>
    <string>940.4</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>IOAVBDiscoveryPlugin</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.plugin.IOAVBDiscoveryPlugin</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>IOAVBDiscoveryPlugin 940.4, Copyright © 2010-
2020 Apple Inc. All rights reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/IOAVBFamily.kext/Contents/PlugIns/
```

```

IOAVBDiscoveryPlugin.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>940.4</string>
  <key>version</key>
  <string>940.4</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOAVBFamily</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.IOAVBFamily</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>IOAVBFamily 940.4, Copyright © 2010-2020 Apple
Inc. All rights reserved.</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743522258485248</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/IOAVBFamily.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>940.4</string>
  <key>version</key>
  <string>940.4</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOAVBStreamingPlugin</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.plugin.IOAVBStreamingPlugin</string>
  <key>spext_has64BitIntelCode</key>

```

```
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>IOAVBStreamingPlugin 940.4, Copyright © 2010-
2020 Apple Inc. All rights reserved.</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/IOAVBFamily.kext/Contents/PlugIns/
IOAVBStreamingPlugin.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>940.4</string>
<key>version</key>
<string>940.4</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOAVFamily</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.IOAVFamily</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/IOAVFamily.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.0</string>
  <key>version</key>
```

```
    <string>1.0.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>IOAcceleratorFamily2</string>
    <key>spext_architectures</key>
    <array>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.iokit.IOAcceleratorFamily2</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743522258927616</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
```

```
<string>/System/Library/Extensions/IOAcceleratorFamily2.kext</string>
```

```
  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>442.9</string>
  <key>version</key>
  <string>442.9</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>IOAccessoryManager</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.IOAccessoryManager</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/IIOAccessoryManager.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.0</string>
  <key>version</key>
  <string>1.0.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOAccessoryPortUSB</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.IOAccessoryPortUSB</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/IIOAccessoryPortUSB.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.0</string>
  <key>version</key>
  <string>1.0.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOAudio2Family</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.IOAudio2Family</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>IOAudio2Family 1.0</string>
  <key>spext_lastModified</key>
```

```
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/IIOAudio2Family.kext</string>
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.0</string>
<key>version</key>
<string>1.0.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOAudioFamily</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.IOAudioFamily</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>IOAudioFamily 300.6.1, Copyright © 2000-2020
Apple Inc. All rights reserved.</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743522259464192</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/IIOAudioFamily.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>300.6.1</string>
  <key>version</key>
  <string>300.6.1</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>IOBDStorageFamily</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.IOBDStorageFamily</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/IOBDStorageFamily.kext</string>
```

```
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.8</string>
  <key>version</key>
  <string>1.8</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>IOBiometricFamily</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.IOBiometricFamily</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/IOBiometricFamily.kext</string>
```

```
  <key>spext_runtime_environment</key>
```

```
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOBluetoothFamily</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.IOBluetoothFamily</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>8.0.5, Copyright Â© 2002-2019 Apple Inc. All
rights reserved.</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743523996405760</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/IOBluetoothFamily.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>8.0.5d7</string>
  <key>version</key>
  <string>8.0.5</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOBluetoothHIDDriver</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.IOBluetoothHIDDriver</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
```



```
<string>spext_satisfied</string>
<key>spext_info</key>
<string>8.0.5, Copyright © 2002-2019 Apple Inc. All
rights reserved.</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743523997421568</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/IOBluetoothHIDDriver.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>8.0.5d7</string>
<key>version</key>
<string>8.0.5</string>
</dict>
<dict>
<key>_name</key>
<string>IOBluetoothHostControllerPCIeTransport</string>
<key>spext_architectures</key>
<array>
<string>arm64e</string>
<string>x86_64</string>
</array>
<key>spext_bundleid</key>

<string>com.apple.driver.IOBluetoothHostControllerPCIeTransport</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>8.0.5, Copyright © 2002-2019 Apple Inc. All
rights reserved.</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743523997200384</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/IOBluetoothFamily.kext/Contents/
PlugIns/IOBluetoothHostControllerPCIeTransport.kext</string>
<key>spext_runtime_environment</key>
```

```
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>8.0.5d7</string>
    <key>version</key>
    <string>8.0.5</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>IOBluetoothHostControllerTransport</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>

    <string>com.apple.iokit.IOBluetoothHostControllerTransport</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>8.0.5, Copyright © 2002-2019 Apple Inc. All
rights reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743523997229056</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/IOBluetoothFamily.kext/Contents/
PlugIns/IOBluetoothHostControllerTransport.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>8.0.5d7</string>
    <key>version</key>
    <string>8.0.5</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>IOBluetoothHostControllerUARTTransport</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>

    <string>com.apple.iokit.IOBluetoothHostControllerUARTTransport</string>
```

```
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>8.0.5, Copyright Â© 2002-2019 Apple Inc. All
rights reserved.</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/IOBluetoothFamily.kext/Contents/
PlugIns/IOBluetoothHostControllerUARTTransport.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>8.0.5d7</string>
<key>version</key>
<string>8.0.5</string>
</dict>
<dict>
<key>_name</key>
<string>IOBluetoothHostControllerUSBTransport</string>
<key>spext_architectures</key>
<array>
<string>arm64e</string>
<string>x86_64</string>
</array>
<key>spext_bundleid</key>

<string>com.apple.iokit.IOBluetoothHostControllerUSBTransport</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>8.0.5, Copyright Â© 2002-2019 Apple Inc. All
rights reserved.</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/IOBluetoothFamily.kext/Contents/
PlugIns/IOBluetoothHostControllerUSBTransport.kext</string>
<key>spext_runtime_environment</key>
```

```

    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>8.0.5d7</string>
    <key>version</key>
    <string>8.0.5</string>
</dict>
<dict>
    <key>_name</key>
    <string>IOBluetoothPacketLogger</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.iokit.IOBluetoothPacketLogger</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>8.0.5, Copyright Â© 2002-2019 Apple Inc. All
rights reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743523997380608</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/IOBluetoothFamily.kext/Contents/
PlugIns/IOBluetoothPacketLogger.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>8.0.5d7</string>
    <key>version</key>
    <string>8.0.5</string>
</dict>
<dict>
    <key>_name</key>
    <string>IOBluetoothSerialManager</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>

    <string>com.apple.iokit.IOBluetoothSerialManager</string>
    <key>spext_has64BitIntelCode</key>

```

```
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>8.0.5, Copyright © 2002-2019 Apple Inc. All
rights reserved.</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743522259652608</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/IOBluetoothFamily.kext/Contents/
PlugIns/IOBluetoothSerialManager.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>8.0.5d7</string>
<key>version</key>
<string>8.0.5</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>IOBluetoothUSBDFU</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.iokit.IOBluetoothUSBDFU</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>8.0.5, Copyright © 2002-2019 Apple Inc. All
rights reserved.</string>
```

```
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/IOBluetoothFamily.kext/Contents/
PlugIns/IOBluetoothUSBDFU.kext</string>
```

```
<key>spext_runtime_environment</key>
```

```
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>8.0.5d7</string>
    <key>version</key>
    <string>8.0.5</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOBufferCopyController</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.IOBufferCopyController</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743523997495296</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/IOBufferCopyController.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.1.0</string>
  <key>version</key>
  <string>1.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOBufferCopyEngineFamily</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>

  <string>com.apple.iokit.IOBufferCopyEngineFamily</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
```

```
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743523997519872</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/IOBufferCopyEngineFamily.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>IOCDStorageFamily</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.iokit.IOCDStorageFamily</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/IOCDStorageFamily.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.8</string>
<key>version</key>
<string>1.8</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>IOCECFamily</string>
```

```
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.iokit.IOCECFamily</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/IOCECFamily.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOCryptoAcceleratorFamily</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>

<string>com.apple.iokit.IOCryptoAcceleratorFamily</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>Crypto Accelerator Family</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

<string>/System/Library/Extensions/IOCryptoAcceleratorFamily.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
```



```

    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0.1</string>
    <key>version</key>
    <string>1.0.1</string>
</dict>
<dict>
    <key>_name</key>
    <string>IODARTFamily</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.IODARTFamily</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/IODARTFamily.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>IODVDStorageFamily</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.iokit.IODVDStorageFamily</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>

```

```
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/IODVDStorageFamily.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.8</string>
  <key>version</key>
  <string>1.8</string>
</dict>
<dict>
  <key>_name</key>
  <string>IODisplayPortFamily</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.IODisplayPortFamily</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

<string>/System/Library/Extensions/IODisplayPortFamily.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.0</string>
  <key>version</key>
  <string>1.0.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOEthernetAVBController</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.IOEthernetAVBController</string>
  <key>spext_has64BitIntelCode</key>
```

```
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743524001259520</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/IONetworkingFamily.kext/Contents/
PlugIns/IOEthernetAVBController.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.1.0</string>
<key>version</key>
<string>1.1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>IOFireWireAVC</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.iokit.IOFireWireAVC</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>IOFireWireAVC version 4.2.8, Copyright © 2011-
2019 Apple Inc. All rights reserved.</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/IOFireWireAVC.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
```

```

        <key>spext_version</key>
        <string>4.2.8</string>
        <key>version</key>
        <string>4.2.8</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>IOFireWireFamily</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.iokit.IOFireWireFamily</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_info</key>
        <string>IOFireWireFamily version 4.8.3, Copyright ©
2000-2020 Apple Inc. All rights reserved.</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

        <string>/System/Library/Extensions/IOFireWireFamily.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>4.8.3</string>
        <key>version</key>
        <string>4.8.3</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>IOFireWireSBP2</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.iokit.IOFireWireSBP2</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_info</key>
        <string>IOFireWireSBP2 version 4.4.2, Copyright © 2000-
2020 Apple Inc. All rights reserved.</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>

```

```

        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/IOFireWireSBP2.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>4.4.2</string>
        <key>version</key>
        <string>4.4.2</string>
    </dict>
    <dict>
        <key>_name</key>

    <string>IOFireWireSerialBusProtocolSansPhysicalUnit</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>

    <string>com.apple.driver.IOFireWireSerialBusProtocolSansPhysicalUnit</
string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_info</key>
        <string>511.141.1, Copyright Apple Inc.
2000-2016</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/AppleStorageDrivers.kext/Contents/
PlugIns/IOFireWireSerialBusProtocolSansPhysicalUnit.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>511.141.1</string>
        <key>version</key>
        <string>511.141.1</string>

```

```
</dict>
<dict>
  <key>_name</key>
  <string>IOFireWireSerialBusProtocolTransport</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
```

```
<string>com.apple.iokit.IOFireWireSerialBusProtocolTransport</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>2.5.1, Copyright Apple Inc. 1999-2011</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/IOFireWireSerialBusProtocolTransport.kext</string>
```

```
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>2.5.1</string>
  <key>version</key>
  <string>2.5.1</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>IOGPUFamily</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.IOGPUFamily</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
```

```
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/IOGPUFamily.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>21.11</string>
  <key>version</key>
  <string>21.11</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOGraphicsFamily</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.IOGraphicsFamily</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>585.1, Copyright 2000-2020 Apple Inc. All rights
reserved.</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743522260504576</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

<string>/System/Library/Extensions/IOGraphicsFamily.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>585.1</string>
  <key>version</key>
  <string>585.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOHDAFamily</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
```

```

    </array>
    <key>spext_bundleid</key>
    <string>com.apple.iokit.IOHDAFamily</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>IOHDAFamily 283.15, Copyright © 2000-2019 Apple
Inc. All rights reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743522237870080</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleHDA.kext/Contents/PlugIns/
IOHDAFamily.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_arch_x86</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>283.15</string>
    <key>version</key>
    <string>283.15</string>
</dict>
<dict>
    <key>_name</key>
    <string>IOHDCPFamily</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.iokit.IOHDCPFamily</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/IOHDCPFamily.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>

```



```
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0.0</string>
    <key>version</key>
    <string>1.0.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>IOHDIXController</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.DiskImages</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743523997626368</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/IOHDIXController.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>493.0.0</string>
    <key>version</key>
    <string>493.0.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>IOHIDEventDriver</string>
    <key>spext_bundleid</key>
    <string>com.apple.iokit.IOHIDEventDriver</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
```

```
        <key>spext_path</key>
    <string>/System/Library/Extensions/IOHIDFamily.kext/Contents/PlugIns/
    IOHIDEventDriver.kext</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
    Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>2.0.0</string>
        <key>version</key>
        <string>2.0.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>IOHIDEventDriverSafeBoot</string>
        <key>spext_bundleid</key>
        <string>com.apple.iokit.IOHIDEventDriverSafeBoot</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>
    </dict>
    <string>/System/Library/Extensions/IOHIDFamily.kext/Contents/PlugIns/
    IOHIDEventDriverSafeBoot.kext</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
    Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>2.0.0</string>
        <key>version</key>
        <string>2.0.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>IOHIDFamily</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.iokit.IOHIDFamily</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_load_address</key>
        <string>18446743523997892608</string>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_yes</string>
```

```
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/IOHIDFamily.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>2.0.0</string>
  <key>version</key>
  <string>2.0.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOHIDSystem</string>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.IOHIDSystem</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/IOHIDFamily.kext/Contents/PlugIns/
IOHIDSystem.kext</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>2.0.0</string>
  <key>version</key>
  <string>2.0.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOHIDUserClient</string>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.IOHIDUserClient</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

<string>/System/Library/Extensions/IOHIDFamily.kext/Contents/PlugIns/  
IOHIDUserClient.kext</string>

<key>spext\_signed\_by</key>  
<string>Software Signing, Apple Code Signing  
Certification Authority, Apple Root CA</string>  
<key>spext\_version</key>  
<string>2.0.0</string>  
<key>version</key>  
<string>2.0.0</string>  
</dict>  
<dict>  
<key>\_name</key>  
<string>IOImageLoader</string>  
<key>spext\_architectures</key>  
<array>  
<string>arm64e</string>  
<string>x86\_64</string>  
</array>  
<key>spext\_bundleid</key>  
<string>com.apple.driver.IOImageLoader</string>  
<key>spext\_has64BitIntelCode</key>  
<string>spext\_yes</string>  
<key>spext\_hasAllDependencies</key>  
<string>spext\_satisfied</string>  
<key>spext\_info</key>  
<string>1.0, Copyright © 2016 Apple Inc. All rights  
reserved.</string>

<key>spext\_lastModified</key>  
<date>2020-01-01T08:00:00Z</date>  
<key>spext\_load\_address</key>  
<string>18446743523998396416</string>  
<key>spext\_loadable</key>  
<string>spext\_yes</string>  
<key>spext\_loaded</key>  
<string>spext\_yes</string>  
<key>spext\_notarized</key>  
<string>spext\_yes</string>  
<key>spext\_obtained\_from</key>  
<string>spext\_apple</string>  
<key>spext\_path</key>

<string>/System/Library/Extensions/IOImageLoader.kext</string>

<key>spext\_runtime\_environment</key>  
<string>spext\_universal</string>  
<key>spext\_signed\_by</key>  
<string>Software Signing, Apple Code Signing  
Certification Authority, Apple Root CA</string>  
<key>spext\_version</key>  
<string>1.0.0</string>  
<key>version</key>  
<string>1.0</string>  
</dict>  
<dict>  
<key>\_name</key>  
<string>IOKit</string>  
<key>spext\_architectures</key>  
<array>  
<string>arm64e</string>  
<string>x86\_64</string>  
</array>  
<key>spext\_bundleid</key>  
<string>com.apple.kpi.iokit</string>  
<key>spext\_has64BitIntelCode</key>

```

    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>I/O Kit Pseudoextension, Apple Computer Inc,
20.6.0</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/System.kext/PlugIns/IOKit.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>20.6.0</string>
    <key>version</key>
    <string>20.6.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>IOKitRegistryCompatibility</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>

    <string>com.apple.iokit.IOKitRegistryCompatibility</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743523998482432</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/IOKitRegistryCompatibility.kext</
string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing

```

```
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOMRPPPlugin</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.plugin.IOMRPPPlugin</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>IOMRPPPlugin 940.4, Copyright © 2010-2020 Apple
Inc. All rights reserved.</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/IOAVBFamily.kext/Contents/PlugIns/
IOMRPPPlugin.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>940.4</string>
  <key>version</key>
  <string>940.4</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOMobileGraphicsFamily-DCP</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
  </array>
  <key>spext_bundleid</key>

  <string>com.apple.iokit.IOMobileGraphicsFamily-DCP</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_no</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
```

```

    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/IOMobileGraphicsFamily-DCP.kext</
string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>343.0.0</string>
    <key>version</key>
    <string>343.0.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>IOMobileGraphicsFamily</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.iokit.IOMobileGraphicsFamily</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/IOMobileGraphicsFamily.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>343.0.0</string>
    <key>version</key>
    <string>343.0.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>IONDRVSupport</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>

```

```
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.iokit.IONDRVSupport</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>585.1, Copyright 2000-2020 Apple Inc. All rights
reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743522260787200</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/IONDRVSupport.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>585.1</string>
    <key>version</key>
    <string>585.1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>IONVMeFamily</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.iokit.IONVMeFamily</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>2.1.0, Copyright © 2020 Apple Inc. All rights
reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743523998490624</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
```



```

        <key>spext_path</key>
    <string>/System/Library/Extensions/IONVMeFamily.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>2.1.0</string>
    <key>version</key>
    <string>2.1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>IONVRAMFamily</string>
    <key>spext_bundleid</key>
    <string>com.apple.iokit.IONVRAMFamily</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>AppleNMI Pseudoextension, Apple Computer Inc,
20.6.0</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/System.kext/PlugIns/IONVRAMFamily.kext</
string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>20.6.0</string>
    <key>version</key>
    <string>20.6.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>IONetworkingFamily</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.iokit.IONetworkingFamily</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743523998695424</string>

```

```
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/IONetworkingFamily.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>3.4</string>
  <key>version</key>
  <string>3.4</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOPCIFamily</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.IOPCIFamily</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>2.9, Copyright Â© 2000-2011 Apple Inc. All
rights reserved.</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743524001366016</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

<string>/System/Library/Extensions/IOPCIFamily.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>2.9</string>
  <key>version</key>
  <string>2.9</string>
</dict>
<dict>
```

```
<key>_name</key>
<string>IOPlatformPluginFamily</string>
<key>spext_architectures</key>
<array>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.IOPlatformPluginFamily</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743522260832256</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/IOPlatformPluginFamily.kext</string>
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>6.0.0d8</string>
<key>version</key>
<string>6.0.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOPlatformPluginLegacy</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.IOPlatformPluginLegacy</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743522260934656</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
</dict>
```

```
<string>/System/Library/Extensions/IOPlatformPluginFamily.kext/Contents/
PlugIns/IOPlatformPluginLegacy.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.0</string>
  <key>version</key>
  <string>1.0.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOReportFamily</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.IOReportFamily</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743524001591296</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

<string>/System/Library/Extensions/IOReportFamily.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>47</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>IO SCSI Architecture Model Family</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>

<string>com.apple.iokit.IO SCSI Architecture Model Family</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
```

```
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>436.140.1, Copyright © 1999-2016 Apple Inc. All
rights reserved.</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743524001611776</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/IOSCSIArchitectureModelFamily.kext</
string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>436.140.1</string>
<key>version</key>
<string>436.140.1</string>
</dict>
<dict>
<key>_name</key>
<string>IOCSIBlockCommandsDevice</string>
<key>spext_architectures</key>
<array>
<string>arm64e</string>
<string>x86_64</string>
</array>
<key>spext_bundleid</key>

<string>com.apple.iokit.IOCSIBlockCommandsDevice</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>436.140.1, Copyright © 1999-2016 Apple Inc. All
rights reserved.</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743524001763328</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/IOSCSIArchitectureModelFamily.kext/
```

```
Contents/PlugIns/IOSCSIBlockCommandsDevice.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>436.140.1</string>
  <key>version</key>
  <string>436.140.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOSCSIMultimediaCommandsDevice</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>

  <string>com.apple.iokit.IOSCSIMultimediaCommandsDevice</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>436.140.1, Copyright © 1999-2016 Apple Inc. All
rights reserved.</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/IOSCSIArchitectureModelFamily.kext/
Contents/PlugIns/IOSCSIMultimediaCommandsDevice.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>436.140.1</string>
  <key>version</key>
  <string>436.140.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOSCSIParallelFamily</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.IOSCSIParallelFamily</string>
  <key>spext_has64BitIntelCode</key>
```

```
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>3.0.0, Copyright 1998-2013 Apple Inc.</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/IOCSIParallelFamily.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>3.0.0</string>
<key>version</key>
<string>3.0.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOCSIReducedBlockCommandsDevice</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>

  <string>com.apple.iokit.IOCSIReducedBlockCommandsDevice</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>436.140.1, Copyright © 1999-2016 Apple Inc. All
rights reserved.</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/IOCSIArchitectureModelFamily.kext/
Contents/PlugIns/IOCSIReducedBlockCommandsDevice.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
```

```
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>436.140.1</string>
  <key>version</key>
  <string>436.140.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOSMBusFamily</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.IOSMBusFamily</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743524002127872</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/IOSMBusFamily.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.1</string>
  <key>version</key>
  <string>1.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOSerialFamily</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.IOSerialFamily</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>Copyright © 1997-2010 Apple Inc. All rights
reserved. IOKit Serial Port Family</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
```



```
<string>18446743524002136064</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/IOSerialFamily.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>11</string>
<key>version</key>
<string>11</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOSkywalkFamily</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.IOSkywalkFamily</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743524002197504</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/IOSkywalkFamily.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOSlaveProcessor</string>
```

```
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.IOSlaveProcessor</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743524002394112</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/IOSlaveProcessor.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOSlowAdaptiveClockingFamily</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>

  <string>com.apple.iokit.IOSlowAdaptiveClockingFamily</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>Copyright © 2014 Apple Inc. All rights
reserved.</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743524002414592</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
```

```
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/IOslowAdaptiveClockingFamily.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1.0.0</string>
        <key>version</key>
        <string>1.0.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>IOStorageFamily</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.iokit.IOStorageFamily</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_load_address</key>
        <string>18446743524002426880</string>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_yes</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/IOStorageFamily.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>2.1</string>
        <key>version</key>
        <string>2.1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>IOStreamFamily</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
```

```

    <string>com.apple.iokit.IOStreamFamily</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/IOStreamFamily.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.1.0</string>
    <key>version</key>
    <string>1.1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>IOStreamUserClient</string>
    <key>spext_bundleid</key>
    <string>com.apple.iokit.IOStreamUserClient</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/IOStreamFamily.kext/Contents/PlugIns/
IOStreamUserClient.kext</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.1.0</string>
    <key>version</key>
    <string>1.1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>IOSurface</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
    </array>
  </dict>

```

```
</array>
<key>spext_bundleid</key>
<string>com.apple.iokit.IOSurface</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743524002586624</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/IOSurface.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>290.8.1</string>
  <key>version</key>
  <string>290.8.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOSystemManagement</string>
  <key>spext_bundleid</key>

  <string>com.apple.iokit.IOSystemManagementFamily</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>System Management Pseudoextension, Apple
Computer Inc, 20.6.0</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

<string>/System/Library/Extensions/System.kext/PlugIns/IOSystemManagement.kext</
string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>20.6.0</string>
  <key>version</key>
```

```
    <string>20.6.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>IOTextEncryptionFamily</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.IOTextEncryptionFamily</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
```

```
<string>/System/Library/Extensions/IOTextEncryptionFamily.kext</string>
```

```
  <key>spext_runtime_environment</key>
  <string>spext_unknown</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.0</string>
  <key>version</key>
  <string>1.0.0</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>IOThunderboltFamily</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.IOThunderboltFamily</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743524002725888</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
```

```
    <key>spext_path</key>
  <string>/System/Library/Extensions/IOTThunderboltFamily.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>9.3.2</string>
  <key>version</key>
  <string>9.3.2</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOTimeSyncFamily</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.IOTimeSyncFamily</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>IOTimeSyncFamily 985.2, Copyright © 2010-2021
Apple Inc. All rights reserved.</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743524003782656</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

```

```
  <string>/System/Library/Extensions/IOTimeSyncFamily.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>985.2</string>
  <key>version</key>
  <string>985.2</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOUSBCompositeDriver</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>

```

```
<string>com.apple.driver.AppleUSBComposite</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>900.4.2, Copyright Â© 2000-2015 Apple Inc. All
rights reserved.</string>
```

```
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/IOUSBFamily.kext/Contents/PlugIns/
IOUSBCompositeDriver.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>900.4.2</string>
<key>version</key>
<string>900.4.2</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>IOUSBDeviceFamily</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.iokit.IOUSBDeviceFamily</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/IOUSBDeviceFamily.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
```



```
    <string>2.0.0</string>
    <key>version</key>
    <string>2.0.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>IOUSBFamily</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.iokit.IOUSBFamily</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>900.4.2, Copyright Â© 2000-2015 Apple Inc. All
rights reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743524003950592</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/IOUSBFamily.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>900.4.2</string>
    <key>version</key>
    <string>900.4.2</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>IOUSBHIDDriver</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.iokit.IOUSBHIDDriver</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>900.4.2, Copyright Â© 2000-2015 Apple Inc. All
rights reserved.</string>
    <key>spext_lastModified</key>
```

```
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/IOUSBFamily.kext/Contents/PlugIns/
IOUSBHIDDriver.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>900.4.2</string>
<key>version</key>
<string>900.4.2</string>
</dict>
<dict>
<key>_name</key>
<string>IOUSBHIDDriverPM</string>
<key>spext_architectures</key>
<array>
<string>arm64e</string>
<string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.iokit.IOUSBHIDDriverPM</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>900.4.2, Copyright © 2000-2015 Apple Inc. All
rights reserved.</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/IOUSBFamily.kext/Contents/PlugIns/
IOUSBHIDDriverPM.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>900.4.2</string>
<key>version</key>
<string>900.4.2</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>IOUSBHIDDriverSafeBoot</string>
  <key>spext_bundleid</key>
  <string>com.apple.driver.IOUSBHIDDriver</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>900.4.2, Copyright Â© 2000-2015 Apple Inc. All
rights reserved.</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/IOUSBFamily.kext/Contents/PlugIns/
IOUSBHIDDriverSafeBoot.kext</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>900.4.2</string>
  <key>version</key>
  <string>900.4.2</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOUSBHostFamily</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.IOUSBHostFamily</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743524004634624</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/IOUSBHostFamily.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
```

```
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.2</string>
    <key>version</key>
    <string>1.2</string>
</dict>
<dict>
    <key>_name</key>
    <string>IOUSBHostHIDDevice</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.usb.IOUSBHostHIDDevice</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743524007034880</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/IOUSBHostFamily.kext/Contents/PlugIns/
IOUSBHostHIDDevice.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.2</string>
    <key>version</key>
    <string>1.2</string>
</dict>
<dict>
    <key>_name</key>
    <string>IOUSBHostHIDDeviceSafeBoot</string>
    <key>spext_bundleid</key>

    <string>com.apple.driver.usb.IOUSBHostHIDDeviceSafeBoot</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
```

```
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/IOUSBHostFamily.kext/Contents/PlugIns/
    IOUSBHostHIDDeviceSafeBoot.kext</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
    Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1.2</string>
        <key>version</key>
        <string>1.2</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>IOUSBMassStorageDriver</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.iokit.IOUSBMassStorageDriver</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_info</key>
        <string>184.140.2, Copyright © 2016 Apple Inc. All
    rights reserved.</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_load_address</key>
        <string>18446743524007084032</string>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_yes</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/IOUSBMassStorageDriver.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
    Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>184.140.2</string>
        <key>version</key>
        <string>184.140.2</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>IOUSBUserClient</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
```

```
<string>com.apple.iokit.IOUSBUserClient</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>900.4.2, Copyright © 2000-2015 Apple Inc. All
rights reserved.</string>
```

```
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/IOUSBFamily.kext/Contents/PlugIns/
IOUSBUserClient.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>900.4.2</string>
<key>version</key>
<string>900.4.2</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>IOUserEthernet</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.iokit.IOUserEthernet</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743522261909504</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/IOUserEthernet.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
```

```
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0.1</string>
    <key>version</key>
    <string>1.0.1</string>
</dict>
<dict>
    <key>_name</key>
    <string>IOUserSerial</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.driverkit.serial</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
```

```
    <string>/System/Library/Extensions/IOUserSerial.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>6.0.0</string>
    <key>version</key>
    <string>6.0.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>IOVideoDeviceUserClient</string>
    <key>spext_bundleid</key>
    <string>com.apple.iokit.IOVideoDeviceUserClient</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
```

```
<string>/System/Library/Extensions/IOVideoFamily.kext/Contents/PlugIns/
```

```

IOVideoDeviceUserClient.kext</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.2.0</string>
  <key>version</key>
  <string>1.2.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOVideoFamily</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.iokit.IOVideoFamily</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/IOVideoFamily.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.2.1</string>
  <key>version</key>
  <string>1.2.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOgPTPPlugin</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.plugin.IOgPTPPlugin</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>IOgPTPPlugin 985.2, Copyright © 2010-2021 Apple
Inc. All rights reserved.</string>
  <key>spext_lastModified</key>

```



```
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743522261204992</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/IOTimeSyncFamily.kext/Contents/
PlugIns/IOgPTPPlugin.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>985.2</string>
<key>version</key>
<string>985.2</string>
</dict>
<dict>
<key>_name</key>
<string>Intel82574L</string>
<key>spext_architectures</key>
<array>
<string>arm64e</string>
<string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.Intel82574LEthernet</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>Copyright © 2014 Apple Inc. All rights
reserved.</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/IONetworkingFamily.kext/Contents/
PlugIns/Intel82574L.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>2.7.2</string>
<key>version</key>
```

```
    <string>2.7.2</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>InvalidateHmac</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.kec.InvalidateHmac</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>Copyright © 2019-2020 Apple Inc. All rights
reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/InvalidateHmac.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Kasan</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.kpi.kasan</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>Kasan Pseudoextension, Apple Computer Inc,
20.6.0</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
```

```
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/System.kext/PlugIns/Kasan.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>20.6.0</string>
    <key>version</key>
    <string>20.6.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>KernelRelayHost</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.KernelRelayHost</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743524007231488</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/KernelRelayHost.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>KextAudit</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
```

```
<key>spext_bundleid</key>
<string>com.apple.private.KextAudit</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743524007309312</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/KextAudit.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.0</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>L2TP</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.nke.l2tp</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/L2TP.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.9</string>
```

```
        <key>version</key>
        <string>1.9</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>LSI-FW-500</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.driver.LSI_FW_500</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_info</key>
        <string>511.141.1, Copyright Apple Inc.
2000-2016</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

        <string>/System/Library/Extensions/AppleStorageDrivers.kext/Contents/
PlugIns/LSI-FW-500.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>511.141.1</string>
        <key>version</key>
        <string>511.141.1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Libkern</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.kpi.libkern</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_info</key>
        <string>Libkern Pseudoextension, Apple Computer Inc,
20.6.0</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
```

```

    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/System.kext/PlugIns/Libkern.kext</
string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>20.6.0</string>
    <key>version</key>
    <string>20.6.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>Libm</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.kec.Libm</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743524007321600</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
    <string>/System/Library/Extensions/Libm.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>LightweightVolumeManager</string>
    <key>spext_architectures</key>
    <array>

```

```
        <string>arm64e</string>
    </array>
    <key>spext_bundleid</key>
<string>com.apple.driver.LightweightVolumeManager</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_no</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/LightweightVolumeManager.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_unknown</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.1</string>
</dict>
<dict>
    <key>_name</key>
    <string>MACFramework</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.kpi.dsep</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>MAC Framework Pseudoextension, SPARTA Inc,
20.6.0</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/System.kext/PlugIns/MACFramework.kext</
string>
```

```

    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>20.6.0</string>
    <key>version</key>
    <string>20.6.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>MKE-LF-D211A</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.MKE_LF_D211A</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>511.141.1, Copyright Apple Inc.
1999-2016</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleStorageDrivers.kext/Contents/
PlugIns/MKE-LF-D211A.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>511.141.1</string>
    <key>version</key>
    <string>511.141.1</string>
</dict>
<dict>
    <key>_name</key>
    <string>MKE-SR-8171</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.MKE_SR_8171</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>

```



```
<string>spext_satisfied</string>
<key>spext_info</key>
<string>511.141.1, Copyright Apple Inc.
1999-2016</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/AppleStorageDrivers.kext/Contents/
PlugIns/MKE-SR-8171.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>511.141.1</string>
<key>version</key>
<string>511.141.1</string>
</dict>
<dict>
<key>_name</key>
<string>Mach</string>
<key>spext_architectures</key>
<array>
<string>arm64e</string>
<string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.kpi.mach</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>Mach Kernel Pseudoextension, Apple Computer Inc,
20.6.0</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/System.kext/PlugIns/Mach.kext</string>
<key>spext_runtime_environment</key>

<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
```

```
<key>spext_version</key>
<string>20.6.0</string>
<key>version</key>
<string>20.6.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>NVDAGF100Hal</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.nvidia.driver.NVDAGF100Hal</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>NVDAGF100Hal 16.0.13 </string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/NVDAGF100Hal.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>16.0.0</string>
<key>version</key>
<string>16.0.13</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>NVDAGK100Hal</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.nvidia.driver.NVDAGK100Hal</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>NVDAGK100Hal 16.0.13 </string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
```

```
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/NVDAGK100Hal.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_arch_x86</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>16.0.0</string>
    <key>version</key>
    <string>16.0.13</string>
</dict>
<dict>
    <key>_name</key>
    <string>NVDAResman</string>
    <key>spext_architectures</key>
    <array>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.nvidia.driver.NVDAResman</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>NVDAResman 16.0.13 </string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/NVDAResman.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_arch_x86</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>16.0.0</string>
    <key>version</key>
    <string>16.0.13</string>
</dict>
<dict>
    <key>_name</key>
    <string>NVDAStartup</string>
    <key>spext_architectures</key>
    <array>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.nvidia.NVDAStartup</string>
```

```
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>NVDAStartup 16.0.13 </string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/NVDAStartup.kext</string>
<key>spext_runtime_environment</key>
<string>spext_arch_x86</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>16.0.0</string>
<key>version</key>
<string>16.0.13</string>
</dict>
<dict>
  <key>_name</key>
  <string>NVSMU</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.NVSMU</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
  <string>/System/Library/Extensions/NVSMU.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>2.2.9</string>
  <key>version</key>
  <string>2.2.9</string>
</dict>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>OSvKernDSPLib</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.kext.OSvKernDSPLib</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
<string>/System/Library/Extensions/OSvKernDSPLib.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>529</string>
  <key>version</key>
  <string>529</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>OxfordSemiconductor</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.Oxford_Semi</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>511.141.1, Copyright Apple Inc.
```

```
2000-2016</string>
```

```
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
```

```
        <string>spext_apple</string>
        <key>spext_path</key>
    </dict>
    <string>/System/Library/Extensions/AppleStorageDrivers.kext/Contents/
    PlugIns/OxfordSemiconductor.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
    Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>511.141.1</string>
    <key>version</key>
    <string>511.141.1</string>
</dict>
<dict>
    <key>_name</key>
    <string>PPP</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.nke.ppp</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
    <string>/System/Library/Extensions/PPP.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
    Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.9</string>
    <key>version</key>
    <string>1.9</string>
</dict>
<dict>
    <key>_name</key>
    <string>PPPoE</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.nke.pppoe</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
```

```
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
<string>/System/Library/Extensions/PPPoE.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.9</string>
<key>version</key>
<string>1.9</string>
</dict>
<dict>
  <key>_name</key>
  <string>PioneerSuperDrive</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.PioneerSuperDrive</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>511.141.1, Copyright Apple Inc.
2003-2016</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
  <string>/System/Library/Extensions/AppleStorageDrivers.kext/Contents/
PlugIns/PioneerSuperDrive.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>511.141.1</string>
  <key>version</key>
  <string>511.141.1</string>
</dict>
```

```

<dict>
  <key>_name</key>
  <string>PlasmonUD0</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.PlasmonUD0</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>511.141.1, Copyright Apple Inc.
2008-2016</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/AppleStorageDrivers.kext/Contents/
PlugIns/PlasmonUD0.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>511.141.1</string>
  <key>version</key>
  <string>511.141.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Private</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.kpi.private</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>Private Pseudoextension, Apple Computer Inc,
20.6.0</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>

```



```

        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/System.kext/PlugIns/Private.kext</
string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>20.6.0</string>
        <key>version</key>
        <string>20.6.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>PromiseSTEX</string>
        <key>spext_architectures</key>
        <array>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.promise.driver.stex</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_info</key>
        <string>Version: 6.2.13, Copyright (c) 2010-2019 Promise
Technology, Inc.</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_no</string>
        <key>spext_obtained_from</key>
        <string>spext_identified_developer</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/PromiseSTEX.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_arch_x86</string>
        <key>spext_signed_by</key>
        <string>Developer ID Application: Promise Technology
Mobile Apps (268CCUR4WN), Developer ID Certification Authority, Apple Root
CA</string>
        <key>spext_version</key>
        <string>6.2.13</string>
        <key>version</key>
        <string>6.2.13</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>QPSQueFire</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>

```

```
                <string>x86_64</string>
            </array>
            <key>spext_bundleid</key>
            <string>com.apple.driver.QPSQueFire</string>
            <key>spext_has64BitIntelCode</key>
            <string>spext_yes</string>
            <key>spext_hasAllDependencies</key>
            <string>spext_satisfied</string>
            <key>spext_info</key>
            <string>511.141.1, Copyright Apple Inc.
2000-2016</string>
            <key>spext_lastModified</key>
            <date>2020-01-01T08:00:00Z</date>
            <key>spext_loadable</key>
            <string>spext_yes</string>
            <key>spext_loaded</key>
            <string>spext_no</string>
            <key>spext_notarized</key>
            <string>spext_yes</string>
            <key>spext_obtained_from</key>
            <string>spext_apple</string>
            <key>spext_path</key>

            <string>/System/Library/Extensions/AppleStorageDrivers.kext/Contents/
PlugIns/QPSQueFire.kext</string>
            <key>spext_runtime_environment</key>
            <string>spext_universal</string>
            <key>spext_signed_by</key>
            <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
            <key>spext_version</key>
            <string>511.141.1</string>
            <key>version</key>
            <string>511.141.1</string>
        </dict>
    <dict>
        <key>_name</key>
        <string>Quarantine</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.security.quarantine</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_load_address</key>
        <string>18446743524007489536</string>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_yes</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/Quarantine.kext</string>
```

```

        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>4</string>
        <key>version</key>
        <string>4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>RTBuddy</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.driver.RTBuddy</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_no</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_info</key>
        <string>Copyright © 2014-2017 Apple Inc. All rights
reserved.</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>
        <string>/System/Library/Extensions/RTBuddy.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_unknown</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1.0.0</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SCSIDeviceSpecifics</string>
        <key>spext_bundleid</key>
        <string>com.apple.driver.SCSIDeviceSpecifics</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_info</key>
        <string>511.141.1, Copyright Apple Inc.
2002-2016</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>

```

```

        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/AppleStorageDrivers.kext/Contents/
    PlugIns/SCSIDeviceSpecifics.kext</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
    Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>511.141.1</string>
        <key>version</key>
        <string>511.141.1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SCSITaskUserClient</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.iokit.SCSITaskUserClient</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_info</key>
        <string>436.140.1, Copyright © 1999-2016 Apple Inc. All
    rights reserved.</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/IOSCSIArchitectureModelFamily.kext/
    Contents/PlugIns/SCSITaskUserClient.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
    Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>436.140.1</string>
        <key>version</key>
        <string>436.140.1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SEPHibernation</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
        </array>

```

```
<key>spext_bundleid</key>
<string>com.apple.driver.SEPHibernation</string>
<key>spext_has64BitIntelCode</key>
<string>spext_no</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/SEPHibernation.kext</string>
<key>spext_runtime_environment</key>
<string>spext_unknown</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>SMCMotionSensor</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.SMCMotionSensor</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/SMCMotionSensor.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>3.0.4d1</string>
  <key>version</key>
```

```
<string>3.0.4</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sandbox</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.security.sandbox</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743524007526400</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
  <string>/System/Library/Extensions/Sandbox.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>300.0</string>
  <key>version</key>
  <string>300.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>SanyoIDShot</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.SanyoIDShot</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>511.141.1, Copyright Apple Inc.
2004-2016</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
```

```

    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleStorageDrivers.kext/Contents/
    PlugIns/SanyoIDShot.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
    Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>511.141.1</string>
    <key>version</key>
    <string>511.141.1</string>
</dict>
<dict>
    <key>_name</key>
    <string>SoftRAID</string>
    <key>spext_architectures</key>
    <array>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.softraid.driver.SoftRAID</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>SoftRAID version 6.0, Copyright Â© 2002-19 Other
    World Computing, Inc. All rights reserved.</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_identified_developer</string>
    <key>spext_path</key>
    <string>/Library/Extensions/SoftRAID.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_arch_x86</string>
    <key>spext_signed_by</key>
    <string>Developer ID Application: Other World Computing
    (Q9P8K45M5C), Developer ID Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>6.0</string>
    <key>version</key>
    <string>6.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>SonyXDCAMDriver</string>
    <key>spext_bundleid</key>
    <string>com.apple.driver.Sony_XDCAM</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>511.141.1, Copyright Apple Inc.

```

2000-2016</string>

```
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

<string>/System/Library/Extensions/AppleStorageDrivers.kext/Contents/PlugIns/SonyXDCAMDriver.kext</string>

```
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>511.141.1</string>
<key>version</key>
<string>511.141.1</string>
```

</dict>

<dict>

```
<key>_name</key>
<string>StorageLynx</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.StorageLynx</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>511.141.1, Copyright Apple Inc.
```

2000-2016</string>

```
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

<string>/System/Library/Extensions/AppleStorageDrivers.kext/Contents/PlugIns/StorageLynx.kext</string>

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>511.141.1</string>
<key>version</key>
<string>511.141.1</string>
```

</dict>



```

<dict>
  <key>_name</key>
  <string>System</string>
  <key>spext_bundleid</key>
  <string>com.apple.kernel</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>System Resource Pseudoextension, Apple Inc,
20.6.0</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
  <string>/System/Library/Extensions/System.kext</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>20.6.0</string>
  <key>version</key>
  <string>20.6.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>TSNCaptureInterface</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.audio.TSNCaptureInterface</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
  <string>/System/Library/Extensions/IOTimeSyncFamily.kext/Contents/
PlugIns/TSNCaptureInterface.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>

```

```

        <string>985.2</string>
        <key>version</key>
        <string>985.2</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>USBStorageDeviceSpecifics</string>
        <key>spext_bundleid</key>

<string>com.apple.driver.USBStorageDeviceSpecifics</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>511.141.1, Copyright Apple Inc.
1999-2016</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleStorageDrivers.kext/Contents/
PlugIns/USBStorageDeviceSpecifics.kext</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>511.141.1</string>
    <key>version</key>
    <string>511.141.1</string>
</dict>
<dict>
    <key>_name</key>
    <string>Unsupported</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.kpi.unsupported</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>Unsupported Pseudoextension, Apple Computer Inc,
20.6.0</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>

```

```
        <key>spext_path</key>
    <string>/System/Library/Extensions/System.kext/PlugIns/Unsupported.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>20.6.0</string>
        <key>version</key>
        <string>20.6.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>VMPlatformPlugin</string>
        <key>spext_architectures</key>
        <array>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.driver.VMPlatformPlugin</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

    <string>/System/Library/Extensions/IOPPlatformPluginFamily.kext/Contents/PlugIns/VMPlatformPlugin.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_arch_x86</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1.0.0</string>
        <key>version</key>
        <string>1.0.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>WriteProtectedMediaDriver</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>

    <string>com.apple.driver.WriteProtectedMediaDriver</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
```

```

    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>511.141.1, Copyright Apple Inc.
1999-2016</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/AppleStorageDrivers.kext/Contents/
PlugIns/WriteProtectedMediaDriver.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>511.141.1</string>
    <key>version</key>
    <string>511.141.1</string>
</dict>
<dict>
    <key>_name</key>
    <string>X86PlatformPlugin</string>
    <key>spext_architectures</key>
    <array>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.X86PlatformPlugin</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743522260992000</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

    <string>/System/Library/Extensions/IOPPlatformPluginFamily.kext/Contents/
PlugIns/X86PlatformPlugin.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_arch_x86</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>

```

```
    <string>1.0.0</string>
    <key>version</key>
    <string>1.0.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>X86PlatformShim</string>
    <key>spext_architectures</key>
    <array>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.driver.X86PlatformShim</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_load_address</key>
    <string>18446743522261078016</string>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_yes</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
```

```
    <string>/System/Library/Extensions/IOPlatformPluginFamily.kext/Contents/
    PlugIns/X86PlatformShim.kext</string>
```

```
    <key>spext_runtime_environment</key>
    <string>spext_arch_x86</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
    Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.0.0</string>
    <key>version</key>
    <string>1.0.0</string>
```

```
  </dict>
```

```
  <dict>
```

```
    <key>_name</key>
    <string>acfs</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.filesystems.acfs</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>589 (6.0.5), Copyright Â© 2005-2020 Apple Inc.
```

```
All rights reserved.</string>
```

```
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
```

```
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
    <string>/System/Library/Extensions/acfs.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>589</string>
    <key>version</key>
    <string>589</string>
```

```
</dict>
```

```
<dict>
```

```
    <key>_name</key>
    <string>acfsctl</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.filesystems.acfsctl</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>589 (6.0.5), Copyright © 2005-2020 Apple Inc.
```

```
All rights reserved.</string>
```

```
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
    <string>/System/Library/Extensions/acfsctl.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>589</string>
    <key>version</key>
    <string>589</string>
```

```
</dict>
```

```
<dict>
```

```
    <key>_name</key>
    <string>afpfs</string>
    <key>spext_architectures</key>
    <array>
      <string>arm64e</string>
      <string>x86_64</string>
```

```
</array>
<key>spext_bundleid</key>
<string>com.apple.filesystems.afpfs</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
<string>/System/Library/Extensions/afpfs.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>11.3</string>
<key>version</key>
<string>11.3</string>
</dict>
<dict>
<key>_name</key>
<string>apfs</string>
<key>spext_architectures</key>
<array>
<string>arm64e</string>
<string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.filesystems.apfs</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743524007919616</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
<string>/System/Library/Extensions/apfs.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1677.141.1</string>
```

```
<key>version</key>
<string>1677.141.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>asp_tcp</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.nke.asp_tcp</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
  <string>/System/Library/Extensions/asp_tcp.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
  Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>8.2</string>
  <key>version</key>
  <string>8.2</string>
</dict>
<dict>
  <key>_name</key>
  <string>autofs</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.filesystems.autofs</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743522270244864</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
```



```
<string>spext_apple</string>
<key>spext_path</key>
<string>/System/Library/Extensions/autofs.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>3.0</string>
<key>version</key>
<string>5.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>cd9660</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.filesystems.cd9660</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>1.4.4, Copyright © 1999-2012 Apple Inc. All
rights reserved.</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
  <string>/System/Library/Extensions/cd9660.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.4.4</string>
  <key>version</key>
  <string>1.4.4</string>
</dict>
<dict>
  <key>_name</key>
  <string>cddafs</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.filesystems.cddafs</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
```

```
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>2.6.1, Copyright Apple Inc. 2000-2014</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
<string>/System/Library/Extensions/cddafs.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>2.6.1</string>
<key>version</key>
<string>2.6.1</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>com.apple.AppleUserHIDDrivers</string>
<key>spext_bundleid</key>
<string>com.apple.AppleUserHIDDrivers</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/DriverExtensions/com.apple.AppleUserHIDDrivers.dext</string>
```

```
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>com.apple.DriverKit-Apple16X50PCI</string>
<key>spext_bundleid</key>
<string>com.apple.DriverKit-Apple16X50PCI</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
```

```
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/DriverExtensions/com.apple.DriverKit-Apple16X50PCI.dext</string>
```

```
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>com.apple.DriverKit-AppleEthernetE1000</string>
<key>spext_bundleid</key>
<string>com.apple.DriverKit-AppleEthernetE1000</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/DriverExtensions/com.apple.DriverKit-AppleEthernetE1000.dext</string>
```

```
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>com.apple.DriverKit-AppleUSBCHCOM</string>
<key>spext_bundleid</key>
<string>com.apple.DriverKit-AppleUSBCHCOM</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
```

```
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/DriverExtensions/com.apple.DriverKit-AppleUSBCHCOM.dext</string>
```

```
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>com.apple.DriverKit-AppleUSBFTDI</string>
<key>spext_bundleid</key>
<string>com.apple.DriverKit-AppleUSBFTDI</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/DriverExtensions/com.apple.DriverKit-AppleUSBFTDI.dext</string>
```

```
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>com.apple.DriverKit-AppleUSBPLCOM</string>
<key>spext_bundleid</key>
<string>com.apple.DriverKit-AppleUSBPLCOM</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/DriverExtensions/com.apple.DriverKit-
```

```
AppleUSBPLCOM.dext</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>com.apple.DriverKit-AppleUSBPLCOM</string>
  <key>spext_bundleid</key>
  <string>com.apple.DriverKit-AppleUSBPLCOM</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
  <string>/System/Library/DriverExtensions/com.apple.DriverKit-
AppleUSBPLCOM.dext</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>com.apple.DriverKit-AppleUSBSerial</string>
  <key>spext_bundleid</key>
  <string>com.apple.DriverKit-AppleUSBSerial</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
```

```
  <string>/System/Library/DriverExtensions/com.apple.DriverKit-
AppleUSBSerial.dext</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1</string>
```

```
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>com.apple.DriverKit.AppleUserECM</string>
    <key>spext_bundleid</key>
    <string>com.apple.DriverKit.AppleUserECM</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
```

```
<string>/System/Library/DriverExtensions/com.apple.DriverKit.AppleUserECM.dext</string>
```

```
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
```

```
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
```

```
    <key>_name</key>
    <string>com.apple.DriverKit.AppleUserECMData</string>
    <key>spext_bundleid</key>
    <string>com.apple.DriverKit.AppleUserECMData</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
```

```
<string>/System/Library/DriverExtensions/com.apple.DriverKit.AppleUserECMData.dext</string>
```

```
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
```

```
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
```

```
    <key>_name</key>
  <string>com.apple.DriverKit.AppleUserEthernetASIX</string>
  <key>spext_bundleid</key>

  <string>com.apple.DriverKit.AppleUserEthernetASIX</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/DriverExtensions/com.apple.DriverKit.AppleUserEthernetASIX.dext</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
  Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>corecapture</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.corecapture</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743524009472000</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/corecapture.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
```

```
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1.0.4</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>corecrypto</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.kec.corecrypto</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743524009611264</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/corecrypto.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>11.1</string>
  <key>version</key>
  <string>11.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>eficheck</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.eficheck</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
```



```
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>

<string>/System/Library/Extensions/eficheck.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_arch_x86</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>exfat</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
    <string>com.apple.filesystems.exfat</string>
    <key>spext_has64BitIntelCode</key>
    <string>spext_yes</string>
    <key>spext_hasAllDependencies</key>
    <string>spext_satisfied</string>
    <key>spext_info</key>
    <string>1.4, Copyright Apple Inc. 2009-2012</string>
    <key>spext_lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>spext_loadable</key>
    <string>spext_yes</string>
    <key>spext_loaded</key>
    <string>spext_no</string>
    <key>spext_notarized</key>
    <string>spext_yes</string>
    <key>spext_obtained_from</key>
    <string>spext_apple</string>
    <key>spext_path</key>
    <string>/System/Library/Extensions/exfat.kext</string>
    <key>spext_runtime_environment</key>
    <string>spext_universal</string>
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>1.4</string>
    <key>version</key>
    <string>1.4</string>
</dict>
<dict>
    <key>_name</key>
    <string>iPodDriver</string>
    <key>spext_architectures</key>
    <array>
        <string>arm64e</string>
        <string>x86_64</string>
    </array>
    <key>spext_bundleid</key>
```

```
<string>com.apple.driver.iPodDriver</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>iPod Driver 1.7.0, Copyright 2001-2012 Apple
Inc.</string>
```

```
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/iPodDriver.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.7.0</string>
<key>version</key>
<string>1.7.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>iPodSBCDriver</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.iPodSBCDriver</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_info</key>
<string>iPod Driver 1.7.0, Copyright 2001-2012 Apple
Inc.</string>
```

```
Inc.</string>
```

```
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/iPodDriver.kext/Contents/PlugIns/
iPodSBCDriver.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
```

```

        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>1.7.0</string>
        <key>version</key>
        <string>1.7.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>initioFWBridge</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.driver.initioFWBridge</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_info</key>
        <string>511.141.1, Copyright Apple Inc.
2000-2016</string>
        <key>spext_lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>spext_loadable</key>
        <string>spext_yes</string>
        <key>spext_loaded</key>
        <string>spext_no</string>
        <key>spext_notarized</key>
        <string>spext_yes</string>
        <key>spext_obtained_from</key>
        <string>spext_apple</string>
        <key>spext_path</key>

        <string>/System/Library/Extensions/AppleStorageDrivers.kext/Contents/
PlugIns/initioFWBridge.kext</string>
        <key>spext_runtime_environment</key>
        <string>spext_universal</string>
        <key>spext_signed_by</key>
        <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
        <key>spext_version</key>
        <string>511.141.1</string>
        <key>version</key>
        <string>511.141.1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>mDNSOffloadUserClient</string>
        <key>spext_architectures</key>
        <array>
            <string>arm64e</string>
            <string>x86_64</string>
        </array>
        <key>spext_bundleid</key>
        <string>com.apple.driver.mDNSOffloadUserClient</string>
        <key>spext_has64BitIntelCode</key>
        <string>spext_yes</string>
        <key>spext_hasAllDependencies</key>
        <string>spext_satisfied</string>
        <key>spext_lastModified</key>

```

```
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743524001341440</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/IONetworkingFamily.kext/Contents/
PlugIns/mDNSOffloadUserClient.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.0.1b8</string>
<key>version</key>
<string>1.0.1</string>
</dict>
<dict>
<key>_name</key>
<string>mcxalr</string>
<key>spext_architectures</key>
<array>
<string>arm64e</string>
<string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.kext.mcx.alr</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
<string>/System/Library/Extensions/mcxalr.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>8.0</string>
</dict>
<dict>
<key>_name</key>
<string>msdosfs</string>
```

```
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.filesystems.msdosfs</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
<string>/System/Library/Extensions/msdosfs.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.10</string>
<key>version</key>
<string>1.10</string>
</dict>
<dict>
  <key>_name</key>
  <string>ntfs</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.filesystems.ntfs</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>3.14.3, Copyright © 2002-2015 Apple Inc. All
rights reserved.</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
  <string>/System/Library/Extensions/ntfs.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
```

```
    <key>spext_signed_by</key>
    <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
    <key>spext_version</key>
    <string>3.14.3</string>
    <key>version</key>
    <string>3.14.3</string>
</dict>
<dict>
  <key>_name</key>
  <string>pmetelemetry</string>
  <key>spext_architectures</key>
  <array>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.driver.pmetelemetry</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743522270924800</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/pmetelemetry.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_arch_x86</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>1</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>pthread</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.kec.pthread</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743524010250240</string>
```

```
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
<string>/System/Library/Extensions/pthread.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>smbfs</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.filesystems.smbfs</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
<string>/System/Library/Extensions/smbfs.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>3.6</string>
<key>version</key>
<string>3.6</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>tmpfs</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
```

```
<key>spext_bundleid</key>
<string>com.apple.filesystems.tmpfs</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743524010291200</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
<string>/System/Library/Extensions/tmpfs.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>triggers</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.kext.triggers</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743522271543296</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_yes</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>

  <string>/System/Library/Extensions/triggers.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
```



```
<key>spext_version</key>
<string>1.0</string>
<key>version</key>
<string>3.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>udf</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.filesystems.udf</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_info</key>
  <string>UDF File System Extension</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
  <string>spext_no</string>
  <key>spext_notarized</key>
  <string>spext_yes</string>
  <key>spext_obtained_from</key>
  <string>spext_apple</string>
  <key>spext_path</key>
  <string>/System/Library/Extensions/udf.kext</string>
  <key>spext_runtime_environment</key>
  <string>spext_universal</string>
  <key>spext_signed_by</key>
  <string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
  <key>spext_version</key>
  <string>2.5</string>
  <key>version</key>
  <string>2.5</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>vecLib</string>
  <key>spext_architectures</key>
  <array>
    <string>arm64e</string>
    <string>x86_64</string>
  </array>
  <key>spext_bundleid</key>
  <string>com.apple.vecLib.kext</string>
  <key>spext_has64BitIntelCode</key>
  <string>spext_yes</string>
  <key>spext_hasAllDependencies</key>
  <string>spext_satisfied</string>
  <key>spext_lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>spext_load_address</key>
  <string>18446743522271784960</string>
  <key>spext_loadable</key>
  <string>spext_yes</string>
  <key>spext_loaded</key>
```

```
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
<string>/System/Library/Extensions/vecLib.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1.2.0</string>
<key>version</key>
<string>1.2</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>watchdog</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.driver.watchdog</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_load_address</key>
<string>18446743524010344448</string>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_yes</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>
```

```
<string>/System/Library/Extensions/watchdog.kext</string>
```

```
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>1</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>webcontentfilter</string>
<key>spext_architectures</key>
<array>
  <string>arm64e</string>
  <string>x86_64</string>
</array>
```

```
<key>spext_bundleid</key>
<string>com.apple.nke.webcontentfilter</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/webcontentfilter.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>5</string>
<key>version</key>
<string>4.0</string>
</dict>
<dict>
<key>_name</key>
<string>webdav_fs</string>
<key>spext_architectures</key>
<array>
<string>arm64e</string>
<string>x86_64</string>
</array>
<key>spext_bundleid</key>
<string>com.apple.filesystems.webdav</string>
<key>spext_has64BitIntelCode</key>
<string>spext_yes</string>
<key>spext_hasAllDependencies</key>
<string>spext_satisfied</string>
<key>spext_lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>spext_loadable</key>
<string>spext_yes</string>
<key>spext_loaded</key>
<string>spext_no</string>
<key>spext_notarized</key>
<string>spext_yes</string>
<key>spext_obtained_from</key>
<string>spext_apple</string>
<key>spext_path</key>

<string>/System/Library/Extensions/webdav_fs.kext</string>
<key>spext_runtime_environment</key>
<string>spext_universal</string>
<key>spext_signed_by</key>
<string>Software Signing, Apple Code Signing
Certification Authority, Apple Root CA</string>
<key>spext_version</key>
<string>3.0.1</string>
<key>version</key>
```

```
        <string>3.0.1</string>
      </dict>
    </array>
  <key>_parentDataType</key>
  <string>SPSoftwareDataType</string>
  <key>_properties</key>
  <dict>
    <key>_name</key>
    <dict>
      <key>_isColumn</key>
      <string>YES</string>
      <key>_order</key>
      <string>0</string>
      <key>_width</key>
      <string>210</string>
    </dict>
    <key>spext_architectures</key>
    <dict>
      <key>_isColumn</key>
      <string>NO</string>
      <key>_order</key>
      <string>35</string>
      <key>_width</key>
      <string>150</string>
    </dict>
    <key>spext_authentic_errors</key>
    <dict>
      <key>_isColumn</key>
      <string>NO</string>
      <key>_order</key>
      <string>70</string>
    </dict>
    <key>spext_bundleid</key>
    <dict>
      <key>_order</key>
      <string>22</string>
    </dict>
    <key>spext_has64BitIntelCode</key>
    <dict>
      <key>_isColumn</key>
      <string>NO</string>
      <key>_order</key>
      <string>40</string>
      <key>_width</key>
      <string>150</string>
    </dict>
    <key>spext_hasAllDependencies</key>
    <dict>
      <key>_isColumn</key>
      <string>NO</string>
      <key>_order</key>
      <string>80</string>
      <key>_width</key>
      <string>90</string>
    </dict>
    <key>spext_hasAllDependencies_errors</key>
    <dict>
      <key>_isColumn</key>
      <string>NO</string>
      <key>_order</key>
      <string>85</string>
    </dict>
    <key>spext_info</key>
    <dict>
```

```
        <key>_order</key>
        <string>30</string>
    </dict>
<key>spext_lastModified</key>
<dict>
    <key>_isColumn</key>
    <string>YES</string>
    <key>_order</key>
    <string>20</string>
    <key>_width</key>
    <string>150</string>
</dict>
<key>spext_load_address</key>
<dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>55</string>
    <key>_width</key>
    <string>40</string>
</dict>
<key>spext_loadable</key>
<dict>
    <key>_isColumn</key>
    <string>NO</string>
    <key>_order</key>
    <string>60</string>
    <key>_width</key>
    <string>35</string>
</dict>
<key>spext_loaded</key>
<dict>
    <key>_isColumn</key>
    <string>YES</string>
    <key>_order</key>
    <string>25</string>
    <key>_width</key>
    <string>150</string>
</dict>
<key>spext_notarized</key>
<dict>
    <key>_isColumn</key>
    <string>YES</string>
    <key>_order</key>
    <string>22</string>
    <key>_width</key>
    <string>150</string>
</dict>
<key>spext_obtained_from</key>
<dict>
    <key>_isColumn</key>
    <string>YES</string>
    <key>_order</key>
    <string>30</string>
    <key>_width</key>
    <string>150</string>
</dict>
<key>spext_path</key>
<dict>
    <key>_order</key>
    <string>40</string>
</dict>
<key>spext_runtime_environment</key>
<dict>
```

```
        <key>_isColumn</key>
        <string>NO</string>
        <key>_order</key>
        <string>31</string>
        <key>_width</key>
        <string>150</string>
    </dict>
    <key>spext_signed_by</key>
    <dict>
        <key>_isColumn</key>
        <string>NO</string>
        <key>_order</key>
        <string>95</string>
        <key>_width</key>
        <string>150</string>
    </dict>
    <key>spext_signing_errors</key>
    <dict>
        <key>_isColumn</key>
        <string>NO</string>
        <key>_order</key>
        <string>75</string>
    </dict>
    <key>spext_valid_errors</key>
    <dict>
        <key>_isColumn</key>
        <string>NO</string>
        <key>_order</key>
        <string>65</string>
    </dict>
    <key>spext_version</key>
    <dict>
        <key>_order</key>
        <string>50</string>
        <key>_suppressLocalization</key>
        <string>YES</string>
    </dict>
    <key>version</key>
    <dict>
        <key>_isColumn</key>
        <string>YES</string>
        <key>_order</key>
        <string>10</string>
        <key>_suppressLocalization</key>
        <string>YES</string>
        <key>_width</key>
        <string>30</string>
    </dict>
    <key>volumes</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
    </dict>
</dict>
<key>_timeStamp</key>
<date>2021-08-03T01:21:53Z</date>
<key>_versionInfo</key>
<dict>
    <key>com.apple.SystemProfiler.SPExtensionsReporter</key>
    <string>59</string>
</dict>
</dict>
<dict>
    <key>_SPCommandLineArguments</key>
```

```
<array>
  <string>/usr/sbin/system_profiler</string>
  <string>-nospawn</string>
  <string>-xml</string>
  <string>SPFibreChannelDataType</string>
  <string>-detailLevel</string>
  <string>full</string>
</array>
<key>_SPCompletionInterval</key>
<real>0.26820802688598633</real>
<key>_SPResponseTime</key>
<real>0.35022592544555664</real>
<key>_dataType</key>
<string>SPFibreChannelDataType</string>
<key>_detailLevel</key>
<integer>-1</integer>
<key>_items</key>
<array/>
<key>_parentDataType</key>
<string>SPHardwareDataType</string>
<key>_properties</key>
<dict>
  <key>_name</key>
  <dict>
    <key>_isColumn</key>
    <string>YES</string>
    <key>_isOutlineColumn</key>
    <string>YES</string>
    <key>_order</key>
    <string>0</string>
  </dict>
  <key>bsd_name</key>
  <dict>
    <key>_order</key>
    <string>62</string>
  </dict>
  <key>detachable_drive</key>
  <dict>
    <key>_order</key>
    <string>59</string>
  </dict>
  <key>device_alias</key>
  <dict>
    <key>_order</key>
    <string>41</string>
  </dict>
  <key>device_manufacturer</key>
  <dict>
    <key>_order</key>
    <string>41</string>
  </dict>
  <key>device_model</key>
  <dict>
    <key>_order</key>
    <string>42</string>
  </dict>
  <key>device_revision</key>
  <dict>
    <key>_order</key>
    <string>44</string>
  </dict>
  <key>device_serial</key>
  <dict>
    <key>_detailLevel</key>
```

```
        <string>0</string>
        <key>_order</key>
        <string>46</string>
</dict>
<key>disc_burning</key>
<dict>
    <key>_order</key>
    <string>54</string>
</dict>
<key>file_system</key>
<dict>
    <key>_order</key>
    <string>60</string>
</dict>
<key>free_space</key>
<dict>
    <key>_deprecated</key>
    <true/>
    <key>_order</key>
    <string>12</string>
</dict>
<key>free_space_in_bytes</key>
<dict>
    <key>_isByteSize</key>
    <true/>
    <key>_order</key>
    <string>12</string>
</dict>
<key>mount_point</key>
<dict>
    <key>_order</key>
    <string>64</string>
</dict>
<key>optical_drive_type</key>
<dict>
    <key>_order</key>
    <string>51</string>
</dict>
<key>optical_media_type</key>
<dict>
    <key>_order</key>
    <string>52</string>
</dict>
<key>os9_drivers</key>
<dict>
    <key>_order</key>
    <string>68</string>
</dict>
<key>raid_drive</key>
<dict>
    <key>_order</key>
    <string>66</string>
</dict>
<key>removable_media</key>
<dict>
    <key>_order</key>
    <string>56</string>
</dict>
<key>size</key>
<dict>
    <key>_deprecated</key>
    <true/>
    <key>_order</key>
    <string>10</string>
```



```
</dict>
<key>size_in_bytes</key>
<dict>
  <key>_isByteSize</key>
  <true/>
  <key>_order</key>
  <string>10</string>
</dict>
<key>spfibrechanel_addressidentifier</key>
<dict>
  <key>_order</key>
  <string>29</string>
</dict>
<key>spfibrechanel_alpa</key>
<dict>
  <key>_order</key>
  <string>30</string>
</dict>
<key>spfibrechanel_alua_support</key>
<dict>
  <key>_order</key>
  <string>48</string>
</dict>
<key>spfibrechanel_bus</key>
<dict>
  <key>_order</key>
  <string>23</string>
</dict>
<key>spfibrechanel_cablingtype</key>
<dict>
  <key>_order</key>
  <string>35</string>
</dict>
<key>spfibrechanel_device_type</key>
<dict>
  <key>_order</key>
  <string>40</string>
</dict>
<key>spfibrechanel_domainidentifier</key>
<dict>
  <key>_order</key>
  <string>25</string>
</dict>
<key>spfibrechanel_initiatorid</key>
<dict>
  <key>_order</key>
  <string>26</string>
</dict>
<key>spfibrechanel_load_balancing_algorithm</key>
<dict>
  <key>_order</key>
  <string>50</string>
</dict>
<key>spfibrechanel_logical_unit_access_state</key>
<dict>
  <key>_order</key>
  <string>49</string>
</dict>
<key>spfibrechanel_logical_unit_unique_id</key>
<dict>
  <key>_order</key>
  <string>40</string>
</dict>
<key>spfibrechanel_lun</key>
```

```
<dict>
  <key>_order</key>
  <string>39</string>
</dict>
<key>spfibrechannel_nodeworldwidename</key>
<dict>
  <key>_order</key>
  <string>27</string>
</dict>
<key>spfibrechannel_portdescription</key>
<dict>
  <key>_order</key>
  <string>31</string>
</dict>
<key>spfibrechannel_portspeed</key>
<dict>
  <key>_order</key>
  <string>32</string>
</dict>
<key>spfibrechannel_portstatus</key>
<dict>
  <key>_order</key>
  <string>34</string>
</dict>
<key>spfibrechannel_porttopology</key>
<dict>
  <key>_order</key>
  <string>33</string>
</dict>
<key>spfibrechannel_portworldwidename</key>
<dict>
  <key>_order</key>
  <string>28</string>
</dict>
<key>spfibrechannel_product</key>
<dict>
  <key>_order</key>
  <string>21</string>
</dict>
<key>spfibrechannel_revision</key>
<dict>
  <key>_order</key>
  <string>22</string>
</dict>
<key>spfibrechannel_slot_name</key>
<dict>
  <key>_order</key>
  <string>24</string>
</dict>
<key>spfibrechannel_target</key>
<dict>
  <key>_order</key>
  <string>38</string>
</dict>
<key>spfibrechannel_vendor</key>
<dict>
  <key>_order</key>
  <string>20</string>
</dict>
<key>volumes</key>
<dict>
  <key>_detailLevel</key>
  <string>0</string>
</dict>
```

```
        <key>writable</key>
        <dict>
            <key>_order</key>
            <string>58</string>
        </dict>
    </dict>
    <key>_timeStamp</key>
    <date>2021-08-03T01:21:44Z</date>
    <key>_versionInfo</key>
    <dict>
        <key>com.apple.SystemProfiler.SPFireWireReporter</key>
        <string>2.7</string>
    </dict>
</dict>
<dict>
    <key>_SPCompletionInterval</key>
    <real>0.25602495670318604</real>
    <key>_SPResponseTime</key>
    <real>0.33765304088592529</real>
    <key>_dataType</key>
    <string>SPFireWireDataType</string>
    <key>_detailLevel</key>
    <integer>-1</integer>
    <key>_items</key>
    <array/>
    <key>_parentDataType</key>
    <string>SPHardwareDataType</string>
    <key>_properties</key>
    <dict>
        <key>_name</key>
        <dict>
            <key>_isColumn</key>
            <string>YES</string>
            <key>_isOutlineColumn</key>
            <string>YES</string>
            <key>_order</key>
            <string>0</string>
        </dict>
        <key>bsd_name</key>
        <dict>
            <key>_order</key>
            <string>42</string>
        </dict>
        <key>bus_power</key>
        <dict>
            <key>_order</key>
            <string>55</string>
        </dict>
        <key>connected_speed</key>
        <dict>
            <key>_order</key>
            <string>63</string>
        </dict>
        <key>detachable_drive</key>
        <dict>
            <key>_order</key>
            <string>39</string>
        </dict>
        <key>device_manufacturer</key>
        <dict>
            <key>_order</key>
            <string>10</string>
        </dict>
        <key>device_model</key>
```

```
<dict>
  <key>_order</key>
  <string>12</string>
</dict>
<key>device_revision</key>
<dict>
  <key>_order</key>
  <string>14</string>
</dict>
<key>device_serial</key>
<dict>
  <key>_order</key>
  <string>16</string>
</dict>
<key>disc_burning</key>
<dict>
  <key>_order</key>
  <string>32</string>
</dict>
<key>file_system</key>
<dict>
  <key>_order</key>
  <string>40</string>
</dict>
<key>free_space</key>
<dict>
  <key>_deprecated</key>
  <true/>
  <key>_order</key>
  <string>22</string>
</dict>
<key>free_space_in_bytes</key>
<dict>
  <key>_isByteSize</key>
  <true/>
  <key>_order</key>
  <string>22</string>
</dict>
<key>max_device_speed</key>
<dict>
  <key>_order</key>
  <string>62</string>
</dict>
<key>mount_point</key>
<dict>
  <key>_order</key>
  <string>44</string>
</dict>
<key>optical_drive_type</key>
<dict>
  <key>_order</key>
  <string>30</string>
</dict>
<key>optical_media_type</key>
<dict>
  <key>_order</key>
  <string>31</string>
</dict>
<key>product_id</key>
<dict>
  <key>_order</key>
  <string>52</string>
</dict>
<key>removable_media</key>
```

```
<dict>
  <key>_order</key>
  <string>34</string>
</dict>
<key>serial_num</key>
<dict>
  <key>_order</key>
  <string>53</string>
</dict>
<key>size</key>
<dict>
  <key>_deprecated</key>
  <true/>
  <key>_order</key>
  <string>20</string>
</dict>
<key>size_in_bytes</key>
<dict>
  <key>_isByteSize</key>
  <true/>
  <key>_order</key>
  <string>20</string>
</dict>
<key>sp_fw_firmware_revision</key>
<dict>
  <key>_order</key>
  <string>75</string>
</dict>
<key>sp_fw_guid</key>
<dict>
  <key>_order</key>
  <string>60</string>
</dict>
<key>sp_fw_product_revision_level</key>
<dict>
  <key>_order</key>
  <string>76</string>
</dict>
<key>sp_fw_unitDir</key>
<dict>
  <key>_order</key>
  <string>72</string>
</dict>
<key>unit_spec_id</key>
<dict>
  <key>_order</key>
  <string>71</string>
</dict>
<key>unit_sw_version</key>
<dict>
  <key>_order</key>
  <string>70</string>
</dict>
<key>units</key>
<dict>
  <key>_order</key>
  <string>80</string>
</dict>
<key>vendor_id</key>
<dict>
  <key>_order</key>
  <string>51</string>
</dict>
<key>vendor_name</key>
```

```

    <dict>
      <key>_order</key>
      <string>50</string>
    </dict>
    <key>volumes</key>
    <dict>
      <key>_detailLevel</key>
      <string>0</string>
    </dict>
    <key>warning</key>
    <dict>
      <key>_isWarning</key>
      <string>YES</string>
      <key>_order</key>
      <string>5</string>
    </dict>
    <key>writable</key>
    <dict>
      <key>_order</key>
      <string>36</string>
    </dict>
  </dict>
  <key>_timeStamp</key>
  <date>2021-08-03T01:21:44Z</date>
  <key>_versionInfo</key>
  <dict>
    <key>com.apple.SystemProfiler.SPFireWireReporter</key>
    <string>4.3.0</string>
  </dict>
</dict>
<dict>
  <key>_SPCommandLineArguments</key>
  <array>
    <string>/usr/sbin/system_profiler</string>
    <string>-nospawn</string>
    <string>-xml</string>
    <string>SPFirewallDataType</string>
    <string>-detailLevel</string>
    <string>full</string>
  </array>
  <key>_SPCompletionInterval</key>
  <real>0.2517620325088501</real>
  <key>_SPResponseTime</key>
  <real>0.33351004123687744</real>
  <key>_dataType</key>
  <string>SPFirewallDataType</string>
  <key>_detailLevel</key>
  <integer>0</integer>
  <key>_items</key>
  <array>
    <dict>
      <key>_name</key>
      <string>spfirewall_settings</string>
      <key>spfirewall_globalstate</key>
      <string>spfirewall_globalstate_block_all</string>
      <key>spfirewall_loggingenabled</key>
      <string>Yes</string>
      <key>spfirewall_stealthenabled</key>
      <string>No</string>
    </dict>
  </array>
  <key>_parentDataType</key>
  <string>SPNetworkDataType</string>
  <key>_properties</key>

```

```

<dict>
  <key>spfirewall_applications</key>
  <dict>
    <key>_order</key>
    <string>30</string>
  </dict>
  <key>spfirewall_globalstate</key>
  <dict>
    <key>_order</key>
    <string>10</string>
  </dict>
  <key>spfirewall_services</key>
  <dict>
    <key>_order</key>
    <string>20</string>
  </dict>
  <key>volumes</key>
  <dict>
    <key>_detailLevel</key>
    <string>0</string>
  </dict>
</dict>
<key>_timeStamp</key>
<date>2021-08-03T01:21:44Z</date>
<key>_versionInfo</key>
<dict>
  <key>com.apple.SystemProfiler.SPFirewallReporter</key>
  <string>915</string>
</dict>
</dict>
<dict>
  <key>_SPCommandLineArguments</key>
  <array>
    <string>/usr/sbin/system_profiler</string>
    <string>-nospawn</string>
    <string>-xml</string>
    <string>SPFontsDataType</string>
    <string>-detailLevel</string>
    <string>full</string>
  </array>
  <key>_SPCompletionInterval</key>
  <real>10.923686981201172</real>
  <key>_SPResponseTime</key>
  <real>11.038416028022766</real>
  <key>_dataType</key>
  <string>SPFontsDataType</string>
  <key>_detailLevel</key>
  <string>1</string>
  <key>_items</key>
  <array>
    <dict>
      <key>_name</key>
      <string>Times New Roman Bold.ttf</string>
      <key>enabled</key>
      <string>yes</string>
      <key>path</key>
      <string>/System/Library/Fonts/Supplemental/Times New
Roman Bold.ttf</string>
      <key>type</key>
      <string>truetype</string>
      <key>typefaces</key>
      <array>
        <dict>
          <key>_name</key>

```

```

        <string>TimesNewRomanPS-BoldMT</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2006 The Monotype Corporation.
All Rights Reserved.</string>
        <key>designer</key>
        <string>Monotype Type Drawing Office -
Stanley Morison, Victor Lardent 1932</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Times New Roman</string>
        <key>fullname</key>
        <string>Times New Roman Bold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Bold</string>
        <key>trademark</key>
        <string>Times New Roman is a trademark of
The Monotype Corporation in the United States and/or other countries.</string>
        <key>unique</key>
        <string>Monotype:Times New Roman
Bold:Version 5.01 (Microsoft)</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>The Monotype Corporation</string>
        <key>version</key>
        <string>Version 5.01.3x</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Apple Braille Pinpoint 8 Dot.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Apple Braille Pinpoint 8
Dot.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>AppleBraille-Pinpoint8Dot</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>© Copyright 2007 by Apple,
Inc.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>

```



```

        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Apple Braille</string>
        <key>fullname</key>
        <string>Apple Braille Pinpoint 8
Dot</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Pinpoint 8 Dot</string>
        <key>unique</key>
        <string>Apple Braille Pinpoint 8 Dot;
13.0d2e27; 2017-06-30</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>13.0d2e27</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>STIXSizFiveSymReg.otf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/STIXSizFiveSymReg.otf</string>
    <key>type</key>
    <string>postscript</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>STIXSizeFiveSym-Regular</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright (c) 2001-2011 by the STI
Pub Companies, consisting of the American Chemical Society, the American
Institute of Physics, the American Mathematical Society, the American Physical
Society, Elsevier, Inc., and The Institute of Electrical and Electronic
Engineers, Inc. Portions copyright (c) 1998-2003 by MicroPress, Inc. Portions
copyright (c) 1990 by Elsevier, Inc. All rights reserved.</string>
            <key>description</key>
            <string>Arie de Ruiter, who in 1995 was Head
of Information Technology Development at Elsevier Science, made a proposal to
the STI Pub group, an informal group of publishers consisting of representatives
from the American Chemical Society (ACS), American Institute of Physics (AIP),
American Mathematical Society (AMS), American Physical Society (APS), Elsevier,
and Institute of Electrical and Electronics Engineers (IEEE). De Ruiter
encouraged the members to consider development of a series of Web fonts, which
he proposed should be called the Scientific and Technical Information eXchange,
or STIX, Fonts. All STI Pub member organizations enthusiastically endorsed this
proposal, and the STI Pub group agreed to embark on what has become a twelve-
year project. The goal of the project was to identify all alphabetic, symbolic,
and other special characters used in any facet of scientific publishing and to
create a set of Unicode-based fonts that would be distributed free to every
scientist, student, and other interested party worldwide. The fonts would be
consistent with the emerging Unicode standard, and would permit universal
representation of every character. With the release of the STIX fonts, de

```

```

Ruiter's vision has been realized.</string>
    <key>designer</key>
    <string>MicroPress Inc., with final
additions and corrections provided by Coen Hoffman, Elsevier (retired)</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>STIXSizeFiveSym</string>
    <key>fullname</key>
    <string>STIXSizeFiveSym-Regular</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>trademark</key>
    <string>STIX Fonts(TM) is a trademark of The
Institute of Electrical and Electronics Engineers, Inc.</string>
    <key>unique</key>
    <string>FontMaster:STIXSizeFiveSym-
Regular:1.1.0</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>Version 1.1.0</string>
    </dict>
  </array>
  <key>valid</key>
  <string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>Georgia Bold.ttf</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/Supplemental/Georgia
Bold.ttf</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>Georgia-Bold</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>© 2006 Microsoft Corporation. All
Rights Reserved.</string>
      <key>designer</key>
      <string>Matthew Carter</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>Georgia</string>
      <key>fullname</key>

```

```

        <string>Georgia Bold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Bold</string>
        <key>trademark</key>
        <string>Georgia is either a registered
trademark or a trademark of Microsoft Corporation in the United States and/or
other countries.</string>
        <key>unique</key>
        <string>Georgia Bold; Version 5.00x-4; 2011-
10-24</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Carter & Cone</string>
        <key>version</key>
        <string>Version 5.00x-4</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Bradley Hand Bold.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Bradley Hand
Bold.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>BradleyHandITCTT-Bold</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright © 1997 International
Typeface Corporation. All rights reserved.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Bradley Hand</string>
            <key>fullname</key>
            <string>Bradley Hand Bold</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Bold</string>
            <key>unique</key>
            <string>Bradley Hand Bold; 14.0d0e1; 2017-
11-14</string>
            <key>valid</key>
            <string>yes</string>
            <key>version</key>
            <string>14.0d0e1</string>

```

```

        </dict>
    </array>
    <key>valid</key>
    <string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>GujaratiMT.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>

<string>/System/Library/Fonts/Supplemental/GujaratiMT.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>GujaratiMT-Bold</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright © Monotype Typography Ltd
1994 . All rights reserved.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Gujarati MT</string>
            <key>fullname</key>
            <string>Gujarati MT Bold</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Bold</string>
            <key>trademark</key>
            <string>Monotype Gujarati is a Trademark of
Monotype Typography Ltd.</string>
            <key>unique</key>
            <string>Gujarati MT Bold; 13.0d1e2; 2017-06-
18</string>

            <key>valid</key>
            <string>yes</string>
            <key>version</key>
            <string>13.0d1e2</string>
        </dict>
    <dict>
        <key>_name</key>
        <string>GujaratiMT</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright © Monotype Typography Ltd
1996 . All rights reserved.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>

```

```

        <key>family</key>
        <string>Gujarati MT</string>
        <key>fullname</key>
        <string>Gujarati MT</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>trademark</key>
        <string>Monotype Gujarati is a Trademark of
Monotype Typography Ltd.</string>
        <key>unique</key>
        <string>Gujarati MT; 13.0d1e2;
2017-06-18</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>13.0d1e2</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Academy Engraved LET Fonts.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Academy
Engraved LET Fonts.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>AcademyEngravedLetPlain</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright © 1990 Esselte Letraset,
Ltd. All rights reserved.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Academy Engraved LET</string>
            <key>fullname</key>
            <string>Academy Engraved LET
Plain:1.0</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Plain</string>
            <key>unique</key>
            <string>Academy Engraved LET Plain:1.0;
16.0d1e1; 2020-08-17</string>
            <key>valid</key>
            <string>yes</string>
            <key>version</key>

```

```
        <string>16.0d1e1</string>
      </dict>
    </array>
    <key>valid</key>
    <string>yes</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>NewYorkItalic.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/NewYorkItalic.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
      <dict>
        <key>_name</key>
        <string>.NewYork-RegularItalic</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Â© 2017-2019 Apple Inc. All rights
reserved.</string>
        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>.New York</string>
        <key>fullname</key>
        <string>.New York Regular Italic</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular Italic</string>
        <key>trademark</key>
        <string>.New York is a trademark of Apple
Inc.</string>
        <key>unique</key>
        <string>.New York Italic; 16.0d2e2; 2020-07-
28</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d2e2</string>
      </dict>
    <dict>
      <key>_name</key>
      <string>.NewYork-MediumItalic</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Â© 2017-2019 Apple Inc. All rights
reserved.</string>
```

```

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.New York</string>
    <key>fullname</key>
    <string>.New York Medium Italic</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Medium Italic</string>
    <key>trademark</key>
    <string>.New York is a trademark of Apple
Inc.</string>

    <key>unique</key>
    <string>.New York Italic; 16.0d2e2; 2020-07-
28</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d2e2</string>
</dict>
<dict>
    <key>_name</key>
    <string>.NewYork-SemiboldItalic</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2017-2019 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.New York</string>
    <key>fullname</key>
    <string>.New York Semibold Italic</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semibold Italic</string>
    <key>trademark</key>
    <string>.New York is a trademark of Apple
Inc.</string>

    <key>unique</key>
    <string>.New York Italic; 16.0d2e2; 2020-07-
28</string>

    <key>valid</key>

```

```

    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d2e2</string>
</dict>
<dict>
  <key>_name</key>
  <string>.NewYork-BoldItalic</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2017-2019 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.New York</string>
  <key>fullname</key>
  <string>.New York Bold Italic</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Bold Italic</string>
  <key>trademark</key>
  <string>.New York is a trademark of Apple
Inc.</string>

  <key>unique</key>
  <string>.New York Italic; 16.0d2e2; 2020-07-
28</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d2e2</string>
</dict>
<dict>
  <key>_name</key>
  <string>.NewYork-HeavyItalic</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2017-2019 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
```



```

        <string>.New York</string>
        <key>fullname</key>
        <string>.New York Heavy Italic</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Heavy Italic</string>
        <key>trademark</key>
        <string>.New York is a trademark of Apple
Inc.</string>
        <key>unique</key>
        <string>.New York Italic; 16.0d2e2; 2020-07-
28</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d2e2</string>
</dict>
<dict>
    <key>_name</key>
    <string>.NewYork-BlackItalic</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2017-2019 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.New York</string>
    <key>fullname</key>
    <string>.New York Black Italic</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Black Italic</string>
    <key>trademark</key>
    <string>.New York is a trademark of Apple
Inc.</string>
    <key>unique</key>
    <string>.New York Italic; 16.0d2e2; 2020-07-
28</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d2e2</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>

```

```

<key>_name</key>
<string>PingFang.ttc</string>
<key>enabled</key>
<string>yes</string>
<key>path</key>
<string>/System/Library/Fonts/PingFang.ttc</string>
<key>type</key>
<string>opentype</string>
<key>typefaces</key>
<array>
  <dict>
    <key>_name</key>
    <string>PingFangSC-Medium</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright © 2015 DynaComware. All
rights reserved.</string>
    <key>description</key>
    <string>Designed by DynaComware &
Apple.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>PingFang SC</string>
    <key>fullname</key>
    <string>PingFang SC Medium</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Medium</string>
    <key>trademark</key>
    <string>PingFang is a trademark of Apple
Inc.</string>
    <key>unique</key>
    <string>PingFang SC Medium; 16.d4e0; 2020-
02-18</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>DynaComware Shanghai Limited;
DynaComware Hong Kong Limited; DynaComware Taiwan Inc.</string>
    <key>version</key>
    <string>16.d4e0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>PingFangTC-Semibold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright © 2015 DynaComware. All
rights reserved.</string>
    <key>description</key>
    <string>Designed by DynaComware &
Apple.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>

```

```

    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>PingFang TC</string>
    <key>fullname</key>
    <string>PingFang TC Semibold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semibold</string>
    <key>trademark</key>
    <string>PingFang is a trademark of Apple
Inc.</string>

    <key>unique</key>
    <string>PingFang TC Semibold; 16.d4e0; 2020-
02-18</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>DynaComware Shanghai Limited;
DynaComware Hong Kong Limited; DynaComware Taiwan Inc.</string>
    <key>version</key>
    <string>16.d4e0</string>
</dict>
<dict>
    <key>_name</key>
    <string>PingFangTC-Thin</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright © 2015 DynaComware. All
rights reserved.</string>

    <key>description</key>
    <string>Designed by DynaComware &
Apple.</string>

    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>PingFang TC</string>
    <key>fullname</key>
    <string>PingFang TC Thin</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Thin</string>
    <key>trademark</key>
    <string>PingFang is a trademark of Apple
Inc.</string>

    <key>unique</key>
    <string>PingFang TC Thin; 16.d4e0; 2020-02-
18</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>DynaComware Shanghai Limited;
DynaComware Hong Kong Limited; DynaComware Taiwan Inc.</string>
    <key>version</key>
    <string>16.d4e0</string>
</dict>
<dict>
```

```
<key>_name</key>
<string>PingFangSC-Ultralight</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright © 2015 DynaComware. All
rights reserved.</string>
<key>description</key>
<string>Designed by DynaComware &
Apple.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>PingFang SC</string>
<key>fullname</key>
<string>PingFang SC Ultralight</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Ultralight</string>
<key>trademark</key>
<string>PingFang is a trademark of Apple
Inc.</string>
<key>unique</key>
<string>PingFang SC Ultralight; 16.d4e0;
2020-02-18</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>DynaComware Shanghai Limited;
DynaComware Hong Kong Limited; DynaComware Taiwan Inc.</string>
<key>version</key>
<string>16.d4e0</string>
</dict>
<dict>
<key>_name</key>
<string>PingFangTC-Light</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright © 2015 DynaComware. All
rights reserved.</string>
<key>description</key>
<string>Designed by DynaComware &
Apple.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>PingFang TC</string>
<key>fullname</key>
<string>PingFang TC Light</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Light</string>
<key>trademark</key>
```

```

Inc.</string>
18</string>
DynaComware Hong Kong Limited; DynaComware Taiwan Inc.</string>
rights reserved.</string>
Apple.</string>
Inc.</string>
18</string>
DynaComware Hong Kong Limited; DynaComware Taiwan Inc.</string>
rights reserved.</string>
Apple.</string>
<string>PingFang is a trademark of Apple
<key>unique</key>
<string>PingFang TC Light; 16.d4e0; 2020-02-
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>DynaComware Shanghai Limited;
DynaComware Hong Kong Limited; DynaComware Taiwan Inc.</string>
<key>version</key>
<string>16.d4e0</string>
</dict>
<dict>
<key>_name</key>
<string>PingFangSC-Thin</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright © 2015 DynaComware. All
rights reserved.</string>
<key>description</key>
<string>Designed by DynaComware &
Apple.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>PingFang SC</string>
<key>fullname</key>
<string>PingFang SC Thin</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Thin</string>
<key>trademark</key>
<string>PingFang is a trademark of Apple
Inc.</string>
<key>unique</key>
<string>PingFang SC Thin; 16.d4e0; 2020-02-
18</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>DynaComware Shanghai Limited;
DynaComware Hong Kong Limited; DynaComware Taiwan Inc.</string>
<key>version</key>
<string>16.d4e0</string>
</dict>
<dict>
<key>_name</key>
<string>PingFangSC-Light</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright © 2015 DynaComware. All
rights reserved.</string>
<key>description</key>
<string>Designed by DynaComware &
Apple.</string>
<key>duplicate</key>

```

```
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>PingFang SC</string>
<key>fullname</key>
<string>PingFang SC Light</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Light</string>
<key>trademark</key>
<string>PingFang is a trademark of Apple
Inc.</string>

<key>unique</key>
<string>PingFang SC Light; 16.d4e0; 2020-02-
18</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>DynaComware Shanghai Limited;
DynaComware Hong Kong Limited; DynaComware Taiwan Inc.</string>
<key>version</key>
<string>16.d4e0</string>
</dict>
<dict>
  <key>_name</key>
  <string>PingFangHK-Light</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright © 2015 DynaComware. All
rights reserved.</string>

  <key>description</key>
  <string>Designed by DynaComware &
Apple.</string>

  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>PingFang HK</string>
  <key>fullname</key>
  <string>PingFang HK Light</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Light</string>
  <key>trademark</key>
  <string>PingFang is a trademark of Apple
Inc.</string>

  <key>unique</key>
  <string>PingFang HK Light; 16.d4e0; 2020-02-
18</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>DynaComware Shanghai Limited;
DynaComware Hong Kong Limited; DynaComware Taiwan Inc.</string>
  <key>version</key>
```

```
<string>16.d4e0</string>
</dict>
<dict>
  <key>_name</key>
  <string>PingFangSC-Regular</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright © 2015 DynaComware. All
rights reserved.</string>
  <key>description</key>
  <string>Designed by DynaComware &
Apple.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>PingFang SC</string>
  <key>fullname</key>
  <string>PingFang SC Regular</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Regular</string>
  <key>trademark</key>
  <string>PingFang is a trademark of Apple
Inc.</string>
  <key>unique</key>
  <string>PingFang SC Regular; 16.d4e0; 2020-
02-18</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>DynaComware Shanghai Limited;
DynaComware Hong Kong Limited; DynaComware Taiwan Inc.</string>
  <key>version</key>
  <string>16.d4e0</string>
</dict>
<dict>
  <key>_name</key>
  <string>PingFangHK-Thin</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright © 2015 DynaComware. All
rights reserved.</string>
  <key>description</key>
  <string>Designed by DynaComware &
Apple.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>PingFang HK</string>
  <key>fullname</key>
  <string>PingFang HK Thin</string>
  <key>outline</key>
  <string>yes</string>
```

```

        <key>style</key>
        <string>Thin</string>
        <key>trademark</key>
        <string>PingFang is a trademark of Apple
Inc.</string>
        <key>unique</key>
        <string>PingFang HK Thin; 16.d4e0; 2020-02-
18</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>DynaComware Shanghai Limited;
DynaComware Hong Kong Limited; DynaComware Taiwan Inc.</string>
        <key>version</key>
        <string>16.d4e0</string>
</dict>
<dict>
    <key>_name</key>
    <string>PingFangTC-Regular</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright © 2015 DynaComware. All
rights reserved.</string>
    <key>description</key>
    <string>Designed by DynaComware &
Apple.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>PingFang TC</string>
    <key>fullname</key>
    <string>PingFang TC Regular</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>trademark</key>
    <string>PingFang is a trademark of Apple
Inc.</string>
    <key>unique</key>
    <string>PingFang TC Regular; 16.d4e0; 2020-
02-18</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>DynaComware Shanghai Limited;
DynaComware Hong Kong Limited; DynaComware Taiwan Inc.</string>
    <key>version</key>
    <string>16.d4e0</string>
</dict>
<dict>
    <key>_name</key>
    <string>PingFangTC-Medium</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright © 2015 DynaComware. All
rights reserved.</string>
    <key>description</key>

```



```

    <string>Designed by DynaComware &
Apple.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>PingFang TC</string>
    <key>fullname</key>
    <string>PingFang TC Medium</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Medium</string>
    <key>trademark</key>
    <string>PingFang is a trademark of Apple
Inc.</string>
    <key>unique</key>
    <string>PingFang TC Medium; 16.d4e0; 2020-
02-18</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>DynaComware Shanghai Limited;
DynaComware Hong Kong Limited; DynaComware Taiwan Inc.</string>
    <key>version</key>
    <string>16.d4e0</string>
</dict>
<dict>
    <key>_name</key>
    <string>PingFangHK-Ultralight</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright © 2015 DynaComware. All
rights reserved.</string>
    <key>description</key>
    <string>Designed by DynaComware &
Apple.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>PingFang HK</string>
    <key>fullname</key>
    <string>PingFang HK Ultralight</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Ultralight</string>
    <key>trademark</key>
    <string>PingFang is a trademark of Apple
Inc.</string>
    <key>unique</key>
    <string>PingFang HK Ultralight; 16.d4e0;
2020-02-18</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>

```

```
    <string>DynaComware Shanghai Limited;
DynaComware Hong Kong Limited; DynaComware Taiwan Inc.</string>
    <key>version</key>
    <string>16.d4e0</string>
</dict>
<dict>
    <key>_name</key>
    <string>PingFangHK-Semibold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright © 2015 DynaComware. All
rights reserved.</string>
    <key>description</key>
    <string>Designed by DynaComware &
Apple.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>PingFang HK</string>
    <key>fullname</key>
    <string>PingFang HK Semibold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semibold</string>
    <key>trademark</key>
    <string>PingFang is a trademark of Apple
Inc.</string>
    <key>unique</key>
    <string>PingFang HK Semibold; 16.d4e0; 2020-
02-18</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>DynaComware Shanghai Limited;
DynaComware Hong Kong Limited; DynaComware Taiwan Inc.</string>
    <key>version</key>
    <string>16.d4e0</string>
</dict>
<dict>
    <key>_name</key>
    <string>PingFangHK-Regular</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright © 2015 DynaComware. All
rights reserved.</string>
    <key>description</key>
    <string>Designed by DynaComware &
Apple.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>PingFang HK</string>
    <key>fullname</key>
```

```

        <string>PingFang HK Regular</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>trademark</key>
        <string>PingFang is a trademark of Apple
Inc.</string>
        <key>unique</key>
        <string>PingFang HK Regular; 16.d4e0; 2020-
02-18</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>DynaComware Shanghai Limited;
DynaComware Hong Kong Limited; DynaComware Taiwan Inc.</string>
        <key>version</key>
        <string>16.d4e0</string>
</dict>
<dict>
    <key>_name</key>
    <string>PingFangHK-Medium</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright © 2015 DynaComware. All
rights reserved.</string>
    <key>description</key>
    <string>Designed by DynaComware &
Apple.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>PingFang HK</string>
    <key>fullname</key>
    <string>PingFang HK Medium</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Medium</string>
    <key>trademark</key>
    <string>PingFang is a trademark of Apple
Inc.</string>
    <key>unique</key>
    <string>PingFang HK Medium; 16.d4e0; 2020-
02-18</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>DynaComware Shanghai Limited;
DynaComware Hong Kong Limited; DynaComware Taiwan Inc.</string>
    <key>version</key>
    <string>16.d4e0</string>
</dict>
<dict>
    <key>_name</key>
    <string>PingFangTC-Ultralight</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>

```

```
rights reserved.</string>
Apple.</string>
Inc.</string>
2020-02-18</string>
DynaComware Hong Kong Limited; DynaComware Taiwan Inc.</string>
rights reserved.</string>
Apple.</string>
Inc.</string>
02-18</string>
<string>Copyright Â© 2015 DynaComware. All
<key>description</key>
<string>Designed by DynaComware &
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>PingFang TC</string>
<key>fullname</key>
<string>PingFang TC Ultralight</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Ultralight</string>
<key>trademark</key>
<string>PingFang is a trademark of Apple
<key>unique</key>
<string>PingFang TC Ultralight; 16.d4e0;
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>DynaComware Shanghai Limited;
DynaComware Hong Kong Limited; DynaComware Taiwan Inc.</string>
<key>version</key>
<string>16.d4e0</string>
</dict>
<dict>
<key>_name</key>
<string>PingFangSC-Semibold</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright Â© 2015 DynaComware. All
rights reserved.</string>
Apple.</string>
<key>description</key>
<string>Designed by DynaComware &
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>PingFang SC</string>
<key>fullname</key>
<string>PingFang SC Semibold</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Semibold</string>
<key>trademark</key>
<string>PingFang is a trademark of Apple
<key>unique</key>
<string>PingFang SC Semibold; 16.d4e0; 2020-
```

```
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>DynaComware Shanghai Limited;
DynaComware Hong Kong Limited; DynaComware Taiwan Inc.</string>
    <key>version</key>
    <string>16.d4e0</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>.PingFangHK-Regular</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright © 2015 Apple Inc. All
rights reserved.</string>
```

```

  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.PingFang HK</string>
  <key>fullname</key>
  <string>.PingFang HK Regular</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Regular</string>
  <key>unique</key>
  <string>.PingFang HK Regular; 16.d4e0; 2020-
02-18</string>
```

```

  <key>valid</key>
  <string>yes</string>
  <key>version</key>
  <string>16.d4e0</string>
</dict>
<dict>
  <key>_name</key>
  <string>.PingFangHK-Medium</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright © 2015 Apple Inc. All
rights reserved.</string>
```

```

  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.PingFang HK</string>
  <key>fullname</key>
  <string>.PingFang HK Medium</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Medium</string>
  <key>unique</key>
  <string>.PingFang HK Medium; 16.d4e0; 2020-
02-18</string>
```

```
  <key>valid</key>
```

```
<string>yes</string>
<key>version</key>
<string>16.d4e0</string>
</dict>
<dict>
  <key>_name</key>
  <string>.PingFangHK-Light</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright © 2015 Apple Inc. All
rights reserved.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.PingFang HK</string>
  <key>fullname</key>
  <string>.PingFang HK Light</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Light</string>
  <key>unique</key>
  <string>.PingFang HK Light; 16.d4e0; 2020-
02-18</string>
  <key>valid</key>
  <string>yes</string>
  <key>version</key>
  <string>16.d4e0</string>
</dict>
<dict>
  <key>_name</key>
  <string>.PingFangHK-Thin</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright © 2015 Apple Inc. All
rights reserved.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.PingFang HK</string>
  <key>fullname</key>
  <string>.PingFang HK Thin</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Thin</string>
  <key>unique</key>
  <string>.PingFang HK Thin; 16.d4e0; 2020-02-
18</string>
  <key>valid</key>
  <string>yes</string>
  <key>version</key>
  <string>16.d4e0</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>.PingFangHK-Ultralight</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright © 2015 Apple Inc. All
rights reserved.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.PingFang HK</string>
  <key>fullname</key>
  <string>.PingFang HK Ultralight</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Ultralight</string>
  <key>unique</key>
  <string>.PingFang HK Ultralight; 16.d4e0;
2020-02-18</string>
  <key>valid</key>
  <string>yes</string>
  <key>version</key>
  <string>16.d4e0</string>
</dict>
<dict>
  <key>_name</key>
  <string>.PingFangHK-Semibold</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright © 2015 Apple Inc. All
rights reserved.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.PingFang HK</string>
  <key>fullname</key>
  <string>.PingFang HK Semibold</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Semibold</string>
  <key>unique</key>
  <string>.PingFang HK Semibold; 16.d4e0;
2020-02-18</string>
  <key>valid</key>
  <string>yes</string>
  <key>version</key>
  <string>16.d4e0</string>
</dict>
<dict>
  <key>_name</key>
  <string>.PingFangSC-Regular</string>
  <key>copy_protected</key>
```

```
<string>no</string>
<key>copyright</key>
rights reserved.</string> <string>Copyright © 2015 Apple Inc. All

<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.PingFang SC</string>
<key>fullname</key>
<string>.PingFang SC Regular</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular</string>
<key>unique</key>
02-18</string> <string>.PingFang SC Regular; 16.d4e0; 2020-

<key>valid</key>
<string>yes</string>
<key>version</key>
<string>16.d4e0</string>
</dict>
<dict>
  <key>_name</key>
  <string>.PingFangSC-Medium</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright © 2015 Apple Inc. All
rights reserved.</string>

  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.PingFang SC</string>
  <key>fullname</key>
  <string>.PingFang SC Medium</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Medium</string>
  <key>unique</key>
  <string>.PingFang SC Medium; 16.d4e0; 2020-
02-18</string>

  <key>valid</key>
  <string>yes</string>
  <key>version</key>
  <string>16.d4e0</string>
</dict>
<dict>
  <key>_name</key>
  <string>.PingFangSC-Light</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright © 2015 Apple Inc. All
rights reserved.</string>
```



```
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.PingFang SC</string>
<key>fullname</key>
<string>.PingFang SC Light</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Light</string>
<key>unique</key>
<string>.PingFang SC Light; 16.d4e0; 2020-
02-18</string>

<key>valid</key>
<string>yes</string>
<key>version</key>
<string>16.d4e0</string>
</dict>
<dict>
  <key>_name</key>
  <string>.PingFangSC-Thin</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright © 2015 Apple Inc. All
rights reserved.</string>

  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.PingFang SC</string>
  <key>fullname</key>
  <string>.PingFang SC Thin</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Thin</string>
  <key>unique</key>
  <string>.PingFang SC Thin; 16.d4e0; 2020-02-
18</string>

  <key>valid</key>
  <string>yes</string>
  <key>version</key>
  <string>16.d4e0</string>
</dict>
<dict>
  <key>_name</key>
  <string>.PingFangSC-Ultralight</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright © 2015 Apple Inc. All
rights reserved.</string>

  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
```

```
2020-02-18</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.PingFang SC</string>
    <key>fullname</key>
    <string>.PingFang SC Ultralight</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Ultralight</string>
    <key>unique</key>
    <string>.PingFang SC Ultralight; 16.d4e0;
```

```

    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>16.d4e0</string>
</dict>
```

```
<dict>
    <key>_name</key>
    <string>.PingFangSC-Semibold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright © 2015 Apple Inc. All
rights reserved.</string>
```

```

    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.PingFang SC</string>
    <key>fullname</key>
    <string>.PingFang SC Semibold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semibold</string>
    <key>unique</key>
    <string>.PingFang SC Semibold; 16.d4e0;
```

```
2020-02-18</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>16.d4e0</string>
```

```
</dict>
<dict>
    <key>_name</key>
    <string>.PingFangTC-Regular</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright © 2015 Apple Inc. All
rights reserved.</string>
```

```

    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.PingFang TC</string>
```

```
<key>fullname</key>
<string>.PingFang TC Regular</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular</string>
<key>unique</key>
<string>.PingFang TC Regular; 16.d4e0; 2020-
02-18</string>

<key>valid</key>
<string>yes</string>
<key>version</key>
<string>16.d4e0</string>
</dict>
<dict>
  <key>_name</key>
  <string>.PingFangTC-Medium</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright © 2015 Apple Inc. All
rights reserved.</string>

  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.PingFang TC</string>
  <key>fullname</key>
  <string>.PingFang TC Medium</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Medium</string>
  <key>unique</key>
  <string>.PingFang TC Medium; 16.d4e0; 2020-
02-18</string>

  <key>valid</key>
  <string>yes</string>
  <key>version</key>
  <string>16.d4e0</string>
</dict>
<dict>
  <key>_name</key>
  <string>.PingFangTC-Light</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright © 2015 Apple Inc. All
rights reserved.</string>

  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.PingFang TC</string>
  <key>fullname</key>
  <string>.PingFang TC Light</string>
  <key>outline</key>
  <string>yes</string>
```

```
02-18</string>
    <key>style</key>
    <string>Light</string>
    <key>unique</key>
    <string>.PingFang TC Light; 16.d4e0; 2020-
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>16.d4e0</string>
</dict>
<dict>
    <key>_name</key>
    <string>.PingFangTC-Thin</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright © 2015 Apple Inc. All
rights reserved.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.PingFang TC</string>
    <key>fullname</key>
    <string>.PingFang TC Thin</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Thin</string>
    <key>unique</key>
    <string>.PingFang TC Thin; 16.d4e0; 2020-02-
18</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>16.d4e0</string>
</dict>
<dict>
    <key>_name</key>
    <string>.PingFangTC-Ultralight</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright © 2015 Apple Inc. All
rights reserved.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.PingFang TC</string>
    <key>fullname</key>
    <string>.PingFang TC Ultralight</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Ultralight</string>
    <key>unique</key>
    <string>.PingFang TC Ultralight; 16.d4e0;
```

2020-02-18</string>

<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>16.d4e0</string>

</dict>

<dict>

<key>\_name</key>  
<string>.PingFangTC-Semibold</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Copyright © 2015 Apple Inc. All

rights reserved.</string>

<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>.PingFang TC</string>  
<key>fullname</key>  
<string>.PingFang TC Semibold</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Semibold</string>  
<key>unique</key>  
<string>.PingFang TC Semibold; 16.d4e0;

2020-02-18</string>

<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>16.d4e0</string>

</dict>

</array>

<key>valid</key>

<string>yes</string>

</dict>

<dict>

<key>\_name</key>  
<string>Brush Script.ttf</string>  
<key>enabled</key>  
<string>yes</string>  
<key>path</key>  
<string>/System/Library/Fonts/Supplemental/Brush

Script.ttf</string>

<key>type</key>  
<string>truetype</string>  
<key>typefaces</key>  
<array>

<dict>

<key>\_name</key>  
<string>BrushScriptMT</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Copyright © 1993 , Monotype

Typography ltd.</string>

<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>

```

        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Brush Script MT</string>
        <key>fullname</key>
        <string>Brush Script MT Italic</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Italic</string>
        <key>trademark</key>
        <string>Brush Script is a Trademark of
Monotype Typography Ltd.</string>
        <key>unique</key>
        <string>Brush Script MT Italic; 8.0d1e1;
2011-11-13</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>Version 1.52x-1</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>STIXIntUpDReg.otf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/STIXIntUpDReg.otf</string>
    <key>type</key>
    <string>postscript</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>STIXIntegralsUpD-Regular</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright (c) 2001-2011 by the STI
Pub Companies, consisting of the American Chemical Society, the American
Institute of Physics, the American Mathematical Society, the American Physical
Society, Elsevier, Inc., and The Institute of Electrical and Electronic
Engineers, Inc. Portions copyright (c) 1998-2003 by MicroPress, Inc. Portions
copyright (c) 1990 by Elsevier, Inc. All rights reserved.</string>
            <key>description</key>
            <string>Arie de Ruiter, who in 1995 was Head
of Information Technology Development at Elsevier Science, made a proposal to
the STI Pub group, an informal group of publishers consisting of representatives
from the American Chemical Society (ACS), American Institute of Physics (AIP),
American Mathematical Society (AMS), American Physical Society (APS), Elsevier,
and Institute of Electrical and Electronics Engineers (IEEE). De Ruiter
encouraged the members to consider development of a series of Web fonts, which
he proposed should be called the Scientific and Technical Information eXchange,
or STIX, Fonts. All STI Pub member organizations enthusiastically endorsed this
proposal, and the STI Pub group agreed to embark on what has become a twelve-
year project. The goal of the project was to identify all alphabetic, symbolic,
and other special characters used in any facet of scientific publishing and to
create a set of Unicode-based fonts that would be distributed free to every
scientist, student, and other interested party worldwide. The fonts would be

```

consistent with the emerging Unicode standard, and would permit universal representation of every character. With the release of the STIX fonts, de Ruiter's vision has been realized.</string>

<key>designer</key>  
<string>MicroPress Inc., with final additions and corrections provided by Coen Hoffman, Elsevier (retired)</string>

<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>

<key>family</key>  
<string>STIXIntegralsUpD</string>  
<key>fullname</key>  
<string>STIXIntegralsUpD-Regular</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Regular</string>  
<key>trademark</key>

<string>STIX Fonts(TM) is a trademark of The Institute of Electrical and Electronics Engineers, Inc.</string>

<key>unique</key>  
<string>FontMaster:STIXIntegralsUpD-  
Regular:1.1.0</string>

<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>Version 1.1.0</string>

</dict>

</array>

<key>valid</key>

<string>yes</string>

</dict>

<dict>

<key>\_name</key>

<string>STIXSizThreeSymReg.otf</string>

<key>enabled</key>

<string>yes</string>

<key>path</key>

<string>/System/Library/Fonts/Supplemental/STIXSizThreeSymReg.otf</string>

<key>type</key>

<string>postscript</string>

<key>typefaces</key>

<array>

<dict>

<key>\_name</key>

<string>STIXSizeThreeSym-Regular</string>

<key>copy\_protected</key>

<string>no</string>

<key>copyright</key>

<string>Copyright (c) 2001-2011 by the STI

Pub Companies, consisting of the American Chemical Society, the American Institute of Physics, the American Mathematical Society, the American Physical Society, Elsevier, Inc., and The Institute of Electrical and Electronic Engineers, Inc. Portions copyright (c) 1998-2003 by MicroPress, Inc. Portions copyright (c) 1990 by Elsevier, Inc. All rights reserved.</string>

<key>description</key>

<string>Arie de Ruiter, who in 1995 was Head of Information Technology Development at Elsevier Science, made a proposal to the STI Pub group, an informal group of publishers consisting of representatives from the American Chemical Society (ACS), American Institute of Physics (AIP),

American Mathematical Society (AMS), American Physical Society (APS), Elsevier, and Institute of Electrical and Electronics Engineers (IEEE). De Ruiter encouraged the members to consider development of a series of Web fonts, which he proposed should be called the Scientific and Technical Information eXchange, or STIX, Fonts. All STI Pub member organizations enthusiastically endorsed this proposal, and the STI Pub group agreed to embark on what has become a twelve-year project. The goal of the project was to identify all alphabetic, symbolic, and other special characters used in any facet of scientific publishing and to create a set of Unicode-based fonts that would be distributed free to every scientist, student, and other interested party worldwide. The fonts would be consistent with the emerging Unicode standard, and would permit universal representation of every character. With the release of the STIX fonts, de Ruiter's vision has been realized.</string>

```
<key>designer</key>
<string>MicroPress Inc., with final
additions and corrections provided by Coen Hoffman, Elsevier (retired)</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>STIXSizeThreeSym</string>
<key>fullname</key>
<string>STIXSizeThreeSym-Regular</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular</string>
<key>trademark</key>
<string>STIX Fonts(TM) is a trademark of The
Institute of Electrical and Electronics Engineers, Inc.</string>
<key>unique</key>
<string>FontMaster:STIXSizeThreeSym-
Regular:1.1.0</string>
<key>valid</key>
<string>yes</string>
<key>version</key>
<string>Version 1.1.0</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
<key>_name</key>
<string>AquaKana.ttc</string>
<key>enabled</key>
<string>yes</string>
<key>path</key>
<string>/System/Library/Fonts/AquaKana.ttc</string>
<key>type</key>
<string>truetype</string>
<key>typefaces</key>
<array>
<dict>
<key>_name</key>
<string>AquaKana</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright © 2001-2011 Apple Inc.
All rights reserved.</string>
```



```
<key>designer</key>
<string>JIYU-KOBO Ltd.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.Aqua Kana</string>
<key>fullname</key>
<string>.Aqua Kana</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular</string>
<key>trademark</key>
<string>Aqua Kana is a trademark of Apple
Inc.</string>

<key>unique</key>
<string>.Aqua Kana; 13.0d1e4;
2017-06-02</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>DAINIPPON SCREEN MFG. CO.,
LTD.</string>

<key>version</key>
<string>13.0d1e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>AquaKana-Bold</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright © 2001-2011 Apple Inc.
All rights reserved.</string>

  <key>designer</key>
  <string>JIYU-KOBO Ltd.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.Aqua Kana</string>
  <key>fullname</key>
  <string>.Aqua Kana Bold</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Bold</string>
  <key>trademark</key>
  <string>Aqua Kana is a trademark of Apple
Computer, Inc.</string>

  <key>unique</key>
  <string>.Aqua Kana Bold; 13.0d1e4; 2017-06-
02</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>DAINIPPON SCREEN MFG. CO.,
```

LTD.</string>

```
        <key>version</key>
        <string>13.0d1e4</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Optima.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Optima.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>Optima-Italic</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright (c) 1981, 1982, 1983, 1989
```

and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberger Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberger Druckmaschinen AG.

Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.</string>

```
        <key>description</key>
        <string>The digitally encoded machine
readable software for producing the Typefaces licensed to you is copyrighted (c)
2000, Linotype Library GmbH or its affiliated Linotype-Hell companies. All
rights reserved. This software is now the property of Heidelberger
Druckmaschinen AG and its licensors and may not be reproduced, used, displayed,
modified, disclosed or transferred without the express written approval of
Heidelberger Druckmaschinen AG.</string>
```

```
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Optima</string>
        <key>fullname</key>
        <string>Optima Italic</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Italic</string>
        <key>trademark</key>
        <string>Optima is a trademark of
Heidelberger Druckmaschinen AG, which may be registered in certain
jurisdictions, exclusivly licensed through Linotype Library GmbH, a wholly owned
subsidiary of Heidelberger Druckmaschinen AG.</string>
```

15</string> <key>unique</key>  
<string>Optima Italic; 13.0d1e2; 2017-06-

<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>13.0d1e2</string>

</dict>

<dict>

<key>\_name</key>  
<string>Optima-ExtraBlack</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Copyright (c) 1981, 1982, 1983, 1989

and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberger Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberger Druckmaschinen AG.

Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.</string>

<key>description</key>

<string>The digitally encoded machine readable software for producing the Typefaces licensed to you is copyrighted (c) 2000, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved. This software is now the property of Heidelberger Druckmaschinen AG and its licensors and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberger Druckmaschinen AG.</string>

<key>duplicate</key>

<string>no</string>

<key>embeddable</key>

<string>yes</string>

<key>enabled</key>

<string>yes</string>

<key>family</key>

<string>Optima</string>

<key>fullname</key>

<string>Optima ExtraBlack</string>

<key>outline</key>

<string>yes</string>

<key>style</key>

<string>ExtraBlack</string>

<key>trademark</key>

<string>Optima is a trademark of Heidelberger Druckmaschinen AG, which may be registered in certain jurisdictions, exclusivly licensed through Linotype Library GmbH, a wholly owned subsidiary of Heidelberger Druckmaschinen AG.</string>

<key>unique</key>

06-15</string> <string>Optima ExtraBlack; 13.0d1e2; 2017-

<key>valid</key>

<string>yes</string>

<key>version</key>

<string>13.0d1e2</string>

</dict>

<dict>

<key>\_name</key>

<string>Optima-Regular</string>

<key>copy\_protected</key>

<string>no</string>

<key>copyright</key>

<string>Copyright (c) 1981, 1982, 1983, 1989

and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberger Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberger Druckmaschinen AG.

Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.</string>

<key>description</key>

<string>The digitally encoded machine

readable software for producing the Typefaces licensed to you is copyrighted (c) 2000, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved. This software is now the property of Heidelberger Druckmaschinen AG and its licensors and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberger Druckmaschinen AG.</string>

<key>duplicate</key>

<string>no</string>

<key>embeddable</key>

<string>yes</string>

<key>enabled</key>

<string>yes</string>

<key>family</key>

<string>Optima</string>

<key>fullname</key>

<string>Optima Regular</string>

<key>outline</key>

<string>yes</string>

<key>style</key>

<string>Regular</string>

<key>trademark</key>

<string>Optima is a trademark of

Heidelberger Druckmaschinen AG, which may be registered in certain jurisdictions, exclusively licensed through Linotype Library GmbH, a wholly owned subsidiary of Heidelberger Druckmaschinen AG.</string>

<key>unique</key>

<string>Optima Regular; 13.0d1e2; 2017-06-

15</string>

<key>valid</key>

<string>yes</string>

<key>version</key>

<string>13.0d1e2</string>

</dict>

<dict>

<key>\_name</key>

<string>Optima-Bold</string>

<key>copy\_protected</key>

<string>no</string>

<key>copyright</key>

<string>Copyright (c) 1981, 1982, 1983, 1989

and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberger Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberger Druckmaschinen

AG.

Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.</string>

<key>description</key>  
<string>The digitally encoded machine readable software for producing the Typefaces licensed to you is copyrighted (c) 2000, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved. This software is now the property of Heidelberger Druckmaschinen AG and its licensors and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberger Druckmaschinen AG.</string>

<key>duplicate</key>

<string>no</string>

<key>embeddable</key>

<string>yes</string>

<key>enabled</key>

<string>yes</string>

<key>family</key>

<string>Optima</string>

<key>fullname</key>

<string>Optima Bold</string>

<key>outline</key>

<string>yes</string>

<key>style</key>

<string>Bold</string>

<key>trademark</key>

<string>Optima is a trademark of

Heidelberger Druckmaschinen AG, which may be registered in certain jurisdictions, exclusively licensed through Linotype Library GmbH, a wholly owned subsidiary of Heidelberger Druckmaschinen AG.</string>

<key>unique</key>

<string>Optima Bold; 13.0d1e2;

2017-06-15</string>

<key>valid</key>

<string>yes</string>

<key>version</key>

<string>13.0d1e2</string>

</dict>

<dict>

<key>\_name</key>

<string>Optima-BoldItalic</string>

<key>copy\_protected</key>

<string>no</string>

<key>copyright</key>

<string>Copyright (c) 1981, 1982, 1983, 1989

and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberger Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberger Druckmaschinen AG.

Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.</string>

<key>description</key>

<string>The digitally encoded machine

readable software for producing the Typefaces licensed to you is copyrighted (c) 2000, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved. This software is now the property of Heidelberger Druckmaschinen AG and its licensors and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of

```

Heidelberger Druckmaschinen AG.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Optima</string>
    <key>fullname</key>
    <string>Optima Bold Italic</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold Italic</string>
    <key>trademark</key>
    <string>Optima is a trademark of
Heidelberger Druckmaschinen AG, which may be registered in certain
jurisdictions, exclusivly licensed through Linotype Library GmbH, a wholly owned
subsidiary of Heidelberger Druckmaschinen AG.</string>
    <key>unique</key>
    <string>Optima Bold Italic; 13.0d1e2; 2017-
06-15</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0d1e2</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>ãf'ãf@ã,ã,™ãfŽæ~Žææ ProN.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/ãf'ãf@ã,ã,™ãfŽæ~Žæææ
ProN.ttc</string>
    <key>type</key>
    <string>opentype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>HiraMinProN-W3</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>ver8.21, Copyright (c) 1993-2013
Dainippon Screen Mfg. Co., Ltd. All Rights Reserved.</string>
            <key>designer</key>
            <string>JIYUKOBO Ltd.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Hiragino Mincho ProN</string>
            <key>fullname</key>
            <string>Hiragino Mincho ProN W3</string>

```

```
Screen Mfg. Co., Ltd.</string>
2019-06-03</string>
Ltd.</string>
Dainippon Screen Mfg. Co., Ltd. All Rights Reserved.</string>
Screen Mfg. Co., Ltd.</string>
2019-06-03</string>
Ltd.</string>

<key>outline</key>
<string>yes</string>
<key>style</key>
<string>W3</string>
<key>trademark</key>
<string>Hiragino is a trademark of Dainippon

<key>unique</key>
<string>Hiragino Mincho ProN W3; 15.0d1e2;

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Dainippon Screen Mfg. Co.,

<key>version</key>
<string>15.0d1e2</string>
</dict>
<dict>
  <key>_name</key>
  <string>HiraMinProN-W6</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>ver8.20, Copyright (c) 1993-2013
Dainippon Screen Mfg. Co., Ltd. All Rights Reserved.</string>
  <key>designer</key>
  <string>JIYUKOBO Ltd.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Hiragino Mincho ProN</string>
  <key>fullname</key>
  <string>Hiragino Mincho ProN W6</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>W6</string>
  <key>trademark</key>
  <string>Hiragino is a trademark of Dainippon

  <key>unique</key>
  <string>Hiragino Mincho ProN W6; 15.0d1e2;

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Dainippon Screen Mfg. Co.,

  <key>version</key>
  <string>15.0d1e2</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>Arial Rounded Bold.ttf</string>
  <key>enabled</key>
```

```

        <string>yes</string>
        <key>path</key>
        <string>/System/Library/Fonts/Supplemental/Arial Rounded
Bold.ttf</string>
        <key>type</key>
        <string>truetype</string>
        <key>typefaces</key>
        <array>
            <dict>
                <key>_name</key>
                <string>ArialRoundedMTBold</string>
                <key>copy_protected</key>
                <string>no</string>
                <key>copyright</key>
                <string>Copyright © 1993 , Monotype
Typography ltd.</string>
                <key>duplicate</key>
                <string>no</string>
                <key>embeddable</key>
                <string>yes</string>
                <key>enabled</key>
                <string>yes</string>
                <key>family</key>
                <string>Arial Rounded MT Bold</string>
                <key>fullname</key>
                <string>Arial Rounded MT Bold</string>
                <key>outline</key>
                <string>yes</string>
                <key>style</key>
                <string>Regular</string>
                <key>trademark</key>
                <string>Arial ® Trademark of Monotype
Typography ltd registered in the US Pat & TM.and elsewhere.</string>
                <key>unique</key>
                <string>Arial Rounded MT Bold</string>
                <key>valid</key>
                <string>yes</string>
                <key>version</key>
                <string>Version 1.51x</string>
            </dict>
        </array>
        <key>valid</key>
        <string>yes</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleMyungjo.ttf</string>
        <key>enabled</key>
        <string>yes</string>
        <key>path</key>
        <string>/System/Library/Fonts/Supplemental/AppleMyungjo.ttf</string>
        <key>type</key>
        <string>truetype</string>
        <key>typefaces</key>
        <array>
            <dict>
                <key>_name</key>
                <string>AppleMyungjo</string>
                <key>copy_protected</key>
                <string>no</string>
                <key>copyright</key>
                <string>Copyright (c) 1994-2007 Apple, Inc.
All rights reserved.</string>

```



```

    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>AppleMyungjo</string>
    <key>fullname</key>
    <string>AppleMyungjo Regular</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>trademark</key>
    <string>AppleMyungjo is a trademark of Apple
Computer, Inc.</string>

    <key>unique</key>
    <string>AppleMyungjo Regular; 13.0d1e6;
2017-06-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0d1e6</string>
  </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>NewYork.ttf</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/NewYork.ttf</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>.NewYork-Regular</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Â© 2017-2019 Apple Inc. All rights
reserved.</string>

      <key>description</key>
      <string>Apple Inc.</string>
      <key>designer</key>
      <string>Apple Inc.</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>.New York</string>
      <key>fullname</key>
      <string>.New York Regular</string>
      <key>outline</key>
      <string>yes</string>

```

```

    <key>style</key>
    <string>Regular</string>
    <key>trademark</key>
    <string>.New York is a trademark of Apple
Inc.</string>

    <key>unique</key>
    <string>.New York; 16.0d2e2;
2020-07-28</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d2e2</string>
</dict>
<dict>
    <key>_name</key>
    <string>.NewYork-Medium</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2017-2019 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.New York</string>
    <key>fullname</key>
    <string>.New York Medium</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Medium</string>
    <key>trademark</key>
    <string>.New York is a trademark of Apple
Inc.</string>

    <key>unique</key>
    <string>.New York; 16.0d2e2;
2020-07-28</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d2e2</string>
</dict>
<dict>
    <key>_name</key>
    <string>.NewYork-Semibold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2017-2019 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>

```

```
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.New York</string>
<key>fullname</key>
<string>.New York Semibold</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Semibold</string>
<key>trademark</key>
<string>.New York is a trademark of Apple
Inc.</string>

<key>unique</key>
<string>.New York; 16.0d2e2;
2020-07-28</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d2e2</string>
</dict>
<dict>
  <key>_name</key>
  <string>.NewYork-Bold</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2017-2019 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.New York</string>
  <key>fullname</key>
  <string>.New York Bold</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Bold</string>
  <key>trademark</key>
  <string>.New York is a trademark of Apple
Inc.</string>

  <key>unique</key>
  <string>.New York; 16.0d2e2;
2020-07-28</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
```

```

    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d2e2</string>
</dict>
<dict>
  <key>_name</key>
  <string>.NewYork-Heavy</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2017-2019 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.New York</string>
  <key>fullname</key>
  <string>.New York Heavy</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Heavy</string>
  <key>trademark</key>
  <string>.New York is a trademark of Apple
Inc.</string>

  <key>unique</key>
  <string>.New York; 16.0d2e2;
2020-07-28</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d2e2</string>
</dict>
<dict>
  <key>_name</key>
  <string>.NewYork-Black</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2017-2019 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.New York</string>
  <key>fullname</key>
```

```

        <string>.New York Black</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Black</string>
        <key>trademark</key>
        <string>.New York is a trademark of Apple
Inc.</string>
        <key>unique</key>
        <string>.New York; 16.0d2e2;
2020-07-28</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d2e2</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Al Nile.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Al
Nile.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>AlNile</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>© 1993 Diwan Science and
information Technology. All rights reserved.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Al Nile</string>
            <key>fullname</key>
            <string>Al Nile</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Regular</string>
            <key>unique</key>
            <string>Al Nile; 13.0d2e2;
2017-06-27</string>
            <key>valid</key>
            <string>yes</string>
            <key>version</key>
            <string>13.0d2e2</string>
        </dict>
    </array>
</dict>

```

```
<dict>
  <key>_name</key>
  <string>AlNile-Bold</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 1993 Diwan Science and
information Technology. All rights reserved.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Al Nile</string>
  <key>fullname</key>
  <string>Al Nile Bold</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Bold</string>
  <key>unique</key>
  <string>Al Nile Bold; 13.0d2e2; 2017-06-
27</string>

  <key>valid</key>
  <string>yes</string>
  <key>version</key>
  <string>13.0d2e2</string>
</dict>
<dict>
  <key>_name</key>
  <string>.AlNilePUA</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 1993 Diwan Science and
information Technology. All rights reserved.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.Al Nile PUA</string>
  <key>fullname</key>
  <string>.Al Nile PUA</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Regular</string>
  <key>unique</key>
  <string>.Al Nile PUA; 13.0d2e2; 2017-06-
27</string>

  <key>valid</key>
  <string>yes</string>
  <key>version</key>
  <string>13.0d2e2</string>
</dict>
<dict>
  <key>_name</key>
  <string>.AlNilePUA-Bold</string>
  <key>copy_protected</key>
```

```

        <string>no</string>
        <key>copyright</key>
        <string>Â© 1993 Diwan Science and
information Technology. All rights reserved.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>.Al Nile PUA</string>
        <key>fullname</key>
        <string>.Al Nile PUA Bold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Bold</string>
        <key>unique</key>
        <string>.Al Nile PUA Bold; 13.0d2e2; 2017-
06-27</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>13.0d2e2</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Georgia Bold Italic.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Georgia Bold
Italic.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>Georgia-BoldItalic</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Â© 2006 Microsoft Corporation. All
Rights Reserved.</string>
            <key>designer</key>
            <string>Matthew Carter</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Georgia</string>
            <key>fullname</key>
            <string>Georgia Bold Italic</string>
            <key>outline</key>
            <string>yes</string>

```

```

        <key>style</key>
        <string>Bold Italic</string>
        <key>trademark</key>
        <string>Georgia is either a registered
trademark or a trademark of Microsoft Corporation in the United States and/or
other countries.</string>
        <key>unique</key>
        <string>Georgia Bold Italic; Version
5.00x-4; 2011-10-24</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Carter & Cone</string>
        <key>version</key>
        <string>Version 5.00x-4</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>STIXIntUpSmBol.otf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/STIXIntUpSmBol.otf</string>
    <key>type</key>
    <string>postscript</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>STIXIntegralsUpSm-Bold</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright (c) 2001-2011 by the STI
Pub Companies, consisting of the American Chemical Society, the American
Institute of Physics, the American Mathematical Society, the American Physical
Society, Elsevier, Inc., and The Institute of Electrical and Electronic
Engineers, Inc. Portions copyright (c) 1998-2003 by MicroPress, Inc. Portions
copyright (c) 1990 by Elsevier, Inc. All rights reserved.</string>
            <key>description</key>
            <string>Arie de Ruiter, who in 1995 was Head
of Information Technology Development at Elsevier Science, made a proposal to
the STI Pub group, an informal group of publishers consisting of representatives
from the American Chemical Society (ACS), American Institute of Physics (AIP),
American Mathematical Society (AMS), American Physical Society (APS), Elsevier,
and Institute of Electrical and Electronics Engineers (IEEE). De Ruiter
encouraged the members to consider development of a series of Web fonts, which
he proposed should be called the Scientific and Technical Information eXchange,
or STIX, Fonts. All STI Pub member organizations enthusiastically endorsed this
proposal, and the STI Pub group agreed to embark on what has become a twelve-
year project. The goal of the project was to identify all alphabetic, symbolic,
and other special characters used in any facet of scientific publishing and to
create a set of Unicode-based fonts that would be distributed free to every
scientist, student, and other interested party worldwide. The fonts would be
consistent with the emerging Unicode standard, and would permit universal
representation of every character. With the release of the STIX fonts, de
Ruiter's vision has been realized.</string>
            <key>designer</key>
            <string>MicroPress Inc., with final

```



```

additions and corrections provided by Coen Hoffman, Elsevier (retired)</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>STIXIntegralsUpSm</string>
    <key>fullname</key>
    <string>STIXIntegralsUpSm-Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold</string>
    <key>trademark</key>
    <string>STIX Fonts(TM) is a trademark of The
Institute of Electrical and Electronics Engineers, Inc.</string>
    <key>unique</key>
    <string>FontMaster:STIXIntegralsUpSm-
Bold:1.1.0</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>Version 1.1.0</string>
    </dict>
  </array>
  <key>valid</key>
  <string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>LastResort.otf</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/LastResort.otf</string>
  <key>type</key>
  <string>postscript</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>LastResort</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>© 1998-2008 Apple Inc. Block
additions by Michael Everson</string>
      <key>description</key>
      <string>The LastResort font is used by the
operating system to display Unicode data when no other font can be found. Glyphs
correspond to Unicode blocks. The block name and hex range values can be viewed
around the border of the glyph at large sizes.</string>
      <key>designer</key>
      <string>Original design by Apple Computer
1998; Block additions by Michael Everson 2001-2006</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>

```

```

                <string>.LastResort</string>
                <key>fullname</key>
                <string>.LastResort</string>
                <key>outline</key>
                <string>yes</string>
                <key>style</key>
                <string>Regular</string>
                <key>unique</key>
                <string>.LastResort; 13.0d1e2;

2017-07-21</string>

                <key>valid</key>
                <string>yes</string>
                <key>vendor</key>
                <string>Apple Computer, Inc.</string>
                <key>version</key>
                <string>13.0d1e2</string>
            </dict>
        </array>
        <key>valid</key>
        <string>yes</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Noteworthy.ttc</string>
        <key>enabled</key>
        <string>yes</string>
        <key>path</key>
        <string>/System/Library/Fonts/Noteworthy.ttc</string>
        <key>type</key>
        <string>truetype</string>
        <key>typefaces</key>
        <array>
            <dict>
                <key>_name</key>
                <string>Noteworthy-Bold</string>
                <key>copy_protected</key>
                <string>no</string>
                <key>duplicate</key>
                <string>no</string>
                <key>embeddable</key>
                <string>yes</string>
                <key>enabled</key>
                <string>yes</string>
                <key>family</key>
                <string>Noteworthy</string>
                <key>fullname</key>
                <string>Noteworthy Bold</string>
                <key>outline</key>
                <string>yes</string>
                <key>style</key>
                <string>Bold</string>
                <key>unique</key>
                <string>Noteworthy Bold; 13.0d1e11; 2017-06-

30</string>

                <key>valid</key>
                <string>yes</string>
                <key>version</key>
                <string>13.0d1e11</string>
            </dict>
        <dict>
            <key>_name</key>
            <string>Noteworthy-Light</string>
            <key>copy_protected</key>
            <string>no</string>

```

```

        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Noteworthy</string>
        <key>fullname</key>
        <string>Noteworthy Light</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Light</string>
        <key>unique</key>
        <string>Noteworthy Light; 13.0d1e11; 2017-
06-30</string>

        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>13.0d1e11</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>STIXNonUniBolIta.otf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>

<string>/System/Library/Fonts/Supplemental/STIXNonUniBolIta.otf</string>
    <key>type</key>
    <string>postscript</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>STIXNonUnicode-BoldItalic</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright (c) 2001-2011 by the STI
Pub Companies, consisting of the American Chemical Society, the American
Institute of Physics, the American Mathematical Society, the American Physical
Society, Elsevier, Inc., and The Institute of Electrical and Electronic
Engineers, Inc. Portions copyright (c) 1998-2003 by MicroPress, Inc. Portions
copyright (c) 1990 by Elsevier, Inc. All rights reserved.</string>
            <key>description</key>
            <string>Arie de Ruiter, who in 1995 was Head
of Information Technology Development at Elsevier Science, made a proposal to
the STI Pub group, an informal group of publishers consisting of representatives
from the American Chemical Society (ACS), American Institute of Physics (AIP),
American Mathematical Society (AMS), American Physical Society (APS), Elsevier,
and Institute of Electrical and Electronics Engineers (IEEE). De Ruiter
encouraged the members to consider development of a series of Web fonts, which
he proposed should be called the Scientific and Technical Information eXchange,
or STIX, Fonts. All STI Pub member organizations enthusiastically endorsed this
proposal, and the STI Pub group agreed to embark on what has become a twelve-
year project. The goal of the project was to identify all alphabetic, symbolic,
and other special characters used in any facet of scientific publishing and to
create a set of Unicode-based fonts that would be distributed free to every

```

scientist, student, and other interested party worldwide. The fonts would be consistent with the emerging Unicode standard, and would permit universal representation of every character. With the release of the STIX fonts, de Ruiter's vision has been realized.</string>

<key>designer</key>  
<string>MicroPress Inc., with final  
additions and corrections provided by Coen Hoffman, Elsevier (retired)</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>STIXNonUnicode</string>  
<key>fullname</key>  
<string>STIXNonUnicode-BoldItalic</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Bold Italic</string>  
<key>trademark</key>  
<string>STIX Fonts(TM) is a trademark of The  
Institute of Electrical and Electronics Engineers, Inc.</string>  
<key>unique</key>  
<string>FontMaster:STIXNonUnicode-  
BoldItalic:1.1.0</string>  
<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>Version 1.1.0</string>

</dict>

</array>

<key>valid</key>

<string>yes</string>

</dict>

<dict>

<key>\_name</key>

<string>Oriya MN.ttc</string>

<key>enabled</key>

<string>yes</string>

<key>path</key>

<string>/System/Library/Fonts/Supplemental/Oriya

MN.ttc</string>

<key>type</key>

<string>truetype</string>

<key>typefaces</key>

<array>

<dict>

<key>\_name</key>

<string>OriyaMN-Bold</string>

<key>copy\_protected</key>

<string>no</string>

<key>copyright</key>

<string>Copyright (c) 2003 by Murasu Systems

Sdn. Bhd. Malaysia. All rights reserved.</string>

<key>description</key>

<string>Copyright (c) 2003 by Murasu Systems

Sdn. Bhd. Malaysia. All rights reserved.</string>

<key>designer</key>

<string>Muthu Nedumaran</string>

<key>duplicate</key>

<string>no</string>

<key>embeddable</key>

```
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Oriya MN</string>
<key>fullname</key>
<string>Oriya MN Bold</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Bold</string>
<key>trademark</key>
<string>Oriya MN Bold is a trademark of
Murasu Systems Sdn. Bhd. Malaysia.</string>
<key>unique</key>
<string>Oriya MN Bold; 14.0d1e6; 2018-02-
24</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Murasu Systems Sdn. Bhd.
Malaysia</string>
<key>version</key>
<string>14.0d1e6</string>
</dict>
<dict>
<key>_name</key>
<string>OriyaMN</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright (c) 2003 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
<key>description</key>
<string>Copyright (c) 2003 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
<key>designer</key>
<string>Muthu Nedumaran</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Oriya MN</string>
<key>fullname</key>
<string>Oriya MN</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular</string>
<key>trademark</key>
<string>Oriya MN is a trademark of Murasu
Systems Sdn. Bhd. Malaysia.</string>
<key>unique</key>
<string>Oriya MN; 14.0d1e6;
2018-02-24</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Murasu Systems Sdn. Bhd.
Malaysia</string>
<key>version</key>
```

```
        <string>14.0d1e6</string>
      </dict>
    </array>
  <key>valid</key>
  <string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>STIXGeneral.otf</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
```

```
<string>/System/Library/Fonts/Supplemental/STIXGeneral.otf</string>
<key>type</key>
<string>opentype</string>
<key>typefaces</key>
<array>
  <dict>
```

```
    <key>_name</key>
    <string>STIXGeneral-Regular</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright (c) 2001-2011 by the STI
Pub Companies, consisting of the American Chemical Society, the American
Institute of Physics, the American Mathematical Society, the American Physical
Society, Elsevier, Inc., and The Institute of Electrical and Electronic
Engineers, Inc. Portions copyright (c) 1998-2003 by MicroPress, Inc. Portions
copyright (c) 1990 by Elsevier, Inc. All rights reserved.</string>
    <key>description</key>
    <string>Arie de Ruiter, who in 1995 was Head
of Information Technology Development at Elsevier Science, made a proposal to
the STI Pub group, an informal group of publishers consisting of representatives
from the American Chemical Society (ACS), American Institute of Physics (AIP),
American Mathematical Society (AMS), American Physical Society (APS), Elsevier,
and Institute of Electrical and Electronics Engineers (IEEE). De Ruiter
encouraged the members to consider development of a series of Web fonts, which
he proposed should be called the Scientific and Technical Information eXchange,
or STIX, Fonts. All STI Pub member organizations enthusiastically endorsed this
proposal, and the STI Pub group agreed to embark on what has become a twelve-
year project. The goal of the project was to identify all alphabetic, symbolic,
and other special characters used in any facet of scientific publishing and to
create a set of Unicode-based fonts that would be distributed free to every
scientist, student, and other interested party worldwide. The fonts would be
consistent with the emerging Unicode standard, and would permit universal
representation of every character. With the release of the STIX fonts, de
Ruiter's vision has been realized.</string>
```

```
    <key>designer</key>
    <string>MicroPress Inc., with final
additions and corrections provided by Coen Hoffman, Elsevier (retired)</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>STIXGeneral</string>
    <key>fullname</key>
    <string>STIXGeneral-Regular</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
```

```

        <string>Regular</string>
        <key>trademark</key>
        <string>STIX Fonts(TM) is a trademark of The
Institute of Electrical and Electronics Engineers, Inc.</string>
        <key>unique</key>
        <string>FontMaster:STIXGeneral-
Regular:1.1.0</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>Version 1.1.0</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>STIXIntDReg.otf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>

<string>/System/Library/Fonts/Supplemental/STIXIntDReg.otf</string>
    <key>type</key>
    <string>postscript</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>STIXIntegralsD-Regular</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright (c) 2001-2011 by the STI
Pub Companies, consisting of the American Chemical Society, the American
Institute of Physics, the American Mathematical Society, the American Physical
Society, Elsevier, Inc., and The Institute of Electrical and Electronic
Engineers, Inc. Portions copyright (c) 1998-2003 by MicroPress, Inc. Portions
copyright (c) 1990 by Elsevier, Inc. All rights reserved.</string>
            <key>description</key>
            <string>Arie de Ruiter, who in 1995 was Head
of Information Technology Development at Elsevier Science, made a proposal to
the STI Pub group, an informal group of publishers consisting of representatives
from the American Chemical Society (ACS), American Institute of Physics (AIP),
American Mathematical Society (AMS), American Physical Society (APS), Elsevier,
and Institute of Electrical and Electronics Engineers (IEEE). De Ruiter
encouraged the members to consider development of a series of Web fonts, which
he proposed should be called the Scientific and Technical Information eXchange,
or STIX, Fonts. All STI Pub member organizations enthusiastically endorsed this
proposal, and the STI Pub group agreed to embark on what has become a twelve-
year project. The goal of the project was to identify all alphabetic, symbolic,
and other special characters used in any facet of scientific publishing and to
create a set of Unicode-based fonts that would be distributed free to every
scientist, student, and other interested party worldwide. The fonts would be
consistent with the emerging Unicode standard, and would permit universal
representation of every character. With the release of the STIX fonts, de
Ruiter's vision has been realized.</string>
            <key>designer</key>
            <string>MicroPress Inc., with final
additions and corrections provided by Coen Hoffman, Elsevier (retired)</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>

```

```

        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>STIXIntegralsD</string>
        <key>fullname</key>
        <string>STIXIntegralsD-Regular</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>trademark</key>
        <string>STIX Fonts(TM) is a trademark of The
Institute of Electrical and Electronics Engineers, Inc.</string>
        <key>unique</key>
        <string>FontMaster:STIXIntegralsD-
Regular:1.1.0</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>Version 1.1.0</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>STIXNonUniIta.otf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/STIXNonUniIta.otf</string>
    <key>type</key>
    <string>postscript</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>STIXNonUnicode-Italic</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright (c) 2001-2011 by the STI
Pub Companies, consisting of the American Chemical Society, the American
Institute of Physics, the American Mathematical Society, the American Physical
Society, Elsevier, Inc., and The Institute of Electrical and Electronic
Engineers, Inc. Portions copyright (c) 1998-2003 by MicroPress, Inc. Portions
copyright (c) 1990 by Elsevier, Inc. All rights reserved.</string>
            <key>description</key>
            <string>Arie de Ruiter, who in 1995 was Head
of Information Technology Development at Elsevier Science, made a proposal to
the STI Pub group, an informal group of publishers consisting of representatives
from the American Chemical Society (ACS), American Institute of Physics (AIP),
American Mathematical Society (AMS), American Physical Society (APS), Elsevier,
and Institute of Electrical and Electronics Engineers (IEEE). De Ruiter
encouraged the members to consider development of a series of Web fonts, which
he proposed should be called the Scientific and Technical Information eXchange,
or STIX, Fonts. All STI Pub member organizations enthusiastically endorsed this
proposal, and the STI Pub group agreed to embark on what has become a twelve-
year project. The goal of the project was to identify all alphabetic, symbolic,
and other special characters used in any facet of scientific publishing and to
create a set of Unicode-based fonts that would be distributed free to every

```



scientist, student, and other interested party worldwide. The fonts would be consistent with the emerging Unicode standard, and would permit universal representation of every character. With the release of the STIX fonts, de Ruiter's vision has been realized.</string>

<key>designer</key>  
<string>MicroPress Inc., with final  
additions and corrections provided by Coen Hoffman, Elsevier (retired)</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>STIXNonUnicode</string>  
<key>fullname</key>  
<string>STIXNonUnicode-Italic</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Italic</string>  
<key>trademark</key>  
<string>STIX Fonts(TM) is a trademark of The  
Institute of Electrical and Electronics Engineers, Inc.</string>  
<key>unique</key>  
<string>FontMaster:STIXNonUnicode-  
Italic:1.1.0</string>  
<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>Version 1.1.0</string>

</dict>

</array>

<key>valid</key>

<string>yes</string>

</dict>

<dict>

<key>\_name</key>

<string>Gurmukhi.ttf</string>

<key>enabled</key>

<string>yes</string>

<key>path</key>

<string>/System/Library/Fonts/Supplemental/Gurmukhi.ttf</string>

<key>type</key>

<string>truetype</string>

<key>typefaces</key>

<array>

<dict>

<key>\_name</key>

<string>MonotypeGurmukhi</string>

<key>copy\_protected</key>

<string>no</string>

<key>copyright</key>

<string>Copyright © Monotype Typography

Ltd. 1996. All Rights reserved.</string>

<key>duplicate</key>

<string>no</string>

<key>embeddable</key>

<string>yes</string>

<key>enabled</key>

<string>yes</string>

<key>family</key>

<string>Gurmukhi MT</string>

```
<key>fullname</key>
<string>Gurmukhi MT</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular</string>
<key>trademark</key>
<string>Monotype Gurmukhi is a Trademark of
Monotype Typography Ltd.</string>
<key>unique</key>
<string>Gurmukhi MT; 13.0d1e4;
2017-06-18</string>
<key>valid</key>
<string>yes</string>
<key>version</key>
<string>13.0d1e4</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
<key>_name</key>
<string>ã, ¢ãfžèš'ã, ¢ã, ¢ã, .ãffã, ¯ W3.ttc</string>
<key>enabled</key>
<string>yes</string>
<key>path</key>
<string>/System/Library/Fonts/ãf'ãf@ã, -
ã, ¢ãfžèš'ã, ¢ã, ¢ã, .ãffã, ¯ W3.ttc</string>
<key>type</key>
<string>opentype</string>
<key>typefaces</key>
<array>
<dict>
<key>_name</key>
<string>HiraginoSans-W3</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>ver8.21, Copyright (c) 1993-2013
Dainippon Screen Mfg. Co., Ltd. All Rights Reserved.</string>
<key>designer</key>
<string>JIYUKOBO Ltd.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Hiragino Sans</string>
<key>fullname</key>
<string>Hiragino Sans W3</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>W3</string>
<key>trademark</key>
<string>HIRAGINO is a trademark of Dainippon
Screen Mfg. Co., Ltd.</string>
<key>unique</key>
<string>Hiragino Sans W3; 15.0d1e3; 2019-06-
13</string>
<key>valid</key>
```

```

        <string>yes</string>
        <key>vendor</key>
        <string>Dainippon Screen Mfg. Co.,
Ltd.</string>
        <key>version</key>
        <string>15.0d1e3</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>.HiraKakuInterface-W3</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>ver8.21, Copyright (c) 1993-2013
Dainippon Screen Mfg. Co., Ltd. All Rights Reserved.</string>
        <key>designer</key>
        <string>JIYUKOBO Ltd.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>.Hiragino Kaku Gothic
Interface</string>
        <key>fullname</key>
        <string>.Hiragino Kaku Gothic Interface
W3</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>W3</string>
        <key>trademark</key>
        <string>HIRAGINO is a trademark of SCREEN
Holdings Co., Ltd.</string>
        <key>unique</key>
        <string>.Hiragino Kaku Gothic Interface W3;
15.0d1e3; 2019-06-13</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>SCREEN Graphic and Precision
Solutions Co., Ltd.</string>
        <key>version</key>
        <string>15.0d1e3</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>STIXVarBol.otf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/STIXVarBol.otf</string>
    <key>type</key>
    <string>postscript</string>
    <key>typefaces</key>
    <array>
        <dict>

```

```

        <key>_name</key>
        <string>STIXVariants-Bold</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright (c) 2001-2011 by the STI
Pub Companies, consisting of the American Chemical Society, the American
Institute of Physics, the American Mathematical Society, the American Physical
Society, Elsevier, Inc., and The Institute of Electrical and Electronic
Engineers, Inc. Portions copyright (c) 1998-2003 by MicroPress, Inc. Portions
copyright (c) 1990 by Elsevier, Inc. All rights reserved.</string>
        <key>description</key>
        <string>Arie de Ruiter, who in 1995 was Head
of Information Technology Development at Elsevier Science, made a proposal to
the STI Pub group, an informal group of publishers consisting of representatives
from the American Chemical Society (ACS), American Institute of Physics (AIP),
American Mathematical Society (AMS), American Physical Society (APS), Elsevier,
and Institute of Electrical and Electronics Engineers (IEEE). De Ruiter
encouraged the members to consider development of a series of Web fonts, which
he proposed should be called the Scientific and Technical Information eXchange,
or STIX, Fonts. All STI Pub member organizations enthusiastically endorsed this
proposal, and the STI Pub group agreed to embark on what has become a twelve-
year project. The goal of the project was to identify all alphabetic, symbolic,
and other special characters used in any facet of scientific publishing and to
create a set of Unicode-based fonts that would be distributed free to every
scientist, student, and other interested party worldwide. The fonts would be
consistent with the emerging Unicode standard, and would permit universal
representation of every character. With the release of the STIX fonts, de
Ruiter's vision has been realized.</string>
        <key>designer</key>
        <string>MicroPress Inc., with final
additions and corrections provided by Coen Hoffman, Elsevier (retired)</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>STIXVariants</string>
        <key>fullname</key>
        <string>STIXVariants-Bold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Bold</string>
        <key>trademark</key>
        <string>STIX Fonts(TM) is a trademark of The
Institute of Electrical and Electronics Engineers, Inc.</string>
        <key>unique</key>
        <string>FontMaster:STIXVariants-
Bold:1.1.0</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>Version 1.1.0</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>PTMono.ttc</string>

```

```

    <key>enabled</key>
    <string>yes</string>
    <key>path</key>

<string>/System/Library/Fonts/Supplemental/PTMono.ttc</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>PTMono-Regular</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Copyright © 2010 ParaType Inc.,
ParaType Ltd. All rights reserved.</string>
      <key>description</key>
      <string>PT Mono -- is a monospaced font of
the PT Project series. First families PT Sans and PT Serif were released in 2009
and 2010. PT Mono was developed for the special needs -- for use in forms,
tables, work sheets etc. Equal widths of characters are very helpful in setting
complex documents, with such font you may easily calculate size of entry fields,
column widths in tables and so on. One of the most important area of use is web
sites of "electronic governments" where visitors have to fill different request
forms. Designer Alexandra Korolkova with a participation of Bella Chaeva.
Released by ParaType in 2011.</string>
      <key>designer</key>
      <string>A.Korolkova, I.Chaeva</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>PT Mono</string>
      <key>fullname</key>
      <string>PT Mono</string>
      <key>outline</key>
      <string>yes</string>
      <key>style</key>
      <string>Regular</string>
      <key>trademark</key>
      <string>PT Mono is a trademark of the
ParaType Ltd.</string>
      <key>unique</key>
      <string>PT Mono; 13.0d2e4;
2017-06-29</string>
      <key>valid</key>
      <string>yes</string>
      <key>vendor</key>
      <string>ParaType Ltd</string>
      <key>version</key>
      <string>13.0d2e4</string>
    </dict>
    <dict>
      <key>_name</key>
      <string>PTMono-Bold</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Copyright © 2010 ParaType Inc.,
ParaType Ltd. All rights reserved.</string>

```

<key>description</key>  
<string>PT Mono -- is a monospaced font of the PT Project series. First families PT Sans and PT Serif were released in 2009 and 2010. PT Mono was developed for the special needs -- for use in forms, tables, work sheets etc. Equal widths of characters are very helpful in setting complex documents, with such font you may easily calculate size of entry fields, column widths in tables and so on. One of the most important area of use is Web sites of "electronic governments" where visitors have to fill different request forms. Designer Alexandra Korolkova with a participation of Bella Chaeva. Released by ParaType in 2011.</string>

<key>designer</key>  
<string>A.Korolkova, I.Chaeva</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>PT Mono</string>  
<key>fullname</key>  
<string>PT Mono Bold</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Bold</string>  
<key>trademark</key>  
<string>PT Mono is a trademark of the

ParaType Ltd.</string>

<key>unique</key>  
<string>PT Mono Bold; 13.0d2e4; 2017-06-

29</string>

<key>valid</key>  
<string>yes</string>  
<key>vendor</key>  
<string>ParaType Ltd</string>  
<key>version</key>  
<string>13.0d2e4</string>

</dict>

</array>

<key>valid</key>

<string>yes</string>

</dict>

<dict>

<key>\_name</key>

<string>STIXSizThreeSymBol.otf</string>

<key>enabled</key>

<string>yes</string>

<key>path</key>

<string>/System/Library/Fonts/Supplemental/STIXSizThreeSymBol.otf</string>

<key>type</key>

<string>postscript</string>

<key>typefaces</key>

<array>

<dict>

<key>\_name</key>

<string>STIXSizeThreeSym-Bold</string>

<key>copy\_protected</key>

<string>no</string>

<key>copyright</key>

<string>Copyright (c) 2001-2011 by the STI

Pub Companies, consisting of the American Chemical Society, the American Institute of Physics, the American Mathematical Society, the American Physical

Society, Elsevier, Inc., and The Institute of Electrical and Electronic Engineers, Inc. Portions copyright (c) 1998-2003 by MicroPress, Inc. Portions copyright (c) 1990 by Elsevier, Inc. All rights reserved.</string>

<key>description</key>  
<string>Arie de Ruiter, who in 1995 was Head of Information Technology Development at Elsevier Science, made a proposal to the STI Pub group, an informal group of publishers consisting of representatives from the American Chemical Society (ACS), American Institute of Physics (AIP), American Mathematical Society (AMS), American Physical Society (APS), Elsevier, and Institute of Electrical and Electronics Engineers (IEEE). De Ruiter encouraged the members to consider development of a series of Web fonts, which he proposed should be called the Scientific and Technical Information eXchange, or STIX, Fonts. All STI Pub member organizations enthusiastically endorsed this proposal, and the STI Pub group agreed to embark on what has become a twelve-year project. The goal of the project was to identify all alphabetic, symbolic, and other special characters used in any facet of scientific publishing and to create a set of Unicode-based fonts that would be distributed free to every scientist, student, and other interested party worldwide. The fonts would be consistent with the emerging Unicode standard, and would permit universal representation of every character. With the release of the STIX fonts, de Ruiter's vision has been realized.</string>

<key>designer</key>  
<string>MicroPress Inc., with final additions and corrections provided by Coen Hoffman, Elsevier (retired)</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>STIXSizeThreeSym</string>  
<key>fullname</key>  
<string>STIXSizeThreeSym-Bold</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Bold</string>  
<key>trademark</key>  
<string>STIX Fonts(TM) is a trademark of The Institute of Electrical and Electronics Engineers, Inc.</string>  
<key>unique</key>  
<string>FontMaster:STIXSizeThreeSym-

Bold:1.1.0</string>

<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>Version 1.1.0</string>

</dict>

</array>

<key>valid</key>

<string>yes</string>

</dict>

<dict>

<key>\_name</key>

<string>Tamil MN.ttc</string>

<key>enabled</key>

<string>yes</string>

<key>path</key>

<string>/System/Library/Fonts/Supplemental/Tamil

MN.ttc</string>

<key>type</key>

<string>truetype</string>

<key>typefaces</key>

```
<array>
  <dict>
    <key>_name</key>
    <string>TamilMN-Bold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright (c) 2009 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
    <key>description</key>
    <string>Copyright (c) 2003 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
    <key>designer</key>
    <string>Muthu Nedumaran</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Tamil MN</string>
    <key>fullname</key>
    <string>Tamil MN Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold</string>
    <key>trademark</key>
    <string>Tamil MN Bold is a trademark of
Murasu Systems Sdn. Bhd. Malaysia.</string>
    <key>unique</key>
    <string>Tamil MN Bold; 14.0d1e7; 2018-02-
23</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Murasu Systems Sdn. Bhd.
Malaysia</string>
    <key>version</key>
    <string>14.0d1e7</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>TamilMN</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright (c) 2003 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
    <key>description</key>
    <string>Copyright (c) 2003 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
    <key>designer</key>
    <string>Muthu Nedumaran</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Tamil MN</string>
    <key>fullname</key>
```



```

        <string>Tamil MN</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>trademark</key>
        <string>Tamil MN is a trademark of Murasu
Systems Sdn. Bhd. Malaysia.</string>
        <key>unique</key>
        <string>Tamil MN; 14.0d1e7;
2018-02-23</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Murasu Systems Sdn. Bhd.
Malaysia</string>
        <key>version</key>
        <string>14.0d1e7</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Avenir.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Avenir.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>Avenir-Book</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright© 2007 Linotype GmbH,
www.linotype.com. All rights reserved.</string>
            <key>description</key>
            <string>Adrian Frutiger designed Avenir in
1988, after years of having an interest in sans serif typefaces. In an interview
with Linotype, he said he felt an obligation to design a linear sans in the
tradition of Erbar and Futura, but to also make use of the experience and
stylistic developments of the twentieth century. The word Avenir means 'future'
in French and hints that the typeface owes some of its interpretation to Futura.
But unlike Futura, Avenir is not purely geometric; it has vertical strokes that
are thicker than the horizontals, an "o" that is not a perfect circle, and
shortened ascenders. These nuances aid in legibility and give Avenir a
harmonious and sensible appearance for both texts and headlines. In 2004 Adrian
Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the
Avenir and created the Avenir Next for the Platinum Collection.</string>
            <key>designer</key>
            <string>Adrian Frutiger</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>

```

```

    <string>Avenir</string>
    <key>fullname</key>
    <string>Avenir Book</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Book</string>
    <key>trademark</key>
    <string>Avenir is a trademark of
Heidelberger Druckmaschinen AG, exclusively licensed through Linotype GmbH, and
may be registered in certain jurisdictions.</string>
    <key>unique</key>
    <string>Avenir Book; 13.0d3e1;
2017-06-26</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Linotype GmbH</string>
    <key>version</key>
    <string>13.0d3e1</string>
</dict>
<dict>
    <key>_name</key>
    <string>Avenir-Heavy</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright© 2007 Linotype GmbH,
www.linotype.com. All rights reserved.</string>
    <key>description</key>
    <string>Adrian Frutiger designed Avenir in
1988, after years of having an interest in sans serif typefaces. In an interview
with Linotype, he said he felt an obligation to design a linear sans in the
tradition of Erbar and Futura, but to also make use of the experience and
stylistic developments of the twentieth century. The word Avenir means 'future'
in French and hints that the typeface owes some of its interpretation to Futura.
But unlike Futura, Avenir is not purely geometric; it has vertical strokes that
are thicker than the horizontals, an "o" that is not a perfect circle, and
shortened ascenders. These nuances aid in legibility and give Avenir a
harmonious and sensible appearance for both texts and headlines. In 2004 Adrian
Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the
Avenir and created the Avenir Next for the Platinum Collection. </string>
    <key>designer</key>
    <string>Adrian Frutiger</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Avenir</string>
    <key>fullname</key>
    <string>Avenir Heavy</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Heavy</string>
    <key>trademark</key>
    <string>Avenir is a trademark of Linotype
GmbH and may be registered in certain jurisdictions.</string>
    <key>unique</key>
    <string>Avenir Heavy; 13.0d3e1; 2017-06-
26</string>

```

```

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Linotype GmbH</string>
        <key>version</key>
        <string>13.0d3e1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Avenir-HeavyOblique</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright© 2007 Linotype GmbH,
www.linotype.com. All rights reserved.</string>
        <key>description</key>
        <string>Adrian Frutiger designed Avenir in
1988, after years of having an interest in sans serif typefaces. In an interview
with Linotype, he said he felt an obligation to design a linear sans in the
tradition of Erbar and Futura, but to also make use of the experience and
stylistic developments of the twentieth century. The word Avenir means 'future'
in French and hints that the typeface owes some of its interpretation to Futura.
But unlike Futura, Avenir is not purely geometric; it has vertical strokes that
are thicker than the horizontals, an "o" that is not a perfect circle, and
shortened ascenders. These nuances aid in legibility and give Avenir a
harmonious and sensible appearance for both texts and headlines. In 2004 Adrian
Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the
Avenir and created the Avenir Next for the Platinum Collection. </string>
        <key>designer</key>
        <string>Adrian Frutiger</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Avenir</string>
        <key>fullname</key>
        <string>Avenir Heavy Oblique</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Heavy Oblique</string>
        <key>trademark</key>
        <string>Avenir is a trademark of Linotype
GmbH and may be registered in certain jurisdictions.</string>
        <key>unique</key>
        <string>Avenir Heavy Oblique; 13.0d3e1;
2017-06-26</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Linotype GmbH</string>
        <key>version</key>
        <string>13.0d3e1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Avenir-Medium</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright© 2007 Linotype GmbH,

```

www.linotype.com. All rights reserved.</string>

<key>description</key>

<string>Adrian Frutiger designed Avenir in 1988, after years of having an interest in sans serif typefaces. In an interview with Linotype, he said he felt an obligation to design a linear sans in the tradition of Erbar and Futura, but to also make use of the experience and stylistic developments of the twentieth century. The word Avenir means 'future' in French and hints that the typeface owes some of its interpretation to Futura. But unlike Futura, Avenir is not purely geometric; it has vertical strokes that are thicker than the horizontals, an "o" that is not a perfect circle, and shortened ascenders. These nuances aid in legibility and give Avenir a harmonious and sensible appearance for both texts and headlines. In 2004 Adrian Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the Avenir and created the Avenir Next for the Platinum Collection.</string>

<key>designer</key>

<string>Adrian Frutiger</string>

<key>duplicate</key>

<string>no</string>

<key>embeddable</key>

<string>yes</string>

<key>enabled</key>

<string>yes</string>

<key>family</key>

<string>Avenir</string>

<key>fullname</key>

<string>Avenir Medium</string>

<key>outline</key>

<string>yes</string>

<key>style</key>

<string>Medium</string>

<key>trademark</key>

<string>Avenir is a trademark of

Heidelberger Druckmaschinen AG, exclusively licensed through Linotype GmbH, and may be registered in certain jurisdictions.</string>

<key>unique</key>

<string>Avenir Medium; 13.0d3e1; 2017-06-

26</string>

<key>valid</key>

<string>yes</string>

<key>vendor</key>

<string>Linotype GmbH</string>

<key>version</key>

<string>13.0d3e1</string>

</dict>

<dict>

<key>\_name</key>

<string>Avenir-Roman</string>

<key>copy\_protected</key>

<string>no</string>

<key>copyright</key>

<string>Copyright© 2007 Linotype GmbH,

www.linotype.com. All rights reserved.</string>

<key>description</key>

<string>Adrian Frutiger designed Avenir in 1988, after years of having an interest in sans serif typefaces. In an interview with Linotype, he said he felt an obligation to design a linear sans in the tradition of Erbar and Futura, but to also make use of the experience and stylistic developments of the twentieth century. The word Avenir means 'future' in French and hints that the typeface owes some of its interpretation to Futura. But unlike Futura, Avenir is not purely geometric; it has vertical strokes that are thicker than the horizontals, an "o" that is not a perfect circle, and shortened ascenders. These nuances aid in legibility and give Avenir a harmonious and sensible appearance for both texts and headlines. In 2004 Adrian Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the

Avenir and created the Avenir Next for the Platinum Collection. </string>

<key>designer</key>  
<string>Adrian Frutiger</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Avenir</string>  
<key>fullname</key>  
<string>Avenir Roman</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Roman</string>  
<key>trademark</key>  
<string>Avenir is a trademark of Linotype

GmbH and may be registered in certain jurisdictions.</string>

<key>unique</key>  
<string>Avenir Roman; 13.0d3e1; 2017-06-

26</string>

<key>valid</key>  
<string>yes</string>  
<key>vendor</key>  
<string>Linotype GmbH</string>  
<key>version</key>  
<string>13.0d3e1</string>

</dict>

<dict>

<key>\_name</key>  
<string>Avenir-BlackOblique</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>CopyrightÂ© 2007 Linotype GmbH,

www.linotype.com. All rights reserved.</string>

<key>description</key>

<string>Adrian Frutiger designed Avenir in 1988, after years of having an interest in sans serif typefaces. In an interview with Linotype, he said he felt an obligation to design a linear sans in the tradition of Erbar and Futura, but to also make use of the experience and stylistic developments of the twentieth century. The word Avenir means 'future' in French and hints that the typeface owes some of its interpretation to Futura. But unlike Futura, Avenir is not purely geometric; it has vertical strokes that are thicker than the horizontals, an "o" that is not a perfect circle, and shortened ascenders. These nuances aid in legibility and give Avenir a harmonious and sensible appearance for both texts and headlines. In 2004 Adrian Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the Avenir and created the Avenir Next for the Platinum Collection. </string>

<key>designer</key>  
<string>Adrian Frutiger</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Avenir</string>  
<key>fullname</key>  
<string>Avenir Black Oblique</string>  
<key>outline</key>

```

        <string>yes</string>
        <key>style</key>
        <string>Black Oblique</string>
        <key>trademark</key>
        <string>Avenir is a trademark of Linotype
GmbH and may be registered in certain jurisdictions.</string>
        <key>unique</key>
        <string>Avenir Black Oblique; 13.0d3e1;
2017-06-26</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Linotype GmbH</string>
        <key>version</key>
        <string>13.0d3e1</string>
</dict>
<dict>
    <key>_name</key>
    <string>Avenir-Black</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright© 2007 Linotype GmbH,
www.linotype.com. All rights reserved.</string>
    <key>description</key>
    <string>Adrian Frutiger designed Avenir in
1988, after years of having an interest in sans serif typefaces. In an interview
with Linotype, he said he felt an obligation to design a linear sans in the
tradition of Erbar and Futura, but to also make use of the experience and
stylistic developments of the twentieth century. The word Avenir means 'future'
in French and hints that the typeface owes some of its interpretation to Futura.
But unlike Futura, Avenir is not purely geometric; it has vertical strokes that
are thicker than the horizontals, an "o" that is not a perfect circle, and
shortened ascenders. These nuances aid in legibility and give Avenir a
harmonious and sensible appearance for both texts and headlines. In 2004 Adrian
Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the
Avenir and created the Avenir Next for the Platinum Collection. </string>
    <key>designer</key>
    <string>Adrian Frutiger</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Avenir</string>
    <key>fullname</key>
    <string>Avenir Black</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Black</string>
    <key>trademark</key>
    <string>Avenir is a trademark of Linotype
GmbH and may be registered in certain jurisdictions.</string>
    <key>unique</key>
    <string>Avenir Black; 13.0d3e1; 2017-06-
26</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Linotype GmbH</string>
    <key>version</key>

```

```

        <string>13.0d3e1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Avenir-BookOblique</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright© 2007 Linotype GmbH,
www.linotype.com. All rights reserved.</string>
        <key>description</key>
        <string>Adrian Frutiger designed Avenir in
1988, after years of having an interest in sans serif typefaces. In an interview
with Linotype, he said he felt an obligation to design a linear sans in the
tradition of Erbar and Futura, but to also make use of the experience and
stylistic developments of the twentieth century. The word Avenir means 'future'
in French and hints that the typeface owes some of its interpretation to Futura.
But unlike Futura, Avenir is not purely geometric; it has vertical strokes that
are thicker than the horizontals, an "o" that is not a perfect circle, and
shortened ascenders. These nuances aid in legibility and give Avenir a
harmonious and sensible appearance for both texts and headlines. In 2004 Adrian
Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the
Avenir and created the Avenir Next for the Platinum Collection.</string>
        <key>designer</key>
        <string>Adrian Frutiger</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Avenir</string>
        <key>fullname</key>
        <string>Avenir Book Oblique</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Book Oblique</string>
        <key>trademark</key>
        <string>Avenir is a trademark of
Heidelberger Druckmaschinen AG, exclusively licensed through Linotype GmbH, and
may be registered in certain jurisdictions.</string>
        <key>unique</key>
        <string>Avenir Book Oblique; 13.0d3e1; 2017-
06-26</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Linotype
GmbH</string>
        <key>version</key>
        <string>13.0d3e1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Avenir-Light</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright© 2007 Linotype GmbH,
www.linotype.com. All rights reserved.</string>
        <key>description</key>
        <string>Adrian Frutiger designed Avenir in

```

1988, after years of having an interest in sans serif typefaces. In an interview with Linotype, he said he felt an obligation to design a linear sans in the tradition of Erbar and Futura, but to also make use of the experience and stylistic developments of the twentieth century. The word Avenir means 'future' in French and hints that the typeface owes some of its interpretation to Futura. But unlike Futura, Avenir is not purely geometric; it has vertical strokes that are thicker than the horizontals, an "o" that is not a perfect circle, and shortened ascenders. These nuances aid in legibility and give Avenir a harmonious and sensible appearance for both texts and headlines. In 2004 Adrian Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the Avenir and created the Avenir Next for the Platinum Collection. </string>

<key>designer</key>  
<string>Adrian Frutiger</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Avenir</string>  
<key>fullname</key>  
<string>Avenir Light</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Light</string>  
<key>trademark</key>  
<string>Avenir is a trademark of Linotype

GmbH and may be registered in certain jurisdictions.</string>

<key>unique</key>  
<string>Avenir Light; 13.0d3e1; 2017-06-

26</string>

<key>valid</key>  
<string>yes</string>  
<key>vendor</key>  
<string>Linotype GmbH</string>  
<key>version</key>  
<string>13.0d3e1</string>

</dict>

<dict>

<key>\_name</key>  
<string>Avenir-Oblique</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>CopyrightÂ© 2007 Linotype GmbH,

www.linotype.com. All rights reserved.</string>

<key>description</key>

<string>Adrian Frutiger designed Avenir in 1988, after years of having an interest in sans serif typefaces. In an interview with Linotype, he said he felt an obligation to design a linear sans in the tradition of Erbar and Futura, but to also make use of the experience and stylistic developments of the twentieth century. The word Avenir means 'future' in French and hints that the typeface owes some of its interpretation to Futura. But unlike Futura, Avenir is not purely geometric; it has vertical strokes that are thicker than the horizontals, an "o" that is not a perfect circle, and shortened ascenders. These nuances aid in legibility and give Avenir a harmonious and sensible appearance for both texts and headlines. In 2004 Adrian Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the Avenir and created the Avenir Next for the Platinum Collection. </string>

<key>designer</key>  
<string>Adrian Frutiger</string>  
<key>duplicate</key>



```

    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Avenir</string>
    <key>fullname</key>
    <string>Avenir Oblique</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Oblique</string>
    <key>trademark</key>
    <string>Avenir is a trademark of Linotype
GmbH and may be registered in certain jurisdictions.</string>
    <key>unique</key>
    <string>Avenir Oblique; 13.0d3e1; 2017-06-
26</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Linotype GmbH</string>
    <key>version</key>
    <string>13.0d3e1</string>
</dict>
<dict>
    <key>_name</key>
    <string>Avenir-LightOblique</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright© 2007 Linotype GmbH,
www.linotype.com. All rights reserved.</string>
    <key>description</key>
    <string>Adrian Frutiger designed Avenir in
1988, after years of having an interest in sans serif typefaces. In an interview
with Linotype, he said he felt an obligation to design a linear sans in the
tradition of Erbar and Futura, but to also make use of the experience and
stylistic developments of the twentieth century. The word Avenir means 'future'
in French and hints that the typeface owes some of its interpretation to Futura.
But unlike Futura, Avenir is not purely geometric; it has vertical strokes that
are thicker than the horizontals, an "o" that is not a perfect circle, and
shortened ascenders. These nuances aid in legibility and give Avenir a
harmonious and sensible appearance for both texts and headlines. In 2004 Adrian
Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the
Avenir and created the Avenir Next for the Platinum Collection. </string>
    <key>designer</key>
    <string>Adrian Frutiger</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Avenir</string>
    <key>fullname</key>
    <string>Avenir Light Oblique</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Light Oblique</string>
    <key>trademark</key>

```

```
<string>Avenir is a trademark of Linotype
GmbH and may be registered in certain jurisdictions.</string>
<key>unique</key>
<string>Avenir Light Oblique; 13.0d3e1;
2017-06-26</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Linotype GmbH</string>
<key>version</key>
<string>13.0d3e1</string>
</dict>
<dict>
<key>_name</key>
<string>Avenir-MediumOblique</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>CopyrightÂ© 2007 Linotype GmbH,
www.linotype.com. All rights reserved.</string>
<key>description</key>
<string>Adrian Frutiger designed Avenir in
1988, after years of having an interest in sans serif typefaces. In an interview
with Linotype, he said he felt an obligation to design a linear sans in the
tradition of Erbar and Futura, but to also make use of the experience and
stylistic developments of the twentieth century. The word Avenir means 'future'
in French and hints that the typeface owes some of its interpretation to Futura.
But unlike Futura, Avenir is not purely geometric; it has vertical strokes that
are thicker than the horizontals, an "o" that is not a perfect circle, and
shortened ascenders. These nuances aid in legibility and give Avenir a
harmonious and sensible appearance for both texts and headlines. In 2004 Adrian
Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the
Avenir and created the Avenir Next for the Platinum Collection.</string>
<key>designer</key>
<string>Adrian Frutiger</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Avenir</string>
<key>fullname</key>
<string>Avenir Medium Oblique</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Medium Oblique</string>
<key>trademark</key>
<string>Avenir is a trademark of
Heidelberger Druckmaschinen AG, exclusively licensed through Linotype GmbH, and
may be registered in certain jurisdictions.</string>
<key>unique</key>
<string>Avenir Medium Oblique; 13.0d3e1;
2017-06-26</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Linotype GmbH</string>
<key>version</key>
<string>13.0d3e1</string>
</dict>
</array>
```

```

        <key>valid</key>
        <string>yes</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Wingdings 3.ttf</string>
        <key>enabled</key>
        <string>yes</string>
        <key>path</key>
        <string>/System/Library/Fonts/Supplemental/Wingdings
3.ttf</string>
        <key>type</key>
        <string>truetype</string>
        <key>typefaces</key>
        <array>
            <dict>
                <key>_name</key>
                <string>Wingdings3</string>
                <key>copy_protected</key>
                <string>no</string>
                <key>copyright</key>
                <string>Wingdings 3 designed by Bigelow
& Holmes Inc. for Microsoft Corporation. Copyright © 1992 Microsoft
Corporation. Pat. pend. All Rights Reserved. © 1990-1991 Type Solutions, Inc.
All Rights Reserved.</string>
                <key>duplicate</key>
                <string>no</string>
                <key>embeddable</key>
                <string>yes</string>
                <key>enabled</key>
                <string>yes</string>
                <key>family</key>
                <string>Wingdings 3</string>
                <key>fullname</key>
                <string>Wingdings 3</string>
                <key>outline</key>
                <string>yes</string>
                <key>style</key>
                <string>Regular</string>
                <key>trademark</key>
                <string>Wingdings is a trademark of
Microsoft Corporation.</string>
                <key>unique</key>
                <string>Wingdings 3</string>
                <key>valid</key>
                <string>yes</string>
                <key>version</key>
                <string>Version 1.55x</string>
            </dict>
        </array>
        <key>valid</key>
        <string>yes</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>DIN Alternate Bold.ttf</string>
        <key>enabled</key>
        <string>yes</string>
        <key>path</key>
        <string>/System/Library/Fonts/Supplemental/DIN Alternate
Bold.ttf</string>
        <key>type</key>
        <string>truetype</string>
        <key>typefaces</key>

```

```

    <array>
      <dict>
        <key>_name</key>
        <string>DINAlternate-Bold</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright (c) 1988, 1991, 2003
Linotype Library GmbH, www.linotype.com. All rights reserved.</string>
        <key>designer</key>
        <string>H. Berthold AG</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>DIN Alternate</string>
        <key>fullname</key>
        <string>DIN Alternate Bold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Bold</string>
        <key>trademark</key>
        <string>DINSchrift</string>
        <key>unique</key>
        <string>DIN Alternate Bold; 13.0d3e2; 2017-
11-30</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>13.0d3e2</string>
      </dict>
    </array>
    <key>valid</key>
    <string>yes</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Webdings.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Webdings.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
      <dict>
        <key>_name</key>
        <string>Webdings</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2006 Microsoft Corporation. All
Rights Reserved.</string>
        <key>description</key>
        <string>Designed in 1997 as a collaborative
work between Microsoft's Vincent Connare and top Monotype designers Sue
Lightfoot, Ian Patterson and Geraldine Wade. The images are intended for web
designers who wish to include live fonts as a fast way of rendering graphics.

```

Webdings is the latest member of Microsoft's Webfonts. Design coordination by Vincent Connare. Image designs by Vincent Connare, Ian Patterson, Sue Lightfoot and Geraldine Wade. Web and design consultation by Simon Daniels. TrueType hinting by Vincent Connare. Completed April 29, 1997.</string>

```
<key>designer</key>
<string>V.Connare,S.Lightfoot,I.Patterson,G.Wade</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Webdings</string>
<key>fullname</key>
<string>Webdings</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular</string>
<key>trademark</key>
<string>Webdings is either a registered
trademark or a trademark of Microsoft Corporation in the United States and/or
other countries.</string>
<key>unique</key>
<string>Microsoft Webdings</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string> Microsoft Corporation</string>
<key>version</key>
<string>Version 5.00x</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
<key>_name</key>
<string>PTSerifCaption.ttc</string>
<key>enabled</key>
<string>yes</string>
<key>path</key>
<string>/System/Library/Fonts/Supplemental/PTSerifCaption.ttc</string>
<key>type</key>
<string>truetype</string>
<key>typefaces</key>
<array>
<dict>
<key>_name</key>
<string>PTSerif-Caption</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright © 2010 ParaType Ltd. All
rights reserved.</string>
<key>description</key>
<string>PT Serif is a universal type family
designed for use together with PT Sans released earlier. PT Serif coordinates
with PT Sans on metrics, proportions, weights and design. It consists of six
styles: regular and bold weights with corresponding italics form a standard
computer font family; two caption styles (regular and italic) are for texts of
```

small point sizes. The letterforms are distinguished by large x-height, modest stroke contrast, robust wedge-like serifs, and triangular terminals. Due to these features the face can be qualified as matched to modern trends of type design and of enhanced legibility. Mentioned characteristics beside conventional use in business applications and printed stuff make the fonts quite useable for advertising and display typography.

Each font next to standard Latin and Cyrillic character sets contains alphabet glyphs of title languages of the national republics of Russian Federation and support the most of the languages of neighboring countries. The fonts were developed and released by ParaType in 2010 with financial support from Federal Agency of Print and Mass Communications of Russian Federation. Design -- Alexandra Korolkova with assistance of Olga Umpeleva and supervision of Vladimir Yefimov.</string>

<key>designer</key>  
<string>A.Korolkova, O.Umpeleva,

V.Yefimov</string>

<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>PT Serif Caption</string>  
<key>fullname</key>  
<string>PT Serif Caption</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Regular</string>  
<key>trademark</key>  
<string>PT Serif is a trademark of the

ParaType Ltd.</string>

<key>unique</key>  
<string>PT Serif Caption; 13.0d2e1; 2017-06-

29</string>

<key>valid</key>  
<string>yes</string>  
<key>vendor</key>  
<string>ParaType Ltd</string>  
<key>version</key>  
<string>13.0d2e1</string>

</dict>

<dict>

<key>\_name</key>  
<string>PTSerif-CaptionItalic</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Copyright © 2010 ParaType Ltd. All

rights reserved.</string>

<key>description</key>  
<string>PT Serif is a universal type family

designed for use together with PT Sans released earlier. PT Serif coordinates with PT Sans on metrics, proportions, weights and design. It consists of six styles: regular and bold weights with corresponding italics form a standard computer font family; two caption styles (regular and italic) are for texts of small point sizes. The letterforms are distinguished by large x-height, modest stroke contrast, robust wedge-like serifs, and triangular terminals. Due to these features the face can be qualified as matched to modern trends of type design and of enhanced legibility. Mentioned characteristics beside conventional use in business applications and printed stuff make the fonts quite useable for advertising and display typography.

Each font next to standard Latin and Cyrillic character sets contains alphabet

glyphs of title languages of the national republics of Russian Federation and support the most of the languages of neighboring countries. The fonts were developed and released by ParaType in 2010 with financial support from Federal Agency of Print and Mass Communications of Russian Federation. Design -- Alexandra Korolkova with assistance of Olga Umpeleva and supervision of Vladimir Yefimov.

```
<key>designer</key>
<string>A.Korolkova, O.Umpeleva,
V.Yefimov</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>PT Serif Caption</string>
<key>fullname</key>
<string>PT Serif Caption Italic</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Italic</string>
<key>trademark</key>
<string>PT Serif is a trademark of the
ParaType Ltd.</string>
<key>unique</key>
<string>PT Serif Caption Italic; 13.0d2e1;
2017-06-29</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>ParaType Ltd</string>
<key>version</key>
<string>13.0d2e1</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
<key>_name</key>
<string>SFCompact.ttf</string>
<key>enabled</key>
<string>yes</string>
<key>path</key>
<string>/System/Library/Fonts/SFCompact.ttf</string>
<key>type</key>
<string>truetype</string>
<key>typefaces</key>
<array>
<dict>
<key>_name</key>
<string>.SFCompact-Regular</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>© 2020 Apple Inc. All rights
reserved.</string>
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
```

```
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF Compact</string>
<key>fullname</key>
<string>.SF Compact Regular</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>

<key>unique</key>
<string>.SF Compact Black; 16.0d15e3; 2020-
09-15</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-RegularG1</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>A© 2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>
  <string>.SF Compact Regular G1</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Regular G1</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF Compact Black; 16.0d15e3; 2020-
09-15</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d15e3</string>
```



```
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-RegularG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>
  <string>.SF Compact Regular G2</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Regular G2</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF Compact Black; 16.0d15e3; 2020-
09-15</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-RegularG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>
  <string>.SF Compact Regular G3</string>
  <key>outline</key>
  <string>yes</string>
```

```

    <key>style</key>
    <string>Regular G3</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF Compact Black; 16.0d15e3; 2020-
09-15</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFCompact-RegularG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.SF Compact</string>
    <key>fullname</key>
    <string>.SF Compact Regular G4</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular G4</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF Compact Black; 16.0d15e3; 2020-
09-15</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFCompact-Medium</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>

```

```
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF Compact</string>
<key>fullname</key>
<string>.SF Compact Medium</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Medium</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
<key>unique</key>
<string>.SF Compact Black; 16.0d15e3; 2020-
09-15</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-MediumG1</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>
  <string>.SF Compact Medium G1</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Medium G1</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF Compact Black; 16.0d15e3; 2020-
09-15</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
```

```

    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-MediumG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>
  <string>.SF Compact Medium G2</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Medium G2</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF Compact Black; 16.0d15e3; 2020-
09-15</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-MediumG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>

```

```
<string>.SF Compact Medium G3</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Medium G3</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
<key>unique</key>
<string>.SF Compact Black; 16.0d15e3; 2020-
09-15</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
<key>_name</key>
<string>.SFCompact-MediumG4</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Â© 2020 Apple Inc. All rights
reserved.</string>
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF Compact</string>
<key>fullname</key>
<string>.SF Compact Medium G4</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Medium G4</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
<key>unique</key>
<string>.SF Compact Black; 16.0d15e3; 2020-
09-15</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
<key>_name</key>
<string>.SFCompact-Light</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Â© 2020 Apple Inc. All rights
```

reserved.</string>

```
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF Compact</string>
<key>fullname</key>
<string>.SF Compact Light</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Light</string>
<key>trademark</key>
<string>San Francisco is a trademark of
```

Apple Inc.</string>

```
<key>unique</key>
<string>.SF Compact Black; 16.0d15e3; 2020-
```

09-15</string>

```
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
```

</dict>

<dict>

```
<key>_name</key>
<string>.SFCompact-LightG1</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Â© 2020 Apple Inc. All rights
```

reserved.</string>

```
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF Compact</string>
<key>fullname</key>
<string>.SF Compact Light G1</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Light G1</string>
<key>trademark</key>
<string>San Francisco is a trademark of
```

Apple Inc.</string>

```
<key>unique</key>
<string>.SF Compact Black; 16.0d15e3; 2020-
```

09-15</string>

```

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-LightG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>
  <string>.SF Compact Light G2</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Light G2</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF Compact Black; 16.0d15e3; 2020-
09-15</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-LightG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>

```

```

    <key>family</key>
    <string>.SF Compact</string>
    <key>fullname</key>
    <string>.SF Compact Light G3</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Light G3</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF Compact Black; 16.0d15e3; 2020-
09-15</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFCompact-LightG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.SF Compact</string>
    <key>fullname</key>
    <string>.SF Compact Light G4</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Light G4</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF Compact Black; 16.0d15e3; 2020-
09-15</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFCompact-Thin</string>
    <key>copy_protected</key>

```



```
<string>no</string>
<key>copyright</key>
reserved.</string> <string>Â© 2020 Apple Inc. All rights
                    <key>description</key>
                    <string>Apple Inc.</string>
                    <key>designer</key>
                    <string>Apple Inc.</string>
                    <key>duplicate</key>
                    <string>no</string>
                    <key>embeddable</key>
                    <string>yes</string>
                    <key>enabled</key>
                    <string>yes</string>
                    <key>family</key>
                    <string>.SF Compact</string>
                    <key>fullname</key>
                    <string>.SF Compact Thin</string>
                    <key>outline</key>
                    <string>yes</string>
                    <key>style</key>
                    <string>Thin</string>
                    <key>trademark</key>
                    <string>San Francisco is a trademark of
Apple Inc.</string>
                    <key>unique</key>
                    <string>.SF Compact Black; 16.0d15e3; 2020-
09-15</string>
                    <key>valid</key>
                    <string>yes</string>
                    <key>vendor</key>
                    <string>Apple Inc.</string>
                    <key>version</key>
                    <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-ThinG1</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>
  <string>.SF Compact Thin G1</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Thin G1</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
```

```
09-15</string>
    <key>unique</key>
    <string>.SF Compact Black; 16.0d15e3; 2020-

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFCompact-ThinG2</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2020 Apple Inc. All rights

reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.SF Compact</string>
    <key>fullname</key>
    <string>.SF Compact Thin G2</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Thin G2</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of

Apple Inc.</string>

    <key>unique</key>
    <string>.SF Compact Black; 16.0d15e3; 2020-

09-15</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFCompact-ThinG3</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2020 Apple Inc. All rights

reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
```

```
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF Compact</string>
<key>fullname</key>
<string>.SF Compact Thin G3</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Thin G3</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>

<key>unique</key>
<string>.SF Compact Black; 16.0d15e3; 2020-
09-15</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-ThinG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>
  <string>.SF Compact Thin G4</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Thin G4</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF Compact Black; 16.0d15e3; 2020-
09-15</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d15e3</string>
</dict>
<dict>
```

```
<key>_name</key>
<string>.SFCompact-Ultralight</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>© 2020 Apple Inc. All rights
reserved.</string>

<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF Compact</string>
<key>fullname</key>
<string>.SF Compact Ultralight</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Ultralight</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>

<key>unique</key>
<string>.SF Compact Black; 16.0d15e3; 2020-
09-15</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-UltralightG1</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>
  <string>.SF Compact Ultralight G1</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Ultralight G1</string>
```

```
Apple Inc.</string>
09-15</string>
reserved.</string>
Apple Inc.</string>
09-15</string>
reserved.</string>

<key>trademark</key>
<string>San Francisco is a trademark of

<key>unique</key>
<string>.SF Compact Black; 16.0d15e3; 2020-

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-UltralightG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2020 Apple Inc. All rights

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>
  <string>.SF Compact Ultralight G2</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Ultralight G2</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of

  <key>unique</key>
  <string>.SF Compact Black; 16.0d15e3; 2020-

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-UltralightG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2020 Apple Inc. All rights

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
```

```
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF Compact</string>
<key>fullname</key>
<string>.SF Compact Ultralight G3</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Ultralight G3</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>

<key>unique</key>
<string>.SF Compact Black; 16.0d15e3; 2020-
09-15</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-UltralightG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>
  <string>.SF Compact Ultralight G4</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Ultralight G4</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF Compact Black; 16.0d15e3; 2020-
09-15</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
```

```

    <string>16.0d15e3</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>.SFCompact-Semibold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.SF Compact</string>
    <key>fullname</key>
    <string>.SF Compact Semibold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semibold</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF Compact Black; 16.0d15e3; 2020-
09-15</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>.SFCompact-SemiboldG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.SF Compact</string>
    <key>fullname</key>
    <string>.SF Compact Semibold G1</string>
    <key>outline</key>

```

```
<string>yes</string>
<key>style</key>
<string>Semibold G1</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
<key>unique</key>
<string>.SF Compact Black; 16.0d15e3; 2020-
09-15</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-SemiboldG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>
  <string>.SF Compact Semibold G2</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Semibold G2</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF Compact Black; 16.0d15e3; 2020-
09-15</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-SemiboldG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
```



```
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF Compact</string>
<key>fullname</key>
<string>.SF Compact Semibold G3</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Semibold G3</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
<key>unique</key>
<string>.SF Compact Black; 16.0d15e3; 2020-
09-15</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-SemiboldG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>
  <string>.SF Compact Semibold G4</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Semibold G4</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF Compact Black; 16.0d15e3; 2020-
09-15</string>
  <key>valid</key>
  <string>yes</string>
```

```

    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFCompact-Bold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.SF Compact</string>
    <key>fullname</key>
    <string>.SF Compact Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF Compact Black; 16.0d15e3; 2020-
09-15</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFCompact-BoldG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.SF Compact</string>

```

```
<key>fullname</key>
<string>.SF Compact Bold G1</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Bold G1</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>

<key>unique</key>
<string>.SF Compact Black; 16.0d15e3; 2020-
09-15</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-BoldG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>
  <string>.SF Compact Bold G2</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Bold G2</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF Compact Black; 16.0d15e3; 2020-
09-15</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-BoldG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
```

```
reserved.</string>
    <string>Â© 2020 Apple Inc. All rights
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.SF Compact</string>
    <key>fullname</key>
    <string>.SF Compact Bold G3</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold G3</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF Compact Black; 16.0d15e3; 2020-
09-15</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFCompact-BoldG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.SF Compact</string>
    <key>fullname</key>
    <string>.SF Compact Bold G4</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold G4</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF Compact Black; 16.0d15e3; 2020-
```

09-15</string>

```
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-Heavy</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2020 Apple Inc. All rights
```

reserved.</string>

```
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF Compact</string>
<key>fullname</key>
<string>.SF Compact Heavy</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Heavy</string>
<key>trademark</key>
<string>San Francisco is a trademark of
```

Apple Inc.</string>

```
<key>unique</key>
<string>.SF Compact Black; 16.0d15e3; 2020-
```

09-15</string>

```
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-HeavyG1</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2020 Apple Inc. All rights
```

reserved.</string>

```
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
```

```
<string>yes</string>
<key>family</key>
<string>.SF Compact</string>
<key>fullname</key>
<string>.SF Compact Heavy G1</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Heavy G1</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>

<key>unique</key>
<string>.SF Compact Black; 16.0d15e3; 2020-
09-15</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-HeavyG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>
  <string>.SF Compact Heavy G2</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Heavy G2</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF Compact Black; 16.0d15e3; 2020-
09-15</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-HeavyG3</string>
```

```
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Â© 2020 Apple Inc. All rights
reserved.</string>

<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF Compact</string>
<key>fullname</key>
<string>.SF Compact Heavy G3</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Heavy G3</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>

<key>unique</key>
<string>.SF Compact Black; 16.0d15e3; 2020-
09-15</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-HeavyG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>
  <string>.SF Compact Heavy G4</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Heavy G4</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
```

```
Apple Inc.</string>
09-15</string>
reserved.</string>
Apple Inc.</string>
09-15</string>
Thuluth.ttf</string>

<key>unique</key>
<string>.SF Compact Black; 16.0d15e3; 2020-

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-Black</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2020 Apple Inc. All rights

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>
  <string>.SF Compact Black</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Black</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of

  <key>unique</key>
  <string>.SF Compact Black; 16.0d15e3; 2020-

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d15e3</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>Diwan Thuluth.ttf</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/Supplemental/Diwan

  <key>type</key>
  <string>truetype</string>
```



```

<key>typefaces</key>
<array>
  <dict>
    <key>_name</key>
    <string>DiwanThuluth</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2001 Diwan Software Ltd. All
rights reserved. Programmed by Anmar Sabeeh & Abu Hassan.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Diwan Thuluth</string>
    <key>fullname</key>
    <string>Diwan Thuluth Regular</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>trademark</key>
    <string>Diwan Thuluth</string>
    <key>unique</key>
    <string>Diwan Thuluth Regular; 13.0d1e5;
2017-06-13</string>

    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0d1e5</string>
  </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>Monaco.dfont</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/Monaco.dfont</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>Monaco</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Â© 1990-2008 Apple Inc. Â© 1990-97
Type Solutions Inc. Â© 1990-97 The Font Bureau Inc. TrueType outline design of
Monaco typeface created by Kris Holmes and Charles Bigelow.</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>

```

```

        <key>family</key>
        <string>Monaco</string>
        <key>fullname</key>
        <string>Monaco</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>unique</key>
        <string>Monaco; 16.0d1e2;
2020-06-19</string>

        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>16.0d1e2</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>STIXSizTwoSymBol.otf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>

<string>/System/Library/Fonts/Supplemental/STIXSizTwoSymBol.otf</string>
    <key>type</key>
    <string>postscript</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>STIXSizeTwoSym-Bold</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright (c) 2001-2011 by the STI
Pub Companies, consisting of the American Chemical Society, the American
Institute of Physics, the American Mathematical Society, the American Physical
Society, Elsevier, Inc., and The Institute of Electrical and Electronic
Engineers, Inc. Portions copyright (c) 1998-2003 by MicroPress, Inc. Portions
copyright (c) 1990 by Elsevier, Inc. All rights reserved.</string>
            <key>description</key>
            <string>Arie de Ruiter, who in 1995 was Head
of Information Technology Development at Elsevier Science, made a proposal to
the STI Pub group, an informal group of publishers consisting of representatives
from the American Chemical Society (ACS), American Institute of Physics (AIP),
American Mathematical Society (AMS), American Physical Society (APS), Elsevier,
and Institute of Electrical and Electronics Engineers (IEEE). De Ruiter
encouraged the members to consider development of a series of Web fonts, which
he proposed should be called the Scientific and Technical Information eXchange,
or STIX, Fonts. All STI Pub member organizations enthusiastically endorsed this
proposal, and the STI Pub group agreed to embark on what has become a twelve-
year project. The goal of the project was to identify all alphabetic, symbolic,
and other special characters used in any facet of scientific publishing and to
create a set of Unicode-based fonts that would be distributed free to every
scientist, student, and other interested party worldwide. The fonts would be
consistent with the emerging Unicode standard, and would permit universal
representation of every character. With the release of the STIX fonts, de
Ruiter's vision has been realized.</string>
            <key>designer</key>
            <string>MicroPress Inc., with final

```

```

additions and corrections provided by Coen Hoffman, Elsevier (retired)
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>STIXSizeTwoSym</string>
  <key>fullname</key>
  <string>STIXSizeTwoSym-Bold</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Bold</string>
  <key>trademark</key>
  <string>STIX Fonts(TM) is a trademark of The
Institute of Electrical and Electronics Engineers, Inc.
  <key>unique</key>
  <string>FontMaster:STIXSizeTwoSym-
Bold:1.1.0
  <key>valid</key>
  <string>yes</string>
  <key>version</key>
  <string>Version 1.1.0
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>KohinoorBangla.ttc</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>

  <string>/System/Library/Fonts/KohinoorBangla.ttc</string>
  <key>type</key>
  <string>opentype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>KohinoorBangla-Bold</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Copyright 2015 Indian Type Foundry.
All rights reserved.
      <key>description</key>
      <string>Kohinoor Bangla is an elegant low
contrast type family suitable for both body and display text in print and on
screen. Designed between 2009 and 2015 by Satya Rajpurohit and Jyotish Sonowal.
OpenType production by Liang Hai.
      <key>designer</key>
      <string>Satya Rajpurohit, Jyotish
Sonowal
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>

```

```

    <key>family</key>
    <string>Kohinoor Bangla</string>
    <key>fullname</key>
    <string>Kohinoor Bangla Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold</string>
    <key>trademark</key>
    <string>Kohinoor is a trademark of Indian
Type Foundry.</string>
    <key>unique</key>
    <string>Kohinoor Bangla Bold; 14.0d2e3;
2018-02-28</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Indian Type Foundry</string>
    <key>version</key>
    <string>14.0d2e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>KohinoorBangla-Medium</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright 2015 Indian Type Foundry.
All rights reserved.</string>
    <key>description</key>
    <string>Kohinoor Bangla is an elegant low
contrast type family suitable for both body and display text in print and on
screen. Designed between 2009 and 2015 by Satya Rajpurohit and Jyotish Sonowal.
OpenType production by Liang Hai.</string>
    <key>designer</key>
    <string>Satya Rajpurohit, Jyotish
Sonowal</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Kohinoor Bangla</string>
    <key>fullname</key>
    <string>Kohinoor Bangla Medium</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Medium</string>
    <key>trademark</key>
    <string>Kohinoor is a trademark of Indian
Type Foundry.</string>
    <key>unique</key>
    <string>Kohinoor Bangla Medium; 14.0d2e3;
2018-02-28</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Indian Type Foundry</string>
    <key>version</key>
    <string>14.0d2e3</string>
</dict>

```

```

<dict>
  <key>_name</key>
  <string>KohinoorBangla-Regular</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright 2015 Indian Type Foundry.
All rights reserved.</string>
  <key>description</key>
  <string>Kohinoor Bangla is an elegant low
contrast type family suitable for both body and display text in print and on
screen. Designed between 2009 and 2015 by Satya Rajpurohit and Jyotish Sonowal.
OpenType production by Liang Hai.</string>
  <key>designer</key>
  <string>Satya Rajpurohit, Jyotish
Sonowal</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Kohinoor Bangla</string>
  <key>fullname</key>
  <string>Kohinoor Bangla</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Regular</string>
  <key>trademark</key>
  <string>Kohinoor is a trademark of Indian
Type Foundry.</string>
  <key>unique</key>
  <string>Kohinoor Bangla; 14.0d2e3; 2018-02-
28</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Indian Type Foundry</string>
  <key>version</key>
  <string>14.0d2e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>KohinoorBangla-Light</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright 2015 Indian Type Foundry.
All rights reserved.</string>
  <key>description</key>
  <string>Kohinoor Bangla is an elegant low
contrast type family suitable for both body and display text in print and on
screen. Designed between 2009 and 2015 by Satya Rajpurohit and Jyotish Sonowal.
OpenType production by Liang Hai.</string>
  <key>designer</key>
  <string>Satya Rajpurohit, Jyotish
Sonowal</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>

```

```

        <string>yes</string>
        <key>family</key>
        <string>Kohinoor Bangla</string>
        <key>fullname</key>
        <string>Kohinoor Bangla Light</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Light</string>
        <key>trademark</key>
        <string>Kohinoor is a trademark of Indian
Type Foundry.</string>
        <key>unique</key>
        <string>Kohinoor Bangla Light; 14.0d2e3;
2018-02-28</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Indian Type Foundry</string>
        <key>version</key>
        <string>14.0d2e3</string>
</dict>
<dict>
        <key>_name</key>
        <string>KohinoorBangla-Semibold</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright 2015 Indian Type Foundry.
All rights reserved.</string>
        <key>description</key>
        <string>Kohinoor Bangla is an elegant low
contrast type family suitable for both body and display text in print and on
screen. Designed between 2009 and 2015 by Satya Rajpurohit and Jyotish Sonowal.
OpenType production by Liang Hai.</string>
        <key>designer</key>
        <string>Satya Rajpurohit, Jyotish
Sonowal</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Kohinoor Bangla</string>
        <key>fullname</key>
        <string>Kohinoor Bangla Semibold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semibold</string>
        <key>trademark</key>
        <string>Kohinoor is a trademark of Indian
Type Foundry.</string>
        <key>unique</key>
        <string>Kohinoor Bangla Semibold; 14.0d2e3;
2018-02-28</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Indian Type Foundry</string>
        <key>version</key>
        <string>14.0d2e3</string>

```

```

        </dict>
    </array>
    <key>valid</key>
    <string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Silom.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Silom.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>Silom</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright © 1992-2011 by Apple Inc.
All rights reserved.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Silom</string>
            <key>fullname</key>
            <string>Silom</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Regular</string>
            <key>unique</key>
            <string>Silom; 14.0d1e1; 2017-11-02</string>
            <key>valid</key>
            <string>yes</string>
            <key>version</key>
            <string>14.0d1e1</string>
        </dict>
    </array>
    <key>valid</key>
    <string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>MuktaMahee.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/MuktaMahee.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>MuktaMahee-Bold</string>

```

```
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright (c) 2017, Ek Type. All
rights reserved.</string>
<key>designer</key>
<string>Shuchita Grover, Noopur Datye,
Girish Dalvi, Yashodeep Gholap</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Mukta Mahee</string>
<key>fullname</key>
<string>MuktaMahee Bold</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Bold</string>
<key>unique</key>
<string>MuktaMahee Bold; 14.0d1e18; 2018-11-
26</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Ek Type</string>
<key>version</key>
<string>14.0d1e18</string>
</dict>
<dict>
<key>_name</key>
<string>MuktaMahee-Regular</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright (c) 2017, Ek Type. All
rights reserved.</string>
<key>designer</key>
<string>Shuchita Grover, Noopur Datye,
Girish Dalvi, Yashodeep Gholap</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Mukta Mahee</string>
<key>fullname</key>
<string>MuktaMahee Regular</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular</string>
<key>unique</key>
<string>MuktaMahee Regular; 14.0d1e18; 2018-
11-26</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Ek Type</string>
```



```
<key>version</key>
<string>14.0d1e18</string>
</dict>
<dict>
  <key>_name</key>
  <string>MuktaMahee-ExtraBold</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright (c) 2017, Ek Type. All
rights reserved.</string>
  <key>designer</key>
  <string>Shuchita Grover, Noopur Datye,
Girish Dalvi, Yashodeep Gholap</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Mukta Mahee</string>
  <key>fullname</key>
  <string>MuktaMahee ExtraBold</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>ExtraBold</string>
  <key>unique</key>
  <string>MuktaMahee ExtraBold; 14.0d1e18;
2018-11-26</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Ek Type</string>
  <key>version</key>
  <string>14.0d1e18</string>
</dict>
<dict>
  <key>_name</key>
  <string>MuktaMahee-Light</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright (c) 2017, Ek Type. All
rights reserved.</string>
  <key>designer</key>
  <string>Shuchita Grover, Noopur Datye,
Girish Dalvi, Yashodeep Gholap</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Mukta Mahee</string>
  <key>fullname</key>
  <string>MuktaMahee Light</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Light</string>
  <key>unique</key>
```

```
11-26</string> <string>MuktaMahee Light; 14.0d1e18; 2018-
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Ek Type</string>
<key>version</key>
<string>14.0d1e18</string>
</dict>
<dict>
<key>_name</key>
<string>MuktaMahee-Medium</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright (c) 2017, Ek Type. All
rights reserved.</string>
<key>designer</key>
<string>Shuchita Grover, Noopur Datye,
Girish Dalvi, Yashodeep Gholap</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Mukta Mahee</string>
<key>fullname</key>
<string>MuktaMahee Medium</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Medium</string>
<key>unique</key>
<string>MuktaMahee Medium; 14.0d1e18; 2018-
11-26</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Ek Type</string>
<key>version</key>
<string>14.0d1e18</string>
</dict>
<dict>
<key>_name</key>
<string>MuktaMahee-SemiBold</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright (c) 2017, Ek Type. All
rights reserved.</string>
<key>designer</key>
<string>Shuchita Grover, Noopur Datye,
Girish Dalvi, Yashodeep Gholap</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Mukta Mahee</string>
<key>fullname</key>
```

```

                <string>MuktaMahee SemiBold</string>
                <key>outline</key>
                <string>yes</string>
                <key>style</key>
                <string>Semibold</string>
                <key>unique</key>
                <string>MuktaMahee SemiBold; 14.0d1e18;
2018-11-26</string>
                <key>valid</key>
                <string>yes</string>
                <key>vendor</key>
                <string>Ek Type</string>
                <key>version</key>
                <string>14.0d1e18</string>
</dict>
<dict>
    <key>_name</key>
    <string>MuktaMahee-ExtraLight</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright (c) 2017, Ek Type. All
rights reserved.</string>
    <key>designer</key>
    <string>Shuchita Grover, Noopur Datye,
Girish Dalvi, Yashodeep Gholap</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Mukta Mahee</string>
    <key>fullname</key>
    <string>MuktaMahee ExtraLight</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extralight</string>
    <key>unique</key>
    <string>MuktaMahee ExtraLight; 14.0d1e18;
2018-11-26</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Ek Type</string>
    <key>version</key>
    <string>14.0d1e18</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>STIXSizOneSymBol.otf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
<string>/System/Library/Fonts/Supplemental/STIXSizOneSymBol.otf</string>
    <key>type</key>
    <string>postscript</string>

```

```

<key>typefaces</key>
<array>
  <dict>
    <key>_name</key>
    <string>STIXSizeOneSym-Bold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright (c) 2001-2011 by the STI
Pub Companies, consisting of the American Chemical Society, the American
Institute of Physics, the American Mathematical Society, the American Physical
Society, Elsevier, Inc., and The Institute of Electrical and Electronic
Engineers, Inc. Portions copyright (c) 1998-2003 by MicroPress, Inc. Portions
copyright (c) 1990 by Elsevier, Inc. All rights reserved.</string>
    <key>description</key>
    <string>Arie de Ruiter, who in 1995 was Head
of Information Technology Development at Elsevier Science, made a proposal to
the STI Pub group, an informal group of publishers consisting of representatives
from the American Chemical Society (ACS), American Institute of Physics (AIP),
American Mathematical Society (AMS), American Physical Society (APS), Elsevier,
and Institute of Electrical and Electronics Engineers (IEEE). De Ruiter
encouraged the members to consider development of a series of Web fonts, which
he proposed should be called the Scientific and Technical Information eXchange,
or STIX, Fonts. All STI Pub member organizations enthusiastically endorsed this
proposal, and the STI Pub group agreed to embark on what has become a twelve-
year project. The goal of the project was to identify all alphabetic, symbolic,
and other special characters used in any facet of scientific publishing and to
create a set of Unicode-based fonts that would be distributed free to every
scientist, student, and other interested party worldwide. The fonts would be
consistent with the emerging Unicode standard, and would permit universal
representation of every character. With the release of the STIX fonts, de
Ruiter's vision has been realized.</string>
    <key>designer</key>
    <string>MicroPress Inc., with final
additions and corrections provided by Coen Hoffman, Elsevier (retired)</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>STIXSizeOneSym</string>
    <key>fullname</key>
    <string>STIXSizeOneSym-Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold</string>
    <key>trademark</key>
    <string>STIX Fonts(TM) is a trademark of The
Institute of Electrical and Electronics Engineers, Inc.</string>
    <key>unique</key>
    <string>FontMaster:STIXSizeOneSym-
Bold:1.1.0</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>Version 1.1.0</string>
  </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>

```

```

    <dict>
      <key>_name</key>
      <string>ChalkboardSE.ttc</string>
      <key>enabled</key>
      <string>yes</string>
      <key>path</key>

<string>/System/Library/Fonts/Supplemental/ChalkboardSE.ttc</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>ChalkboardSE-Bold</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Copyright 2003-10 Apple Computer,
Inc.</string>

      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>Chalkboard SE</string>
      <key>fullname</key>
      <string>Chalkboard SE Bold</string>
      <key>outline</key>
      <string>yes</string>
      <key>style</key>
      <string>Bold</string>
      <key>unique</key>
      <string>Chalkboard SE Bold; 13.0d1e2; 2017-
06-16</string>

      <key>valid</key>
      <string>yes</string>
      <key>version</key>
      <string>13.0d1e2</string>
    </dict>
    <dict>
      <key>_name</key>
      <string>ChalkboardSE-Regular</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Copyright 2003-10 Apple Computer,
Inc.</string>

      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>Chalkboard SE</string>
      <key>fullname</key>
      <string>Chalkboard SE Regular</string>
      <key>outline</key>
      <string>yes</string>
      <key>style</key>
      <string>Regular</string>

```

```

                <key>unique</key>
                <string>Chalkboard SE Regular; 13.0d1e2;
2017-06-16</string>
                <key>valid</key>
                <string>yes</string>
                <key>version</key>
                <string>13.0d1e2</string>
            </dict>
            <dict>
                <key>_name</key>
                <string>ChalkboardSE-Light</string>
                <key>copy_protected</key>
                <string>no</string>
                <key>copyright</key>
                <string>Copyright 2003-10 Apple Computer,
Inc.</string>
                <key>duplicate</key>
                <string>no</string>
                <key>embeddable</key>
                <string>yes</string>
                <key>enabled</key>
                <string>yes</string>
                <key>family</key>
                <string>Chalkboard SE</string>
                <key>fullname</key>
                <string>Chalkboard SE Light</string>
                <key>outline</key>
                <string>yes</string>
                <key>style</key>
                <string>Light</string>
                <key>unique</key>
                <string>Chalkboard SE Light; 13.0d1e2; 2017-
06-16</string>
                <key>valid</key>
                <string>yes</string>
                <key>version</key>
                <string>13.0d1e2</string>
            </dict>
        </array>
        <key>valid</key>
        <string>yes</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Arial Narrow Italic.ttf</string>
        <key>enabled</key>
        <string>yes</string>
        <key>path</key>
        <string>/System/Library/Fonts/Supplemental/Arial Narrow
Italic.ttf</string>
        <key>type</key>
        <string>truetype</string>
        <key>typefaces</key>
        <array>
            <dict>
                <key>_name</key>
                <string>ArialNarrow-Italic</string>
                <key>copy_protected</key>
                <string>no</string>
                <key>copyright</key>
                <string>© 2007 The Monotype Corporation.
All Rights Reserved.</string>
                <key>description</key>
                <string>Monotype Drawing Office 1982. A

```

contemporary sans serif design, Arial contains more humanist characteristics than many of its predecessors and as such is more in tune with the mood of the last decades of the twentieth century. The overall treatment of curves is softer and fuller than in most industrial-style sans serif faces. Terminal strokes are cut on the diagonal which helps to give the face a less mechanical appearance. Arial is an extremely versatile family of typefaces which can be used with equal success for text setting in reports, presentations, magazines etc, and for display use in newspapers, advertising and promotions.</string>

<key>designer</key>  
<string>Robin Nicholas, Patricia

Saunders</string>

<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Arial Narrow</string>  
<key>fullname</key>  
<string>Arial Narrow Italic</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Italic</string>  
<key>trademark</key>

<string>Arial is a trademark of The Monotype Corporation in the United States and/or other countries.</string>

<key>unique</key>  
<string>Arial Narrow Italic : 2007</string>  
<key>valid</key>  
<string>yes</string>  
<key>vendor</key>  
<string>The Monotype Corporation</string>  
<key>version</key>  
<string>Version 2.38.1x</string>

</dict>

</array>

<key>valid</key>

<string>yes</string>

</dict>

<dict>

<key>\_name</key>

<string>GillSans.ttc</string>

<key>enabled</key>

<string>yes</string>

<key>path</key>

<string>/System/Library/Fonts/Supplemental/GillSans.ttc</string>

<key>type</key>

<string>truetype</string>

<key>typefaces</key>

<array>

<dict>

<key>\_name</key>

<string>GillSans-SemiBold</string>

<key>copy\_protected</key>

<string>no</string>

<key>copyright</key>

<string>Copyright © 2012 The Monotype

Corporation. All rights reserved. This font software may not be reproduced, modified, disclosed or transferred without the express written approval of The Monotype Corporation.</string>

<key>designer</key>

```

    <string>Eric Gill</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Gill Sans</string>
    <key>fullname</key>
    <string>Gill Sans SemiBold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semibold</string>
    <key>trademark</key>
    <string>"Gill Sans" is a registered
trademark of The Monotype Corporation in the United States and/or other
countries.</string>
    <key>unique</key>
    <string>Gill Sans SemiBold; 16.0d1e1; 2020-
07-06</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Monotype Imaging Inc.</string>
    <key>version</key>
    <string>16.0d1e1</string>
</dict>
<dict>
    <key>_name</key>
    <string>GillSans-Italic</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Digitized data copyright The
Monotype Corporation 1991-2001. All rights reserved. </string>
    <key>designer</key>
    <string>Eric Gill</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Gill Sans</string>
    <key>fullname</key>
    <string>Gill Sans Italic</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Italic</string>
    <key>trademark</key>
    <string>Gill Sansâ„¢ is a trademark of The
Monotype Corporation Registered in the U.S. Patent and Trademark Office and may
be registered in certain jurisdictions</string>
    <key>unique</key>
    <string>Gill Sans Italic; 16.0d1e1; 2020-07-
06</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>16.0d1e1</string>

```



```
</dict>
<dict>
  <key>_name</key>
  <string>GillSans-UltraBold</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Digitized data copyright © 1991-
2001 Agfa Monotype Corporation. All rights reserved.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Gill Sans</string>
  <key>fullname</key>
  <string>Gill Sans UltraBold</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>UltraBold</string>
  <key>trademark</key>
  <string>Gill Sans® is a trademark of The
Monotype Corporation. Registered in the U.S. Patent and Trademark Office and may
be registered in certain jurisdictions</string>
  <key>unique</key>
  <string>Gill Sans UltraBold; 16.0d1e1; 2020-
07-06</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Monotype Imaging Inc.</string>
  <key>version</key>
  <string>16.0d1e1</string>
</dict>
<dict>
  <key>_name</key>
  <string>GillSans-BoldItalic</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Digitized data copyright © 1991-
2001 Agfa Monotype Corporation. All rights reserved. </string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Gill Sans</string>
  <key>fullname</key>
  <string>Gill Sans Bold Italic</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Bold Italic</string>
  <key>trademark</key>
  <string>Gill Sans® is a trademark of The
Monotype Corporation. Registered in the U.S. Patent and Trademark Office and may
be registered in certain jurisdictions</string>
  <key>unique</key>
```

```

2020-07-06</string>
    <string>Gill Sans Bold Italic; 16.0d1e1;
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>16.0d1e1</string>
</dict>
<dict>
    <key>_name</key>
    <string>GillSans</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Digitized data copyright The
Monotype Corporation 1991-2001. All rights reserved.</string>
    <key>designer</key>
    <string>Eric Gill</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Gill Sans</string>
    <key>fullname</key>
    <string>Gill Sans</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>trademark</key>
    <string>Gill Sansâ„¢ is a trademark of The
Monotype Corporation Registered in the U.S. Patent and Trademark Office and may
be registered in certain jurisdictions</string>
    <key>unique</key>
    <string>Gill Sans; 16.0d1e1;
2020-07-06</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>16.0d1e1</string>
</dict>
<dict>
    <key>_name</key>
    <string>GillSans-Bold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Digitized data copyright Â© 1991-
2001 Agfa Monotype Corporation. All rights reserved. </string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Gill Sans</string>
    <key>fullname</key>
    <string>Gill Sans Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>

```

<string>Bold</string>  
<key>trademark</key>  
<string>Gill Sans is a trademark of The  
Monotype Corporation. Registered in the U.S. Patent and Trademark Office and may  
be registered in certain jurisdictions</string>

<key>unique</key>  
<string>Gill Sans Bold; 16.0d1e1; 2020-07-  
06</string>

<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>16.0d1e1</string>

</dict>

<dict>

<key>\_name</key>  
<string>GillSans-Light</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Digitized data copyright The

Monotype Corporation 1991-2001. All rights reserved. </string>

<key>designer</key>  
<string>Eric Gill</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Gill Sans</string>  
<key>fullname</key>  
<string>Gill Sans Light</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Light</string>  
<key>trademark</key>

<string>Gill Sans is a trademark of The  
Monotype Corporation Registered in the U.S. Patent and Trademark Office and may  
be registered in certain jurisdictions</string>

<key>unique</key>  
<string>Gill Sans Light; 16.0d1e1; 2020-07-  
06</string>

<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>16.0d1e1</string>

</dict>

<dict>

<key>\_name</key>  
<string>GillSans-SemiBoldItalic</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Copyright © 2012 The Monotype

Corporation. All rights reserved. This font software may not be reproduced,  
modified, disclosed or transferred without the express written approval of The  
Monotype Corporation.</string>

<key>designer</key>  
<string>Eric Gill</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>

```

        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Gill Sans</string>
        <key>fullname</key>
        <string>Gill Sans SemiBold Italic</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semibold Italic</string>
        <key>trademark</key>
        <string>"Gill Sans" is a registered
trademark of The Monotype Corporation in the United States and/or other
countries.</string>
        <key>unique</key>
        <string>Gill Sans SemiBold Italic; 16.0d1e1;
2020-07-06</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Monotype Imaging Inc.</string>
        <key>version</key>
        <string>16.0d1e1</string>
</dict>
<dict>
    <key>_name</key>
    <string>GillSans-LightItalic</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Digitized data copyright The
Monotype Corporation 1991-2001. All rights reserved. </string>
    <key>designer</key>
    <string>Eric Gill</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Gill Sans</string>
    <key>fullname</key>
    <string>Gill Sans Light Italic</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Light Italic</string>
    <key>trademark</key>
    <string>Gill Sansâ„¢ is a trademark of The
Monotype Corporation Registered in the U.S. Patent and Trademark Office and may
be registered in certain jurisdictions</string>
    <key>unique</key>
    <string>Gill Sans Light Italic; 16.0d1e1;
2020-07-06</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>16.0d1e1</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>

```

```
</dict>
<dict>
  <key>_name</key>
  <string>Keyboard.ttf</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/Keyboard.ttf</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>.Keyboard</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Copyright © 1995-2007 by Apple Inc.
All Rights Reserved.</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>.Keyboard</string>
      <key>fullname</key>
      <string>.Keyboard</string>
      <key>outline</key>
      <string>yes</string>
      <key>style</key>
      <string>Regular</string>
      <key>unique</key>
      <string>.Keyboard; 13.0d2e4;
2017-07-26</string>
      <key>valid</key>
      <string>yes</string>
      <key>version</key>
      <string>13.0d2e4</string>
    </dict>
  </array>
  <key>valid</key>
  <string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>Galvji.ttc</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/Supplemental/Galvji.ttc</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>Galvji-Oblique</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
```

```

    <string>Copyright (c) 2015 by Apple Inc. and
Michael Everson. All rights reserved.</string>
    <key>description</key>
    <string>Copyright (c) 2014-2015 by Apple
Inc. and Michael Everson. All rights reserved.</string>
    <key>designer</key>
    <string>Apple Inc. and Michael
Everson</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Galvji</string>
    <key>fullname</key>
    <string>Galvji Oblique</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Italic</string>
    <key>trademark</key>
    <string>Galvji Oblique is a trademark of
Apple Inc. and Michael Everson.</string>
    <key>unique</key>
    <string>Galvji Oblique; 14.0d1e3; 2017-12-
06</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc. and Michael
Everson</string>
    <key>version</key>
    <string>14.0d1e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>Galvji</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright (c) 2015 by Apple Inc. and
Michael Everson. All rights reserved.</string>
    <key>description</key>
    <string>Copyright (c) 2014-2015 by Apple
Inc. and Michael Everson. All rights reserved.</string>
    <key>designer</key>
    <string>Apple Inc. and Michael
Everson</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Galvji</string>
    <key>fullname</key>
    <string>Galvji</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>

```

```
and Michael Everson.</string>
2017-12-06</string>
Everson</string>
Michael Everson. All rights reserved.
Inc. and Michael Everson. All rights reserved.
Everson</string>
of Apple Inc. and Michael Everson.
12-06</string>
Everson</string>
Michael Everson. All rights reserved.
<key>trademark</key>
<string>Galvji is a trademark of Apple Inc.
<key>unique</key>
<string>Galvji; 14.0d1e3;
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc. and Michael
Everson</string>
<key>version</key>
<string>14.0d1e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>Galvji-BoldOblique</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright (c) 2015 by Apple Inc. and
Michael Everson. All rights reserved.</string>
  <key>description</key>
  <string>Copyright (c) 2014-2015 by Apple
Inc. and Michael Everson. All rights reserved.</string>
  <key>designer</key>
  <string>Apple Inc. and Michael
Everson</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Galvji</string>
  <key>fullname</key>
  <string>Galvji Bold Oblique</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Bold Oblique</string>
  <key>trademark</key>
  <string>Galvji Bold Oblique is a trademark
of Apple Inc. and Michael Everson.</string>
  <key>unique</key>
  <string>Galvji Bold Oblique; 14.0d1e3; 2017-
12-06</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc. and Michael
Everson</string>
  <key>version</key>
  <string>14.0d1e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>Galvji-Bold</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright (c) 2015 by Apple Inc. and
Michael Everson. All rights reserved.</string>
```

```

        <key>description</key>
        <string>Copyright (c) 2014-2015 by Apple
Inc. and Michael Everson. All rights reserved.</string>
        <key>designer</key>
        <string>Apple Inc. and Michael
Everson</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Galvji</string>
        <key>fullname</key>
        <string>Galvji Bold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Bold</string>
        <key>trademark</key>
        <string>Galvji Bold is a trademark of Apple
Inc. and Michael Everson.</string>
        <key>unique</key>
        <string>Galvji Bold; 14.0d1e3;
2017-12-06</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc. and Michael
Everson</string>
        <key>version</key>
        <string>14.0d1e3</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Comic Sans MS.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Comic Sans
MS.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>ComicSansMS</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Â© 2006 Microsoft Corporation. All
rights reserved.</string>
            <key>description</key>
            <string>Designed by Microsoft's Vincent
Connare, this is a face based on the lettering from comic magazines. This casual
but legible face has proved very popular with a wide variety of people.</string>
            <key>designer</key>
            <string>Vincent Connare</string>

```



```

        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Comic Sans MS</string>
        <key>fullname</key>
        <string>Comic Sans MS</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>unique</key>
        <string>Microsoft Comic Sans</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Microsoft Corporation</string>
        <key>version</key>
        <string>Version 5.00x</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleGothic.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/AppleGothic.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>AppleGothic</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright © 1994-2006 Apple
Computer, Inc. All rights reserved.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>AppleGothic</string>
            <key>fullname</key>
            <string>AppleGothic Regular</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Regular</string>
            <key>trademark</key>
            <string>AppleGothic is a trademark of Apple
Computer, Inc.</string>

```

```

07-12</string>
    <key>unique</key>
    <string>AppleGothic Regular; 13.0d1e3; 2017-
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0d1e3</string>
  </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>STIXSizTwoSymReg.otf</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/Supplemental/STIXSizTwoSymReg.otf</string>
  <key>type</key>
  <string>postscript</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>STIXSizeTwoSym-Regular</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Copyright (c) 2001-2011 by the STI
Pub Companies, consisting of the American Chemical Society, the American
Institute of Physics, the American Mathematical Society, the American Physical
Society, Elsevier, Inc., and The Institute of Electrical and Electronic
Engineers, Inc. Portions copyright (c) 1998-2003 by MicroPress, Inc. Portions
copyright (c) 1990 by Elsevier, Inc. All rights reserved.</string>
      <key>description</key>
      <string>Arie de Ruiter, who in 1995 was Head
of Information Technology Development at Elsevier Science, made a proposal to
the STI Pub group, an informal group of publishers consisting of representatives
from the American Chemical Society (ACS), American Institute of Physics (AIP),
American Mathematical Society (AMS), American Physical Society (APS), Elsevier,
and Institute of Electrical and Electronics Engineers (IEEE). De Ruiter
encouraged the members to consider development of a series of Web fonts, which
he proposed should be called the Scientific and Technical Information eXchange,
or STIX, Fonts. All STI Pub member organizations enthusiastically endorsed this
proposal, and the STI Pub group agreed to embark on what has become a twelve-
year project. The goal of the project was to identify all alphabetic, symbolic,
and other special characters used in any facet of scientific publishing and to
create a set of Unicode-based fonts that would be distributed free to every
scientist, student, and other interested party worldwide. The fonts would be
consistent with the emerging Unicode standard, and would permit universal
representation of every character. With the release of the STIX fonts, de
Ruiter's vision has been realized.</string>
      <key>designer</key>
      <string>MicroPress Inc., with final
additions and corrections provided by Coen Hoffman, Elsevier (retired)</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>

```

```

        <string>STIXSizeTwoSym</string>
        <key>fullname</key>
        <string>STIXSizeTwoSym-Regular</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>trademark</key>
        <string>STIX Fonts(TM) is a trademark of The
Institute of Electrical and Electronics Engineers, Inc.</string>
        <key>unique</key>
        <string>FontMaster:STIXSizeTwoSym-
Regular:1.1.0</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>Version 1.1.0</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Times New Roman Bold Italic.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Times New
Roman Bold Italic.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>TimesNewRomanPS-BoldItalicMT</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>A© 2006 The Monotype Corporation.
All Rights Reserved.</string>
            <key>designer</key>
            <string>Monotype Type Drawing Office -
Stanley Morison, Victor Lardent 1932</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Times New Roman</string>
            <key>fullname</key>
            <string>Times New Roman Bold Italic</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Bold Italic</string>
            <key>trademark</key>
            <string>Times New Roman is a trademark of
The Monotype Corporation in the United States and/or other countries.</string>
            <key>unique</key>

```

```

        <string>Monotype:Times New Roman Bold
Italic:Version 5.00 (Microsoft)</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>The Monotype Corporation</string>
        <key>version</key>
        <string>Version 5.00.3x</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Symbol.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Symbol.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>Symbol</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>© 1990-99 Apple Computer Inc. ©
1990-91 Bitstream Inc.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Symbol</string>
            <key>fullname</key>
            <string>Symbol</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Regular</string>
            <key>unique</key>
            <string>Symbol; 13.0d2e2;
2017-06-09</string>
            <key>valid</key>
            <string>yes</string>
            <key>version</key>
            <string>13.0d2e2</string>
        </dict>
    </array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Tahoma Bold.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>

```

```

Bold.ttf</string>      <string>/System/Library/Fonts/Supplemental/Tahoma
                        <key>type</key>
                        <string>truetype</string>
                        <key>typefaces</key>
                        <array>
                          <dict>
                            <key>_name</key>
                            <string>Tahoma-Bold</string>
                            <key>copy_protected</key>
                            <string>no</string>
                            <key>copyright</key>
                            <string>Â© 2006 Microsoft Corporation. All
rights reserved.</string>
                            <key>designer</key>
                            <string>Matthew Carter</string>
                            <key>duplicate</key>
                            <string>no</string>
                            <key>embeddable</key>
                            <string>yes</string>
                            <key>enabled</key>
                            <string>yes</string>
                            <key>family</key>
                            <string>Tahoma</string>
                            <key>fullname</key>
                            <string>Tahoma Bold</string>
                            <key>outline</key>
                            <string>yes</string>
                            <key>style</key>
                            <string>Bold</string>
                            <key>trademark</key>
                            <string>Tahoma is either a registered
trademark or a trademark of Microsoft Corporation in the United States and/or
other countries.</string>
                            <key>unique</key>
                            <string>Microsoft Tahoma Bold</string>
                            <key>valid</key>
                            <string>yes</string>
                            <key>vendor</key>
                            <string>Microsoft Corporation</string>
                            <key>version</key>
                            <string>Version 5.01.1x</string>
                          </dict>
                        </array>
                        <key>valid</key>
                        <string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>ArabicUIText.ttc</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/ArabicUIText.ttc</string>
  <key>type</key>
  <string>opentype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>.ArabicUIText-Regular</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>

```

```
All rights reserved.</string>
<string>Copyright (c) 2017-2019 Apple Inc.
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.Arabic UI Text</string>
<key>fullname</key>
<string>.Arabic UI Text Regular</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular</string>
<key>trademark</key>
<string>Apple Inc.</string>
<key>unique</key>
<string>.Arabic UI Text Regular; 16.0d1e2;
2021-02-15</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d1e2</string>
</dict>
<dict>
<key>_name</key>
<string>.ArabicUIText-Medium</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright (c) 2017-2019 Apple Inc.
All rights reserved.</string>
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.Arabic UI Text</string>
<key>fullname</key>
<string>.Arabic UI Text Medium</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Medium</string>
<key>trademark</key>
<string>Apple Inc.</string>
<key>unique</key>
<string>.Arabic UI Text Medium; 16.0d1e2;
2021-02-15</string>
<key>valid</key>
```

```
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d1e2</string>
</dict>
<dict>
  <key>_name</key>
  <string>.ArabicUIText-Light</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright (c) 2017-2019 Apple Inc.
```

All rights reserved.</string>

```
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.Arabic UI Text</string>
<key>fullname</key>
<string>.Arabic UI Text Light</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Light</string>
<key>trademark</key>
<string>Apple Inc.</string>
<key>unique</key>
<string>.Arabic UI Text Light; 16.0d1e2;
```

2021-02-15</string>

```
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d1e2</string>
</dict>
<dict>
  <key>_name</key>
  <string>.ArabicUIText-Semibold</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright (c) 2017-2019 Apple Inc.
```

All rights reserved.</string>

```
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.Arabic UI Text</string>
```

2021-02-15</string>

```
<key>fullname</key>
<string>.Arabic UI Text Semibold</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Semibold</string>
<key>trademark</key>
<string>Apple Inc.</string>
<key>unique</key>
<string>.Arabic UI Text Semibold; 16.0d1e2;
```

```
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d1e2</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>.ArabicUIText-Bold</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright (c) 2017-2019 Apple Inc.
All rights reserved.</string>
```

```
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.Arabic UI Text</string>
<key>fullname</key>
<string>.Arabic UI Text Bold</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Bold</string>
<key>trademark</key>
<string>Apple Inc.</string>
<key>unique</key>
<string>.Arabic UI Text Bold; 16.0d1e2;
```

2021-02-15</string>

```
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d1e2</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>.ArabicUIText-Heavy</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright (c) 2017-2019 Apple Inc.
All rights reserved.</string>
```



```

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.Arabic UI Text</string>
    <key>fullname</key>
    <string>.Arabic UI Text Heavy</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Heavy</string>
    <key>trademark</key>
    <string>Apple Inc.</string>
    <key>unique</key>
    <string>.Arabic UI Text Heavy; 16.0d1e2;
2021-02-15</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d1e2</string>
  </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>SFNSRounded.ttf</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/SFNSRounded.ttf</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>.SFNSRounded-Regular</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>

```

```
<string>.SF NS Rounded</string>
<key>fullname</key>
<string>.SF NS Rounded Regular</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>

<key>unique</key>
<string>.SF NS Rounded; 16.0d15e3; 2020-09-
15</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNSRounded-RegularG1</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF NS Rounded</string>
  <key>fullname</key>
  <string>.SF NS Rounded Regular G1</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Regular G1</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF NS Rounded; 16.0d15e3; 2020-09-
15</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNSRounded-RegularG2</string>
  <key>copy_protected</key>
  <string>no</string>
```

```
<key>copyright</key>
reserved.</string> <string>© 2015-2020 Apple Inc. All rights

<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF NS Rounded</string>
<key>fullname</key>
<string>.SF NS Rounded Regular G2</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular G2</string>
<key>trademark</key>
<string>San Francisco is a trademark of

Apple Inc.</string>

<key>unique</key>
15</string> <string>.SF NS Rounded; 16.0d15e3; 2020-09-

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNSRounded-RegularG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights

reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF NS Rounded</string>
  <key>fullname</key>
  <string>.SF NS Rounded Regular G3</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Regular G3</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of

Apple Inc.</string>

  <key>unique</key>
```

```
15</string> <string>.SF NS Rounded; 16.0d15e3; 2020-09-
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNSRounded-RegularG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF NS Rounded</string>
  <key>fullname</key>
  <string>.SF NS Rounded Regular G4</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Regular G4</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF NS Rounded; 16.0d15e3; 2020-09-
15</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNSRounded-Medium</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
```

```
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF NS Rounded</string>
<key>fullname</key>
<string>.SF NS Rounded Medium</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Medium</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>

<key>unique</key>
<string>.SF NS Rounded; 16.0d15e3; 2020-09-
15</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNSRounded-MediumG1</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF NS Rounded</string>
  <key>fullname</key>
  <string>.SF NS Rounded Medium G1</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Medium G1</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF NS Rounded; 16.0d15e3; 2020-09-
15</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
```

```
<string>.SFNSRounded-MediumG2</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>© 2015-2020 Apple Inc. All rights
reserved.</string>

<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF NS Rounded</string>
<key>fullname</key>
<string>.SF NS Rounded Medium G2</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Medium G2</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>

<key>unique</key>
<string>.SF NS Rounded; 16.0d15e3; 2020-09-
15</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNSRounded-MediumG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF NS Rounded</string>
  <key>fullname</key>
  <string>.SF NS Rounded Medium G3</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Medium G3</string>
  <key>trademark</key>
```

```
Apple Inc.</string>
15</string>
reserved.</string>
Apple Inc.</string>
15</string>
reserved.</string>

<string>San Francisco is a trademark of
<key>unique</key>
<string>.SF NS Rounded; 16.0d15e3; 2020-09-
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNSRounded-MediumG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF NS Rounded</string>
  <key>fullname</key>
  <string>.SF NS Rounded Medium G4</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Medium G4</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
  <key>unique</key>
  <string>.SF NS Rounded; 16.0d15e3; 2020-09-
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNSRounded-Light</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
```

```
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF NS Rounded</string>
<key>fullname</key>
<string>.SF NS Rounded Light</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Light</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>

<key>unique</key>
<string>.SF NS Rounded; 16.0d15e3; 2020-09-
15</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNSRounded-LightG1</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>A© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF NS Rounded</string>
  <key>fullname</key>
  <string>.SF NS Rounded Light G1</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Light G1</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF NS Rounded; 16.0d15e3; 2020-09-
15</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d15e3</string>
```



```
</dict>
<dict>
  <key>_name</key>
  <string>.SFNSRounded-LightG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF NS Rounded</string>
  <key>fullname</key>
  <string>.SF NS Rounded Light G2</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Light G2</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF NS Rounded; 16.0d15e3; 2020-09-
15</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNSRounded-LightG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF NS Rounded</string>
  <key>fullname</key>
  <string>.SF NS Rounded Light G3</string>
  <key>outline</key>
  <string>yes</string>
```

```

    <key>style</key>
    <string>Light G3</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS Rounded; 16.0d15e3; 2020-09-
15</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNSRounded-LightG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.SF NS Rounded</string>
    <key>fullname</key>
    <string>.SF NS Rounded Light G4</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Light G4</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS Rounded; 16.0d15e3; 2020-09-
15</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNSRounded-Thin</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>

```

```
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF NS Rounded</string>
<key>fullname</key>
<string>.SF NS Rounded Thin</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Thin</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
15</string>
<key>unique</key>
<string>.SF NS Rounded; 16.0d15e3; 2020-09-
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNSRounded-ThinG1</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF NS Rounded</string>
  <key>fullname</key>
  <string>.SF NS Rounded Thin G1</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Thin G1</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
15</string>
  <key>unique</key>
  <string>.SF NS Rounded; 16.0d15e3; 2020-09-
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
```

```

    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNSRounded-ThinG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF NS Rounded</string>
  <key>fullname</key>
  <string>.SF NS Rounded Thin G2</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Thin G2</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF NS Rounded; 16.0d15e3; 2020-09-
15</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNSRounded-ThinG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF NS Rounded</string>
  <key>fullname</key>
```

```
<string>.SF NS Rounded Thin G3</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Thin G3</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
<key>unique</key>
<string>.SF NS Rounded; 16.0d15e3; 2020-09-
15</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNSRounded-ThinG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF NS Rounded</string>
  <key>fullname</key>
  <string>.SF NS Rounded Thin G4</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Thin G4</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF NS Rounded; 16.0d15e3; 2020-09-
15</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNSRounded-Ultralight</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
```

reserved.</string>

```
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF NS Rounded</string>
<key>fullname</key>
<string>.SF NS Rounded Ultralight</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Ultralight</string>
<key>trademark</key>
<string>San Francisco is a trademark of
```

Apple Inc.</string>

```
<key>unique</key>
<string>.SF NS Rounded; 16.0d15e3; 2020-09-
```

15</string>

```
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
```

</dict>

<dict>

```
<key>_name</key>
<string>.SFNSRounded-UltralightG1</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Â© 2015-2020 Apple Inc. All rights
```

reserved.</string>

```
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF NS Rounded</string>
<key>fullname</key>
<string>.SF NS Rounded UltralightG1</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>UltralightG1</string>
<key>trademark</key>
<string>San Francisco is a trademark of
```

Apple Inc.</string>

```
<key>unique</key>
<string>.SF NS Rounded; 16.0d15e3; 2020-09-
```

15</string>

```

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNSRounded-UltralightG2</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.SF NS Rounded</string>
    <key>fullname</key>
    <string>.SF NS Rounded UltralightG2</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>UltralightG2</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS Rounded; 16.0d15e3; 2020-09-
15</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNSRounded-UltralightG3</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>

```

```

    <key>family</key>
    <string>.SF NS Rounded</string>
    <key>fullname</key>
    <string>.SF NS Rounded UltralightG3</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>UltralightG3</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS Rounded; 16.0d15e3; 2020-09-
15</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNSRounded-UltralightG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.SF NS Rounded</string>
    <key>fullname</key>
    <string>.SF NS Rounded UltralightG4</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>UltralightG4</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS Rounded; 16.0d15e3; 2020-09-
15</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNSRounded-Ultrathin</string>
    <key>copy_protected</key>

```



reserved.</string>  
<string>no</string>  
<key>copyright</key>  
<string>Â© 2015-2020 Apple Inc. All rights

<key>description</key>  
<string>Apple Inc.</string>  
<key>designer</key>  
<string>Apple Inc.</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>.SF NS Rounded</string>  
<key>fullname</key>  
<string>.SF NS Rounded Ultrathin</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Ultrathin</string>  
<key>trademark</key>  
<string>San Francisco is a trademark of

Apple Inc.</string>  
<key>unique</key>  
<string>.SF NS Rounded; 16.0d15e3; 2020-09-  
15</string>

<key>valid</key>  
<string>yes</string>  
<key>vendor</key>  
<string>Apple Inc.</string>  
<key>version</key>  
<string>16.0d15e3</string>

</dict>  
<dict>

<key>\_name</key>  
<string>.SFNSRounded-UltrathinG1</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Â© 2015-2020 Apple Inc. All rights

reserved.</string>  
<key>description</key>  
<string>Apple Inc.</string>  
<key>designer</key>  
<string>Apple Inc.</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>.SF NS Rounded</string>  
<key>fullname</key>  
<string>.SF NS Rounded Ultrathin G1</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Ultrathin G1</string>  
<key>trademark</key>  
<string>San Francisco is a trademark of

Apple Inc.</string>

```
15</string>
    <key>unique</key>
    <string>.SF NS Rounded; 16.0d15e3; 2020-09-
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNSRounded-UltrathinG2</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.SF NS Rounded</string>
    <key>fullname</key>
    <string>.SF NS Rounded Ultrathin G2</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Ultrathin G2</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS Rounded; 16.0d15e3; 2020-09-
15</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNSRounded-UltrathinG3</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
```

```
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF NS Rounded</string>
<key>fullname</key>
<string>.SF NS Rounded Ultrathin G3</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Ultrathin G3</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>

<key>unique</key>
<string>.SF NS Rounded; 16.0d15e3; 2020-09-
15</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNSRounded-UltrathinG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF NS Rounded</string>
  <key>fullname</key>
  <string>.SF NS Rounded Ultrathin G4</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Ultrathin G4</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF NS Rounded; 16.0d15e3; 2020-09-
15</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d15e3</string>
</dict>
<dict>
```

```
reserved.</string>
    <key>_name</key>
    <string>.SFNSRounded-Semibold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
```

```
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.SF NS Rounded</string>
    <key>fullname</key>
    <string>.SF NS Rounded Semibold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semibold</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
```

```
Apple Inc.</string>
```

```
15</string>
    <key>unique</key>
    <string>.SF NS Rounded; 16.0d15e3; 2020-09-
```

```
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
```

```
</dict>
```

```
<dict>
```

```
    <key>_name</key>
    <string>.SFNSRounded-SemiboldG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
```

```
reserved.</string>
```

```
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.SF NS Rounded</string>
    <key>fullname</key>
    <string>.SF NS Rounded Semibold G1</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semibold G1</string>
```

```
Apple Inc.</string>
15</string>
reserved.</string>
Apple Inc.</string>
15</string>
reserved.</string>

<key>trademark</key>
<string>San Francisco is a trademark of

<key>unique</key>
<string>.SF NS Rounded; 16.0d15e3; 2020-09-

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNSRounded-SemiboldG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF NS Rounded</string>
  <key>fullname</key>
  <string>.SF NS Rounded Semibold G2</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Semibold G2</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of

  <key>unique</key>
  <string>.SF NS Rounded; 16.0d15e3; 2020-09-

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNSRounded-SemiboldG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
```

```
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF NS Rounded</string>
<key>fullname</key>
<string>.SF NS Rounded Semibold G3</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Semibold G3</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>

<key>unique</key>
<string>.SF NS Rounded; 16.0d15e3; 2020-09-
15</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
<key>_name</key>
<string>.SFNSRounded-SemiboldG4</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>© 2015-2020 Apple Inc. All rights
reserved.</string>

<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF NS Rounded</string>
<key>fullname</key>
<string>.SF NS Rounded Semibold G4</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Semibold G4</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>

<key>unique</key>
<string>.SF NS Rounded; 16.0d15e3; 2020-09-
15</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
```

```

    <string>16.0d15e3</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>.SFNSRounded-Bold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.SF NS Rounded</string>
    <key>fullname</key>
    <string>.SF NS Rounded Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS Rounded; 16.0d15e3; 2020-09-
15</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>.SFNSRounded-BoldG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.SF NS Rounded</string>
    <key>fullname</key>
    <string>.SF NS Rounded Bold G1</string>
    <key>outline</key>

```

```
<string>yes</string>
<key>style</key>
<string>Bold G1</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
<key>unique</key>
<string>.SF NS Rounded; 16.0d15e3; 2020-09-
15</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
<key>_name</key>
<string>.SFNSRounded-BoldG2</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>© 2015-2020 Apple Inc. All rights
reserved.</string>
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF NS Rounded</string>
<key>fullname</key>
<string>.SF NS Rounded Bold G2</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Bold G2</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
<key>unique</key>
<string>.SF NS Rounded; 16.0d15e3; 2020-09-
15</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
<key>_name</key>
<string>.SFNSRounded-BoldG3</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>© 2015-2020 Apple Inc. All rights
reserved.</string>
<key>description</key>
```



```
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF NS Rounded</string>
<key>fullname</key>
<string>.SF NS Rounded Bold G3</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Bold G3</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
<key>unique</key>
<string>.SF NS Rounded; 16.0d15e3; 2020-09-
15</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNSRounded-BoldG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF NS Rounded</string>
  <key>fullname</key>
  <string>.SF NS Rounded Bold G4</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Bold G4</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF NS Rounded; 16.0d15e3; 2020-09-
15</string>
  <key>valid</key>
  <string>yes</string>
```

```

    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNSRounded-Heavy</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.SF NS Rounded</string>
    <key>fullname</key>
    <string>.SF NS Rounded Heavy</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Heavy</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS Rounded; 16.0d15e3; 2020-09-
15</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNSRounded-HeavyG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.SF NS Rounded</string>

```

```

    <key>fullname</key>
    <string>.SF NS Rounded Heavy G1</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Heavy G1</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS Rounded; 16.0d15e3; 2020-09-
15</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNSRounded-HeavyG2</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.SF NS Rounded</string>
    <key>fullname</key>
    <string>.SF NS Rounded Heavy G2</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Heavy G2</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS Rounded; 16.0d15e3; 2020-09-
15</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNSRounded-HeavyG3</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
```

```
reserved.</string>      <string>Â© 2015-2020 Apple Inc. All rights
                        <key>description</key>
                        <string>Apple Inc.</string>
                        <key>designer</key>
                        <string>Apple Inc.</string>
                        <key>duplicate</key>
                        <string>no</string>
                        <key>embeddable</key>
                        <string>yes</string>
                        <key>enabled</key>
                        <string>yes</string>
                        <key>family</key>
                        <string>.SF NS Rounded</string>
                        <key>fullname</key>
                        <string>.SF NS Rounded Heavy G3</string>
                        <key>outline</key>
                        <string>yes</string>
                        <key>style</key>
                        <string>Heavy G3</string>
                        <key>trademark</key>
                        <string>San Francisco is a trademark of
Apple Inc.</string>
                        <key>unique</key>
                        <string>.SF NS Rounded; 16.0d15e3; 2020-09-
15</string>
                        <key>valid</key>
                        <string>yes</string>
                        <key>vendor</key>
                        <string>Apple Inc.</string>
                        <key>version</key>
                        <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNSRounded-HeavyG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF NS Rounded</string>
  <key>fullname</key>
  <string>.SF NS Rounded Heavy G4</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Heavy G4</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF NS Rounded; 16.0d15e3; 2020-09-
```

15</string>

```
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNSRounded-Black</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
```

reserved.</string>

```
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF NS Rounded</string>
<key>fullname</key>
<string>.SF NS Rounded Black</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Black</string>
<key>trademark</key>
<string>San Francisco is a trademark of
```

Apple Inc.</string>

```
<key>unique</key>
<string>.SF NS Rounded; 16.0d15e3; 2020-09-
```

15</string>

```
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>NotoSansMyanmar.ttc</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
```

```
<string>/System/Library/Fonts/NotoSansMyanmar.ttc</string>
<key>type</key>
<string>truetype</string>
<key>typefaces</key>
<array>
  <dict>
```

```

    <key>_name</key>
    <string>NotoSansMyanmar-Thin</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright 2015 Google Inc. All
Rights Reserved.</string>
    <key>description</key>
    <string>Designed by Monotype design
team.</string>
    <key>designer</key>
    <string>Monotype Design Team</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Noto Sans Myanmar</string>
    <key>fullname</key>
    <string>Noto Sans Myanmar Thin</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Thin</string>
    <key>trademark</key>
    <string>Noto is a trademark of Google
Inc.</string>
    <key>unique</key>
    <string>Noto Sans Myanmar Thin; 14.0d4e1;
2019-07-01</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Monotype Imaging Inc.</string>
    <key>version</key>
    <string>14.0d4e1</string>
</dict>
<dict>
    <key>_name</key>
    <string>NotoSansMyanmar-Black</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright 2015 Google Inc. All
Rights Reserved.</string>
    <key>description</key>
    <string>Designed by Monotype design
team.</string>
    <key>designer</key>
    <string>Monotype Design Team</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Noto Sans Myanmar</string>
    <key>fullname</key>
    <string>Noto Sans Myanmar Black</string>
    <key>outline</key>
    <string>yes</string>

```

```

    <key>style</key>
    <string>Black</string>
    <key>trademark</key>
    <string>Noto is a trademark of Google
Inc.</string>

    <key>unique</key>
    <string>Noto Sans Myanmar Black; 14.0d4e1;
2019-07-01</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Monotype Imaging Inc.</string>
    <key>version</key>
    <string>14.0d4e1</string>
</dict>
<dict>
    <key>_name</key>
    <string>NotoSansMyanmar-Regular</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright 2015 Google Inc. All
Rights Reserved.</string>

    <key>description</key>
    <string>Designed by Monotype design
team.</string>

    <key>designer</key>
    <string>Monotype Design Team</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Noto Sans Myanmar</string>
    <key>fullname</key>
    <string>Noto Sans Myanmar Regular</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>trademark</key>
    <string>Noto is a trademark of Google
Inc.</string>

    <key>unique</key>
    <string>Noto Sans Myanmar Regular; 14.0d4e1;
2019-07-01</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Monotype Imaging Inc.</string>
    <key>version</key>
    <string>14.0d4e1</string>
</dict>
<dict>
    <key>_name</key>
    <string>NotoSansMyanmar-Bold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright 2015 Google Inc. All
Rights Reserved.</string>

    <key>description</key>

```

```

team.</string>
    <string>Designed by Monotype design
    <key>designer</key>
    <string>Monotype Design Team</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Noto Sans Myanmar</string>
    <key>fullname</key>
    <string>Noto Sans Myanmar Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold</string>
    <key>trademark</key>
    <string>Noto is a trademark of Google
Inc.</string>
    <key>unique</key>
    <string>Noto Sans Myanmar Bold; 14.0d4e1;
2019-07-01</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Monotype Imaging Inc.</string>
    <key>version</key>
    <string>14.0d4e1</string>
</dict>
<dict>
    <key>_name</key>
    <string>NotoSansMyanmar-Light</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright 2015 Google Inc. All
Rights Reserved.</string>
    <key>description</key>
    <string>Designed by Monotype design
team.</string>
    <key>designer</key>
    <string>Monotype Design Team</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Noto Sans Myanmar</string>
    <key>fullname</key>
    <string>Noto Sans Myanmar Light</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Light</string>
    <key>trademark</key>
    <string>Noto is a trademark of Google
Inc.</string>
    <key>unique</key>
    <string>Noto Sans Myanmar Light; 14.0d4e1;
2019-07-01</string>

```



```

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Monotype Imaging Inc.</string>
    <key>version</key>
    <string>14.0d4e1</string>
</dict>
<dict>
    <key>_name</key>
    <string>NotoSansMyanmar-Medium</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright 2015 Google Inc. All
Rights Reserved.</string>
    <key>description</key>
    <string>Designed by Monotype design
team.</string>
    <key>designer</key>
    <string>Monotype Design Team</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Noto Sans Myanmar</string>
    <key>fullname</key>
    <string>Noto Sans Myanmar Medium</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Medium</string>
    <key>trademark</key>
    <string>Noto is a trademark of Google
Inc.</string>
    <key>unique</key>
    <string>Noto Sans Myanmar Medium; 14.0d4e1;
2019-07-01</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Monotype Imaging Inc.</string>
    <key>version</key>
    <string>14.0d4e1</string>
</dict>
<dict>
    <key>_name</key>
    <string>NotoSansMyanmar-SemiBold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright 2015 Google Inc. All
Rights Reserved.</string>
    <key>description</key>
    <string>Designed by Monotype design
team.</string>
    <key>designer</key>
    <string>Monotype Design Team</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>

```

```
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Noto Sans Myanmar</string>
<key>fullname</key>
<string>Noto Sans Myanmar SemiBold</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Semibold</string>
<key>trademark</key>
<string>Noto is a trademark of Google
Inc.</string>

<key>unique</key>
<string>Noto Sans Myanmar SemiBold;
14.0d4e1; 2019-07-01</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Monotype Imaging Inc.</string>
<key>version</key>
<string>14.0d4e1</string>
</dict>
<dict>
  <key>_name</key>
  <string>NotoSansMyanmar-ExtraBold</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright 2015 Google Inc. All
Rights Reserved.</string>

  <key>description</key>
  <string>Designed by Monotype design
team.</string>

  <key>designer</key>
  <string>Monotype Design Team</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Noto Sans Myanmar</string>
  <key>fullname</key>
  <string>Noto Sans Myanmar ExtraBold</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>ExtraBold</string>
  <key>trademark</key>
  <string>Noto is a trademark of Google
Inc.</string>

  <key>unique</key>
  <string>Noto Sans Myanmar ExtraBold;
14.0d4e1; 2019-07-01</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Monotype Imaging Inc.</string>
  <key>version</key>
  <string>14.0d4e1</string>
</dict>
<dict>
```

```

        <key>_name</key>
        <string>NotoSansMyanmar-ExtraLight</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright 2015 Google Inc. All
Rights Reserved.</string>
        <key>description</key>
        <string>Designed by Monotype design
team.</string>
        <key>designer</key>
        <string>Monotype Design Team</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Noto Sans Myanmar</string>
        <key>fullname</key>
        <string>Noto Sans Myanmar
ExtraLight</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Extralight</string>
        <key>trademark</key>
        <string>Noto is a trademark of Google
Inc.</string>
        <key>unique</key>
        <string>Noto Sans Myanmar ExtraLight;
14.0d4e1; 2019-07-01</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Monotype Imaging Inc.</string>
        <key>version</key>
        <string>14.0d4e1</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Comic Sans MS Bold.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Comic Sans MS
Bold.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>ComicSansMS-Bold</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Â© 2006 Microsoft Corporation. All
rights reserved.</string>

```

```

        <key>description</key>
        <string>Designed by Microsoft's Vincent
Connare, this is a face based on the lettering from comic magazines. This casual
but legible face has proved very popular with a wide variety of people.</string>
        <key>designer</key>
        <string>Vincent Connare</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Comic Sans MS</string>
        <key>fullname</key>
        <string>Comic Sans MS Bold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Bold</string>
        <key>unique</key>
        <string>Microsoft Comic Sans Bold</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Microsoft Corporation</string>
        <key>version</key>
        <string>Version 5.00x</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>KohinoorGujarati.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>

<string>/System/Library/Fonts/KohinoorGujarati.ttc</string>
    <key>type</key>
    <string>opentype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>KohinoorGujarati-Light</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright 2014, 2016 Indian Type
Foundry. All rights reserved.</string>
            <key>description</key>
            <string>Kohinoor Gujarati is an elegant low
contrast type family suitable for both body and display text in print and on
screen. Designed between 2009 and 2014 by Satya Rajpurohit. OpenType production
by Liang Hai.</string>
            <key>designer</key>
            <string>Satya Rajpurohit</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>

```

```

        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Kohinoor Gujarati</string>
        <key>fullname</key>
        <string>Kohinoor Gujarati Light</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Light</string>
        <key>trademark</key>
        <string>Kohinoor is a trademark of the
Indian Type Foundry.</string>
        <key>unique</key>
        <string>Kohinoor Gujarati Light; 14.0d2e16;
2018-11-24</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Indian Type Foundry</string>
        <key>version</key>
        <string>14.0d2e16</string>
</dict>
<dict>
        <key>_name</key>
        <string>KohinoorGujarati-Bold</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright 2014, 2016 Indian Type
Foundry. All rights reserved.</string>
        <key>description</key>
        <string>Kohinoor Gujarati is an elegant low
contrast type family suitable for both body and display text in print and on
screen. Designed between 2009 and 2014 by Satya Rajpurohit. OpenType production
by Liang Hai.</string>
        <key>designer</key>
        <string>Satya Rajpurohit</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Kohinoor Gujarati</string>
        <key>fullname</key>
        <string>Kohinoor Gujarati Bold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Bold</string>
        <key>trademark</key>
        <string>Kohinoor is a trademark of the
Indian Type Foundry.</string>
        <key>unique</key>
        <string>Kohinoor Gujarati Bold; 14.0d2e16;
2018-11-24</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Indian Type Foundry</string>
        <key>version</key>
        <string>14.0d2e16</string>

```

```

</dict>
<dict>
  <key>_name</key>
  <string>KohinoorGujarati-Medium</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright 2014, 2016 Indian Type
Foundry. All rights reserved.</string>
  <key>description</key>
  <string>Kohinoor Gujarati is an elegant low
contrast type family suitable for both body and display text in print and on
screen. Designed between 2009 and 2014 by Satya Rajpurohit. OpenType production
by Liang Hai.</string>
  <key>designer</key>
  <string>Satya Rajpurohit</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Kohinoor Gujarati</string>
  <key>fullname</key>
  <string>Kohinoor Gujarati Medium</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Medium</string>
  <key>trademark</key>
  <string>Kohinoor is a trademark of the
Indian Type Foundry.</string>
  <key>unique</key>
  <string>Kohinoor Gujarati Medium; 14.0d2e16;
2018-11-24</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Indian Type Foundry</string>
  <key>version</key>
  <string>14.0d2e16</string>
</dict>
<dict>
  <key>_name</key>
  <string>KohinoorGujarati-Semibold</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright 2014, 2016 Indian Type
Foundry. All rights reserved.</string>
  <key>description</key>
  <string>Kohinoor Gujarati is an elegant low
contrast type family suitable for both body and display text in print and on
screen. Designed between 2009 and 2014 by Satya Rajpurohit. OpenType production
by Liang Hai.</string>
  <key>designer</key>
  <string>Satya Rajpurohit</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>

```

```

        <key>family</key>
        <string>Kohinoor Gujarati</string>
        <key>fullname</key>
        <string>Kohinoor Gujarati Semibold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semibold</string>
        <key>trademark</key>
        <string>Kohinoor is a trademark of the
Indian Type Foundry.</string>
        <key>unique</key>
        <string>Kohinoor Gujarati Semibold;
14.0d2e16; 2018-11-24</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Indian Type Foundry</string>
        <key>version</key>
        <string>14.0d2e16</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>KohinoorGujarati-Regular</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright 2014, 2016 Indian Type
Foundry. All rights reserved.</string>
        <key>description</key>
        <string>Kohinoor Gujarati is an elegant low
contrast type family suitable for both body and display text in print and on
screen. Designed between 2009 and 2014 by Satya Rajpurohit. OpenType production
by Liang Hai.</string>
        <key>designer</key>
        <string>Satya Rajpurohit</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Kohinoor Gujarati</string>
        <key>fullname</key>
        <string>Kohinoor Gujarati Regular</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>trademark</key>
        <string>Kohinoor is a trademark of the
Indian Type Foundry.</string>
        <key>unique</key>
        <string>Kohinoor Gujarati Regular;
14.0d2e16; 2018-11-24</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Indian Type Foundry</string>
        <key>version</key>
        <string>14.0d2e16</string>
    </dict>
</array>

```

```
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>Impact.ttf</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
```

```
<string>/System/Library/Fonts/Supplemental/Impact.ttf</string>
<key>type</key>
<string>truetype</string>
<key>typefaces</key>
<array>
  <dict>
```

```
    <key>_name</key>
    <string>Impact</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2006 The Monotype Corporation.
```

```
All Rights Reserved.</string>
```

```
    <key>description</key>
    <string>1965. Designed for the Stephenson
Blake type foundry. A very heavy, narrow, sans serif face intended for use in
newspapers, for headlines and in advertisements. Aptly named, this face has a
very large "x" height with short ascenders and descenders.</string>
```

```
    <key>designer</key>
    <string>Geoffrey Lee</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Impact</string>
    <key>fullname</key>
    <string>Impact</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>trademark</key>
    <string>Impact is a trademark of Stephenson
```

```
Blake (Holdings) Ltd.</string>
```

```
    <key>unique</key>
    <string>Impact - 1992</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>The Monotype Corporation</string>
    <key>version</key>
    <string>Version 5.00x</string>
```

```
</dict>
```

```
</array>
```

```
<key>valid</key>
<string>yes</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>Times New Roman.ttf</string>
  <key>enabled</key>
```



```

        <string>yes</string>
        <key>path</key>
        <string>/System/Library/Fonts/Supplemental/Times New
Roman.ttf</string>
        <key>type</key>
        <string>truetype</string>
        <key>typefaces</key>
        <array>
            <dict>
                <key>_name</key>
                <string>TimesNewRomanPSMT</string>
                <key>copy_protected</key>
                <string>no</string>
                <key>copyright</key>
                <string>© 2006 The Monotype Corporation.
All Rights Reserved.</string>
                <key>designer</key>
                <string>Monotype Type Drawing Office -
Stanley Morison, Victor Lardent 1932</string>
                <key>duplicate</key>
                <string>no</string>
                <key>embeddable</key>
                <string>yes</string>
                <key>enabled</key>
                <string>yes</string>
                <key>family</key>
                <string>Times New Roman</string>
                <key>fullname</key>
                <string>Times New Roman</string>
                <key>outline</key>
                <string>yes</string>
                <key>style</key>
                <string>Regular</string>
                <key>trademark</key>
                <string>Times New Roman is a trademark of
The Monotype Corporation in the United States and/or other countries.</string>
                <key>unique</key>
                <string>Monotype:Times New Roman
Regular:Version 5.01 (Microsoft)</string>
                <key>valid</key>
                <string>yes</string>
                <key>vendor</key>
                <string>The Monotype Corporation</string>
                <key>version</key>
                <string>Version 5.01.3x</string>
            </dict>
        </array>
        <key>valid</key>
        <string>yes</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>af'af@a,ã,™afžèš'ã,³ã,™ã,·ãffã, W1.ttc</string>
        <key>enabled</key>
        <string>yes</string>
        <key>path</key>
        <string>/System/Library/Fonts/af'af@a,ã,™afžèš'ã,³ã,™ã,·ãffã, W1.ttc</string>
        <key>type</key>
        <string>opentype</string>
        <key>typefaces</key>
        <array>
            <dict>
                <key>_name</key>

```

```

        <string>HiraginoSans-W1</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>ver8.20, Copyright (c) 1993-2015
SCREEN Graphic and Precision Solutions Co., Ltd. All Rights Reserved.</string>
        <key>designer</key>
        <string>JIYUKOBO Ltd.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Hiragino Sans</string>
        <key>fullname</key>
        <string>Hiragino Sans W1</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>W1</string>
        <key>trademark</key>
        <string>HIRAGINO is a trademark of SCREEN
Holdings Co., Ltd.</string>
        <key>unique</key>
        <string>Hiragino Sans W1; 15.0d1e3; 2019-06-
13</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>SCREEN Graphic and Precision
Solutions Co., Ltd.</string>
        <key>version</key>
        <string>15.0d1e3</string>
</dict>
<dict>
        <key>_name</key>
        <string>.HiraKakuInterface-W1</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>ver8.20, Copyright (c) 1993-2015
SCREEN Graphic and Precision Solutions Co., Ltd. All Rights Reserved.</string>
        <key>designer</key>
        <string>JIYUKOBO Ltd.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>.Hiragino Kaku Gothic
Interface</string>
        <key>fullname</key>
        <string>.Hiragino Kaku Gothic Interface
W1</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>W1</string>
        <key>trademark</key>
        <string>HIRAGINO is a trademark of SCREEN

```

```

Holdings Co., Ltd.</string>
15.0d1e3; 2019-06-13</string>
Solutions Co., Ltd.</string>
<key>unique</key>
<string>.Hiragino Kaku Gothic Interface W1;
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>SCREEN Graphic and Precision
<key>version</key>
<string>15.0d1e3</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
<key>_name</key>
<string>ArabicUIDisplay.ttc</string>
<key>enabled</key>
<string>yes</string>
<key>path</key>
<string>/System/Library/Fonts/ArabicUIDisplay.ttc</string>
<key>type</key>
<string>opentype</string>
<key>typefaces</key>
<array>
<dict>
<key>_name</key>
<string>.ArabicUIDisplay-Regular</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright (c) 2017-2019 Apple Inc.
All rights reserved.</string>
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.Arabic UI Display</string>
<key>fullname</key>
<string>.Arabic UI Display Regular</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular</string>
<key>trademark</key>
<string>Apple Inc.</string>
<key>unique</key>
<string>.Arabic UI Display Regular;
16.0d1e2; 2021-02-15</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>

```

```
        <string>16.0d1e2</string>
</dict>
<dict>
  <key>_name</key>
  <string>.ArabicUIDisplay-Medium</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright (c) 2017-2019 Apple Inc.

All rights reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.Arabic UI Display</string>
  <key>fullname</key>
  <string>.Arabic UI Display Medium</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Medium</string>
  <key>trademark</key>
  <string>Apple Inc.</string>
  <key>unique</key>
  <string>.Arabic UI Display Medium; 16.0d1e2;

2021-02-15</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d1e2</string>
</dict>
<dict>
  <key>_name</key>
  <string>.ArabicUIDisplay-Light</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright (c) 2017-2019 Apple Inc.

All rights reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.Arabic UI Display</string>
  <key>fullname</key>
  <string>.Arabic UI Display Light</string>
  <key>outline</key>
  <string>yes</string>
```

```
2021-02-15</string>
    <key>style</key>
    <string>Light</string>
    <key>trademark</key>
    <string>Apple Inc.</string>
    <key>unique</key>
    <string>.Arabic UI Display Light; 16.0d1e2;
```

```
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d1e2</string>
```

```
</dict>
```

```
<dict>
```

```
    <key>_name</key>
    <string>.ArabicUIDisplay-Thin</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright (c) 2017-2019 Apple Inc.
All rights reserved.</string>
```

```
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.Arabic UI Display</string>
    <key>fullname</key>
    <string>.Arabic UI Display Thin</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Thin</string>
    <key>trademark</key>
    <string>Apple Inc.</string>
    <key>unique</key>
    <string>.Arabic UI Display Thin; 16.0d1e2;
```

```
2021-02-15</string>
```

```
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d1e2</string>
```

```
</dict>
```

```
<dict>
```

```
    <key>_name</key>
    <string>.ArabicUIDisplay-Ultralight</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright (c) 2017-2019 Apple Inc.
All rights reserved.</string>
```

```
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
```

```

        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>.Arabic UI Display</string>
        <key>fullname</key>
        <string>.Arabic UI Display
Ultralight</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Ultralight</string>
        <key>trademark</key>
        <string>Apple Inc.</string>
        <key>unique</key>
        <string>.Arabic UI Display Ultralight;
16.0d1e2; 2021-02-15</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d1e2</string>
</dict>
<dict>
        <key>_name</key>
        <string>.ArabicUIDisplay-Semibold</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright (c) 2017-2019 Apple Inc.
All rights reserved.</string>
        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>.Arabic UI Display</string>
        <key>fullname</key>
        <string>.Arabic UI Display Semibold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semibold</string>
        <key>trademark</key>
        <string>Apple Inc.</string>
        <key>unique</key>
        <string>.Arabic UI Display Semibold;
16.0d1e2; 2021-02-15</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d1e2</string>

```

```
</dict>
<dict>
  <key>_name</key>
  <string>.ArabicUIDisplay-Bold</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright (c) 2017-2019 Apple Inc.
```

All rights reserved.</string>

```
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.Arabic UI Display</string>
  <key>fullname</key>
  <string>.Arabic UI Display Bold</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Bold</string>
  <key>trademark</key>
  <string>Apple Inc.</string>
  <key>unique</key>
  <string>.Arabic UI Display Bold; 16.0d1e2;
```

2021-02-15</string>

```
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d1e2</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>.ArabicUIDisplay-Heavy</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright (c) 2017-2019 Apple Inc.
```

All rights reserved.</string>

```
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.Arabic UI Display</string>
  <key>fullname</key>
  <string>.Arabic UI Display Heavy</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
```

```
<string>Heavy</string>
<key>trademark</key>
<string>Apple Inc.</string>
<key>unique</key>
<string>.Arabic UI Display Heavy; 16.0d1e2;
2021-02-15</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d1e2</string>
</dict>
<dict>
  <key>_name</key>
  <string>.ArabicUIDisplay-Black</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright (c) 2017-2019 Apple Inc.
All rights reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.Arabic UI Display</string>
  <key>fullname</key>
  <string>.Arabic UI Display Black</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Black</string>
  <key>trademark</key>
  <string>Apple Inc.</string>
  <key>unique</key>
  <string>.Arabic UI Display Black; 16.0d1e2;
2021-02-15</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d1e2</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>Songti.ttc</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>

  <string>/System/Library/Fonts/Supplemental/Songti.ttc</string>
  <key>type</key>
```



```
<string>truetype</string>
<key>typefaces</key>
<array>
  <dict>
    <key>_name</key>
    <string>STSongti-SC-Black</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 1991-1998, 2012 Changzhou
SinoType Technology Co., Ltd. All rights reserved.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Songti SC</string>
    <key>fullname</key>
    <string>Songti SC Black</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Black</string>
    <key>trademark</key>
    <string>STSongti and SinoType are trademarks
of Changzhou SinoType Technology Co., Ltd.</string>
    <key>unique</key>
    <string>Songti SC Black; 16.0d0e3; 2019-12-
13</string>

    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>16.0d0e3</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>STSongti-SC-Light</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 1991-2001, Changzhou SinoType
Technology Co., Ltd. All rights reserved.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Songti SC</string>
    <key>fullname</key>
    <string>Songti SC Light</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Light</string>
    <key>trademark</key>
    <string>STSongti and SinoType are trademarks
of Changzhou SinoType Technology Co., Ltd.</string>
    <key>unique</key>
    <string>Songti SC Light; 16.0d0e3; 2019-12-
13</string>
```

```
<key>valid</key>
<string>yes</string>
<key>version</key>
<string>16.0d0e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>STSong</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright (c) 2002, Changzhou
SinoType Technology Co., Ltd. All rights reserved.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>STSong</string>
  <key>fullname</key>
  <string>STSong</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Regular</string>
  <key>trademark</key>
  <string>STSong and SinoType are trademarks
of Changzhou SinoType Technology Co., Ltd.</string>
  <key>unique</key>
  <string>STSong; 16.0d0e3;
2019-12-13</string>
  <key>valid</key>
  <string>yes</string>
  <key>version</key>
  <string>16.0d0e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>STSongti-SC-Regular</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2010-2012 Changzhou SinoType
Technology Co., Ltd. All rights reserved.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Songti SC</string>
  <key>fullname</key>
  <string>Songti SC Regular</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Regular</string>
  <key>trademark</key>
  <string>STSongti and SinoType are trademarks
of Changzhou SinoType Technology Co., Ltd.</string>
  <key>unique</key>
```

```

12-13</string>
    <string>Songti SC Regular; 16.0d0e3; 2019-
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>16.0d0e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>STSongti-TC-Light</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2010-2012, 2013 Changzhou
SinoType Technology Co., Ltd. All rights reserved.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Songti TC</string>
    <key>fullname</key>
    <string>Songti TC Light</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Light</string>
    <key>trademark</key>
    <string>STSongti and SinoType are trademarks
of Changzhou SinoType Technology Co., Ltd.</string>
    <key>unique</key>
    <string>Songti TC Light; 16.0d0e3; 2019-12-
13</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>16.0d0e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>STSongti-TC-Regular</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2010-2012, 2013 Changzhou
SinoType Technology Co., Ltd. All rights reserved.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Songti TC</string>
    <key>fullname</key>
    <string>Songti TC Regular</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>trademark</key>
    <string>STSongti and SinoType are trademarks

```

of Changzhou SinoType Technology Co., Ltd.</string>  
<key>unique</key>  
<string>Songti TC Regular; 16.0d0e3; 2019-  
12-13</string>  
<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>16.0d0e3</string>  
</dict>  
<dict>  
<key>\_name</key>  
<string>STSongti-SC-Bold</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>© 2000-2005, 2012 Changzhou  
SinoType Technology Co., Ltd. All rights reserved.</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Songti SC</string>  
<key>fullname</key>  
<string>Songti SC Bold</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Bold</string>  
<key>trademark</key>  
<string>Songti and SinoType are trademarks  
of Changzhou SinoType Technology Co., Ltd.</string>  
<key>unique</key>  
<string>Songti SC Bold; 16.0d0e3; 2019-12-  
13</string>  
<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>16.0d0e3</string>  
</dict>  
<dict>  
<key>\_name</key>  
<string>STSongti-TC-Bold</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>© 2010-2012, 2013 Changzhou  
SinoType Technology Co., Ltd. All rights reserved.</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Songti TC</string>  
<key>fullname</key>  
<string>Songti TC Bold</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Bold</string>

of Changzhou SinoType Technology Co., Ltd.</string>  
13</string>

```
<key>trademark</key>
<string>Songti and SinoType are trademarks
of Changzhou SinoType Technology Co., Ltd.</string>
<key>unique</key>
<string>Songti TC Bold; 16.0d0e3; 2019-12-
13</string>
<key>valid</key>
<string>yes</string>
<key>version</key>
<string>16.0d0e3</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>STIXIntUpDBol.otf</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
```

```
<string>/System/Library/Fonts/Supplemental/STIXIntUpDBol.otf</string>
<key>type</key>
<string>postscript</string>
<key>typefaces</key>
<array>
  <dict>
```

```
    <key>_name</key>
    <string>STIXIntegralsUpD-Bold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright (c) 2001-2011 by the STI
Pub Companies, consisting of the American Chemical Society, the American
Institute of Physics, the American Mathematical Society, the American Physical
Society, Elsevier, Inc., and The Institute of Electrical and Electronic
Engineers, Inc. Portions copyright (c) 1998-2003 by MicroPress, Inc. Portions
copyright (c) 1990 by Elsevier, Inc. All rights reserved.</string>
```

```
    <key>description</key>
    <string>Arie de Ruiter, who in 1995 was Head
of Information Technology Development at Elsevier Science, made a proposal to
the STI Pub group, an informal group of publishers consisting of representatives
from the American Chemical Society (ACS), American Institute of Physics (AIP),
American Mathematical Society (AMS), American Physical Society (APS), Elsevier,
and Institute of Electrical and Electronics Engineers (IEEE). De Ruiter
encouraged the members to consider development of a series of Web fonts, which
he proposed should be called the Scientific and Technical Information eXchange,
or STIX, Fonts. All STI Pub member organizations enthusiastically endorsed this
proposal, and the STI Pub group agreed to embark on what has become a twelve-
year project. The goal of the project was to identify all alphabetic, symbolic,
and other special characters used in any facet of scientific publishing and to
create a set of Unicode-based fonts that would be distributed free to every
scientist, student, and other interested party worldwide. The fonts would be
consistent with the emerging Unicode standard, and would permit universal
representation of every character. With the release of the STIX fonts, de
Ruiter's vision has been realized.</string>
```

```
    <key>designer</key>
    <string>MicroPress Inc., with final
additions and corrections provided by Coen Hoffman, Elsevier (retired)</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
```

```

        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>STIXIntegralsUpD</string>
        <key>fullname</key>
        <string>STIXIntegralsUpD-Bold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Bold</string>
        <key>trademark</key>
        <string>STIX Fonts(TM) is a trademark of The
Institute of Electrical and Electronics Engineers, Inc.</string>
        <key>unique</key>
        <string>FontMaster:STIXIntegralsUpD-
Bold:1.1.0</string>

        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>Version 1.1.0</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Myanmar MN.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Myanmar
MN.ttc</string>

    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>MyanmarMN-Bold</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright (c) 2010 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
            <key>description</key>
            <string>Copyright (c) 2010 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
            <key>designer</key>
            <string>Muthu Nedumaran</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Myanmar MN</string>
            <key>fullname</key>
            <string>Myanmar MN Bold</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Bold</string>

```

```

        <key>trademark</key>
        <string>Myanmar MN Bold is a trademark of
Murasu Systems Sdn. Bhd. Malaysia.</string>
        <key>unique</key>
        <string>Myanmar MN Bold; 14.0d1e2; 2018-02-
27</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Murasu Systems Sdn. Bhd.
Malaysia</string>

        <key>version</key>
        <string>14.0d1e2</string>
</dict>
<dict>
    <key>_name</key>
    <string>MyanmarMN</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright (c) 2010 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
    <key>description</key>
    <string>Copyright (c) 2010 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
    <key>designer</key>
    <string>Muthu Nedumaran</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Myanmar MN</string>
    <key>fullname</key>
    <string>Myanmar MN</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>trademark</key>
    <string>Myanmar MN is a trademark of Murasu
Systems Sdn. Bhd. Malaysia.</string>
    <key>unique</key>
    <string>Myanmar MN; 14.0d1e2;
2018-02-27</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Murasu Systems Sdn. Bhd.
Malaysia</string>

    <key>version</key>
    <string>14.0d1e2</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>ãf'ãf@ã,ã,™ãfžèš'ã,³ã,™ã,·ãffã,¯ W8.ttc</string>
    <key>enabled</key>
    <string>yes</string>

```

```
<key>path</key>
<string>/System/Library/Fonts/af'af@a, -
ä, ¢äfžèš'ä, ¢ä, ¢ä, ·äffä, ¯ W8.ttc</string>
<key>type</key>
<string>opentype</string>
<key>typefaces</key>
<array>
  <dict>
    <key>_name</key>
    <string>HiraginoSans-W8</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>ver8.20, Copyright (c) 1993-2013
Dainippon Screen Mfg. Co., Ltd. All Rights Reserved.</string>
    <key>designer</key>
    <string>JIYUKOBO Ltd.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Hiragino Sans</string>
    <key>fullname</key>
    <string>Hiragino Sans W8</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>W8</string>
    <key>trademark</key>
    <string>HIRAGINO is a trademark of Dainippon
Screen Mfg. Co., Ltd.</string>
    <key>unique</key>
    <string>Hiragino Sans W8; 15.0d1e6; 2019-12-
18</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Dainippon Screen Mfg. Co.,
Ltd.</string>
    <key>version</key>
    <string>15.0d1e6</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>.HiraKakuInterface-W8</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>ver8.20, Copyright (c) 1993-2013
Dainippon Screen Mfg. Co., Ltd. All Rights Reserved.</string>
    <key>designer</key>
    <string>JIYUKOBO Ltd.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.Hiragino Kaku Gothic
Interface</string>
```



```

        <key>fullname</key>
        <string>.Hiragino Kaku Gothic Interface
W8</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>W8</string>
        <key>trademark</key>
        <string>HIRAGINO is a trademark of SCREEN
Holdings Co., Ltd.</string>
        <key>unique</key>
        <string>.Hiragino Kaku Gothic Interface W8;
15.0d1e6; 2019-12-18</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>SCREEN Graphic and Precision
Solutions Co., Ltd.</string>
        <key>version</key>
        <string>15.0d1e6</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Verdana Bold.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Verdana
Bold.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>Verdana-Bold</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Â© 2006 Microsoft Corporation. All
Rights Reserved.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Verdana</string>
            <key>fullname</key>
            <string>Verdana Bold</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Bold</string>
            <key>trademark</key>
            <string>Verdana is either a registered
trademark or a trademark of Microsoft Corporation in the United States and/or
other countries.</string>
            <key>unique</key>

```

```

        <string>Microsoft:Verdana Bold:Version 5.01x
(Microsoft)</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>Version 5.01x</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Papyrus.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>

<string>/System/Library/Fonts/Supplemental/Papyrus.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>Papyrus</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Digitized data copyright Â© 2001
Agfa Monotype Corporation. All rights reserved. COPYRIGHT ESSELTE LETRASET LTD.,
1990. Papyrusâ„¢ is a trademark of Esselte Corp.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Papyrus</string>
            <key>fullname</key>
            <string>Papyrus</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Regular</string>
            <key>trademark</key>
            <string>Papyrusâ„¢ is a trademark of Esselte
Corp.</string>
            <key>unique</key>
            <string>Papyrus; 13.0d1e2;

2017-06-15</string>
            <key>valid</key>
            <string>yes</string>
            <key>version</key>
            <string>13.0d1e2</string>
        </dict>
        <dict>
            <key>_name</key>
            <string>Papyrus-Condensed</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Digitized data copyright Â© 2001

```

```

Agfa Monotype Corporation. All rights reserved. COPYRIGHT ESSELTE LETRASET LTD.,
1990. Papyrusâ„¢ is a trademark of Esselte Corp.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Papyrus</string>
    <key>fullname</key>
    <string>Papyrus Condensed</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Condensed</string>
    <key>trademark</key>
    <string>Papyrusâ„¢ is a trademark of Esselte
Corp.</string>
    <key>unique</key>
    <string>Papyrus Condensed; 13.0d1e2; 2017-
06-15</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0d1e2</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Avenir Next.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Avenir Next.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>AvenirNext-HeavyItalic</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright Â© 2004 - 2007 Linotype
GmbH, www.linotype.com. All rights reserved.</string>
            <key>description</key>
            <string>Adrian Frutiger designed Avenir in
1988, after years of having an interest in sans serif typefaces. In an interview
with Linotype, he said he felt an obligation to design a linear sans in the
tradition of Erbar and Futura, but to also make use of the experience and
stylistic developments of the twentieth century. The word Avenir means 'future'
in French and hints that the typeface owes some of its interpretation to Futura.
But unlike Futura, Avenir is not purely geometric; it has vertical strokes that
are thicker than the horizontals, an "o" that is not a perfect circle, and
shortened ascenders. These nuances aid in legibility and give Avenir a
harmonious and sensible appearance for both texts and headlines. In 2004 Adrian
Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the
Avenir and created the Avenir Next for the Platinum Collection. It includes new
small caps, newly designed true italics, and a complete new range of condensed

```

weights. Avenir Next is a versatile sans serif family, ready for large and complex projects from books to signage to advertising.</string>

<key>designer</key>

<string>Adrian Frutiger, Akira

Kobayashi</string>

<key>duplicate</key>

<string>no</string>

<key>embeddable</key>

<string>yes</string>

<key>enabled</key>

<string>yes</string>

<key>family</key>

<string>Avenir Next</string>

<key>fullname</key>

<string>Avenir Next Heavy Italic</string>

<key>outline</key>

<string>yes</string>

<key>style</key>

<string>Heavy Italic</string>

<key>trademark</key>

<string>Avenir is a trademark of Linotype

GmbH registered in the U.S. Patent and Trademark Office and may be registered in certain other jurisdictions.</string>

<key>unique</key>

<string>Avenir Next Heavy Italic; 13.0d1e10;

2017-06-30</string>

<key>valid</key>

<string>yes</string>

<key>vendor</key>

<string>Linotype GmbH</string>

<key>version</key>

<string>13.0d1e10</string>

</dict>

<dict>

<key>\_name</key>

<string>AvenirNext-BoldItalic</string>

<key>copy\_protected</key>

<string>no</string>

<key>copyright</key>

<string>Copyright © 2004 - 2007 Linotype

GmbH, www.linotype.com. All rights reserved.</string>

<key>description</key>

<string>Adrian Frutiger designed Avenir in

1988, after years of having an interest in sans serif typefaces. In an interview with Linotype, he said he felt an obligation to design a linear sans in the tradition of Erbar and Futura, but to also make use of the experience and stylistic developments of the twentieth century. The word Avenir means 'future' in French and hints that the typeface owes some of its interpretation to Futura. But unlike Futura, Avenir is not purely geometric; it has vertical strokes that are thicker than the horizontals, an "o" that is not a perfect circle, and shortened ascenders. These nuances aid in legibility and give Avenir a harmonious and sensible appearance for both texts and headlines. In 2004 Adrian Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the Avenir and created the Avenir Next for the Platinum Collection. It includes new small caps, newly designed true italics, and a complete new range of weights. Avenir Next is a versatile sans serif family, ready for large and complex projects from books to signage to advertising.</string>

<key>designer</key>

<string>Adrian Frutiger, Akira

Kobayashi</string>

<key>duplicate</key>

<string>no</string>

<key>embeddable</key>

<string>yes</string>

```

        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Avenir Next</string>
        <key>fullname</key>
        <string>Avenir Next Bold Italic</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Bold Italic</string>
        <key>trademark</key>
        <string>Avenir is a trademark of Linotype
GmbH registered in the U.S. Patent and Trademark Office and may be registered in
certain other jurisdictions.</string>
        <key>unique</key>
        <string>Avenir Next Bold Italic; 13.0d1e10;
2017-06-30</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Linotype GmbH</string>
        <key>version</key>
        <string>13.0d1e10</string>
</dict>
<dict>
        <key>_name</key>
        <string>AvenirNext-DemiBoldItalic</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright © 2004 - 2007 Linotype
GmbH, www.linotype.com. All rights reserved.</string>
        <key>description</key>
        <string>Adrian Frutiger designed Avenir in
1988, after years of having an interest in sans serif typefaces. In an interview
with Linotype, he said he felt an obligation to design a linear sans in the
tradition of Erbar and Futura, but to also make use of the experience and
stylistic developments of the twentieth century. The word Avenir means 'future'
in French and hints that the typeface owes some of its interpretation to Futura.
But unlike Futura, Avenir is not purely geometric; it has vertical strokes that
are thicker than the horizontals, an "o" that is not a perfect circle, and
shortened ascenders. These nuances aid in legibility and give Avenir a
harmonious and sensible appearance for both texts and headlines. In 2004 Adrian
Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the
Avenir and created the Avenir Next for the Platinum Collection. It includes new
small caps, newly designed true italics, and a complete new range of weights.
Avenir Next is a versatile sans serif family, ready for large and complex
projects from books to signage to advertising.</string>
        <key>designer</key>
        <string>Adrian Frutiger, Akira
Kobayashi</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Avenir Next</string>
        <key>fullname</key>
        <string>Avenir Next Demi Bold
Italic</string>
        <key>outline</key>
        <string>yes</string>

```

```

        <key>style</key>
        <string>Demi Bold Italic</string>
        <key>trademark</key>
        <string>Avenir is a trademark of Linotype
GmbH registered in the U.S. Patent and Trademark Office and may be registered in
certain other jurisdictions.</string>
        <key>unique</key>
        <string>Avenir Next Demi Bold Italic;
13.0d1e10; 2017-06-30</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Linotype GmbH</string>
        <key>version</key>
        <string>13.0d1e10</string>
</dict>
<dict>
        <key>_name</key>
        <string>AvenirNext-Regular</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright © 2004 - 2007 Linotype
GmbH, www.linotype.com. All rights reserved.</string>
        <key>description</key>
        <string>Adrian Frutiger designed Avenir in
1988, after years of having an interest in sans serif typefaces. In an interview
with Linotype, he said he felt an obligation to design a linear sans in the
tradition of Erbar and Futura, but to also make use of the experience and
stylistic developments of the twentieth century. The word Avenir means 'future'
in French and hints that the typeface owes some of its interpretation to Futura.
But unlike Futura, Avenir is not purely geometric; it has vertical strokes that
are thicker than the horizontals, an "o" that is not a perfect circle, and
shortened ascenders. These nuances aid in legibility and give Avenir a
harmonious and sensible appearance for both texts and headlines. In 2004 Adrian
Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the
Avenir and created the Avenir Next for the Platinum Collection. It includes new
small caps, newly designed true italics, and a complete new range of weights.
Avenir Next is a versatile sans serif family, ready for large and complex
projects from books to signage to advertising.</string>
        <key>designer</key>
        <string>Adrian Frutiger, Akira
Kobayashi</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Avenir Next</string>
        <key>fullname</key>
        <string>Avenir Next Regular</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>trademark</key>
        <string>Avenir is a trademark of Linotype
GmbH registered in the U.S. Patent and Trademark Office and may be registered in
certain other jurisdictions.</string>
        <key>unique</key>
        <string>Avenir Next Regular; 13.0d1e10;
2017-06-30</string>

```

```

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Linotype GmbH</string>
        <key>version</key>
        <string>13.0d1e10</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AvenirNext-Medium</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright © 2004 - 2007 Linotype
GmbH, www.linotype.com. All rights reserved.</string>
        <key>description</key>
        <string>Adrian Frutiger designed Avenir in
1988, after years of having an interest in sans serif typefaces. In an interview
with Linotype, he said he felt an obligation to design a linear sans in the
tradition of Erbar and Futura, but to also make use of the experience and
stylistic developments of the twentieth century. The word Avenir means 'future'
in French and hints that the typeface owes some of its interpretation to Futura.
But unlike Futura, Avenir is not purely geometric; it has vertical strokes that
are thicker than the horizontals, an "o" that is not a perfect circle, and
shortened ascenders. These nuances aid in legibility and give Avenir a
harmonious and sensible appearance for both texts and headlines. In 2004 Adrian
Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the
Avenir and created the Avenir Next for the Platinum Collection. It includes new
small caps, newly designed true italics, and a complete new range of weights.
Avenir Next is a versatile sans serif family, ready for large and complex
projects from books to signage to advertising.</string>
        <key>designer</key>
        <string>Adrian Frutiger, Akira
Kobayashi</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Avenir Next</string>
        <key>fullname</key>
        <string>Avenir Next Medium</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Medium</string>
        <key>trademark</key>
        <string>Avenir is a trademark of Linotype
GmbH registered in the U.S. Patent and Trademark Office and may be registered in
certain other jurisdictions.</string>
        <key>unique</key>
        <string>Avenir Next Medium; 13.0d1e10; 2017-
06-30</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Linotype GmbH</string>
        <key>version</key>
        <string>13.0d1e10</string>
    </dict>
    <dict>
        <key>_name</key>

```

```

        <string>AvenirNext-Heavy</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright © 2004 - 2007 Linotype
GmbH, www.linotype.com. All rights reserved.</string>
        <key>description</key>
        <string>Adrian Frutiger designed Avenir in
1988, after years of having an interest in sans serif typefaces. In an interview
with Linotype, he said he felt an obligation to design a linear sans in the
tradition of Erbar and Futura, but to also make use of the experience and
stylistic developments of the twentieth century. The word Avenir means 'future'
in French and hints that the typeface owes some of its interpretation to Futura.
But unlike Futura, Avenir is not purely geometric; it has vertical strokes that
are thicker than the horizontals, an "o" that is not a perfect circle, and
shortened ascenders. These nuances aid in legibility and give Avenir a
harmonious and sensible appearance for both texts and headlines. In 2004 Adrian
Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the
Avenir and created the Avenir Next for the Platinum Collection. It includes new
small caps, newly designed true italics,
and a complete new range of condensed weights. Avenir Next is a versatile sans
serif family, ready for large and complex projects from books to signage to
advertising.</string>
        <key>designer</key>
        <string>Adrian Frutiger, Akira
Kobayashi</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Avenir Next</string>
        <key>fullname</key>
        <string>Avenir Next Heavy</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Heavy</string>
        <key>trademark</key>
        <string>Avenir is a trademark of Linotype
GmbH registered in the U.S. Patent and Trademark Office and may be registered in
certain other jurisdictions.</string>
        <key>unique</key>
        <string>Avenir Next Heavy; 13.0d1e10; 2017-
06-30</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Linotype GmbH</string>
        <key>version</key>
        <string>13.0d1e10</string>
</dict>
<dict>
        <key>_name</key>
        <string>AvenirNext-MediumItalic</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright © 2004 - 2007 Linotype
GmbH, www.linotype.com. All rights reserved.</string>
        <key>description</key>
        <string>Adrian Frutiger designed Avenir in

```



1988, after years of having an interest in sans serif typefaces. In an interview with Linotype, he said he felt an obligation to design a linear sans in the tradition of Erbar and Futura, but to also make use of the experience and stylistic developments of the twentieth century. The word Avenir means 'future' in French and hints that the typeface owes some of its interpretation to Futura. But unlike Futura, Avenir is not purely geometric; it has vertical strokes that are thicker than the horizontals, an "o" that is not a perfect circle, and shortened ascenders. These nuances aid in legibility and give Avenir a harmonious and sensible appearance for both texts and headlines. In 2004 Adrian Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the Avenir and created the Avenir Next for the Platinum Collection. It includes new small caps, newly designed true italics, and a complete new range of weights. Avenir Next is a versatile sans serif family, ready for large and complex projects from books to signage to advertising.</string>

<key>designer</key>

<string>Adrian Frutiger, Akira

Kobayashi</string>

<key>duplicate</key>

<string>no</string>

<key>embeddable</key>

<string>yes</string>

<key>enabled</key>

<string>yes</string>

<key>family</key>

<string>Avenir Next</string>

<key>fullname</key>

<string>Avenir Next Medium Italic</string>

<key>outline</key>

<string>yes</string>

<key>style</key>

<string>Medium Italic</string>

<key>trademark</key>

<string>Avenir is a trademark of Linotype

GmbH registered in the U.S. Patent and Trademark Office and may be registered in certain other jurisdictions.</string>

<key>unique</key>

<string>Avenir Next Medium Italic;

13.0d1e10; 2017-06-30</string>

<key>valid</key>

<string>yes</string>

<key>vendor</key>

<string>Linotype GmbH</string>

<key>version</key>

<string>13.0d1e10</string>

</dict>

<dict>

<key>\_name</key>

<string>AvenirNext-DemiBold</string>

<key>copy\_protected</key>

<string>no</string>

<key>copyright</key>

<string>Copyright © 2004 - 2007 Linotype

GmbH, www.linotype.com. All rights reserved.</string>

<key>description</key>

<string>Adrian Frutiger designed Avenir in

1988, after years of having an interest in sans serif typefaces. In an interview with Linotype, he said he felt an obligation to design a linear sans in the tradition of Erbar and Futura, but to also make use of the experience and stylistic developments of the twentieth century. The word Avenir means 'future' in French and hints that the typeface owes some of its interpretation to Futura. But unlike Futura, Avenir is not purely geometric; it has vertical strokes that are thicker than the horizontals, an "o" that is not a perfect circle, and shortened ascenders. These nuances aid in legibility and give Avenir a harmonious and sensible appearance for both texts and headlines. In 2004 Adrian

Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the Avenir and created the Avenir Next for the Platinum Collection. It includes new small caps, newly designed true italics, and a complete new range of weights. Avenir Next is a versatile sans serif family, ready for large and complex projects from books to signage to advertising.</string>

<key>designer</key>  
<string>Adrian Frutiger, Akira

Kobayashi</string>

<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Avenir Next</string>  
<key>fullname</key>  
<string>Avenir Next Demi Bold</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Demi Bold</string>  
<key>trademark</key>

<string>Avenir is a trademark of Linotype GmbH registered in the U.S. Patent and Trademark Office and may be registered in certain other jurisdictions.</string>

<key>unique</key>  
<string>Avenir Next Demi Bold; 13.0d1e10;

2017-06-30</string>

<key>valid</key>  
<string>yes</string>  
<key>vendor</key>  
<string>Linotype GmbH</string>  
<key>version</key>  
<string>13.0d1e10</string>

</dict>

<dict>

<key>\_name</key>  
<string>AvenirNext-Italic</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Copyright © 2004 - 2007 Linotype

GmbH, www.linotype.com. All rights reserved.</string>

<key>description</key>

<string>Adrian Frutiger designed Avenir in 1988, after years of having an interest in sans serif typefaces. In an interview with Linotype, he said he felt an obligation to design a linear sans in the tradition of Erbar and Futura, but to also make use of the experience and stylistic developments of the twentieth century. The word Avenir means 'future' in French and hints that the typeface owes some of its interpretation to Futura. But unlike Futura, Avenir is not purely geometric; it has vertical strokes that are thicker than the horizontals, an "o" that is not a perfect circle, and shortened ascenders. These nuances aid in legibility and give Avenir a harmonious and sensible appearance for both texts and headlines. In 2004 Adrian Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the Avenir and created the Avenir Next for the Platinum Collection. It includes new small caps, newly designed true italics, and a complete new range of weights. Avenir Next is a versatile sans serif family, ready for large and complex projects from books to signage to advertising.</string>

<key>designer</key>  
<string>Adrian Frutiger, Akira

Kobayashi</string>

<key>duplicate</key>

```

        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Avenir Next</string>
        <key>fullname</key>
        <string>Avenir Next Italic</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Italic</string>
        <key>trademark</key>
        <string>Avenir is a trademark of Linotype
GmbH registered in the U.S. Patent and Trademark Office and may be registered in
certain other jurisdictions.</string>
        <key>unique</key>
        <string>Avenir Next Italic; 13.0d1e10; 2017-
06-30</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Linotype GmbH</string>
        <key>version</key>
        <string>13.0d1e10</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AvenirNext-UltraLightItalic</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright © 2004 - 2007 Linotype
GmbH, www.linotype.com. All rights reserved.</string>
        <key>description</key>
        <string>Adrian Frutiger designed Avenir in
1988, after years of having an interest in sans serif typefaces. In an interview
with Linotype, he said he felt an obligation to design a linear sans in the
tradition of Erbar and Futura, but to also make use of the experience and
stylistic developments of the twentieth century. The word Avenir means 'future'
in French and hints that the typeface owes some of its interpretation to Futura.
But unlike Futura, Avenir is not purely geometric; it has vertical strokes that
are thicker than the horizontals, an "o" that is not a perfect circle, and
shortened ascenders. These nuances aid in legibility and give Avenir a
harmonious and sensible appearance for both texts and headlines. In 2004 Adrian
Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the
Avenir and created the Avenir Next for the Platinum Collection. It includes new
small caps, newly designed true italics, and a complete new range of condensed
weights. Avenir Next is a versatile sans serif family, ready for large and
complex projects from books to signage to advertising.</string>
        <key>designer</key>
        <string>Adrian Frutiger, Akira
Kobayashi</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Avenir Next</string>
        <key>fullname</key>
        <string>Avenir Next Ultra Light

```

Italic</string>

<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Ultra Light Italic</string>  
<key>trademark</key>

<string>Avenir is a trademark of Linotype GmbH registered in the U.S. Patent and Trademark Office and may be registered in certain other jurisdictions.</string>

<key>unique</key>  
<string>Avenir Next Ultra Light Italic;

13.0d1e10; 2017-06-30</string>

<key>valid</key>  
<string>yes</string>  
<key>vendor</key>  
<string>Linotype GmbH</string>  
<key>version</key>  
<string>13.0d1e10</string>

</dict>

<dict>

<key>\_name</key>  
<string>AvenirNext-UltraLight</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Copyright © 2004 - 2007 Linotype

GmbH, www.linotype.com. All rights reserved.</string>

<key>description</key>

<string>Adrian Frutiger designed Avenir in 1988, after years of having an interest in sans serif typefaces. In an interview with Linotype, he said he felt an obligation to design a linear sans in the tradition of Erbar and Futura, but to also make use of the experience and stylistic developments of the twentieth century. The word Avenir means 'future' in French and hints that the typeface owes some of its interpretation to Futura. But unlike Futura, Avenir is not purely geometric; it has vertical strokes that are thicker than the horizontals, an "o" that is not a perfect circle, and shortened ascenders. These nuances aid in legibility and give Avenir a harmonious and sensible appearance for both texts and headlines. In 2004 Adrian Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the Avenir and created the Avenir Next for the Platinum Collection. It includes new small caps, newly designed true italics, and a complete new range of condensed weights. Avenir Next is a versatile sans serif family, ready for large and complex projects from books to signage.</string>

<key>designer</key>

<string>Adrian Frutiger, Akira

Kobayashi</string>

<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Avenir Next</string>  
<key>fullname</key>  
<string>Avenir Next Ultra Light</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Ultra Light</string>  
<key>trademark</key>

<string>Avenir is a trademark of Linotype

GmbH registered in the U.S. Patent and Trademark Office and may be registered in certain other jurisdictions.</string>

```

                <key>unique</key>
                <string>Avenir Next Ultra Light; 13.0d1e10;
2017-06-30</string>
                <key>valid</key>
                <string>yes</string>
                <key>vendor</key>
                <string>Linotype GmbH</string>
                <key>version</key>
                <string>13.0d1e10</string>
            </dict>
            <dict>
                <key>_name</key>
                <string>AvenirNext-Bold</string>
                <key>copy_protected</key>
                <string>no</string>
                <key>copyright</key>
                <string>Copyright © 2004 - 2007 Linotype
GmbH, www.linotype.com. All rights reserved.</string>
                <key>description</key>
                <string>Adrian Frutiger designed Avenir in
1988, after years of having an interest in sans serif typefaces. In an interview
with Linotype, he said he felt an obligation to design a linear sans in the
tradition of Erbar and Futura, but to also make use of the experience and
stylistic developments of the twentieth century. The word Avenir means 'future'
in French and hints that the typeface owes some of its interpretation to Futura.
But unlike Futura, Avenir is not purely geometric; it has vertical strokes that
are thicker than the horizontals, an "o" that is not a perfect circle, and
shortened ascenders. These nuances aid in legibility and give Avenir a
harmonious and sensible appearance for both texts and headlines. In 2004 Adrian
Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the
Avenir and created the Avenir Next for the Platinum Collection. It includes new
small caps, newly designed true italics, and a complete new range of weights.
Avenir Next is a versatile sans serif family, ready for large and complex
projects from books to signage to advertising.</string>
                <key>designer</key>
                <string>Adrian Frutiger, Akira
Kobayashi</string>
                <key>duplicate</key>
                <string>no</string>
                <key>embeddable</key>
                <string>yes</string>
                <key>enabled</key>
                <string>yes</string>
                <key>family</key>
                <string>Avenir Next</string>
                <key>fullname</key>
                <string>Avenir Next Bold</string>
                <key>outline</key>
                <string>yes</string>
                <key>style</key>
                <string>Bold</string>
                <key>trademark</key>
                <string>Avenir is a trademark of Linotype
GmbH registered in the U.S. Patent and Trademark Office and may be registered in
certain other jurisdictions.</string>
                <key>unique</key>
                <string>Avenir Next Bold; 13.0d1e10; 2017-
06-30</string>
                <key>valid</key>
                <string>yes</string>
                <key>vendor</key>
                <string>Linotype GmbH</string>
                <key>version</key>
                <string>13.0d1e10</string>

```

```

        </dict>
    </array>
    <key>valid</key>
    <string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>NotoNastaliq.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/NotoNastaliq.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>NotoNastaliqUrdu-Bold</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright 2017 Google Inc. All
Rights Reserved.</string>
            <key>description</key>
            <string>Designed by Monotype design
team.</string>
            <key>designer</key>
            <string>Monotype Design Team</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Noto Nastaliq Urdu</string>
            <key>fullname</key>
            <string>Noto Nastaliq Urdu Bold</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Bold</string>
            <key>trademark</key>
            <string>Noto is a trademark of Google
Inc.</string>
            <key>unique</key>
            <string>Noto Nastaliq Urdu Bold; 14.0d2e19;
2019-01-24</string>
            <key>valid</key>
            <string>yes</string>
            <key>vendor</key>
            <string>Monotype Imaging Inc.</string>
            <key>version</key>
            <string>14.0d2e19</string>
        </dict>
    <dict>
        <key>_name</key>
        <string>NotoNastaliqUrdu</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright 2014 Google Inc. All
Rights Reserved.</string>

```

```

design team.</string>
<key>description</key>
<string>Data unhinted. Designed by Monotype

design team.</string>
<key>designer</key>
<string>Monotype Design Team</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Noto Nastaliq Urdu</string>
<key>fullname</key>
<string>Noto Nastaliq Urdu</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular</string>
<key>trademark</key>
<string>Noto is a trademark of Google

Inc.</string>
<key>unique</key>
<string>Noto Nastaliq Urdu; 14.0d2e19; 2019-

01-24</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Monotype Imaging Inc.</string>
<key>version</key>
<string>14.0d2e19</string>
</dict>
<dict>
  <key>_name</key>
  <string>.NotoNastaliqUrduUI</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright 2014 Google Inc. All

Rights Reserved.</string>
<key>description</key>
<string>Data unhinted. Designed by Monotype

design team.</string>
<key>designer</key>
<string>Monotype Design Team</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.Noto Nastaliq Urdu UI</string>
<key>fullname</key>
<string>.Noto Nastaliq Urdu UI</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular</string>
<key>trademark</key>
<string>Noto is a trademark of Google

Inc.</string>
<key>unique</key>
<string>.Noto Nastaliq Urdu UI; 14.0d2e19;

```

2019-01-24</string>

<key>valid</key>  
<string>yes</string>  
<key>vendor</key>  
<string>Monotype Imaging Inc.</string>  
<key>version</key>  
<string>14.0d2e19</string>

</dict>

<dict>

<key>\_name</key>  
<string>.NotoNastaliqUrduUI-Bold</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Copyright 2014 Google Inc. All

Rights Reserved.</string>

<key>description</key>

<string>Data unhinted. Designed by Monotype

design team.</string>

<key>designer</key>

<string>Monotype Design Team</string>

<key>duplicate</key>

<string>no</string>

<key>embeddable</key>

<string>yes</string>

<key>enabled</key>

<string>yes</string>

<key>family</key>

<string>.Noto Nastaliq Urdu UI</string>

<key>fullname</key>

<string>.Noto Nastaliq Urdu UI Bold</string>

<key>outline</key>

<string>yes</string>

<key>style</key>

<string>Bold</string>

<key>trademark</key>

<string>Noto is a trademark of Google

Inc.</string>

<key>unique</key>

<string>.Noto Nastaliq Urdu UI Bold;

14.0d2e19; 2019-01-24</string>

<key>valid</key>

<string>yes</string>

<key>vendor</key>

<string>Monotype Imaging Inc.</string>

<key>version</key>

<string>14.0d2e19</string>

</dict>

</array>

<key>valid</key>

<string>yes</string>

</dict>

<dict>

<key>\_name</key>

<string>Luminari.ttf</string>

<key>enabled</key>

<string>yes</string>

<key>path</key>

<string>/System/Library/Fonts/Supplemental/Luminari.ttf</string>

<key>type</key>

<string>truetype</string>

<key>typefaces</key>

<array>



```

    <dict>
      <key>_name</key>
      <string>Luminari-Regular</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Copyright © 2008 Philip Bouwsma.
Published by Canada Type. All rights reserved.</string>
      <key>designer</key>
      <string>Philip Bouwsma</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>Luminari</string>
      <key>fullname</key>
      <string>Luminari</string>
      <key>outline</key>
      <string>yes</string>
      <key>style</key>
      <string>Regular</string>
      <key>trademark</key>
      <string>Luminari is a trade mark of Canada
Type.</string>
      <key>unique</key>
      <string>Luminari; 13.0d1e2;
2017-06-16</string>
      <key>valid</key>
      <string>yes</string>
      <key>vendor</key>
      <string>Canada Type</string>
      <key>version</key>
      <string>13.0d1e2</string>
    </dict>
  </array>
  <key>valid</key>
  <string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>Muna.ttc</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/Supplemental/Muna.ttc</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>MunaBlack</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>© Diwan Software Ltd.</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>

```

```
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Muna</string>
<key>fullname</key>
<string>Muna Black</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Black</string>
<key>trademark</key>
<string>Muna</string>
<key>unique</key>
<string>Muna Black; 13.0d1e4;

2017-06-28</string>

<key>valid</key>
<string>yes</string>
<key>version</key>
<string>13.0d1e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>MunaBold</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2001 Diwan Software Ltd.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Muna</string>
  <key>fullname</key>
  <string>Muna Bold</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Bold</string>
  <key>trademark</key>
  <string>Muna</string>
  <key>unique</key>
  <string>Muna Bold; 13.0d1e4;

2017-06-28</string>

  <key>valid</key>
  <string>yes</string>
  <key>version</key>
  <string>13.0d1e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>Muna</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2001 Diwan Software Ltd.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
```

```
<key>family</key>
<string>Muna</string>
<key>fullname</key>
<string>Muna Regular</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular</string>
<key>trademark</key>
<string>Muna</string>
<key>unique</key>
<string>Muna Regular; 13.0d1e4; 2017-06-
28</string>

<key>valid</key>
<string>yes</string>
<key>version</key>
<string>13.0d1e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.MunaPUA</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2001 Diwan Software Ltd.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.Muna PUA</string>
  <key>fullname</key>
  <string>.Muna PUA</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Regular</string>
  <key>trademark</key>
  <string>Muna</string>
  <key>unique</key>
  <string>.Muna PUA; 13.0d1e4;
2017-06-28</string>

  <key>valid</key>
  <string>yes</string>
  <key>version</key>
  <string>13.0d1e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.MunaPUABold</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2001 Diwan Software Ltd.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.Muna PUA</string>
```

```
28</string>
    <key>fullname</key>
    <string>.Muna PUA Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold</string>
    <key>trademark</key>
    <string>Muna</string>
    <key>unique</key>
    <string>.Muna PUA Bold; 13.0d1e4; 2017-06-
```

```
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0d1e4</string>
```

```
</dict>
```

```
<dict>
```

```
    <key>_name</key>
    <string>.MunaPUABlack</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© Diwan Software Ltd.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.Muna PUA</string>
    <key>fullname</key>
    <string>.Muna PUA Black</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Black</string>
    <key>trademark</key>
    <string>Muna</string>
    <key>unique</key>
    <string>.Muna PUA Black; 13.0d1e4; 2017-06-
```

```
28</string>
```

```
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0d1e4</string>
```

```
</dict>
```

```
</array>
```

```
<key>valid</key>
<string>yes</string>
```

```
</dict>
```

```
<dict>
```

```
    <key>_name</key>
    <string>Trattatello.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
```

```
<string>/System/Library/Fonts/Supplemental/Trattatello.ttf</string>
```

```
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
      <dict>
```

```

        <key>_name</key>
        <string>Trattatello</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright (c) James Grieshaber,
2005. All rights reserved.</string>
        <key>description</key>
        <string>Copyright (c) James Grieshaber,
2005. All rights reserved.</string>
        <key>designer</key>
        <string>James Grieshaber</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Trattatello</string>
        <key>fullname</key>
        <string>Trattatello</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>unique</key>
        <string>Trattatello; 13.0d2e2;
2017-06-20</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>James Grieshaber</string>
        <key>version</key>
        <string>13.0d2e2</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>STIXVar.otf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/STIXVar.otf</string>
    <key>type</key>
    <string>postscript</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>STIXVariants-Regular</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright (c) 2001-2011 by the STI
Pub Companies, consisting of the American Chemical Society, the American
Institute of Physics, the American Mathematical Society, the American Physical
Society, Elsevier, Inc., and The Institute of Electrical and Electronic
Engineers, Inc. Portions copyright (c) 1998-2003 by MicroPress, Inc. Portions
copyright (c) 1990 by Elsevier, Inc. All rights reserved.</string>

```

```

        <key>description</key>
        <string>Arie de Ruiter, who in 1995 was Head
of Information Technology Development at Elsevier Science, made a proposal to
the STI Pub group, an informal group of publishers consisting of representatives
from the American Chemical Society (ACS), American Institute of Physics (AIP),
American Mathematical Society (AMS), American Physical Society (APS), Elsevier,
and Institute of Electrical and Electronics Engineers (IEEE). De Ruiter
encouraged the members to consider development of a series of Web fonts, which
he proposed should be called the Scientific and Technical Information eXchange,
or STIX, Fonts. All STI Pub member organizations enthusiastically endorsed this
proposal, and the STI Pub group agreed to embark on what has become a twelve-
year project. The goal of the project was to identify all alphabetic, symbolic,
and other special characters used in any facet of scientific publishing and to
create a set of Unicode-based fonts that would be distributed free to every
scientist, student, and other interested party worldwide. The fonts would be
consistent with the emerging Unicode standard, and would permit universal
representation of every character. With the release of the STIX fonts, de
Ruiter's vision has been realized.</string>
        <key>designer</key>
        <string>MicroPress Inc., with final
additions and corrections provided by Coen Hoffman, Elsevier (retired)</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>STIXVariants</string>
        <key>fullname</key>
        <string>STIXVariants-Regular</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>trademark</key>
        <string>STIX Fonts(TM) is a trademark of The
Institute of Electrical and Electronics Engineers, Inc.</string>
        <key>unique</key>
        <string>FontMaster:STIXVariants-
Regular:1.1.0</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>Version 1.1.0</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Shree714.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Shree714.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>

```

```

    <string>ShreeDev0714-Bold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright (c) 2000, Modular
Infotech, Pune, INDIA.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Shree Devanagari 714</string>
    <key>fullname</key>
    <string>Shree Devanagari 714 Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold</string>
    <key>trademark</key>
    <string>Shree-Font is a Trademark of Modular
Infotech, Pune</string>
    <key>unique</key>
    <string>Shree Devanagari 714 Bold; 13.0d2e1;
2017-06-30</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0d2e1</string>
</dict>
<dict>
    <key>_name</key>
    <string>ShreeDev0714</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright (c) 2000, Modular
Infotech, Pune, INDIA.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Shree Devanagari 714</string>
    <key>fullname</key>
    <string>Shree Devanagari 714</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>trademark</key>
    <string>Shree-Font is a Trademark of Modular
Infotech, Pune</string>
    <key>unique</key>
    <string>Shree Devanagari 714; 13.0d2e1;
2017-06-30</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0d2e1</string>
</dict>

```

```

<dict>
  <key>_name</key>
  <string>ShreeDev0714-BoldItalic</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright (c) 2000, Modular
Infotech, Pune, INDIA.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Shree Devanagari 714</string>
  <key>fullname</key>
  <string>Shree Devanagari 714 Bold
Italic</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Bold Italic</string>
  <key>trademark</key>
  <string>Shree-Font is a Trademark of Modular
Infotech, Pune</string>
  <key>unique</key>
  <string>Shree Devanagari 714 Bold Italic;
13.0d2e1; 2017-06-30</string>
  <key>valid</key>
  <string>yes</string>
  <key>version</key>
  <string>13.0d2e1</string>
</dict>
<dict>
  <key>_name</key>
  <string>ShreeDev0714-Italic</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright (c) 2000, Modular
Infotech, Pune, INDIA.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Shree Devanagari 714</string>
  <key>fullname</key>
  <string>Shree Devanagari 714 Italic</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Italic</string>
  <key>trademark</key>
  <string>Shree-Font is a Trademark of Modular
Infotech, Pune</string>
  <key>unique</key>
  <string>Shree Devanagari 714 Italic;
13.0d2e1; 2017-06-30</string>
  <key>valid</key>
  <string>yes</string>

```



```

        <key>version</key>
        <string>13.0d2e1</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>DecoTypeNaskh.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/DecoTypeNaskh.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>DecoTypeNaskh</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>DecoType Professional Naskh Family
of Fonts. Copyright 1992-2007 DecoType. All Rights Reserved. Created by Thomas
Milo.</string>
            <key>description</key>
            <string>Copyright (c) 2007 by Thomas Milo.
All rights reserved.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>DecoType Naskh</string>
            <key>fullname</key>
            <string>DecoType Naskh Regular</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Regular</string>
            <key>trademark</key>
            <string>DecoType Naskh is a trademark of
DecoType.</string>
            <key>unique</key>
            <string>DecoType Naskh Regular; 14.0d0e1;
2017-11-14</string>
            <key>valid</key>
            <string>yes</string>
            <key>version</key>
            <string>14.0d0e1</string>
        </dict>
    <dict>
        <key>_name</key>
        <string>.DecoTypeNaskhPUA</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>DecoType Professional Naskh Family
of Fonts. Copyright 1992-2007 DecoType. All Rights Reserved. Created by Thomas

```

```

Milo.</string>
All rights reserved.</string>
of DecoType.</string>
11-14</string>
Foundry. All rights reserved.</string>
low contrast type family suitable for both body and display text in print and on
screen. Designed between 2009 and 2014 by Satya Rajpurohit. OpenType production
by Liang Hai.</string>
<key>description</key>
<string>Copyright (c) 2007 by Thomas Milo.
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.DecoType Naskh PUA</string>
<key>fullname</key>
<string>.DecoType Naskh PUA</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular</string>
<key>trademark</key>
<string>.DecoType Naskh PUA is a trademark
<key>unique</key>
<string>.DecoType Naskh PUA; 14.0d0e1; 2017-
<key>valid</key>
<string>yes</string>
<key>version</key>
<string>14.0d0e1</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
<key>_name</key>
<string>Kohinoor.ttc</string>
<key>enabled</key>
<string>yes</string>
<key>path</key>
<string>/System/Library/Fonts/Kohinoor.ttc</string>
<key>type</key>
<string>opentype</string>
<key>typefaces</key>
<array>
<dict>
<key>_name</key>
<string>KohinoorDevanagari-Light</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright 2010, 2014 Indian Type
<key>description</key>
<string>Kohinoor Devanagari is an elegant
<key>designer</key>
<string>Satya Rajpurohit</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>

```

```

        <string>yes</string>
        <key>family</key>
        <string>Kohinoor Devanagari</string>
        <key>fullname</key>
        <string>Kohinoor Devanagari Light</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Light</string>
        <key>trademark</key>
        <string>Kohinoor is a trademark of Indian
Type Foundry.</string>
        <key>unique</key>
        <string>Kohinoor Devanagari Light; 14.0d5e3;
2018-07-10</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Indian Type Foundry</string>
        <key>version</key>
        <string>14.0d5e3</string>
</dict>
<dict>
        <key>_name</key>
        <string>KohinoorDevanagari-Bold</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright 2010, 2014 Indian Type
Foundry. All rights reserved.</string>
        <key>description</key>
        <string>Kohinoor Devanagari is an elegant
low contrast type family suitable for both body and display text in print and on
screen. Designed between 2009 and 2014 by Satya Rajpurohit. OpenType production
by Liang Hai.</string>
        <key>designer</key>
        <string>Satya Rajpurohit</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Kohinoor Devanagari</string>
        <key>fullname</key>
        <string>Kohinoor Devanagari Bold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Bold</string>
        <key>trademark</key>
        <string>Kohinoor is a trademark of Indian
Type Foundry.</string>
        <key>unique</key>
        <string>Kohinoor Devanagari Bold; 14.0d5e3;
2018-07-10</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Indian Type Foundry</string>
        <key>version</key>
        <string>14.0d5e3</string>
</dict>

```

```

<dict>
  <key>_name</key>
  <string>KohinoorDevanagari-Regular</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright 2010, 2014 Indian Type
Foundry. All rights reserved.</string>
  <key>description</key>
  <string>Kohinoor Devanagari is an elegant
low contrast type family suitable for both body and display text in print and on
screen. Designed between 2009 and 2014 by Satya Rajpurohit. OpenType production
by Liang Hai.</string>
  <key>designer</key>
  <string>Satya Rajpurohit</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Kohinoor Devanagari</string>
  <key>fullname</key>
  <string>Kohinoor Devanagari Regular</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Regular</string>
  <key>trademark</key>
  <string>Kohinoor is a trademark of Indian
Type Foundry.</string>
  <key>unique</key>
  <string>Kohinoor Devanagari Regular;
14.0d5e3; 2018-07-10</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Indian Type Foundry</string>
  <key>version</key>
  <string>14.0d5e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>KohinoorDevanagari-Medium</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright 2010, 2014 Indian Type
Foundry. All rights reserved.</string>
  <key>description</key>
  <string>Kohinoor Devanagari is an elegant
low contrast type family suitable for both body and display text in print and on
screen. Designed between 2009 and 2014 by Satya Rajpurohit. OpenType production
by Liang Hai.</string>
  <key>designer</key>
  <string>Satya Rajpurohit</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>

```

```

        <string>Kohinoor Devanagari</string>
        <key>fullname</key>
        <string>Kohinoor Devanagari Medium</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Medium</string>
        <key>trademark</key>
        <string>Kohinoor is a trademark of Indian
Type Foundry.</string>
        <key>unique</key>
        <string>Kohinoor Devanagari Medium;
14.0d5e3; 2018-07-10</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Indian Type Foundry</string>
        <key>version</key>
        <string>14.0d5e3</string>
</dict>
<dict>
        <key>_name</key>
        <string>KohinoorDevanagari-Semibold</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright 2010, 2014 Indian Type
Foundry. All rights reserved.</string>
        <key>description</key>
        <string>Kohinoor Devanagari is an elegant
low contrast type family suitable for both body and display text in print and on
screen. Designed between 2009 and 2014 by Satya Rajpurohit. OpenType production
by Liang Hai.</string>
        <key>designer</key>
        <string>Satya Rajpurohit</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Kohinoor Devanagari</string>
        <key>fullname</key>
        <string>Kohinoor Devanagari
Semibold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semibold</string>
        <key>trademark</key>
        <string>Kohinoor is a trademark of Indian
Type Foundry.</string>
        <key>unique</key>
        <string>Kohinoor Devanagari Semibold;
14.0d5e3; 2018-07-10</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Indian Type Foundry</string>
        <key>version</key>
        <string>14.0d5e3</string>
</dict>
</array>

```

```
<key>valid</key>
<string>yes</string>
</dict>
<dict>
```

```
<key>_name</key>
<string>NewPeninimMT.ttc</string>
<key>enabled</key>
<string>yes</string>
<key>path</key>
```

```
<string>/System/Library/Fonts/Supplemental/NewPeninimMT.ttc</string>
<key>type</key>
<string>truetype</string>
<key>typefaces</key>
<array>
  <dict>
```

```
<key>_name</key>
<string>NewPeninimMT-Bold</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Typeface © Monotype Typography ltd.
```

Data © Monotype Typography ltd, Type Solutions Inc 1990-1993. All rights reserved.</string>

```
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>New Peninim MT</string>
<key>fullname</key>
<string>New Peninim MT Bold</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Bold</string>
<key>trademark</key>
<string>Peninim® (®)®-® ®-is a
```

Trademark of The Monotype Corporation registered in certain countries®-®.</string>

```
<key>unique</key>
<string>New Peninim MT Bold; 13.0d1e4; 2017-
```

06-14</string>

```
<key>valid</key>
<string>yes</string>
<key>version</key>
<string>13.0d1e4</string>
```

```
</dict>
<dict>
```

```
<key>_name</key>
<string>NewPeninimMT-Inclined</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Typeface © Monotype Typography ltd.
```

Data © Monotype Typography ltd, Type Solutions Inc 1990-1993. All rights reserved.</string>

```
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
```

```

        <string>yes</string>
        <key>family</key>
        <string>New Peninim MT</string>
        <key>fullname</key>
        <string>New Peninim MT Inclined</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Inclined</string>
        <key>trademark</key>
        <string>Peninimâ€  â€-â€®)â€-â€  â€-is a
Trademark of The Monotype Corporation registered in certain countriesâ€-
.â€-</string>

        <key>unique</key>
        <string>New Peninim MT Inclined; 13.0d1e4;
2017-06-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>13.0d1e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>NewPeninimMT-BoldInclined</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Typeface Â© Monotype Typography ltd.
Data Â© Monotype Typography ltd, Type Solutions Inc 1990-1993. All rights
reserved..</string>

    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>New Peninim MT</string>
    <key>fullname</key>
    <string>New Peninim MT Bold
Inclined</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold Inclined</string>
    <key>trademark</key>
    <string>Peninimâ€  â€-â€®)â€-â€  â€-is a
Trademark of The Monotype Corporation registered in certain countriesâ€-
.â€-</string>

    <key>unique</key>
    <string>New Peninim MT Bold Inclined;
13.0d1e4; 2017-06-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0d1e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>NewPeninimMT</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Typeface Â© Monotype Typography ltd.

```

Data © Monotype Typography ltd, Type Solutions Inc 1990-1993. All rights reserved.

```
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>New Peninim MT</string>
<key>fullname</key>
<string>New Peninim MT</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular</string>
<key>trademark</key>
<string>Peninim® (®)®-® ®-is a
Trademark of The Monotype Corporation registered in certain countries®-
.®-</string>
<key>unique</key>
<string>New Peninim MT; 13.0d1e4; 2017-06-
14</string>
<key>valid</key>
<string>yes</string>
<key>version</key>
<string>13.0d1e4</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
<key>_name</key>
<string>MarkerFelt.ttc</string>
<key>enabled</key>
<string>yes</string>
<key>path</key>
<string>/System/Library/Fonts/MarkerFelt.ttc</string>
<key>type</key>
<string>truetype</string>
<key>typefaces</key>
<array>
<dict>
<key>_name</key>
<string>MarkerFelt-Wide</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright (c) 1992, 1993, 2001, Pat
Snyder, 62976 Ross Inlet, Coos Bay, OR 97420. All rights reserved. </string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Marker Felt</string>
<key>fullname</key>
<string>Marker Felt Wide</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
```



```

        <string>Wide</string>
        <key>trademark</key>
        <string>Marker Felt is a Trademark of Pat
Snyder, which may be registered in certain jurisdictions.</string>
        <key>unique</key>
        <string>Marker Felt Wide; 13.0d1e11; 2017-
06-09</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>13.0d1e11</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>MarkerFelt-Thin</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright (c) 1992, 1993, 2001, Pat
Snyder, 62976 Ross Inlet, Coos Bay, OR 97420. All rights reserved. </string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Marker Felt</string>
        <key>fullname</key>
        <string>Marker Felt Thin</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Thin</string>
        <key>trademark</key>
        <string>Marker Felt is a Trademark of Pat
Snyder, which may be registered in certain jurisdictions.</string>
        <key>unique</key>
        <string>Marker Felt Thin; 13.0d1e11; 2017-
06-09</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>13.0d1e11</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>PTSerif.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>

<string>/System/Library/Fonts/Supplemental/PTSerif.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>PTSerif-Bold</string>

```

```

        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright © 2010 ParaType Ltd. All
rights reserved.</string>
        <key>description</key>
        <string>PT Serif is a universal type family
designed for use together with PT Sans released earlier. PT Serif coordinates
with PT Sans on metrics, proportions, weights and design. It consists of six
styles: regular and bold weights with corresponding italics form a standard
computer font family; two caption styles (regular and italic) are for texts of
small point sizes. The letterforms are distinguished by large x-height, modest
stroke contrast, robust wedge-like serifs, and triangular terminals. Due to
these features the face can be qualified as matched to modern trends of type
design and of enhanced legibility. Mentioned characteristics beside conventional
use in business applications and printed stuff make the fonts quite useable for
advertising and display typography.
Each font next to standard Latin and Cyrillic character sets contains alphabet
glyphs of title languages of the national republics of Russian Federation and
support the most of the languages of neighboring countries. The fonts were
developed and released by ParaType in 2010 with financial support from Federal
Agency of Print and Mass Communications of Russian Federation. Design --
Alexandra Korolkova with assistance of Olga Umpeleva and supervision of Vladimir
Yefimov.</string>
        <key>designer</key>
        <string>A.Korolkova, O.Umpeleva,
V.Yefimov</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>PT Serif</string>
        <key>fullname</key>
        <string>PT Serif Bold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Bold</string>
        <key>trademark</key>
        <string>PT Serif is a trademark of the
ParaType Ltd.</string>
        <key>unique</key>
        <string>PT Serif Bold; 13.0d2e1; 2017-06-
29</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>ParaType Ltd</string>
        <key>version</key>
        <string>13.0d2e1</string>
</dict>
<dict>
        <key>_name</key>
        <string>PTSerif-BoldItalic</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright © 2010 ParaType Ltd. All
rights reserved.</string>
        <key>description</key>
        <string>PT Serif is a universal type family

```

designed for use together with PT Sans released earlier. PT Serif coordinates with PT Sans on metrics, proportions, weights and design. It consists of six styles: regular and bold weights with corresponding italics form a standard computer font family; two caption styles (regular and italic) are for texts of small point sizes. The letterforms are distinguished by large x-height, modest stroke contrast, robust wedge-like serifs, and triangular terminals. Due to these features the face can be qualified as matched to modern trends of type design and of enhanced legibility. Mentioned characteristics beside conventional use in business applications and printed stuff make the fonts quite useable for advertising and display typography.

Each font next to standard Latin and Cyrillic character sets contains alphabet glyphs of title languages of the national republics of Russian Federation and support the most of the languages of neighboring countries. The fonts were developed and released by ParaType in 2010 with financial support from Federal Agency of Print and Mass Communications of Russian Federation. Design -- Alexandra Korolkova with assistance of Olga Umpeleva and supervision of Vladimir Yefimov.

```
<key>designer</key>
<string>A.Korolkova, O.Umpeleva,
V.Yefimov</string>

<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>PT Serif</string>
<key>fullname</key>
<string>PT Serif Bold Italic</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Bold Italic</string>
<key>trademark</key>
<string>PT Serif is a trademark of the
ParaType Ltd.</string>

<key>unique</key>
<string>PT Serif Bold Italic; 13.0d2e1;
2017-06-29</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>ParaType Ltd</string>
<key>version</key>
<string>13.0d2e1</string>
</dict>
<dict>
<key>_name</key>
<string>PTSerif-Regular</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright © 2010 ParaType Ltd. All
rights reserved.</string>

<key>description</key>
<string>PT Serif is a universal type family
designed for use together with PT Sans released earlier. PT Serif coordinates
with PT Sans on metrics, proportions, weights and design. It consists of six
styles: regular and bold weights with corresponding italics form a standard
computer font family; two caption styles (regular and italic) are for texts of
small point sizes. The letterforms are distinguished by large x-height, modest
stroke contrast, robust wedge-like serifs, and triangular terminals. Due to
these features the face can be qualified as matched to modern trends of type
```

design and of enhanced legibility. Mentioned characteristics beside conventional use in business applications and printed stuff make the fonts quite useable for advertising and display typography.

Each font next to standard Latin and Cyrillic character sets contains alphabet glyphs of title languages of the national republics of Russian Federation and support the most of the languages of neighboring countries. The fonts were developed and released by ParaType in 2010 with financial support from Federal Agency of Print and Mass Communications of Russian Federation. Design -- Alexandra Korolkova with assistance of Olga Umpeleva and supervision of Vladimir Yefimov.</string>

<key>designer</key>  
<string>A.Korolkova, O.Umpeleva,

V.Yefimov</string>

<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>PT Serif</string>  
<key>fullname</key>  
<string>PT Serif</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Regular</string>  
<key>trademark</key>  
<string>PT Serif is a trademark of the

ParaType Ltd.</string>

<key>unique</key>  
<string>PT Serif; 13.0d2e1;

2017-06-29</string>

<key>valid</key>  
<string>yes</string>  
<key>vendor</key>  
<string>ParaType Ltd</string>  
<key>version</key>  
<string>13.0d2e1</string>

</dict>

<dict>

<key>\_name</key>  
<string>PTSerif-Italic</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Copyright © 2010 ParaType Ltd. All

rights reserved.</string>

<key>description</key>  
<string>PT Serif is a universal type family

designed for use together with PT Sans released earlier. PT Serif coordinates with PT Sans on metrics, proportions, weights and design. It consists of six styles: regular and bold weights with corresponding italics form a standard computer font family; two caption styles (regular and italic) are for texts of small point sizes. The letterforms are distinguished by large x-height, modest stroke contrast, robust wedge-like serifs, and triangular terminals. Due to these features the face can be qualified as matched to modern trends of type design and of enhanced legibility. Mentioned characteristics beside conventional use in business applications and printed stuff make the fonts quite useable for advertising and display typography.

Each font next to standard Latin and Cyrillic character sets contains alphabet glyphs of title languages of the national republics of Russian Federation and support the most of the languages of neighboring countries. The fonts were developed and released by ParaType in 2010 with financial support from Federal

Agency of Print and Mass Communications of Russian Federation. Design --  
Alexandra Korolkova with assistance of Olga Umpeleva and supervision of Vladimir  
Yefimov.</string>

```
<key>designer</key>
<string>A.Korolkova, O.Umpeleva,
V.Yefimov</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>PT Serif</string>
<key>fullname</key>
<string>PT Serif Italic</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Italic</string>
<key>trademark</key>
<string>PT Serif is a trademark of the
ParaType Ltd.</string>
<key>unique</key>
<string>PT Serif Italic; 13.0d2e1; 2017-06-
29</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>ParaType Ltd</string>
<key>version</key>
<string>13.0d2e1</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
<key>_name</key>
<string>STIXSizOneSymReg.otf</string>
<key>enabled</key>
<string>yes</string>
<key>path</key>
<string>/System/Library/Fonts/Supplemental/STIXSizOneSymReg.otf</string>
<key>type</key>
<string>postscript</string>
<key>typefaces</key>
<array>
<dict>
<key>_name</key>
<string>STIXSizeOneSym-Regular</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright (c) 2001-2011 by the STI
Pub Companies, consisting of the American Chemical Society, the American
Institute of Physics, the American Mathematical Society, the American Physical
Society, Elsevier, Inc., and The Institute of Electrical and Electronic
Engineers, Inc. Portions copyright (c) 1998-2003 by MicroPress, Inc. Portions
copyright (c) 1990 by Elsevier, Inc. All rights reserved.</string>
<key>description</key>
<string>Arie de Ruiter, who in 1995 was Head
of Information Technology Development at Elsevier Science, made a proposal to
```

the STI Pub group, an informal group of publishers consisting of representatives from the American Chemical Society (ACS), American Institute of Physics (AIP), American Mathematical Society (AMS), American Physical Society (APS), Elsevier, and Institute of Electrical and Electronics Engineers (IEEE). De Ruiter encouraged the members to consider development of a series of Web fonts, which he proposed should be called the Scientific and Technical Information eXchange, or STIX, Fonts. All STI Pub member organizations enthusiastically endorsed this proposal, and the STI Pub group agreed to embark on what has become a twelve-year project. The goal of the project was to identify all alphabetic, symbolic, and other special characters used in any facet of scientific publishing and to create a set of Unicode-based fonts that would be distributed free to every scientist, student, and other interested party worldwide. The fonts would be consistent with the emerging Unicode standard, and would permit universal representation of every character. With the release of the STIX fonts, de Ruiter's vision has been realized.</string>

```
    <key>designer</key>
    <string>MicroPress Inc., with final
additions and corrections provided by Coen Hoffman, Elsevier (retired)</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>STIXSizeOneSym</string>
    <key>fullname</key>
    <string>STIXSizeOneSym-Regular</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>trademark</key>
    <string>STIX Fonts(TM) is a trademark of The
Institute of Electrical and Electronics Engineers, Inc.</string>
    <key>unique</key>
    <string>FontMaster:STIXSizeOneSym-
Regular:1.1.0</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>Version 1.1.0</string>
  </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>SnellRoundhand.ttc</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/Supplemental/SnellRoundhand.ttc</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>SnellRoundhand-Black</string>
      <key>copy_protected</key>
      <string>no</string>
```

```

AG</string>
    <key>copyright</key>
    <string>Copyright © 1981, 1990 Linotype
AG</string>
    <key>description</key>
    <string>The digitally encoded machine
readable outline data for producing the Typefaces licensed to you is
copyrighted (c) 1981 Linotype AG and/or its subsidiaries. All Rights Reserved.
This data is the property of Linotype AG and/or its subsidiaries and may not be
reproduced, used, displayed, modified, disclosed or transferred without the
express written approval of Linotype AG and/or its subsidiaries.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Snell Roundhand</string>
    <key>fullname</key>
    <string>Snell Roundhand Black</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Black</string>
    <key>trademark</key>
    <string>Snell Roundhand is a trademark of
Linotype AG and/or its subsidiaries.</string>
    <key>unique</key>
    <string>Snell Roundhand Black; 15.0d1e1;
2019-04-22</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>15.0d1e1</string>
</dict>
<dict>
    <key>_name</key>
    <string>SnellRoundhand-Bold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright © 1981, 1990 Linotype
AG</string>
    <key>description</key>
    <string>The digitally encoded machine
readable outline data for producing the Typefaces licensed to you is
copyrighted (c) 1981 Linotype AG and/or its subsidiaries. All Rights Reserved.
This data is the property of Linotype AG and/or its subsidiaries and may not be
reproduced, used, displayed, modified, disclosed or transferred without the
express written approval of Linotype AG and/or its subsidiaries.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Snell Roundhand</string>
    <key>fullname</key>
    <string>Snell Roundhand Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold</string>

```

```

                <key>trademark</key>
                <string>Snell Roundhand is a trademark of
Linotype AG and/or its subsidiaries.</string>
                <key>unique</key>
                <string>Snell Roundhand Bold; 15.0d1e1;
2019-04-22</string>
                <key>valid</key>
                <string>yes</string>
                <key>version</key>
                <string>15.0d1e1</string>
            </dict>
            <dict>
                <key>_name</key>
                <string>SnellRoundhand</string>
                <key>copy_protected</key>
                <string>no</string>
                <key>copyright</key>
                <string>Copyright © 1981, 1990 Linotype
AG</string>
                <key>description</key>
                <string>The digitally encoded machine
readable outline data for producing the Typefaces licensed to you is
copyrighted (c) 1981 Linotype AG and/or its subsidiaries. All Rights Reserved.
This data is the property of Linotype AG and/or its subsidiaries and may not be
reproduced, used, displayed, modified, disclosed or transferred without the
express written approval of Linotype AG and/or its subsidiaries.</string>
                <key>duplicate</key>
                <string>no</string>
                <key>embeddable</key>
                <string>yes</string>
                <key>enabled</key>
                <string>yes</string>
                <key>family</key>
                <string>Snell Roundhand</string>
                <key>fullname</key>
                <string>Snell Roundhand</string>
                <key>outline</key>
                <string>yes</string>
                <key>style</key>
                <string>Regular</string>
                <key>trademark</key>
                <string>Snell Roundhand is a Trademark of
Linotype AG and/or its subsidiaries</string>
                <key>unique</key>
                <string>Snell Roundhand; 15.0d1e1; 2019-04-
22</string>
                <key>valid</key>
                <string>yes</string>
                <key>version</key>
                <string>15.0d1e1</string>
            </dict>
        </array>
        <key>valid</key>
        <string>yes</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Gurmukhi Sangam MN.ttc</string>
        <key>enabled</key>
        <string>yes</string>
        <key>path</key>
        <string>/System/Library/Fonts/Supplemental/Gurmukhi
Sangam MN.ttc</string>
        <key>type</key>

```



```
<string>truetype</string>
<key>typefaces</key>
<array>
  <dict>
    <key>_name</key>
    <string>GurmukhiSangamMN-Bold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright (c) 2011 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
    <key>description</key>
    <string>Copyright (c) 2011 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
    <key>designer</key>
    <string>Muthu Nedumaran</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Gurmukhi Sangam MN</string>
    <key>fullname</key>
    <string>Gurmukhi Sangam MN Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold</string>
    <key>trademark</key>
    <string>Gurmukhi Sangam MN Bold is a
trademark of Murasu Systems Sdn. Bhd. Malaysia.</string>
    <key>unique</key>
    <string>Gurmukhi Sangam MN Bold; 14.0d3e1;
2018-03-08</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Murasu Systems Sdn. Bhd.
Malaysia</string>
    <key>version</key>
    <string>14.0d3e1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>GurmukhiSangamMN</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright (c) 2011 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
    <key>description</key>
    <string>Copyright (c) 2011 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
    <key>designer</key>
    <string>Muthu Nedumaran</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
```

```

        <string>Gurmukhi Sangam MN</string>
        <key>fullname</key>
        <string>Gurmukhi Sangam MN</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>trademark</key>
        <string>Gurmukhi Sangam MN is a trademark of
Murasu Systems Sdn. Bhd. Malaysia.</string>
        <key>unique</key>
        <string>Gurmukhi Sangam MN; 14.0d3e1; 2018-
03-08</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Murasu Systems Sdn. Bhd.
Malaysia</string>
        <key>version</key>
        <string>14.0d3e1</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Andale Mono.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Andale
Mono.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>AndaleMono</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Digitized data copyright (C) 1993-
1997 The Monotype Corporation. All rights reserved.</string>
            <key>description</key>
            <string>Andale Monospaced is a highly
legible monospaced font.</string>
            <key>designer</key>
            <string>Steven R. Matteson</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Andale Mono</string>
            <key>fullname</key>
            <string>Andale Mono</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Regular</string>

```

```

        <key>trademark</key>
        <string>Andaleâ„¢ is a trademark of The
Monotype Corporation which may be registered in certain jurisdictions.</string>
        <key>unique</key>
        <string>Andale Mono Regular</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Monotype Typography</string>
        <key>version</key>
        <string>Version 2.00x</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Trebuchet MS Bold.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Trebuchet MS
Bold.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>TrebuchetMS-Bold</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Â© 2006 Microsoft Corporation. All
Rights Reserved.</string>
            <key>description</key>
            <string>Trebuchet, designed by Vincent
Connare in 1996, is a humanist sans serif designed for easy screen readability.
Trebuchet takes its inspiration from the sans serifs of the 1930s which had
large x heights and round features intended to promote readability on signs. The
typeface name is credited to a puzzle heard at Microsoft, where the question was
asked, "could you build a Trebuchet (a form of medieval catapult) to launch a
person from the main campus to the consumer campus, and how?" The Trebuchet
fonts are intended to be the vehicle that fires your messages across the
Internet. "Launch your message with a Trebuchet page".</string>
            <key>designer</key>
            <string>Vincent Connare</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Trebuchet MS</string>
            <key>fullname</key>
            <string>Trebuchet MS Bold</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Bold</string>
            <key>unique</key>
            <string>Microsoft Trebuchet Bold</string>

```

```

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Microsoft Corporation</string>
        <key>version</key>
        <string>Version 5.00x</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Copperplate.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>

<string>/System/Library/Fonts/Supplemental/Copperplate.ttc</string>
<key>type</key>
<string>truetype</string>
<key>typefaces</key>
<array>
    <dict>

```

```

        <key>_name</key>
        <string>Copperplate</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright (c) 1981, 1982, 1983, 1989
and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All
rights reserved.

```

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberger Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberger Druckmaschinen AG.

Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.</string>

```

        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Copperplate</string>
        <key>fullname</key>
        <string>Copperplate</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>trademark</key>
        <string>Copperplate is a trademark of
Heidelberger Druckmaschinen AG, which may be registered in certain
jurisdictions, exclusivly licensed through Linotype Library GmbH, a wholly owned
subsidiary of Heidelberger Druckmaschinen AG.</string>
        <key>unique</key>
        <string>Copperplate; 13.0d1e2;

2017-06-09</string>
        <key>valid</key>

```

```
<string>yes</string>
<key>version</key>
<string>13.0d1e2</string>
</dict>
<dict>
```

```
<key>_name</key>
<string>Copperplate-Bold</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright (c) 1981, 1982, 1983, 1989
and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All
rights reserved.
```

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberger Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberger Druckmaschinen AG.

Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.</string>

```
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Copperplate</string>
<key>fullname</key>
<string>Copperplate Bold</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Bold</string>
<key>trademark</key>
<string>Copperplate is a trademark of
```

Heidelberger Druckmaschinen AG, which may be registered in certain jurisdictions, exclusively licensed through Linotype Library GmbH, a wholly owned subsidiary of Heidelberger Druckmaschinen AG.</string>

```
<key>unique</key>
<string>Copperplate Bold; 13.0d1e2; 2017-06-
09</string>
```

```
<key>valid</key>
<string>yes</string>
<key>version</key>
<string>13.0d1e2</string>
</dict>
<dict>
```

```
<key>_name</key>
<string>Copperplate-Light</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright (c) 1981, 1982, 1983, 1989
and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All
rights reserved.
```

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberger Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberger Druckmaschinen AG.

Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.</string>

<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Copperplate</string>  
<key>fullname</key>  
<string>Copperplate Light</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Light</string>  
<key>trademark</key>  
<string>Copperplate is a trademark of

Heidelberger Druckmaschinen AG, which may be registered in certain jurisdictions, exclusivly licensed through Linotype Library GmbH, a wholly owned subsidiary of Heidelberger Druckmaschinen AG.</string>

<key>unique</key>  
<string>Copperplate Light; 13.0d1e2; 2017-

06-09</string>

<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>13.0d1e2</string>

</dict>

</array>

<key>valid</key>

<string>yes</string>

</dict>

<dict>

<key>\_name</key>

<string>Charter.ttc</string>

<key>enabled</key>

<string>yes</string>

<key>path</key>

<string>/System/Library/Fonts/Supplemental/Charter.ttc</string>

<key>type</key>

<string>truetype</string>

<key>typefaces</key>

<array>

<dict>

<key>\_name</key>

<string>Charter-Italic</string>

<key>copy\_protected</key>

<string>no</string>

<key>copyright</key>

<string>Copyright 1990-2003 Bitstream Inc.

All rights reserved.</string>

<key>duplicate</key>

<string>no</string>

<key>embeddable</key>

<string>yes</string>

<key>enabled</key>

<string>yes</string>

<key>family</key>

<string>Charter</string>

<key>fullname</key>

<string>Charter Italic</string>

28</string>

<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Italic</string>  
<key>unique</key>  
<string>Charter Italic; 14.0d2e1; 2017-11-

All rights reserved.</string>

<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>14.0d2e1</string>  
</dict>  
<dict>  
<key>\_name</key>  
<string>Charter-BlackItalic</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Copyright 1990-2003 Bitstream Inc.

2017-11-28</string>

<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Charter</string>  
<key>fullname</key>  
<string>Charter Black Italic</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Black Italic</string>  
<key>unique</key>  
<string>Charter Black Italic; 14.0d2e1;

All rights reserved.</string>

<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>14.0d2e1</string>  
</dict>  
<dict>  
<key>\_name</key>  
<string>Charter-Bold</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Copyright 1990-2003 Bitstream Inc.

<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Charter</string>  
<key>fullname</key>  
<string>Charter Bold</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Bold</string>

```

28</string>
    <key>unique</key>
    <string>Charter Bold; 14.0d2e1; 2017-11-
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>14.0d2e1</string>
</dict>
<dict>
    <key>_name</key>
    <string>Charter-BoldItalic</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright 1990-2003 Bitstream Inc.
All rights reserved.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Charter</string>
    <key>fullname</key>
    <string>Charter Bold Italic</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold Italic</string>
    <key>unique</key>
    <string>Charter Bold Italic; 14.0d2e1; 2017-
11-28</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>14.0d2e1</string>
</dict>
<dict>
    <key>_name</key>
    <string>Charter-Roman</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright 1990-2003 Bitstream Inc.
All rights reserved.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Charter</string>
    <key>fullname</key>
    <string>Charter Roman</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Roman</string>
    <key>unique</key>
    <string>Charter Roman; 14.0d2e1; 2017-11-
28</string>
    <key>valid</key>

```



```

        <string>yes</string>
        <key>version</key>
        <string>14.0d2e1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Charter-Black</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright 1990-2003 Bitstream Inc.
All rights reserved.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Charter</string>
        <key>fullname</key>
        <string>Charter Black</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Black</string>
        <key>unique</key>
        <string>Charter Black; 14.0d2e1; 2017-11-
28</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>14.0d2e1</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Bangla Sangam MN.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Bangla Sangam
MN.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>BanglaSangamMN-Bold</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright (c) 2003 by Muthu
Nedumaran. All rights reserved.</string>
            <key>description</key>
            <string>Copyright (c) 2003 by Muthu
Nedumaran. All rights reserved.</string>
            <key>designer</key>
            <string>Muthu Nedumaran</string>
            <key>duplicate</key>

```

```
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Bangla Sangam MN</string>
<key>fullname</key>
<string>Bangla Sangam MN Bold</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Bold</string>
<key>trademark</key>
<string>Bangla Sangam MN is a trademark of
```

Muthu Nedumaran.</string>

2018-02-25</string>

```
<key>unique</key>
<string>Bangla Sangam MN Bold; 14.0d1e1;

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Muthu Nedumaran</string>
<key>version</key>
<string>14.0d1e1</string>
```

</dict>

<dict>

```
<key>_name</key>
<string>BanglaSangamMN</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright (c) 2003 by Muthu
```

Nedumaran. All rights reserved.</string>

```
<key>description</key>
<string>Copyright (c) 2003 by Muthu
```

Nedumaran. All rights reserved.</string>

```
<key>designer</key>
<string>Muthu Nedumaran</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Bangla Sangam MN</string>
<key>fullname</key>
<string>Bangla Sangam MN</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular</string>
<key>trademark</key>
<string>Bangla Sangam MN is a trademark of
```

Muthu Nedumaran.</string>

25</string>

```
<key>unique</key>
<string>Bangla Sangam MN; 14.0d1e1; 2018-02-

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Muthu Nedumaran</string>
<key>version</key>
```

```
        <string>14.0d1e1</string>
      </dict>
    </array>
    <key>valid</key>
    <string>yes</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Sathu.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>

    <string>/System/Library/Fonts/Supplemental/Sathu.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
      <dict>
        <key>_name</key>
        <string>Sathu</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 1992-2003 Apple Computer,
Inc.</string>

        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Sathu</string>
        <key>fullname</key>
        <string>Sathu</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>unique</key>
        <string>Sathu; 14.0d1e1; 2017-11-02</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>14.0d1e1</string>
      </dict>
    </array>
    <key>valid</key>
    <string>yes</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>NISC18030.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>

    <string>/System/Library/Fonts/Supplemental/NISC18030.ttf</string>
    <key>type</key>
    <string>bitmap</string>
    <key>typefaces</key>
    <array>
      <dict>
```

```

        <key>_name</key>
        <string>GB18030Bitmap</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright © 2002 NISC, People's
Republic of China.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>GB18030 Bitmap</string>
        <key>fullname</key>
        <string>GB18030 Bitmap</string>
        <key>outline</key>
        <string>no</string>
        <key>style</key>
        <string>Regular</string>
        <key>unique</key>
        <string>GB18030 Bitmap; 13.0d1e1; 2017-06-
20</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>NISC, People's Republic of
China</string>
        <key>version</key>
        <string>13.0d1e1</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Kokonor.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Kokonor.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>Kokonor</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright (c) Otani University Shin
Buddhist Research Institute, 2006. All rights reserved.</string>
            <key>designer</key>
            <string>Shojiro Nomura</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>

```

```

        <key>family</key>
        <string>Kokonor</string>
        <key>fullname</key>
        <string>Kokonor Regular</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>unique</key>
        <string>Kokonor Regular; 13.0d1e3; 2017-06-
13</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Shojiro Nomura and Steve
Hartwell</string>

        <key>version</key>
        <string>13.0d1e3</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleSDGothicNeo.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>

<string>/System/Library/Fonts/AppleSDGothicNeo.ttc</string>
    <key>type</key>
    <string>opentype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>AppleSDGothicNeo-ExtraBold</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright © 2014 Sandoll
Communications Inc. All rights reserved.</string>
            <key>designer</key>
            <string>Sandoll Communications Inc.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Apple SD Gothic Neo</string>
            <key>fullname</key>
            <string>Apple SD GothicNeo
ExtraBold</string>

            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>ExtraBold</string>
            <key>trademark</key>
            <string>SDGothicNeo is a registered
trademark of Sandoll Communications Inc.</string>
            <key>unique</key>

```

```
13.0d1e9; 2017-06-14</string> <string>Apple SD GothicNeo ExtraBold;
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Sandoll Communications Inc.</string>
<key>version</key>
<string>13.0d1e9</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleSDGothicNeo-Medium</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright Â© 2014 Sandoll
Communications Inc. All rights reserved.</string>
  <key>designer</key>
  <string>Sandoll Communications Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Apple SD Gothic Neo</string>
  <key>fullname</key>
  <string>Apple SD Gothic Neo Medium</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Medium</string>
  <key>trademark</key>
  <string>SDGothicNeo is a registered
trademark of Sandoll Communications Inc.</string>
  <key>unique</key>
  <string>Apple SD Gothic Neo Medium;
13.0d1e9; 2017-06-14</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Sandoll Communications Inc.</string>
<key>version</key>
<string>13.0d1e9</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleSDGothicNeo-Light</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright Â© 2014 Sandoll
Communications Inc. All rights reserved.</string>
  <key>designer</key>
  <string>Sandoll Communications Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Apple SD Gothic Neo</string>
```

```

    <key>fullname</key>
    <string>Apple SD Gothic Neo Light</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Light</string>
    <key>trademark</key>
    <string>SDGothicNeo is a registered
trademark of Sandoll Communications Inc.</string>
    <key>unique</key>
    <string>Apple SD Gothic Neo Light; 13.0d1e9;
2017-06-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Sandoll Communications Inc.</string>
    <key>version</key>
    <string>13.0d1e9</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleSDGothicNeo-SemiBold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright © 2014 Sandoll
Communications Inc. All rights reserved.</string>
    <key>designer</key>
    <string>Sandoll Communications Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Apple SD Gothic Neo</string>
    <key>fullname</key>
    <string>Apple SD Gothic Neo
SemiBold</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semibold</string>
    <key>trademark</key>
    <string>SDGothicNeo is a registered
trademark of Sandoll Communications Inc.</string>
    <key>unique</key>
    <string>Apple SD Gothic Neo SemiBold;
13.0d1e9; 2017-06-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Sandoll Communications Inc.</string>
    <key>version</key>
    <string>13.0d1e9</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleSDGothicNeo-Regular</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright © 2014 Sandoll
```

```
Communications Inc. All rights reserved.</string>
    <key>designer</key>
    <string>Sandoll Communications Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Apple SD Gothic Neo</string>
    <key>fullname</key>
    <string>Apple SD Gothic Neo Regular</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>trademark</key>
    <string>SDGothicNeo is a registered
trademark of Sandoll Communications Inc.</string>
    <key>unique</key>
    <string>Apple SD Gothic Neo Regular;
13.0d1e9; 2017-06-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Sandoll Communications Inc.</string>
    <key>version</key>
    <string>13.0d1e9</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleSDGothicNeo-Heavy</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright Â© 2014 Sandoll
Communications Inc. All rights reserved.</string>
    <key>designer</key>
    <string>Sandoll Communications Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Apple SD Gothic Neo</string>
    <key>fullname</key>
    <string>Apple SD Gothic Neo Heavy</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Heavy</string>
    <key>trademark</key>
    <string>SDGothicNeo is a registered
trademark of Sandoll Communications Inc.</string>
    <key>unique</key>
    <string>Apple SD Gothic Neo Heavy; 13.0d1e9;
2017-06-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Sandoll Communications Inc.</string>
```



```
        <key>version</key>
        <string>13.0d1e9</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleSDGothicNeo-Thin</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright © 2014 Sandoll
Communications Inc. All rights reserved.</string>
        <key>designer</key>
        <string>Sandoll Communications Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Apple SD Gothic Neo</string>
        <key>fullname</key>
        <string>Apple SD Gothic Neo Thin</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Thin</string>
        <key>trademark</key>
        <string>SDGothicNeo is a registered
trademark of Sandoll Communications Inc.</string>
        <key>unique</key>
        <string>Apple SD Gothic Neo Thin; 13.0d1e9;
2017-06-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Sandoll Communications Inc.</string>
        <key>version</key>
        <string>13.0d1e9</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleSDGothicNeo-UltraLight</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright © 2014 Sandoll
Communications Inc. All rights reserved.</string>
        <key>designer</key>
        <string>Sandoll Communications Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Apple SD Gothic Neo</string>
        <key>fullname</key>
        <string>Apple SD Gothic Neo
UltraLight</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
```

```

        <string>Ultralight</string>
        <key>trademark</key>
        <string>SDGothicNeo is a registered
trademark of Sandoll Communications Inc.</string>
        <key>unique</key>
        <string>Apple SD Gothic Neo UltraLight;
13.0d1e9; 2017-06-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Sandoll Communications Inc.</string>
        <key>version</key>
        <string>13.0d1e9</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleSDGothicNeo-Bold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright © 2014 Sandoll
Communications Inc. All rights reserved.</string>
    <key>designer</key>
    <string>Sandoll Communications Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Apple SD Gothic Neo</string>
    <key>fullname</key>
    <string>Apple SD Gothic Neo Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold</string>
    <key>trademark</key>
    <string>SDGothicNeo is a registered
trademark of Sandoll Communications Inc.</string>
    <key>unique</key>
    <string>Apple SD Gothic Neo Bold; 13.0d1e9;
2017-06-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Sandoll Communications Inc.</string>
    <key>version</key>
    <string>13.0d1e9</string>
</dict>
<dict>
    <key>_name</key>
    <string>.AppleSDGothicNeoI-Regular</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright © 2014 Sandoll
Communications Inc. All rights reserved.</string>
    <key>designer</key>
    <string>Sandoll Communications Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>

```

```
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.Apple SD Gothic NeoI</string>
<key>fullname</key>
<string>.Apple SD Gothic NeoI
Regular</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular</string>
<key>trademark</key>
<string>SDGothicNeo is a registered
trademark of Sandoll Communications Inc.</string>
<key>unique</key>
<string>.Apple SD Gothic NeoI Regular;
13.0d1e9; 2017-06-14</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Sandoll Communications Inc.</string>
<key>version</key>
<string>13.0d1e9</string>
</dict>
<dict>
  <key>_name</key>
  <string>.AppleSDGothicNeoI-Medium</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright © 2014 Sandoll
Communications Inc. All rights reserved.</string>
  <key>designer</key>
  <string>Sandoll Communications Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.Apple SD Gothic NeoI</string>
  <key>fullname</key>
  <string>.Apple SD Gothic NeoI
Medium</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Medium</string>
  <key>trademark</key>
  <string>SDGothicNeo is a registered
trademark of Sandoll Communications Inc.</string>
  <key>unique</key>
  <string>.Apple SD Gothic NeoI Medium;
13.0d1e9; 2017-06-14</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Sandoll Communications Inc.</string>
  <key>version</key>
  <string>13.0d1e9</string>
</dict>
<dict>
```

```

        <key>_name</key>
        <string>.AppleSDGothicNeoI-Light</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright © 2014 Sandoll
Communications Inc. All rights reserved.</string>
        <key>designer</key>
        <string>Sandoll Communications Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>.Apple SD Gothic NeoI</string>
        <key>fullname</key>
        <string>.Apple SD Gothic NeoI Light</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Light</string>
        <key>trademark</key>
        <string>SDGothicNeo is a registered
trademark of Sandoll Communications Inc.</string>
        <key>unique</key>
        <string>.Apple SD Gothic NeoI Light;
13.0d1e9; 2017-06-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Sandoll Communications Inc.</string>
        <key>version</key>
        <string>13.0d1e9</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>.AppleSDGothicNeoI-UltraLight</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright © 2014 Sandoll
Communications Inc. All rights reserved.</string>
        <key>designer</key>
        <string>Sandoll Communications Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>.Apple SD Gothic NeoI</string>
        <key>fullname</key>
        <string>.Apple SD Gothic NeoI
UltraLight</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Ultralight</string>
        <key>trademark</key>
        <string>SDGothicNeo is a registered

```

```
trademark of Sandoll Communications Inc.</string>
    <key>unique</key>
    <string>.Apple SD Gothic NeoI UltraLight;
13.0d1e9; 2017-06-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Sandoll Communications Inc.</string>
    <key>version</key>
    <string>13.0d1e9</string>
</dict>
<dict>
    <key>_name</key>
    <string>.AppleSDGothicNeoI-Thin</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright © 2014 Sandoll
Communications Inc. All rights reserved.</string>
    <key>designer</key>
    <string>Sandoll Communications Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.Apple SD Gothic NeoI</string>
    <key>fullname</key>
    <string>.Apple SD Gothic NeoI Thin</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Thin</string>
    <key>trademark</key>
    <string>SDGothicNeo is a registered
trademark of Sandoll Communications Inc.</string>
    <key>unique</key>
    <string>.Apple SD Gothic NeoI Thin;
13.0d1e9; 2017-06-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Sandoll Communications Inc.</string>
    <key>version</key>
    <string>13.0d1e9</string>
</dict>
<dict>
    <key>_name</key>
    <string>.AppleSDGothicNeoI-SemiBold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright © 2014 Sandoll
Communications Inc. All rights reserved.</string>
    <key>designer</key>
    <string>Sandoll Communications Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
```

```
<key>family</key>
<string>.Apple SD Gothic NeoI</string>
<key>fullname</key>
<string>.Apple SD Gothic NeoI
SemiBold</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Semibold</string>
<key>trademark</key>
<string>SDGothicNeo is a registered
trademark of Sandoll Communications Inc.</string>
<key>unique</key>
<string>.Apple SD Gothic NeoI SemiBold;
13.0d1e9; 2017-06-14</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Sandoll Communications Inc.</string>
<key>version</key>
<string>13.0d1e9</string>
</dict>
<dict>
<key>_name</key>
<string>.AppleSDGothicNeoI-Bold</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright © 2014 Sandoll
Communications Inc. All rights reserved.</string>
<key>designer</key>
<string>Sandoll Communications Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.Apple SD Gothic NeoI</string>
<key>fullname</key>
<string>.Apple SD Gothic NeoI Bold</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Bold</string>
<key>trademark</key>
<string>SDGothicNeo is a registered
trademark of Sandoll Communications Inc.</string>
<key>unique</key>
<string>.Apple SD Gothic NeoI Bold;
13.0d1e9; 2017-06-14</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Sandoll Communications Inc.</string>
<key>version</key>
<string>13.0d1e9</string>
</dict>
<dict>
<key>_name</key>
<string>.AppleSDGothicNeoI-ExtraBold</string>
<key>copy_protected</key>
```

```
        <string>no</string>
        <key>copyright</key>
        <string>Copyright © 2014 Sandoll
Communications Inc. All rights reserved.</string>
        <key>designer</key>
        <string>Sandoll Communications Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>.Apple SD Gothic NeoI</string>
        <key>fullname</key>
        <string>Apple SD GothicNeo
ExtraBold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>ExtraBold</string>
        <key>trademark</key>
        <string>SDGothicNeo is a registered
trademark of Sandoll Communications Inc.</string>
        <key>unique</key>
        <string>Apple SD GothicNeo ExtraBold;
13.0d1e9; 2017-06-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Sandoll Communications Inc.</string>
        <key>version</key>
        <string>13.0d1e9</string>
</dict>
<dict>
        <key>_name</key>
        <string>.AppleSDGothicNeoI-Heavy</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright © 2014 Sandoll
Communications Inc. All rights reserved.</string>
        <key>designer</key>
        <string>Sandoll Communications Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>.Apple SD Gothic NeoI</string>
        <key>fullname</key>
        <string>.Apple SD Gothic NeoI Heavy</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Heavy</string>
        <key>trademark</key>
        <string>SDGothicNeo is a registered
trademark of Sandoll Communications Inc.</string>
        <key>unique</key>
        <string>.Apple SD Gothic NeoI Heavy;
13.0d1e9; 2017-06-14</string>
```

```

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Sandoll Communications Inc.</string>
        <key>version</key>
        <string>13.0d1e9</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Bodoni 72 OS.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Bodoni 72
OS.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>BodoniSvtyTwoOSITCTT-BookIt</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright Â© 1997 International
Typeface Corporation. All rights reserved.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Bodoni 72 Oldstyle</string>
            <key>fullname</key>
            <string>Bodoni 72 Oldstyle Book
Italic</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Book Italic</string>
            <key>trademark</key>
            <string>ITC Bodoni is a trademark of
International Typeface Corporation.</string>
            <key>unique</key>
            <string>Bodoni 72 Oldstyle Book Italic;
13.0d2e1; 2017-07-12</string>
        </dict>
    </array>
</dict>
<dict>
    <key>_name</key>
    <string>BodoniSvtyTwoOSITCTT-Book</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright Â© 1997 International

```



```
Typeface Corporation. All rights reserved.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Bodoni 72 Oldstyle</string>
    <key>fullname</key>
    <string>Bodoni 72 Oldstyle Book</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Book</string>
    <key>trademark</key>
    <string>ITC Bodoni is a trademark of
International Typeface Corporation.</string>
    <key>unique</key>
    <string>Bodoni 72 Oldstyle Book; 13.0d2e1;
2017-07-12</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0d2e1</string>
</dict>
<dict>
    <key>_name</key>
    <string>BodoniSvtyTwoOSITCTT-Bold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright A© 1997 International
Typeface Corporation. All rights reserved.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Bodoni 72 Oldstyle</string>
    <key>fullname</key>
    <string>Bodoni 72 Oldstyle Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold</string>
    <key>trademark</key>
    <string>ITC Bodoni is a trademark of
International Typeface Corporation.</string>
    <key>unique</key>
    <string>Bodoni 72 Oldstyle Bold; 13.0d2e1;
2017-07-12</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0d2e1</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
```

```

    <key>_name</key>
    <string>TimesLTMM</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/TimesLTMM</string>
    <key>type</key>
    <string>postscript</string>
    <key>typefaces</key>
    <array>
      <dict>
        <key>_name</key>
        <string>TimesLTMM</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright © 1985, 1987, 1989, 1990,
1993, 1997 - 1999 Adobe Systems Incorporated. All Rights Reserved. © 1981,
1999, 2002 - 2004 Heidelberger Druckmaschinen AG. All rights reserved.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>.Times LT MM</string>
        <key>fullname</key>
        <string>.Times LT MM</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>trademark</key>
        <string>Times is a trademark of Heidelberger
Druckmaschinen AG, exclusively licensed through Linotype Library GmbH, and oay
be registered in certain jurisdictions.</string>
        <key>unique</key>
        <string>.Times LT MM</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>001.006</string>
      </dict>
    </array>
    <key>valid</key>
    <string>yes</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Khmer Sangam MN.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Khmer Sangam
MN.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
      <dict>
        <key>_name</key>
        <string>KhmerSangamMN</string>
        <key>copy_protected</key>

```

```

        <string>no</string>
        <key>copyright</key>
        <string>Copyright (c) 2010 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
        <key>description</key>
        <string>Copyright (c) 2010 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
        <key>designer</key>
        <string>Muthu Nedumaran</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Khmer Sangam MN</string>
        <key>fullname</key>
        <string>Khmer Sangam MN</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>trademark</key>
        <string>Khmer Sangam MN is a trademark of
Murasu Systems Sdn. Bhd. Malaysia.</string>
        <key>unique</key>
        <string>Khmer Sangam MN; 14.0d1e9; 2018-03-
01</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Murasu Systems Sdn. Bhd.
Malaysia</string>
        <key>version</key>
        <string>14.0d1e9</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>STIXIntUpSmReg.otf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/STIXIntUpSmReg.otf</string>
    <key>type</key>
    <string>postscript</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>STIXIntegralsUpSm-Regular</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright (c) 2001-2011 by the STI
Pub Companies, consisting of the American Chemical Society, the American
Institute of Physics, the American Mathematical Society, the American Physical
Society, Elsevier, Inc., and The Institute of Electrical and Electronic
Engineers, Inc. Portions copyright (c) 1998-2003 by MicroPress, Inc. Portions

```

copyright (c) 1990 by Elsevier, Inc. All rights reserved.</string>

<key>description</key>

<string>Arie de Ruiter, who in 1995 was Head of Information Technology Development at Elsevier Science, made a proposal to the STI Pub group, an informal group of publishers consisting of representatives from the American Chemical Society (ACS), American Institute of Physics (AIP), American Mathematical Society (AMS), American Physical Society (APS), Elsevier, and Institute of Electrical and Electronics Engineers (IEEE). De Ruiter encouraged the members to consider development of a series of Web fonts, which he proposed should be called the Scientific and Technical Information eXchange, or STIX, Fonts. All STI Pub member organizations enthusiastically endorsed this proposal, and the STI Pub group agreed to embark on what has become a twelve-year project. The goal of the project was to identify all alphabetic, symbolic, and other special characters used in any facet of scientific publishing and to create a set of Unicode-based fonts that would be distributed free to every scientist, student, and other interested party worldwide. The fonts would be consistent with the emerging Unicode standard, and would permit universal representation of every character. With the release of the STIX fonts, de Ruiter's vision has been realized.</string>

<key>designer</key>

<string>MicroPress Inc., with final additions and corrections provided by Coen Hoffman, Elsevier (retired)</string>

<key>duplicate</key>

<string>no</string>

<key>embeddable</key>

<string>yes</string>

<key>enabled</key>

<string>yes</string>

<key>family</key>

<string>STIXIntegralsUpSm</string>

<key>fullname</key>

<string>STIXIntegralsUpSm-Regular</string>

<key>outline</key>

<string>yes</string>

<key>style</key>

<string>Regular</string>

<key>trademark</key>

<string>STIX Fonts(TM) is a trademark of The Institute of Electrical and Electronics Engineers, Inc.</string>

<key>unique</key>

<string>FontMaster:STIXIntegralsUpSm-Regular:1.1.0</string>

<key>valid</key>

<string>yes</string>

<key>version</key>

<string>Version 1.1.0</string>

</dict>

</array>

<key>valid</key>

<string>yes</string>

</dict>

<dict>

<key>\_name</key>

<string>Lao MN.ttc</string>

<key>enabled</key>

<string>yes</string>

<key>path</key>

<string>/System/Library/Fonts/Supplemental/Lao MN.ttc</string>

<key>type</key>

<string>truetype</string>

<key>typefaces</key>

<array>

<dict>

```
<key>_name</key>
<string>LaoMN-Bold</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright (c) 2003 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
<key>description</key>
<string>Copyright (c) 2003 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
<key>designer</key>
<string>Muthu Nedumaran</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Lao MN</string>
<key>fullname</key>
<string>Lao MN Bold</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Bold</string>
<key>trademark</key>
<string>Lao MN Bold is a trademark of Murasu
Systems Sdn. Bhd. Malaysia.</string>
<key>unique</key>
<string>Lao MN Bold; 14.0d1e9;
2018-02-27</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Murasu Systems Sdn. Bhd.
Malaysia</string>
<key>version</key>
<string>14.0d1e9</string>
</dict>
<dict>
<key>_name</key>
<string>LaoMN</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright (c) 2003 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
<key>description</key>
<string>Copyright (c) 2003 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
<key>designer</key>
<string>Muthu Nedumaran</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Lao MN</string>
<key>fullname</key>
<string>Lao MN</string>
<key>outline</key>
```

```

        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>trademark</key>
        <string>Lao MN is a trademark of Murasu
Systems Sdn. Bhd. Malaysia.</string>
        <key>unique</key>
        <string>Lao MN; 14.0d1e9;
2018-02-27</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Murasu Systems Sdn. Bhd.
Malaysia</string>
        <key>version</key>
        <string>14.0d1e9</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>ãf'ãf@ã,ã,™ãfžèš'ã,³ã,™ã,·ãffã,™ W6.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/ãf'ãf@ã, -
ã,™ãfžèš'ã,³ã,™ã,·ãffã,™ W6.ttc</string>
    <key>type</key>
    <string>opentype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>HiraginoSans-W6</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>ver8.20, Copyright (c) 1993-2013
Dainippon Screen Mfg. Co., Ltd. All Rights Reserved.</string>
            <key>designer</key>
            <string>JIYUKOBO Ltd.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Hiragino Sans</string>
            <key>fullname</key>
            <string>Hiragino Sans W6</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>W6</string>
            <key>trademark</key>
            <string>HIRAGINO is a trademark of Dainippon
Screen Mfg. Co., Ltd.</string>
            <key>unique</key>
            <string>Hiragino Sans W6; 15.0d1e3; 2019-06-
13</string>
            <key>valid</key>

```

```

        <string>yes</string>
        <key>vendor</key>
        <string>Dainippon Screen Mfg. Co.,
Ltd.</string>
        <key>version</key>
        <string>15.0d1e3</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>.HiraKakuInterface-W6</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>ver8.20, Copyright (c) 1993-2013
Dainippon Screen Mfg. Co., Ltd. All Rights Reserved.</string>
        <key>designer</key>
        <string>JIYUKOBO Ltd.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>.Hiragino Kaku Gothic
Interface</string>
        <key>fullname</key>
        <string>.Hiragino Kaku Gothic Interface
W6</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>W6</string>
        <key>trademark</key>
        <string>HIRAGINO is a trademark of SCREEN
Holdings Co., Ltd.</string>
        <key>unique</key>
        <string>.Hiragino Kaku Gothic Interface W6;
15.0d1e3; 2019-06-13</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>SCREEN Graphic and Precision
Solutions Co., Ltd.</string>
        <key>version</key>
        <string>15.0d1e3</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Bodoni 72 Smallcaps Book.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Bodoni 72
Smallcaps Book.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>

```

```
<key>_name</key>
<string>BodoniSvtyTwoSCITCTT-Book</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright © 1997 International
Typeface Corporation. All rights reserved.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Bodoni 72 Smallcaps</string>
<key>fullname</key>
<string>Bodoni 72 Smallcaps Book</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Book</string>
<key>trademark</key>
<string>ITC Bodoni is a trademark of
International Typeface Corporation.</string>
<key>unique</key>
<string>Bodoni 72 Smallcaps Book; 13.0d2e1;
2017-07-12</string>
<key>valid</key>
<string>yes</string>
<key>version</key>
<string>13.0d2e1</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
<key>_name</key>
<string>KohinoorTelugu.ttc</string>
<key>enabled</key>
<string>yes</string>
<key>path</key>
<string>/System/Library/Fonts/KohinoorTelugu.ttc</string>
<key>type</key>
<string>opentype</string>
<key>typefaces</key>
<array>
<dict>
<key>_name</key>
<string>KohinoorTelugu-Regular</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright 2015 Indian Type Foundry.
All rights reserved.</string>
<key>description</key>
<string>Kohinoor Telugu is an elegant low
contrast type family suitable for both body and display text in print and on
screen. Designed between 2014 and 2015 by Satya Rajpurohit. OpenType production
by Liang Hai.</string>
<key>designer</key>
<string>Satya Rajpurohit</string>
<key>duplicate</key>
```



```

        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Kohinoor Telugu</string>
        <key>fullname</key>
        <string>Kohinoor Telugu</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>trademark</key>
        <string>Kohinoor is a trademark of Indian
Type Foundry.</string>
        <key>unique</key>
        <string>Kohinoor Telugu; 14.0d1e3; 2018-02-
28</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Indian Type Foundry</string>
        <key>version</key>
        <string>14.0d1e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>KohinoorTelugu-Medium</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright 2015 Indian Type Foundry.
All rights reserved.</string>
    <key>description</key>
    <string>Kohinoor Telugu is an elegant low
contrast type family suitable for both body and display text in print and on
screen. Designed between 2014 and 2015 by Satya Rajpurohit. OpenType production
by Liang Hai.</string>
    <key>designer</key>
    <string>Satya Rajpurohit</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Kohinoor Telugu</string>
    <key>fullname</key>
    <string>Kohinoor Telugu Medium</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Medium</string>
    <key>trademark</key>
    <string>Kohinoor is a trademark of Indian
Type Foundry.</string>
    <key>unique</key>
    <string>Kohinoor Telugu Medium; 14.0d1e3;
2018-02-28</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>

```

```

        <string>Indian Type Foundry</string>
        <key>version</key>
        <string>14.0d1e3</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>KohinoorTelugu-Bold</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright 2015 Indian Type Foundry.
All rights reserved.</string>
        <key>description</key>
        <string>Kohinoor Telugu is an elegant low
contrast type family suitable for both body and display text in print and on
screen. Designed between 2014 and 2015 by Satya Rajpurohit. OpenType production
by Liang Hai.</string>
        <key>designer</key>
        <string>Satya Rajpurohit</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Kohinoor Telugu</string>
        <key>fullname</key>
        <string>Kohinoor Telugu Bold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Bold</string>
        <key>trademark</key>
        <string>Kohinoor is a trademark of Indian
Type Foundry.</string>
        <key>unique</key>
        <string>Kohinoor Telugu Bold; 14.0d1e3;
2018-02-28</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Indian Type Foundry</string>
        <key>version</key>
        <string>14.0d1e3</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>KohinoorTelugu-Light</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright 2015 Indian Type Foundry.
All rights reserved.</string>
        <key>description</key>
        <string>Kohinoor Telugu is an elegant low
contrast type family suitable for both body and display text in print and on
screen. Designed between 2014 and 2015 by Satya Rajpurohit. OpenType production
by Liang Hai.</string>
        <key>designer</key>
        <string>Satya Rajpurohit</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>

```

```

    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Kohinoor Telugu</string>
    <key>fullname</key>
    <string>Kohinoor Telugu Light</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Light</string>
    <key>trademark</key>
    <string>Kohinoor is a trademark of Indian
Type Foundry.</string>
    <key>unique</key>
    <string>Kohinoor Telugu Light; 14.0d1e3;
2018-02-28</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Indian Type Foundry</string>
    <key>version</key>
    <string>14.0d1e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>KohinoorTelugu-Semibold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright 2015 Indian Type Foundry.
All rights reserved.</string>
    <key>description</key>
    <string>Kohinoor Telugu is an elegant low
contrast type family suitable for both body and display text in print and on
screen. Designed between 2014 and 2015 by Satya Rajpurohit. OpenType production
by Liang Hai.</string>
    <key>designer</key>
    <string>Satya Rajpurohit</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Kohinoor Telugu</string>
    <key>fullname</key>
    <string>Kohinoor Telugu Semibold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semibold</string>
    <key>trademark</key>
    <string>Kohinoor is a trademark of Indian
Type Foundry.</string>
    <key>unique</key>
    <string>Kohinoor Telugu Semibold; 14.0d1e3;
2018-02-28</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Indian Type Foundry</string>
    <key>version</key>

```

```

        <string>14.0d1e3</string>
      </dict>
    </array>
    <key>valid</key>
    <string>yes</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>STIXGeneralBolIta.otf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/STIXGeneralBolIta.otf</string>
    <key>type</key>
    <string>opentype</string>
    <key>typefaces</key>
    <array>
      <dict>
        <key>_name</key>
        <string>STIXGeneral-BoldItalic</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright (c) 2001-2011 by the STI
Pub Companies, consisting of the American Chemical Society, the American
Institute of Physics, the American Mathematical Society, the American Physical
Society, Elsevier, Inc., and The Institute of Electrical and Electronic
Engineers, Inc. Portions copyright (c) 1998-2003 by MicroPress, Inc. Portions
copyright (c) 1990 by Elsevier, Inc. All rights reserved.</string>
        <key>description</key>
        <string>Arie de Ruiter, who in 1995 was Head
of Information Technology Development at Elsevier Science, made a proposal to
the STI Pub group, an informal group of publishers consisting of representatives
from the American Chemical Society (ACS), American Institute of Physics (AIP),
American Mathematical Society (AMS), American Physical Society (APS), Elsevier,
and Institute of Electrical and Electronics Engineers (IEEE). De Ruiter
encouraged the members to consider development of a series of Web fonts, which
he proposed should be called the Scientific and Technical Information eXchange,
or STIX, Fonts. All STI Pub member organizations enthusiastically endorsed this
proposal, and the STI Pub group agreed to embark on what has become a twelve-
year project. The goal of the project was to identify all alphabetic, symbolic,
and other special characters used in any facet of scientific publishing and to
create a set of Unicode-based fonts that would be distributed free to every
scientist, student, and other interested party worldwide. The fonts would be
consistent with the emerging Unicode standard, and would permit universal
representation of every character. With the release of the STIX fonts, de
Ruiter's vision has been realized.</string>
        <key>designer</key>
        <string>MicroPress Inc., with final
additions and corrections provided by Coen Hoffman, Elsevier (retired)</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>STIXGeneral</string>
        <key>fullname</key>
        <string>STIXGeneral-BoldItalic</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>

```

```

        <string>Bold Italic</string>
        <key>trademark</key>
        <string>STIX Fonts(TM) is a trademark of The
Institute of Electrical and Electronics Engineers, Inc.</string>
        <key>unique</key>
        <string>FontMaster:STIXGeneral-
BoldItalic:1.1.0</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>Version 1.1.0</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Verdana Italic.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Verdana
Italic.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>Verdana-Italic</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Â© 2006 Microsoft Corporation. All
Rights Reserved.</string>
            <key>designer</key>
            <string>Matthew Carter</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Verdana</string>
            <key>fullname</key>
            <string>Verdana Italic</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Italic</string>
            <key>trademark</key>
            <string>Verdana is either a registered
trademark or a trademark of Microsoft Corporation in the United States and/or
other countries.</string>
            <key>unique</key>
            <string>Microsoft:Verdana Italic:Version
5.01x (Microsoft)</string>
            <key>valid</key>
            <string>yes</string>
            <key>vendor</key>
            <string>Carter & Cone</string>
            <key>version</key>

```

```
        <string>Version 5.01x</string>
      </dict>
    </array>
    <key>valid</key>
    <string>yes</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Apple Braille.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Apple Braille.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
      <dict>
        <key>_name</key>
        <string>AppleBraille</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© Copyright 2007 by Apple,
Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Apple Braille</string>
        <key>fullname</key>
        <string>Apple Braille</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>unique</key>
        <string>Apple Braille; 13.0d2e27; 2017-06-
30</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>13.0d2e27</string>
      </dict>
    </array>
    <key>valid</key>
    <string>yes</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Mshtakan.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Mshtakan.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
      <dict>
```

```
<key>_name</key>
<string>Mshtakan</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Mshtakan 1.1 Â© 2002-2003 Michael
Everson. All Rights Reserved.</string>
<key>designer</key>
<string>Michael Everson</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Mshtakan</string>
<key>fullname</key>
<string>Mshtakan</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular</string>
<key>trademark</key>
<string>Mshtakan is a trademark of Michael
Everson.</string>
<key>unique</key>
<string>Mshtakan; 14.0d1e1;
2017-11-24</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Michael Everson</string>
<key>version</key>
<string>14.0d1e1</string>
</dict>
<dict>
<key>_name</key>
<string>MshtakanBold</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Mshtakan-Bold 1.1 Â© 2002-2003
Michael Everson. All Rights Reserved.</string>
<key>designer</key>
<string>Michael Everson</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Mshtakan</string>
<key>fullname</key>
<string>Mshtakan Bold</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Bold</string>
<key>trademark</key>
<string>Mshtakan Bold is a trademark of
Michael Everson.</string>
<key>unique</key>
```

```
24</string>
    <string>Mshtakan Bold; 14.0d1e1; 2017-11-
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Michael Everson</string>
    <key>version</key>
    <string>14.0d1e1</string>
</dict>
<dict>
    <key>_name</key>
    <string>MshtakanBoldOblique</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Mshtakan-BoldOblique 1.1 Â© 2002-
2003 Michael Everson. All Rights Reserved.</string>
    <key>designer</key>
    <string>Michael Everson</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Mshtakan</string>
    <key>fullname</key>
    <string>Mshtakan BoldOblique</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>BoldOblique</string>
    <key>trademark</key>
    <string>Mshtakan BoldOblique is a trademark
of Michael Everson.</string>
    <key>unique</key>
    <string>Mshtakan BoldOblique; 14.0d1e1;
2017-11-24</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Michael Everson</string>
    <key>version</key>
    <string>14.0d1e1</string>
</dict>
<dict>
    <key>_name</key>
    <string>MshtakanOblique</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Mshtakan-Oblique 1.1 Â© 2002-2003
Michael Everson. All Rights Reserved.</string>
    <key>designer</key>
    <string>Michael Everson</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Mshtakan</string>
```



```

        <key>fullname</key>
        <string>Mshtakan Oblique</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Oblique</string>
        <key>trademark</key>
        <string>Mshtakan Oblique is a trademark of
Michael Everson.</string>
        <key>unique</key>
        <string>Mshtakan Oblique; 14.0d1e1; 2017-11-
24</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Michael Everson</string>
        <key>version</key>
        <string>14.0d1e1</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Sinhala Sangam MN.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Sinhala
Sangam MN.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>SinhalaSangamMN-Bold</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright (c) 2004 by Muthu
Nedumaran. All rights reserved.</string>
            <key>description</key>
            <string>Copyright (c) 2004 by Muthu
Nedumaran. All rights reserved.</string>
            <key>designer</key>
            <string>Muthu Nedumaran</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Sinhala Sangam MN</string>
            <key>fullname</key>
            <string>Sinhala Sangam MN Bold</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Bold</string>
            <key>trademark</key>
            <string>Sinhala Sangam MN is a trademark of

```

```

Muthu Nedumaran.</string>
2018-02-25</string>
Muthu Nedumaran.</string>
Nedumaran. All rights reserved.</string>
Nedumaran. All rights reserved.</string>
Muthu Nedumaran.</string>
02-25</string>
MN.ttc</string>
<key>unique</key>
<string>Sinhala Sangam MN Bold; 14.0d1e2;
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Muthu Nedumaran</string>
<key>version</key>
<string>14.0d1e2</string>
</dict>
<dict>
<key>_name</key>
<string>SinhalaSangamMN</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright (c) 2004 by Muthu
Nedumaran. All rights reserved.</string>
<key>description</key>
<string>Copyright (c) 2004 by Muthu
Nedumaran. All rights reserved.</string>
<key>designer</key>
<string>Muthu Nedumaran</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Sinhala Sangam MN</string>
<key>fullname</key>
<string>Sinhala Sangam MN</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular</string>
<key>trademark</key>
<string>Sinhala Sangam MN is a trademark of
Muthu Nedumaran.</string>
<key>unique</key>
<string>Sinhala Sangam MN; 14.0d1e2; 2018-
02-25</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Muthu Nedumaran</string>
<key>version</key>
<string>14.0d1e2</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
<key>_name</key>
<string>Tamil Sangam MN.ttc</string>
<key>enabled</key>
<string>yes</string>
<key>path</key>
<string>/System/Library/Fonts/Supplemental/Tamil Sangam
MN.ttc</string>
<key>type</key>

```

```
<string>opentype</string>
<key>typefaces</key>
<array>
  <dict>
    <key>_name</key>
    <string>GranthaSangamMN-Bold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright (c) 2004 by Muthu
Nedumaran. All rights reserved.</string>
    <key>designer</key>
    <string>Muthu Nedumaran</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Grantha Sangam MN</string>
    <key>fullname</key>
    <string>Grantha Sangam MN Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold</string>
    <key>unique</key>
    <string>Grantha Sangam MN Bold; 15.0d1e37;
2020-09-16</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Muthu Nedumaran</string>
    <key>version</key>
    <string>15.0d1e37</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>GranthaSangamMN-Regular</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright (c) 2004 by Muthu
Nedumaran. All rights reserved.</string>
    <key>designer</key>
    <string>Muthu Nedumaran</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Grantha Sangam MN</string>
    <key>fullname</key>
    <string>Grantha Sangam MN Regular</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>unique</key>
    <string>Grantha Sangam MN Regular;
15.0d1e37; 2020-09-16</string>
```

```
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Muthu Nedumaran</string>
<key>version</key>
<string>15.0d1e37</string>
</dict>
<dict>
  <key>_name</key>
  <string>TamilSangamMN</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright (c) 1986 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
  <key>designer</key>
  <string>Muthu Nedumaran</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Tamil Sangam MN</string>
  <key>fullname</key>
  <string>Tamil Sangam MN</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Regular</string>
  <key>trademark</key>
  <string>Tamil Sangam MN is a trademark of
Murasu Systems Sdn. Bhd. Malaysia.</string>
  <key>unique</key>
  <string>Tamil Sangam MN; 15.0d1e37; 2020-09-
16</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Murasu Systems Sdn. Bhd.
Malaysia</string>
  <key>version</key>
  <string>15.0d1e37</string>
</dict>
<dict>
  <key>_name</key>
  <string>TamilSangamMN-Bold</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright (c) 1986 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
  <key>designer</key>
  <string>Muthu Nedumaran</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Tamil Sangam MN</string>
  <key>fullname</key>
```

```

        <string>Tamil Sangam MN Bold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Bold</string>
        <key>trademark</key>
        <string>Tamil Sangam MN is a trademark of
Murasu Systems Sdn. Bhd. Malaysia.</string>
        <key>unique</key>
        <string>Tamil Sangam MN Bold; 15.0d1e37;
2020-09-16</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Murasu Systems Sdn. Bhd.
Malaysia</string>
        <key>version</key>
        <string>15.0d1e37</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Beirut.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Beirut.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>Beirut</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>A© 2001 Diwan Software Ltd.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Beirut</string>
            <key>fullname</key>
            <string>Beirut Regular</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Regular</string>
            <key>unique</key>
            <string>Beirut Regular; 13.0d1e6; 2017-06-
27</string>
            <key>valid</key>
            <string>yes</string>
            <key>version</key>
            <string>13.0d1e6</string>
        </dict>
    </array>
</dict>

```

```

    <dict>
      <key>_name</key>
      <string>.BeirutPUA</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>© 2001 Diwan Software Ltd.</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>.Beirut PUA</string>
      <key>fullname</key>
      <string>.Beirut PUA</string>
      <key>outline</key>
      <string>yes</string>
      <key>style</key>
      <string>Regular</string>
      <key>unique</key>
      <string>.Beirut PUA; 13.0d1e6;

2017-06-27</string>

      <key>valid</key>
      <string>yes</string>
      <key>version</key>
      <string>13.0d1e6</string>
    </dict>
  </array>
  <key>valid</key>
  <string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>STIXSizFourSymReg.otf</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>

<string>/System/Library/Fonts/Supplemental/STIXSizFourSymReg.otf</string>
  <key>type</key>
  <string>postscript</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>STIXSizeFourSym-Regular</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Copyright (c) 2001-2011 by the STI
Pub Companies, consisting of the American Chemical Society, the American
Institute of Physics, the American Mathematical Society, the American Physical
Society, Elsevier, Inc., and The Institute of Electrical and Electronic
Engineers, Inc. Portions copyright (c) 1998-2003 by MicroPress, Inc. Portions
copyright (c) 1990 by Elsevier, Inc. All rights reserved.</string>
      <key>description</key>
      <string>Arie de Ruiter, who in 1995 was Head
of Information Technology Development at Elsevier Science, made a proposal to
the STI Pub group, an informal group of publishers consisting of representatives
from the American Chemical Society (ACS), American Institute of Physics (AIP),
American Mathematical Society (AMS), American Physical Society (APS), Elsevier,
and Institute of Electrical and Electronics Engineers (IEEE). De Ruiter

```

encouraged the members to consider development of a series of Web fonts, which he proposed should be called the Scientific and Technical Information eXchange, or STIX, Fonts. All STI Pub member organizations enthusiastically endorsed this proposal, and the STI Pub group agreed to embark on what has become a twelve-year project. The goal of the project was to identify all alphabetic, symbolic, and other special characters used in any facet of scientific publishing and to create a set of Unicode-based fonts that would be distributed free to every scientist, student, and other interested party worldwide. The fonts would be consistent with the emerging Unicode standard, and would permit universal representation of every character. With the release of the STIX fonts, de Ruiter's vision has been realized.</string>

<key>designer</key>  
<string>MicroPress Inc., with final additions and corrections provided by Coen Hoffman, Elsevier (retired)</string>

<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>STIXSizeFourSym</string>  
<key>fullname</key>  
<string>STIXSizeFourSym-Regular</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Regular</string>  
<key>trademark</key>  
<string>STIX Fonts(TM) is a trademark of The Institute of Electrical and Electronics Engineers, Inc.</string>

<key>unique</key>  
<string>FontMaster:STIXSizeFourSym-Regular:1.1.0</string>

<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>Version 1.1.0</string>

</dict>

</array>

<key>valid</key>

<string>yes</string>

</dict>

<dict>

<key>\_name</key>

<string>STIXGeneralBol.otf</string>

<key>enabled</key>

<string>yes</string>

<key>path</key>

<string>/System/Library/Fonts/Supplemental/STIXGeneralBol.otf</string>

<key>type</key>

<string>opentype</string>

<key>typefaces</key>

<array>

<dict>

<key>\_name</key>

<string>STIXGeneral-Bold</string>

<key>copy\_protected</key>

<string>no</string>

<key>copyright</key>

<string>Copyright (c) 2001-2011 by the STI

Pub Companies, consisting of the American Chemical Society, the American Institute of Physics, the American Mathematical Society, the American Physical

Society, Elsevier, Inc., and The Institute of Electrical and Electronic Engineers, Inc. Portions copyright (c) 1998-2003 by MicroPress, Inc. Portions copyright (c) 1990 by Elsevier, Inc. All rights reserved.</string>

<key>description</key>

<string>Arie de Ruiter, who in 1995 was Head of Information Technology Development at Elsevier Science, made a proposal to the STI Pub group, an informal group of publishers consisting of representatives from the American Chemical Society (ACS), American Institute of Physics (AIP), American Mathematical Society (AMS), American Physical Society (APS), Elsevier, and Institute of Electrical and Electronics Engineers (IEEE). De Ruiter encouraged the members to consider development of a series of Web fonts, which he proposed should be called the Scientific and Technical Information eXchange, or STIX, Fonts. All STI Pub member organizations enthusiastically endorsed this proposal, and the STI Pub group agreed to embark on what has become a twelve-year project. The goal of the project was to identify all alphabetic, symbolic, and other special characters used in any facet of scientific publishing and to create a set of Unicode-based fonts that would be distributed free to every scientist, student, and other interested party worldwide. The fonts would be consistent with the emerging Unicode standard, and would permit universal representation of every character. With the release of the STIX fonts, de Ruiter's vision has been realized.</string>

<key>designer</key>

<string>MicroPress Inc., with final additions and corrections provided by Coen Hoffman, Elsevier (retired)</string>

<key>duplicate</key>

<string>no</string>

<key>embeddable</key>

<string>yes</string>

<key>enabled</key>

<string>yes</string>

<key>family</key>

<string>STIXGeneral</string>

<key>fullname</key>

<string>STIXGeneral-Bold</string>

<key>outline</key>

<string>yes</string>

<key>style</key>

<string>Bold</string>

<key>trademark</key>

<string>STIX Fonts(TM) is a trademark of The Institute of Electrical and Electronics Engineers, Inc.</string>

<key>unique</key>

<string>FontMaster:STIXGeneral-Bold:1.1.0</string>

<key>valid</key>

<string>yes</string>

<key>version</key>

<string>Version 1.1.0</string>

</dict>

</array>

<key>valid</key>

<string>yes</string>

</dict>

<dict>

<key>\_name</key>

<string>Mishafi Gold.ttf</string>

<key>enabled</key>

<string>yes</string>

<key>path</key>

<string>/System/Library/Fonts/Supplemental/Mishafi

Gold.ttf</string>

<key>type</key>

<string>truetype</string>

<key>typefaces</key>



```

    <array>
      <dict>
        <key>_name</key>
        <string>DiwanMishafiGold</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Â© 1998-2000 Diwan Software Ltd. All
rights reserved</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Mishafi Gold</string>
        <key>fullname</key>
        <string>Mishafi Gold Regular</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>unique</key>
        <string>Mishafi Gold Regular; 13.0d2e1;
2017-06-28</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>13.0d2e1</string>
      </dict>
    </array>
    <key>valid</key>
    <string>yes</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Verdana Bold Italic.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Verdana Bold
Italic.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
      <dict>
        <key>_name</key>
        <string>Verdana-BoldItalic</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Â© 2006 Microsoft Corporation. All
Rights Reserved.</string>
        <key>designer</key>
        <string>Matthew Carter</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>

```

<string>Verdana</string>  
<key>fullname</key>  
<string>Verdana Bold Italic</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Bold Italic</string>  
<key>trademark</key>  
<string>Verdana is either a registered  
trademark or a trademark of Microsoft Corporation in the United States and/or  
other countries.</string>

<key>unique</key>  
<string>Microsoft:Verdana Bold  
Italic:Version 5.01x (Microsoft)</string>  
<key>valid</key>  
<string>yes</string>  
<key>vendor</key>  
<string>Carter & Cone</string>  
<key>version</key>  
<string>Version 5.01x</string>

</dict>  
</array>  
<key>valid</key>  
<string>yes</string>  
</dict>  
<dict>

<key>\_name</key>  
<string>Times.ttc</string>  
<key>enabled</key>  
<string>yes</string>  
<key>path</key>  
<string>/System/Library/Fonts/Times.ttc</string>  
<key>type</key>  
<string>truetype</string>  
<key>typefaces</key>  
<array>

<dict>  
<key>\_name</key>  
<string>Times-Bold</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Â© 1990-99 Apple Computer Inc. Â©

1981 Linotype AG Â© 1990-91 Type Solutions Inc. Â© 1990-91 The Font Bureau  
Inc.</string>

<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Times</string>  
<key>fullname</key>  
<string>Times Bold</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Bold</string>  
<key>trademark</key>  
<string>Times is a registered trademark of

Linotype AG</string>

<key>unique</key>  
<string>Times Bold; 15.0d2e1;

2019-07-16</string>

<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>15.0d2e1</string>

</dict>

<dict>

<key>\_name</key>  
<string>Times-BoldItalic</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Â© 1990-99 Apple Computer Inc. Â©

1981 Linotype AG Â© 1990-91 Type Solutions Inc. Â© 1990-91 The Font Bureau  
Inc.</string>

<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Times</string>  
<key>fullname</key>  
<string>Times Bold Italic</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Bold Italic</string>  
<key>trademark</key>  
<string>Times is a registered trademark of

Linotype AG</string>

<key>unique</key>  
<string>Times Bold Italic; 15.0d2e1; 2019-

07-16</string>

<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>15.0d2e1</string>

</dict>

<dict>

<key>\_name</key>  
<string>Times-Roman</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Â© 1990-99 Apple Computer Inc. Â©

1981 Linotype AG Â© 1990-91 Type Solutions Inc. Â© 1990-91 The Font Bureau  
Inc.</string>

<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Times</string>  
<key>fullname</key>  
<string>Times Roman</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Regular</string>  
<key>trademark</key>

```

Linotype AG</string>
2019-07-16</string>
1981 Linotype AG  Â© 1990-91 Type Solutions Inc.  Â© 1990-91 The Font Bureau
Inc.</string>
Linotype AG</string>
16</string>
<string>/System/Library/Fonts/Supplemental/STIXNonUniBol.otf</string>

```

```

    <string>Times is a registered trademark of
    <key>unique</key>
    <string>Times Roman; 15.0d2e1;
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>15.0d2e1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Times-Italic</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 1990-99 Apple Computer Inc.  Â©
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Times</string>
    <key>fullname</key>
    <string>Times Italic</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Italic</string>
    <key>trademark</key>
    <string>Times is a registered trademark of
    <key>unique</key>
    <string>Times Italic; 15.0d2e1; 2019-07-
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>15.0d2e1</string>
  </dict>
</array>
  <key>valid</key>
  <string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>STIXNonUniBol.otf</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/Supplemental/STIXNonUniBol.otf</string>
  <key>type</key>
  <string>postscript</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>STIXNonUnicode-Bold</string>
      <key>copy_protected</key>

```

```

        <string>no</string>
        <key>copyright</key>
        <string>Copyright (c) 2001-2011 by the STI
Pub Companies, consisting of the American Chemical Society, the American
Institute of Physics, the American Mathematical Society, the American Physical
Society, Elsevier, Inc., and The Institute of Electrical and Electronic
Engineers, Inc. Portions copyright (c) 1998-2003 by MicroPress, Inc. Portions
copyright (c) 1990 by Elsevier, Inc. All rights reserved.</string>
        <key>description</key>
        <string>Arie de Ruiter, who in 1995 was Head
of Information Technology Development at Elsevier Science, made a proposal to
the STI Pub group, an informal group of publishers consisting of representatives
from the American Chemical Society (ACS), American Institute of Physics (AIP),
American Mathematical Society (AMS), American Physical Society (APS), Elsevier,
and Institute of Electrical and Electronics Engineers (IEEE). De Ruiter
encouraged the members to consider development of a series of Web fonts, which
he proposed should be called the Scientific and Technical Information eXchange,
or STIX, Fonts. All STI Pub member organizations enthusiastically endorsed this
proposal, and the STI Pub group agreed to embark on what has become a twelve-
year project. The goal of the project was to identify all alphabetic, symbolic,
and other special characters used in any facet of scientific publishing and to
create a set of Unicode-based fonts that would be distributed free to every
scientist, student, and other interested party worldwide. The fonts would be
consistent with the emerging Unicode standard, and would permit universal
representation of every character. With the release of the STIX fonts, de
Ruiter's vision has been realized.</string>
        <key>designer</key>
        <string>MicroPress Inc., with final
additions and corrections provided by Coen Hoffman, Elsevier (retired)</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>STIXNonUnicode</string>
        <key>fullname</key>
        <string>STIXNonUnicode-Bold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Bold</string>
        <key>trademark</key>
        <string>STIX Fonts(TM) is a trademark of The
Institute of Electrical and Electronics Engineers, Inc.</string>
        <key>unique</key>
        <string>FontMaster:STIXNonUnicode-
Bold:1.1.0</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>Version 1.1.0</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Lao Sangam MN.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>

```

```

MN.ttf</string>      <string>/System/Library/Fonts/Supplemental/Lao Sangam
                      <key>type</key>
                      <string>truetype</string>
                      <key>typefaces</key>
                      <array>
                        <dict>
                          <key>_name</key>
                          <string>LaoSangamMN</string>
                          <key>copy_protected</key>
                          <string>no</string>
                          <key>copyright</key>
                          <string>Copyright (c) 2010 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
                          <key>description</key>
                          <string>Copyright (c) 2010 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
                          <key>designer</key>
                          <string>Muthu Nedumaran</string>
                          <key>duplicate</key>
                          <string>no</string>
                          <key>embeddable</key>
                          <string>yes</string>
                          <key>enabled</key>
                          <string>yes</string>
                          <key>family</key>
                          <string>Lao Sangam MN</string>
                          <key>fullname</key>
                          <string>Lao Sangam MN</string>
                          <key>outline</key>
                          <string>yes</string>
                          <key>style</key>
                          <string>Regular</string>
                          <key>trademark</key>
                          <string>Lao Sangam MN is a trademark of
Murasu Systems Sdn. Bhd. Malaysia.</string>
                          <key>unique</key>
                          <string>Lao Sangam MN; 14.0d1e6; 2018-02-
27</string>
                          <key>valid</key>
                          <string>yes</string>
                          <key>vendor</key>
                          <string>Murasu Systems Sdn. Bhd.
Malaysia</string>
                          <key>version</key>
                          <string>14.0d1e6</string>
                        </dict>
                      </array>
                      <key>valid</key>
                      <string>yes</string>
                    </dict>
                    <dict>
                      <key>_name</key>
                      <string>Chalkboard.ttc</string>
                      <key>enabled</key>
                      <string>yes</string>
                      <key>path</key>
                      <string>/System/Library/Fonts/Supplemental/Chalkboard.ttc</string>
                      <key>type</key>
                      <string>truetype</string>
                      <key>typefaces</key>
                      <array>
                        <dict>

```

```

    <key>_name</key>
    <string>Chalkboard-Bold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright 2003-04 Apple Computer,
Inc.</string>

    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Chalkboard</string>
    <key>fullname</key>
    <string>Chalkboard Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold</string>
    <key>unique</key>
    <string>Chalkboard Bold; 13.0d1e2; 2017-06-
16</string>

    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0d1e2</string>
</dict>
<dict>
    <key>_name</key>
    <string>Chalkboard</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright 2003-04 Apple Computer,
Inc.</string>

    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Chalkboard</string>
    <key>fullname</key>
    <string>Chalkboard</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>unique</key>
    <string>Chalkboard; 13.0d1e2;
2017-06-16</string>

    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0d1e2</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
```

```

    <key>_name</key>
    <string>NotoSerifMyanmar.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>

    <string>/System/Library/Fonts/NotoSerifMyanmar.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
      <dict>
        <key>_name</key>
        <string>NotoSerifMyanmar-Bold</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright 2016 Google Inc. All
Rights Reserved.</string>
        <key>description</key>
        <string>Designed by Monotype design
team.</string>
        <key>designer</key>
        <string>Ben Mitchell and the Monotype Design
Team</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Noto Serif Myanmar</string>
        <key>fullname</key>
        <string>Noto Serif Myanmar Bold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Bold</string>
        <key>trademark</key>
        <string>Noto is a trademark of Google
Inc.</string>
        <key>unique</key>
        <string>Noto Serif Myanmar Bold; 14.0d1e5;
2018-11-28</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Monotype Imaging Inc.</string>
        <key>version</key>
        <string>14.0d1e5</string>
      </dict>
    <dict>
      <key>_name</key>
      <string>NotoSerifMyanmar-Regular</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Copyright 2016 Google Inc. All
Rights Reserved.</string>
      <key>description</key>
      <string>Designed by Monotype design
team.</string>
      <key>designer</key>

```



```

Team</string>
    <string>Ben Mitchell and the Monotype Design
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Noto Serif Myanmar</string>
    <key>fullname</key>
    <string>Noto Serif Myanmar Regular</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>trademark</key>
    <string>Noto is a trademark of Google

Inc.</string>
    <key>unique</key>
    <string>Noto Serif Myanmar Regular;

14.0d1e5; 2018-11-28</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Monotype Imaging Inc.</string>
    <key>version</key>
    <string>14.0d1e5</string>
</dict>
<dict>
    <key>_name</key>
    <string>NotoSerifMyanmar-SemiBold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright 2016 Google Inc. All

Rights Reserved.</string>
    <key>description</key>
    <string>Designed by Monotype design

team.</string>
    <key>designer</key>
    <string>Ben Mitchell and the Monotype Design

Team</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Noto Serif Myanmar</string>
    <key>fullname</key>
    <string>Noto Serif Myanmar SemiBold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semibold</string>
    <key>trademark</key>
    <string>Noto is a trademark of Google

Inc.</string>
    <key>unique</key>
    <string>Noto Serif Myanmar SemiBold;

14.0d1e5; 2018-11-28</string>
    <key>valid</key>

```

```

        <string>yes</string>
        <key>vendor</key>
        <string>Monotype Imaging Inc.</string>
        <key>version</key>
        <string>14.0d1e5</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>NotoSerifMyanmar-Light</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright 2016 Google Inc. All
Rights Reserved.</string>
        <key>description</key>
        <string>Designed by Monotype design
team.</string>
        <key>designer</key>
        <string>Ben Mitchell and the Monotype Design
Team</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Noto Serif Myanmar</string>
        <key>fullname</key>
        <string>Noto Serif Myanmar Light</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Light</string>
        <key>trademark</key>
        <string>Noto is a trademark of Google
Inc.</string>
        <key>unique</key>
        <string>Noto Serif Myanmar Light; 14.0d1e5;
2018-11-28</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Monotype Imaging Inc.</string>
        <key>version</key>
        <string>14.0d1e5</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>NotoSerifMyanmar-Black</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright 2016 Google Inc. All
Rights Reserved.</string>
        <key>description</key>
        <string>Designed by Monotype design
team.</string>
        <key>designer</key>
        <string>Ben Mitchell and the Monotype Design
Team</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>

```

```

    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Noto Serif Myanmar</string>
    <key>fullname</key>
    <string>Noto Serif Myanmar Black</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Black</string>
    <key>trademark</key>
    <string>Noto is a trademark of Google
Inc.</string>

    <key>unique</key>
    <string>Noto Serif Myanmar Black; 14.0d1e5;
2018-11-28</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Monotype Imaging Inc.</string>
    <key>version</key>
    <string>14.0d1e5</string>
</dict>
<dict>
    <key>_name</key>
    <string>NotoSerifMyanmar-ExtraBold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright 2016 Google Inc. All
Rights Reserved.</string>

    <key>description</key>
    <string>Designed by Monotype design
team.</string>

    <key>designer</key>
    <string>Ben Mitchell and the Monotype Design
Team</string>

    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Noto Serif Myanmar</string>
    <key>fullname</key>
    <string>Noto Serif Myanmar
ExtraBold</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>ExtraBold</string>
    <key>trademark</key>
    <string>Noto is a trademark of Google
Inc.</string>

    <key>unique</key>
    <string>Noto Serif Myanmar ExtraBold;
14.0d1e5; 2018-11-28</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Monotype Imaging Inc.</string>
    <key>version</key>

```

```

    <string>14.0d1e5</string>
</dict>
<dict>
  <key>_name</key>
  <string>NotoSerifMyanmar-ExtraLight</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright 2016 Google Inc. All
Rights Reserved.</string>
  <key>description</key>
  <string>Designed by Monotype design
team.</string>
  <key>designer</key>
  <string>Ben Mitchell and the Monotype Design
Team</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Noto Serif Myanmar</string>
  <key>fullname</key>
  <string>Noto Serif Myanmar
ExtraLight</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Extralight</string>
  <key>trademark</key>
  <string>Noto is a trademark of Google
Inc.</string>
  <key>unique</key>
  <string>Noto Serif Myanmar ExtraLight;
14.0d1e5; 2018-11-28</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Monotype Imaging Inc.</string>
  <key>version</key>
  <string>14.0d1e5</string>
</dict>
<dict>
  <key>_name</key>
  <string>NotoSerifMyanmar-Medium</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright 2016 Google Inc. All
Rights Reserved.</string>
  <key>description</key>
  <string>Designed by Monotype design
team.</string>
  <key>designer</key>
  <string>Ben Mitchell and the Monotype Design
Team</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>

```

```

    <key>family</key>
    <string>Noto Serif Myanmar</string>
    <key>fullname</key>
    <string>Noto Serif Myanmar Medium</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Medium</string>
    <key>trademark</key>
    <string>Noto is a trademark of Google
Inc.</string>

    <key>unique</key>
    <string>Noto Serif Myanmar Medium; 14.0d1e5;
2018-11-28</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Monotype Imaging Inc.</string>
    <key>version</key>
    <string>14.0d1e5</string>
</dict>
<dict>
    <key>_name</key>
    <string>NotoSerifMyanmar-Thin</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright 2016 Google Inc. All
Rights Reserved.</string>

    <key>description</key>
    <string>Designed by Monotype design
team.</string>

    <key>designer</key>
    <string>Ben Mitchell and the Monotype Design
Team</string>

    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Noto Serif Myanmar</string>
    <key>fullname</key>
    <string>Noto Serif Myanmar Thin</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Thin</string>
    <key>trademark</key>
    <string>Noto is a trademark of Google
Inc.</string>

    <key>unique</key>
    <string>Noto Serif Myanmar Thin; 14.0d1e5;
2018-11-28</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Monotype Imaging Inc.</string>
    <key>version</key>
    <string>14.0d1e5</string>
</dict>
</array>
<key>valid</key>

```

```

        <string>yes</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Kannada MN.ttc</string>
        <key>enabled</key>
        <string>yes</string>
        <key>path</key>
        <string>/System/Library/Fonts/Supplemental/Kannada
MN.ttc</string>
        <key>type</key>
        <string>truetype</string>
        <key>typefaces</key>
        <array>
            <dict>
                <key>_name</key>
                <string>KannadaMN</string>
                <key>copy_protected</key>
                <string>no</string>
                <key>copyright</key>
                <string>Copyright (c) 2009 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
                <key>description</key>
                <string>Copyright (c) 2003 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
                <key>designer</key>
                <string>Muthu Nedumaran</string>
                <key>duplicate</key>
                <string>no</string>
                <key>embeddable</key>
                <string>yes</string>
                <key>enabled</key>
                <string>yes</string>
                <key>family</key>
                <string>Kannada MN</string>
                <key>fullname</key>
                <string>Kannada MN</string>
                <key>outline</key>
                <string>yes</string>
                <key>style</key>
                <string>Regular</string>
                <key>trademark</key>
                <string>Kannada MN is a trademark of Murasu
Systems Sdn. Bhd. Malaysia.</string>
                <key>unique</key>
                <string>Kannada MN; 14.0d1e6;
2018-02-27</string>
                <key>valid</key>
                <string>yes</string>
                <key>vendor</key>
                <string>Murasu Systems Sdn. Bhd.
Malaysia</string>
                <key>version</key>
                <string>14.0d1e6</string>
            </dict>
        </array>
    </dict>
    <dict>
        <key>_name</key>
        <string>KannadaMN-Bold</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright (c) 2009 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
        <key>description</key>

```

```

    <string>Copyright (c) 2003 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
    <key>designer</key>
    <string>Muthu Nedumaran</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Kannada MN</string>
    <key>fullname</key>
    <string>Kannada MN Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold</string>
    <key>trademark</key>
    <string>Kannada MN Bold is a trademark of
Murasu Systems Sdn. Bhd. Malaysia.</string>
    <key>unique</key>
    <string>Kannada MN Bold; 14.0d1e6; 2018-02-
27</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Murasu Systems Sdn. Bhd.
Malaysia</string>
    <key>version</key>
    <string>14.0d1e6</string>
  </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>Apple Braille Outline 6 Dot.ttf</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/Apple Braille Outline 6
Dot.ttf</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>AppleBraille-Outline6Dot</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>© Copyright 2007 by Apple,
Inc.</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>Apple Braille</string>

```

```

        <key>fullname</key>
        <string>Apple Braille Outline 6 Dot</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Outline 6 Dot</string>
        <key>unique</key>
        <string>Apple Braille Outline 6 Dot;
13.0d2e27; 2017-06-30</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>13.0d2e27</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Courier New Bold.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Courier New
Bold.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>CourierNewPS-BoldMT</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Â© 2008 The Monotype Corporation.
All Rights Reserved.</string>
            <key>designer</key>
            <string>Howard Kettler</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Courier New</string>
            <key>fullname</key>
            <string>Courier New Bold</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Bold</string>
            <key>trademark</key>
            <string>Courier New is a trademark of The
Monotype Corporation in the United States and/or other countries.</string>
            <key>unique</key>
            <string>Monotype:Courier New Bold:version
5.00 (Microsoft)</string>
            <key>valid</key>
            <string>yes</string>
            <key>vendor</key>
            <string>The Monotype Corporation</string>

```



```

        <key>version</key>
        <string>Version 5.00.2x</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Cochin.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>

<string>/System/Library/Fonts/Supplemental/Cochin.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>Cochin-Bold</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright (c) 1981 Linotype AG
and/or its subsidiaries.</string>
            <key>description</key>
            <string>(c) 1981 Linotype AG and/or its
subsidiaries. All Rights Reserved. This data is the property of Linotype AG
and/or its subsidiaries and may not be reproduced, used, displayed, modified,
disclosed or transferred without the express written approval of Linotype AG
and/or its subsidiaries.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Cochin</string>
            <key>fullname</key>
            <string>Cochin Bold</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Bold</string>
            <key>unique</key>
            <string>Cochin Bold; 13.0d2e1;
2017-06-19</string>
            <key>valid</key>
            <string>yes</string>
            <key>version</key>
            <string>13.0d2e1</string>
        </dict>
        <dict>
            <key>_name</key>
            <string>Cochin-BoldItalic</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright (c) 1981 Linotype AG
and/or its subsidiaries.</string>
            <key>description</key>

```

<string>(c) 1981 Linotype AG and/or its subsidiaries. All Rights Reserved. This data is the property of Linotype AG and/or its subsidiaries and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Linotype AG and/or its subsidiaries.</string>

<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Cochin</string>  
<key>fullname</key>  
<string>Cochin Bold Italic</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Bold Italic</string>  
<key>unique</key>  
<string>Cochin Bold Italic; 13.0d2e1; 2017-

06-19</string>

<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>13.0d2e1</string>

</dict>

<dict>

<key>\_name</key>  
<string>Cochin-Italic</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Copyright (c) 1981 Linotype AG

and/or its subsidiaries.</string>

<key>description</key>

<string>(c) 1981 Linotype AG and/or its subsidiaries. All Rights Reserved. This data is the property of Linotype AG and/or its subsidiaries and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Linotype AG and/or its subsidiaries.</string>

<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Cochin</string>  
<key>fullname</key>  
<string>Cochin Italic</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Italic</string>  
<key>unique</key>  
<string>Cochin Italic; 13.0d2e1; 2017-06-

19</string>

<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>13.0d2e1</string>

</dict>

<dict>

```

    <key>_name</key>
    <string>Cochin</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright (c) 1981 Linotype AG
and/or its subsidiaries.</string>
    <key>description</key>
    <string>(c) 1981 Linotype AG and/or its
subsidiaries. All Rights Reserved. This data is the property of Linotype AG
and/or its subsidiaries and may not be reproduced, used, displayed, modified,
disclosed or transferred without the express written approval of Linotype AG
and/or its subsidiaries.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Cochin</string>
    <key>fullname</key>
    <string>Cochin</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>unique</key>
    <string>Cochin; 13.0d2e1;
2017-06-19</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0d2e1</string>
  </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>Microsoft Sans Serif.ttf</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/Supplemental/Microsoft
Sans Serif.ttf</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>MicrosoftSansSerif</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Â© 2006 Microsoft Corporation. All
Rights Reserved.</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>

```

```

        <string>yes</string>
        <key>family</key>
        <string>Microsoft Sans Serif</string>
        <key>fullname</key>
        <string>Microsoft Sans Serif</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>trademark</key>
        <string>Microsoft Sans Serif is either a
registered trademark or a trademark of Microsoft Corporation in the United
States and/or other countries.</string>
        <key>unique</key>
        <string>Microsoft Sans Serif
Regular</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>Version 5.00.1x</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Thonburi.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Thonburi.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>Thonburi-Bold</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright © 1992-2011 by Apple Inc.
All rights reserved.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Thonburi</string>
            <key>fullname</key>
            <string>Thonburi Bold</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Bold</string>
            <key>unique</key>
            <string>Thonburi Bold; 13.0d1e1; 2017-06-
17</string>
            <key>valid</key>
            <string>yes</string>
            <key>version</key>

```

```
<string>13.0d1e1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Thonburi-Light</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright © 1992-2013 by Apple Inc.
```

All rights reserved.</string>

```
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Thonburi</string>
  <key>fullname</key>
  <string>Thonburi Light</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Light</string>
  <key>unique</key>
  <string>Thonburi Light; 13.0d1e1; 2017-06-
```

17</string>

```
  <key>valid</key>
  <string>yes</string>
  <key>version</key>
  <string>13.0d1e1</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>Thonburi</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright © 1992-2011 by Apple Inc.
```

All rights reserved.</string>

```
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Thonburi</string>
  <key>fullname</key>
  <string>Thonburi</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Regular</string>
  <key>unique</key>
  <string>Thonburi; 13.0d1e1;
```

2017-06-17</string>

```
  <key>valid</key>
  <string>yes</string>
  <key>version</key>
  <string>13.0d1e1</string>
```

```
</dict>
```

```
</array>
```

```
<key>valid</key>
```

```

        <string>yes</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Georgia.ttf</string>
        <key>enabled</key>
        <string>yes</string>
        <key>path</key>

<string>/System/Library/Fonts/Supplemental/Georgia.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>Georgia</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>© 2006 Microsoft Corporation. All
Rights Reserved.</string>
            <key>designer</key>
            <string>Matthew Carter</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Georgia</string>
            <key>fullname</key>
            <string>Georgia</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Regular</string>
            <key>trademark</key>
            <string>Georgia is either a registered
trademark or a trademark of Microsoft Corporation in the United States and/or
other countries.</string>
            <key>unique</key>
            <string>Georgia; Version 5.00x-4; 2011-10-
24</string>
            <key>valid</key>
            <string>yes</string>
            <key>vendor</key>
            <string>Carter & Cone</string>
            <key>version</key>
            <string>Version 5.00x-4</string>
        </dict>
    </array>
    <key>valid</key>
    <string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Al Tarikh.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Al
Tarikh.ttc</string>

```

```
<key>type</key>
<string>truetype</string>
<key>typefaces</key>
<array>
  <dict>
    <key>_name</key>
    <string>AlTarikh</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2001 Diwan Software Ltd.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Al Tarikh</string>
    <key>fullname</key>
    <string>Al Tarikh Regular</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>unique</key>
    <string>Al Tarikh Regular; 13.0d2e1; 2017-
06-27</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0d2e1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>.AlTarikhPUA</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2001 Diwan Software Ltd.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.Al Tarikh PUA</string>
    <key>fullname</key>
    <string>.Al Tarikh PUA</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>unique</key>
    <string>.Al Tarikh PUA; 13.0d2e1; 2017-06-
27</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0d2e1</string>
  </dict>
</array>
<key>valid</key>
```

```

        <string>yes</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Courier New Italic.ttf</string>
        <key>enabled</key>
        <string>yes</string>
        <key>path</key>
        <string>/System/Library/Fonts/Supplemental/Courier New
Italic.ttf</string>
        <key>type</key>
        <string>truetype</string>
        <key>typefaces</key>
        <array>
            <dict>
                <key>_name</key>
                <string>CourierNewPS-ItalicMT</string>
                <key>copy_protected</key>
                <string>no</string>
                <key>copyright</key>
                <string>Â© 2008 The Monotype Corporation.
All Rights Reserved.</string>
                <key>designer</key>
                <string>Howard Kettler</string>
                <key>duplicate</key>
                <string>no</string>
                <key>embeddable</key>
                <string>yes</string>
                <key>enabled</key>
                <string>yes</string>
                <key>family</key>
                <string>Courier New</string>
                <key>fullname</key>
                <string>Courier New Italic</string>
                <key>outline</key>
                <string>yes</string>
                <key>style</key>
                <string>Italic</string>
                <key>trademark</key>
                <string>Courier New is a trademark of The
Monotype Corporation in the United States and/or other countries.</string>
                <key>unique</key>
                <string>Monotype:Courier New Italic:version
5.00 (Microsoft)</string>
                <key>valid</key>
                <string>yes</string>
                <key>vendor</key>
                <string>The Monotype Corporation</string>
                <key>version</key>
                <string>Version 5.00.1x</string>
            </dict>
        </array>
        <key>valid</key>
        <string>yes</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>ãf'ãf@ã,ã,™ãfžèš'ã,³ã,™ã,·ãffã,¯ W4.ttc</string>
        <key>enabled</key>
        <string>yes</string>
        <key>path</key>
        <string>/System/Library/Fonts/ãf'ãf@ã,-
ã,™ãfžèš'ã,³ã,™ã,·ãffã,¯ W4.ttc</string>
        <key>type</key>

```



```
<string>opentype</string>
<key>typefaces</key>
<array>
  <dict>
    <key>_name</key>
    <string>HiraginoSans-W4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>ver8.20, Copyright (c) 1993-2015
SCREEN Graphic and Precision Solutions Co., Ltd. All Rights Reserved.</string>
    <key>designer</key>
    <string>JIYUKOBO Ltd.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Hiragino Sans</string>
    <key>fullname</key>
    <string>Hiragino Sans W4</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>W4</string>
    <key>trademark</key>
    <string>HIRAGINO is a trademark of SCREEN
Holdings Co., Ltd.</string>
    <key>unique</key>
    <string>Hiragino Sans W4; 15.0d1e3; 2019-06-
13</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>SCREEN Graphic and Precision
Solutions Co., Ltd.</string>
    <key>version</key>
    <string>15.0d1e3</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>.HiraKakuInterface-W4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>ver8.20, Copyright (c) 1993-2015
SCREEN Graphic and Precision Solutions Co., Ltd. All Rights Reserved.</string>
    <key>designer</key>
    <string>JIYUKOBO Ltd.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.Hiragino Kaku Gothic
Interface</string>
    <key>fullname</key>
    <string>.Hiragino Kaku Gothic Interface
W4</string>
    <key>outline</key>
```

```

        <string>yes</string>
        <key>style</key>
        <string>W4</string>
        <key>trademark</key>
        <string>HIRAGINO is a trademark of SCREEN
Holdings Co., Ltd.</string>
        <key>unique</key>
        <string>.Hiragino Kaku Gothic Interface W4;
15.0d1e3; 2019-06-13</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>SCREEN Graphic and Precision
Solutions Co., Ltd.</string>
        <key>version</key>
        <string>15.0d1e3</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Helvetica.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Helvetica.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>Helvetica-Bold</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Â© 1990-2006 Apple Computer Inc. Â©
1981 Linotype AG Â© 1990-91 Type Solutions Inc.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Helvetica</string>
            <key>fullname</key>
            <string>Helvetica Bold</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Bold</string>
            <key>trademark</key>
            <string>Helvetica is a registered trademark
of Linotype AG</string>
            <key>unique</key>
            <string>Helvetica Bold; 16.0d2e1; 2020-07-
11</string>
            <key>valid</key>
            <string>yes</string>
            <key>version</key>
            <string>16.0d2e1</string>

```

```
</dict>
<dict>
  <key>_name</key>
  <string>Helvetica-Light</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 1990-2006 Apple Computer Inc. Â©
1981 Linotype AG Â© 1990-91 Type Solutions Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Helvetica</string>
  <key>fullname</key>
  <string>Helvetica Light</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Light</string>
  <key>trademark</key>
  <string>Helvetica is a registered trademark
of Linotype AG</string>
  <key>unique</key>
  <string>Helvetica Light; 16.0d2e1; 2020-07-
11</string>
  <key>valid</key>
  <string>yes</string>
  <key>version</key>
  <string>16.0d2e1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Helvetica-BoldOblique</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 1990-2006 Apple Computer Inc. Â©
1981 Linotype AG Â© 1990-91 Type Solutions Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Helvetica</string>
  <key>fullname</key>
  <string>Helvetica Bold Oblique</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Bold Oblique</string>
  <key>trademark</key>
  <string>Helvetica is a registered trademark
of Linotype AG</string>
  <key>unique</key>
  <string>Helvetica Bold Oblique; 16.0d2e1;
2020-07-11</string>
  <key>valid</key>
  <string>yes</string>
```

```
<key>version</key>
<string>16.0d2e1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Helvetica</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 1990-2006 Apple Computer Inc. ©
1981 Linotype AG © 1990-91 Type Solutions Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Helvetica</string>
  <key>fullname</key>
  <string>Helvetica</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Regular</string>
  <key>trademark</key>
  <string>Helvetica is a registered trademark
of Linotype AG</string>
  <key>unique</key>
  <string>Helvetica; 16.0d2e1;
2020-07-11</string>
  <key>valid</key>
  <string>yes</string>
  <key>version</key>
  <string>16.0d2e1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Helvetica-LightOblique</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 1990-2006 Apple Computer Inc. ©
1981 Linotype AG © 1990-91 Type Solutions Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Helvetica</string>
  <key>fullname</key>
  <string>Helvetica Light Oblique</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Light Oblique</string>
  <key>trademark</key>
  <string>Helvetica is a registered trademark
of Linotype AG</string>
  <key>unique</key>
  <string>Helvetica Light Oblique; 16.0d2e1;
2020-07-11</string>
```

```

        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>16.0d2e1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Helvetica-Oblique</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 1990-2006 Apple Computer Inc. ©
1981 Linotype AG © 1990-91 Type Solutions Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Helvetica</string>
        <key>fullname</key>
        <string>Helvetica Oblique</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Oblique</string>
        <key>trademark</key>
        <string>Helvetica is a registered trademark
of Linotype AG</string>

        <key>unique</key>
        <string>Helvetica Oblique; 16.0d2e1; 2020-
07-11</string>

        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>16.0d2e1</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Corsiva.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>

    <string>/System/Library/Fonts/Supplemental/Corsiva.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>CorsivaHebrew</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Typeface © Monotype Typography ltd.
Data © Monotype Typography ltd. /Type Solutions Inc. 1990-91-92-93. All rights
reserved.</string>

            <key>duplicate</key>

```

```

        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Corsiva Hebrew</string>
        <key>fullname</key>
        <string>Corsiva Hebrew</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>trademark</key>
        <string>Corsiva®*™ ª–Trademark of The
Monotype Corporation registered in certain countriesª.–</string>
        <key>unique</key>
        <string>Corsiva Hebrew; 13.0d1e4; 2017-06-
14</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>13.0d1e4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CorsivaHebrew-Bold</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Typeface © Monotype Typography ltd.
Data © Monotype Typography ltd. /Type Solutions Inc. 1990-91-92-93 All rights
reserved.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Corsiva Hebrew</string>
        <key>fullname</key>
        <string>Corsiva Hebrew Bold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Bold</string>
        <key>trademark</key>
        <string>Corsiva®*™ ª–Trademark of The
Monotype Corporation registered in certain countriesª.–</string>
        <key>unique</key>
        <string>Corsiva Hebrew Bold; 13.0d1e4; 2017-
06-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>13.0d1e4</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>

```

```

    <string>Arial Narrow Bold.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Arial Narrow
Bold.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
      <dict>
        <key>_name</key>
        <string>ArialNarrow-Bold</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Â© 2007 The Monotype Corporation.
All Rights Reserved.</string>
        <key>description</key>
        <string>Monotype Drawing Office 1982. A
contemporary sans serif design, Arial contains more humanist characteristics
than many of its predecessors and as such is more in tune with the mood of the
last decades of the twentieth century. The overall treatment of curves is softer
and fuller than in most industrial-style sans serif faces. Terminal strokes are
cut on the diagonal which helps to give the face a less mechanical appearance.
Arial is an extremely versatile family of typefaces which can be used with equal
success for text setting in reports, presentations, magazines etc, and for
display use in newspapers, advertising and promotions.</string>
        <key>designer</key>
        <string>Robin Nicholas, Patricia
Saunders</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Arial Narrow</string>
        <key>fullname</key>
        <string>Arial Narrow Bold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Bold</string>
        <key>trademark</key>
        <string>Arial is a trademark of The Monotype
Corporation in the United States and/or other countries.</string>
        <key>unique</key>
        <string>Arial Narrow Bold : 2007</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>The Monotype Corporation</string>
        <key>version</key>
        <string>Version 2.38.1x</string>
      </dict>
    </array>
    <key>valid</key>
    <string>yes</string>
  </dict>
<dict>
  <key>_name</key>
  <string>Arial Black.ttf</string>

```

```

        <key>enabled</key>
        <string>yes</string>
        <key>path</key>
        <string>/System/Library/Fonts/Supplemental/Arial
Black.ttf</string>
        <key>type</key>
        <string>truetype</string>
        <key>typefaces</key>
        <array>
            <dict>
                <key>_name</key>
                <string>Arial-Black</string>
                <key>copy_protected</key>
                <string>no</string>
                <key>copyright</key>
                <string>C 2006 The Monotype Corporation. All
Rights Reserved.</string>
                <key>description</key>
                <string>Monotype Drawing Office 1982. A
contemporary sans serif design, Arial contains more humanist characteristics
than many of its predecessors and as such is more in tune with the mood of the
last decades of the twentieth century. The overall treatment of curves is softer
and fuller than in most industrial-style sans serif faces. Terminal strokes are
cut on the diagonal which helps to give the face a less mechanical appearance.
Arial is an extremely versatile family of typefaces which can be used with equal
success for text setting in reports, presentations, magazines etc, and for
display use in newspapers, advertising and promotions.</string>
                <key>designer</key>
                <string>Robin Nicholas, Patricia
Saunders</string>
                <key>duplicate</key>
                <string>no</string>
                <key>embeddable</key>
                <string>yes</string>
                <key>enabled</key>
                <string>yes</string>
                <key>family</key>
                <string>Arial Black</string>
                <key>fullname</key>
                <string>Arial Black</string>
                <key>outline</key>
                <string>yes</string>
                <key>style</key>
                <string>Regular</string>
                <key>trademark</key>
                <string>Arial is a trademark of The Monotype
Corporation in the United States and/or other countries.</string>
                <key>unique</key>
                <string>Monotype - Arial Black
Regular</string>
                <key>valid</key>
                <string>yes</string>
                <key>vendor</key>
                <string>Monotype Typography, Inc.</string>
                <key>version</key>
                <string>Version 5.00.1x</string>
            </dict>
        </array>
        <key>valid</key>
        <string>yes</string>
    </dict>
<dict>
    <key>_name</key>
    <string>Raanaana.ttc</string>

```



```
<key>enabled</key>
<string>yes</string>
<key>path</key>

<string>/System/Library/Fonts/Supplemental/Raanana.ttc</string>
<key>type</key>
<string>truetype</string>
<key>typefaces</key>
<array>
  <dict>
    <key>_name</key>
    <string>Raanana</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© Apple, Inc. 1991-1995</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Raanana</string>
    <key>fullname</key>
    <string>Raanana</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>unique</key>
    <string>Raanana; 13.0d1e3;

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Computer, Inc.</string>
    <key>version</key>
    <string>13.0d1e3</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>RaananaBold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© Apple, Inc. 1992-1995</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Raanana</string>
    <key>fullname</key>
    <string>Raanana Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold</string>
    <key>unique</key>
    <string>Raanana Bold; 13.0d1e3; 2017-06-

2017-06-14</string>

14</string>
```

```

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Computer, Inc.</string>
        <key>version</key>
        <string>13.0d1e3</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Malayalam MN.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Malayalam
MN.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>MalayalamMN-Bold</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright (c) 2009 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
            <key>description</key>
            <string>Copyright (c) 2003 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
            <key>designer</key>
            <string>Muthu Nedumaran</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Malayalam MN</string>
            <key>fullname</key>
            <string>Malayalam MN Bold</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Bold</string>
            <key>trademark</key>
            <string>Malayalam MN Bold is a trademark of
Murasu Systems Sdn. Bhd. Malaysia.</string>
            <key>unique</key>
            <string>Malayalam MN Bold; 14.0d1e6; 2018-
02-24</string>
            <key>valid</key>
            <string>yes</string>
            <key>vendor</key>
            <string>Murasu Systems Sdn. Bhd.
Malaysia</string>
            <key>version</key>
            <string>14.0d1e6</string>
        </dict>
    </array>
</dict>

```

```

        <dict>
            <key>_name</key>
            <string>MalayalamMN</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright (c) 2009 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
            <key>description</key>
            <string>Copyright (c) 2003 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
            <key>designer</key>
            <string>Muthu Nedumaran</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Malayalam MN</string>
            <key>fullname</key>
            <string>Malayalam MN</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Regular</string>
            <key>trademark</key>
            <string>Malayalam MN is a trademark of
Murasu Systems Sdn. Bhd. Malaysia.</string>
            <key>unique</key>
            <string>Malayalam MN; 14.0d1e6; 2018-02-
24</string>
            <key>valid</key>
            <string>yes</string>
            <key>vendor</key>
            <string>Murasu Systems Sdn. Bhd.
Malaysia</string>
            <key>version</key>
            <string>14.0d1e6</string>
        </dict>
    </array>
    <key>valid</key>
    <string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Malayalam Sangam MN.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Malayalam
Sangam MN.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>MalayalamSangamMN</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright (c) 2003 by Muthu

```

```

Nedumaran. All rights reserved.</string>
    <key>description</key>
    <string>Copyright (c) 2003 by Muthu
Nedumaran. All rights reserved.</string>
    <key>designer</key>
    <string>Muthu Nedumaran</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Malayalam Sangam MN</string>
    <key>fullname</key>
    <string>Malayalam Sangam MN</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>trademark</key>
    <string>Malayalam Sangam MN is a trademark
of Muthu Nedumaran.</string>
    <key>unique</key>
    <string>Malayalam Sangam MN; 14.0d4e6; 2018-
07-09</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Muthu Nedumaran</string>
    <key>version</key>
    <string>14.0d4e6</string>
</dict>
<dict>
    <key>_name</key>
    <string>MalayalamSangamMN-Bold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright (c) 2003 by Muthu
Nedumaran. All rights reserved.</string>
    <key>description</key>
    <string>Copyright (c) 2003 by Muthu
Nedumaran. All rights reserved.</string>
    <key>designer</key>
    <string>Muthu Nedumaran</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Malayalam Sangam MN</string>
    <key>fullname</key>
    <string>Malayalam Sangam MN Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold</string>
    <key>trademark</key>
    <string>Malayalam Sangam MN is a trademark
of Muthu Nedumaran.</string>
    <key>unique</key>

```

```

2018-07-09</string>
    <string>Malayalam Sangam MN Bold; 14.0d4e6;
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Muthu Nedumaran</string>
    <key>version</key>
    <string>14.0d4e6</string>
  </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>Oriya Sangam MN.ttc</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/Supplemental/Oriya Sangam
MN.ttc</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>OriyaSangamMN-Bold</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Copyright (c) 2010 by Muthu
Nedumaran. All rights reserved.</string>
      <key>designer</key>
      <string>Muthu Nedumaran</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>Oriya Sangam MN</string>
      <key>fullname</key>
      <string>Oriya Sangam MN Bold</string>
      <key>outline</key>
      <string>yes</string>
      <key>style</key>
      <string>Bold</string>
      <key>trademark</key>
      <string>Oriya Sangam MN is a trademark of
Muthu Nedumaran.</string>
    </dict>
  </array>
  <key>unique</key>
  <string>Oriya Sangam MN Bold; 14.0d1e2;
2018-02-24</string>
  <key>valid</key>
  <string>yes</string>
  <key>version</key>
  <string>14.0d1e2</string>
</dict>
<dict>
  <key>_name</key>
  <string>OriyaSangamMN</string>
  <key>copy_protected</key>

```

```

        <string>no</string>
        <key>copyright</key>
        <string>Copyright (c) 2010 by Muthu
Nedumaran. All rights reserved.</string>
        <key>designer</key>
        <string>Muthu Nedumaran</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Oriya Sangam MN</string>
        <key>fullname</key>
        <string>Oriya Sangam MN</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>trademark</key>
        <string>Oriya Sangam MN is a trademark of
Muthu Nedumaran.</string>
        <key>unique</key>
        <string>Oriya Sangam MN; 14.0d1e2; 2018-02-
24</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>14.0d1e2</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>PartyLET-plain.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/PartyLET-
plain.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>PartyLetPlain</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Â© 1993 Esselte Letraset
Limited</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Party LET</string>
            <key>fullname</key>

```

```

    <string>Party LET Plain</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Plain</string>
    <key>unique</key>
    <string>Party LET Plain; 16.0d1e2; 2020-08-
17</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>16.0d1e2</string>
  </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>SignPainter.ttc</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/Supplemental/SignPainter.ttc</string>
  <key>type</key>
  <string>opentype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>SignPainter-HouseScript</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>(C)1999 House Industries/Brand
Design Co., Inc.</string>
      <key>description</key>
      <string>Part of the Sign Painter Font Kit
from House Industries</string>
      <key>designer</key>
      <string>House Industries</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>SignPainter</string>
      <key>fullname</key>
      <string>SignPainter-HouseScript</string>
      <key>outline</key>
      <string>yes</string>
      <key>style</key>
      <string>HouseScript</string>
      <key>trademark</key>
      <string>SignPainter-HouseScript is a
trademark of House Industries/Brand Design Co., Inc.</string>
      <key>unique</key>
      <string>SignPainter-HouseScript; 14.0d1e1;
2018-01-16</string>
      <key>valid</key>
      <string>yes</string>

```

```

        <key>vendor</key>
        <string>Sign Painter House Script - House
Industries/Brand Design Co. Inc</string>
        <key>version</key>
        <string>14.0d1e1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SignPainter-HouseScriptSemibold</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>(C)1999 House Industries/Brand
Design Co., Inc.</string>
        <key>description</key>
        <string>Part of the Sign Painter Font Kit
from House Industries</string>
        <key>designer</key>
        <string>House Industries</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>SignPainter</string>
        <key>fullname</key>
        <string>SignPainter-HouseScript
Semibold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>HouseScript Semibold</string>
        <key>trademark</key>
        <string>SignPainter-HouseScript is a
trademark of House Industries/Brand Design Co., Inc.</string>
        <key>unique</key>
        <string>SignPainter-HouseScript Semibold;
14.0d1e1; 2018-01-16</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Sign Painter House Script - House
Industries/Brand Design Co. Inc</string>
        <key>version</key>
        <string>14.0d1e1</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Phosphate.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Phosphate.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>

```



```

    <array>
      <dict>
        <key>_name</key>
        <string>Phosphate-Solid</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright © 2010 by International
TypeFounders, Inc. All rights reserved.</string>
        <key>designer</key>
        <string>Steve Jackaman + Ashley
Muir</string>

        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Phosphate</string>
        <key>fullname</key>
        <string>Phosphate Solid</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Solid</string>
        <key>trademark</key>
        <string>Phosphate Solid is a trademark of
International TypeFounders, Inc.</string>
        <key>unique</key>
        <string>Phosphate Solid; 13.0d1e2; 2017-06-
15</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>International TypeFounders,
Inc</string>

        <key>version</key>
        <string>13.0d1e2</string>
      </dict>
      <dict>
        <key>_name</key>
        <string>Phosphate-Inline</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright © 2010 by International
TypeFounders, Inc. All rights reserved.</string>
        <key>designer</key>
        <string>Steve Jackaman + Ashley
Muir</string>

        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Phosphate</string>
        <key>fullname</key>
        <string>Phosphate Inline</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>

```

```

        <string>Inline</string>
        <key>trademark</key>
        <string>Phosphate Inline is a trademark of
International TypeFounders, Inc.</string>
        <key>unique</key>
        <string>Phosphate Inline; 13.0d1e2; 2017-06-
15</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>International TypeFounders,
Inc</string>
        <key>version</key>
        <string>13.0d1e2</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>ITFDevanagari.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/ITFDevanagari.ttc</string>
    <key>type</key>
    <string>opentype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>ITFDevanagariMarathi-Bold</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright (c) 2011 by The Indian
Type Foundry. All rights reserved.</string>
            <key>designer</key>
            <string>Satya Rajpurohit</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>ITF Devanagari Marathi</string>
            <key>fullname</key>
            <string>ITF Devanagari Marathi Bold</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Bold</string>
            <key>trademark</key>
            <string>ITF Devanagari Marathi Bold is a
trademark of The Indian Type Foundry. All rights reserved.</string>
            <key>unique</key>
            <string>ITF Devanagari Marathi Bold;
14.0d3e6; 2018-03-01</string>
            <key>valid</key>
            <string>yes</string>
            <key>vendor</key>

```

```

        <string>The Indian Type Foundry</string>
        <key>version</key>
        <string>14.0d3e6</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>ITFDevanagariMarathi-Medium</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright (c) 2011 by The Indian
Type Foundry. All rights reserved.</string>
        <key>designer</key>
        <string>Satya Rajpurohit</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>ITF Devanagari Marathi</string>
        <key>fullname</key>
        <string>ITF Devanagari Marathi
Medium</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Medium</string>
        <key>trademark</key>
        <string>ITF Devanagari Marathi Medium is a
trademark of The Indian Type Foundry. All rights reserved.</string>
        <key>unique</key>
        <string>ITF Devanagari Marathi Medium;
14.0d3e6; 2018-03-01</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>The Indian Type Foundry</string>
        <key>version</key>
        <string>14.0d3e6</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>ITFDevanagari-Demi</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright (c) 2011 by The Indian
Type Foundry. All rights reserved.</string>
        <key>designer</key>
        <string>Satya Rajpurohit</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>ITF Devanagari</string>
        <key>fullname</key>
        <string>ITF Devanagari Demi</string>
        <key>outline</key>
        <string>yes</string>

```

```

    <key>style</key>
    <string>Demi</string>
    <key>trademark</key>
    <string>ITF Devanagari Demi is a trademark
of The Indian Type Foundry. All rights reserved.</string>
    <key>unique</key>
    <string>ITF Devanagari Demi; 14.0d3e6; 2018-
03-01</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>The Indian Type Foundry</string>
    <key>version</key>
    <string>14.0d3e6</string>
</dict>
<dict>
    <key>_name</key>
    <string>ITFDevanagari-Medium</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright (c) 2011 by The Indian
Type Foundry. All rights reserved.</string>
    <key>designer</key>
    <string>Satya Rajpurohit</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>ITF Devanagari</string>
    <key>fullname</key>
    <string>ITF Devanagari Medium</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Medium</string>
    <key>trademark</key>
    <string>ITF Devanagari Medium is a trademark
of The Indian Type Foundry. All rights reserved.</string>
    <key>unique</key>
    <string>ITF Devanagari Medium; 14.0d3e6;
2018-03-01</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>The Indian Type Foundry</string>
    <key>version</key>
    <string>14.0d3e6</string>
</dict>
<dict>
    <key>_name</key>
    <string>ITFDevanagari-Bold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright (c) 2011 by The Indian
Type Foundry. All rights reserved.</string>
    <key>designer</key>
    <string>Satya Rajpurohit</string>
    <key>duplicate</key>
    <string>no</string>

```

```

        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>ITF Devanagari</string>
        <key>fullname</key>
        <string>ITF Devanagari Bold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Bold</string>
        <key>trademark</key>
        <string>ITF Devanagari Bold is a trademark
of The Indian Type Foundry. All rights reserved.</string>
        <key>unique</key>
        <string>ITF Devanagari Bold; 14.0d3e6; 2018-
03-01</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>The Indian Type Foundry</string>
        <key>version</key>
        <string>14.0d3e6</string>
</dict>
<dict>
    <key>_name</key>
    <string>ITFDevanagariMarathi-Demi</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright (c) 2011 by The Indian
Type Foundry. All rights reserved.</string>
    <key>designer</key>
    <string>Satya Rajpurohit</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>ITF Devanagari Marathi</string>
    <key>fullname</key>
    <string>ITF Devanagari Marathi Demi</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Demi</string>
    <key>trademark</key>
    <string>ITF Devanagari Marathi Demi is a
trademark of The Indian Type Foundry. All rights reserved.</string>
    <key>unique</key>
    <string>ITF Devanagari Marathi Demi;
14.0d3e6; 2018-03-01</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>The Indian Type Foundry</string>
    <key>version</key>
    <string>14.0d3e6</string>
</dict>
<dict>
    <key>_name</key>

```

```

        <string>ITFDevanagariMarathi-Light</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright (c) 2011 by The Indian
Type Foundry. All rights reserved.</string>
        <key>designer</key>
        <string>Satya Rajpurohit</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>ITF Devanagari Marathi</string>
        <key>fullname</key>
        <string>ITF Devanagari Marathi
Light</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Light</string>
        <key>trademark</key>
        <string>ITF
Devanagari Marathi Light is a trademark of The Indian Type Foundry. All rights
reserved.</string>
        <key>unique</key>
        <string>ITF Devanagari Marathi Light;
14.0d3e6; 2018-03-01</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>The Indian Type Foundry</string>
        <key>version</key>
        <string>14.0d3e6</string>
</dict>
<dict>
        <key>_name</key>
        <string>ITFDevanagari-Light</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright (c) 2011 by The Indian
Type Foundry. All rights reserved.</string>
        <key>designer</key>
        <string>Satya Rajpurohit</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>ITF Devanagari</string>
        <key>fullname</key>
        <string>ITF Devanagari Light</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Light</string>
        <key>trademark</key>
        <string>ITF Devanagari Light is a trademark
of The Indian Type Foundry. All rights reserved.</string>

```

```

                <key>unique</key>
                <string>ITF Devanagari Light; 14.0d3e6;
2018-03-01</string>
                <key>valid</key>
                <string>yes</string>
                <key>vendor</key>
                <string>The Indian Type Foundry</string>
                <key>version</key>
                <string>14.0d3e6</string>
            </dict>
            <dict>
                <key>_name</key>
                <string>ITFDevanagari-Book</string>
                <key>copy_protected</key>
                <string>no</string>
                <key>copyright</key>
                <string>Copyright (c) 2011 by The Indian
Type Foundry. All rights reserved.</string>
                <key>designer</key>
                <string>Satya Rajpurohit</string>
                <key>duplicate</key>
                <string>no</string>
                <key>embeddable</key>
                <string>yes</string>
                <key>enabled</key>
                <string>yes</string>
                <key>family</key>
                <string>ITF Devanagari</string>
                <key>fullname</key>
                <string>ITF Devanagari Book</string>
                <key>outline</key>
                <string>yes</string>
                <key>style</key>
                <string>Book</string>
                <key>trademark</key>
                <string>ITF Devanagari Book is a trademark
of The Indian Type Foundry. All rights reserved.</string>
                <key>unique</key>
                <string>ITF Devanagari Book; 14.0d3e6; 2018-
03-01</string>
                <key>valid</key>
                <string>yes</string>
                <key>vendor</key>
                <string>The Indian Type Foundry</string>
                <key>version</key>
                <string>14.0d3e6</string>
            </dict>
            <dict>
                <key>_name</key>
                <string>ITFDevanagariMarathi-Book</string>
                <key>copy_protected</key>
                <string>no</string>
                <key>copyright</key>
                <string>Copyright (c) 2011 by The Indian
Type Foundry. All rights reserved.</string>
                <key>designer</key>
                <string>Satya Rajpurohit</string>
                <key>duplicate</key>
                <string>no</string>
                <key>embeddable</key>
                <string>yes</string>
                <key>enabled</key>
                <string>yes</string>
                <key>family</key>

```

```

        <string>ITF Devanagari Marathi</string>
        <key>fullname</key>
        <string>ITF Devanagari Marathi Book</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Book</string>
        <key>trademark</key>
        <string>ITF Devanagari Marathi Book is a
trademark of The Indian Type Foundry. All rights reserved.</string>
        <key>unique</key>
        <string>ITF Devanagari Marathi Book;
14.0d3e6; 2018-03-01</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>The Indian Type Foundry</string>
        <key>version</key>
        <string>14.0d3e6</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Savoye LET.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Savoye
LET.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>SavoyeLetPlain</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright © 1990 Esselte Letraset,
Ltd.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Savoye LET</string>
            <key>fullname</key>
            <string>Savoye LET Plain:1.0</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Plain</string>
            <key>unique</key>
            <string>Savoye LET Plain:1.0; 13.0d2e4;
2017-06-30</string>
            <key>valid</key>
            <string>yes</string>
            <key>version</key>

```



```

        <string>13.0d2e4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>.SavoyeLetPlainCC</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright © 1990 Esselte Letraset,
Ltd.</string>

        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>.Savoye LET CC.</string>
        <key>fullname</key>
        <string>Savoye LET Plain CC.:1.0</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Plain</string>
        <key>unique</key>
        <string>Savoye LET Plain CC.:1.0; 13.0d2e4;

2017-06-30</string>

        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>13.0d2e4</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>ăf'ăf@ă,ă,™ăfŽă,ă,ă,ă,™ ProN W4.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/ăf'ăf@ă,ă,™ăfŽă,ă,ă,ă,™

ProN W4.ttc</string>

    <key>type</key>
    <string>opentype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>HiraMaruProN-W4</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>ver8.20, Copyright (c) 2000-2013
Dainippon Screen Mfg. Co., Ltd. All Rights Reserved.</string>
            <key>designer</key>
            <string>JIYUKOBO Ltd.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>

```

```

        <key>family</key>
        <string>Hiragino Maru Gothic ProN</string>
        <key>fullname</key>
        <string>Hiragino Maru Gothic ProN
W4</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>W4</string>
        <key>trademark</key>
        <string>Hiragino is a trademark of Dainippon
Screen Mfg. Co., Ltd.</string>
        <key>unique</key>
        <string>Hiragino Maru Gothic ProN W4;
15.0d1e2; 2019-06-13</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Dainippon Screen Mfg. Co.,
Ltd.</string>
        <key>version</key>
        <string>15.0d1e2</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Zapfino.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Zapfino.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>Zapfino</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright (c) 1999-2002, Linotype
Library GmbH & affiliates. All rights reserved.</string>
            <key>description</key>
            <string>Today's digital font technology has
allowed renowned type designer Hermann Zapf to realise a dream he first had more
than fifty years ago: to create a fully calligraphic typeface.</string>
            <key>designer</key>
            <string>Hermann Zapf</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Zapfino</string>
            <key>fullname</key>
            <string>Zapfino</string>
            <key>outline</key>

```

```

        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>trademark</key>
        <string>Linotype Zapfino is a Trademark of
Heidelberger Druckmaschinen AG, which may be registered in certain
jurisdictions, exclusively licensed through Linotype Library GmbH, a wholly
owned subsidiary of Heidelberger Druckmaschinen AG.</string>
        <key>unique</key>
        <string>Zapfino; 13.0d1e2;
2017-06-15</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>13.0d1e2</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>DevanagariMT.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/DevanagariMT.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>DevanagariMT</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright © Monotype Typography Ltd
1996. All rights reserved.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Devanagari MT</string>
            <key>fullname</key>
            <string>Devanagari MT</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Regular</string>
            <key>trademark</key>
            <string>Monotype Devanagari is a Trademark
of Monotype Typography Ltd.</string>
            <key>unique</key>
            <string>Devanagari MT; 13.0d1e3; 2017-06-
12</string>
            <key>valid</key>
            <string>yes</string>
            <key>version</key>
            <string>13.0d1e3</string>

```

```

    </dict>
    <dict>
      <key>_name</key>
      <string>DevanagariMT-Bold</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Copyright © Monotype Typography Ltd
1996. All rights reserved.</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>Devanagari MT</string>
      <key>fullname</key>
      <string>Devanagari MT Bold</string>
      <key>outline</key>
      <string>yes</string>
      <key>style</key>
      <string>Bold</string>
      <key>trademark</key>
      <string>Monotype Devanagari is a Trademark
of Monotype Typography Ltd.</string>
      <key>unique</key>
      <string>Devanagari MT Bold; 13.0d1e3; 2017-
06-12</string>
      <key>valid</key>
      <string>yes</string>
      <key>version</key>
      <string>13.0d1e3</string>
    </dict>
  </array>
  <key>valid</key>
  <string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>AlBayan.ttc</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>

  <string>/System/Library/Fonts/Supplemental/AlBayan.ttc</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>AlBayan-Bold</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>AlBayan designed by Al Bayan Company
for Computer Services. Copyright Apple
Computer, Inc. and its licensors, 1992-1998 all rights reserved.</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>

```

```
<string>yes</string>
<key>family</key>
<string>Al Bayan</string>
<key>fullname</key>
<string>Al Bayan Bold</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Bold</string>
<key>unique</key>
<string>Al Bayan Bold; 13.0d1e6; 2017-06-
06</string>

<key>valid</key>
<string>yes</string>
<key>version</key>
<string>13.0d1e6</string>
</dict>
<dict>
  <key>_name</key>
  <string>AlBayan</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>AlBayan designed by Al Bayan Company
for Computer Services. Copyright Apple Computer, Inc. and its licensors, 1992-
1998 all rights reserved.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Al Bayan</string>
  <key>fullname</key>
  <string>Al Bayan Plain</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Plain</string>
  <key>unique</key>
  <string>Al Bayan Plain; 13.0d1e6; 2017-06-
06</string>

  <key>valid</key>
  <string>yes</string>
  <key>version</key>
  <string>13.0d1e6</string>
</dict>
<dict>
  <key>_name</key>
  <string>.AlBayanPUA</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>AlBayan designed by Al Bayan Company
for Computer Services. Copyright Apple Computer, Inc. and its licensors, 1992-
1998 all rights reserved.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
```

```
<string>.Al Bayan PUA</string>
<key>fullname</key>
<string>.Al Bayan PUA Plain</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Plain</string>
<key>unique</key>
<string>.Al Bayan PUA Plain; 13.0d1e6; 2017-
06-06</string>

<key>valid</key>
<string>yes</string>
<key>version</key>
<string>13.0d1e6</string>
</dict>
<dict>
  <key>_name</key>
  <string>.AlBayanPUA-Bold</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>AlBayan designed by Al Bayan Company
for Computer Services. Copyright Apple
Computer, Inc. and its licensors, 1992-1998 all rights reserved.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.Al Bayan PUA</string>
  <key>fullname</key>
  <string>.Al Bayan PUA Bold</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Bold</string>
  <key>unique</key>
  <string>.Al Bayan PUA Bold; 13.0d1e6; 2017-
06-06</string>

  <key>valid</key>
  <string>yes</string>
  <key>version</key>
  <string>13.0d1e6</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>SFNSMono.ttf</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/SFNSMono.ttf</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>.SFNSMono-Regular</string>
```

All rights reserved.</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Copyright (c) 2016-2019 Apple Inc.

<key>description</key>  
<string>Apple Inc.</string>  
<key>designer</key>  
<string>Apple Inc.</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>.SF NS Mono</string>  
<key>fullname</key>  
<string>.SF NS Mono Light Regular</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Regular</string>  
<key>trademark</key>  
<string>Apple Inc.</string>  
<key>unique</key>  
<string>.SF NS Mono Light; 16.0d2e1; 2020-

06-30</string>

<key>valid</key>  
<string>yes</string>  
<key>vendor</key>  
<string>Apple Inc.</string>  
<key>version</key>  
<string>16.0d2e1</string>

</dict>

<dict>

<key>\_name</key>  
<string>.SFNSMono-Medium</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Copyright (c) 2016-2019 Apple Inc.

All rights reserved.</string>

<key>description</key>  
<string>Apple Inc.</string>  
<key>designer</key>  
<string>Apple Inc.</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>.SF NS Mono</string>  
<key>fullname</key>  
<string>.SF NS Mono Light Medium</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Medium</string>  
<key>trademark</key>  
<string>Apple Inc.</string>  
<key>unique</key>

```
06-30</string> <string>.SF NS Mono Light; 16.0d2e1; 2020-
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d2e1</string>
</dict>
<dict>
<key>_name</key>
<string>.SFNSMono-Light</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright (c) 2016-2019 Apple Inc.
All rights reserved.</string>
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF NS Mono</string>
<key>fullname</key>
<string>.SF NS Mono Light Light</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Light</string>
<key>trademark</key>
<string>Apple Inc.</string>
<key>unique</key>
<string>.SF NS Mono Light; 16.0d2e1; 2020-
06-30</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d2e1</string>
</dict>
<dict>
<key>_name</key>
<string>.SFNSMono-Semibold</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright (c) 2016-2019 Apple Inc.
All rights reserved.</string>
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
```



```
<string>yes</string>
<key>family</key>
<string>.SF NS Mono</string>
<key>fullname</key>
<string>.SF NS Mono Light Semibold</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Semibold</string>
<key>trademark</key>
<string>Apple Inc.</string>
<key>unique</key>
<string>.SF NS Mono Light; 16.0d2e1; 2020-
```

06-30</string>

```
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d2e1</string>
```

</dict>

<dict>

```
<key>_name</key>
<string>.SFNSMono-Bold</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright (c) 2016-2019 Apple Inc.
```

All rights reserved.</string>

```
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF NS Mono</string>
<key>fullname</key>
<string>.SF NS Mono Light Bold</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Bold</string>
<key>trademark</key>
<string>Apple Inc.</string>
<key>unique</key>
<string>.SF NS Mono Light; 16.0d2e1; 2020-
```

06-30</string>

```
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d2e1</string>
```

</dict>

<dict>

```
<key>_name</key>
<string>.SFNSMono-Heavy</string>
<key>copy_protected</key>
<string>no</string>
```

All rights reserved.</string>  
<key>copyright</key>  
<string>Copyright (c) 2016-2019 Apple Inc.

<key>description</key>  
<string>Apple Inc.</string>  
<key>designer</key>  
<string>Apple Inc.</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>.SF NS Mono</string>  
<key>fullname</key>  
<string>.SF NS Mono Light Heavy</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Heavy</string>  
<key>trademark</key>  
<string>Apple Inc.</string>  
<key>unique</key>  
<string>.SF NS Mono Light; 16.0d2e1; 2020-

06-30</string>

<key>valid</key>  
<string>yes</string>  
<key>vendor</key>  
<string>Apple Inc.</string>  
<key>version</key>  
<string>16.0d2e1</string>  
</dict>  
</array>  
<key>valid</key>  
<string>yes</string>  
</dict>

<dict>  
<key>\_name</key>  
<string>LucidaGrande.ttc</string>  
<key>enabled</key>  
<string>yes</string>  
<key>path</key>  
<string>/System/Library/Fonts/LucidaGrande.ttc</string>  
<key>type</key>  
<string>truetype</string>  
<key>typefaces</key>  
<array>

<dict>  
<key>\_name</key>  
<string>LucidaGrande-Bold</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Copyright © 1989 Bigelow &

Holmes, Inc. All rights reserved. Lucida is a trademark of Bigelow & Holmes Inc. registered in the U.S. Patent and Trademark Office and other jurisdictions. Lucida typeface designs created by Kris Holmes and Charles Bigelow.</string>

<key>designer</key>  
<string>Kris Holmes and Charles

Bigelow</string>

<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>

```
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Lucida Grande</string>
<key>fullname</key>
<string>Lucida Grande Bold</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Bold</string>
<key>trademark</key>
<string>Lucida is a registered trademark of
Bigelow & Holmes Inc.</string>
<key>unique</key>
<string>Lucida Grande Bold; 15.0d1e1; 2019-
07-01</string>
<key>valid</key>
<string>yes</string>
<key>version</key>
<string>15.0d1e1</string>
</dict>
<dict>
<key>_name</key>
<string>LucidaGrande</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright © 1989 Bigelow &
Holmes, Inc. All rights reserved. Lucida is a trademark of Bigelow & Holmes
Inc. registered in the U.S. Patent and Trademark Office and other jurisdictions.
Lucida typeface designs created by Kris Holmes and Charles Bigelow.</string>
<key>designer</key>
<string>Kris Holmes and Charles
Bigelow</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Lucida Grande</string>
<key>fullname</key>
<string>Lucida Grande</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular</string>
<key>trademark</key>
<string>Lucida is a registered trademark of
Bigelow & Holmes Inc.</string>
<key>unique</key>
<string>Lucida Grande; 15.0d1e1; 2019-07-
01</string>
<key>valid</key>
<string>yes</string>
<key>version</key>
<string>15.0d1e1</string>
</dict>
<dict>
<key>_name</key>
<string>.LucidaGrandeUI</string>
<key>copy_protected</key>
```

```

        <string>no</string>
        <key>copyright</key>
        <string>Copyright © 1989 Bigelow & Holmes, Inc. All rights reserved. Lucida is a trademark of Bigelow & Holmes Inc. registered in the U.S. Patent and Trademark Office and other jurisdictions. Lucida typeface designs created by Kris Holmes and Charles Bigelow.</string>
        <key>designer</key>
        <string>Kris Holmes and Charles Bigelow</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>.Lucida Grande UI</string>
        <key>fullname</key>
        <string>.Lucida Grande UI Regular</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>trademark</key>
        <string>Lucida is a registered trademark of Bigelow & Holmes Inc.</string>
        <key>unique</key>
        <string>.Lucida Grande UI Regular; 15.0d1e1; 2019-07-01</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>15.0d1e1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>.LucidaGrandeUI-Bold</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright © 1989 Bigelow & Holmes, Inc. All rights reserved. Lucida is a trademark of Bigelow & Holmes Inc. registered in the U.S. Patent and Trademark Office and other jurisdictions. Lucida typeface designs created by Kris Holmes and Charles Bigelow.</string>
        <key>designer</key>
        <string>Kris Holmes and Charles Bigelow</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>.Lucida Grande UI</string>
        <key>fullname</key>
        <string>.Lucida Grande UI Bold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Bold</string>
        <key>trademark</key>
        <string>Lucida is a registered trademark of Bigelow & Holmes Inc.</string>
    </dict>

```

```

                <key>unique</key>
                <string>.Lucida Grande UI Bold; 15.0d1e1;
2019-07-01</string>
                <key>valid</key>
                <string>yes</string>
                <key>version</key>
                <string>15.0d1e1</string>
            </dict>
        </array>
        <key>valid</key>
        <string>yes</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Khmer MN.ttc</string>
        <key>enabled</key>
        <string>yes</string>
        <key>path</key>
        <string>/System/Library/Fonts/Supplemental/Khmer
MN.ttc</string>
        <key>type</key>
        <string>truetype</string>
        <key>typefaces</key>
        <array>
            <dict>
                <key>_name</key>
                <string>KhmerMN</string>
                <key>copy_protected</key>
                <string>no</string>
                <key>copyright</key>
                <string>Copyright (c) 2010 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
                <key>description</key>
                <string>Copyright (c) 2010 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
                <key>designer</key>
                <string>Muthu Nedumaran</string>
                <key>duplicate</key>
                <string>no</string>
                <key>embeddable</key>
                <string>yes</string>
                <key>enabled</key>
                <string>yes</string>
                <key>family</key>
                <string>Khmer MN</string>
                <key>fullname</key>
                <string>Khmer MN</string>
                <key>outline</key>
                <string>yes</string>
                <key>style</key>
                <string>Regular</string>
                <key>trademark</key>
                <string>Khmer MN is a trademark of Murasu
Systems Sdn. Bhd. Malaysia.</string>
            </dict>
            <key>unique</key>
            <string>Khmer MN; 14.0d1e1;
2018-02-27</string>
                <key>valid</key>
                <string>yes</string>
                <key>vendor</key>
                <string>Murasu Systems Sdn. Bhd.
Malaysia</string>
                <key>version</key>
                <string>14.0d1e1</string>

```

```

        </dict>
        <dict>
            <key>_name</key>
            <string>KhmerMN-Bold</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright (c) 2010 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
            <key>description</key>
            <string>Copyright (c) 2010 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
            <key>designer</key>
            <string>Muthu Nedumaran</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Khmer MN</string>
            <key>fullname</key>
            <string>Khmer MN Bold</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Bold</string>
            <key>trademark</key>
            <string>Khmer MN Bold is a trademark of
Murasu Systems Sdn. Bhd. Malaysia.</string>
            <key>unique</key>
            <string>Khmer MN Bold; 14.0d1e1; 2018-02-
27</string>
            <key>valid</key>
            <string>yes</string>
            <key>vendor</key>
            <string>Murasu Systems Sdn. Bhd.
Malaysia</string>
            <key>version</key>
            <string>14.0d1e1</string>
        </dict>
    </array>
    <key>valid</key>
    <string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Courier.dfont</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Courier.dfont</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>Courier-Oblique</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright © 1990-91 by Bitstream

```

Inc. Copyright © 1990-2009 by Apple Inc. All rights reserved.</string>

```
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Courier</string>
<key>fullname</key>
<string>Courier Oblique</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Oblique</string>
<key>unique</key>
<string>Courier Oblique; 13.0d1e1; 2017-06-
```

17</string>

```
<key>valid</key>
<string>yes</string>
<key>version</key>
<string>13.0d1e1</string>
```

</dict>

<dict>

```
<key>_name</key>
<string>Courier-BoldOblique</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright © 1990-91 by Bitstream
```

Inc. Copyright © 1990-2009 by Apple Inc. All rights reserved.</string>

```
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Courier</string>
<key>fullname</key>
<string>Courier Bold Oblique</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Bold Oblique</string>
<key>unique</key>
<string>Courier Bold Oblique; 13.0d1e1;
```

2017-06-17</string>

```
<key>valid</key>
<string>yes</string>
<key>version</key>
<string>13.0d1e1</string>
```

</dict>

<dict>

```
<key>_name</key>
<string>Courier</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright © 1990-91 by Bitstream
```

Inc. Copyright © 1990-2009 by Apple Inc. All rights reserved.</string>

```
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
```

```
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Courier</string>
<key>fullname</key>
<string>Courier</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular</string>
<key>unique</key>
<string>Courier; 13.0d1e1;
2017-06-17</string>

<key>valid</key>
<string>yes</string>
<key>version</key>
<string>13.0d1e1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Courier-Bold</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright © 1990-91 by Bitstream
Inc. Copyright © 1990-2009 by Apple Inc. All rights reserved.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Courier</string>
  <key>fullname</key>
  <string>Courier Bold</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Bold</string>
  <key>unique</key>
  <string>Courier Bold; 13.0d1e1; 2017-06-
17</string>

  <key>valid</key>
  <string>yes</string>
  <key>version</key>
  <string>13.0d1e1</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>KufiStandardGK.ttc</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>

  <string>/System/Library/Fonts/Supplemental/KufiStandardGK.ttc</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
```



```
<array>
  <dict>
    <key>_name</key>
    <string>KufiStandardGK</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Kufi designed by Diwan Software Ltd.
Copyright Apple Computer, Inc. and its
licensors, 1992-1998 all rights reserved.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>KufiStandardGK</string>
    <key>fullname</key>
    <string>KufiStandardGK Regular</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>unique</key>
    <string>KufiStandardGK Regular; 13.0d1e11;
2017-06-30</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0d1e11</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>.KufiStandardGKPUA</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Kufi designed by Diwan Software Ltd.
Copyright Apple Computer, Inc. and its
licensors, 1992-1998 all rights reserved.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.KufiStandardGK PUA</string>
    <key>fullname</key>
    <string>.KufiStandardGK PUA</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>unique</key>
    <string>.KufiStandardGK PUA; 13.0d1e11;
2017-06-30</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0d1e11</string>
  </dict>
</array>
```

```
        <key>valid</key>
        <string>yes</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Waseem.ttc</string>
        <key>enabled</key>
        <string>yes</string>
        <key>path</key>

<string>/System/Library/Fonts/Supplemental/Waseem.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>WaseemLight</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Â© 2002 Diwan Software Ltd. All
rights reserved</string>

            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Waseem</string>
            <key>fullname</key>
            <string>Waseem Light</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Light</string>
            <key>unique</key>
            <string>Waseem Light; 13.0d1e2; 2017-06-
13</string>

            <key>valid</key>
            <string>yes</string>
            <key>version</key>
            <string>13.0d1e2</string>
        </dict>
    <dict>
        <key>_name</key>
        <string>Waseem</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Â© 2002 Diwan Software Ltd. All
rights reserved</string>

        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Waseem</string>
        <key>fullname</key>
        <string>Waseem Regular</string>
        <key>outline</key>
```

```

13</string>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>unique</key>
    <string>Waseem Regular; 13.0d1e2; 2017-06-
13</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0d1e2</string>
  </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>Rockwell.ttc</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/Supplemental/Rockwell.ttc</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>Rockwell-Italic</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>© Copyright 1989, 1990, 2002, 2014
The Monotype Corporation. All Rights Reserved.</string>
      <key>designer</key>
      <string>Monotype Design Office</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>Rockwell</string>
      <key>fullname</key>
      <string>Rockwell Italic</string>
      <key>outline</key>
      <string>yes</string>
      <key>style</key>
      <string>Italic</string>
      <key>trademark</key>
      <string>Rockwell is a registered trademark
of The Monotype Corporation in the United States and/or other
countries.</string>
    <key>unique</key>
    <string>Rockwell Italic; 13.0d2e1; 2017-11-
28</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Monotype Imaging Inc.</string>
    <key>version</key>
    <string>13.0d2e1</string>

```

```
</dict>
<dict>
  <key>_name</key>
  <string>Rockwell-BoldItalic</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© Copyright 1989, 1990, 2002, 2014
The Monotype Corporation. All Rights Reserved.</string>
  <key>designer</key>
  <string>Monotype Design Office</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Rockwell</string>
  <key>fullname</key>
  <string>Rockwell Bold Italic</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Bold Italic</string>
  <key>trademark</key>
  <string>Rockwell is a registered trademark
of The Monotype Corporation in the United States and/or other
countries.</string>
  <key>unique</key>
  <string>Rockwell Bold Italic; 13.0d2e1;
2017-11-28</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Monotype Imaging Inc.</string>
  <key>version</key>
  <string>13.0d2e1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Rockwell-Bold</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© Copyright 1989, 1990, 2002, 2014
The Monotype Corporation. All Rights Reserved.</string>
  <key>designer</key>
  <string>Monotype Design Office</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Rockwell</string>
  <key>fullname</key>
  <string>Rockwell Bold</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Bold</string>
  <key>trademark</key>
```

of The Monotype Corporation in the United States and/or other countries.</string>

28</string>

All Rights Reserved.</string>

Monotype Corporation.</string>

2017-11-28</string>

Italic.ttf</string>

<string>Rockwell is a registered trademark  
<key>unique</key>  
<string>Rockwell Bold; 13.0d2e1; 2017-11-

<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>13.0d2e1</string>

</dict>

<dict>

<key>\_name</key>  
<string>Rockwell-Regular</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Â© 2014 The Monotype Corporation.

<key>designer</key>  
<string>Monotype Design Office</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Rockwell</string>  
<key>fullname</key>  
<string>Rockwell</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Regular</string>  
<key>trademark</key>  
<string>Rockwell is a trademark of The

<key>unique</key>  
<string>Rockwell; 13.0d2e1;

<key>valid</key>  
<string>yes</string>  
<key>vendor</key>  
<string>Monotype Imaging Inc.</string>  
<key>version</key>  
<string>13.0d2e1</string>

</dict>

</array>

<key>valid</key>  
<string>yes</string>

</dict>

<dict>

<key>\_name</key>  
<string>Georgia Italic.ttf</string>  
<key>enabled</key>  
<string>yes</string>  
<key>path</key>  
<string>/System/Library/Fonts/Supplemental/Georgia

<key>type</key>  
<string>truetype</string>  
<key>typefaces</key>  
<array>

```

    <dict>
      <key>_name</key>
      <string>Georgia-Italic</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>© 2006 Microsoft Corporation. All
Rights Reserved.</string>
      <key>designer</key>
      <string>Matthew Carter</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>Georgia</string>
      <key>fullname</key>
      <string>Georgia Italic</string>
      <key>outline</key>
      <string>yes</string>
      <key>style</key>
      <string>Italic</string>
      <key>trademark</key>
      <string>Georgia is either a registered
trademark or a trademark of Microsoft Corporation in the United States and/or
other countries.</string>
      <key>unique</key>
      <string>Georgia Italic; Version 5.00x-4;
2011-10-24</string>
      <key>valid</key>
      <string>yes</string>
      <key>vendor</key>
      <string>Carter & Cone</string>
      <key>version</key>
      <string>Version 5.00x-4</string>
    </dict>
  </array>
  <key>valid</key>
  <string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>STIXIntSmReg.otf</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/Supplemental/STIXIntSmReg.otf</string>
  <key>type</key>
  <string>postscript</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>STIXIntegralsSm-Regular</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Copyright (c) 2001-2011 by the STI
Pub Companies, consisting of the American Chemical Society, the American
Institute of Physics, the American Mathematical Society, the American Physical
Society, Elsevier, Inc., and The Institute of Electrical and Electronic

```

Engineers, Inc. Portions copyright (c) 1998-2003 by MicroPress, Inc. Portions copyright (c) 1990 by Elsevier, Inc. All rights reserved.</string>

<key>description</key>

<string>Arie de Ruiter, who in 1995 was Head of Information Technology Development at Elsevier Science, made a proposal to the STI Pub group, an informal group of publishers consisting of representatives from the American Chemical Society (ACS), American Institute of Physics (AIP), American Mathematical Society (AMS), American Physical Society (APS), Elsevier, and Institute of Electrical and Electronics Engineers (IEEE). De Ruiter encouraged the members to consider development of a series of Web fonts, which he proposed should be called the Scientific and Technical Information eXchange, or STIX, Fonts. All STI Pub member organizations enthusiastically endorsed this proposal, and the STI Pub group agreed to embark on what has become a twelve-year project. The goal of the project was to identify all alphabetic, symbolic, and other special characters used in any facet of scientific publishing and to create a set of Unicode-based fonts that would be distributed free to every scientist, student, and other interested party worldwide. The fonts would be consistent with the emerging Unicode standard, and would permit universal representation of every character. With the release of the STIX fonts, de Ruiter's vision has been realized.</string>

<key>designer</key>

<string>MicroPress Inc., with final additions and corrections provided by Coen Hoffman, Elsevier (retired)</string>

<key>duplicate</key>

<string>no</string>

<key>embeddable</key>

<string>yes</string>

<key>enabled</key>

<string>yes</string>

<key>family</key>

<string>STIXIntegralsSm</string>

<key>fullname</key>

<string>STIXIntegralsSm-Regular</string>

<key>outline</key>

<string>yes</string>

<key>style</key>

<string>Regular</string>

<key>trademark</key>

<string>STIX Fonts(TM) is a trademark of The Institute of Electrical and Electronics Engineers, Inc.</string>

<key>unique</key>

<string>FontMaster:STIXIntegralsSm-Regular:1.1.0</string>

<key>valid</key>

<string>yes</string>

<key>version</key>

<string>Version 1.1.0</string>

</dict>

</array>

<key>valid</key>

<string>yes</string>

</dict>

<dict>

<key>\_name</key>

<string>Herculanum.ttf</string>

<key>enabled</key>

<string>yes</string>

<key>path</key>

<string>/System/Library/Fonts/Supplemental/Herculanum.ttf</string>

<key>type</key>

<string>truetype</string>

<key>typefaces</key>

<array>

```

    <dict>
      <key>_name</key>
      <string>Herculanum</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Copyright (c) 1981, 1982, Linotype
Library GmbH.</string>
      <key>description</key>
      <string>Herculanum is a work</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>Herculanum</string>
      <key>fullname</key>
      <string>Herculanum</string>
      <key>outline</key>
      <string>yes</string>
      <key>style</key>
      <string>Regular</string>
      <key>trademark</key>
      <string>"Herculanum" is a trademark of
Heidelberger Druckmaschinen AG, which may be registered in certain
jurisdictions, exclusivly licensed through Linotype Library GmbH, a wholly owned
subsidiary of Heidelberger Druckmaschinen AG.</string>
      <key>unique</key>
      <string>Herculanum; 13.0d1e2;
2017-06-07</string>
      <key>valid</key>
      <string>yes</string>
      <key>version</key>
      <string>13.0d1e2</string>
    </dict>
  </array>
  <key>valid</key>
  <string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>STHeiti Light.ttc</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/STHeiti Light.ttc</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>STHeitiTC-Light</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Copyright (c) 2000-2007, Changzhou
SinoType Technology Co., Ltd. All rights reserved.</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>

```



```

    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Heiti TC</string>
    <key>fullname</key>
    <string>Heiti TC Light</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Light</string>
    <key>trademark</key>
    <string>STHeiti and SinoType are trademarks
of Changzhou SinoType Technology Co., Ltd.</string>
    <key>unique</key>
    <string>Heiti TC Light; 13.0d1e1; 2017-06-
13</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>SinoType</string>
    <key>version</key>
    <string>13.0d1e1</string>
</dict>
<dict>
    <key>_name</key>
    <string>STHeitiSC-Light</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright (c) 2000-2007, Changzhou
SinoType Technology Co., Ltd. All rights reserved.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Heiti SC</string>
    <key>fullname</key>
    <string>Heiti SC Light</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Light</string>
    <key>trademark</key>
    <string>STHeiti and SinoType are trademarks
of Changzhou SinoType Technology Co., Ltd.</string>
    <key>unique</key>
    <string>Heiti SC Light; 13.0d1e1; 2017-06-
13</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>SinoType</string>
    <key>version</key>
    <string>13.0d1e1</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
```

```

    <string>Avenir Next Condensed.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Avenir Next
Condensed.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
      <dict>
        <key>_name</key>
          <string>AvenirNextCondensed-MediumItalic</string>
          <key>copy_protected</key>
          <string>no</string>
          <key>copyright</key>
          <string>Copyright © 2004 - 2007 Linotype
GmbH, www.linotype.com. All rights reserved.</string>
          <key>description</key>
          <string>Adrian Frutiger designed Avenir in
1988, after years of having an interest in sans serif typefaces. In an interview
with Linotype, he said he felt an obligation to design a linear sans in the
tradition of Erbar and Futura, but to also make use of the experience and
stylistic developments of the twentieth century. The word Avenir means 'future'
in French and hints that the typeface owes some of its interpretation to Futura.
But unlike Futura, Avenir is not purely geometric; it has vertical strokes that
are thicker than the horizontals, an "o" that is not a perfect circle, and
shortened ascenders. These nuances aid in legibility and give Avenir a
harmonious and sensible appearance for both texts and headlines. In 2004 Adrian
Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the
Avenir and created the Avenir Next Condensed for the Platinum Collection. It
includes new small caps, newly designed true italics, and a complete new range
of condensed weights. Avenir Next Condensed is a versatile sans serif family,
ready for large and complex projects from books to signage to
advertising.</string>
          <key>designer</key>
          <string>Adrian Frutiger, Akira
Kobayashi</string>
          <key>duplicate</key>
          <string>no</string>
          <key>embeddable</key>
          <string>yes</string>
          <key>enabled</key>
          <string>yes</string>
          <key>family</key>
          <string>Avenir Next Condensed</string>
          <key>fullname</key>
          <string>Avenir Next Condensed Medium
Italic</string>
          <key>outline</key>
          <string>yes</string>
          <key>style</key>
          <string>Medium Italic</string>
          <key>trademark</key>
          <string>Avenir is a trademark of Linotype
GmbH registered in the U.S. Patent and Trademark Office and may be registered in
certain other jurisdictions.</string>
          <key>unique</key>
          <string>Avenir Next Condensed Medium Italic;
13.0d1e10; 2017-06-30</string>
          <key>valid</key>
          <string>yes</string>
          <key>vendor</key>

```

```

        <string>Linotype GmbH</string>
        <key>version</key>
        <string>13.0d1e10</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AvenirNextCondensed-Regular</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright © 2004 - 2007 Linotype
GmbH, www.linotype.com. All rights reserved.</string>
        <key>description</key>
        <string>Adrian Frutiger designed Avenir in
1988, after years of having an interest in sans serif typefaces. In an interview
with Linotype, he said he felt an obligation to design a linear sans in the
tradition of Erbar and Futura, but to also make use of the experience and
stylistic developments of the twentieth century. The word Avenir means 'future'
in French and hints that the typeface owes some of its interpretation to Futura.
But unlike Futura, Avenir is not purely geometric; it has vertical strokes that
are thicker than the horizontals, an "o" that is not a perfect circle, and
shortened ascenders. These nuances aid in legibility and give Avenir a
harmonious and sensible appearance for both texts and headlines. In 2004 Adrian
Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the
Avenir and created the Avenir Next Condensed for the Platinum Collection. It
includes new small caps, newly designed true italics, and a complete new range
of condensed weights. Avenir Next Condensed is a versatile sans serif family,
ready for large and complex projects from books to signage to
advertising.</string>
        <key>designer</key>
        <string>Adrian Frutiger, Akira
Kobayashi</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Avenir Next Condensed</string>
        <key>fullname</key>
        <string>Avenir Next Condensed
Regular</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>trademark</key>
        <string>Avenir is a trademark of Linotype
GmbH registered in the U.S. Patent and Trademark Office and may be registered in
certain other jurisdictions.</string>
        <key>unique</key>
        <string>Avenir Next Condensed Regular;
13.0d1e10; 2017-06-30</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Linotype GmbH</string>
        <key>version</key>
        <string>13.0d1e10</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AvenirNextCondensed-

```

UltraLightItalic</string>

<key>copy\_protected</key>

<string>no</string>

<key>copyright</key>

<string>Copyright © 2004 - 2007 Linotype

GmbH, www.linotype.com. All rights reserved.</string>

<key>description</key>

<string>Adrian Frutiger designed Avenir in

1988, after years of having an interest in sans serif typefaces. In an interview with Linotype, he said he felt an obligation to design a linear sans in the tradition of Erbar and Futura, but to also make use of the experience and stylistic developments of the twentieth century. The word Avenir means 'future' in French and hints that the typeface owes some of its interpretation to Futura. But unlike Futura, Avenir is not purely geometric; it has vertical strokes that are thicker than the horizontals, an "o" that is not a perfect circle, and shortened ascenders. These nuances aid in legibility and give Avenir a harmonious and sensible appearance for both texts and headlines. In 2004 Adrian Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the Avenir and created the Avenir Next for the Platinum Collection. It includes new small caps, newly designed true italics, and a complete new range of condensed weights. Avenir Next is a versatile sans serif family, ready for large and complex projects from books to signage to advertising.</string>

<key>designer</key>

<string>Adrian Frutiger, Akira

Kobayashi</string>

<key>duplicate</key>

<string>no</string>

<key>embeddable</key>

<string>yes</string>

<key>enabled</key>

<string>yes</string>

<key>family</key>

<string>Avenir Next Condensed</string>

<key>fullname</key>

<string>Avenir Next Condensed Ultra Light

Italic</string>

<key>outline</key>

<string>yes</string>

<key>style</key>

<string>Ultra Light Italic</string>

<key>trademark</key>

<string>Avenir is a trademark of Linotype

GmbH registered in the U.S. Patent and Trademark Office and may be registered in certain other jurisdictions.</string>

<key>unique</key>

<string>Avenir Next Condensed Ultra Light

Italic; 13.0d1e10; 2017-06-30</string>

<key>valid</key>

<string>yes</string>

<key>vendor</key>

<string>Linotype GmbH</string>

<key>version</key>

<string>13.0d1e10</string>

</dict>

<dict>

<key>\_name</key>

<string>AvenirNextCondensed-HeavyItalic</string>

<key>copy\_protected</key>

<string>no</string>

<key>copyright</key>

<string>Copyright © 2004 - 2007 Linotype

GmbH, www.linotype.com. All rights reserved.</string>

<key>description</key>

<string>Adrian Frutiger designed Avenir in 1988, after years of having an interest in sans serif typefaces. In an interview with Linotype, he said he felt an obligation to design a linear sans in the tradition of Erbar and Futura, but to also make use of the experience and stylistic developments of the twentieth century. The word Avenir means 'future' in French and hints that the typeface owes some of its interpretation to Futura. But unlike Futura, Avenir is not purely geometric; it has vertical strokes that are thicker than the horizontals, an "o" that is not a perfect circle, and shortened ascenders. These nuances aid in legibility and give Avenir a harmonious and sensible appearance for both texts and headlines. In 2004 Adrian Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the Avenir and created the Avenir Next for the Platinum Collection. It includes new small caps, newly designed true italics, and a complete new range of condensed weights. Avenir Next is a versatile sans serif family, ready for large and complex projects from books to signage to advertising.</string>

<key>designer</key>

<string>Adrian Frutiger, Akira

Kobayashi</string>

<key>duplicate</key>

<string>no</string>

<key>embeddable</key>

<string>yes</string>

<key>enabled</key>

<string>yes</string>

<key>family</key>

<string>Avenir Next Condensed</string>

<key>fullname</key>

<string>Avenir Next Condensed Heavy

Italic</string>

<key>outline</key>

<string>yes</string>

<key>style</key>

<string>Heavy Italic</string>

<key>trademark</key>

<string>Avenir is a trademark of Linotype

GmbH registered in the U.S. Patent and Trademark Office and may be registered in certain other jurisdictions.</string>

<key>unique</key>

<string>Avenir Next Condensed Heavy Italic;

13.0d1e10; 2017-06-30</string>

<key>valid</key>

<string>yes</string>

<key>vendor</key>

<string>Linotype GmbH</string>

<key>version</key>

<string>13.0d1e10</string>

</dict>

<dict>

<key>\_name</key>

<string>AvenirNextCondensed-BoldItalic</string>

<key>copy\_protected</key>

<string>no</string>

<key>copyright</key>

<string>Copyright © 2004 - 2007 Linotype

GmbH, www.linotype.com. All rights reserved.</string>

<key>description</key>

<string>Adrian Frutiger designed Avenir in 1988, after years of having an interest in sans serif typefaces. In an interview with Linotype, he said he felt an obligation to design a linear sans in the tradition of Erbar and Futura, but to also make use of the experience and stylistic developments of the twentieth century. The word Avenir means 'future' in French and hints that the typeface owes some of its interpretation to Futura. But unlike Futura, Avenir is not purely geometric; it has vertical strokes that

are thicker than the horizontals, an "o" that is not a perfect circle, and shortened ascenders. These nuances aid in legibility and give Avenir a harmonious and sensible appearance for both texts and headlines. In 2004 Adrian Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the Avenir and created the Avenir Next Condensed for the Platinum Collection. It includes new small caps, newly designed true italics, and a complete new range of condensed weights. Avenir Next Condensed is a versatile sans serif family, ready for large and complex projects from books to signage to advertising.</string>

<key>designer</key>  
<string>Adrian Frutiger, Akira

Kobayashi</string>

<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Avenir Next Condensed</string>  
<key>fullname</key>  
<string>Avenir Next Condensed Bold

Italic</string>

<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Bold Italic</string>  
<key>trademark</key>  
<string>Avenir is a trademark of Linotype

GmbH registered in the U.S. Patent and Trademark Office and may be registered in certain other jurisdictions.</string>

<key>unique</key>  
<string>Avenir Next Condensed Bold Italic;

13.0d1e10; 2017-06-30</string>

<key>valid</key>  
<string>yes</string>  
<key>vendor</key>  
<string>Linotype GmbH</string>  
<key>version</key>  
<string>13.0d1e10</string>

</dict>

<dict>

<key>\_name</key>  
<string>AvenirNextCondensed-Medium</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Copyright © 2004 - 2007 Linotype

GmbH, www.linotype.com. All rights reserved.</string>

<key>description</key>

<string>Adrian Frutiger designed Avenir in

1988, after years of having an interest in sans serif typefaces. In an interview with Linotype, he said he felt an obligation to design a linear sans in the tradition of Erbar and Futura, but to also make use of the experience and stylistic developments of the twentieth century. The word Avenir means 'future' in French and hints that the typeface owes some of its interpretation to Futura. But unlike Futura, Avenir is not purely geometric; it has vertical strokes that are thicker than the horizontals, an "o" that is not a perfect circle, and shortened ascenders. These nuances aid in legibility and give Avenir a harmonious and sensible appearance for both texts and headlines. In 2004 Adrian Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the Avenir and created the Avenir Next Condensed for the Platinum Collection. It includes new small caps, newly designed true italics, and a complete new range of condensed weights. Avenir Next Condensed is a versatile sans serif family,

ready for large and complex projects from books to signage to advertising.</string>

<key>designer</key>  
<string>Adrian Frutiger, Akira

Kobayashi</string>

<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Avenir Next Condensed</string>  
<key>fullname</key>  
<string>Avenir Next Condensed

Medium</string>

<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Medium</string>  
<key>trademark</key>  
<string>Avenir is a trademark of Linotype

GmbH registered in the U.S. Patent and Trademark Office and may be registered in certain other jurisdictions.</string>

<key>unique</key>  
<string>Avenir Next Condensed Medium;

13.0d1e10; 2017-06-30</string>

<key>valid</key>  
<string>yes</string>  
<key>vendor</key>  
<string>Linotype GmbH</string>  
<key>version</key>  
<string>13.0d1e10</string>

</dict>

<dict>

<key>\_name</key>  
<string>AvenirNextCondensed-

DemiBoldItalic</string>

<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Copyright © 2004 - 2007 Linotype

GmbH, www.linotype.com. All rights reserved.</string>

<key>description</key>  
<string>Adrian Frutiger designed Avenir in 1988, after years of having an interest in sans serif typefaces. In an interview with Linotype, he said he felt an obligation to design a linear sans in the tradition of Erbar and Futura, but to also make use of the experience and stylistic developments of the twentieth century. The word Avenir means 'future' in French and hints that the typeface owes some of its interpretation to Futura. But unlike Futura, Avenir is not purely geometric; it has vertical strokes that are thicker than the horizontals, an "o" that is not a perfect circle, and shortened ascenders. These nuances aid in legibility and give Avenir a harmonious and sensible appearance for both texts and headlines. In 2004 Adrian Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the Avenir and created the Avenir Next Condensed for the Platinum Collection. It includes new small caps, newly designed true italics, and a complete new range of condensed weights. Avenir Next Condensed is a versatile sans serif family, ready for large and complex projects from books to signage to advertising.</string>

<key>designer</key>  
<string>Adrian Frutiger, Akira

Kobayashi</string>

<key>duplicate</key>

```

        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Avenir Next Condensed</string>
        <key>fullname</key>
        <string>Avenir Next Condensed Demi Bold
Italic</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Demi Bold Italic</string>
        <key>trademark</key>
        <string>Avenir is a trademark of Linotype
GmbH registered in the U.S. Patent and Trademark Office and may be registered in
certain other jurisdictions.</string>
        <key>unique</key>
        <string>Avenir Next Condensed Demi Bold
Italic; 13.0d1e10; 2017-06-30</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Linotype GmbH</string>
        <key>version</key>
        <string>13.0d1e10</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AvenirNextCondensed-DemiBold</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright © 2004 - 2007 Linotype
GmbH, www.linotype.com. All rights reserved.</string>
        <key>description</key>
        <string>Adrian Frutiger designed Avenir in
1988, after years of having an interest in sans serif typefaces. In an interview
with Linotype, he said he felt an obligation to design a linear sans in the
tradition of Erbar and Futura, but to also make use of the experience and
stylistic developments of the twentieth century. The word Avenir means 'future'
in French and hints that the typeface owes some of its interpretation to Futura.
But unlike Futura, Avenir is not purely geometric; it has vertical strokes that
are thicker than the horizontals, an "o" that is not a perfect circle, and
shortened ascenders. These nuances aid in legibility and give Avenir a
harmonious and sensible appearance for both texts and headlines. In 2004 Adrian
Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the
Avenir and created the Avenir Next Condensed for the Platinum Collection. It
includes new small caps, newly designed true italics, and a complete new range
of condensed weights. Avenir Next Condensed is a versatile sans serif family,
ready for large and complex projects from books to signage to
advertising.</string>
        <key>designer</key>
        <string>Adrian Frutiger, Akira
Kobayashi</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>

```



```

        <string>Avenir Next Condensed</string>
        <key>fullname</key>
        <string>Avenir Next Condensed Demi
Bold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Demi Bold</string>
        <key>trademark</key>
        <string>Avenir is a trademark of Linotype
GmbH registered in the U.S. Patent and Trademark Office and may be registered in
certain other jurisdictions.</string>
        <key>unique</key>
        <string>Avenir Next Condensed Demi Bold;
13.0d1e10; 2017-06-30</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Linotype GmbH</string>
        <key>version</key>
        <string>13.0d1e10</string>
</dict>
<dict>
        <key>_name</key>
        <string>AvenirNextCondensed-Bold</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright © 2004 - 2007 Linotype
GmbH, www.linotype.com. All rights reserved.</string>
        <key>description</key>
        <string>Adrian Frutiger designed Avenir in
1988, after years of having an interest in sans serif typefaces. In an interview
with Linotype, he said he felt an obligation to design a linear sans in the
tradition of Erbar and Futura, but to also make use of the experience and
stylistic developments of the twentieth century. The word Avenir means 'future'
in French and hints that the typeface owes some of its interpretation to Futura.
But unlike Futura, Avenir is not purely geometric; it has vertical strokes that
are thicker than the horizontals, an "o" that is not a perfect circle, and
shortened ascenders. These nuances aid in legibility and give Avenir a
harmonious and sensible appearance for both texts and headlines. In 2004 Adrian
Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the
Avenir and created the Avenir Next Condensed for the Platinum Collection. It
includes new small caps, newly designed true italics, and a complete new range
of condensed weights. Avenir Next Condensed is a versatile sans serif family,
ready for large and complex projects from books to signage to
advertising.</string>
        <key>designer</key>
        <string>Adrian Frutiger, Akira
Kobayashi</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Avenir Next Condensed</string>
        <key>fullname</key>
        <string>Avenir Next Condensed Bold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Bold</string>

```

```

        <key>trademark</key>
        <string>Avenir is a trademark of Linotype
GmbH registered in the U.S. Patent and Trademark Office and may be registered in
certain other jurisdictions.</string>
        <key>unique</key>
        <string>Avenir Next Condensed Bold;
13.0d1e10; 2017-06-30</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Linotype GmbH</string>
        <key>version</key>
        <string>13.0d1e10</string>
</dict>
<dict>
        <key>_name</key>
        <string>AvenirNextCondensed-Italic</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright © 2004 - 2007 Linotype
GmbH, www.linotype.com. All rights reserved.</string>
        <key>description</key>
        <string>Adrian Frutiger designed Avenir in
1988, after years of having an interest in sans serif typefaces. In an interview
with Linotype, he said he felt an obligation to design a linear sans in the
tradition of Erbar and Futura, but to also make use of the experience and
stylistic developments of the twentieth century. The word Avenir means 'future'
in French and hints that the typeface owes some of its interpretation to Futura.
But unlike Futura, Avenir is not purely geometric; it has vertical strokes that
are thicker than the horizontals, an "o" that is not a perfect circle, and
shortened ascenders. These nuances aid in legibility and give Avenir a
harmonious and sensible appearance for both texts and headlines. In 2004 Adrian
Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the
Avenir and created the Avenir Next Condensed for the Platinum Collection. It
includes new small caps, newly designed true italics, and a complete new range
of condensed weights. Avenir Next Condensed is a versatile sans serif family,
ready for large and complex projects from books to signage to
advertising.</string>
        <key>designer</key>
        <string>Adrian Frutiger, Akira
Kobayashi</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Avenir Next Condensed</string>
        <key>fullname</key>
        <string>Avenir Next Condensed
Italic</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Italic</string>
        <key>trademark</key>
        <string>Avenir is a trademark of Linotype
GmbH registered in the U.S. Patent and Trademark Office and may be registered in
certain other jurisdictions.</string>
        <key>unique</key>
        <string>Avenir Next Condensed Italic;
13.0d1e10; 2017-06-30</string>

```

```

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Linotype GmbH</string>
        <key>version</key>
        <string>13.0d1e10</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AvenirNextCondensed-Heavy</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright © 2004 - 2007 Linotype
GmbH, www.linotype.com. All rights reserved.</string>
        <key>description</key>
        <string>Adrian Frutiger designed Avenir in
1988, after years of having an interest in sans serif typefaces. In an interview
with Linotype, he said he felt an obligation to design a linear sans in the
tradition of Erbar and Futura, but to also make use of the experience and
stylistic developments of the twentieth century. The word Avenir means 'future'
in French and hints that the typeface owes some of its interpretation to Futura.
But unlike Futura, Avenir is not purely geometric; it has vertical strokes that
are thicker than the horizontals, an "o" that is not a perfect circle, and
shortened ascenders. These nuances aid in legibility and give Avenir a
harmonious and sensible appearance for both texts and headlines. In 2004 Adrian
Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the
Avenir and created the Avenir Next for the Platinum Collection. It includes new
small caps, newly designed true italics, and a complete new range of condensed
weights. Avenir Next is a versatile sans serif family, ready for large and
complex projects from books to signage to advertising.</string>
        <key>designer</key>
        <string>Adrian Frutiger, Akira
Kobayashi</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Avenir Next Condensed</string>
        <key>fullname</key>
        <string>Avenir Next Condensed Heavy</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Heavy</string>
        <key>trademark</key>
        <string>Avenir is a trademark of Linotype
GmbH registered in the U.S. Patent and Trademark Office and may be registered in
certain other jurisdictions.</string>
        <key>unique</key>
        <string>Avenir Next Condensed Heavy;
13.0d1e10; 2017-06-30</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Linotype GmbH</string>
        <key>version</key>
        <string>13.0d1e10</string>
    </dict>
    <dict>
        <key>_name</key>

```

```

    <string>AvenirNextCondensed-UltraLight</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright © 2004 - 2007 Linotype
GmbH, www.linotype.com. All rights reserved.</string>
        <key>description</key>
        <string>Adrian Frutiger designed Avenir in
1988, after years of having an interest in sans serif typefaces. In an interview
with Linotype, he said he felt an obligation to design a linear sans in the
tradition of Erbar and Futura, but to also make use of the experience and
stylistic developments of the twentieth century. The word Avenir means 'future'
in French and hints that the typeface owes some of its interpretation to Futura.
But unlike Futura, Avenir is not purely geometric; it has vertical strokes that
are thicker than the horizontals, an "o" that is not a perfect circle, and
shortened ascenders. These nuances aid in legibility and give Avenir a
harmonious and sensible appearance for both texts and headlines. In 2004 Adrian
Frutiger and the type director of Linotype GmbH Akira Kobayashi reworked the
Avenir and created the Avenir Next for the Platinum Collection. It includes new
small caps, newly designed true italics, and a complete new range of condensed
weights. Avenir Next is a versatile sans serif family, ready for large and
complex projects from books to signage.</string>
        <key>designer</key>
        <string>Adrian Frutiger, Akira
Kobayashi</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Avenir Next Condensed</string>
        <key>fullname</key>
        <string>Avenir Next Condensed Ultra
Light</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Ultra Light</string>
        <key>trademark</key>
        <string>Avenir is a trademark of Linotype
GmbH registered in the U.S. Patent and Trademark Office and may be registered in
certain other jurisdictions.</string>
        <key>unique</key>
        <string>Avenir Next Condensed Ultra Light;
13.0d1e10; 2017-06-30</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Linotype GmbH</string>
        <key>version</key>
        <string>13.0d1e10</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>PTSans.ttc</string>
    <key>enabled</key>
    <string>yes</string>

```

```

<key>path</key>
<string>/System/Library/Fonts/Supplemental/PTSans.ttc</string>
<key>type</key>
<string>truetype</string>
<key>typefaces</key>
<array>
  <dict>
    <key>_name</key>
    <string>PTSans-Regular</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright © 2009 ParaType Ltd. All
rights reserved.</string>
    <key>description</key>
    <string>PT Sans is a type family of
universal use. It consists of 8 styles: regular and bold weights with
corresponding italics form a standard computer font family; two narrow styles
(regular and bold) are intended for documents that require tight set; two
caption styles (regular and bold) are for texts of small point sizes. The design
combines traditional conservative appearance with modern trends of humanistic
sans serif and characterized by enhanced legibility. These features beside
conventional use in business applications and printed stuff made the fonts quite
useable for direction and guide signs, schemes, screens of information kiosks
and other objects of urban visual communications.

The fonts next to standard Latin and Cyrillic character sets contain signs of
title languages of the national republics of Russian Federation and support the
most of the languages of neighboring countries. The fonts were developed and
released by ParaType in 2009 with financial support from Federal Agency of Print
and Mass Communications of Russian Federation. Design - Alexandra Korolkova with
assistance of Olga Umpeleva and supervision of Vladimir Yefimov.</string>
    <key>designer</key>
    <string>A.Korolkova, O.Umpeleva,
V.Yefimov</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>PT Sans</string>
    <key>fullname</key>
    <string>PT Sans</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>trademark</key>
    <string>PT Sans is a trademark of the
ParaType Ltd.</string>
    <key>unique</key>
    <string>PT Sans; 13.0d3e2;
2017-06-30</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>ParaType Ltd</string>
    <key>version</key>
    <string>13.0d3e2</string>
  </dict>
</dict>

```

```

<key>_name</key>
<string>PTSans-CaptionBold</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright © 2009 ParaType Ltd. All
rights reserved.</string>
<key>description</key>
<string>PT Sans is a type family of
universal use. It consists of 8 styles: regular and bold weights with
corresponding italics form a standard computer font family; two narrow styles
(regular and bold) are intended for documents that require tight set; two
caption styles (regular and bold) are for texts of small point sizes. The design
combines traditional conservative appearance with modern trends of humanistic
sans serif and characterized by enhanced legibility. These features beside
conventional use in business applications and printed stuff made the fonts quite
useable for direction and guide signs, schemes, screens of information kiosks
and other objects of urban visual communications.

The fonts next to standard Latin and Cyrillic character sets contain signs of
title languages of the national republics of Russian Federation and support the
most of the languages of neighboring countries. The fonts were developed and
released by ParaType in 2009 with financial support from Federal Agency of Print
and Mass Communications of Russian Federation. Design - Alexandra Korolkova with
assistance of Olga Umpeleva and supervision of Vladimir Yefimov.</string>
<key>designer</key>
<string>A.Korolkova, O.Umpeleva,
V.Yefimov</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>PT Sans Caption</string>
<key>fullname</key>
<string>PT Sans Caption Bold</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Bold</string>
<key>trademark</key>
<string>PT Sans is a trademark of the
ParaType Ltd.</string>
<key>unique</key>
<string>PT Sans Caption Bold; 13.0d3e2;
2017-06-30</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>ParaType Ltd</string>
<key>version</key>
<string>13.0d3e2</string>
</dict>
<dict>
<key>_name</key>
<string>PTSans-Bold</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright © 2009 ParaType Ltd. All
rights reserved.</string>
<key>description</key>

```

<string>PT Sans is a type family of universal use. It consists of 8 styles: regular and bold weights with corresponding italics form a standard computer font family; two narrow styles (regular and bold) are intended for documents that require tight set; two caption styles (regular and bold) are for texts of small point sizes. The design combines traditional conservative appearance with modern trends of humanistic sans serif and characterized by enhanced legibility. These features beside conventional use in business applications and printed stuff made the fonts quite useable for direction and guide signs, schemes, screens of information kiosks and other objects of urban visual communications.

The fonts next to standard Latin and Cyrillic character sets contain signs of title languages of the national republics of Russian Federation and support the most of the languages of neighboring countries. The fonts were developed and released by ParaType in 2009 with financial support from Federal Agency of Print and Mass Communications of Russian Federation. Design - Alexandra Korolkova with assistance of Olga Umpeleva and supervision of Vladimir Yefimov.</string>

<key>designer</key>

<string>A.Korolkova, O.Umpeleva,

V.Yefimov</string>

<key>duplicate</key>

<string>no</string>

<key>embeddable</key>

<string>yes</string>

<key>enabled</key>

<string>yes</string>

<key>family</key>

<string>PT Sans</string>

<key>fullname</key>

<string>PT Sans Bold</string>

<key>outline</key>

<string>yes</string>

<key>style</key>

<string>Bold</string>

<key>trademark</key>

<string>PT Sans is a trademark of the

ParaType Ltd.</string>

<key>unique</key>

<string>PT Sans Bold; 13.0d3e2; 2017-06-

30</string>

<key>valid</key>

<string>yes</string>

<key>vendor</key>

<string>ParaType Ltd</string>

<key>version</key>

<string>13.0d3e2</string>

</dict>

<dict>

<key>\_name</key>

<string>PTSans-Italic</string>

<key>copy\_protected</key>

<string>no</string>

<key>copyright</key>

<string>Copyright © 2009 ParaType Ltd. All

rights reserved.</string>

<key>description</key>

<string>PT Sans is a type family of universal use. It consists of 8 styles: regular and bold weights with corresponding italics form a standard computer font family; two narrow styles (regular and bold) are intended for documents that require tight set; two caption styles (regular and bold) are for texts of small point sizes. The design combines traditional conservative appearance with modern trends of humanistic sans serif and characterized by enhanced legibility. These features beside conventional use in business applications and printed stuff made the fonts quite

useable for direction and guide signs, schemes, screens of information kiosks and other objects of urban visual communications.

The fonts next to standard Latin and Cyrillic character sets contain signs of title languages of the national republics of Russian Federation and support the most of the languages of neighboring countries. The fonts were developed and released by ParaType in 2009 with financial support from Federal Agency of Print and Mass Communications of Russian Federation. Design - Alexandra Korolkova with assistance of Olga Umpeleva and supervision of Vladimir Yefimov.</string>

<key>designer</key>  
<string>A.Korolkova, O.Umpeleva,

V.Yefimov</string>

<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>PT Sans</string>  
<key>fullname</key>  
<string>PT Sans Italic</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Italic</string>  
<key>trademark</key>  
<string>PT Sans is a trademark of the

ParaType Ltd.</string>

<key>unique</key>  
<string>PT Sans Italic; 13.0d3e2; 2017-06-

30</string>

<key>valid</key>  
<string>yes</string>  
<key>vendor</key>  
<string>ParaType Ltd</string>  
<key>version</key>  
<string>13.0d3e2</string>

</dict>

<dict>

<key>\_name</key>  
<string>PTSans-Caption</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Copyright © 2009 ParaType Ltd. All

rights reserved.</string>

<key>description</key>  
<string>PT Sans is a type family of

universal use. It consists of 8 styles: regular and bold weights with corresponding italics form a standard computer font family; two narrow styles (regular and bold) are intended for documents that require tight set; two caption styles (regular and bold) are for texts of small point sizes. The design combines traditional conservative appearance with modern trends of humanistic sans serif and characterized by enhanced legibility. These features beside conventional use in business applications and printed stuff made the fonts quite useable for direction and guide signs, schemes, screens of information kiosks and other objects of urban visual communications.

The fonts next to standard Latin and Cyrillic character sets contain signs of title languages of the national republics of Russian Federation and support the most of the languages of neighboring countries. The fonts were developed and released by ParaType in 2009 with financial support from Federal Agency of Print and Mass Communications of Russian Federation. Design - Alexandra Korolkova with



assistance of Olga Umpeleva and supervision of Vladimir Yefimov.</string>

<key>designer</key>

<string>A.Korolkova, O.Umpeleva,

V.Yefimov</string>

<key>duplicate</key>

<string>no</string>

<key>embeddable</key>

<string>yes</string>

<key>enabled</key>

<string>yes</string>

<key>family</key>

<string>PT Sans Caption</string>

<key>fullname</key>

<string>PT Sans Caption</string>

<key>outline</key>

<string>yes</string>

<key>style</key>

<string>Regular</string>

<key>trademark</key>

<string>PT Sans is a trademark of the

ParaType Ltd.</string>

<key>unique</key>

<string>PT Sans Caption; 13.0d3e2; 2017-06-

30</string>

<key>valid</key>

<string>yes</string>

<key>vendor</key>

<string>ParaType Ltd</string>

<key>version</key>

<string>13.0d3e2</string>

</dict>

<dict>

<key>\_name</key>

<string>PTSans-NarrowBold</string>

<key>copy\_protected</key>

<string>no</string>

<key>copyright</key>

<string>Copyright © 2009 ParaType Ltd. All

rights reserved.</string>

<key>description</key>

<string>PT Sans is a type family of

universal use. It consists of 8 styles: regular and bold weights with corresponding italics form a standard computer font family; two narrow styles (regular and bold) are intended for documents that require tight set; two caption styles (regular and bold) are for texts of small point sizes. The design combines traditional conservative appearance with modern trends of humanistic sans serif and characterized by enhanced legibility. These features beside conventional use in business applications and printed stuff made the fonts quite useable for direction and guide signs, schemes, screens of information kiosks and other objects of urban visual communications.

The fonts next to standard Latin and Cyrillic character sets contain signs of title languages of the national republics of Russian Federation and support the most of the languages of neighboring countries. The fonts were developed and released by ParaType in 2009 with financial support from Federal Agency of Print and Mass Communications of Russian Federation. Design - Alexandra Korolkova with assistance of Olga Umpeleva and supervision of Vladimir Yefimov.</string>

<key>designer</key>

<string>A.Korolkova, O.Umpeleva,

V.Yefimov</string>

<key>duplicate</key>

<string>no</string>

<key>embeddable</key>

<string>yes</string>

```

        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>PT Sans Narrow</string>
        <key>fullname</key>
        <string>PT Sans Narrow Bold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Bold</string>
        <key>trademark</key>
        <string>PT Sans is a trademark of the
ParaType Ltd.</string>

        <key>unique</key>
        <string>PT Sans Narrow Bold; 13.0d3e2; 2017-
06-30</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>ParaType Ltd</string>
        <key>version</key>
        <string>13.0d3e2</string>
</dict>
<dict>
        <key>_name</key>
        <string>PTSans-Narrow</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright © 2009 ParaType Ltd. All
rights reserved.</string>

        <key>description</key>
        <string>PT Sans is a type family of
universal use. It consists of 8 styles: regular and bold weights with
corresponding italics form a standard computer font family; two narrow styles
(regular and bold) are intended for documents that require tight set; two
caption styles (regular and bold) are for texts of small point sizes. The design
combines traditional conservative appearance with modern trends of humanistic
sans serif and characterized by enhanced legibility. These features beside
conventional use in business applications and printed stuff made the fonts quite
useable for direction and guide signs, schemes, screens of information kiosks
and other objects of urban visual communications.

The fonts next to standard Latin and Cyrillic character sets contain signs of
title languages of the national republics of Russian Federation and support the
most of the languages of neighboring countries. The fonts were developed and
released by ParaType in 2009 with financial support from Federal Agency of Print
and Mass Communications of Russian Federation. Design - Alexandra Korolkova with
assistance of Olga Umpeleva and supervision of Vladimir Yefimov.</string>
        <key>designer</key>
        <string>A.Korolkova, O.Umpeleva,
V.Yefimov</string>

        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>PT Sans Narrow</string>
        <key>fullname</key>
        <string>PT Sans Narrow</string>
        <key>outline</key>
        <string>yes</string>

```

```

    <key>style</key>
    <string>Regular</string>
    <key>trademark</key>
    <string>PT Sans is a trademark of the
ParaType Ltd.</string>

    <key>unique</key>
    <string>PT Sans Narrow; 13.0d3e2; 2017-06-
30</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>ParaType Ltd</string>
    <key>version</key>
    <string>13.0d3e2</string>
</dict>
<dict>
    <key>_name</key>
    <string>PTSans-BoldItalic</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright © 2009 ParaType Ltd. All
rights reserved.</string>

    <key>description</key>
    <string>PT Sans is a type family of
universal use. It consists of 8 styles: regular and bold weights with
corresponding italics form a standard computer font family; two narrow styles
(regular and bold) are intended for documents that require tight set; two
caption styles (regular and bold) are for texts of small point sizes. The design
combines traditional conservative appearance with modern trends of humanistic
sans serif and characterized by enhanced legibility. These features beside
conventional use in business applications and printed stuff made the fonts quite
useable for direction and guide signs, schemes, screens of information kiosks
and other objects of urban visual communications.

The fonts next to standard Latin and Cyrillic character sets contain signs of
title languages of the national republics of Russian Federation and support the
most of the languages of neighboring countries. The fonts were developed and
released by ParaType in 2009 with financial support from Federal Agency of Print
and Mass Communications of Russian Federation. Design - Alexandra Korolkova with
assistance of Olga Umpeleva and supervision of Vladimir Yefimov.</string>
    <key>designer</key>
    <string>A.Korolkova, O.Umpeleva,
V.Yefimov</string>

    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>PT Sans</string>
    <key>fullname</key>
    <string>PT Sans Bold Italic</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold Italic</string>
    <key>trademark</key>
    <string>PT Sans is a trademark of the
ParaType Ltd.</string>

    <key>unique</key>
    <string>PT Sans Bold Italic; 13.0d3e2; 2017-
06-30</string>

```

```

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>ParaType Ltd</string>
        <key>version</key>
        <string>13.0d3e2</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>ãf'ãf@ã,ã,™ãfžèš'ã,³ã,™ã,·ãffã,™ W2.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/ãf'ãf@ã,-
ã,™ãfžèš'ã,³ã,™ã,·ãffã,™ W2.ttc</string>
    <key>type</key>
    <string>opentype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>HiraginoSans-W2</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>ver8.20, Copyright (c) 1993-2015
SCREEN Graphic and Precision Solutions Co., Ltd. All Rights Reserved.</string>
            <key>designer</key>
            <string>JIYUKOBO Ltd.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Hiragino Sans</string>
            <key>fullname</key>
            <string>Hiragino Sans W2</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>W2</string>
            <key>trademark</key>
            <string>HIRAGINO is a trademark of SCREEN
Holdings Co., Ltd.</string>
            <key>unique</key>
            <string>Hiragino Sans W2; 15.0d1e3; 2019-06-
13</string>
            <key>valid</key>
            <string>yes</string>
            <key>vendor</key>
            <string>SCREEN Graphic and Precision
Solutions Co., Ltd.</string>
            <key>version</key>
            <string>15.0d1e3</string>
        </dict>
    </array>
</dict>
<dict>
    <key>_name</key>
    <string>.HiraKakuInterface-W2</string>

```

```

        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>ver8.20, Copyright (c) 1993-2015
SCREEN Graphic and Precision Solutions Co., Ltd. All Rights Reserved.</string>
        <key>designer</key>
        <string>JIYUKOBO Ltd.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>.Hiragino Kaku Gothic
Interface</string>
        <key>fullname</key>
        <string>.Hiragino Kaku Gothic Interface
W2</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>W2</string>
        <key>trademark</key>
        <string>HIRAGINO is a trademark of SCREEN
Holdings Co., Ltd.</string>
        <key>unique</key>
        <string>.Hiragino Kaku Gothic Interface W2;
15.0d1e3; 2019-06-13</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>SCREEN Graphic and Precision
Solutions Co., Ltd.</string>
        <key>version</key>
        <string>15.0d1e3</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>NotoSansKannada.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/NotoSansKannada.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>NotoSansKannada-Bold</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright 2018 Google Inc. All
Rights Reserved.</string>
            <key>description</key>
            <string>Designed by Monotype design
team.</string>

```

```

Team</string>
    <key>designer</key>
    <string>Jelle Bosma - Monotype Design

    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Noto Sans Kannada</string>
    <key>fullname</key>
    <string>Noto Sans Kannada Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold</string>
    <key>trademark</key>
    <string>Noto is a trademark of Google

Inc.</string>
    <key>unique</key>
    <string>Noto Sans Kannada Bold; 14.0d1e7;

2018-11-25</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Monotype Imaging Inc.</string>
    <key>version</key>
    <string>14.0d1e7</string>
</dict>
<dict>
    <key>_name</key>
    <string>NotoSansKannada-SemiBold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright 2018 Google Inc. All

Rights Reserved.</string>
    <key>description</key>
    <string>Designed by Monotype design

team.</string>
    <key>designer</key>
    <string>Jelle Bosma - Monotype Design

Team</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Noto Sans Kannada</string>
    <key>fullname</key>
    <string>Noto Sans Kannada SemiBold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semibold</string>
    <key>trademark</key>
    <string>Noto is a trademark of Google

Inc.</string>
    <key>unique</key>
    <string>Noto Sans Kannada SemiBold;

14.0d1e7; 2018-11-25</string>

```

```

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Monotype Imaging Inc.</string>
    <key>version</key>
    <string>14.0d1e7</string>
</dict>
<dict>
    <key>_name</key>
    <string>NotoSansKannada-ExtraBold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright 2018 Google Inc. All
Rights Reserved.</string>
    <key>description</key>
    <string>Designed by Monotype design
team.</string>
    <key>designer</key>
    <string>Jelle Bosma - Monotype Design
Team</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Noto Sans Kannada</string>
    <key>fullname</key>
    <string>Noto Sans Kannada ExtraBold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>ExtraBold</string>
    <key>trademark</key>
    <string>Noto is a trademark of Google
Inc.</string>
    <key>unique</key>
    <string>Noto Sans Kannada ExtraBold;
14.0d1e7; 2018-11-25</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Monotype Imaging Inc.</string>
    <key>version</key>
    <string>14.0d1e7</string>
</dict>
<dict>
    <key>_name</key>
    <string>NotoSansKannada-Regular</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright 2018 Google Inc. All
Rights Reserved.</string>
    <key>description</key>
    <string>Designed by Monotype design
team.</string>
    <key>designer</key>
    <string>Jelle Bosma - Monotype Design
Team</string>
    <key>duplicate</key>
    <string>no</string>

```

```

    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Noto Sans Kannada</string>
    <key>fullname</key>
    <string>Noto Sans Kannada Regular</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>trademark</key>
    <string>Noto is a trademark of Google
Inc.</string>

    <key>unique</key>
    <string>Noto Sans Kannada Regular; 14.0d1e7;
2018-11-25</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Monotype Imaging Inc.</string>
    <key>version</key>
    <string>14.0d1e7</string>
</dict>
<dict>
    <key>_name</key>
    <string>NotoSansKannada-ExtraLight</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright 2018 Google Inc. All
Rights Reserved.</string>

    <key>description</key>
    <string>Designed by Monotype design
team.</string>

    <key>designer</key>
    <string>Jelle Bosma - Monotype Design
Team</string>

    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Noto Sans Kannada</string>
    <key>fullname</key>
    <string>Noto Sans Kannada
ExtraLight</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extralight</string>
    <key>trademark</key>
    <string>Noto is a trademark of Google
Inc.</string>

    <key>unique</key>
    <string>Noto Sans Kannada ExtraLight;
14.0d1e7; 2018-11-25</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Monotype Imaging Inc.</string>

```



```

        <key>version</key>
        <string>14.0d1e7</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>NotoSansKannada-Black</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright 2018 Google Inc. All
Rights Reserved.</string>
        <key>description</key>
        <string>Designed by Monotype design
team.</string>
        <key>designer</key>
        <string>Jelle Bosma - Monotype Design
Team</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Noto Sans Kannada</string>
        <key>fullname</key>
        <string>Noto Sans Kannada Black</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Black</string>
        <key>trademark</key>
        <string>Noto is a trademark of Google
Inc.</string>
        <key>unique</key>
        <string>Noto Sans Kannada Black; 14.0d1e7;
2018-11-25</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Monotype Imaging Inc.</string>
        <key>version</key>
        <string>14.0d1e7</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>NotoSansKannada-Thin</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright 2018 Google Inc. All
Rights Reserved.</string>
        <key>description</key>
        <string>Designed by Monotype design
team.</string>
        <key>designer</key>
        <string>Jelle Bosma - Monotype Design
Team</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>

```

```

    <key>family</key>
    <string>Noto Sans Kannada</string>
    <key>fullname</key>
    <string>Noto Sans Kannada Thin</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Thin</string>
    <key>trademark</key>
    <string>Noto is a trademark of Google
Inc.</string>

    <key>unique</key>
    <string>Noto Sans Kannada Thin; 14.0d1e7;
2018-11-25</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Monotype Imaging Inc.</string>
    <key>version</key>
    <string>14.0d1e7</string>
</dict>
<dict>
    <key>_name</key>
    <string>NotoSansKannada-Medium</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright 2018 Google Inc. All
Rights Reserved.</string>

    <key>description</key>
    <string>Designed by Monotype design
team.</string>

    <key>designer</key>
    <string>Jelle Bosma - Monotype Design
Team</string>

    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Noto Sans Kannada</string>
    <key>fullname</key>
    <string>Noto Sans Kannada Medium</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Medium</string>
    <key>trademark</key>
    <string>Noto is a trademark of Google
Inc.</string>

    <key>unique</key>
    <string>Noto Sans Kannada Medium; 14.0d1e7;
2018-11-25</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Monotype Imaging Inc.</string>
    <key>version</key>
    <string>14.0d1e7</string>
</dict>
<dict>
    <key>_name</key>

```

```

    <string>NotoSansKannada-Light</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright 2018 Google Inc. All
Rights Reserved.</string>
    <key>description</key>
    <string>Designed by Monotype design
team.</string>
    <key>designer</key>
    <string>Jelle Bosma - Monotype Design
Team</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Noto Sans Kannada</string>
    <key>fullname</key>
    <string>Noto Sans Kannada Light</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Light</string>
    <key>trademark</key>
    <string>Noto is a trademark of Google
Inc.</string>
    <key>unique</key>
    <string>Noto Sans Kannada Light; 14.0d1e7;
2018-11-25</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Monotype Imaging Inc.</string>
    <key>version</key>
    <string>14.0d1e7</string>
  </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>Hoefler Text Ornaments.ttf</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/Supplemental/Hoefler Text
Ornaments.ttf</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>HoeflerText-Ornaments</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>© Apple Inc., 1992-2007</string>
      <key>duplicate</key>
      <string>no</string>

```

```
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Hoefler Text</string>
<key>fullname</key>
<string>Hoefler Text Ornaments</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Ornaments</string>
<key>unique</key>
<string>Hoefler Text Ornaments; 14.0d1e2;
2018-01-19</string>

<key>valid</key>
<string>yes</string>
<key>version</key>
<string>14.0d1e2</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
<key>_name</key>
<string>PlantagenetCherokee.ttf</string>
<key>enabled</key>
<string>yes</string>
<key>path</key>

<string>/System/Library/Fonts/Supplemental/PlantagenetCherokee.ttf</
string>

<key>type</key>
<string>truetype</string>
<key>typefaces</key>
<array>
<dict>
<key>_name</key>
<string>PlantagenetCherokee</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright (c) Tiro Typeworks, 2002.
All rights reserved.</string>

<key>designer</key>
<string>Ross Mills</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Plantagenet Cherokee</string>
<key>fullname</key>
<string>Plantagenet Cherokee</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular</string>
<key>trademark</key>
<string>Plantagenet Cherokee is a trademark
of Tiro Typeworks.</string>
```

```

                <key>unique</key>
                <string>Plantagenet Cherokee; 13.0d1e3;
2017-06-14</string>
                <key>valid</key>
                <string>yes</string>
                <key>vendor</key>
                <string>Tiro Typeworks</string>
                <key>version</key>
                <string>13.0d1e3</string>
            </dict>
        </array>
        <key>valid</key>
        <string>yes</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>DIN Condensed Bold.ttf</string>
        <key>enabled</key>
        <string>yes</string>
        <key>path</key>
        <string>/System/Library/Fonts/Supplemental/DIN Condensed
Bold.ttf</string>
        <key>type</key>
        <string>truetype</string>
        <key>typefaces</key>
        <array>
            <dict>
                <key>_name</key>
                <string>DINCondensed-Bold</string>
                <key>copy_protected</key>
                <string>no</string>
                <key>copyright</key>
                <string>Copyright A© 1981, 2002 Heidelberger
Druckmaschinen AG. All rights reserved.</string>
                <key>designer</key>
                <string>Linotype Staff</string>
                <key>duplicate</key>
                <string>no</string>
                <key>embeddable</key>
                <string>yes</string>
                <key>enabled</key>
                <string>yes</string>
                <key>family</key>
                <string>DIN Condensed</string>
                <key>fullname</key>
                <string>DIN Condensed Bold</string>
                <key>outline</key>
                <string>yes</string>
                <key>style</key>
                <string>Bold</string>
                <key>trademark</key>
                <string>DINSchrift</string>
                <key>unique</key>
                <string>DIN Condensed Bold; 14.0d1e1; 2018-
05-22</string>
                <key>valid</key>
                <string>yes</string>
                <key>version</key>
                <string>14.0d1e1</string>
            </dict>
        </array>
        <key>valid</key>
        <string>yes</string>
    </dict>

```

```

<dict>
  <key>_name</key>
  <string>ãf'ãf@ã,ã,™ãfžèš'ã,³ã,™ã,·ãffã,¯ W9.ttc</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/ãf'ãf@ã, -
ã,™ãfžèš'ã,³ã,™ã,·ãffã,¯ W9.ttc</string>
  <key>type</key>
  <string>opentype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>HiraginoSans-W9</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>ver8.01, Copyright (c) 1993-2013
Dainippon Screen Mfg. Co., Ltd. All Rights Reserved.</string>
      <key>designer</key>
      <string>JIYUKOBO Ltd.</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>Hiragino Sans</string>
      <key>fullname</key>
      <string>Hiragino Sans W9</string>
      <key>outline</key>
      <string>yes</string>
      <key>style</key>
      <string>W9</string>
      <key>trademark</key>
      <string>HIRAGINO is a trademark of Dainippon
Screen Mfg. Co., Ltd.</string>
      <key>unique</key>
      <string>Hiragino Sans W9; 15.0d1e3; 2019-06-
13</string>
      <key>valid</key>
      <string>yes</string>
      <key>vendor</key>
      <string>Dainippon Screen Mfg. Co.,
Ltd.</string>
      <key>version</key>
      <string>15.0d1e3</string>
    </dict>
  </dict>
  <dict>
    <key>_name</key>
    <string>.HiraKakuInterface-W9</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>ver8.01, Copyright (c) 1993-2013
Dainippon Screen Mfg. Co., Ltd. All Rights Reserved.</string>
    <key>designer</key>
    <string>JIYUKOBO Ltd.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
  </dict>

```

```

        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>.Hiragino Kaku Gothic
Interface</string>
        <key>fullname</key>
        <string>.Hiragino Kaku Gothic Interface
W9</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>W9</string>
        <key>trademark</key>
        <string>HIRAGINO is a trademark of SCREEN
Holdings Co., Ltd.</string>
        <key>unique</key>
        <string>.Hiragino Kaku Gothic Interface W9;
15.0d1e3; 2019-06-13</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>SCREEN Graphic and Precision
Solutions Co., Ltd.</string>
        <key>version</key>
        <string>15.0d1e3</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>SFNSMonoItalic.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/SFNSMonoItalic.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>.SFNSMono-RegularItalic</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright (c) 2016-2019 Apple Inc.
All rights reserved.</string>
            <key>description</key>
            <string>Apple Inc.</string>
            <key>designer</key>
            <string>Apple Inc.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>.SF NS Mono</string>
            <key>fullname</key>
            <string>.SF NS Mono Light Italic Regular

```

Italic</string>

```
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular Italic</string>
<key>trademark</key>
<string>Apple Inc.</string>
<key>unique</key>
<string>.SF NS Mono Light Italic; 16.0d2e1;
```

2020-06-30</string>

```
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d2e1</string>
```

</dict>

<dict>

```
<key>_name</key>
<string>.SFNSMono-MediumItalic</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright (c) 2016-2019 Apple Inc.
```

All rights reserved.</string>

```
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF NS Mono</string>
<key>fullname</key>
<string>.SF NS Mono Light Italic Medium
```

Italic</string>

```
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Medium Italic</string>
<key>trademark</key>
<string>Apple Inc.</string>
<key>unique</key>
<string>.SF NS Mono Light Italic; 16.0d2e1;
```

2020-06-30</string>

```
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d2e1</string>
```

</dict>

<dict>

```
<key>_name</key>
<string>.SFNSMono-LightItalic</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright (c) 2016-2019 Apple Inc.
```

All rights reserved.</string>



```
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF NS Mono</string>
<key>fullname</key>
<string>.SF NS Mono Light Italic Light
Italic</string>

<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Light Italic</string>
<key>trademark</key>
<string>Apple Inc.</string>
<key>unique</key>
<string>.SF NS Mono Light Italic; 16.0d2e1;
2020-06-30</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d2e1</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNSMono-SemiboldItalic</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright (c) 2016-2019 Apple Inc.
All rights reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF NS Mono</string>
  <key>fullname</key>
  <string>.SF NS Mono Light Italic Semibold
Italic</string>

  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Semibold Italic</string>
  <key>trademark</key>
  <string>Apple Inc.</string>
  <key>unique</key>
  <string>.SF NS Mono Light Italic; 16.0d2e1;
2020-06-30</string>

  <key>valid</key>
```

```
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d2e1</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNSMono-BoldItalic</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright (c) 2016-2019 Apple Inc.
All rights reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF NS Mono</string>
  <key>fullname</key>
  <string>.SF NS Mono Light Italic Bold
Italic</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Bold Italic</string>
  <key>trademark</key>
  <string>Apple Inc.</string>
  <key>unique</key>
  <string>.SF NS Mono Light Italic; 16.0d2e1;
2020-06-30</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d2e1</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNSMono-HeavyItalic</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright (c) 2016-2019 Apple Inc.
All rights reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
```

```

        <string>.SF NS Mono</string>
        <key>fullname</key>
        <string>.SF NS Mono Light Italic Heavy
Italic</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Heavy Italic</string>
        <key>trademark</key>
        <string>Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS Mono Light Italic; 16.0d2e1;
2020-06-30</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d2e1</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>STIXIntDBol.otf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/STIXIntDBol.otf</string>
    <key>type</key>
    <string>postscript</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>STIXIntegralsD-Bold</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright (c) 2001-2011 by the STI
Pub Companies, consisting of the American Chemical Society, the American
Institute of Physics, the American Mathematical Society, the American Physical
Society, Elsevier, Inc., and The Institute of Electrical and Electronic
Engineers, Inc. Portions copyright (c) 1998-2003 by MicroPress, Inc. Portions
copyright (c) 1990 by Elsevier, Inc. All rights reserved.</string>
            <key>description</key>
            <string>Arie de Ruiter, who in 1995 was Head
of Information Technology Development at Elsevier Science, made a proposal to
the STI Pub group, an informal group of publishers consisting of representatives
from the American Chemical Society (ACS), American Institute of Physics (AIP),
American Mathematical Society (AMS), American Physical Society (APS), Elsevier,
and Institute of Electrical and Electronics Engineers (IEEE). De Ruiter
encouraged the members to consider development of a series of Web fonts, which
he proposed should be called the Scientific and Technical Information eXchange,
or STIX, Fonts. All STI Pub member organizations enthusiastically endorsed this
proposal, and the STI Pub group agreed to embark on what has become a twelve-
year project. The goal of the project was to identify all alphabetic, symbolic,
and other special characters used in any facet of scientific publishing and to
create a set of Unicode-based fonts that would be distributed free to every
scientist, student, and other interested party worldwide. The fonts would be
consistent with the emerging Unicode standard, and would permit universal

```

representation of every character. With the release of the STIX fonts, de Ruiter's vision has been realized.</string>

<key>designer</key>  
<string>MicroPress Inc., with final additions and corrections provided by Coen Hoffman, Elsevier (retired)</string>

<key>duplicate</key>

<string>no</string>

<key>embeddable</key>

<string>yes</string>

<key>enabled</key>

<string>yes</string>

<key>family</key>

<string>STIXIntegralsD</string>

<key>fullname</key>

<string>STIXIntegralsD-Bold</string>

<key>outline</key>

<string>yes</string>

<key>style</key>

<string>Bold</string>

<key>trademark</key>

Institute of Electrical and Electronics Engineers, Inc.</string>

<key>unique</key>

<string>FontMaster:STIXIntegralsD-

Bold:1.1.0</string>

<key>valid</key>

<string>yes</string>

<key>version</key>

<string>Version 1.1.0</string>

</dict>

</array>

<key>valid</key>

<string>yes</string>

</dict>

<dict>

<key>\_name</key>

<string>Futura.ttc</string>

<key>enabled</key>

<string>yes</string>

<key>path</key>

<string>/System/Library/Fonts/Supplemental/Futura.ttc</string>

<key>type</key>

<string>truetype</string>

<key>typefaces</key>

<array>

<dict>

<key>\_name</key>

<string>Futura-CondensedMedium</string>

<key>copy\_protected</key>

<string>no</string>

<key>copyright</key>

<string>© Copyright 1998, Neufville

Digital. ALL RIGHTS RESERVED. This font is licensed, not sold, and may not be reproduced without the written consent of Neufville Digital. Parts © Visualogik Technology & Design, 1998.</string>

<key>description</key>

<string>Paul Renner (1878-1956) was a painter, typographer, typeface designer and teacher. Between 1908 and 1917 he designed thousands of books for Munich publishers in a refined traditional style. In the early 1920s he began to support the modern styles of architecture and typography, becoming a leading proponent of the New Typography. Renner is best known for designing the typeface Futura, which became a standard tool for the New Typography, and remains a popular typeface today. Futura does give a

restful, almost bland impression, which accords with Renner's objectives. Futura seems classical, not only due to the form of its capitals, but also to the open, wide forms of the geometrical small letters. The typeface relies on notions of classical, yet contemporary form, - harmony and evenness of texture. Thanks to the modern digital technology Futura lives on in a greater variety than ever, offering a wide choice of typographic solutions for contemporary design in the new millennium.</string>

<key>designer</key>  
<string>Paul Renner (1928)</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Futura</string>  
<key>fullname</key>  
<string>Futura Condensed Medium</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Condensed Medium</string>  
<key>trademark</key>  
<string>Futura is a registered trademark of

Bauer Types SA. Unauthorised use prohibited. ALL RIGHTS RESERVED. Neufville Digital is a trademark of Visualogik, used with the permission of Neufville SL.</string>

<key>unique</key>  
<string>Futura Condensed Medium; 16.0d2e1;

2020-07-06</string>

<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>16.0d2e1</string>

</dict>

<dict>

<key>\_name</key>  
<string>Futura-CondensedExtraBold</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Â© Copyright 1998, Neufville

Digital. ALL RIGHTS RESERVED. This font is licensed, not sold, and may not be reproduced without the written consent of Neufville Digital. Parts Â© Visualogik Technology & Design, 1998.</string>

<key>description</key>

<string>Paul Renner (1878-1956) was a painter, typographer, typeface designer and teacher. Between 1908 and 1917 he designed thousands of books for Munich publishers in a refined traditional style. In the early 1920s he began to support the modern styles of architecture and typography, becoming a leading proponent of the New Typography. Renner is best known for designing the typeface Futura, which became a standard tool for the New Typography, and remains a popular typeface today. Futura does give a restful, almost bland impression, which accords with Renner's objectives. Futura seems classical, not only due to the form of its capitals, but also to the open, wide forms of the geometrical small letters. The typeface relies on notions of classical, yet contemporary form, - harmony and evenness of texture. Thanks to the modern digital technology Futura lives on in a greater variety than ever, offering a wide choice of typographic solutions for contemporary design in the new millennium.</string>

<key>designer</key>  
<string>Paul Renner (1928)</string>  
<key>duplicate</key>

<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Futura</string>  
<key>fullname</key>  
<string>Futura Condensed ExtraBold</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Condensed ExtraBold</string>  
<key>trademark</key>  
<string>Futura is a registered trademark of

Bauer Types SA. Unauthorised use prohibited. ALL RIGHTS RESERVED. Neufville Digital is a trademark of Visualogik, used with the permission of Neufville SL.</string>

<key>unique</key>  
<string>Futura Condensed ExtraBold;

16.0d2e1; 2020-07-06</string>

<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>16.0d2e1</string>

</dict>

<dict>

<key>\_name</key>  
<string>Futura-MediumItalic</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Â© Copyright 1998, Neufville

Digital. ALL RIGHTS RESERVED. This font is licensed, not sold, and may not be reproduced without the written consent of Neufville Digital. Parts Â© Visualogik Technology & Design, 1998.</string>

<key>description</key>

<string>Paul Renner (1878-1956) was a painter, typographer, typeface designer and teacher. Between 1908 and 1917 he designed thousands of books for Munich publishers in a refined traditional style. In the early 1920s he began to support the modern styles of architecture and typography, becoming a leading proponent of the New Typography. Renner is best known for designing the typeface Futura, which became a standard tool for the New Typography, and remains a popular typeface today. Futura does give a restful, almost bland impression, which accords with Renner's objectives. Futura seems classical, not only due to the form of its capitals, but also to the open, wide forms of the geometrical small letters. The typeface relies on notions of classical, yet contemporary form, - harmony and evenness of texture. Thanks to the modern digital technology Futura lives on in a greater variety than ever, offering a wide choice of typographic solutions for contemporary design in the new millennium.</string>

<key>designer</key>  
<string>Paul Renner (1928)</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Futura</string>  
<key>fullname</key>  
<string>Futura Medium Italic</string>  
<key>outline</key>

```

        <string>yes</string>
        <key>style</key>
        <string>Medium Italic</string>
        <key>trademark</key>
        <string>Futura is a registered trademark of
Bauer Types SA. Unauthorised use prohibited. ALL RIGHTS RESERVED. Neufville
Digital is a trademark of Visualogik, used with the permission of Neufville
SL.</string>
        <key>unique</key>
        <string>Futura Medium Italic; 16.0d2e1;
2020-07-06</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>16.0d2e1</string>
</dict>
<dict>
    <key>_name</key>
    <string>Futura-Medium</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© Copyright 1998, Neufville
Digital. ALL RIGHTS RESERVED. This font is licensed, not sold, and may not be
reproduced without the written consent of Neufville Digital. Parts Â© Visualogik
Technology & Design, 1998.</string>
    <key>description</key>
    <string>Paul Renner (1878-1956) was a
painter, typographer, typeface designer and teacher. Between 1908 and 1917 he
designed thousands of books for Munich publishers in a refined traditional
style. In the early 1920s he began to support the modern styles of architecture
and typography, becoming a leading proponent of the New Typography. Renner is
best known for designing the typeface Futura, which became a standard tool for
the New Typography, and remains a popular typeface today. Futura does give a
restful, almost bland impression, which accords with Renner's objectives. Futura
seems classical, not only due to the form of its capitals, but also to the open,
wide forms of the geometrical small letters. The typeface relies on notions of
classical, yet contemporary form, - harmony and evenness of texture. Thanks to
the modern digital technology Futura lives on in a greater variety than ever,
offering a wide choice of typographic solutions for contemporary design in the
new millennium.</string>
    <key>designer</key>
    <string>Paul Renner (1928)</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Futura</string>
    <key>fullname</key>
    <string>Futura Medium</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Medium</string>
    <key>trademark</key>
    <string>Futura is a registered trademark of
Bauer Types SA. Unauthorised use prohibited. ALL RIGHTS RESERVED. Neufville
Digital is a trademark of Visualogik, used with the permission of Neufville
SL.</string>
    <key>unique</key>
    <string>Futura Medium; 16.0d2e1; 2020-07-

```

06</string>

<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>16.0d2e1</string>

</dict>

<dict>

<key>\_name</key>  
<string>Futura-Bold</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Â© Copyright 1998, 2016 Neufville

Digital. ALL RIGHTS RESERVED. This font is licensed, not sold, and may not be reproduced without the written consent of Neufville Digital. Parts Â© Visualogik Technology & Design, 1998, 2016.</string>

<key>description</key>

<string>Paul Renner (1878-1956) was a painter, typographer, typeface designer and teacher. Between 1908 and 1917 he designed thousands of books for Munich publishers in a refined traditional style. In the early 1920s he began to support the modern styles of architecture and typography, becoming a leading proponent of the New Typography. Renner is best known for designing the typeface Futura, which became a standard tool for the New Typography, and remains a popular typeface today. Futura does give a restful, almost bland impression, which accords with Renner's objectives. Futura seems classical, not only due to the form of its capitals, but also to the open, wide forms of the geometrical small letters. The typeface relies on notions of classical, yet contemporary form, - harmony and evenness of texture. Thanks to the modern digital technology Futura lives on in a greater variety than ever, offering a wide choice of typographic solutions for contemporary design in the new millennium. In 2016 the Visualogik Design Staff, headed by Marie-ThÃ©rÃ¨se Koreman, developed completely new character sets for greek and cyrillic, true to the Renner ideas and the early considerations of the Bauersche Giesserei, with a special eye for contemporary digital demands.</string>

<key>designer</key>

<string>Paul Renner (1928), Marie-ThÃ©rÃ¨se Koreman (1997, 2016)</string>

<key>duplicate</key>

<string>no</string>

<key>embeddable</key>

<string>yes</string>

<key>enabled</key>

<string>yes</string>

<key>family</key>

<string>Futura</string>

<key>fullname</key>

<string>Futura Bold</string>

<key>outline</key>

<string>yes</string>

<key>style</key>

<string>Bold</string>

<key>trademark</key>

<string>Futura is a registered trademark of Bauer Types SA. Unauthorised use prohibited. ALL RIGHTS RESERVED. Neufville Digital is a trademark of Visualogik, used with the permission of Neufville SL.</string>

<key>unique</key>

<string>Futura Bold; 16.0d2e1;  
2020-07-06</string>

<key>valid</key>

<string>yes</string>

<key>version</key>

<string>16.0d2e1</string>

</dict>



```

        </array>
        <key>valid</key>
        <string>yes</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Bangla MN.ttc</string>
        <key>enabled</key>
        <string>yes</string>
        <key>path</key>
        <string>/System/Library/Fonts/Supplemental/Bangla
MN.ttc</string>
        <key>type</key>
        <string>truetype</string>
        <key>typefaces</key>
        <array>
            <dict>
                <key>_name</key>
                <string>BanglaMN-Bold</string>
                <key>copy_protected</key>
                <string>no</string>
                <key>copyright</key>
                <string>Copyright (c) 2009 by Muthu
Nedumaran. All rights reserved.</string>
                <key>description</key>
                <string>Copyright (c) 2009 by Muthu
Nedumaran. All rights reserved.</string>
                <key>designer</key>
                <string>Muthu Nedumaran</string>
                <key>duplicate</key>
                <string>no</string>
                <key>embeddable</key>
                <string>yes</string>
                <key>enabled</key>
                <string>yes</string>
                <key>family</key>
                <string>Bangla MN</string>
                <key>fullname</key>
                <string>Bangla MN Bold</string>
                <key>outline</key>
                <string>yes</string>
                <key>style</key>
                <string>Bold</string>
                <key>trademark</key>
                <string>Bangla MN Bold is a trademark of
Muthu Nedumaran.</string>
                <key>unique</key>
                <string>Bangla MN Bold; 14.0d1e2; 2018-02-
25</string>
                <key>valid</key>
                <string>yes</string>
                <key>vendor</key>
                <string>Muthu Nedumaran</string>
                <key>version</key>
                <string>14.0d1e2</string>
            </dict>
            <dict>
                <key>_name</key>
                <string>BanglaMN</string>
                <key>copy_protected</key>
                <string>no</string>
                <key>copyright</key>
                <string>Copyright (c) 2009 by Muthu
Nedumaran. All rights reserved.</string>

```

```

        <key>description</key>
        <string>Copyright (c) 2009 by Muthu
Nedumaran. All rights reserved.</string>
        <key>designer</key>
        <string>Muthu Nedumaran</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Bangla MN</string>
        <key>fullname</key>
        <string>Bangla MN</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>trademark</key>
        <string>Bangla MN is a trademark of Muthu
Nedumaran.</string>
        <key>unique</key>
        <string>Bangla MN; 14.0d1e2;
2018-02-25</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Muthu Nedumaran</string>
        <key>version</key>
        <string>14.0d1e2</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Apple Symbols.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Apple Symbols.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>AppleSymbols</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>© Copyright 2003-2006 by Apple
Computer, Inc.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Apple Symbols</string>
            <key>fullname</key>

```

```

                <string>Apple Symbols</string>
                <key>outline</key>
                <string>yes</string>
                <key>style</key>
                <string>Regular</string>
                <key>unique</key>
                <string>Apple Symbols; 16.0d4e1; 2020-09-
25</string>
                <key>valid</key>
                <string>yes</string>
                <key>version</key>
                <string>16.0d4e1</string>
            </dict>
        </array>
        <key>valid</key>
        <string>yes</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Courier New.ttf</string>
        <key>enabled</key>
        <string>yes</string>
        <key>path</key>
        <string>/System/Library/Fonts/Supplemental/Courier
New.ttf</string>
        <key>type</key>
        <string>truetype</string>
        <key>typefaces</key>
        <array>
            <dict>
                <key>_name</key>
                <string>CourierNewPSMT</string>
                <key>copy_protected</key>
                <string>no</string>
                <key>copyright</key>
                <string>Â© 2008 The Monotype Corporation.
All Rights Reserved.</string>
                <key>designer</key>
                <string>Howard Kettler</string>
                <key>duplicate</key>
                <string>no</string>
                <key>embeddable</key>
                <string>yes</string>
                <key>enabled</key>
                <string>yes</string>
                <key>family</key>
                <string>Courier New</string>
                <key>fullname</key>
                <string>Courier New</string>
                <key>outline</key>
                <string>yes</string>
                <key>style</key>
                <string>Regular</string>
                <key>trademark</key>
                <string>Courier New is a trademark of The
Monotype Corporation in the United States and/or other countries.</string>
                <key>unique</key>
                <string>Monotype:Courier New:version 5.00
(Microsoft)</string>
                <key>valid</key>
                <string>yes</string>
                <key>vendor</key>
                <string>The Monotype Corporation</string>
                <key>version</key>

```

```

        <string>Version 5.00.2x</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Telugu MN.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Telugu
MN.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>TeluguMN-Bold</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright (c) 2009 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
            <key>description</key>
            <string>Copyright (c) 2003 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
            <key>designer</key>
            <string>Muthu Nedumaran</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Telugu MN</string>
            <key>fullname</key>
            <string>Telugu MN Bold</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Bold</string>
            <key>trademark</key>
            <string>Telugu MN is a trademark of Murasu
Systems Sdn. Bhd. Malaysia.</string>
            <key>unique</key>
            <string>Telugu MN Bold; 14.0d1e2; 2018-02-
25</string>
            <key>valid</key>
            <string>yes</string>
            <key>vendor</key>
            <string>Murasu Systems Sdn. Bhd.
Malaysia</string>
            <key>version</key>
            <string>14.0d1e2</string>
        </dict>
    </array>
</dict>
<dict>
    <key>_name</key>
    <string>TeluguMN</string>
    <key>copy_protected</key>
    <string>no</string>

```

```

        <key>copyright</key>
        <string>Copyright (c) 2009 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
        <key>description</key>
        <string>Copyright (c) 2003 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
        <key>designer</key>
        <string>Muthu Nedumaran</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Telugu MN</string>
        <key>fullname</key>
        <string>Telugu MN</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>trademark</key>
        <string>Telugu MN is a trademark of Murasu
Systems Sdn. Bhd. Malaysia.</string>
        <key>unique</key>
        <string>Telugu MN; 14.0d1e2;
2018-02-25</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Murasu Systems Sdn. Bhd.
Malaysia</string>
        <key>version</key>
        <string>14.0d1e2</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>SFCompactItalic.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/SFCompactItalic.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>.SFCompact-RegularItalic</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>© 2020 Apple Inc. All rights
reserved.</string>
            <key>description</key>
            <string>Apple Inc.</string>
            <key>designer</key>
            <string>Apple Inc.</string>

```

```
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF Compact</string>
<key>fullname</key>
<string>.SF Compact Regular Italic</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular Italic</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>

<key>unique</key>
<string>.SF Compact Black Italic; 16.0d15e3;
2020-09-15</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-RegularItalicG1</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>
  <string>.SF Compact Regular Italic
G1</string>

  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Regular Italic G1</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF Compact Black Italic; 16.0d15e3;
2020-09-15</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
```

```
        <key>version</key>
        <string>16.0d15e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFCompact-RegularItalicG2</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.SF Compact</string>
    <key>fullname</key>
    <string>.SF Compact Regular Italic
G2</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular Italic G2</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF Compact Black Italic; 16.0d15e3;
2020-09-15</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFCompact-RegularItalicG3</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.SF Compact</string>
    <key>fullname</key>
```

```

G3</string>                <string>.SF Compact Regular Italic
                             <key>outline</key>
                             <string>yes</string>
                             <key>style</key>
                             <string>Regular Italic G3</string>
                             <key>trademark</key>
                             <string>San Francisco is a trademark of
Apple Inc.</string>        <key>unique</key>
                             <string>.SF Compact Black Italic; 16.0d15e3;
2020-09-15</string>      <key>valid</key>
                             <string>yes</string>
                             <key>vendor</key>
                             <string>Apple Inc.</string>
                             <key>version</key>
                             <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-RegularItalicG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2020 Apple Inc. All rights
reserved.</string>
                             <key>description</key>
                             <string>Apple Inc.</string>
                             <key>designer</key>
                             <string>Apple Inc.</string>
                             <key>duplicate</key>
                             <string>no</string>
                             <key>embeddable</key>
                             <string>yes</string>
                             <key>enabled</key>
                             <string>yes</string>
                             <key>family</key>
                             <string>.SF Compact</string>
                             <key>fullname</key>
                             <string>.SF Compact Regular Italic
G4</string>                <key>outline</key>
                             <string>yes</string>
                             <key>style</key>
                             <string>Regular Italic G4</string>
                             <key>trademark</key>
                             <string>San Francisco is a trademark of
Apple Inc.</string>        <key>unique</key>
                             <string>.SF Compact Black Italic; 16.0d15e3;
2020-09-15</string>      <key>valid</key>
                             <string>yes</string>
                             <key>vendor</key>
                             <string>Apple Inc.</string>
                             <key>version</key>
                             <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-MediumItalic</string>
  <key>copy_protected</key>
  <string>no</string>

```



```
<key>copyright</key>
reserved.</string> <string>Â© 2020 Apple Inc. All rights

<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF Compact</string>
<key>fullname</key>
<string>.SF Compact Medium Italic</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Medium Italic</string>
<key>trademark</key>
<string>San Francisco is a trademark of

Apple Inc.</string>

<key>unique</key>
2020-09-15</string> <string>.SF Compact Black Italic; 16.0d15e3;

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-MediumItalicG1</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2020 Apple Inc. All rights

reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>
  <string>.SF Compact Medium Italic

G1</string>

  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Medium Italic G1</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of

Apple Inc.</string>
```

```
2020-09-15</string>
    <key>unique</key>
    <string>.SF Compact Black Italic; 16.0d15e3;

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFCompact-MediumItalicG2</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2020 Apple Inc. All rights

reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.SF Compact</string>
    <key>fullname</key>
    <string>.SF Compact Medium Italic

G2</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Medium Italic G2</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of

Apple Inc.</string>

    <key>unique</key>
    <string>.SF Compact Black Italic; 16.0d15e3;

2020-09-15</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFCompact-MediumItalicG3</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2020 Apple Inc. All rights

reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
```

```

        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>.SF Compact</string>
        <key>fullname</key>
        <string>.SF Compact Medium Italic
G3</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Medium Italic G3</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF Compact Black Italic; 16.0d15e3;
2020-09-15</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d15e3</string>
</dict>
<dict>
        <key>_name</key>
        <string>.SFCompact-MediumItalicG4</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>A© 2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>.SF Compact</string>
        <key>fullname</key>
        <string>.SF Compact Medium Italic
G4</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Medium Italic G4</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF Compact Black Italic; 16.0d15e3;
2020-09-15</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>

```

```
        <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-LightItalic</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>
  <string>.SF Compact Light Italic</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Light Italic</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF Compact Black Italic; 16.0d15e3;
2020-09-15</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-LightItalicG1</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>
  <string>.SF Compact Light Italic G1</string>
  <key>outline</key>
```

```
<string>yes</string>
<key>style</key>
<string>Light Italic G1</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
<key>unique</key>
<string>.SF Compact Black Italic; 16.0d15e3;
2020-09-15</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-LightItalicG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>
  <string>.SF Compact Light Italic G2</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Light Italic G2</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF Compact Black Italic; 16.0d15e3;
2020-09-15</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-LightItalicG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
```

```
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF Compact</string>
<key>fullname</key>
<string>.SF Compact Light Italic G3</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Light Italic G3</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
<key>unique</key>
2020-09-15</string>
<string>.SF Compact Black Italic; 16.0d15e3;
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-LightItalicG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>
  <string>.SF Compact Light Italic G4</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Light Italic G4</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
2020-09-15</string>
  <string>.SF Compact Black Italic; 16.0d15e3;
  <key>valid</key>
  <string>yes</string>
```

```

    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-ThinItalic</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>
  <string>.SF Compact Thin Italic</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Thin Italic</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF Compact Black Italic; 16.0d15e3;
2020-09-15</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-ThinItalicG1</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>

```

```
<key>fullname</key>
<string>.SF Compact Thin Italic G1</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Thin Italic G1</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>

<key>unique</key>
<string>.SF Compact Black Italic; 16.0d15e3;
2020-09-15</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-ThinItalicG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>
  <string>.SF Compact Thin Italic G2</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Thin Italic G2</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF Compact Black Italic; 16.0d15e3;
2020-09-15</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-ThinItalicG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
```



```
reserved.</string>      <string>Â© 2020 Apple Inc. All rights
                        <key>description</key>
                        <string>Apple Inc.</string>
                        <key>designer</key>
                        <string>Apple Inc.</string>
                        <key>duplicate</key>
                        <string>no</string>
                        <key>embeddable</key>
                        <string>yes</string>
                        <key>enabled</key>
                        <string>yes</string>
                        <key>family</key>
                        <string>.SF Compact</string>
                        <key>fullname</key>
                        <string>.SF Compact Thin Italic G3</string>
                        <key>outline</key>
                        <string>yes</string>
                        <key>style</key>
                        <string>Thin Italic G3</string>
                        <key>trademark</key>
                        <string>San Francisco is a trademark of
Apple Inc.</string>
                        <key>unique</key>
2020-09-15</string>   <string>.SF Compact Black Italic; 16.0d15e3;
                        <key>valid</key>
                        <string>yes</string>
                        <key>vendor</key>
                        <string>Apple Inc.</string>
                        <key>version</key>
                        <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-ThinItalicG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>
  <string>.SF Compact Thin Italic G4</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Thin Italic G4</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF Compact Black Italic; 16.0d15e3;
```

2020-09-15</string>

```
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
```

</dict>

```
<dict>
```

```
<key>_name</key>
<string>.SFCompact-UltralightItalic</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>© 2020 Apple Inc. All rights
```

reserved.</string>

```
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF Compact</string>
<key>fullname</key>
<string>.SF Compact Ultralight
```

Italic</string>

```
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Ultralight Italic</string>
<key>trademark</key>
<string>San Francisco is a trademark of
```

Apple Inc.</string>

```
<key>unique</key>
<string>.SF Compact Black Italic; 16.0d15e3;
```

2020-09-15</string>

```
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
```

</dict>

```
<dict>
```

```
<key>_name</key>
```

```
<string>.SFCompact-UltralightItalicG1</string>
```

```
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>© 2020 Apple Inc. All rights
```

reserved.</string>

```
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
```

```
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF Compact</string>
<key>fullname</key>
<string>.SF Compact Ultralight Italic
G1</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Ultralight Italic G1</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
<key>unique</key>
<string>.SF Compact Black Italic; 16.0d15e3;
2020-09-15</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-UltralightItalicG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>A© 2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>
  <string>.SF Compact Ultralight Italic
G2</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Ultralight Italic G2</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF Compact Black Italic; 16.0d15e3;
2020-09-15</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
```

```
        <string>16.0d15e3</string>
</dict>
<dict>
    <key>_name</key>

    <string>.SFCompact-UltralightItalicG3</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.SF Compact</string>
    <key>fullname</key>
    <string>.SF Compact Ultralight Italic
G3</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Ultralight Italic G3</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF Compact Black Italic; 16.0d15e3;
2020-09-15</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
    <key>_name</key>

    <string>.SFCompact-UltralightItalicG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.SF Compact</string>
```

```

        <key>fullname</key>
        <string>.SF Compact Ultralight Italic
G4</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Ultralight Italic G4</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF Compact Black Italic; 16.0d15e3;
2020-09-15</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d15e3</string>
</dict>
<dict>
        <key>_name</key>
        <string>.SFCompact-SemiboldItalic</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2020 Apple Inc. All rights
reserved.</string>
        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>.SF Compact</string>
        <key>fullname</key>
        <string>.SF Compact Semibold Italic</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semibold Italic</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF Compact Black Italic; 16.0d15e3;
2020-09-15</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d15e3</string>
</dict>
<dict>
        <key>_name</key>
        <string>.SFCompact-SemiboldItalicG1</string>
        <key>copy_protected</key>
        <string>no</string>

```

```

    <key>copyright</key>
    <string>Â© 2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.SF Compact</string>
    <key>fullname</key>
    <string>.SF Compact Semibold Italic

G1</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semibold Italic G1</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of

Apple Inc.</string>

    <key>unique</key>
    <string>.SF Compact Black Italic; 16.0d15e3;

2020-09-15</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFCompact-SemiboldItalicG2</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.SF Compact</string>
    <key>fullname</key>
    <string>.SF Compact Semibold Italic

G2</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semibold Italic G2</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of

```

```
Apple Inc.</string>
2020-09-15</string>
reserved.</string>
G3</string>
Apple Inc.</string>
2020-09-15</string>
reserved.</string>

<key>unique</key>
<string>.SF Compact Black Italic; 16.0d15e3;

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-SemiboldItalicG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2020 Apple Inc. All rights

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>
  <string>.SF Compact Semibold Italic

  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Semibold Italic G3</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of

  <key>unique</key>
  <string>.SF Compact Black Italic; 16.0d15e3;

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-SemiboldItalicG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2020 Apple Inc. All rights

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
```

```
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF Compact</string>
<key>fullname</key>
<string>.SF Compact Semibold Italic
G4</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Semibold Italic G4</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
<key>unique</key>
<string>.SF Compact Black Italic; 16.0d15e3;
2020-09-15</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
<key>_name</key>
<string>.SFCompact-BoldItalic</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>© 2020 Apple Inc. All rights
reserved.</string>
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF Compact</string>
<key>fullname</key>
<string>.SF Compact Bold Italic</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Bold Italic</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
<key>unique</key>
<string>.SF Compact Black Italic; 16.0d15e3;
2020-09-15</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
```



```

    <string>16.0d15e3</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>.SFCompact-BoldItalicG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.SF Compact</string>
    <key>fullname</key>
    <string>.SF Compact Bold Italic G1</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold Italic G1</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF Compact Black Italic; 16.0d15e3;
2020-09-15</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>.SFCompact-BoldItalicG2</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.SF Compact</string>
    <key>fullname</key>
    <string>.SF Compact Bold Italic G2</string>
    <key>outline</key>

```

```
<string>yes</string>
<key>style</key>
<string>Bold Italic G2</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
<key>unique</key>
<string>.SF Compact Black Italic; 16.0d15e3;
2020-09-15</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-BoldItalicG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>
  <string>.SF Compact Bold Italic G3</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Bold Italic G3</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF Compact Black Italic; 16.0d15e3;
2020-09-15</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-BoldItalicG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
```

```
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF Compact</string>
<key>fullname</key>
<string>.SF Compact Bold Italic G4</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Bold Italic G4</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
2020-09-15</string>
<key>unique</key>
<string>.SF Compact Black Italic; 16.0d15e3;
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-HeavyItalic</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>
  <string>.SF Compact Heavy Italic</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Heavy Italic</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
2020-09-15</string>
  <key>unique</key>
  <string>.SF Compact Black Italic; 16.0d15e3;
  <key>valid</key>
  <string>yes</string>
```

```

    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-HeavyItalicG1</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>
  <string>.SF Compact Heavy Italic G1</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Heavy Italic G1</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF Compact Black Italic; 16.0d15e3;
2020-09-15</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-HeavyItalicG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>

```

```
<key>fullname</key>
<string>.SF Compact Heavy Italic G2</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Heavy Italic G2</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>

<key>unique</key>
<string>.SF Compact Black Italic; 16.0d15e3;
2020-09-15</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-HeavyItalicG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>
  <string>.SF Compact Heavy Italic G3</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Heavy Italic G3</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF Compact Black Italic; 16.0d15e3;
2020-09-15</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-HeavyItalicG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
```

```
reserved.</string>      <string>Â© 2020 Apple Inc. All rights
                        <key>description</key>
                        <string>Apple Inc.</string>
                        <key>designer</key>
                        <string>Apple Inc.</string>
                        <key>duplicate</key>
                        <string>no</string>
                        <key>embeddable</key>
                        <string>yes</string>
                        <key>enabled</key>
                        <string>yes</string>
                        <key>family</key>
                        <string>.SF Compact</string>
                        <key>fullname</key>
                        <string>.SF Compact Heavy Italic G4</string>
                        <key>outline</key>
                        <string>yes</string>
                        <key>style</key>
                        <string>Heavy Italic G4</string>
                        <key>trademark</key>
                        <string>San Francisco is a trademark of
Apple Inc.</string>
                        <key>unique</key>
                        <string>.SF Compact Black Italic; 16.0d15e3;
2020-09-15</string>
                        <key>valid</key>
                        <string>yes</string>
                        <key>vendor</key>
                        <string>Apple Inc.</string>
                        <key>version</key>
                        <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompact-BlackItalic</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact</string>
  <key>fullname</key>
  <string>.SF Compact Black Italic</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Black Italic</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF Compact Black Italic; 16.0d15e3;
```

2020-09-15</string>

```
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>Chalkduster.ttf</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
```

<string>/System/Library/Fonts/Supplemental/Chalkduster.ttf</string>

```
<key>type</key>
<string>truetype</string>
<key>typefaces</key>
<array>
  <dict>
    <key>_name</key>
    <string>Chalkduster</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright 2008 Apple Computer,
```

Inc.</string>

```
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Chalkduster</string>
<key>fullname</key>
<string>Chalkduster</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular</string>
<key>unique</key>
<string>Chalkduster; 13.0d2e1;
```

2017-07-06</string>

```
<key>valid</key>
<string>yes</string>
<key>version</key>
<string>13.0d2e1</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>HelveLTMM</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
```

```

<string>/System/Library/Fonts/HelveticaLTMM</string>
<key>type</key>
<string>postscript</string>
<key>typefaces</key>
<array>
  <dict>
    <key>_name</key>
    <string>HelveticaLTMM</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Part of the digitally encoded
machine readable outline data for producing the Typefaces provided is
copyrighted (c) 1988, 1990, 1991, 2002-2004 Linotype Library GmbH,
www.linotype.com. All rights reserved. This software is the </string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.Helvetica LT MM</string>
    <key>fullname</key>
    <string>.Helvetica LT MM</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>trademark</key>
    <string>Helvetica is a trademark of
Heidelberger Druckmaschinen AG which may be registered in certain jurisdictions,
exclusively licensed through Linotype Library GmbH, a wholly owned subsidiary of
Heidelberger Druckmaschinen AG.</string>
    <key>unique</key>
    <string>.Helvetica LT MM</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>001.006</string>
  </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>Hiragino Sans GB.ttc</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/Hiragino Sans
GB.ttc</string>
  <key>type</key>
  <string>opentype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>HiraginoSansGB-W6</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>ver3.20, Copyright © 2007-2013

```



```

Dainippon Screen Mfg. Co., Ltd. All Rights Reserved.</string>
    <key>designer</key>
    <string>JIYUKOBO Ltd.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Hiragino Sans GB</string>
    <key>fullname</key>
    <string>Hiragino Sans GB W6</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>W6</string>
    <key>trademark</key>
    <string>HIRAGINO is a trademark of Dainippon
Screen Mfg. Co., Ltd.</string>
    <key>unique</key>
    <string>Hiragino Sans GB W6; 13.0d2e3; 2017-
06-23</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Dainippon Screen Mfg. Co.,
Ltd.</string>
    <key>version</key>
    <string>13.0d2e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>HiraginoSansGB-W3</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>ver3.20, Copyright © 2007-2013
Dainippon Screen Mfg. Co., Ltd. All Rights Reserved.</string>
    <key>designer</key>
    <string>JIYUKOBO Ltd.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Hiragino Sans GB</string>
    <key>fullname</key>
    <string>Hiragino Sans GB W3</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>W3</string>
    <key>trademark</key>
    <string>HIRAGINO is a trademark of Dainippon
Screen Mfg. Co., Ltd.</string>
    <key>unique</key>
    <string>Hiragino Sans GB W3; 13.0d2e3; 2017-
06-23</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>

```

Ltd.</string>  
<string>Dainippon Screen Mfg. Co.,  
<key>version</key>  
<string>13.0d2e3</string>  
</dict>  
<dict>  
<key>\_name</key>  
<string>.HiraginoSansGBInterface-W3</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>ver3.20, Copyright © 2007-2013  
Dainippon Screen Mfg. Co., Ltd. All Rights Reserved.</string>  
<key>designer</key>  
<string>JIYUKOBO Ltd.</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>.Hiragino Sans GB Interface</string>  
<key>fullname</key>  
<string>.Hiragino Sans GB Interface  
W3</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>W3</string>  
<key>trademark</key>  
<string>HIRAGINO is a trademark of SCREEN  
Holdings Co., Ltd.</string>  
<key>unique</key>  
<string>.Hiragino Sans GB Interface W3;  
13.0d2e3; 2017-06-23</string>  
<key>valid</key>  
<string>yes</string>  
<key>vendor</key>  
<string>SCREEN Graphic and Precision  
Solutions Co., Ltd.</string>  
<key>version</key>  
<string>13.0d2e3</string>  
</dict>  
<dict>  
<key>\_name</key>  
<string>.HiraginoSansGBInterface-W6</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>ver3.20, Copyright © 2007-2013  
Dainippon Screen Mfg. Co., Ltd. All Rights Reserved.</string>  
<key>designer</key>  
<string>JIYUKOBO Ltd.</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>.Hiragino Sans GB Interface</string>  
<key>fullname</key>  
<string>.Hiragino Sans GB Interface

```

W6</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>W6</string>
    <key>trademark</key>
    <string>HIRAGINO is a trademark of SCREEN
Holdings Co., Ltd.</string>
    <key>unique</key>
    <string>.Hiragino Sans GB Interface W6;
13.0d2e3; 2017-06-23</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>SCREEN Graphic and Precision
Solutions Co., Ltd.</string>
    <key>version</key>
    <string>13.0d2e3</string>
    </dict>
  </array>
  <key>valid</key>
  <string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>Farah.ttc</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/Supplemental/Farah.ttc</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>Farah</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>A© 2001 Diwan Software Ltd.</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>Farah</string>
      <key>fullname</key>
      <string>Farah Regular</string>
      <key>outline</key>
      <string>yes</string>
      <key>style</key>
      <string>Regular</string>
      <key>unique</key>
      <string>Farah Regular; 13.0d2e3; 2017-07-
12</string>
      <key>valid</key>
      <string>yes</string>
      <key>version</key>
      <string>13.0d2e3</string>
    </dict>
  </array>
</dict>

```

```
<dict>
  <key>_name</key>
  <string>.FarahPUA</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2001 Diwan Software Ltd.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.Farah PUA</string>
  <key>fullname</key>
  <string>.Farah PUA</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Regular</string>
  <key>unique</key>
  <string>.Farah PUA; 13.0d2e3;

2017-07-12</string>

  <key>valid</key>
  <string>yes</string>
  <key>version</key>
  <string>13.0d2e3</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>Arial.ttf</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>

<string>/System/Library/Fonts/Supplemental/Arial.ttf</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>ArialMT</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>© 2006 The Monotype Corporation.

All Rights Reserved.</string>

      <key>designer</key>
      <string>Monotype Type Drawing Office - Robin
Nicholas, Patricia Saunders 1982</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>Arial</string>
```

```

        <key>fullname</key>
        <string>Arial</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>trademark</key>
        <string>Arial is a trademark of The Monotype
Corporation in the United States and/or other countries.</string>
        <key>unique</key>
        <string>Monotype:Arial Regular:Version 5.01
(Microsoft)</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>The Monotype Corporation</string>
        <key>version</key>
        <string>Version 5.01.2x</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Geneva.dfont</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Geneva.dfont</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>Geneva</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Â© 1990-2016 Apple Inc. Â© 1990-98
Type Solutions Inc. Â© 1990-98 The Font Bureau Inc. TrueType outline design of
Geneva typeface created by Kris Holmes and Charles Bigelow.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Geneva</string>
            <key>fullname</key>
            <string>Geneva</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Regular</string>
            <key>unique</key>
            <string>Geneva; 13.0d2e1;
2017-10-05</string>
            <key>valid</key>
            <string>yes</string>
            <key>version</key>
            <string>13.0d2e1</string>

```

```

        </dict>
    </array>
    <key>valid</key>
    <string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Arial Bold.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Arial
Bold.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>Arial-BoldMT</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>© 2006 The Monotype Corporation.
All Rights Reserved.</string>
            <key>designer</key>
            <string>Monotype Type Drawing Office - Robin
Nicholas, Patricia Saunders 1982</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Arial</string>
            <key>fullname</key>
            <string>Arial Bold</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Bold</string>
            <key>trademark</key>
            <string>Arial is a trademark of The Monotype
Corporation in the United States and/or other countries.</string>
            <key>unique</key>
            <string>Monotype:Arial Bold:Version 5.01
(Microsoft)</string>
            <key>valid</key>
            <string>yes</string>
            <key>vendor</key>
            <string>The Monotype Corporation</string>
            <key>version</key>
            <string>Version 5.01.2x</string>
        </dict>
    </array>
    <key>valid</key>
    <string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Apple Chancery.ttf</string>
    <key>enabled</key>
    <string>yes</string>

```

```

    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Apple
Chancery.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
      <dict>
        <key>_name</key>
        <string>Apple-Chancery</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 1993-1999 Apple Computer,
Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Apple Chancery</string>
        <key>fullname</key>
        <string>Apple Chancery</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Chancery</string>
        <key>trademark</key>
        <string>Apple Chancery is a trademark of
Apple Computer, Inc.</string>
        <key>unique</key>
        <string>Apple Chancery; 13.0d1e4; 2017-06-
08</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>13.0d1e4</string>
      </dict>
    </array>
    <key>valid</key>
    <string>yes</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>STIXSizFourSymBol.otf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/STIXSizFourSymBol.otf</string>
    <key>type</key>
    <string>postscript</string>
    <key>typefaces</key>
    <array>
      <dict>
        <key>_name</key>
        <string>STIXSizeFourSym-Bold</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright (c) 2001-2011 by the STI
Pub Companies, consisting of the American Chemical Society, the American

```

Institute of Physics, the American Mathematical Society, the American Physical Society, Elsevier, Inc., and The Institute of Electrical and Electronic Engineers, Inc. Portions copyright (c) 1998-2003 by MicroPress, Inc. Portions copyright (c) 1990 by Elsevier, Inc. All rights reserved.</string>

<key>description</key>

<string>Arie de Ruiter, who in 1995 was Head of Information Technology Development at Elsevier Science, made a proposal to the STI Pub group, an informal group of publishers consisting of representatives from the American Chemical Society (ACS), American Institute of Physics (AIP), American Mathematical Society (AMS), American Physical Society (APS), Elsevier, and Institute of Electrical and Electronics Engineers (IEEE). De Ruiter encouraged the members to consider development of a series of Web fonts, which he proposed should be called the Scientific and Technical Information eXchange, or STIX, Fonts. All STI Pub member organizations enthusiastically endorsed this proposal, and the STI Pub group agreed to embark on what has become a twelve-year project. The goal of the project was to identify all alphabetic, symbolic, and other special characters used in any facet of scientific publishing and to create a set of Unicode-based fonts that would be distributed free to every scientist, student, and other interested party worldwide. The fonts would be consistent with the emerging Unicode standard, and would permit universal representation of every character. With the release of the STIX fonts, de Ruiter's vision has been realized.</string>

<key>designer</key>

<string>MicroPress Inc., with final additions and corrections provided by Coen Hoffman, Elsevier (retired)</string>

<key>duplicate</key>

<string>no</string>

<key>embeddable</key>

<string>yes</string>

<key>enabled</key>

<string>yes</string>

<key>family</key>

<string>STIXSizeFourSym</string>

<key>fullname</key>

<string>STIXSizeFourSym-Bold</string>

<key>outline</key>

<string>yes</string>

<key>style</key>

<string>Bold</string>

<key>trademark</key>

<string>STIX Fonts(TM) is a trademark of The Institute of Electrical and Electronics Engineers, Inc.</string>

<key>unique</key>

<string>FontMaster:STIXSizeFourSym-Bold:1.1.0</string>

<key>valid</key>

<string>yes</string>

<key>version</key>

<string>Version 1.1.0</string>

</dict>

</array>

<key>valid</key>

<string>yes</string>

</dict>

<dict>

<key>\_name</key>

<string>Arial Italic.ttf</string>

<key>enabled</key>

<string>yes</string>

<key>path</key>

<string>/System/Library/Fonts/Supplemental/Arial

Italic.ttf</string>

<key>type</key>

<string>truetype</string>



```

    <key>typefaces</key>
    <array>
      <dict>
        <key>_name</key>
        <string>Arial-ItalicMT</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Â© 2006 The Monotype Corporation.
All Rights Reserved.</string>
        <key>designer</key>
        <string>Monotype Type Drawing Office - Robin
Nicholas, Patricia Saunders 1982</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Arial</string>
        <key>fullname</key>
        <string>Arial Italic</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Italic</string>
        <key>trademark</key>
        <string>Arial is a trademark of The Monotype
Corporation in the United States and/or other countries.</string>
        <key>unique</key>
        <string>Monotype:Arial Regular
Italic:Version 3.14 (Microsoft)</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>The Monotype Corporation</string>
        <key>version</key>
        <string>Version 5.00.2x</string>
      </dict>
    </array>
    <key>valid</key>
    <string>yes</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>STHeiti Medium.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/STHeiti
Medium.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
      <dict>
        <key>_name</key>
        <string>STHeitiTC-Medium</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright (c) 2000-2007, Changzhou
SinoType Technology Co., Ltd. All rights reserved.</string>

```

```
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Heiti TC</string>
<key>fullname</key>
<string>Heiti TC Medium</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Medium</string>
<key>trademark</key>
<string>STHeiti TC and SinoType are
trademarks of Changzhou SinoType Technology Co., Ltd.</string>
<key>unique</key>
<string>Heiti TC Medium; 13.0d1e1; 2017-06-
13</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>SinoType</string>
<key>version</key>
<string>13.0d1e1</string>
</dict>
<dict>
<key>_name</key>
<string>STHeitiSC-Medium</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright (c) 2000-2007, Changzhou
SinoType Technology Co., Ltd. All rights reserved.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Heiti SC</string>
<key>fullname</key>
<string>Heiti SC Medium</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Medium</string>
<key>trademark</key>
<string>STHeiti SC and SinoType are
trademarks of Changzhou SinoType Technology Co., Ltd.</string>
<key>unique</key>
<string>Heiti SC Medium; 13.0d1e1; 2017-06-
13</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>SinoType</string>
<key>version</key>
<string>13.0d1e1</string>
</dict>
</array>
<key>valid</key>
```

```
        <string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>GeezaPro.ttc</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/GeezaPro.ttc</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>GeezaPro-Bold</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Diwan Software Ltd. 1992-2009 all
rights reserved.</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>Geeza Pro</string>
      <key>fullname</key>
      <string>Geeza Pro Bold</string>
      <key>outline</key>
      <string>yes</string>
      <key>style</key>
      <string>Bold</string>
      <key>unique</key>
      <string>Geeza Pro Bold; 14.0d1e4; 2017-12-
05</string>
      <key>valid</key>
      <string>yes</string>
      <key>version</key>
      <string>14.0d1e4</string>
    </dict>
  <dict>
    <key>_name</key>
    <string>GeezaPro</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Diwan Software Ltd. 1992-2009 all
rights reserved.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Geeza Pro</string>
    <key>fullname</key>
    <string>Geeza Pro Regular</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
```

```

12-05</string>
    <string>Regular</string>
    <key>unique</key>
    <string>Geeza Pro Regular; 14.0d1e4; 2017-
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>14.0d1e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.GeezaProInterface</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Diwan Software Ltd. 1992-2009 all
rights reserved.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.Geeza Pro Interface</string>
    <key>fullname</key>
    <string>.Geeza Pro Interface
Regular</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>unique</key>
    <string>.Geeza Pro Interface Regular;
14.0d1e4; 2017-12-05</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>14.0d1e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.GeezaProInterface-Light</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Diwan Software Ltd. 1992-2009 all
rights reserved.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.Geeza Pro Interface</string>
    <key>fullname</key>
    <string>.Geeza Pro Interface Light</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Light</string>
    <key>unique</key>
    <string>.Geeza Pro Interface Light;

```

14.0d1e4; 2017-12-05</string>

<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>14.0d1e4</string>

</dict>

<dict>

<key>\_name</key>  
<string>.GeezaProInterface-Bold</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Diwan Software Ltd. 1992-2009 all

rights reserved.</string>

<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>.Geeza Pro Interface</string>  
<key>fullname</key>  
<string>.Geeza Pro Interface Bold</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Bold</string>  
<key>unique</key>  
<string>.Geeza Pro Interface Bold; 14.0d1e4;

2017-12-05</string>

<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>14.0d1e4</string>

</dict>

<dict>

<key>\_name</key>  
<string>.GeezaProPUA</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Diwan Software Ltd. 1992-2009 all

rights reserved.</string>

<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>.Geeza Pro PUA</string>  
<key>fullname</key>  
<string>.Geeza Pro PUA</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Regular</string>  
<key>unique</key>  
<string>.Geeza Pro PUA; 14.0d1e4; 2017-12-

05</string>

<key>valid</key>  
<string>yes</string>  
<key>version</key>

```
<string>14.0d1e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.GeezaProPUA-Bold</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Diwan Software Ltd. 1992-2009 all
rights reserved.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.Geeza Pro PUA</string>
  <key>fullname</key>
  <string>.Geeza Pro PUA Bold</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Bold</string>
  <key>unique</key>
  <string>.Geeza Pro PUA Bold; 14.0d1e4; 2017-
12-05</string>
  <key>valid</key>
  <string>yes</string>
  <key>version</key>
  <string>14.0d1e4</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>Mishafi.ttf</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/Supplemental/Mishafi.ttf</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>DiwanMishafi</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Â© 1998-2000 Diwan Software Ltd. All
rights reserved</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>Mishafi</string>
```

```

                <key>fullname</key>
                <string>Mishafi Regular</string>
                <key>outline</key>
                <string>yes</string>
                <key>style</key>
                <string>Regular</string>
                <key>unique</key>
                <string>Mishafi Regular; 13.0d2e1; 2017-06-
28</string>

                <key>valid</key>
                <string>yes</string>
                <key>version</key>
                <string>13.0d2e1</string>
            </dict>
        </array>
        <key>valid</key>
        <string>yes</string>
    </dict>
<dict>
    <key>_name</key>
    <string>STIXIntUpReg.otf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>

<string>/System/Library/Fonts/Supplemental/STIXIntUpReg.otf</string>
    <key>type</key>
    <string>postscript</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>STIXIntegralsUp-Regular</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright (c) 2001-2011 by the STI
Pub Companies, consisting of the American Chemical Society, the American
Institute of Physics, the American Mathematical Society, the American Physical
Society, Elsevier, Inc., and The Institute of Electrical and Electronic
Engineers, Inc. Portions copyright (c) 1998-2003 by MicroPress, Inc. Portions
copyright (c) 1990 by Elsevier, Inc. All rights reserved.</string>
            <key>description</key>
            <string>Arie de Ruiter, who in 1995 was Head
of Information Technology Development at Elsevier Science, made a proposal to
the STI Pub group, an informal group of publishers consisting of representatives
from the American Chemical Society (ACS), American Institute of Physics (AIP),
American Mathematical Society (AMS), American Physical Society (APS), Elsevier,
and Institute of Electrical and Electronics Engineers (IEEE). De Ruiter
encouraged the members to consider development of a series of Web fonts, which
he proposed should be called the Scientific and Technical Information eXchange,
or STIX, Fonts. All STI Pub member organizations enthusiastically endorsed this
proposal, and the STI Pub group agreed to embark on what has become a twelve-
year project. The goal of the project was to identify all alphabetic, symbolic,
and other special characters used in any facet of scientific publishing and to
create a set of Unicode-based fonts that would be distributed free to every
scientist, student, and other interested party worldwide. The fonts would be
consistent with the emerging Unicode standard, and would permit universal
representation of every character. With the release of the STIX fonts, de
Ruiter's vision has been realized.</string>
            <key>designer</key>
            <string>MicroPress Inc., with final
additions and corrections provided by Coen Hoffman, Elsevier (retired)</string>
            <key>duplicate</key>

```

```

        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>STIXIntegralsUp</string>
        <key>fullname</key>
        <string>STIXIntegralsUp-Regular</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>trademark</key>
        <string>STIX Fonts(TM) is a trademark of The
Institute of Electrical and Electronics Engineers, Inc.</string>
        <key>unique</key>
        <string>FontMaster:STIXIntegralsUp-
Regular:1.1.0</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>Version 1.1.0</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Bodoni Ornaments.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Bodoni
Ornaments.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>BodoniOrnamentsITCTT</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright © 1995?1997 International
Typeface Corporation All rights reserved.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Bodoni Ornaments</string>
            <key>fullname</key>
            <string>Bodoni Ornaments</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Regular</string>
            <key>unique</key>
            <string>Bodoni Ornaments; 13.0d2e1; 2017-07-

```



12</string>

```
<key>valid</key>
<string>yes</string>
<key>version</key>
<string>13.0d2e1</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>Baskerville.ttc</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
```

```
<string>/System/Library/Fonts/Supplemental/Baskerville.ttc</string>
<key>type</key>
<string>truetype</string>
<key>typefaces</key>
<array>
```

```
  <dict>
    <key>_name</key>
    <string>Baskerville-SemiBold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Digitized data copyright \uFFA9
```

2000 Agfa Monotype Corporation. All rights reserved. Monotype Baskerville\uFFAA is a trademark of Agfa Monotype Corporation.</string>

```
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Baskerville</string>
  <key>fullname</key>
  <string>Baskerville SemiBold</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Semibold</string>
```

trademark of Agfa Monotype Corporation.</string>

```
  <key>unique</key>
  <string>Baskerville SemiBold; 13.0d1e10;
```

2017-06-15</string>

```
<key>valid</key>
<string>yes</string>
<key>version</key>
<string>13.0d1e10</string>
```

```
</dict>
<dict>
```

```
  <key>_name</key>
  <string>Baskerville-BoldItalic</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Digitized data copyright Monotype
```

Typography, Ltd 1991-1997. All rights reserved. Monotype Baskerville\u2122 is a

trademark of Monotype Typography, Ltd which may be registered in certain jurisdictions.</string>

<key>description</key>  
<string>-</string>  
<key>designer</key>  
<string>John Baskerville</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Baskerville</string>  
<key>fullname</key>  
<string>Baskerville Bold Italic</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Bold Italic</string>  
<key>trademark</key>  
<string>Monotype Baskerville\u2122 is a

trademark of Monotype Typography, Ltd which may be registered in certain jurisdictions.</string>

<key>unique</key>  
<string>Baskerville Bold Italic; 13.0d1e10;

2017-06-15</string>

<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>13.0d1e10</string>

</dict>

<dict>

<key>\_name</key>  
<string>Baskerville-Bold</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Digitized data copyright Monotype

Typography, Ltd 1991-1997. All rights reserved. Monotype Baskerville\u2122 is a trademark of Monotype Typography, Ltd which may be registered in certain jurisdictions.</string>

<key>description</key>  
<string>-</string>  
<key>designer</key>  
<string>John Baskerville</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Baskerville</string>  
<key>fullname</key>  
<string>Baskerville Bold</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Bold</string>  
<key>trademark</key>  
<string>Monotype Baskerville\u2122 is a

trademark of Monotype Typography, Ltd which may be registered in certain jurisdictions.</string>

06-15</string> <key>unique</key>  
<string>Baskerville Bold; 13.0d1e10; 2017-

<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>13.0d1e10</string>

</dict>

<dict>

<key>\_name</key>  
<string>Baskerville</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Digitized data copyright Monotype

Typography, Ltd 1991-1997. All rights reserved. Monotype Baskerville\u2122 is a trademark of Monotype Typography, Ltd which may be registered in certain jurisdictions.</string>

<key>description</key>  
<string>-</string>  
<key>designer</key>  
<string>John Baskerville</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Baskerville</string>  
<key>fullname</key>  
<string>Baskerville</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Regular</string>  
<key>trademark</key>  
<string>Monotype Baskerville\u2122 is a

trademark of Monotype Typography, Ltd which may be registered in certain jurisdictions.</string>

<key>unique</key>  
<string>Baskerville; 13.0d1e10; 2017-06-

15</string>

<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>13.0d1e10</string>

</dict>

<dict>

<key>\_name</key>  
<string>Baskerville-Italic</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Digitized data copyright Monotype

Typography, Ltd 1991-1997. All rights reserved. Monotype Baskerville\u2122 is a trademark of Monotype Typography, Ltd which may be registered in certain jurisdictions.</string>

<key>description</key>  
<string>-</string>  
<key>designer</key>  
<string>John Baskerville</string>  
<key>duplicate</key>  
<string>no</string>

```

        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Baskerville</string>
        <key>fullname</key>
        <string>Baskerville Italic</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Italic</string>
        <key>trademark</key>
        <string>Monotype Baskerville\u2122 is a
trademark of Monotype Typography, Ltd which may be registered in certain
jurisdictions.</string>
        <key>unique</key>
        <string>Baskerville Italic; 13.0d1e10; 2017-
06-15</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>13.0d1e10</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Baskerville-SemiBoldItalic</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Digitized data copyright \uFFA9
2000 Agfa Monotype Corporation. All rights reserved. Monotype Baskerville\uFFAA
is a trademark of Agfa Monotype Corporation.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Baskerville</string>
        <key>fullname</key>
        <string>Baskerville SemiBold Italic</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semibold Italic</string>
        <key>trademark</key>
        <string>Monotype Baskerville\uFFAA is a
trademark of Agfa Monotype Corporation.</string>
        <key>unique</key>
        <string>Baskerville SemiBold Italic;
13.0d1e10; 2017-06-15</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>13.0d1e10</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>

```

```
<string>SFNS.ttf</string>
<key>enabled</key>
<string>yes</string>
<key>path</key>
<string>/System/Library/Fonts/SFNS.ttf</string>
<key>type</key>
<string>truetype</string>
<key>typefaces</key>
<array>
  <dict>
    <key>_name</key>
    <string>.SFNS-Regular</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Regular</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>.SFNS-RegularG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
```

```
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>System Font</string>
<key>fullname</key>
<string>System Font Regular G1</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular G1</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>

<key>unique</key>
<string>.SF NS; 16.0d19e4;
2020-11-14</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-RegularG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Regular G2</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Regular G2</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
```

```

reserved.</string>
    <string>.SFNS-RegularG3</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Regular G3</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular G3</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-RegularG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Regular G4</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular G4</string>
    <key>trademark</key>

```

```
Apple Inc.</string>                <string>San Francisco is a trademark of
                                     <key>unique</key>
2020-11-14</string>                <string>.SF NS; 16.0d19e4;
                                     <key>valid</key>
                                     <string>yes</string>
                                     <key>vendor</key>
                                     <string>Apple Inc.</string>
                                     <key>version</key>
                                     <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-SemiExpandedRegular</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Semi Expanded
Regular</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Semi Expanded Regular</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-SemiExpandedRegularG1</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
```



```

        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Semi Expanded Regular
G1</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semi Expanded Regular G1</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-SemiExpandedRegularG2</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Semi Expanded Regular
G2</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semi Expanded Regular G2</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>

```

```
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>.SFNS-SemiExpandedRegularG3</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Semi Expanded Regular
G3</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semi Expanded Regular G3</string>
        <key>trademark</key>
        <string>San Francisco is a
trademark of Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>.SFNS-SemiExpandedRegularG4</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
```

```

        <key>fullname</key>
        <string>System Font Semi Expanded Regular
G4</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semi Expanded Regular G4</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
        <key>_name</key>
        <string>.SFNS-SemiCondensedRegular</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Semi Condensed
Regular</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semi Condensed Regular</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
        <key>_name</key>

```

```

<string>.SFNS-SemiCondensedRegularG1</string>

```

```

    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Semi Condensed Regular
G1</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semi Condensed Regular G1</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>

    <string>.SFNS-SemiCondensedRegularG2</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Semi Condensed Regular
G2</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>

```

```

    <string>Semi Condensed Regular G2</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-SemiCondensedRegularG3</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Semi Condensed Regular
G3</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semi Condensed Regular G3</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-SemiCondensedRegularG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
```

```

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Semi Condensed Regular
G4</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semi Condensed Regular G4</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-Medium</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Medium</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Medium</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>

```

```

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-MediumG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Medium G1</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Medium G1</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-MediumG2</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>

```

```
<key>family</key>
<string>System Font</string>
<key>fullname</key>
<string>System Font Medium G2</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Medium G2</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>

<key>unique</key>
<string>.SF NS; 16.0d19e4;

2020-11-14</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-MediumG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Medium G3</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Medium G3</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;

2020-11-14</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-MediumG4</string>
  <key>copy_protected</key>
```



```

    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Medium G4</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Medium G4</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-SemiExpandedMedium</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Semi Expanded
Medium</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semi Expanded Medium</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of

```

```
Apple Inc.</string>
2020-11-14</string>
reserved.</string>
G1</string>
Apple Inc.</string>
2020-11-14</string>
reserved.</string>

<key>unique</key>
<string>.SF NS; 16.0d19e4;

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-SemiExpandedMediumG1</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Semi Expanded Medium

  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Semi Expanded Medium G1</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-SemiExpandedMediumG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
```

```

        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Semi Expanded Medium
G2</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semi Expanded Medium G2</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
        <key>_name</key>
        <string>.SFNS-SemiExpandedMediumG3</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Semi Expanded Medium
G3</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semi Expanded Medium G3</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>

```

```
        <key>version</key>
        <string>16.0d19e4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>.SFNS-SemiExpandedMediumG4</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Semi Expanded Medium
G4</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semi Expanded Medium G4</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>.SFNS-SemiCondensedMedium</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
```

```

Medium</string>
    <string>System Font Semi Condensed
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semi Condensed Medium</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-SemiCondensedMediumG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Semi Condensed Medium
G1</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semi Condensed Medium G1</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-SemiCondensedMediumG2</string>
    <key>copy_protected</key>
    <string>no</string>

```

```

reserved.</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Semi Condensed Medium
G2</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semi Condensed Medium G2</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-SemiCondensedMediumG3</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Semi Condensed Medium
G3</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semi Condensed Medium G3</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of

```

```
Apple Inc.</string>
2020-11-14</string>
reserved.</string>
G4</string>
Apple Inc.</string>
2020-11-14</string>
reserved.</string>

<key>unique</key>
<string>.SF NS; 16.0d19e4;

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-SemiCondensedMediumG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Semi Condensed Medium

  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Semi Condensed Medium G4</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-Light</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
```

```

        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Light</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Light</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;

2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
        <key>_name</key>
        <string>.SFNS-LightG1</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>A© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Light G1</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Light G1</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;

2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>

```



```
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-LightG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Light G2</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Light G2</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-LightG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Light G3</string>
  <key>outline</key>
  <string>yes</string>
```

```

    <key>style</key>
    <string>Light G3</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-LightG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Light G4</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Light G4</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-SemiExpandedLight</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
```

```

        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Semi Expanded
Light</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semi Expanded Light</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
        <key>_name</key>
        <string>.SFNS-SemiExpandedLightG1</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Semi Expanded Light
G1</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semi Expanded Light G1</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>

```

```
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-SemiExpandedLightG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Semi Expanded Light
G2</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Semi Expanded Light G2</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-SemiExpandedLightG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
```

```

        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Semi Expanded Light
G3</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semi Expanded Light G3</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-SemiExpandedLightG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Semi Expanded Light
G4</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semi Expanded Light G4</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>

```

```

        <string>.SFNS-SemiCondensedLight</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Semi Condensed
Light</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semi Condensed Light</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
        <key>_name</key>
        <string>.SFNS-SemiCondensedLightG1</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Semi Condensed Light
G1</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>

```

```
<string>Semi Condensed Light G1</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
<key>unique</key>
<string>.SF NS; 16.0d19e4;
2020-11-14</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-SemiCondensedLightG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Semi Condensed Light
G2</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Semi Condensed Light G2</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-SemiCondensedLightG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
```

```

        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Semi Condensed Light
G3</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semi Condensed Light G3</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
        <key>_name</key>
        <string>.SFNS-SemiCondensedLightG4</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Semi Condensed Light
G4</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semi Condensed Light G4</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>

```



```

    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-Thin</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Thin</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Thin</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ThinG1</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>

```

```

        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Thin G1</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Thin G1</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ThinG2</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Thin G2</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Thin G2</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ThinG3</string>
    <key>copy_protected</key>
    <string>no</string>

```

```
reserved.</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Thin G3</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Thin G3</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ThinG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Thin G4</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Thin G4</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
```

```
2020-11-14</string> <string>.SF NS; 16.0d19e4;
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-SemiExpandedThin</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Semi Expanded
Thin</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Semi Expanded Thin</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-SemiExpandedThinG1</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
```

```

        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Semi Expanded Thin
G1</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semi Expanded Thin G1</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
        <key>_name</key>
        <string>.SFNS-SemiExpandedThinG2</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Semi Expanded Thin
G2</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semi Expanded Thin G2</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>

```

```

</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-SemiExpandedThinG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Semi Expanded Thin
G3</string>

  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Semi Expanded Thin G3</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-SemiExpandedThinG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Semi Expanded Thin
G4</string>

```

```

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semi Expanded Thin G4</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;

2020-11-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-SemiCondensedThin</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Semi Condensed

Thin</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semi Condensed Thin</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;

2020-11-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-SemiCondensedThinG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
```

reserved.</string>

<key>description</key>  
<string>Apple Inc.</string>  
<key>designer</key>  
<string>Apple Inc.</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>System Font</string>  
<key>fullname</key>  
<string>System Font Semi Condensed Thin

G1</string>

<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Semi Condensed Thin G1</string>  
<key>trademark</key>  
<string>San Francisco is a trademark of

Apple Inc.</string>

<key>unique</key>  
<string>.SF NS; 16.0d19e4;

2020-11-14</string>

<key>valid</key>  
<string>yes</string>  
<key>vendor</key>  
<string>Apple Inc.</string>  
<key>version</key>  
<string>16.0d19e4</string>

</dict>

<dict>

<key>\_name</key>  
<string>.SFNS-SemiCondensedThinG2</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>© 2015-2020 Apple Inc. All rights

reserved.</string>

<key>description</key>  
<string>Apple Inc.</string>  
<key>designer</key>  
<string>Apple Inc.</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>System Font</string>  
<key>fullname</key>  
<string>System Font Semi Condensed Thin

G2</string>

<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Semi Condensed Thin G2</string>  
<key>trademark</key>  
<string>San Francisco is a trademark of

Apple Inc.</string>

<key>unique</key>



```
2020-11-14</string> <string>.SF NS; 16.0d19e4;
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-SemiCondensedThinG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Semi Condensed Thin
G3</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Semi Condensed Thin G3</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-SemiCondensedThinG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
```

```

        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Semi Condensed Thin
G4</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semi Condensed Thin G4</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-Ultralight</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Ultralight</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Ultralight</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>

```

```
<dict>
  <key>_name</key>
  <string>.SFNS-UltralightG1</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Ultralight G1</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Ultralight G1</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-UltralightG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Ultralight G2</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
```

```
Apple Inc.</string>
2020-11-14</string>
reserved.</string>
Apple Inc.</string>
2020-11-14</string>
reserved.</string>

<string>Ultralight G2</string>
<key>trademark</key>
<string>San Francisco is a trademark of

<key>unique</key>
<string>.SF NS; 16.0d19e4;

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-UltralightG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Ultralight G3</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Ultralight G3</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-UltralightG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
```

```
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>System Font</string>
<key>fullname</key>
<string>System Font Ultralight G4</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Ultralight G4</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
2020-11-14</string>
<key>unique</key>
<string>.SF NS; 16.0d19e4;
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-SemiExpandedUltralight</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Semi Expanded
Ultralight</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Semi Expanded Ultralight</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
2020-11-14</string>
  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
  <key>valid</key>
  <string>yes</string>
```

```
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>.SFNS-SemiExpandedUltralightG1</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Semi Expanded Ultralight
G1</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semi Expanded Ultralight G1</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>.SFNS-SemiExpandedUltralightG2</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
```

```

    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Semi Expanded Ultralight
G2</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semi Expanded Ultralight G2</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-SemiExpandedUltralightG3</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Semi Expanded Ultralight
G3</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semi Expanded Ultralight G3</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
```

```

    <dict>
      <key>_name</key>
      <string>.SFNS-SemiExpandedUltralightG4</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
      <key>description</key>
      <string>Apple Inc.</string>
      <key>designer</key>
      <string>Apple Inc.</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>System Font</string>
      <key>fullname</key>
      <string>System Font Semi Expanded Ultralight
G4</string>
      <key>outline</key>
      <string>yes</string>
      <key>style</key>
      <string>Semi Expanded Ultralight G4</string>
      <key>trademark</key>
      <string>San Francisco is a trademark of
Apple Inc.</string>
      <key>unique</key>
      <string>.SF NS; 16.0d19e4;
2020-11-14</string>
      <key>valid</key>
      <string>yes</string>
      <key>vendor</key>
      <string>Apple Inc.</string>
      <key>version</key>
      <string>16.0d19e4</string>
    </dict>
    <dict>
      <key>_name</key>
      <string>.SFNS-SemiCondensedUltralight</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
      <key>description</key>
      <string>Apple Inc.</string>
      <key>designer</key>
      <string>Apple Inc.</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>System Font</string>
      <key>fullname</key>
      <string>System Font Semi Condensed

```



```

Ultralight</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semi Condensed Ultralight</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-SemiCondensedUltralightG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Semi Condensed
Ultralight G1</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semi Condensed Ultralight
G1</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-SemiCondensedUltralightG2</string>

```

```

    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Semi Condensed

Ultralight G2</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semi Condensed Ultralight

G2</string>

    <key>trademark</key>
    <string>San Francisco is a trademark of

Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;

2020-11-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>

    <string>.SFNS-SemiCondensedUltralightG3</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Semi Condensed

Ultralight G3</string>

    <key>outline</key>
    <string>yes</string>

```

```

        <key>style</key>
        <string>Semi Condensed Ultralight
G3</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-SemiCondensedUltralightG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Semi Condensed
Ultralight G4</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semi Condensed Ultralight
G4</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-Semibold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>

```

```
reserved.</string>      <string>Â© 2015-2020 Apple Inc. All rights
                        <key>description</key>
                        <string>Apple Inc.</string>
                        <key>designer</key>
                        <string>Apple Inc.</string>
                        <key>duplicate</key>
                        <string>no</string>
                        <key>embeddable</key>
                        <string>yes</string>
                        <key>enabled</key>
                        <string>yes</string>
                        <key>family</key>
                        <string>System Font</string>
                        <key>fullname</key>
                        <string>System Font Semibold</string>
                        <key>outline</key>
                        <string>yes</string>
                        <key>style</key>
                        <string>Semibold</string>
                        <key>trademark</key>
                        <string>San Francisco is a trademark of
Apple Inc.</string>
                        <key>unique</key>
                        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
                        <key>valid</key>
                        <string>yes</string>
                        <key>vendor</key>
                        <string>Apple Inc.</string>
                        <key>version</key>
                        <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-SemiboldG1</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Semibold G1</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Semibold G1</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
```

2020-11-14</string>

```
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-SemiboldG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
```

reserved.</string>

```
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>System Font</string>
<key>fullname</key>
<string>System Font Semibold G2</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Semibold G2</string>
<key>trademark</key>
<string>San Francisco is a trademark of
```

Apple Inc.</string>

```
<key>unique</key>
<string>.SF NS; 16.0d19e4;
```

2020-11-14</string>

```
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-SemiboldG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
```

reserved.</string>

```
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
```

```
<string>yes</string>
<key>family</key>
<string>System Font</string>
<key>fullname</key>
<string>System Font Semibold G3</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Semibold G3</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>

<key>unique</key>
<string>.SF NS; 16.0d19e4;

2020-11-14</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-SemiboldG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Semibold G4</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Semibold G4</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;

2020-11-14</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-SemiExpandedSemibold</string>
```

```

        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Semi Expanded
Semibold</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semi Expanded Semibold</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-SemiExpandedSemiboldG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Semi Expanded Semibold
G1</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>

```

```

    <string>Semi Expanded Semibold G1</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-SemiExpandedSemiboldG2</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Semi Expanded Semibold
G2</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semi Expanded Semibold G2</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-SemiExpandedSemiboldG3</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
```



```

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Semi Expanded Semibold
G3</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semi Expanded Semibold G3</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-SemiExpandedSemiboldG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Semi Expanded Semibold
G4</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semi Expanded Semibold G4</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>

```

```

2020-11-14</string>
    <string>.SF NS; 16.0d19e4;
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-SemiCondensedSemibold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Semi Condensed
Semibold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semi Condensed Semibold</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-SemiCondensedSemiboldG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>

```

```

        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Semi Condensed Semibold
G1</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semi Condensed Semibold G1</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-SemiCondensedSemiboldG2</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Semi Condensed Semibold
G2</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semi Condensed Semibold G2</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>

```

```

        <key>version</key>
        <string>16.0d19e4</string>
    </dict>
    <dict>
        <key>_name</key>

        <string>.SFNS-SemiCondensedSemiboldG3</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Semi Condensed Semibold
G3</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semi Condensed Semibold G3</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
    </dict>
    <dict>
        <key>_name</key>

        <string>.SFNS-SemiCondensedSemiboldG4</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>

```

```

    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Semi Condensed Semibold
G4</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semi Condensed Semibold G4</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-Bold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-BoldG1</string>
    <key>copy_protected</key>

```

```
<string>no</string>
<key>copyright</key>
reserved.</string> <string>Â© 2015-2020 Apple Inc. All rights
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>System Font</string>
<key>fullname</key>
<string>System Font Bold G1</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Bold G1</string>
<key>trademark</key>
Apple Inc.</string> <string>San Francisco is a trademark of
<key>unique</key>
2020-11-14</string> <string>.SF NS; 16.0d19e4;
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-BoldG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Bold G2</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Bold G2</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
```

```
2020-11-14</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-BoldG3</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Bold G3</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold G3</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-BoldG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
```

```

        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Bold G4</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Bold G4</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
        <key>_name</key>
        <string>.SFNS-SemiExpandedBold</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Semi Expanded
Bold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semi Expanded Bold</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>

```



```

<dict>
  <key>_name</key>
  <string>.SFNS-SemiExpandedBoldG1</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Semi Expanded Bold
G1</string>

  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Semi Expanded Bold G1</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-SemiExpandedBoldG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Semi Expanded Bold
G2</string>

  <key>outline</key>

```

```
<string>yes</string>
<key>style</key>
<string>Semi Expanded Bold G2</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
<key>unique</key>
<string>.SF NS; 16.0d19e4;
2020-11-14</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-SemiExpandedBoldG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Semi Expanded Bold
G3</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Semi Expanded Bold G3</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-SemiExpandedBoldG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
```

```

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Semi Expanded Bold
G4</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semi Expanded Bold G4</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-SemiCondensedBold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Semi Condensed
Bold</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semi Condensed Bold</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;

```

2020-11-14</string>

```
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
```

</dict>

<dict>

```
<key>_name</key>
<string>.SFNS-SemiCondensedBoldG1</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>© 2015-2020 Apple Inc. All rights
```

reserved.</string>

```
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>System Font</string>
<key>fullname</key>
<string>System Font Semi Condensed Bold
```

G1</string>

```
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Semi Condensed Bold G1</string>
<key>trademark</key>
<string>San Francisco is a trademark of
```

Apple Inc.</string>

```
<key>unique</key>
<string>.SF NS; 16.0d19e4;
```

2020-11-14</string>

```
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
```

</dict>

<dict>

```
<key>_name</key>
<string>.SFNS-SemiCondensedBoldG2</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>© 2015-2020 Apple Inc. All rights
```

reserved.</string>

```
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
```

```
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>System Font</string>
<key>fullname</key>
<string>System Font Semi Condensed Bold
G2</string>

<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Semi Condensed Bold G2</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>

<key>unique</key>
<string>.SF NS; 16.0d19e4;
2020-11-14</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-SemiCondensedBoldG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Semi Condensed Bold
G3</string>

  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Semi Condensed Bold G3</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>.SFNS-SemiCondensedBoldG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Semi Condensed Bold
G4</string>

  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Semi Condensed Bold G4</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-Heavy</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Heavy</string>
  <key>outline</key>
  <string>yes</string>
```

```
<key>style</key>
<string>Heavy</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>

<key>unique</key>
<string>.SF NS; 16.0d19e4;

2020-11-14</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-HeavyG1</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Heavy G1</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Heavy G1</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;

2020-11-14</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-HeavyG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
```

```
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>System Font</string>
<key>fullname</key>
<string>System Font Heavy G2</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Heavy G2</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
2020-11-14</string>
<key>unique</key>
<string>.SF NS; 16.0d19e4;
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-HeavyG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Heavy G3</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Heavy G3</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
2020-11-14</string>
  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
```



```

    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-HeavyG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Heavy G4</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Heavy G4</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-SemiExpandedHeavy</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>

```

```

Heavy</string>
    <string>System Font Semi Expanded
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semi Expanded Heavy</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-SemiExpandedHeavyG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Semi Expanded Heavy
G1</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semi Expanded Heavy G1</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-SemiExpandedHeavyG2</string>
    <key>copy_protected</key>
    <string>no</string>

```

```

reserved.</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Semi Expanded Heavy
G2</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semi Expanded Heavy G2</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-SemiExpandedHeavyG3</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Semi Expanded Heavy
G3</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semi Expanded Heavy G3</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of

```

```
Apple Inc.</string>
2020-11-14</string>
reserved.</string>
G4</string>
Apple Inc.</string>
2020-11-14</string>
reserved.</string>

<key>unique</key>
<string>.SF NS; 16.0d19e4;

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-SemiExpandedHeavyG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Semi Expanded Heavy

  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Semi Expanded Heavy G4</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-SemiCondensedHeavy</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
```

```

Heavy</string>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Semi Condensed
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semi Condensed Heavy</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-SemiCondensedHeavyG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Semi Condensed Heavy
G1</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semi Condensed Heavy G1</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>

```

```
        <key>version</key>
        <string>16.0d19e4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>.SFNS-SemiCondensedHeavyG2</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Semi Condensed Heavy
G2</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semi Condensed Heavy G2</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>.SFNS-SemiCondensedHeavyG3</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
```

```

G3</string>          <string>System Font Semi Condensed Heavy
                    <key>outline</key>
                    <string>yes</string>
                    <key>style</key>
                    <string>Semi Condensed Heavy G3</string>
                    <key>trademark</key>
                    <string>San Francisco is a trademark of
Apple Inc.</string>
                    <key>unique</key>
                    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
                    <key>valid</key>
                    <string>yes</string>
                    <key>vendor</key>
                    <string>Apple Inc.</string>
                    <key>version</key>
                    <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-SemiCondensedHeavyG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Semi Condensed Heavy
G4</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Semi Condensed Heavy G4</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-Black</string>
  <key>copy_protected</key>
  <string>no</string>

```

```
reserved.</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Black</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Black</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-SemiExpandedBlack</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Semi Expanded
Black</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semi Expanded Black</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
```



```

2020-11-14</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-SemiCondensedBlack</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Semi Condensed
Black</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semi Condensed Black</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;

2020-11-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExpandedRegular</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>

```

```

        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Expanded
Regular</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Expanded Regular</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
        <key>_name</key>
        <string>.SFNS-ExpandedRegularG1</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>A© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Expanded Regular
G1</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Expanded Regular G1</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>

```

```

        <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExpandedRegularG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Expanded Regular
G2</string>

  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Expanded Regular G2</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExpandedRegularG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Expanded Regular

```

```

G3</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Expanded Regular G3</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExpandedRegularG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Expanded Regular
G4</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Expanded Regular G4</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExtraExpandedRegular</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>

```

```

reserved.</string>      <string>Â© 2015-2020 Apple Inc. All rights
                        <key>description</key>
                        <string>Apple Inc.</string>
                        <key>designer</key>
                        <string>Apple Inc.</string>
                        <key>duplicate</key>
                        <string>no</string>
                        <key>embeddable</key>
                        <string>yes</string>
                        <key>enabled</key>
                        <string>yes</string>
                        <key>family</key>
                        <string>System Font</string>
                        <key>fullname</key>
                        <string>System Font Extra Expanded
Regular</string>
                        <key>outline</key>
                        <string>yes</string>
                        <key>style</key>
                        <string>Extra Expanded Regular</string>
                        <key>trademark</key>
                        <string>San Francisco is a trademark of
Apple Inc.</string>
                        <key>unique</key>
                        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
                        <key>valid</key>
                        <string>yes</string>
                        <key>vendor</key>
                        <string>Apple Inc.</string>
                        <key>version</key>
                        <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
    <string>.SFNS-ExtraExpandedRegularG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Extra Expanded Regular
G1</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Expanded Regular G1</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of

```

```
Apple Inc.</string>
2020-11-14</string>
<key>unique</key>
<string>.SF NS; 16.0d19e4;
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExtraExpandedRegularG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Extra Expanded Regular
G2</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Extra Expanded Regular G2</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExtraExpandedRegularG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
```

```

        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Extra Expanded Regular
G3</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Extra Expanded Regular G3</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExtraExpandedRegularG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Extra Expanded Regular
G4</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Expanded Regular G4</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>

```

```

    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExpandedMedium</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Expanded Medium</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Expanded Medium</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExpandedMediumG1</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>

```



```

        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Expanded Medium
G1</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Expanded Medium G1</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExpandedMediumG2</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Expanded Medium
G2</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Expanded Medium G2</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExpandedMediumG3</string>

```

```

    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Expanded Medium
G3</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Expanded Medium G3</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExpandedMediumG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Expanded Medium
G4</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Expanded Medium G4</string>

```

```

    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExtraExpandedMedium</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Extra Expanded
Medium</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Expanded Medium</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExtraExpandedMediumG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>

```

```

        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Extra Expanded Medium
G1</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Extra Expanded Medium G1</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExtraExpandedMediumG2</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Extra Expanded Medium
G2</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Expanded Medium G2</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>

```

```

    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExtraExpandedMediumG3</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Extra Expanded Medium
G3</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Expanded Medium G3</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExtraExpandedMediumG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>

```

```

        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Extra Expanded Medium
G4</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Extra Expanded Medium G4</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExpandedLight</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Expanded Light</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Expanded Light</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExpandedLightG1</string>
    <key>copy_protected</key>

```

```

        <string>no</string>
        <key>copyright</key>
        <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Expanded Light
G1</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Expanded Light G1</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
        <key>_name</key>
        <string>.SFNS-ExpandedLightG2</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Expanded Light
G2</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Expanded Light G2</string>
        <key>trademark</key>

```

```
Apple Inc.</string>                <string>San Francisco is a trademark of
2020-11-14</string>              <key>unique</key>
                                    <string>.SF NS; 16.0d19e4;
                                    <key>valid</key>
                                    <string>yes</string>
                                    <key>vendor</key>
                                    <string>Apple Inc.</string>
                                    <key>version</key>
                                    <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExpandedLightG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Expanded Light
G3</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Expanded Light G3</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExpandedLightG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
```



```

        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Expanded Light
G4</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Expanded Light G4</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExtraExpandedLight</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Extra Expanded
Light</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Expanded Light</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>

```

```
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>.SFNS-ExtraExpandedLightG1</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Extra Expanded Light
G1</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Extra Expanded Light G1</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>.SFNS-ExtraExpandedLightG2</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
```

```

        <key>fullname</key>
        <string>System Font Extra Expanded Light
G2</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Extra Expanded Light G2</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of

Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;

2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
        <key>_name</key>
        <string>.SFNS-ExtraExpandedLightG3</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights

reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Extra Expanded Light

G3</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Extra Expanded Light G3</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of

Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;

2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
        <key>_name</key>
        <string>.SFNS-ExtraExpandedLightG4</string>
        <key>copy_protected</key>

```

```

reserved.</string>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Extra Expanded Light
G4</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Expanded Light G4</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExpandedThin</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Expanded Thin</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Expanded Thin</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of

```

```
Apple Inc.</string>
2020-11-14</string>
reserved.</string>
G1</string>
Apple Inc.</string>
2020-11-14</string>
reserved.</string>

<key>unique</key>
<string>.SF NS; 16.0d19e4;

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExpandedThinG1</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Expanded Thin

  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Expanded Thin G1</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExpandedThinG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
```

```
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>System Font</string>
<key>fullname</key>
<string>System Font Expanded Thin
G2</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Expanded Thin G2</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
<key>unique</key>
<string>.SF NS; 16.0d19e4;
2020-11-14</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
<key>_name</key>
<string>.SFNS-ExpandedThinG3</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>© 2015-2020 Apple Inc. All rights
reserved.</string>
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>System Font</string>
<key>fullname</key>
<string>System Font Expanded Thin
G3</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Expanded Thin G3</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
<key>unique</key>
<string>.SF NS; 16.0d19e4;
2020-11-14</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
```

```
        <key>version</key>
        <string>16.0d19e4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>.SFNS-ExpandedThinG4</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Expanded Thin
G4</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Expanded Thin G4</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>.SFNS-ExtraExpandedThin</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
```

```

Thin</string>
    <string>System Font Extra Expanded
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Expanded Thin</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExtraExpandedThinG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Extra Expanded Thin
G1</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Expanded Thin G1</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExtraExpandedThinG2</string>
    <key>copy_protected</key>
    <string>no</string>

```



```
<key>copyright</key>
reserved.</string> <string>Â© 2015-2020 Apple Inc. All rights
                    <key>description</key>
                    <string>Apple Inc.</string>
                    <key>designer</key>
                    <string>Apple Inc.</string>
                    <key>duplicate</key>
                    <string>no</string>
                    <key>embeddable</key>
                    <string>yes</string>
                    <key>enabled</key>
                    <string>yes</string>
                    <key>family</key>
                    <string>System Font</string>
                    <key>fullname</key>
                    <string>System Font Extra Expanded Thin
G2</string>
                    <key>outline</key>
                    <string>yes</string>
                    <key>style</key>
                    <string>Extra Expanded Thin G2</string>
                    <key>trademark</key>
                    <string>San Francisco is a trademark of
Apple Inc.</string>
                    <key>unique</key>
                    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
                    <key>valid</key>
                    <string>yes</string>
                    <key>vendor</key>
                    <string>Apple Inc.</string>
                    <key>version</key>
                    <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExtraExpandedThinG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Extra Expanded Thin
G3</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Extra Expanded Thin G3</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
```

```
Apple Inc.</string>
2020-11-14</string>
reserved.</string>
G4</string>
Apple Inc.</string>
2020-11-14</string>
reserved.</string>

<key>unique</key>
<string>.SF NS; 16.0d19e4;

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExtraExpandedThinG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Extra Expanded Thin

  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Extra Expanded Thin G4</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExpandedUltralight</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
```

```

    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Expanded
Ultralight</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Expanded Ultralight</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExpandedUltralightG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Expanded Ultralight
G1</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Expanded Ultralight G1</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>

```

```
        <key>version</key>
        <string>16.0d19e4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>.SFNS-ExpandedUltralightG2</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Expanded Ultralight
G2</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Expanded Ultralight G2</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>.SFNS-ExpandedUltralightG3</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
```

```

G3</string>
    <string>System Font Expanded Ultralight
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Expanded Ultralight G3</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExpandedUltralightG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Expanded Ultralight
G4</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Expanded Ultralight G4</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExtraExpandedUltralight</string>
    <key>copy_protected</key>

```

```

reserved.</string>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Extra Expanded
UltraLight</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Expanded UltraLight</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExtraExpandedUltraLightG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Extra Expanded
UltraLight G1</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Expanded UltraLight

```

```
G1</string>
Apple Inc.</string>
2020-11-14</string>
<key>trademark</key>
<string>San Francisco is a trademark of
<key>unique</key>
<string>.SF NS; 16.0d19e4;
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
    <string>.SFNS-ExtraExpandedUltralightG2</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Extra Expanded
Ultralight G2</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Expanded Ultralight
G2</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
  </dict>
  <dict>
    <key>_name</key>
      <string>.SFNS-ExtraExpandedUltralightG3</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Â© 2015-2020 Apple Inc. All rights
```

```

reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Extra Expanded
Ultralight G3</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Expanded Ultralight
G3</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExtraExpandedUltralightG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>A© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Extra Expanded
Ultralight G4</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Expanded Ultralight
G4</string>
    <key>trademark</key>

```



```
Apple Inc.</string>                <string>San Francisco is a trademark of
                                     <key>unique</key>
2020-11-14</string>              <string>.SF NS; 16.0d19e4;
                                     <key>valid</key>
                                     <string>yes</string>
                                     <key>vendor</key>
                                     <string>Apple Inc.</string>
                                     <key>version</key>
                                     <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExpandedSemibold</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Expanded
Semibold</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Expanded Semibold</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExpandedSemiboldG1</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
```

```

        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Expanded Semibold
G1</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Expanded Semibold G1</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
        <key>_name</key>
        <string>.SFNS-ExpandedSemiboldG2</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Expanded Semibold
G2</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Expanded Semibold G2</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>

```

```
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExpandedSemiboldG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Expanded Semibold
G3</string>

  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Expanded Semibold G3</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExpandedSemiboldG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
```

```

        <key>fullname</key>
        <string>System Font Expanded Semibold
G4</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Expanded Semibold G4</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
        <key>_name</key>
        <string>.SFNS-ExtraExpandedSemibold</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Extra Expanded
Semibold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Extra Expanded Semibold</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
        <key>_name</key>
        <string>.SFNS-ExtraExpandedSemiboldG1</string>

```

```

        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Extra Expanded Semibold
G1</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Extra Expanded Semibold G1</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExtraExpandedSemiboldG2</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Extra Expanded Semibold
G2</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>

```

```
                <string>Extra Expanded Semibold G2</string>
                <key>trademark</key>
                <string>San Francisco is a trademark of
Apple Inc.</string>
                <key>unique</key>
                <string>.SF NS; 16.0d19e4;
2020-11-14</string>
                <key>valid</key>
                <string>yes</string>
                <key>vendor</key>
                <string>Apple Inc.</string>
                <key>version</key>
                <string>16.0d19e4</string>
            </dict>
            <dict>
                <key>_name</key>
                <string>.SFNS-ExtraExpandedSemiboldG3</string>
                <key>copy_protected</key>
                <string>no</string>
                <key>copyright</key>
                <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
                <key>description</key>
                <string>Apple Inc.</string>
                <key>designer</key>
                <string>Apple Inc.</string>
                <key>duplicate</key>
                <string>no</string>
                <key>embeddable</key>
                <string>yes</string>
                <key>enabled</key>
                <string>yes</string>
                <key>family</key>
                <string>System Font</string>
                <key>fullname</key>
                <string>System Font Extra Expanded Semibold
G3</string>
                <key>outline</key>
                <string>yes</string>
                <key>style</key>
                <string>Extra Expanded Semibold G3</string>
                <key>trademark</key>
                <string>San Francisco is a trademark of
Apple Inc.</string>
                <key>unique</key>
                <string>.SF NS; 16.0d19e4;
2020-11-14</string>
                <key>valid</key>
                <string>yes</string>
                <key>vendor</key>
                <string>Apple Inc.</string>
                <key>version</key>
                <string>16.0d19e4</string>
            </dict>
            <dict>
                <key>_name</key>
                <string>.SFNS-ExtraExpandedSemiboldG4</string>
                <key>copy_protected</key>
                <string>no</string>
                <key>copyright</key>
                <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
```

```

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Extra Expanded Semibold
G4</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Extra Expanded Semibold G4</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
        <key>_name</key>
        <string>.SFNS-ExpandedBold</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Expanded Bold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Expanded Bold</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

```

```

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExpandedBoldG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Expanded Bold
G1</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Expanded Bold G1</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExpandedBoldG2</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>

```



```

        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Expanded Bold
G2</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Expanded Bold G2</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
        <key>_name</key>
        <string>.SFNS-ExpandedBoldG3</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Expanded Bold
G3</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Expanded Bold G3</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>

```

<key>\_name</key>  
<string>.SFNS-ExpandedBoldG4</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>© 2015-2020 Apple Inc. All rights reserved.</string>

<key>description</key>  
<string>Apple Inc.</string>  
<key>designer</key>  
<string>Apple Inc.</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>System Font</string>  
<key>fullname</key>  
<string>System Font Expanded Bold G4</string>

<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Expanded Bold G4</string>  
<key>trademark</key>  
<string>San Francisco is a trademark of Apple Inc.</string>

<key>unique</key>  
<string>.SF NS; 16.0d19e4; 2020-11-14</string>

<key>valid</key>  
<string>yes</string>  
<key>vendor</key>  
<string>Apple Inc.</string>  
<key>version</key>  
<string>16.0d19e4</string>

</dict>

<dict>

<key>\_name</key>  
<string>.SFNS-ExtraExpandedBold</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>© 2015-2020 Apple Inc. All rights reserved.</string>

<key>description</key>  
<string>Apple Inc.</string>  
<key>designer</key>  
<string>Apple Inc.</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>System Font</string>  
<key>fullname</key>  
<string>System Font Extra Expanded Bold</string>

<key>outline</key>  
<string>yes</string>

```
<key>style</key>
<string>Extra Expanded Bold</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>

<key>unique</key>
<string>.SF NS; 16.0d19e4;
2020-11-14</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExtraExpandedBoldG1</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Extra Expanded Bold
G1</string>

  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Extra Expanded Bold G1</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExtraExpandedBoldG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
```

```
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>System Font</string>
<key>fullname</key>
<string>System Font Extra Expanded Bold
G2</string>

<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Extra Expanded Bold G2</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>

<key>unique</key>
<string>.SF NS; 16.0d19e4;
2020-11-14</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExtraExpandedBoldG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Extra Expanded Bold
G3</string>

  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Extra Expanded Bold G3</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>
```

```

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExtraExpandedBoldG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Extra Expanded Bold
G4</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Expanded Bold G4</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExpandedHeavy</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>

```

```

        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Expanded Heavy</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Expanded Heavy</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;

2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
        <key>_name</key>
        <string>.SFNS-ExpandedHeavyG1</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Expanded Heavy
G1</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Expanded Heavy G1</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;

2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
        <key>_name</key>

```

```

        <string>.SFNS-ExpandedHeavyG2</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Expanded Heavy
G2</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Expanded Heavy G2</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
        <key>_name</key>
        <string>.SFNS-ExpandedHeavyG3</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Expanded Heavy
G3</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>

```

```
<string>Expanded Heavy G3</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
<key>unique</key>
<string>.SF NS; 16.0d19e4;
2020-11-14</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExpandedHeavyG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Expanded Heavy
G4</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Expanded Heavy G4</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExtraExpandedHeavy</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
```



```

        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Extra Expanded
Heavy</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Extra Expanded Heavy</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExtraExpandedHeavyG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Extra Expanded Heavy
G1</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Expanded Heavy G1</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>

    <key>valid</key>

```

```
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExtraExpandedHeavyG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Extra Expanded Heavy
G2</string>

  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Extra Expanded Heavy G2</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExtraExpandedHeavyG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
```

```
<key>family</key>
<string>System Font</string>
<key>fullname</key>
<string>System Font Extra Expanded Heavy
G3</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Extra Expanded Heavy G3</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
<key>unique</key>
<string>.SF NS; 16.0d19e4;
2020-11-14</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
<key>_name</key>
<string>.SFNS-ExtraExpandedHeavyG4</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>© 2015-2020 Apple Inc. All rights
reserved.</string>
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>System Font</string>
<key>fullname</key>
<string>System Font Extra Expanded Heavy
G4</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Extra Expanded Heavy G4</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
<key>unique</key>
<string>.SF NS; 16.0d19e4;
2020-11-14</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
<key>_name</key>
```

```

    <string>.SFNS-ExpandedBlack</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Expanded Black</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Expanded Black</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExtraExpandedBlack</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Extra Expanded
Black</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Expanded Black</string>

```

```

    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-CondensedRegular</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Condensed
Regular</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Condensed Regular</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-CondensedRegularG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>

```

```

        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Condensed Regular
G1</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Condensed Regular G1</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-CondensedRegularG2</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Condensed Regular
G2</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Condensed Regular G2</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>

```

```

    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-CondensedRegularG3</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Condensed Regular
G3</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Condensed Regular G3</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-CondensedRegularG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>

```

```

        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Condensed Regular
G4</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Condensed Regular G4</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-CompressedRegular</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Compressed
Regular</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Compressed Regular</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-CompressedRegularG1</string>

```



```

    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Compressed Regular
G1</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Compressed Regular G1</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-CompressedRegularG2</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Compressed Regular
G2</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Compressed Regular G2</string>

```

```
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
<key>unique</key>
<string>.SF NS; 16.0d19e4;
2020-11-14</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-CompressedRegularG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Compressed Regular
G3</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Compressed Regular G3</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-CompressedRegularG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
```

```

        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Compressed Regular
G4</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Compressed Regular G4</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExtraCompressedRegular</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Extra Compressed
Regular</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Compressed Regular</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>

```

```
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
    </dict>
    <dict>
        <key>_name</key>

    <string>.SFNS-ExtraCompressedRegularG1</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Extra Compressed Regular
G1</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Extra Compressed Regular G1</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
    </dict>
    <dict>
        <key>_name</key>

    <string>.SFNS-ExtraCompressedRegularG2</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
```

```

    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Extra Compressed Regular
G2</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Compressed Regular G2</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExtraCompressedRegularG3</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Extra Compressed Regular
G3</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Compressed Regular G3</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>

```

```
        </dict>
        <dict>
            <key>_name</key>
            <string>.SFNS-ExtraCompressedRegularG4</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
            <key>description</key>
            <string>Apple Inc.</string>
            <key>designer</key>
            <string>Apple Inc.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>System Font</string>
            <key>fullname</key>
            <string>System Font Extra Compressed Regular
G4</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Extra Compressed Regular G4</string>
            <key>trademark</key>
            <string>San Francisco is a trademark of
Apple Inc.</string>
            <key>unique</key>
            <string>.SF NS; 16.0d19e4;
2020-11-14</string>
            <key>valid</key>
            <string>yes</string>
            <key>vendor</key>
            <string>Apple Inc.</string>
            <key>version</key>
            <string>16.0d19e4</string>
        </dict>
        <dict>
            <key>_name</key>
            <string>.SFNS-UltraCompressedRegular</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
            <key>description</key>
            <string>Apple Inc.</string>
            <key>designer</key>
            <string>Apple Inc.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>System Font</string>
            <key>fullname</key>
```

```

Regular</string>
    <string>System Font Ultra Compressed
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Ultra Compressed Regular</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-UltraCompressedRegularG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Ultra Compressed Regular
G1</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Ultra Compressed Regular G1</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-UltraCompressedRegularG2</string>

```

```

    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Ultra Compressed Regular
G2</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Ultra Compressed Regular G2</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-UltraCompressedRegularG3</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Ultra Compressed Regular
G3</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>

```



```
Apple Inc.</string>
2020-11-14</string>
<string>Ultra Compressed Regular G3</string>
<key>trademark</key>
<string>San Francisco is a trademark of
<key>unique</key>
<string>.SF NS; 16.0d19e4;
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
    <string>.SFNS-UltraCompressedRegularG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Ultra Compressed Regular
G4</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Ultra Compressed Regular G4</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
    <string>.SFNS-CondensedMedium</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
```

```

    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Condensed
Medium</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Condensed Medium</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-CondensedMediumG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Condensed Medium
G1</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Condensed Medium G1</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>

```

```

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-CondensedMediumG2</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Condensed Medium
G2</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Condensed Medium G2</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-CondensedMediumG3</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>

```

```

        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Condensed Medium
G3</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Condensed Medium G3</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
        <key>_name</key>
        <string>.SFNS-CondensedMediumG4</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Condensed Medium
G4</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Condensed Medium G4</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>

```

```

        <key>_name</key>
        <string>.SFNS-CompressedMedium</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Compressed
Medium</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Compressed
Medium</string>

        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
        <key>_name</key>
        <string>.SFNS-CompressedMediumG1</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Compressed Medium
G1</string>

        <key>outline</key>

```

```
<string>yes</string>
<key>style</key>
<string>Compressed Medium G1</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
<key>unique</key>
<string>.SF NS; 16.0d19e4;
2020-11-14</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-CompressedMediumG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Compressed Medium
G2</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Compressed Medium G2</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-CompressedMediumG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
```

```

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Compressed Medium
G3</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Compressed Medium G3</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
        <key>_name</key>
        <string>.SFNS-CompressedMediumG4</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Compressed Medium
G4</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Compressed Medium G4</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;

```

2020-11-14</string>

```
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
```

</dict>

<dict>

```
<key>_name</key>
<string>.SFNS-ExtraCompressedMedium</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>© 2015-2020 Apple Inc. All rights
```

reserved.</string>

```
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>System Font</string>
<key>fullname</key>
<string>System Font Extra Compressed
```

Medium</string>

```
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Extra Compressed Medium</string>
<key>trademark</key>
<string>San Francisco is a trademark of
```

Apple Inc.</string>

```
<key>unique</key>
<string>.SF NS; 16.0d19e4;
```

2020-11-14</string>

```
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
```

</dict>

<dict>

```
<key>_name</key>
```

```
<string>.SFNS-ExtraCompressedMediumG1</string>
```

```
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>© 2015-2020 Apple Inc. All rights
```

reserved.</string>

```
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
```



```

        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Extra Compressed Medium
G1</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Extra Compressed Medium G1</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExtraCompressedMediumG2</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>A© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Extra Compressed Medium
G2</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Compressed Medium G2</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>

```

```
        <string>16.0d19e4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>.SFNS-ExtraCompressedMediumG3</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Extra Compressed Medium
G3</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Extra Compressed Medium G3</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>.SFNS-ExtraCompressedMediumG4</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
```

```

        <key>fullname</key>
        <string>System Font Extra Compressed Medium
G4</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Extra Compressed Medium G4</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-UltraCompressedMedium</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Ultra Compressed
Medium</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Ultra Compressed Medium</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-UltraCompressedMediumG1</string>

```

```

        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Ultra Compressed Medium
G1</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Ultra Compressed Medium G1</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-UltraCompressedMediumG2</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Ultra Compressed Medium
G2</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>

```

```

    <string>Ultra Compressed Medium G2</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-UltraCompressedMediumG3</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Ultra Compressed Medium
G3</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Ultra Compressed Medium G3</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-UltraCompressedMediumG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
```

```
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>System Font</string>
<key>fullname</key>
<string>System Font Ultra Compressed Medium
G4</string>

<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Ultra Compressed Medium G4</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>

<key>unique</key>
<string>.SF NS; 16.0d19e4;
2020-11-14</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-CondensedLight</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Condensed Light</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Condensed Light</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>
```

```

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-CondensedLightG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Condensed Light
G1</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Condensed Light G1</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-CondensedLightG2</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>

```

```

        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Condensed Light
G2</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Condensed Light G2</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
        <key>_name</key>
        <string>.SFNS-CondensedLightG3</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Condensed Light
G3</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Condensed Light G3</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>

```



<key>\_name</key>  
<string>.SFNS-CondensedLightG4</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>© 2015-2020 Apple Inc. All rights reserved.</string>

<key>description</key>  
<string>Apple Inc.</string>  
<key>designer</key>  
<string>Apple Inc.</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>System Font</string>  
<key>fullname</key>  
<string>System Font Condensed Light G4</string>

<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Condensed Light G4</string>  
<key>trademark</key>  
<string>San Francisco is a trademark of Apple Inc.</string>

<key>unique</key>  
<string>.SF NS; 16.0d19e4; 2020-11-14</string>

<key>valid</key>  
<string>yes</string>  
<key>vendor</key>  
<string>Apple Inc.</string>  
<key>version</key>  
<string>16.0d19e4</string>

</dict>

<dict>

<key>\_name</key>  
<string>.SFNS-CompressedLight</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>© 2015-2020 Apple Inc. All rights reserved.</string>

<key>description</key>  
<string>Apple Inc.</string>  
<key>designer</key>  
<string>Apple Inc.</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>System Font</string>  
<key>fullname</key>  
<string>System Font Compressed Light</string>

<key>outline</key>  
<string>yes</string>

```

        <key>style</key>
        <string>Compressed Light</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-CompressedLightG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Compressed Light
G1</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Compressed Light G1</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-CompressedLightG2</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>

```

```
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>System Font</string>
<key>fullname</key>
<string>System Font Compressed Light
G2</string>

<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Compressed Light G2</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>

<key>unique</key>
<string>.SF NS; 16.0d19e4;
2020-11-14</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-CompressedLightG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Compressed Light
G3</string>

  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Compressed Light G3</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>
```

```

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-CompressedLightG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Compressed Light
G4</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Compressed Light G4</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExtraCompressedLight</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>

```

```

        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Extra Compressed
Light</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Extra Compressed Light</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExtraCompressedLightG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Extra Compressed Light
G1</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Compressed Light G1</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>

```

```
<dict>
  <key>_name</key>
  <string>.SFNS-ExtraCompressedLightG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Extra Compressed Light
G2</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Extra Compressed Light G2</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExtraCompressedLightG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Extra Compressed Light
```

```

G3</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Compressed Light G3</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExtraCompressedLightG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Extra Compressed Light
G4</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Compressed Light G4</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-UltraCompressedLight</string>
    <key>copy_protected</key>
    <string>no</string>

```

```

reserved.</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Ultra Compressed
Light</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Ultra Compressed Light</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-UltraCompressedLightG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Ultra Compressed Light
G1</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Ultra Compressed Light G1</string>
    <key>trademark</key>

```



```
Apple Inc.</string>                <string>San Francisco is a trademark of
<key>unique</key>
2020-11-14</string>              <string>.SF NS; 16.0d19e4;
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
    <string>.SFNS-UltraCompressedLightG2</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Ultra Compressed Light
G2</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Ultra Compressed Light G2</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
    <string>.SFNS-UltraCompressedLightG3</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
```

```

    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Ultra Compressed Light
G3</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Ultra Compressed Light G3</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-UltraCompressedLightG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Ultra Compressed Light
G4</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Ultra Compressed Light G4</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
```

```

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-CondensedThin</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Condensed Thin</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Condensed Thin</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-CondensedThinG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>

```

```

        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Condensed Thin
G1</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Condensed Thin G1</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-CondensedThinG2</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Condensed Thin
G2</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Condensed Thin G2</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>

```

```

        <string>.SFNS-CondensedThinG3</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Condensed Thin
G3</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Condensed Thin G3</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
        <key>_name</key>
        <string>.SFNS-CondensedThinG4</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Condensed Thin
G4</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>

```

```
Apple Inc.</string>
2020-11-14</string>
reserved.</string>
Apple Inc.</string>
2020-11-14</string>
reserved.</string>

<string>Condensed Thin G4</string>
<key>trademark</key>
<string>San Francisco is a trademark of

<key>unique</key>
<string>.SF NS; 16.0d19e4;

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-CompressedThin</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Compressed Thin</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Compressed Thin</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-CompressedThinG1</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
```

```
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>System Font</string>
<key>fullname</key>
<string>System Font Compressed Thin
G1</string>

<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Compressed Thin G1</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>

<key>unique</key>
<string>.SF NS; 16.0d19e4;
2020-11-14</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-CompressedThinG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Compressed Thin
G2</string>

  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Compressed Thin G2</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>

  <key>valid</key>
  <string>yes</string>
```

```
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-CompressedThinG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Compressed Thin
G3</string>

  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Compressed Thin G3</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-CompressedThinG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
```



```

        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Compressed Thin
G4</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Compressed Thin G4</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExtraCompressedThin</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Extra Compressed
Thin</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Compressed Thin</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExtraCompressedThinG1</string>

```

```

    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Extra Compressed Thin
G1</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Compressed Thin G1</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExtraCompressedThinG2</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Extra Compressed Thin
G2</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Compressed Thin G2</string>

```

```
Apple Inc.</string>
2020-11-14</string>
reserved.</string>
G3</string>
Apple Inc.</string>
2020-11-14</string>
reserved.</string>

<key>trademark</key>
<string>San Francisco is a trademark of

<key>unique</key>
<string>.SF NS; 16.0d19e4;

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExtraCompressedThinG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Extra Compressed Thin

  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Extra Compressed Thin G3</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExtraCompressedThinG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
```

```
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>System Font</string>
<key>fullname</key>
<string>System Font Extra Compressed Thin
G4</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Extra Compressed Thin G4</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
<key>unique</key>
<string>.SF NS; 16.0d19e4;
2020-11-14</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-UltraCompressedThin</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Ultra Compressed
Thin</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Ultra Compressed Thin</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>
  <key>valid</key>
  <string>yes</string>
```

```

    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-UltraCompressedThinG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Ultra Compressed Thin
G1</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Ultra Compressed Thin G1</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-UltraCompressedThinG2</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>

```

```
<string>System Font</string>
<key>fullname</key>
<string>System Font Ultra Compressed Thin
G2</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Ultra Compressed Thin G2</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
<key>unique</key>
<string>.SF NS; 16.0d19e4;
2020-11-14</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
<key>_name</key>
<string>.SFNS-UltraCompressedThinG3</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>© 2015-2020 Apple Inc. All rights
reserved.</string>
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>System Font</string>
<key>fullname</key>
<string>System Font Ultra Compressed Thin
G3</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Ultra Compressed Thin G3</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
<key>unique</key>
<string>.SF NS; 16.0d19e4;
2020-11-14</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
<key>_name</key>
<string>.SFNS-UltraCompressedThinG4</string>
```

```

    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Ultra Compressed Thin
G4</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Ultra Compressed Thin G4</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-CondensedUltralight</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Condensed
Ultralight</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Condensed Ultralight</string>

```

```
Apple Inc.</string>
2020-11-14</string>
reserved.</string>
G1</string>
Apple Inc.</string>
2020-11-14</string>
reserved.</string>

<key>trademark</key>
<string>San Francisco is a trademark of

<key>unique</key>
<string>.SF NS; 16.0d19e4;

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-CondensedUltralightG1</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Condensed Ultralight

  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Condensed Ultralight G1</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-CondensedUltralightG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
```



```
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>System Font</string>
<key>fullname</key>
<string>System Font Condensed Ultralight
G2</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Condensed Ultralight G2</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
<key>unique</key>
<string>.SF NS; 16.0d19e4;
2020-11-14</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-CondensedUltralightG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Condensed Ultralight
G3</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Condensed Ultralight G3</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>
  <key>valid</key>
  <string>yes</string>
```

```
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-CondensedUltralightG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Condensed Ultralight
G4</string>

  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Condensed Ultralight G4</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-CompressedUltralight</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
```

```

        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Compressed
Ultralight</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Compressed Ultralight</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-CompressedUltralightG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Compressed Ultralight
G1</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Compressed Ultralight G1</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>

```

```

    <string>.SFNS-CompressedUltralightG2</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Compressed Ultralight
G2</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Compressed Ultralight G2</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-CompressedUltralightG3</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Compressed Ultralight
G3</string>
    <key>outline</key>

```

```

    <string>yes</string>
    <key>style</key>
    <string>Compressed Ultralight G3</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-CompressedUltralightG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Compressed Ultralight
G4</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Compressed Ultralight G4</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExtraCompressedUltralight</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
```

```

reserved.</string>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Extra Compressed
UltraLight</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Compressed UltraLight</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExtraCompressedUltraLightG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Extra Compressed
UltraLight G1</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Compressed UltraLight
G1</string>
    <key>trademark</key>

```

```

Apple Inc.</string>                <string>San Francisco is a trademark of
                                     <key>unique</key>
2020-11-14</string>              <string>.SF NS; 16.0d19e4;
                                     <key>valid</key>
                                     <string>yes</string>
                                     <key>vendor</key>
                                     <string>Apple Inc.</string>
                                     <key>version</key>
                                     <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExtraCompressedUltralightG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Extra Compressed
Ultralight G2</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Extra Compressed Ultralight
G2</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExtraCompressedUltralightG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>

```

```

        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Extra Compressed
Ultralight G3</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Extra Compressed Ultralight
G3</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExtraCompressedUltralightG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Extra Compressed
Ultralight G4</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Compressed Ultralight
G4</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

```



```
2020-11-14</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>

    <string>.SFNS-UltraCompressedUltralight</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Ultra Compressed

Ultralight</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Ultra Compressed Ultralight</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of

Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;

2020-11-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>

    <string>.SFNS-UltraCompressedUltralightG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
```

```

        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Ultra Compressed
Ultralight G1</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Ultra Compressed Ultralight
G1</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-UltraCompressedUltralightG2</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Ultra Compressed
Ultralight G2</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Ultra Compressed Ultralight
G2</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

```

```

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
    </dict>
    <dict>
        <key>_name</key>

    <string>.SFNS-UltraCompressedUltralightG3</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Ultra Compressed

    Ultralight G3</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Ultra Compressed Ultralight

    G3</string>

        <key>trademark</key>
        <string>San Francisco is a trademark of

    Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;

    2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
    </dict>
    <dict>
        <key>_name</key>

    <string>.SFNS-UltraCompressedUltralightG4</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>

```

```

        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Ultra Compressed
Ultralight G4</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Ultra Compressed Ultralight
G4</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
        <key>_name</key>
        <string>.SFNS-CondensedSemibold</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Condensed
Semibold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Condensed Semibold</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>

```

```

        <key>version</key>
        <string>16.0d19e4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>.SFNS-CondensedSemiboldG1</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Condensed Semibold
G1</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Condensed Semibold G1</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>.SFNS-CondensedSemiboldG2</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>

```

```

G2</string>
    <string>System Font Condensed Semibold
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Condensed Semibold G2</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-CondensedSemiboldG3</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Condensed Semibold
G3</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Condensed Semibold G3</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-CondensedSemiboldG4</string>
    <key>copy_protected</key>
    <string>no</string>

```

```

reserved.</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Condensed Semibold
G4</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Condensed Semibold G4</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-CompressedSemibold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Compressed
Semibold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Compressed Semibold</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of

```

```
Apple Inc.</string>
2020-11-14</string>
reserved.</string>
G1</string>
Apple Inc.</string>
2020-11-14</string>
reserved.</string>

<key>unique</key>
<string>.SF NS; 16.0d19e4;

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-CompressedSemiboldG1</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Compressed Semibold

  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Compressed Semibold G1</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-CompressedSemiboldG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
```



```
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>System Font</string>
<key>fullname</key>
<string>System Font Compressed Semibold
G2</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Compressed Semibold G2</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
<key>unique</key>
<string>.SF NS; 16.0d19e4;
2020-11-14</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
<key>_name</key>
<string>.SFNS-CompressedSemiboldG3</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>© 2015-2020 Apple Inc. All rights
reserved.</string>
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>System Font</string>
<key>fullname</key>
<string>System Font Compressed Semibold
G3</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Compressed Semibold G3</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
<key>unique</key>
<string>.SF NS; 16.0d19e4;
2020-11-14</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
```

```
        <key>version</key>
        <string>16.0d19e4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>.SFNS-CompressedSemiboldG4</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Compressed Semibold
G4</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Compressed Semibold G4</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>.SFNS-ExtraCompressedSemibold</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
```

```

        <key>fullname</key>
        <string>System Font Extra Compressed
Semibold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Extra Compressed Semibold</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExtraCompressedSemiboldG1</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Extra Compressed
Semibold G1</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Extra Compressed Semibold
G1</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>

```

```
<string>.SFNS-ExtraCompressedSemiboldG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Extra Compressed
Semibold G2</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Extra Compressed Semibold
G2</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExtraCompressedSemiboldG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Extra Compressed
Semibold G3</string>
```

```

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Extra Compressed Semibold
G3</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExtraCompressedSemiboldG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Extra Compressed
Semibold G4</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Compressed Semibold
G4</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-UltraCompressedSemibold</string>

```

```

    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Ultra Compressed
Semibold</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Ultra Compressed Semibold</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>

    <string>.SFNS-UltraCompressedSemiboldG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Ultra Compressed
Semibold G1</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>

```



```

reserved.</string>      <string>Â© 2015-2020 Apple Inc. All rights
                        <key>description</key>
                        <string>Apple Inc.</string>
                        <key>designer</key>
                        <string>Apple Inc.</string>
                        <key>duplicate</key>
                        <string>no</string>
                        <key>embeddable</key>
                        <string>yes</string>
                        <key>enabled</key>
                        <string>yes</string>
                        <key>family</key>
                        <string>System Font</string>
                        <key>fullname</key>
                        <string>System Font Ultra Compressed
Semibold G3</string>
                        <key>outline</key>
                        <string>yes</string>
                        <key>style</key>
                        <string>Ultra Compressed Semibold
G3</string>
                        <key>trademark</key>
                        <string>San Francisco is a trademark of
Apple Inc.</string>
                        <key>unique</key>
                        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
                        <key>valid</key>
                        <string>yes</string>
                        <key>vendor</key>
                        <string>Apple Inc.</string>
                        <key>version</key>
                        <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
    <string>.SFNS-UltraCompressedSemiboldG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Ultra Compressed
Semibold G4</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Ultra Compressed Semibold
G4</string>

```



```
Apple Inc.</string>
2020-11-14</string>
reserved.</string>
Apple Inc.</string>
2020-11-14</string>
reserved.</string>

<key>trademark</key>
<string>San Francisco is a trademark of

<key>unique</key>
<string>.SF NS; 16.0d19e4;

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-CondensedBold</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Condensed Bold</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Condensed Bold</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-CondensedBoldG1</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
```

```

        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Condensed Bold
G1</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Condensed Bold G1</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-CondensedBoldG2</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Condensed Bold
G2</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Condensed Bold G2</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>

```

```
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>.SFNS-CondensedBoldG3</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Condensed Bold
G3</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Condensed Bold G3</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>.SFNS-CondensedBoldG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
```

```

        <key>fullname</key>
        <string>System Font Condensed Bold
G4</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Condensed Bold G4</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
        <key>_name</key>
        <string>.SFNS-CompressedBold</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Compressed Bold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Compressed Bold</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
        <key>_name</key>
        <string>.SFNS-CompressedBoldG1</string>
        <key>copy_protected</key>
        <string>no</string>

```

```
<key>copyright</key>
reserved.</string> <string>Â© 2015-2020 Apple Inc. All rights

<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>System Font</string>
<key>fullname</key>
<string>System Font Compressed Bold

G1</string>

<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Compressed Bold G1</string>
<key>trademark</key>
<string>San Francisco is a trademark of

Apple Inc.</string>

<key>unique</key>
2020-11-14</string> <string>.SF NS; 16.0d19e4;

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-CompressedBoldG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights

reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Compressed Bold

G2</string>

  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Compressed Bold G2</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
```

```
Apple Inc.</string>
2020-11-14</string>
reserved.</string>
G3</string>
Apple Inc.</string>
2020-11-14</string>
reserved.</string>

<key>unique</key>
<string>.SF NS; 16.0d19e4;

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-CompressedBoldG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Compressed Bold

  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Compressed Bold G3</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-CompressedBoldG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
```

```

        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Compressed Bold
G4</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Compressed Bold G4</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
        <key>_name</key>
        <string>.SFNS-ExtraCompressedBold</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Extra Compressed
Bold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Extra Compressed Bold</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>

```

```
        <key>version</key>
        <string>16.0d19e4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>.SFNS-ExtraCompressedBoldG1</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Extra Compressed Bold
G1</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Extra Compressed Bold G1</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>.SFNS-ExtraCompressedBoldG2</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
```



```

G2</string>                <string>System Font Extra Compressed Bold
                             <key>outline</key>
                             <string>yes</string>
                             <key>style</key>
                             <string>Extra Compressed Bold G2</string>
                             <key>trademark</key>
                             <string>San Francisco is a trademark of
Apple Inc.</string>
                             <key>unique</key>
                             <string>.SF NS; 16.0d19e4;
2020-11-14</string>
                             <key>valid</key>
                             <string>yes</string>
                             <key>vendor</key>
                             <string>Apple Inc.</string>
                             <key>version</key>
                             <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExtraCompressedBoldG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Extra Compressed Bold
G3</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Extra Compressed Bold G3</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExtraCompressedBoldG4</string>
  <key>copy_protected</key>
  <string>no</string>

```

```

reserved.</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Extra Compressed Bold
G4</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Compressed Bold G4</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-UltraCompressedBold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Ultra Compressed
Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Ultra Compressed Bold</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of

```

```
Apple Inc.</string>
2020-11-14</string>
reserved.</string>
G1</string>
Apple Inc.</string>
2020-11-14</string>
reserved.</string>

<key>unique</key>
<string>.SF NS; 16.0d19e4;

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-UltraCompressedBoldG1</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Ultra Compressed Bold

  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Ultra Compressed Bold G1</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-UltraCompressedBoldG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
```

```
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>System Font</string>
<key>fullname</key>
<string>System Font Ultra Compressed Bold
G2</string>

<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Ultra Compressed Bold G2</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>

<key>unique</key>
<string>.SF NS; 16.0d19e4;
2020-11-14</string>

<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-UltraCompressedBoldG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Ultra Compressed Bold
G3</string>

  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Ultra Compressed Bold G3</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
```

```
        <key>version</key>
        <string>16.0d19e4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>.SFNS-UltraCompressedBoldG4</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Ultra Compressed Bold
G4</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Ultra Compressed Bold G4</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>.SFNS-CondensedHeavy</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
```

```
<string>System Font Condensed Heavy</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Condensed Heavy</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
<key>unique</key>
<string>.SF NS; 16.0d19e4;
2020-11-14</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-CondensedHeavyG1</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Condensed Heavy
G1</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Condensed Heavy G1</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-CondensedHeavyG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
```

```

reserved.</string>      <string>Â© 2015-2020 Apple Inc. All rights
                        <key>description</key>
                        <string>Apple Inc.</string>
                        <key>designer</key>
                        <string>Apple Inc.</string>
                        <key>duplicate</key>
                        <string>no</string>
                        <key>embeddable</key>
                        <string>yes</string>
                        <key>enabled</key>
                        <string>yes</string>
                        <key>family</key>
                        <string>System Font</string>
                        <key>fullname</key>
                        <string>System Font Condensed Heavy
G2</string>            <key>outline</key>
                        <string>yes</string>
                        <key>style</key>
                        <string>Condensed Heavy G2</string>
                        <key>trademark</key>
                        <string>San Francisco is a trademark of
Apple Inc.</string>   <key>unique</key>
                        <string>.SF NS; 16.0d19e4;
2020-11-14</string> <key>valid</key>
                        <string>yes</string>
                        <key>vendor</key>
                        <string>Apple Inc.</string>
                        <key>version</key>
                        <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-CondensedHeavyG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>   <key>description</key>
                        <string>Apple Inc.</string>
                        <key>designer</key>
                        <string>Apple Inc.</string>
                        <key>duplicate</key>
                        <string>no</string>
                        <key>embeddable</key>
                        <string>yes</string>
                        <key>enabled</key>
                        <string>yes</string>
                        <key>family</key>
                        <string>System Font</string>
                        <key>fullname</key>
                        <string>System Font Condensed Heavy
G3</string>            <key>outline</key>
                        <string>yes</string>
                        <key>style</key>
                        <string>Condensed Heavy G3</string>
                        <key>trademark</key>
                        <string>San Francisco is a trademark of
Apple Inc.</string>

```

```
2020-11-14</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-CondensedHeavyG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Condensed Heavy
G4</string>

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Condensed Heavy G4</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS; 16.0d19e4;

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-CompressedHeavy</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
```



```

        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Compressed
Heavy</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Compressed Heavy</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
        <key>_name</key>
        <string>.SFNS-CompressedHeavyG1</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>A© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Compressed Heavy
G1</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Compressed Heavy G1</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>

```

```
        <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-CompressedHeavyG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Compressed Heavy
G2</string>

  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Compressed Heavy G2</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-CompressedHeavyG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Compressed Heavy
```

```

G3</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Compressed Heavy G3</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-CompressedHeavyG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Compressed Heavy
G4</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Compressed Heavy G4</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExtraCompressedHeavy</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>

```

```

reserved.</string>      <string>Â© 2015-2020 Apple Inc. All rights
                        <key>description</key>
                        <string>Apple Inc.</string>
                        <key>designer</key>
                        <string>Apple Inc.</string>
                        <key>duplicate</key>
                        <string>no</string>
                        <key>embeddable</key>
                        <string>yes</string>
                        <key>enabled</key>
                        <string>yes</string>
                        <key>family</key>
                        <string>System Font</string>
                        <key>fullname</key>
                        <string>System Font Extra Compressed
Heavy</string>
                        <key>outline</key>
                        <string>yes</string>
                        <key>style</key>
                        <string>Extra Compressed Heavy</string>
                        <key>trademark</key>
                        <string>San Francisco is a trademark of
Apple Inc.</string>
                        <key>unique</key>
                        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
                        <key>valid</key>
                        <string>yes</string>
                        <key>vendor</key>
                        <string>Apple Inc.</string>
                        <key>version</key>
                        <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
    <string>.SFNS-ExtraCompressedHeavyG1</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Extra Compressed Heavy
G1</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Compressed Heavy G1</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of

```

```
Apple Inc.</string>
2020-11-14</string>
<key>unique</key>
<string>.SF NS; 16.0d19e4;
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExtraCompressedHeavyG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Extra Compressed Heavy
G2</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Extra Compressed Heavy G2</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-ExtraCompressedHeavyG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
```

```

        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Extra Compressed Heavy
G3</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Extra Compressed Heavy G3</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF NS; 16.0d19e4;
2020-11-14</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-ExtraCompressedHeavyG4</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Extra Compressed Heavy
G4</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Extra Compressed Heavy G4</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>

```

```

    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-UltraCompressedHeavy</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Ultra Compressed
Heavy</string>

  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Ultra Compressed Heavy</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-UltraCompressedHeavyG1</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>

```

```
<string>yes</string>
<key>family</key>
<string>System Font</string>
<key>fullname</key>
<string>System Font Ultra Compressed Heavy
G1</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Ultra Compressed Heavy G1</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
<key>unique</key>
<string>.SF NS; 16.0d19e4;
2020-11-14</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-UltraCompressedHeavyG2</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Ultra Compressed Heavy
G2</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Ultra Compressed Heavy G2</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
```



```
<dict>
  <key>_name</key>
  <string>.SFNS-UltraCompressedHeavyG3</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Ultra Compressed Heavy
G3</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Ultra Compressed Heavy G3</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
  <key>unique</key>
  <string>.SF NS; 16.0d19e4;
2020-11-14</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d19e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-UltraCompressedHeavyG4</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Ultra Compressed Heavy
```

```

G4</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Ultra Compressed Heavy G4</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-CondensedBlack</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Condensed Black</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Condensed Black</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF NS; 16.0d19e4;
2020-11-14</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d19e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFNS-CompressedBlack</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights

```

reserved.</string>

```
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>System Font</string>
<key>fullname</key>
<string>System Font Compressed
```

Black</string>

```
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Compressed Black</string>
<key>trademark</key>
<string>San Francisco is a trademark of
```

Apple Inc.</string>

```
<key>unique</key>
<string>.SF NS; 16.0d19e4;
```

2020-11-14</string>

```
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d19e4</string>
```

</dict>

<dict>

```
<key>_name</key>
<string>.SFNS-ExtraCompressedBlack</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>© 2015-2020 Apple Inc. All rights
```

reserved.</string>

```
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>System Font</string>
<key>fullname</key>
<string>System Font Extra Compressed
```

Black</string>

```
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Extra Compressed Black</string>
<key>trademark</key>
<string>San Francisco is a trademark of
```

Apple Inc.</string>

```
<key>unique</key>
```



```
<array>
  <dict>
    <key>_name</key>
    <string>MyanmarSangamMN-Bold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright (c) 2010 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
    <key>description</key>
    <string>Copyright (c) 2010 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
    <key>designer</key>
    <string>Muthu Nedumaran</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Myanmar Sangam MN</string>
    <key>fullname</key>
    <string>Myanmar Sangam MN Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold</string>
    <key>trademark</key>
    <string>Myanmar MN Bold is a trademark of
Murasu Systems Sdn. Bhd. Malaysia.</string>
    <key>unique</key>
    <string>Myanmar Sangam MN Bold; 14.0d1e8;
2018-02-27</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Murasu Systems Sdn. Bhd.
Malaysia</string>
    <key>version</key>
    <string>14.0d1e8</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>MyanmarSangamMN</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright (c) 2010 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
    <key>description</key>
    <string>Copyright (c) 2010 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
    <key>designer</key>
    <string>Muthu Nedumaran</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Myanmar Sangam MN</string>
    <key>fullname</key>
```

```

        <string>Myanmar Sangam MN</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>trademark</key>
        <string>Myanmar Sangam MN is a trademark of
Murasu Systems Sdn. Bhd. Malaysia.</string>
        <key>unique</key>
        <string>Myanmar Sangam MN; 14.0d1e8; 2018-
02-27</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Murasu Systems Sdn. Bhd.
Malaysia</string>

        <key>version</key>
        <string>14.0d1e8</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Trebuchet MS Bold Italic.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Trebuchet MS
Bold Italic.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>Trebuchet-BoldItalic</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>© 2006 Microsoft Corporation. All
Rights Reserved.</string>

            <key>description</key>
            <string>Trebuchet, designed by Vincent
Connare in 1996, is a humanist sans serif designed for easy screen readability.
Trebuchet takes its inspiration from the sans serifs of the 1930s which had
large x heights and round features intended to promote readability on signs. The
typeface name is credited to a puzzle heard at Microsoft, where the question was
asked, "could you build a Trebuchet (a form of medieval catapult) to launch a
person from the main campus to the consumer campus, and how?" The Trebuchet
fonts are intended to be the vehicle that fires your messages across the
Internet. "Launch your message with a Trebuchet page".</string>
            <key>designer</key>
            <string>Vincent Connare</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Trebuchet MS</string>
            <key>fullname</key>

```

```

        <string>Trebuchet MS Bold Italic</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Bold Italic</string>
        <key>unique</key>
        <string>Microsoft Trebuchet Bold
Italic</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Microsoft Corporation</string>
        <key>version</key>
        <string>Version 5.00x</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Bodoni 72.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Bodoni
72.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>BodoniSvtyTwoITCTT-Bold</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright © 1997 International
Typeface Corporation. All rights reserved.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Bodoni 72</string>
            <key>fullname</key>
            <string>Bodoni 72 Bold</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Bold</string>
            <key>trademark</key>
            <string>ITC Bodoni is a trademark of
International Typeface Corporation.</string>
            <key>unique</key>
            <string>Bodoni 72 Bold; 13.0d2e1; 2017-07-
12</string>
            <key>valid</key>
            <string>yes</string>
            <key>version</key>
            <string>13.0d2e1</string>
        </dict>
    </array>
</dict>

```

```

<dict>
  <key>_name</key>
  <string>BodoniSvtyTwoITCTT-Book</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright © 1997 International
Typeface Corporation. All rights reserved.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Bodoni 72</string>
  <key>fullname</key>
  <string>Bodoni 72 Book</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Book</string>
  <key>trademark</key>
  <string>ITC Bodoni is a trademark of
International Typeface Corporation.</string>
  <key>unique</key>
  <string>Bodoni 72 Book; 13.0d2e1; 2017-07-
12</string>

  <key>valid</key>
  <string>yes</string>
  <key>version</key>
  <string>13.0d2e1</string>
</dict>
<dict>
  <key>_name</key>
  <string>BodoniSvtyTwoITCTT-BookIta</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright © 1997 International
Typeface Corporation. All rights reserved.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Bodoni 72</string>
  <key>fullname</key>
  <string>Bodoni 72 Book Italic</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Book Italic</string>
  <key>trademark</key>
  <string>ITC Bodoni is a trademark of
International Typeface Corporation.</string>
  <key>unique</key>
  <string>Bodoni 72 Book Italic; 13.0d2e1;
2017-07-12</string>

  <key>valid</key>
  <string>yes</string>
  <key>version</key>

```



```

        <string>13.0d2e1</string>
      </dict>
    </array>
    <key>valid</key>
    <string>yes</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Sinhala MN.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Sinhala
MN.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
      <dict>
        <key>_name</key>
        <string>SinhalaMN-Bold</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright (c) 2004 by Muthu
Nedumaran. All rights reserved.</string>
        <key>description</key>
        <string>Copyright (c) 2004 by Muthu
Nedumaran. All rights reserved.</string>
        <key>designer</key>
        <string>Muthu Nedumaran</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Sinhala MN</string>
        <key>fullname</key>
        <string>Sinhala MN Bold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Bold</string>
        <key>trademark</key>
        <string>Sinhala MN is a trademark of Muthu
Nedumaran.</string>
        <key>unique</key>
        <string>Sinhala MN Bold; 14.0d1e1; 2018-02-
25</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Muthu Nedumaran</string>
        <key>version</key>
        <string>14.0d1e1</string>
      </dict>
    <dict>
      <key>_name</key>
      <string>SinhalaMN</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>

```

```

    <string>Copyright (c) 2004 by Muthu
Nedumaran. All rights reserved.</string>
    <key>description</key>
    <string>Copyright (c) 2004 by Muthu
Nedumaran. All rights reserved.</string>
    <key>designer</key>
    <string>Muthu Nedumaran</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Sinhala MN</string>
    <key>fullname</key>
    <string>Sinhala MN</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>trademark</key>
    <string>Sinhala MN is a trademark of Muthu
Nedumaran.</string>
    <key>unique</key>
    <string>Sinhala MN; 14.0d1e1;
2018-02-25</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Muthu Nedumaran</string>
    <key>version</key>
    <string>14.0d1e1</string>
  </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>Telugu Sangam MN.ttc</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/Supplemental/Telugu Sangam
MN.ttc</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>TeluguSangamMN-Bold</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Copyright (c) 2004 by Muthu
Nedumaran. All rights reserved.</string>
      <key>description</key>
      <string>Copyright (c) 2004 by Muthu
Nedumaran. All rights reserved.</string>
      <key>designer</key>
      <string>Muthu Nedumaran</string>
      <key>duplicate</key>

```

```

    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Telugu Sangam MN</string>
    <key>fullname</key>
    <string>Telugu Sangam MN Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold</string>
    <key>trademark</key>
    <string>Telugu Sangam MN is a trademark of
Muthu Nedumaran.</string>
    <key>unique</key>
    <string>Telugu Sangam MN Bold; 14.0d1e4;
2018-02-25</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Muthu Nedumaran</string>
    <key>version</key>
    <string>14.0d1e4</string>
</dict>
<dict>
    <key>_name</key>
    <string>TeluguSangamMN</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright (c) 2004 by Muthu
Nedumaran. All rights reserved.</string>
    <key>description</key>
    <string>Copyright (c) 2004 by Muthu
Nedumaran. All rights reserved.</string>
    <key>designer</key>
    <string>Muthu Nedumaran</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Telugu Sangam MN</string>
    <key>fullname</key>
    <string>Telugu Sangam MN</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>trademark</key>
    <string>Telugu Sangam MN is a trademark of
Muthu Nedumaran.</string>
    <key>unique</key>
    <string>Telugu Sangam MN; 14.0d1e4; 2018-02-
25</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Muthu Nedumaran</string>
    <key>version</key>

```

```

        <string>14.0d1e4</string>
      </dict>
    </array>
    <key>valid</key>
    <string>yes</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Baghdad.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>

<string>/System/Library/Fonts/Supplemental/Baghdad.ttc</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>Baghdad</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Baghdad designed by Diwan Software
Ltd. Copyright Apple Computer, Inc. and its licensors, 1992-1998 all rights
reserved.</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>Baghdad</string>
      <key>fullname</key>
      <string>Baghdad Regular</string>
      <key>outline</key>
      <string>yes</string>
      <key>style</key>
      <string>Regular</string>
      <key>unique</key>
      <string>Baghdad Regular; 13.0d1e5; 2017-06-
13</string>
      <key>valid</key>
      <string>yes</string>
      <key>version</key>
      <string>13.0d1e5</string>
    </dict>
  <dict>
    <key>_name</key>
    <string>.BaghdadPUA</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Baghdad designed by Diwan Software
Ltd. Copyright Apple Computer, Inc. and its licensors, 1992-1998 all rights
reserved.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>

```

```

13</string>
    <key>family</key>
    <string>.Baghdad PUA</string>
    <key>fullname</key>
    <string>.Baghdad PUA</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>unique</key>
    <string>.Baghdad PUA; 13.0d1e5; 2017-06-
13</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0d1e5</string>
  </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>Skia.ttf</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/Supplemental/Skia.ttf</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>Skia-Regular_Extended</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>© 1993-2014 Apple Inc.</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>Skia</string>
      <key>fullname</key>
      <string>Skia Extended</string>
      <key>outline</key>
      <string>yes</string>
      <key>style</key>
      <string>Extended</string>
      <key>unique</key>
      <string>Skia; 13.0d1e54; 2017-06-21</string>
      <key>valid</key>
      <string>yes</string>
      <key>version</key>
      <string>13.0d1e54</string>
    </dict>
    <dict>
      <key>_name</key>
      <string>Skia-Regular_Light-Extended</string>
      <key>copy_protected</key>

```

```
<string>no</string>
<key>copyright</key>
<string>© 1993-2014 Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Skia</string>
<key>fullname</key>
<string>Skia Light Extended</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Light Extended</string>
<key>unique</key>
<string>Skia; 13.0d1e54; 2017-06-21</string>
<key>valid</key>
<string>yes</string>
<key>version</key>
<string>13.0d1e54</string>
</dict>
<dict>
  <key>_name</key>
  <string>Skia-Regular_Light</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 1993-2014 Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Skia</string>
  <key>fullname</key>
  <string>Skia Light</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Light</string>
  <key>unique</key>
  <string>Skia; 13.0d1e54; 2017-06-21</string>
  <key>valid</key>
  <string>yes</string>
  <key>version</key>
  <string>13.0d1e54</string>
</dict>
<dict>
  <key>_name</key>
  <string>Skia-Regular_Bold</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 1993-2014 Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
```

```
<string>yes</string>
<key>family</key>
<string>Skia</string>
<key>fullname</key>
<string>Skia Bold</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Bold</string>
<key>unique</key>
<string>Skia; 13.0d1e54; 2017-06-21</string>
<key>valid</key>
<string>yes</string>
<key>version</key>
<string>13.0d1e54</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>Skia-Regular</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>© 1993-2014 Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Skia</string>
<key>fullname</key>
<string>Skia Regular</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular</string>
<key>unique</key>
<string>Skia; 13.0d1e54; 2017-06-21</string>
<key>valid</key>
<string>yes</string>
<key>version</key>
<string>13.0d1e54</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
```

```
<string>Skia-Regular_Black-Condensed</string>
```

```
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>© 1993-2014 Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Skia</string>
<key>fullname</key>
<string>Skia Black Condensed</string>
<key>outline</key>
<string>yes</string>
```

```
        <key>style</key>
        <string>Black Condensed</string>
        <key>unique</key>
        <string>Skia; 13.0d1e54; 2017-06-21</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>13.0d1e54</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Skia-Regular_Black-Extended</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 1993-2014 Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Skia</string>
        <key>fullname</key>
        <string>Skia Black Extended</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Black Extended</string>
        <key>unique</key>
        <string>Skia; 13.0d1e54; 2017-06-21</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>13.0d1e54</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Skia-Regular_Light-Condensed</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 1993-2014 Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Skia</string>
        <key>fullname</key>
        <string>Skia Light Condensed</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Light Condensed</string>
        <key>unique</key>
        <string>Skia; 13.0d1e54; 2017-06-21</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
```



```
        <string>13.0d1e54</string>
</dict>
<dict>
  <key>_name</key>
  <string>Skia-Regular_Black</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 1993-2014 Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Skia</string>
  <key>fullname</key>
  <string>Skia Black</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Black</string>
  <key>unique</key>
  <string>Skia; 13.0d1e54; 2017-06-21</string>
  <key>valid</key>
  <string>yes</string>
  <key>version</key>
  <string>13.0d1e54</string>
</dict>
<dict>
  <key>_name</key>
  <string>Skia-Regular_Condensed</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 1993-2014 Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Skia</string>
  <key>fullname</key>
  <string>Skia Condensed</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Condensed</string>
  <key>unique</key>
  <string>Skia; 13.0d1e54; 2017-06-21</string>
  <key>valid</key>
  <string>yes</string>
  <key>version</key>
  <string>13.0d1e54</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
```

```

        <string>Arial Bold Italic.ttf</string>
        <key>enabled</key>
        <string>yes</string>
        <key>path</key>
        <string>/System/Library/Fonts/Supplemental/Arial Bold
Italic.ttf</string>
        <key>type</key>
        <string>truetype</string>
        <key>typefaces</key>
        <array>
          <dict>
            <key>_name</key>
            <string>Arial-BoldItalicMT</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Â© 2006 The Monotype Corporation.
All Rights Reserved.</string>
            <key>designer</key>
            <string>Monotype Type Drawing Office - Robin
Nicholas, Patricia Saunders 1982</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Arial</string>
            <key>fullname</key>
            <string>Arial Bold Italic</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Bold Italic</string>
            <key>trademark</key>
            <string>Arial is a trademark of The Monotype
Corporation in the United States and/or other countries.</string>
            <key>unique</key>
            <string>Monotype:Arial Bold Italic:version
3.14 (Microsoft)</string>
            <key>valid</key>
            <string>yes</string>
            <key>vendor</key>
            <string>The Monotype Corporation</string>
            <key>version</key>
            <string>Version 5.00.2x</string>
          </dict>
        </array>
        <key>valid</key>
        <string>yes</string>
      </dict>
    <dict>
      <key>_name</key>
      <string>SFCompactRounded.ttf</string>
      <key>enabled</key>
      <string>yes</string>
      <key>path</key>
      <string>/System/Library/Fonts/SFCompactRounded.ttf</string>
      <key>type</key>
      <string>truetype</string>
      <key>typefaces</key>
      <array>

```

```
<dict>
  <key>_name</key>
  <string>..SFCompactRounded-Regular</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact Rounded</string>
  <key>fullname</key>
  <string>.SF Compact Rounded Regular</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Regular</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>

  <key>unique</key>
  <string>.SF Compact Rounded; 16.0d15e3;
2020-09-15</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>..SFCompactRounded-Regular</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact Rounded</string>
  <key>fullname</key>
  <string>.SF Compact Rounded Regular</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
```

```

    <string>Regular</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF Compact Rounded; 16.0d15e3;
2020-09-15</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFCompactRounded-Medium</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.SF Compact Rounded</string>
    <key>fullname</key>
    <string>.SF Compact Rounded Medium</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Medium</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF Compact Rounded; 16.0d15e3;
2020-09-15</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFCompactRounded-Light</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
```

```
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>.SF Compact Rounded</string>
<key>fullname</key>
<string>.SF Compact Rounded Light</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Light</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
2020-09-15</string>
<key>unique</key>
<string>.SF Compact Rounded; 16.0d15e3;
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFCompactRounded-Thin</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.SF Compact Rounded</string>
  <key>fullname</key>
  <string>.SF Compact Rounded Thin</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Thin</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
2020-09-15</string>
  <key>unique</key>
  <string>.SF Compact Rounded; 16.0d15e3;
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
```

```

        <key>version</key>
        <string>16.0d15e3</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>.SFCompactRounded-Ultralight</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>.SF Compact Rounded</string>
        <key>fullname</key>
        <string>.SF Compact Rounded
Ultralight</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Ultralight</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>
        <key>unique</key>
        <string>.SF Compact Rounded; 16.0d15e3;
2020-09-15</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d15e3</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>.SFCompactRounded-Semibold</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>.SF Compact Rounded</string>

```

```

                <key>fullname</key>
                <string>.SF Compact Rounded
Semibold</string>
                <key>outline</key>
                <string>yes</string>
                <key>style</key>
                <string>Semibold</string>
                <key>trademark</key>
                <string>San Francisco is a trademark of
Apple Inc.</string>
                <key>unique</key>
                <string>.SF Compact Rounded; 16.0d15e3;
2020-09-15</string>
                <key>valid</key>
                <string>yes</string>
                <key>vendor</key>
                <string>Apple Inc.</string>
                <key>version</key>
                <string>16.0d15e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFCompactRounded-Bold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.SF Compact Rounded</string>
    <key>fullname</key>
    <string>.SF Compact Rounded Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF Compact Rounded; 16.0d15e3;
2020-09-15</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFCompactRounded-Heavy</string>
    <key>copy_protected</key>
    <string>no</string>

```

```
reserved.</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.SF Compact Rounded</string>
    <key>fullname</key>
    <string>.SF Compact Rounded Heavy</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Heavy</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
    <string>.SF Compact Rounded; 16.0d15e3;
2020-09-15</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>.SFCompactRounded-Black</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.SF Compact Rounded</string>
    <key>fullname</key>
    <string>.SF Compact Rounded Black</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Black</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>
    <key>unique</key>
```



```

2020-09-15</string>
    <string>.SF Compact Rounded; 16.0d15e3;
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
  </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>Wingdings.ttf</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/Supplemental/Wingdings.ttf</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>Wingdings-Regular</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>© 2006 Microsoft Corporation. All
Rights Reserved.</string>
      <key>description</key>
      <string>The Wingdings fonts were designed by
Kris Holmes and Charles Bigelow in 1990 and 1991.

The fonts were originally named Lucida Icons, Arrows, and Stars to complement
the Lucida text font family by the same designers. Renamed, reorganized, and
released in 1992 as Microsoft Wingdings, the three fonts provide a harmoniously
designed set of icons representing the common components of personal computer
systems and the elements of graphical user interfaces.

There are icons for PC, monitor, keyboard, mouse, trackball, hard drive,
diskette, tape cassette, printer, fax, etc., as well as icons for file folders,
documents, mail, mailboxes, windows, clipboard, and wastebasket. In addition,
Wingdings includes icons with both traditional and computer significance, such
as writing tools and hands, reading glasses, clipping scissors, bell, bomb,
check boxes, as well as more traditional images such as weather signs, religious
symbols, astrological signs, encircled numerals, a selection of ampersands and
interrobangs, plus elegant flowers and flourishes.

Pointing and indicating are frequent functions in graphical interfaces, so in
addition to a wide selection of pointing hands, the Wingdings fonts also offer
arrows in careful gradations of weight and different directions and styles. For
variety and impact as bullets, asterisks, and ornaments, Windings also offers a
varied set of geometric circles, squares, polygons, targets, and stars.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>

```

```

        <string>Wingdings</string>
        <key>fullname</key>
        <string>Wingdings</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>trademark</key>
        <string>Wingdings is either a registered
trademark or a trademark of Microsoft Corporation in the United States and/or
other countries. </string>
        <key>unique</key>
        <string>Wingdings Regular: MS: 2006</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Microsoft Typography</string>
        <key>version</key>
        <string>Version 5.00x</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Palatino.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Palatino.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>Palatino-Bold</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright © 1991-99, 2006 Apple
Computer, Inc. Copyright © 1991-92 Type Solutions, Inc. All rights
reserved.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Palatino</string>
            <key>fullname</key>
            <string>Palatino Bold</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Bold</string>
            <key>trademark</key>
            <string>Palatino is a registered trademark
of Linotype AG</string>
            <key>unique</key>
            <string>Palatino Bold; 15.0d2e2; 2019-07-
01</string>

```

```

    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>15.0d2e2</string>
</dict>
<dict>
    <key>_name</key>
    <string>Palatino-Roman</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright © 1991-99, 2006 Apple
Computer, Inc. Copyright © 1991-92 Type Solutions, Inc. All rights
reserved.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Palatino</string>
    <key>fullname</key>
    <string>Palatino</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>trademark</key>
    <string>Palatino is a registered trademark
of Linotype AG</string>
    <key>unique</key>
    <string>Palatino; 15.0d2e2;
2019-07-01</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>15.0d2e2</string>
</dict>
<dict>
    <key>_name</key>
    <string>Palatino-Italic</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright © 1991-99, 2006 Apple
Computer, Inc. Copyright © 1991-92 Type Solutions, Inc. All rights
reserved.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Palatino</string>
    <key>fullname</key>
    <string>Palatino Italic</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Italic</string>
    <key>trademark</key>
    <string>Palatino is a registered trademark
```

of Linotype AG</string>

<key>unique</key>

<string>Palatino Italic; 15.0d2e2; 2019-07-

01</string>

<key>valid</key>

<string>yes</string>

<key>version</key>

<string>15.0d2e2</string>

</dict>

<dict>

<key>\_name</key>

<string>Palatino-BoldItalic</string>

<key>copy\_protected</key>

<string>no</string>

<key>copyright</key>

<string>Copyright © 1991-99, 2006 Apple

Computer, Inc. Copyright © 1991-92 Type Solutions, Inc. All rights reserved.</string>

<key>duplicate</key>

<string>no</string>

<key>embeddable</key>

<string>yes</string>

<key>enabled</key>

<string>yes</string>

<key>family</key>

<string>Palatino</string>

<key>fullname</key>

<string>Palatino Bold Italic</string>

<key>outline</key>

<string>yes</string>

<key>style</key>

<string>Bold Italic</string>

<key>trademark</key>

<string>Palatino is a registered trademark

of Linotype AG</string>

<key>unique</key>

<string>Palatino Bold Italic; 15.0d2e2;

2019-07-01</string>

<key>valid</key>

<string>yes</string>

<key>version</key>

<string>15.0d2e2</string>

</dict>

</array>

<key>valid</key>

<string>yes</string>

</dict>

<dict>

<key>\_name</key>

<string>Diwan Kufi.ttc</string>

<key>enabled</key>

<string>yes</string>

<key>path</key>

<string>/System/Library/Fonts/Supplemental/Diwan

Kufi.ttc</string>

<key>type</key>

<string>truetype</string>

<key>typefaces</key>

<array>

<dict>

<key>\_name</key>

<string>DiwanKufi</string>

<key>copy\_protected</key>

<string>no</string>

```

    <key>copyright</key>
    <string>Â© 2001 Diwan Software Ltd.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Diwan Kufi</string>
    <key>fullname</key>
    <string>Diwan Kufi Regular</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>unique</key>
    <string>Diwan Kufi Regular; 13.0d2e1; 2017-
06-27</string>

    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0d2e1</string>
</dict>
<dict>
    <key>_name</key>
    <string>.DiwanKufiPUA</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Â© 2001 Diwan Software Ltd.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.Diwan Kufi PUA</string>
    <key>fullname</key>
    <string>.Diwan Kufi PUA</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>unique</key>
    <string>.Diwan Kufi PUA; 13.0d2e1; 2017-06-
27</string>

    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0d2e1</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>STIXNonUni.otf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>

```

```

<string>/System/Library/Fonts/Supplemental/STIXNonUni.otf</string>
  <key>type</key>
  <string>postscript</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>STIXNonUnicode-Regular</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Copyright (c) 2001-2011 by the STI
Pub Companies, consisting of the American Chemical Society, the American
Institute of Physics, the American Mathematical Society, the American Physical
Society, Elsevier, Inc., and The Institute of Electrical and Electronic
Engineers, Inc. Portions copyright (c) 1998-2003 by MicroPress, Inc. Portions
copyright (c) 1990 by Elsevier, Inc. All rights reserved.</string>
      <key>description</key>
      <string>Arie de Ruiter, who in 1995 was Head
of Information Technology Development at Elsevier Science, made a proposal to
the STI Pub group, an informal group of publishers consisting of representatives
from the American Chemical Society (ACS), American Institute of Physics (AIP),
American Mathematical Society (AMS), American Physical Society (APS), Elsevier,
and Institute of Electrical and Electronics Engineers (IEEE). De Ruiter
encouraged the members to consider development of a series of Web fonts, which
he proposed should be called the Scientific and Technical Information eXchange,
or STIX, Fonts. All STI Pub member organizations enthusiastically endorsed this
proposal, and the STI Pub group agreed to embark on what has become a twelve-
year project. The goal of the project was to identify all alphabetic, symbolic,
and other special characters used in any facet of scientific publishing and to
create a set of Unicode-based fonts that would be distributed free to every
scientist, student, and other interested party worldwide. The fonts would be
consistent with the emerging Unicode standard, and would permit universal
representation of every character. With the release of the STIX fonts, de
Ruiter's vision has been realized.</string>
      <key>designer</key>
      <string>MicroPress Inc., with final
additions and corrections provided by Coen Hoffman, Elsevier (retired)</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>STIXNonUnicode</string>
      <key>fullname</key>
      <string>STIXNonUnicode-Regular</string>
      <key>outline</key>
      <string>yes</string>
      <key>style</key>
      <string>Regular</string>
      <key>trademark</key>
      <string>STIX Fonts(TM) is a trademark of The
Institute of Electrical and Electronics Engineers, Inc.</string>
      <key>unique</key>
      <string>FontMaster:STIXNonUnicode-
Regular:1.1.0</string>
      <key>valid</key>
      <string>yes</string>
      <key>version</key>
      <string>Version 1.1.0</string>
    </dict>
  </array>

```

```
        <key>valid</key>
        <string>yes</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Apple Braille Pinpoint 6 Dot.ttf</string>
        <key>enabled</key>
        <string>yes</string>
        <key>path</key>
        <string>/System/Library/Fonts/Apple Braille Pinpoint 6
Dot.ttf</string>
        <key>type</key>
        <string>truetype</string>
        <key>typefaces</key>
        <array>
            <dict>
                <key>_name</key>
                <string>AppleBraille-Pinpoint6Dot</string>
                <key>copy_protected</key>
                <string>no</string>
                <key>copyright</key>
                <string>© Copyright 2007 by Apple,
Inc.</string>
                <key>duplicate</key>
                <string>no</string>
                <key>embeddable</key>
                <string>yes</string>
                <key>enabled</key>
                <string>yes</string>
                <key>family</key>
                <string>Apple Braille</string>
                <key>fullname</key>
                <string>Apple Braille Pinpoint 6
Dot</string>
                <key>outline</key>
                <string>yes</string>
                <key>style</key>
                <string>Pinpoint 6 Dot</string>
                <key>unique</key>
                <string>Apple Braille Pinpoint 6 Dot;
13.0d2e27; 2017-06-30</string>
                <key>valid</key>
                <string>yes</string>
                <key>version</key>
                <string>13.0d2e27</string>
            </dict>
        </array>
        <key>valid</key>
        <string>yes</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>af'af@a,ã,afZèS'ã,ã,ã,·affã, W0.ttc</string>
        <key>enabled</key>
        <string>yes</string>
        <key>path</key>
        <string>/System/Library/Fonts/af'af@a,ã,ã,ã,ã,ã,·affã, W0.ttc</string>
        <key>type</key>
        <string>opentype</string>
        <key>typefaces</key>
        <array>
            <dict>
                <key>_name</key>
```

<string>HiraginoSans-W0</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>ver8.20, Copyright (c) 2014-2015  
SCREEN Graphic and Precision Solutions Co., Ltd. All Rights Reserved.</string>  
<key>designer</key>  
<string>Yokokaku, Kunihiro Okano and

Jiyukobo Ltd.</string>

<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Hiragino Sans</string>  
<key>fullname</key>  
<string>Hiragino Sans W0</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>W0</string>  
<key>trademark</key>  
<string>HIRAGINO is a trademark of SCREEN

Holdings Co., Ltd.</string>

<key>unique</key>  
<string>Hiragino Sans W0; 15.0d1e3; 2019-06-

13</string>

<key>valid</key>  
<string>yes</string>  
<key>vendor</key>  
<string>SCREEN Graphic and Precision

Solutions Co., Ltd.</string>

<key>version</key>  
<string>15.0d1e3</string>

</dict>  
<dict>

<key>\_name</key>  
<string>.HiraKakuInterface-W0</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>ver8.20, Copyright (c) 2014

Dainippon Screen Mfg. Co., Ltd. All Rights Reserved.</string>

<key>designer</key>  
<string>JIYUKOBO Ltd.</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>.Hiragino Kaku Gothic

Interface</string>

<key>fullname</key>  
<string>.Hiragino Kaku Gothic Interface

W0</string>

<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>W0</string>  
<key>trademark</key>



```

    <string>HIRAGINO is a trademark of SCREEN
Holdings Co., Ltd.</string>
    <key>unique</key>
    <string>.Hiragino Kaku Gothic Interface W0;
15.0d1e3; 2019-06-13</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>SCREEN Graphic and Precision
Solutions Co., Ltd.</string>
    <key>version</key>
    <string>15.0d1e3</string>
    </dict>
  </array>
  <key>valid</key>
  <string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>BigCaslon.ttf</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/Supplemental/BigCaslon.ttf</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>BigCaslon-Medium</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Copyright (c) 1994 Carter & Cone
Type, Inc. All rights reserved.
The digitally encoded machine readable software for producing the Typefaces
licensed to you is the property of Carter & Cone Type, Inc. and their
licensors and may not be reproduced, used, displayed, modified, disclosed or
transferred without the express written approval of Carter & Cone Type,
Inc.</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>Big Caslon</string>
      <key>fullname</key>
      <string>Big Caslon Medium</string>
      <key>outline</key>
      <string>yes</string>
      <key>style</key>
      <string>Medium</string>
      <key>trademark</key>
      <string>"Big Caslon" is a Trademark of
Carter & Cone Type, Inc. which may be registered in certain
jurisdictions.</string>
      <key>unique</key>
      <string>Big Caslon Medium; 13.0d1e11; 2017-
06-07</string>

```

```
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>13.0d1e11</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Krungthep.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Krungthep.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>Krungthep</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>© 1992-2003 Apple Computer,
Inc.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Krungthep</string>
            <key>fullname</key>
            <string>Krungthep</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Regular</string>
            <key>unique</key>
            <string>Krungthep; 14.0d1e1;
2017-11-02</string>
            <key>valid</key>
            <string>yes</string>
            <key>version</key>
            <string>14.0d1e1</string>
        </dict>
    </array>
    <key>valid</key>
    <string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>ArialHB.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/ArialHB.ttc</string>
    <key>type</key>
    <string>truetype</string>
```

```

<key>typefaces</key>
<array>
  <dict>
    <key>_name</key>
    <string>ArialHebrew-Light</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright © Data 1993 Monotype
Typography ltd. / Type Solutions Inc. 1993 All rights reserved.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Arial Hebrew</string>
    <key>fullname</key>
    <string>Arial Hebrew Light</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Light</string>
    <key>trademark</key>
    <string>Arial® is a
Trademark of The Monotype Corporation registered in the US Patent &
®-TM Office. and elsewhere®.</string>
    <key>unique</key>
    <string>Arial Hebrew Light; 13.0d1e1; 2017-
06-17</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0d1e1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>ArialHebrew-Bold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright © Data 1993 Monotype
Typography ltd. / Type Solutions Inc. 1993 All rights reserved.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Arial Hebrew</string>
    <key>fullname</key>
    <string>Arial Hebrew Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold</string>
    <key>trademark</key>
    <string>Arial® is a
Trademark of The Monotype Corporation registered in the US Patent &
®-TM Office. and elsewhere®.</string>
    <key>unique</key>
    <string>Arial Hebrew Bold; 13.0d1e1; 2017-

```

06-17</string>

```
<key>valid</key>
<string>yes</string>
<key>version</key>
<string>13.0d1e1</string>
```

</dict>

<dict>

```
<key>_name</key>
<string>ArialHebrewScholar</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Typeface © Monotype Typography ltd.
```

Data © Monotype Typography ltd, Type Solutions Inc 1990-1993. All rights reserved.</string>

```
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Arial Hebrew Scholar</string>
<key>fullname</key>
<string>Arial Hebrew Scholar</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular</string>
<key>trademark</key>
<string>Arial® ®-®)®-® ®-® Trademark of
```

The Monotype Corporation registered in the US Pat® ®-®;® ®-® off®. ®-® and elsewhere®.®-®</string>

```
<key>unique</key>
<string>Arial Hebrew Scholar; 13.0d1e1;
```

2017-06-17</string>

```
<key>valid</key>
<string>yes</string>
<key>version</key>
<string>13.0d1e1</string>
```

</dict>

<dict>

```
<key>_name</key>
<string>ArialHebrewScholar-Light</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright © Data 1993 Monotype
```

Typography ltd. / Type Solutions Inc. 1993 All rights reserved.</string>

```
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Arial Hebrew Scholar</string>
<key>fullname</key>
<string>Arial Hebrew Scholar Light</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Light</string>
<key>trademark</key>
```

<string>Arial® is a  
Trademark of The Monotype Corporation registered in the US Patent &  
TM Office. and elsewhere.</string>

13.0d1e1; 2017-06-17</string>

<key>unique</key>  
<string>Arial Hebrew Scholar Light;

<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>13.0d1e1</string>

</dict>

<dict>

<key>\_name</key>  
<string>ArialHebrew</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Typeface © Monotype Typography ltd.

Data © Monotype Typography ltd, Type Solutions Inc 1990-1993. All rights reserved.</string>

<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>

<key>family</key>  
<string>Arial Hebrew</string>  
<key>fullname</key>  
<string>Arial Hebrew</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Regular</string>  
<key>trademark</key>  
<string>Arial® is a Trademark of

The Monotype Corporation registered in the US Patent & TM Office. and elsewhere.</string>

17</string>

<key>unique</key>  
<string>Arial Hebrew; 13.0d1e1; 2017-06-

<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>13.0d1e1</string>

</dict>

<dict>

<key>\_name</key>  
<string>ArialHebrewScholar-Bold</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>

Typography ltd. / Type Solutions Inc. 1993 All rights reserved.</string>

<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Arial Hebrew Scholar</string>  
<key>fullname</key>  
<string>Arial Hebrew Scholar Bold</string>

<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Bold</string>  
<key>trademark</key>  
<string>Arial® &#169;&#174; is a  
Trademark of The Monotype Corporation registered in the US Pat&#169;&#174;  
&#174;TM Off&#169;. &#174;and elsewhere&#169;. &#174;</string>  
<key>unique</key>  
<string>Arial Hebrew Scholar Bold; 13.0d1e1;  
2017-06-17</string>  
<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>13.0d1e1</string>  
</dict>  
<dict>  
<key>\_name</key>  
<string>.ArialHebrewDeskInterface</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Typeface Â© Monotype Typography ltd.  
Data Â© Monotype Typography ltd, Type Solutions Inc 1990-1993. All rights  
reserved.</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>.Arial Hebrew Desk  
Interface</string>  
<key>fullname</key>  
<string>.Arial Hebrew Desk  
Interface</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Regular</string>  
<key>trademark</key>  
<string>Arial® &#169;&#174; Trademark of  
The Monotype Corporation registered in the US Pat&#169;&#174;  
&#174;TM off&#169;. &#174;and elsewhere&#169;. &#174;</string>  
<key>unique</key>  
<string>.Arial Hebrew Desk Interface;  
13.0d1e1; 2017-06-17</string>  
<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>13.0d1e1</string>  
</dict>  
<dict>  
<key>\_name</key>  
<string>.ArialHebrewDeskInterface-Light</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Copyright Â© Data 1993 Monotype  
Typography ltd. / Type Solutions Inc. 1993 All rights reserved.</string>  
<key>duplicate</key>  
<string>no</string>

```

        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>.Arial Hebrew Desk
Interface</string>
        <key>fullname</key>
        <string>.Arial Hebrew Desk Interface
Light</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Light</string>
        <key>trademark</key>
        <string>Arial® (®)®-® is a
Trademark of The Monotype Corporation registered in the US Pat® &®
®-TM Off®. ®-and elsewhere®.®-</string>
        <key>unique</key>
        <string>.Arial Hebrew Desk Interface Light;
13.0d1e1; 2017-06-17</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>13.0d1e1</string>
</dict>
<dict>
    <key>_name</key>
    <string>.ArialHebrewDeskInterface-Bold</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright © Data 1993 Monotype
Typography ltd. / Type Solutions Inc. 1993 All rights reserved.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>.Arial Hebrew Desk
Interface</string>
        <key>fullname</key>
        <string>.Arial Hebrew Desk Interface
Bold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Bold</string>
        <key>trademark</key>
        <string>Arial® (®)®-® is a
Trademark of The Monotype Corporation registered in the US Pat® &®
®-TM Off®. ®-and elsewhere®.®-</string>
        <key>unique</key>
        <string>.Arial Hebrew Desk Interface Bold;
13.0d1e1; 2017-06-17</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>13.0d1e1</string>
</dict>
</array>

```

```

    <key>valid</key>
    <string>yes</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>HelveticaNeue.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/HelveticaNeue.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
      <dict>
        <key>_name</key>
        <string>HelveticaNeue-CondensedBold</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright (c) 1981, 1982, 1983, 1989

```

and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberger Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberger Druckmaschinen AG.

Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.</string>

```

    <key>description</key>
    <string>Helvetica (Latin for Swiss) has the
objective and functional style which was associated with Swiss typography in the
1950s and 1960s. It is perfect for international correspondence: no ornament, no
emotion, just clear presentation of information. Helvetica is still one of the
best selling sans-serif fonts.</string>

```

```

    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Helvetica Neue</string>
    <key>fullname</key>
    <string>Helvetica Neue Condensed

```

**Bold**</string>

```

    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Condensed Bold</string>
    <key>trademark</key>
    <string>"Helvetica Neue" is a trademark of
Heidelberger Druckmaschinen AG, which may be registered in certain
jurisdictions, exclusivly licensed through Linotype Library GmbH, a wholly owned
subsidiary of Heidelberger Druckmaschinen AG.</string>

```

```

    <key>unique</key>
    <string>Helvetica Neue Condensed Bold;
16.0d4e3; 2020-07-15</string>

```

```

    <key>valid</key>
    <string>yes</string>
    <key>version</key>

```



<string>16.0d4e3</string>  
</dict>  
<dict>

<key>\_name</key>  
<string>HelveticaNeue-Bold</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Copyright (c) 1981, 1982, 1983, 1989

and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberger Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberger Druckmaschinen AG.

Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.</string>

<key>description</key>  
<string>Helvetica (Latin for Swiss) has the objective and functional style which was associated with Swiss typography in the 1950s and 1960s. It is perfect for international correspondence: no ornament, no emotion, just clear presentation of information. Helvetica is still one of the best selling sans-serif fonts.</string>

<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Helvetica Neue</string>  
<key>fullname</key>  
<string>Helvetica Neue Bold</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Bold</string>  
<key>trademark</key>  
<string>"Helvetica Neue" is a trademark of

Heidelberger Druckmaschinen AG, which may be registered in certain jurisdictions, exclusively licensed through Linotype Library GmbH, a wholly owned subsidiary of Heidelberger Druckmaschinen AG.</string>

<key>unique</key>  
<string>Helvetica Neue Bold; 16.0d4e3; 2020-

07-15</string>

<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>16.0d4e3</string>

</dict>  
<dict>

<key>\_name</key>  
<string>HelveticaNeue-Thin</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Part of the digitally encoded

machine readable outline data for producing the Typefaces provided is copyrighted Â© 2008 - 2009 Linotype GmbH, www.linotype.com. All rights reserved. This software is the property of Linotype GmbH, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written

approval of Linotype GmbH. The digitally encoded machine readable software for producing the Typefaces licensed to you is copyrighted (c) 1988, 1990, 1993 Adobe Systems. All Rights Reserved. This software is the property of Adobe Systems Incorporated and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Adobe. Helvetica is a trademark of Linotype Corp. registered in the U.S. Patent and Trademark Office and may be registered in certain other jurisdictions in the name of Linotype Corp. or its licensee Linotype GmbH. This typeface is original artwork of Linotype Design Studio. The design may be protected in certain jurisdictions.</string>

<key>description</key>

<string>The Helvetica Font Family is part of the Linotype Originals. Helvetica is one of the most famous and popular typefaces in the world. It lends an air of lucid efficiency to any typographic message with its clean, no-nonsense shapes. The original typeface was called Neue Haas Grotesk, and was designed in 1957 by Max Miedinger for the Haas'sche Schriftgiesserei (Haas Type Foundry) in Switzerland. In 1960 the name was changed to Helvetica (an adaptation of "Helvetia", the Latin name for Switzerland). Over the years, the Helvetica family was expanded to include many different weights, but these were not as well coordinated with each other as they might have been. In 1983, D. Stempel AG and Linotype re-designed and digitized Neue Helvetica and updated it into a cohesive font family. At the beginning of the 21st Century, Linotype again released an updated design of Helvetica, the Helvetica World typeface family. This family is much smaller in terms of its number of fonts, but each font makes up for this in terms of language support. Helvetica World supports a number of languages and writing systems from all over the globe</string>

<key>designer</key>

<string>Linotype Design Studio</string>

<key>duplicate</key>

<string>no</string>

<key>embeddable</key>

<string>yes</string>

<key>enabled</key>

<string>yes</string>

<key>family</key>

<string>Helvetica Neue</string>

<key>fullname</key>

<string>Helvetica Neue Thin</string>

<key>outline</key>

<string>yes</string>

<key>style</key>

<string>Thin</string>

<key>trademark</key>

<string>Helvetica is a trademark of Linotype Corp. registered in the U.S. Patent and Trademark Office and may be registered in certain other jurisdictions in the name of Linotype Corp. or its licensee Linotype GmbH.</string>

<key>unique</key>

<string>Helvetica Neue Thin; 16.0d4e3; 2020-

07-15</string>

<key>valid</key>

<string>yes</string>

<key>vendor</key>

<string>Linotype GmbH</string>

<key>version</key>

<string>16.0d4e3</string>

</dict>

<dict>

<key>\_name</key>

<string>HelveticaNeue-Italic</string>

<key>copy\_protected</key>

<string>no</string>

<key>copyright</key>

<string>Copyright (c) 1981, 1982, 1983, 1989 and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberger Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberger Druckmaschinen AG.

Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.</string>

<key>description</key>  
<string>Helvetica (Latin for Swiss) has the objective and functional style which was associated with Swiss typography in the 1950s and 1960s. It is perfect for international correspondence: no ornament, no emotion, just clear presentation of information. Helvetica is still one of the best selling sans-serif fonts.</string>

<key>duplicate</key>

<string>no</string>

<key>embeddable</key>

<string>yes</string>

<key>enabled</key>

<string>yes</string>

<key>family</key>

<string>Helvetica Neue</string>

<key>fullname</key>

<string>Helvetica Neue Italic</string>

<key>outline</key>

<string>yes</string>

<key>style</key>

<string>Italic</string>

<key>trademark</key>

<string>"Helvetica Neue" is a trademark of Heidelberger Druckmaschinen AG, which may be registered in certain jurisdictions, exclusively licensed through Linotype Library GmbH, a wholly owned subsidiary of Heidelberger Druckmaschinen AG.</string>

<key>unique</key>

<string>Helvetica Neue Italic; 16.0d4e3;

2020-07-15</string>

<key>valid</key>

<string>yes</string>

<key>version</key>

<string>16.0d4e3</string>

</dict>

<dict>

<key>\_name</key>

<string>HelveticaNeue-LightItalic</string>

<key>copy\_protected</key>

<string>no</string>

<key>copyright</key>

<string>Copyright (c) 1981, 1982, 1983, 1989 and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberger Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberger Druckmaschinen AG.

Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.</string>

<key>description</key>

<string>Helvetica (Latin for Swiss) has the objective and functional style which was associated with Swiss typography in the 1950s and 1960s. It is perfect for international correspondence: no ornament, no emotion, just clear presentation of information. Helvetica is still one of the best selling sans-serif fonts.</string>

<key>duplicate</key>

<string>no</string>

<key>embeddable</key>

<string>yes</string>

<key>enabled</key>

<string>yes</string>

<key>family</key>

<string>Helvetica Neue</string>

<key>fullname</key>

<string>Helvetica Neue Light Italic</string>

<key>outline</key>

<string>yes</string>

<key>style</key>

<string>Light Italic</string>

<key>trademark</key>

<string>"Helvetica Neue" is a trademark of Heidelberger Druckmaschinen AG, which may be registered in certain jurisdictions, exclusivly licensed through Linotype Library GmbH, a wholly owned subsidiary of Heidelberger Druckmaschinen AG.</string>

<key>unique</key>

<string>Helvetica Neue Light Italic;

16.0d4e3; 2020-07-15</string>

<key>valid</key>

<string>yes</string>

<key>version</key>

<string>16.0d4e3</string>

</dict>

<dict>

<key>\_name</key>

<string>HelveticaNeue-ThinItalic</string>

<key>copy\_protected</key>

<string>no</string>

<key>copyright</key>

<string>Part of the digitally encoded

machine readable outline data for producing the Typefaces provided is copyrighted © 2008 - 2009 Linotype GmbH, www.linotype.com. All rights reserved. This software is the property of Linotype GmbH, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Linotype GmbH. The digitally encoded machine readable software for producing the Typefaces licensed to you is copyrighted (c) 1988, 1990, 1993 Adobe Systems. All Rights Reserved. This software is the property of Adobe Systems Incorporated and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Adobe. Helvetica is a trademark of Linotype Corp. registered in the U.S. Patent and Trademark Office and may be registered in certain other jurisdictions in the name of Linotype Corp. or its licensee Linotype GmbH. This typeface is original artwork of Linotype Design Studio. The design may be protected in certain jurisdictions.</string>

<key>description</key>

<string>The Helvetica Font Family is part of the Linotype Originals. Helvetica is one of the most famous and popular typefaces in the world. It lends an air of lucid efficiency to any typographic message with its clean, no-nonsense shapes. The original typeface was called Neue Haas Grotesk, and was designed in 1957 by Max Miedinger for the Haas'sche Schriftgiesserei (Haas Type Foundry) in Switzerland. In 1960 the name was changed to Helvetica (an adaptation of "Helvetia", the Latin name for Switzerland). Over the years, the Helvetica family was expanded to include many different weights, but these were not as well coordinated with each other as they might have been. In 1983, D. Stempel AG and Linotype re-designed and

digitized Neue Helvetica and updated it into a cohesive font family. At the beginning of the 21st Century, Linotype again released an updated design of Helvetica, the Helvetica World typeface family. This family is much smaller in terms of its number of fonts, but each font makes up for this in terms of language support. Helvetica World supports a number of languages and writing systems from all over the globe</string>

<key>designer</key>  
<string>Linotype Design Studio</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Helvetica Neue</string>  
<key>fullname</key>  
<string>Helvetica Neue Thin Italic</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Thin Italic</string>  
<key>trademark</key>

<string>Helvetica is a trademark of Linotype Corp. registered in the U.S. Patent and Trademark Office and may be registered in certain other jurisdictions in the name of Linotype Corp. or its licensee Linotype GmbH.</string>

<key>unique</key>  
<string>Helvetica Neue Thin Italic;

16.0d4e3; 2020-07-15</string>

<key>valid</key>  
<string>yes</string>  
<key>vendor</key>  
<string>Linotype GmbH</string>  
<key>version</key>  
<string>16.0d4e3</string>

</dict>

<dict>

<key>\_name</key>  
<string>HelveticaNeue-MediumItalic</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Part of the digitally encoded

machine readable outline data for producing the Typefaces provided is copyrighted © 2003 - 2006 Linotype GmbH, www.linotype.com. All rights reserved. This software is the property of Linotype GmbH, and may not be reproduced, modified, disclosed or transferred without the express written approval of Linotype GmbH. Copyright © 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved. Helvetica is a trademark of Heidelberger Druckmaschinen AG, exclusively licensed through Linotype GmbH, and may be registered in certain jurisdictions. This typeface is original artwork of Linotype Design Studio. The design may be protected in certain jurisdictions.</string>

<key>description</key>

<string>Helvetica (Latin for Swiss) has the objective and functional style which was associated with Swiss typography in the 1950s and 1960s. It is perfect for international correspondence: no ornament, no emotion, just clear presentation of information. Helvetica is still one of the best selling sans-serif fonts.</string>

<key>designer</key>  
<string>Linotype Design Studio</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>

```

        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Helvetica Neue</string>
        <key>fullname</key>
        <string>Helvetica Neue Medium
Italic</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Medium Italic</string>
        <key>trademark</key>
        <string>Helvetica is a trademark of
Heidelberger Druckmaschinen AG, exclusively licensed through Linotype GmbH, and
may be registered in certain jurisdictions.</string>
        <key>unique</key>
        <string>Helvetica Neue Medium Italic;
16.0d4e3; 2020-07-15</string>

        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>16.0d4e3</string>
</dict>
<dict>
        <key>_name</key>
        <string>HelveticaNeue-Medium</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Part of the digitally encoded
machine readable outline data for producing the Typefaces provided is
copyrighted © 2003 - 2006 Linotype GmbH, www.linotype.com. All rights reserved.
This software is the property of Linotype GmbH, and may not be reproduced,
modified, disclosed or transferred without the express written approval of
Linotype GmbH. Copyright © 1988, 1990, 1993 Adobe Systems Incorporated. All
Rights Reserved. Helvetica is a trademark of Heidelberger Druckmaschinen AG,
exclusively licensed through Linotype GmbH, and may be registered in certain
jurisdictions. This typeface is original artwork of Linotype Design Studio. The
design may be protected in certain jurisdictions.</string>
        <key>description</key>
        <string>Helvetica (Latin for Swiss) has the
objective and functional style which was associated with Swiss typography in the
1950s and 1960s. It is perfect for international correspondence: no ornament, no
emotion, just clear presentation of information. Helvetica is still one of the
best selling sans-serif fonts.</string>
        <key>designer</key>
        <string>Linotype Design Studio</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Helvetica Neue</string>
        <key>fullname</key>
        <string>Helvetica Neue Medium</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Medium</string>
        <key>trademark</key>
        <string>Helvetica is a trademark of

```

Heidelberger Druckmaschinen AG, exclusively licensed through Linotype GmbH, and may be registered in certain jurisdictions.</string>

<key>unique</key>

<string>Helvetica Neue Medium; 16.0d4e3;

2020-07-15</string>

<key>valid</key>

<string>yes</string>

<key>version</key>

<string>16.0d4e3</string>

</dict>

<dict>

<key>\_name</key>

<string>HelveticaNeue-BoldItalic</string>

<key>copy\_protected</key>

<string>no</string>

<key>copyright</key>

<string>Copyright (c) 1981, 1982, 1983, 1989

and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberger Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberger Druckmaschinen AG.

Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.</string>

<key>description</key>

<string>Helvetica (Latin for Swiss) has the objective and functional style which was associated with Swiss typography in the 1950s and 1960s. It is perfect for international correspondence: no ornament, no emotion, just clear presentation of information. Helvetica is still one of the best selling sans-serif fonts.</string>

<key>duplicate</key>

<string>no</string>

<key>embeddable</key>

<string>yes</string>

<key>enabled</key>

<string>yes</string>

<key>family</key>

<string>Helvetica Neue</string>

<key>fullname</key>

<string>Helvetica Neue Bold Italic</string>

<key>outline</key>

<string>yes</string>

<key>style</key>

<string>Bold Italic</string>

<key>trademark</key>

<string>"Helvetica Neue" is a trademark of Heidelberger Druckmaschinen AG, which may be registered in certain jurisdictions, exclusively licensed through Linotype Library GmbH, a wholly owned subsidiary of Heidelberger Druckmaschinen AG.</string>

<key>unique</key>

<string>Helvetica Neue Bold Italic;

16.0d4e3; 2020-07-15</string>

<key>valid</key>

<string>yes</string>

<key>version</key>

<string>16.0d4e3</string>

</dict>

<dict>

<key>\_name</key>

<string>HelveticaNeue-CondensedBlack</string>

<key>copy\_protected</key>

<string>no</string>

<key>copyright</key>

<string>Copyright (c) 1981, 1982, 1983, 1989

and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberger Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberger Druckmaschinen AG.

Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.</string>

<key>description</key>

<string>Helvetica (Latin for Swiss) has the objective and functional style which was associated with Swiss typography in the 1950s and 1960s. It is perfect for international correspondence: no ornament, no emotion, just clear presentation of information. Helvetica is still one of the best selling sans-serif fonts.</string>

<key>duplicate</key>

<string>no</string>

<key>embeddable</key>

<string>yes</string>

<key>enabled</key>

<string>yes</string>

<key>family</key>

<string>Helvetica Neue</string>

<key>fullname</key>

<string>Helvetica Neue Condensed

Black</string>

<key>outline</key>

<string>yes</string>

<key>style</key>

<string>Condensed Black</string>

<key>trademark</key>

<string>"Helvetica Neue" is a trademark of Heidelberger Druckmaschinen AG, which may be registered in certain jurisdictions, exclusively licensed through Linotype Library GmbH, a wholly owned subsidiary of Heidelberger Druckmaschinen AG.</string>

<key>unique</key>

<string>Helvetica Neue Condensed Black;

16.0d4e3; 2020-07-15</string>

<key>valid</key>

<string>yes</string>

<key>version</key>

<string>16.0d4e3</string>

</dict>

<dict>

<key>\_name</key>

<string>HelveticaNeue-Light</string>

<key>copy\_protected</key>

<string>no</string>

<key>copyright</key>

<string>Copyright (c) 1981, 1982, 1983, 1989

and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberger Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberger Druckmaschinen



AG.

Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.</string>

<key>description</key>  
<string>Helvetica (Latin for Swiss) has the objective and functional style which was associated with Swiss typography in the 1950s and 1960s. It is perfect for international correspondence: no ornament, no emotion, just clear presentation of information. Helvetica is still one of the best selling sans-serif fonts.</string>

<key>duplicate</key>

<string>no</string>

<key>embeddable</key>

<string>yes</string>

<key>enabled</key>

<string>yes</string>

<key>family</key>

<string>Helvetica Neue</string>

<key>fullname</key>

<string>Helvetica Neue Light</string>

<key>outline</key>

<string>yes</string>

<key>style</key>

<string>Light</string>

<key>trademark</key>

<string>"Helvetica Neue" is a trademark of

Heidelberger Druckmaschinen AG, which may be registered in certain jurisdictions, exclusively licensed through Linotype Library GmbH, a wholly owned subsidiary of Heidelberger Druckmaschinen AG.</string>

<key>unique</key>

<string>Helvetica Neue Light; 16.0d4e3;

2020-07-15</string>

<key>valid</key>

<string>yes</string>

<key>version</key>

<string>16.0d4e3</string>

</dict>

<dict>

<key>\_name</key>

<string>HelveticaNeue</string>

<key>copy\_protected</key>

<string>no</string>

<key>copyright</key>

<string>Copyright (c) 1981, 1982, 1983, 1989

and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberger Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberger Druckmaschinen AG.

Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.</string>

<key>description</key>

<string>Helvetica (Latin for Swiss) has the objective and functional style which was associated with Swiss typography in the 1950s and 1960s. It is perfect for international correspondence: no ornament, no emotion, just clear presentation of information. Helvetica is still one of the best selling sans-serif fonts.</string>

<key>designer</key>

<string>Linotype Design Studio</string>

<key>duplicate</key>

```

        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Helvetica Neue</string>
        <key>fullname</key>
        <string>Helvetica Neue</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>trademark</key>
        <string>"Helvetica Neue" is a trademark of
Heidelberger Druckmaschinen AG, which may be registered in certain
jurisdictions, exclusivly licensed through Linotype Library GmbH, a wholly owned
subsidiary of Heidelberger Druckmaschinen AG.</string>
        <key>unique</key>
        <string>Helvetica Neue; 16.0d4e3; 2020-07-
15</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>16.0d4e3</string>
</dict>
<dict>
    <key>_name</key>
    <string>HelveticaNeue-UltraLightItalic</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright (c) 1981, 1982, 1983, 1989
and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All
rights reserved.
The digitally encoded machine readable software for producing the Typefaces
licensed to you is now the property of Heidelberger Druckmaschinen AG and its
licensors, and may not be reproduced, used, displayed, modified, disclosed or
transferred without the express written approval of Heidelberger Druckmaschinen
AG.
Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights
Reserved.</string>
    <key>description</key>
    <string>Helvetica (Latin for Swiss) has the
objective and functional style which was associated with Swiss typography in the
1950s and 1960s. It is perfect for international correspondence: no ornament, no
emotion, just clear presentation of information. Helvetica is still one of the
best selling sans-serif fonts.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Helvetica Neue</string>
    <key>fullname</key>
    <string>Helvetica Neue UltraLight
Italic</string>
    <key>outline</key>
    <string>yes</string>

```

<key>style</key>  
<string>Ultralight Italic</string>  
<key>trademark</key>  
<string>"Helvetica Neue" is a trademark of  
Heidelberger Druckmaschinen AG, which may be registered in certain  
jurisdictions, exclusivly licensed through Linotype Library GmbH, a wholly owned  
subsidiary of Heidelberger Druckmaschinen AG.</string>  
<key>unique</key>  
<string>Helvetica Neue UltraLight Italic;  
16.0d4e3; 2020-07-15</string>

<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>16.0d4e3</string>

</dict>

<dict>

<key>\_name</key>  
<string>HelveticaNeue-UltraLight</string>

<key>copy\_protected</key>

<string>no</string>

<key>copyright</key>

<string>Copyright (c) 1981, 1982, 1983, 1989

and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All  
rights reserved.

The digitally encoded machine readable software for producing the Typefaces  
licensed to you is now the property of Heidelberger Druckmaschinen AG and its  
licensors, and may not be reproduced, used, displayed, modified, disclosed or  
transferred without the express written approval of Heidelberger Druckmaschinen  
AG.

Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights  
Reserved.</string>

<key>description</key>

<string>Helvetica (Latin for Swiss) has the  
objective and functional style which was associated with Swiss typography in the  
1950s and 1960s. It is perfect for international correspondence: no ornament, no  
emotion, just clear presentation of information. Helvetica is still one of the  
best selling sans-serif fonts.</string>

<key>duplicate</key>

<string>no</string>

<key>embeddable</key>

<string>yes</string>

<key>enabled</key>

<string>yes</string>

<key>family</key>

<string>Helvetica Neue</string>

<key>fullname</key>

<string>Helvetica Neue UltraLight</string>

<key>outline</key>

<string>yes</string>

<key>style</key>

<string>Ultralight</string>

<key>trademark</key>

<string>"Helvetica Neue" is a trademark of

Heidelberger Druckmaschinen AG, which may be registered in certain  
jurisdictions, exclusivly licensed through Linotype Library GmbH, a wholly owned  
subsidiary of Heidelberger Druckmaschinen AG.</string>

<key>unique</key>

<string>Helvetica Neue UltraLight; 16.0d4e3;

2020-07-15</string>

<key>valid</key>

<string>yes</string>

<key>version</key>

```

        <string>16.0d4e3</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Gujarati Sangam MN.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Gujarati
Sangam MN.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>GujaratiSangamMN-Bold</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright (c) 2009 by Muthu
Nedumaran. All rights reserved.</string>
            <key>description</key>
            <string>Copyright (c) 2009 by Muthu
Nedumaran. All rights reserved.</string>
            <key>designer</key>
            <string>Muthu Nedumaran</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Gujarati Sangam MN</string>
            <key>fullname</key>
            <string>Gujarati Sangam MN Bold</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Bold</string>
            <key>trademark</key>
            <string>Gujarati Sangam MN is a trademark of
Muthu Nedumaran.</string>
            <key>unique</key>
            <string>Gujarati Sangam MN Bold; 14.0d2e1;
2018-03-29</string>
            <key>valid</key>
            <string>yes</string>
            <key>vendor</key>
            <string>Muthu Nedumaran</string>
            <key>version</key>
            <string>14.0d2e1</string>
        </dict>
    </array>
</dict>
<dict>
    <key>_name</key>
    <string>GujaratiSangamMN</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>

```

```

    <string>Copyright (c) 2009 by Muthu
Nedumaran. All rights reserved.</string>
    <key>description</key>
    <string>Copyright (c) 2009 by Muthu
Nedumaran. All rights reserved.</string>
    <key>designer</key>
    <string>Muthu Nedumaran</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Gujarati Sangam MN</string>
    <key>fullname</key>
    <string>Gujarati Sangam MN</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>trademark</key>
    <string>Gujarati Sangam MN is a trademark of
Muthu Nedumaran.</string>
    <key>unique</key>
    <string>Gujarati Sangam MN; 14.0d2e1; 2018-
03-29</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Muthu Nedumaran</string>
    <key>version</key>
    <string>14.0d2e1</string>
  </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>Hoefler Text.ttc</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/Supplemental/Hoefler
Text.ttc</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>HoeflerText-BlackItalic</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Â© 1992-2007 Apple Inc.</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>

```

```
<string>Hoefler Text</string>
<key>fullname</key>
<string>Hoefler Text Black Italic</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Black Italic</string>
<key>trademark</key>
<string>Hoefler Text is a trademark of Apple
Inc.</string>

<key>unique</key>
<string>Hoefler Text Black Italic; 14.0d1e2;
2018-01-19</string>

<key>valid</key>
<string>yes</string>
<key>version</key>
<string>14.0d1e2</string>
</dict>
<dict>
  <key>_name</key>
  <string>HoeflerText-Italic</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 1992-2007 Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Hoefler Text</string>
  <key>fullname</key>
  <string>Hoefler Text Italic</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Italic</string>
  <key>trademark</key>
  <string>Hoefler Text is a trademark of Apple
Inc.</string>

  <key>unique</key>
  <string>Hoefler Text Italic; 14.0d1e2; 2018-
01-19</string>

  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
  <key>version</key>
  <string>14.0d1e2</string>
</dict>
<dict>
  <key>_name</key>
  <string>HoeflerText-Regular</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 1992-2007 Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
```

```
<string>yes</string>
<key>family</key>
<string>Hoefler Text</string>
<key>fullname</key>
<string>Hoefler Text</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular</string>
<key>trademark</key>
<string>Hoefler Text is a trademark of Apple
Inc.</string>

<key>unique</key>
<string>Hoefler Text; 14.0d1e2; 2018-01-

19</string>

<key>valid</key>
<string>yes</string>
<key>version</key>
<string>14.0d1e2</string>
</dict>
<dict>
<key>_name</key>
<string>HoeflerText-Black</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>© 1992-2007 Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Hoefler Text</string>
<key>fullname</key>
<string>Hoefler Text Black</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Black</string>
<key>trademark</key>
<string>Hoefler Text is a trademark of Apple
Inc.</string>

<key>unique</key>
<string>Hoefler Text Black; 14.0d1e2; 2018-

01-19</string>

<key>valid</key>
<string>yes</string>
<key>version</key>
<string>14.0d1e2</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
<key>_name</key>
<string>af'af@a,ã,™ãžèš'ã,³ã,™ã,·ãffã, W7.ttc</string>
<key>enabled</key>
<string>yes</string>
<key>path</key>
<string>/System/Library/Fonts/af'af@a,-
ã,™ãžèš'ã,³ã,™ã,·ãffã, W7.ttc</string>
```

```

<key>type</key>
<string>opentype</string>
<key>typefaces</key>
<array>
  <dict>
    <key>_name</key>
    <string>HiraginoSans-W7</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>ver8.00, Copyright (c) 1993-2007
Dainippon Screen Mfg. Co., Ltd. All Rights Reserved.</string>
    <key>designer</key>
    <string>JIYUKOBO Ltd.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Hiragino Sans</string>
    <key>fullname</key>
    <string>Hiragino Sans W7</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>W7</string>
    <key>trademark</key>
    <string>HIRAGINO is a trademark of Dainippon
Screen Mfg. Co., Ltd.</string>
    <key>unique</key>
    <string>Hiragino Sans W7; 15.0d1e6; 2019-12-
18</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Dainippon Screen Mfg. Co.,
Ltd.</string>
    <key>version</key>
    <string>15.0d1e6</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>.HiraKakuInterface-W7</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>ver8.00, Copyright (c) 1993-2007
Dainippon Screen Mfg. Co., Ltd. All Rights Reserved.</string>
    <key>designer</key>
    <string>JIYUKOBO Ltd.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.Hiragino Kaku Gothic
Interface</string>
    <key>fullname</key>
    <string>.Hiragino Kaku Gothic Interface
W7</string>

```



```

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>W7</string>
        <key>trademark</key>
        <string>HIRAGINO is a trademark of SCREEN
Holdings Co., Ltd.</string>
        <key>unique</key>
        <string>.Hiragino Kaku Gothic Interface W7;
15.0d1e6; 2019-12-18</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>SCREEN Graphic and Precision
Solutions Co., Ltd.</string>
        <key>version</key>
        <string>15.0d1e6</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Apple Braille Outline 8 Dot.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Apple Braille Outline 8
Dot.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>AppleBraille-Outline8Dot</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>© Copyright 2007 by Apple,
Inc.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Apple Braille</string>
            <key>fullname</key>
            <string>Apple Braille Outline 8 Dot</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Outline 8 Dot</string>
            <key>unique</key>
            <string>Apple Braille Outline 8 Dot;
13.0d2e27; 2017-06-30</string>
            <key>valid</key>
            <string>yes</string>
            <key>version</key>
            <string>13.0d2e27</string>
        </dict>
    </array>
</dict>

```

```
    </array>
    <key>valid</key>
    <string>yes</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Tahoma.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>

<string>/System/Library/Fonts/Supplemental/Tahoma.ttf</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>Tahoma</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>© 2006 Microsoft Corporation. All
rights reserved.</string>
      <key>designer</key>
      <string>Matthew Carter</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>Tahoma</string>
      <key>fullname</key>
      <string>Tahoma</string>
      <key>outline</key>
      <string>yes</string>
      <key>style</key>
      <string>Regular</string>
      <key>trademark</key>
      <string>Tahoma is either a registered
trademark or a trademark of Microsoft Corporation in the United States and/or
other countries.</string>
      <key>unique</key>
      <string>Microsoft Tahoma Regular</string>
      <key>valid</key>
      <string>yes</string>
      <key>vendor</key>
      <string>Microsoft Corporation</string>
      <key>version</key>
      <string>Version 5.01.2x</string>
    </dict>
  </array>
  <key>valid</key>
  <string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>STIXIntUpBol.otf</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
```

```

<string>/System/Library/Fonts/Supplemental/STIXIntUpBol.otf</string>
  <key>type</key>
  <string>postscript</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>STIXIntegralsUp-Bold</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Copyright (c) 2001-2011 by the STI
Pub Companies, consisting of the American Chemical Society, the American
Institute of Physics, the American Mathematical Society, the American Physical
Society, Elsevier, Inc., and The Institute of Electrical and Electronic
Engineers, Inc. Portions copyright (c) 1998-2003 by MicroPress, Inc. Portions
copyright (c) 1990 by Elsevier, Inc. All rights reserved.</string>
      <key>description</key>
      <string>Arie de Ruiter, who in 1995 was Head
of Information Technology Development at Elsevier Science, made a proposal to
the STI Pub group, an informal group of publishers consisting of representatives
from the American Chemical Society (ACS), American Institute of Physics (AIP),
American Mathematical Society (AMS), American Physical Society (APS), Elsevier,
and Institute of Electrical and Electronics Engineers (IEEE). De Ruiter
encouraged the members to consider development of a series of Web fonts, which
he proposed should be called the Scientific and Technical Information eXchange,
or STIX, Fonts. All STI Pub member organizations enthusiastically endorsed this
proposal, and the STI Pub group agreed to embark on what has become a twelve-
year project. The goal of the project was to identify all alphabetic, symbolic,
and other special characters used in any facet of scientific publishing and to
create a set of Unicode-based fonts that would be distributed free to every
scientist, student, and other interested party worldwide. The fonts would be
consistent with the emerging Unicode standard, and would permit universal
representation of every character. With the release of the STIX fonts, de
Ruiter's vision has been realized.</string>
      <key>designer</key>
      <string>MicroPress Inc., with final
additions and corrections provided by Coen Hoffman, Elsevier (retired)</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>STIXIntegralsUp</string>
      <key>fullname</key>
      <string>STIXIntegralsUp-Bold</string>
      <key>outline</key>
      <string>yes</string>
      <key>style</key>
      <string>Bold</string>
      <key>trademark</key>
      <string>STIX Fonts(TM) is a trademark of The
Institute of Electrical and Electronics Engineers, Inc.</string>
      <key>unique</key>
      <string>FontMaster:STIXIntegralsUp-
Bold:1.1.0</string>
      <key>valid</key>
      <string>yes</string>
      <key>version</key>
      <string>Version 1.1.0</string>
    </dict>
  </array>

```

```
        <key>valid</key>
        <string>yes</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SFNSItalic.ttf</string>
        <key>enabled</key>
        <string>yes</string>
        <key>path</key>
        <string>/System/Library/Fonts/SFNSItalic.ttf</string>
        <key>type</key>
        <string>truetype</string>
        <key>typefaces</key>
        <array>
            <dict>
                <key>_name</key>
                <string>.SFNS-RegularItalic</string>
                <key>copy_protected</key>
                <string>no</string>
                <key>copyright</key>
                <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
                <key>description</key>
                <string>Apple Inc.</string>
                <key>designer</key>
                <string>Apple Inc.</string>
                <key>duplicate</key>
                <string>no</string>
                <key>embeddable</key>
                <string>yes</string>
                <key>enabled</key>
                <string>yes</string>
                <key>family</key>
                <string>System Font</string>
                <key>fullname</key>
                <string>System Font Regular Italic</string>
                <key>outline</key>
                <string>yes</string>
                <key>style</key>
                <string>Regular Italic</string>
                <key>trademark</key>
                <string>San Francisco is a trademark of
Apple Inc.</string>
                <key>unique</key>
                <string>.SF NS Italic; 16.0d15e3; 2020-09-
15</string>
                <key>valid</key>
                <string>yes</string>
                <key>vendor</key>
                <string>Apple Inc.</string>
                <key>version</key>
                <string>16.0d15e3</string>
            </dict>
            <dict>
                <key>_name</key>
                <string>.SFNS-MediumItalic</string>
                <key>copy_protected</key>
                <string>no</string>
                <key>copyright</key>
                <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>
                <key>description</key>
                <string>Apple Inc.</string>
                <key>designer</key>
```

```
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>System Font</string>
<key>fullname</key>
<string>System Font Medium Italic</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Medium Italic</string>
<key>trademark</key>
<string>San Francisco is a trademark of
Apple Inc.</string>
15</string>
<key>unique</key>
<string>.SF NS Italic; 16.0d15e3; 2020-09-
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SFNS-LightItalic</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>© 2015-2020 Apple Inc. All rights
reserved.</string>
  <key>description</key>
  <string>Apple Inc.</string>
  <key>designer</key>
  <string>Apple Inc.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>System Font</string>
  <key>fullname</key>
  <string>System Font Light Italic</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Light Italic</string>
  <key>trademark</key>
  <string>San Francisco is a trademark of
Apple Inc.</string>
15</string>
  <key>unique</key>
  <string>.SF NS Italic; 16.0d15e3; 2020-09-
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Apple Inc.</string>
```

```

        <key>version</key>
        <string>16.0d15e3</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>.SFNS-ThinItalic</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Thin Italic</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Thin Italic</string>
        <key>trademark</key>
        <string>San Francisco is a trademark of
Apple Inc.</string>

        <key>unique</key>
        <string>.SF NS Italic; 16.0d15e3; 2020-09-
15</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Apple Inc.</string>
        <key>version</key>
        <string>16.0d15e3</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>.SFNS-UltralightItalic</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Â© 2015-2020 Apple Inc. All rights
reserved.</string>

        <key>description</key>
        <string>Apple Inc.</string>
        <key>designer</key>
        <string>Apple Inc.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>System Font</string>
        <key>fullname</key>
        <string>System Font Ultralight
```

Italic</string>

```
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Ultralight Italic</string>
<key>trademark</key>
<string>San Francisco is a trademark of
```

Apple Inc.</string>

```
<key>unique</key>
<string>.SF NS Italic; 16.0d15e3; 2020-09-
```

15</string>

```
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
```

</dict>

<dict>

```
<key>_name</key>
<string>.SFNS-SemiboldItalic</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>© 2015-2020 Apple Inc. All rights
```

reserved.</string>

```
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>System Font</string>
<key>fullname</key>
<string>System Font Semibold Italic</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Semibold Italic</string>
<key>trademark</key>
<string>San Francisco is a trademark of
```

Apple Inc.</string>

```
<key>unique</key>
<string>.SF NS Italic; 16.0d15e3; 2020-09-
```

15</string>

```
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
```

</dict>

<dict>

```
<key>_name</key>
<string>.SFNS-BoldItalic</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>© 2015-2020 Apple Inc. All rights
```

reserved.</string>

```
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>System Font</string>
<key>fullname</key>
<string>System Font Bold Italic</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Bold Italic</string>
<key>trademark</key>
<string>San Francisco is a trademark of
```

Apple Inc.</string>

```
<key>unique</key>
<string>.SF NS Italic; 16.0d15e3; 2020-09-
```

15</string>

```
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Apple Inc.</string>
<key>version</key>
<string>16.0d15e3</string>
```

</dict>

<dict>

```
<key>_name</key>
<string>.SFNS-HeavyItalic</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>© 2015-2020 Apple Inc. All rights
```

reserved.</string>

```
<key>description</key>
<string>Apple Inc.</string>
<key>designer</key>
<string>Apple Inc.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>System Font</string>
<key>fullname</key>
<string>System Font Heavy Italic</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Heavy Italic</string>
<key>trademark</key>
<string>San Francisco is a trademark of
```

Apple Inc.</string>

```
<key>unique</key>
<string>.SF NS Italic; 16.0d15e3; 2020-09-
```

15</string>



```

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>.SFNS-BlackItalic</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2015-2020 Apple Inc. All rights
reserved.</string>

    <key>description</key>
    <string>Apple Inc.</string>
    <key>designer</key>
    <string>Apple Inc.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>System Font</string>
    <key>fullname</key>
    <string>System Font Black Italic</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Black Italic</string>
    <key>trademark</key>
    <string>San Francisco is a trademark of
Apple Inc.</string>

    <key>unique</key>
    <string>.SF NS Italic; 16.0d15e3; 2020-09-
15</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Apple Inc.</string>
    <key>version</key>
    <string>16.0d15e3</string>
  </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sana.ttc</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>

  <string>/System/Library/Fonts/Supplemental/Sana.ttc</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>

```

```
<string>Sana</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Â© 2001 Diwan Software Ltd.</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Sana</string>
<key>fullname</key>
<string>Sana Regular</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular</string>
<key>unique</key>
<string>Sana Regular; 13.0d1e4; 2017-06-
28</string>

<key>valid</key>
<string>yes</string>
<key>version</key>
<string>13.0d1e4</string>
</dict>
<dict>
  <key>_name</key>
  <string>.SanaPUA</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Â© 2001 Diwan Software Ltd.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.Sana PUA</string>
  <key>fullname</key>
  <string>.Sana PUA</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Regular</string>
  <key>unique</key>
  <string>.Sana PUA; 13.0d1e4;
2017-06-28</string>

  <key>valid</key>
  <string>yes</string>
  <key>version</key>
  <string>13.0d1e4</string>
</dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>Kailasa.ttc</string>
  <key>enabled</key>
```

```

        <string>yes</string>
        <key>path</key>

<string>/System/Library/Fonts/Supplemental/Kailasa.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>Kailasa</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright © Otani University Shin
Buddhist Research Institute, 2006. All rights reserved.</string>
            <key>designer</key>
            <string>Yoichi Fukuda, Steve Hartwell &
Shojiro Nomura</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Kailasa</string>
            <key>fullname</key>
            <string>Kailasa Regular</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Regular</string>
            <key>unique</key>
            <string>Kailasa Regular; 16.0d1e1; 2020-07-
06</string>
            <key>valid</key>
            <string>yes</string>
            <key>vendor</key>
            <string>Steve Hartwell & Shojiro
Nomura</string>
            <key>version</key>
            <string>16.0d1e1</string>
        </dict>
        <dict>
            <key>_name</key>
            <string>Kailasa-Bold</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright © Otani University Shin
Buddhist Research Institute, 2006. All rights reserved.</string>
            <key>designer</key>
            <string>Yoichi Fukuda, Steve Hartwell &
Shojiro Nomura</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Kailasa</string>
            <key>fullname</key>

```

```
06</string>
    <string>Kailasa Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold</string>
    <key>unique</key>
    <string>Kailasa Bold; 16.0d1e1; 2020-07-
```

```
06</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Steve Hartwell & Shojiro
```

```
Nomura</string>
```

```
    <key>version</key>
    <string>16.0d1e1</string>
```

```
  </dict>
```

```
</array>
```

```
<key>valid</key>
```

```
<string>yes</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
```

```
  <string>STIXIntSmBol.otf</string>
```

```
  <key>enabled</key>
```

```
  <string>yes</string>
```

```
  <key>path</key>
```

```
<string>/System/Library/Fonts/Supplemental/STIXIntSmBol.otf</string>
```

```
  <key>type</key>
```

```
  <string>postscript</string>
```

```
  <key>typefaces</key>
```

```
  <array>
```

```
    <dict>
```

```
      <key>_name</key>
```

```
      <string>STIXIntegralsSm-Bold</string>
```

```
      <key>copy_protected</key>
```

```
      <string>no</string>
```

```
      <key>copyright</key>
```

```
      <string>Copyright (c) 2001-2011 by the STI
```

```
Pub Companies, consisting of the American Chemical Society, the American
Institute of Physics, the American Mathematical Society, the American Physical
Society, Elsevier, Inc., and The Institute of Electrical and Electronic
Engineers, Inc. Portions copyright (c) 1998-2003 by MicroPress, Inc. Portions
copyright (c) 1990 by Elsevier, Inc. All rights reserved.</string>
```

```
      <key>description</key>
```

```
      <string>Arie de Ruiter, who in 1995 was Head
of Information Technology Development at Elsevier Science, made a proposal to
the STI Pub group, an informal group of publishers consisting of representatives
from the American Chemical Society (ACS), American Institute of Physics (AIP),
American Mathematical Society (AMS), American Physical Society (APS), Elsevier,
and Institute of Electrical and Electronics Engineers (IEEE). De Ruiter
encouraged the members to consider development of a series of Web fonts, which
he proposed should be called the Scientific and Technical Information eXchange,
or STIX, Fonts. All STI Pub member organizations enthusiastically endorsed this
proposal, and the STI Pub group agreed to embark on what has become a twelve-
year project. The goal of the project was to identify all alphabetic, symbolic,
and other special characters used in any facet of scientific publishing and to
create a set of Unicode-based fonts that would be distributed free to every
scientist, student, and other interested party worldwide. The fonts would be
consistent with the emerging Unicode standard, and would permit universal
representation of every character. With the release of the STIX fonts, de
Ruiter's vision has been realized.</string>
```

```
      <key>designer</key>
```

```
      <string>MicroPress Inc., with final
```

```

additions and corrections provided by Coen Hoffman, Elsevier (retired)</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>STIXIntegralsSm</string>
    <key>fullname</key>
    <string>STIXIntegralsSm-Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold</string>
    <key>trademark</key>
    <string>STIX Fonts(TM) is a trademark of The
Institute of Electrical and Electronics Engineers, Inc.</string>
    <key>unique</key>
    <string>FontMaster:STIXIntegralsSm-
Bold:1.1.0</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>Version 1.1.0</string>
  </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>Kefa.ttc</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/Supplemental/Kefa.ttc</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>Kefa-Regular</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Copyright (c) 2006 - 2009 by Jeremie
Hornus. All rights reserved.</string>
      <key>designer</key>
      <string>Jeremie Hornus</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>Kefa</string>
      <key>fullname</key>
      <string>Kefa Regular</string>
      <key>outline</key>
      <string>yes</string>

```

```

        <key>style</key>
        <string>Regular</string>
        <key>trademark</key>
        <string>Kefa is a trademark of Jeremie
Hornus.</string>
        <key>unique</key>
        <string>Kefa Regular; 13.0d1e3; 2017-07-
12</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Jeremie Hornus</string>
        <key>version</key>
        <string>13.0d1e3</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Kefa-Bold</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Copyright (c) 2006 - 2009 by Jeremie
Hornus. All rights reserved.</string>
        <key>designer</key>
        <string>Jeremie Hornus</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Kefa</string>
        <key>fullname</key>
        <string>Kefa Bold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Bold</string>
        <key>trademark</key>
        <string>Kefa is a trademark of Jeremie
Hornus.</string>
        <key>unique</key>
        <string>Kefa Bold; 13.0d1e3;
2017-07-12</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Jeremie Hornus</string>
        <key>version</key>
        <string>13.0d1e3</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Menlo.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Menlo.ttc</string>
    <key>type</key>

```

```

<string>truetype</string>
<key>typefaces</key>
<array>
  <dict>
    <key>_name</key>
    <string>Menlo-Bold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    Copyright © 2006 by Tavmjong Bah. Copyright © 2003 by Bitstream, Inc. All
    Rights Reserved.</string>
    <key>description</key>
    font Bitstream Vera and the public domain font Deja Vu. Bitstream Vera is a
    trademark of Bitstream, Inc., designed by Jim Lyles.</string>
    <key>designer</key>
    <string>Jim Lyles</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Menlo</string>
    <key>fullname</key>
    <string>Menlo Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold</string>
    <key>trademark</key>
    Inc.</string>
    <key>unique</key>
    2018-09-17</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Bitstream</string>
    <key>version</key>
    <string>14.0d1e1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Menlo-BoldItalic</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    Copyright © 2006 by Tavmjong Bah. Copyright © 2003 by Bitstream, Inc. All
    Rights Reserved.</string>
    <key>description</key>
    font Bitstream Vera and the public domain font Deja Vu. Bitstream Vera is a
    trademark of Bitstream, Inc., designed by Jim Lyles.</string>
    <key>designer</key>
    <string>Jim Lyles</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>

```

```

        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Menlo</string>
        <key>fullname</key>
        <string>Menlo Bold Italic</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Bold Italic</string>
        <key>trademark</key>
        <string>Menlo is a Trademark of Apple
Inc.</string>

        <key>unique</key>
        <string>Menlo Bold Italic; 14.0d1e1; 2018-
09-17</string>

        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Bitstream</string>
        <key>version</key>
        <string>14.0d1e1</string>
</dict>
<dict>
    <key>_name</key>
    <string>Menlo-Regular</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright Â© 2009 Apple Inc.
Copyright Â© 2006 by Tavmjong Bah. Copyright Â© 2003 by Bitstream, Inc. All
Rights Reserved.</string>

    <key>description</key>
    <string>Menlo is based upon the Open Source
font Bitstream Vera and the public domain font Deja Vu. Bitstream Vera is a
trademark of Bitstream, Inc., designed by Jim Lyles.</string>
    <key>designer</key>
    <string>Jim Lyles</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Menlo</string>
    <key>fullname</key>
    <string>Menlo Regular</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>trademark</key>
    <string>Menlo is a Trademark of Apple
Inc.</string>

    <key>unique</key>
    <string>Menlo Regular; 14.0d1e1; 2018-09-
17</string>

    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Bitstream</string>
    <key>version</key>
    <string>14.0d1e1</string>

```



```

    </dict>
    <dict>
      <key>_name</key>
      <string>Menlo-Italic</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Copyright © 2009 Apple Inc.
Copyright © 2006 by Tavmjong Bah. Copyright © 2003 by Bitstream, Inc. All
Rights Reserved.</string>
      <key>description</key>
      <string>Menlo is based upon the Open Source
font Bitstream Vera and the public domain font Deja Vu. Bitstream Vera is a
trademark of Bitstream, Inc., designed by Jim Lyles.</string>
      <key>designer</key>
      <string>Jim Lyles</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>Menlo</string>
      <key>fullname</key>
      <string>Menlo Italic</string>
      <key>outline</key>
      <string>yes</string>
      <key>style</key>
      <string>Italic</string>
      <key>trademark</key>
      <string>Menlo is a Trademark of Apple
Inc.</string>
      <key>unique</key>
      <string>Menlo Italic; 14.0d1e1; 2018-09-
17</string>
      <key>valid</key>
      <string>yes</string>
      <key>vendor</key>
      <string>Bitstream</string>
      <key>version</key>
      <string>14.0d1e1</string>
    </dict>
  </array>
  <key>valid</key>
  <string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>Ayuthaya.ttf</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/Supplemental/Ayuthaya.ttf</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>Ayuthaya</string>
      <key>copy_protected</key>
      <string>no</string>

```

All rights reserved.</string>  
<key>copyright</key>  
<string>Copyright © 1992-2011 by Apple Inc.

<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Ayuthaya</string>  
<key>fullname</key>  
<string>Ayuthaya</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Regular</string>  
<key>unique</key>  
<string>Ayuthaya; 13.0d1e7;

2017-06-12</string>  
<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>13.0d1e7</string>

</dict>  
</array>  
<key>valid</key>  
<string>yes</string>  
</dict>  
<dict>  
<key>\_name</key>  
<string>Apple Color Emoji.ttc</string>  
<key>enabled</key>  
<string>yes</string>  
<key>path</key>  
<string>/System/Library/Fonts/Apple Color

Emoji.ttc</string>  
<key>type</key>  
<string>truetype</string>  
<key>typefaces</key>  
<array>  
<dict>  
<key>\_name</key>  
<string>AppleColorEmoji</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>© 2011-2016 Apple Inc. All rights

reserved.</string>  
<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Apple Color Emoji</string>  
<key>fullname</key>  
<string>Apple Color Emoji</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Regular</string>  
<key>unique</key>

```

04-01</string>
    <string>Apple Color Emoji; 16.0d14e1; 2021-
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>16.0d14e1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>.AppleColorEmojiUI</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>© 2011-2016 Apple Inc. All rights
reserved.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.Apple Color Emoji UI</string>
    <key>fullname</key>
    <string>.Apple Color Emoji UI</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>unique</key>
    <string>.Apple Color Emoji UI; 16.0d14e1;
2021-04-01</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>16.0d14e1</string>
  </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>Damascus.ttc</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/Supplemental/Damascus.ttc</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>DamascusLight</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Diwan Software Ltd. 1987-2012 all
rights reserved.</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>

```

```

                <string>yes</string>
                <key>enabled</key>
                <string>yes</string>
                <key>family</key>
                <string>Damascus</string>
                <key>fullname</key>
                <string>Damascus Light</string>
                <key>outline</key>
                <string>yes</string>
                <key>style</key>
                <string>Light</string>
                <key>unique</key>
                <string>Damascus Light; 13.0d3e9; 2017-06-
29</string>

                <key>valid</key>
                <string>yes</string>
                <key>version</key>
                <string>13.0d3e9</string>
</dict>
<dict>
    <key>_name</key>
    <string>Damascus</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Diwan Software Ltd. 1987-2012 all
rights reserved.</string>

    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Damascus</string>
    <key>fullname</key>
    <string>Damascus Regular</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>unique</key>
    <string>Damascus Regular; 13.0d3e9; 2017-06-
29</string>

    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0d3e9</string>
</dict>
<dict>
    <key>_name</key>
    <string>DamascusBold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Diwan Software Ltd. 1987-2012 all
rights reserved.</string>

    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>

```

<string>Damascus</string>  
<key>fullname</key>  
<string>Damascus Bold</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Bold</string>  
<key>unique</key>  
<string>Damascus Bold; 13.0d3e9; 2017-06-  
29</string>

<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>13.0d3e9</string>

</dict>

<dict>

<key>\_name</key>  
<string>DamascusMedium</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Diwan Software Ltd. 1987-2012 all  
rights reserved.</string>

<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Damascus</string>  
<key>fullname</key>  
<string>Damascus Medium</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Medium</string>  
<key>unique</key>  
<string>Damascus Medium; 13.0d3e9; 2017-06-  
29</string>

29</string>

<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>13.0d3e9</string>

</dict>

<dict>

<key>\_name</key>  
<string>DamascusSemiBold</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Diwan Software Ltd. 1987-2012 all  
rights reserved.</string>

<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>Damascus</string>  
<key>fullname</key>  
<string>Damascus Semi Bold</string>  
<key>outline</key>

```
<string>yes</string>
<key>style</key>
<string>Semi Bold</string>
<key>unique</key>
<string>Damascus Semi Bold; 13.0d3e9; 2017-
06-29</string>

<key>valid</key>
<string>yes</string>
<key>version</key>
<string>13.0d3e9</string>
</dict>
<dict>
  <key>_name</key>
  <string>.DamascusPUA</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Diwan Software Ltd. 1987-2012 all
rights reserved.</string>

  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.Damascus PUA</string>
  <key>fullname</key>
  <string>.Damascus PUA</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Regular</string>
  <key>unique</key>
  <string>.Damascus PUA; 13.0d3e9; 2017-06-
29</string>

  <key>valid</key>
  <string>yes</string>
  <key>version</key>
  <string>13.0d3e9</string>
</dict>
<dict>
  <key>_name</key>
  <string>.DamascusPUAMedium</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Diwan Software Ltd. 1987-2012 all
rights reserved.</string>

  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.Damascus PUA</string>
  <key>fullname</key>
  <string>.Damascus PUA Medium</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Medium</string>
  <key>unique</key>
```

```
2017-06-29</string>                <string>.Damascus PUA Medium; 13.0d3e9;
                                        <key>valid</key>
                                        <string>yes</string>
                                        <key>version</key>
                                        <string>13.0d3e9</string>
</dict>
<dict>
  <key>_name</key>
  <string>.DamascusPUALight</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Diwan Software Ltd. 1987-2012 all
rights reserved.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.Damascus PUA</string>
  <key>fullname</key>
  <string>.Damascus PUA Light</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Light</string>
  <key>unique</key>
  <string>.Damascus PUA Light; 13.0d3e9; 2017-
06-29</string>
  <key>valid</key>
  <string>yes</string>
  <key>version</key>
  <string>13.0d3e9</string>
</dict>
<dict>
  <key>_name</key>
  <string>.DamascusPUASemiBold</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Diwan Software Ltd. 1987-2012 all
rights reserved.</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>.Damascus PUA</string>
  <key>fullname</key>
  <string>.Damascus PUA Semi Bold</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Semi Bold</string>
  <key>unique</key>
  <string>.Damascus PUA Semi Bold; 13.0d3e9;
2017-06-29</string>
  <key>valid</key>
  <string>yes</string>
```

```

    <key>version</key>
    <string>13.0d3e9</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>.DamascusPUABold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Diwan Software Ltd. 1987-2012 all
rights reserved.</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>.Damascus PUA</string>
    <key>fullname</key>
    <string>.Damascus PUA Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold</string>
    <key>unique</key>
    <string>.Damascus PUA Bold; 13.0d3e9; 2017-
06-29</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0d3e9</string>
  </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>Wingdings 2.ttf</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/Supplemental/Wingdings
2.ttf</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>Wingdings2</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Wingdings 2 designed by Bigelow
& Holmes Inc. for Microsoft Corporation. Copyright © 1992 Microsoft
Corporation. Pat. Pend. All Rights Reserved. © 1990-1991 Type Solutions, Inc.
All Rights Reserved.</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>

```



```
        <string>yes</string>
        <key>family</key>
        <string>Wingdings 2</string>
        <key>fullname</key>
        <string>Wingdings 2</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>trademark</key>
        <string>Wingdings is a trademark of
Microsoft Corporation.</string>
```

```
        <key>unique</key>
        <string>Wingdings 2</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>Version 1.55x</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Didot.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
```

```
<string>/System/Library/Fonts/Supplemental/Didot.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
```

```
            <key>_name</key>
            <string>Didot-Bold</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright (c) 1981, 1982, 1983, 1989
and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All
rights reserved.
```

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberger Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberger Druckmaschinen AG.

Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.</string>

```
        <key>description</key>
        <string>The Didot family were active as
designers for about 100 years in the 18th and 19th centuries. They were
printers, publishers, typeface designers, inventors and intellectuals. Around
1800 the Didot family owned the most important print shop and font foundry in
France. Pierre Didot, the printer, published a document with the typefaces of
his brother, Firmin Didot, the typeface designer. The strong clear forms of
this alphabet display objective, rational characteristics and are representative
of the time and philosophy of the Enlightenment. Adrian Frutiger's Didot is a
sensitive interpretation of the French Modern Face Didot. Another model for this
design is the Henriade, a historical printing of the original Didot from 1818.
```

The font Didot gives text a classic and elegant feel.</string>

<key>duplicate</key>

<string>no</string>

<key>embeddable</key>

<string>yes</string>

<key>enabled</key>

<string>yes</string>

<key>family</key>

<string>Didot</string>

<key>fullname</key>

<string>Didot Bold</string>

<key>outline</key>

<string>yes</string>

<key>style</key>

<string>Bold</string>

<key>trademark</key>

<string>"Linotype Didot" is a trademark of

Heidelberger Druckmaschinen AG, which may be registered in certain

jurisdictions, exclusivly licensed through Linotype Library GmbH, a wholly owned

subsidiary of Heidelberger Druckmaschinen AG.</string>

<key>unique</key>

<string>Didot Bold; 13.0d1e3;

2017-06-30</string>

<key>valid</key>

<string>yes</string>

<key>version</key>

<string>13.0d1e3</string>

</dict>

<dict>

<key>\_name</key>

<string>Didot</string>

<key>copy\_protected</key>

<string>no</string>

<key>copyright</key>

<string>Copyright (c) 1981, 1982, 1983, 1989

and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberger Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberger Druckmaschinen AG.

Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.</string>

<key>description</key>

<string>The Didot family were active as

designers for about 100 years in the 18th and 19th centuries. They were

printers, publishers, typeface designers, inventors and intellectuals. Around

1800 the Didot family owned the most important print shop and font foundry in

France. Pierre Didot, the printer, published a document with the typefaces of

his brother, Firmin Didot, the typeface designer. The strong clear forms of

this alphabet display objective, rational characteristics and are representative

of the time and philosophy of the Enlightenment. Adrian Frutiger's Didot is a

sensitive interpretation of the French Modern Face Didot. Another model for this

design is the Henriade, a historical printing of the original Didot from 1818.

The font Didot gives text a classic and elegant feel.</string>

<key>duplicate</key>

<string>no</string>

<key>embeddable</key>

<string>yes</string>

<key>enabled</key>

<string>yes</string>

```

    <key>family</key>
    <string>Didot</string>
    <key>fullname</key>
    <string>Didot</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>trademark</key>
    <string>"Linotype Didot" is a trademark of
Heidelberger Druckmaschinen AG, which may be registered in certain
jurisdictions, exclusivly licensed through Linotype Library GmbH, a wholly owned
subsidiary of Heidelberger Druckmaschinen AG.</string>
    <key>unique</key>
    <string>Didot; 13.0d1e3; 2017-06-30</string>
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0d1e3</string>

```

```
</dict>
```

```
<dict>
```

```

    <key>_name</key>
    <string>Didot-Italic</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright (c) 1981, 1982, 1983, 1989
and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All
rights reserved.

```

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberger Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberger Druckmaschinen AG.

Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.</string>

```

    <key>description</key>
    <string>The Didot family were active as
designers for about 100 years in the 18th and 19th centuries. They were
printers, publishers, typeface designers, inventors and intellectuals. Around
1800 the Didot family owned the most important print shop and font foundry in
France. Pierre Didot, the printer, published a document with the typefaces of
his brother, Firmin Didot, the typeface designer. The strong clear forms of
this alphabet display objective, rational characteristics and are representative
of the time and philosophy of the Enlightenment. Adrian Frutiger's Didot is a
sensitive interpretation of the French Modern Face Didot. Another model for this
design is the Henriade, a historical printing of the original Didot from 1818.
The font Didot gives text a classic and elegant feel.</string>

```

```
    <key>duplicate</key>
```

```
    <string>no</string>
```

```
    <key>embeddable</key>
```

```
    <string>yes</string>
```

```
    <key>enabled</key>
```

```
    <string>yes</string>
```

```
    <key>family</key>
```

```
    <string>Didot</string>
```

```
    <key>fullname</key>
```

```
    <string>Didot Italic</string>
```

```
    <key>outline</key>
```

```
    <string>yes</string>
```

```
    <key>style</key>
```

```
    <string>Italic</string>
```

```

        <key>trademark</key>
        <string>"Linotype Didot" is a trademark of
Heidelberger Druckmaschinen AG, which may be registered in certain
jurisdictions, exclusivly licensed through Linotype Library GmbH, a wholly owned
subsidiary of Heidelberger Druckmaschinen AG.</string>
        <key>unique</key>
        <string>Didot Italic; 13.0d1e3; 2017-06-
30</string>

        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>13.0d1e3</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Verdana.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>

<string>/System/Library/Fonts/Supplemental/Verdana.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>Verdana</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Â© 2006 Microsoft Corporation. All
Rights Reserved.</string>

            <key>designer</key>
            <string>Matthew Carter</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Verdana</string>
            <key>fullname</key>
            <string>Verdana</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Regular</string>
            <key>trademark</key>
            <string>Verdana is either a registered
trademark or a trademark of Microsoft Corporation in the United States and/or
other countries.</string>

            <key>unique</key>
            <string>Microsoft:Verdana Regular:Version
5.01x (Microsoft)</string>

            <key>valid</key>
            <string>yes</string>
            <key>vendor</key>
            <string>Carter & Cone</string>

```

```

        <key>version</key>
        <string>Version 5.01x</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Times New Roman Italic.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Times New
Roman Italic.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>TimesNewRomanPS-ItalicMT</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Â© 2006 The Monotype Corporation.
All Rights Reserved.</string>
            <key>designer</key>
            <string>Monotype Type Drawing Office -
Stanley Morison, Victor Lardent 1932</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Times New Roman</string>
            <key>fullname</key>
            <string>Times New Roman Italic</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Italic</string>
            <key>trademark</key>
            <string>Times New Roman is a trademark of
The Monotype Corporation in the United States and/or other countries.</string>
            <key>unique</key>
            <string>Monotype:Times New Roman
Italic:Version 5.00 (Microsoft)</string>
            <key>valid</key>
            <string>yes</string>
            <key>vendor</key>
            <string>The Monotype Corporation</string>
            <key>version</key>
            <string>Version 5.00.3x</string>
        </dict>
    </array>
    <key>valid</key>
    <string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Courier New Bold Italic.ttf</string>

```

```

        <key>enabled</key>
        <string>yes</string>
        <key>path</key>
        <string>/System/Library/Fonts/Supplemental/Courier New
Bold Italic.ttf</string>
        <key>type</key>
        <string>truetype</string>
        <key>typefaces</key>
        <array>
            <dict>
                <key>_name</key>
                <string>CourierNewPS-BoldItalicMT</string>
                <key>copy_protected</key>
                <string>no</string>
                <key>copyright</key>
                <string>© 2006 The Monotype Corporation.
All Rights Reserved.</string>
                <key>designer</key>
                <string>Howard Kettler</string>
                <key>duplicate</key>
                <string>no</string>
                <key>embeddable</key>
                <string>yes</string>
                <key>enabled</key>
                <string>yes</string>
                <key>family</key>
                <string>Courier New</string>
                <key>fullname</key>
                <string>Courier New Bold Italic</string>
                <key>outline</key>
                <string>yes</string>
                <key>style</key>
                <string>Bold Italic</string>
                <key>trademark</key>
                <string>Courier New is a trademark of The
Monotype Corporation in the United States and/or other countries.</string>
                <key>unique</key>
                <string>Monotype:Courier New Bold
Italic:version 3.10 (Microsoft)</string>
                <key>valid</key>
                <string>yes</string>
                <key>vendor</key>
                <string>The Monotype Corporation</string>
                <key>version</key>
                <string>Version 5.00x</string>
            </dict>
        </array>
        <key>valid</key>
        <string>yes</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>EuphemiaCAS.ttc</string>
        <key>enabled</key>
        <string>yes</string>
        <key>path</key>
        <string>/System/Library/Fonts/Supplemental/EuphemiaCAS.ttc</string>
        <key>type</key>
        <string>truetype</string>
        <key>typefaces</key>
        <array>
            <dict>
                <key>_name</key>

```

```
<string>EuphemiaUCAS</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright (c) Tiro Typeworks Ltd.,
2004. All rights reserved.</string>
<key>designer</key>
<string>Ross Mills</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Euphemia UCAS</string>
<key>fullname</key>
<string>Euphemia UCAS</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular</string>
<key>trademark</key>
<string>Euphemia is a trademark of Tiro
Typeworks Ltd.</string>
<key>unique</key>
<string>Euphemia UCAS; 15.0d1e3; 2020-09-
02</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Tiro Typeworks Ltd.</string>
<key>version</key>
<string>15.0d1e3</string>
</dict>
<dict>
<key>_name</key>
<string>EuphemiaUCAS-Italic</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright (C) 2004, Tiro Typeworks
Ltd. All rights reserved.</string>
<key>designer</key>
<string>Ross Mills</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Euphemia UCAS</string>
<key>fullname</key>
<string>Euphemia UCAS Italic</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Italic</string>
<key>trademark</key>
<string>Euphemia is a trademark of Tiro
Typeworks Ltd.</string>
<key>unique</key>
<string>Euphemia UCAS Italic; 15.0d1e3;
```

2020-09-02</string>

```
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Tiro Typeworks Ltd.</string>
<key>version</key>
<string>15.0d1e3</string>
```

</dict>

<dict>

```
<key>_name</key>
<string>EuphemiaUCAS-Bold</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright (c) Tiro Typeworks Ltd.,
```

2004. All rights reserved.</string>

```
<key>designer</key>
<string>Ross Mills</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Euphemia UCAS</string>
<key>fullname</key>
<string>Euphemia UCAS Bold</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Bold</string>
<key>trademark</key>
<string>Euphemia is a trademark of Tiro
```

Typeworks Ltd.</string>

```
<key>unique</key>
<string>Euphemia UCAS Bold; 15.0d1e3; 2020-
```

09-02</string>

```
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Tiro Typeworks Ltd.</string>
<key>version</key>
<string>15.0d1e3</string>
```

</dict>

</array>

```
<key>valid</key>
<string>yes</string>
```

</dict>

<dict>

```
<key>_name</key>
<string>InaiMathi-MN.ttc</string>
<key>enabled</key>
<string>yes</string>
<key>path</key>
<string>/System/Library/Fonts/Supplemental/InaiMathi-
```

MN.ttc</string>

```
<key>type</key>
<string>truetype</string>
<key>typefaces</key>
```

<array>

<dict>

```
<key>_name</key>
<string>InaiMathi-Bold</string>
```



```
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright (c) 1986 Murasu Systems
Sdn. Bhd. Malaysia. (c) 2000 Grow Momentum (S) Pte. Ltd. All rights
reserved.</string>
<key>designer</key>
<string>Muthu Nedumaran</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>InaiMathi</string>
<key>fullname</key>
<string>InaiMathi Bold</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Bold</string>
<key>trademark</key>
<string>InaiMathi is a trademark of Murasu
Systems Sdn. Bhd. Malaysia.</string>
<key>unique</key>
<string>InaiMathi Bold; 13.0d1e5; 2017-06-
13</string>
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Murasu Systems Sdn. Bhd.
Malaysia</string>
<key>version</key>
<string>13.0d1e5</string>
</dict>
<dict>
<key>_name</key>
<string>InaiMathi</string>
<key>copy_protected</key>
<string>no</string>
<key>copyright</key>
<string>Copyright (c) 1986 Murasu Systems
Sdn. Bhd. Malaysia. (c) 2000 Grow Momentum (S) Pte. Ltd. All rights
reserved.</string>
<key>designer</key>
<string>Muthu Nedumaran</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>InaiMathi</string>
<key>fullname</key>
<string>InaiMathi</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular</string>
<key>trademark</key>
<string>InaiMathi is a trademark of Murasu
Systems Sdn. Bhd. Malaysia.</string>
```

```

                <key>unique</key>
                <string>InaiMathi; 13.0d1e5;
2017-06-13</string>
                <key>valid</key>
                <string>yes</string>
                <key>vendor</key>
                <string>Murasu Systems Sdn. Bhd.
Malaysia</string>
                <key>version</key>
                <string>13.0d1e5</string>
            </dict>
        </array>
        <key>valid</key>
        <string>yes</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SukhumvitSet.ttc</string>
        <key>enabled</key>
        <string>yes</string>
        <key>path</key>
        <string>/System/Library/Fonts/Supplemental/SukhumvitSet.ttc</string>
        <key>type</key>
        <string>truetype</string>
        <key>typefaces</key>
        <array>
            <dict>
                <key>_name</key>
                <string>SukhumvitSet-Text</string>
                <key>copy_protected</key>
                <string>no</string>
                <key>copyright</key>
                <string>Copyright © 2009, 2013 Cadson Demak
Co. Ltd., Thailand. All Rights Reserved.</string>
                <key>designer</key>
                <string>Anuthin Wongsunkakon</string>
                <key>duplicate</key>
                <string>no</string>
                <key>embeddable</key>
                <string>yes</string>
                <key>enabled</key>
                <string>yes</string>
                <key>family</key>
                <string>Sukhumvit Set</string>
                <key>fullname</key>
                <string>Sukhumvit Set Text</string>
                <key>outline</key>
                <string>yes</string>
                <key>style</key>
                <string>Text</string>
                <key>unique</key>
                <string>Sukhumvit Set Text; 13.0d1e6; 2017-
06-30</string>
                <key>valid</key>
                <string>yes</string>
                <key>version</key>
                <string>13.0d1e6</string>
            </dict>
        <dict>
            <key>_name</key>
            <string>SukhumvitSet-Medium</string>
            <key>copy_protected</key>
            <string>no</string>

```

```

    <key>copyright</key>
    <string>Copyright © 2009, 2013 Cadson Demak
Co. Ltd., Thailand. All Rights Reserved.</string>
    <key>designer</key>
    <string>Anuthin Wongsunkakon</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Sukhumvit Set</string>
    <key>fullname</key>
    <string>Sukhumvit Set Medium</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Medium</string>
    <key>unique</key>
    <string>Sukhumvit Set Medium; 13.0d1e6;
2017-06-30</string>

    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0d1e6</string>
</dict>
<dict>
    <key>_name</key>
    <string>SukhumvitSet-Light</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright © 2009, 2013 Cadson Demak
Co. Ltd., Thailand. All Rights Reserved.</string>
    <key>designer</key>
    <string>Anuthin Wongsunkakon</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Sukhumvit Set</string>
    <key>fullname</key>
    <string>Sukhumvit Set Light</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Light</string>
    <key>unique</key>
    <string>Sukhumvit Set Light; 13.0d1e6; 2017-
06-30</string>

    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0d1e6</string>
</dict>
<dict>
    <key>_name</key>
    <string>SukhumvitSet-Bold</string>
    <key>copy_protected</key>
    <string>no</string>

```

```

    <key>copyright</key>
    <string>Copyright © 2009, 2013 Cadson Demak
Co. Ltd., Thailand. All Rights Reserved.</string>
    <key>designer</key>
    <string>Anuthin Wongsunkakon</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Sukhumvit Set</string>
    <key>fullname</key>
    <string>Sukhumvit Set Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold</string>
    <key>unique</key>
    <string>Sukhumvit Set Bold; 13.0d1e6; 2017-
06-30</string>

    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0d1e6</string>
</dict>
<dict>
    <key>_name</key>
    <string>SukhumvitSet-SemiBold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright © 2009, 2013 Cadson Demak
Co. Ltd., Thailand. All Rights Reserved.</string>
    <key>designer</key>
    <string>Anuthin Wongsunkakon</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Sukhumvit Set</string>
    <key>fullname</key>
    <string>Sukhumvit Set Semi Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Semi Bold</string>
    <key>unique</key>
    <string>Sukhumvit Set Semi Bold; 13.0d1e6;
2017-06-30</string>

    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0d1e6</string>
</dict>
<dict>
    <key>_name</key>
    <string>SukhumvitSet-Thin</string>
    <key>copy_protected</key>
    <string>no</string>

```

```
    <key>copyright</key>
    <string>Copyright © 2009, 2013 Cadson Demak
Co. Ltd., Thailand. All Rights Reserved.</string>
    <key>designer</key>
    <string>Anuthin Wongsunkakon</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Sukhumvit Set</string>
    <key>fullname</key>
    <string>Sukhumvit Set Thin</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Thin</string>
    <key>unique</key>
    <string>Sukhumvit Set Thin; 13.0d1e6; 2017-
06-30</string>

    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0d1e6</string>
  </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>Farisi.ttf</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>

<string>/System/Library/Fonts/Supplemental/Farisi.ttf</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>Farisi</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>© 2002 Diwan Software Ltd.</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>Farisi</string>
      <key>fullname</key>
      <string>Farisi Regular</string>
      <key>outline</key>
      <string>yes</string>
      <key>style</key>
      <string>Regular</string>
```

```

13</string>
    <key>unique</key>
    <string>Farisi Regular; 13.0d1e3; 2017-06-
    <key>valid</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0d1e3</string>
  </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>NotoSansOriya.ttc</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/NotoSansOriya.ttc</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>NotoSansOriya</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Copyright 2015 Google Inc. All
Rights Reserved.</string>
      <key>description</key>
      <string>Data hinted. Designed by Monotype
design team.</string>
      <key>designer</key>
      <string>Monotype Design Team</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>Noto Sans Oriya</string>
      <key>fullname</key>
      <string>Noto Sans Oriya</string>
      <key>outline</key>
      <string>yes</string>
      <key>style</key>
      <string>Regular</string>
      <key>trademark</key>
      <string>Noto is a trademark of Google
Inc.</string>
    </dict>
  </array>
  <key>unique</key>
  <string>Noto Sans Oriya; 14.0d1e2; 2018-11-
25</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Monotype Imaging Inc.</string>
  <key>version</key>
  <string>14.0d1e2</string>
</dict>
<dict>

```

```

    <key>_name</key>
    <string>NotoSansOriya-Bold</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright 2015 Google Inc. All
Rights Reserved.</string>
    <key>description</key>
    <string>Data hinted. Designed by Monotype
design team.</string>
    <key>designer</key>
    <string>Monotype Design Team</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Noto Sans Oriya</string>
    <key>fullname</key>
    <string>Noto Sans Oriya Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold</string>
    <key>trademark</key>
    <string>Noto is a trademark of Google
Inc.</string>
    <key>unique</key>
    <string>Noto Sans Oriya Bold; 14.0d1e2;
2018-11-25</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Monotype Imaging Inc.</string>
    <key>version</key>
    <string>14.0d1e2</string>
  </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>Gurmukhi MN.ttc</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/Supplemental/Gurmukhi
MN.ttc</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>GurmukhiMN</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>Copyright (c) 2003 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
      <key>designer</key>

```

```
<string>Muthu Nedumaran</string>
<key>duplicate</key>
<string>no</string>
<key>embeddable</key>
<string>yes</string>
<key>enabled</key>
<string>yes</string>
<key>family</key>
<string>Gurmukhi MN</string>
<key>fullname</key>
<string>Gurmukhi MN</string>
<key>outline</key>
<string>yes</string>
<key>style</key>
<string>Regular</string>
<key>trademark</key>
<string>Gurmukhi MN is a trademark of Murasu
Systems Sdn. Bhd. Malaysia.</string>
2018-07-12</string>
<key>unique</key>
<string>Gurmukhi MN; 14.0d4e2;
<key>valid</key>
<string>yes</string>
<key>vendor</key>
<string>Murasu Systems Sdn. Bhd.
Malaysia</string>
<key>version</key>
<string>14.0d4e2</string>
</dict>
<dict>
  <key>_name</key>
  <string>GurmukhiMN-Bold</string>
  <key>copy_protected</key>
  <string>no</string>
  <key>copyright</key>
  <string>Copyright (c) 2003 by Murasu Systems
Sdn. Bhd. Malaysia. All rights reserved.</string>
  <key>designer</key>
  <string>Muthu Nedumaran</string>
  <key>duplicate</key>
  <string>no</string>
  <key>embeddable</key>
  <string>yes</string>
  <key>enabled</key>
  <string>yes</string>
  <key>family</key>
  <string>Gurmukhi MN</string>
  <key>fullname</key>
  <string>Gurmukhi MN Bold</string>
  <key>outline</key>
  <string>yes</string>
  <key>style</key>
  <string>Bold</string>
  <key>trademark</key>
  <string>Gurmukhi MN Bold is a trademark of
Murasu Systems Sdn. Bhd. Malaysia.</string>
12</string>
  <key>unique</key>
  <string>Gurmukhi MN Bold; 14.0d4e2; 2018-07-
12</string>
  <key>valid</key>
  <string>yes</string>
  <key>vendor</key>
  <string>Murasu Systems Sdn. Bhd.
Malaysia</string>
```



```

        <key>version</key>
        <string>14.0d4e2</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Kannada Sangam MN.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Kannada
Sangam MN.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>KannadaSangamMN-Bold</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright (c) 2009 by Muthu
Nedumaran. All rights reserved.</string>
            <key>description</key>
            <string>Copyright (c) 2009 by Muthu
Nedumaran. All rights reserved.</string>
            <key>designer</key>
            <string>Muthu Nedumaran</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Kannada Sangam MN</string>
            <key>fullname</key>
            <string>Kannada Sangam MN Bold</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Bold</string>
            <key>trademark</key>
            <string>Kannada Sangam MN is a trademark of
Muthu Nedumaran.</string>
            <key>unique</key>
            <string>Kannada Sangam MN Bold; 14.0d2e4;
2018-02-27</string>
            <key>valid</key>
            <string>yes</string>
            <key>vendor</key>
            <string>Muthu Nedumaran</string>
            <key>version</key>
            <string>14.0d2e4</string>
        </dict>
    </array>
</dict>
<dict>
    <key>_name</key>
    <string>KannadaSangamMN</string>
    <key>copy_protected</key>
    <string>no</string>

```

```

        <key>copyright</key>
        <string>Copyright (c) 2009 by Muthu
Nedumaran. All rights reserved.</string>
        <key>description</key>
        <string>Copyright (c) 2009 by Muthu
Nedumaran. All rights reserved.</string>
        <key>designer</key>
        <string>Muthu Nedumaran</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Kannada Sangam MN</string>
        <key>fullname</key>
        <string>Kannada Sangam MN</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>trademark</key>
        <string>Kannada Sangam MN is a trademark of
Muthu Nedumaran.</string>
        <key>unique</key>
        <string>Kannada Sangam MN; 14.0d2e4; 2018-
02-27</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Muthu Nedumaran</string>
        <key>version</key>
        <string>14.0d2e4</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>ZapfDingbats.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/ZapfDingbats.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>ZapfDingbatsITC</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>(c) Copyright 1999-2000 as an
unpublished work by Galapagos Design Group, Inc. All rights reserved</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>

```

```

        <key>family</key>
        <string>Zapf Dingbats</string>
        <key>fullname</key>
        <string>Zapf Dingbats</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>unique</key>
        <string>Zapf Dingbats; 13.0d1e2; 2017-06-
15</string>

        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>13.0d1e2</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Trebuchet MS Italic.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Trebuchet MS
Italic.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>TrebuchetMS-Italic</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Â© 2006 Microsoft Corporation. All
Rights Reserved.</string>
            <key>description</key>
            <string>Trebuchet, designed by Vincent
Connare in 1996, is a humanist sans serif designed for easy screen readability.
Trebuchet takes its inspiration from the sans serifs of the 1930s which had
large x heights and round features intended to promote readability on signs. The
typeface name is credited to a puzzle heard at Microsoft, where the question was
asked, "could you build a Trebuchet (a form of medieval catapult) to launch a
person from the main campus to the consumer campus, and how?" The Trebuchet
fonts are intended to be the vehicle that fires your messages across the
Internet. "Launch your message with a Trebuchet page".</string>
            <key>designer</key>
            <string>Vincent Connare</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Trebuchet MS</string>
            <key>fullname</key>
            <string>Trebuchet MS Italic</string>
            <key>outline</key>
            <string>yes</string>

```

```

        <key>style</key>
        <string>Italic</string>
        <key>unique</key>
        <string>Microsoft Trebuchet Italic</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Microsoft Corporation</string>
        <key>version</key>
        <string>Version 5.00x</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>ã, ¢ãžèš'ã, ¢ã, ¢ã, .ãffã, ¯ W5.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/ãf'ãf@ã, -
ã, ¢ãžèš'ã, ¢ã, ¢ã, .ãffã, ¯ W5.ttc</string>
    <key>type</key>
    <string>opentype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>HiraginoSans-W5</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>ver8.20, Copyright (c) 1993-2015
SCREEN Graphic and Precision Solutions Co., Ltd. All Rights Reserved.</string>
            <key>designer</key>
            <string>JIYUKOBO Ltd.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Hiragino Sans</string>
            <key>fullname</key>
            <string>Hiragino Sans W5</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>W5</string>
            <key>trademark</key>
            <string>HIRAGINO is a trademark of SCREEN
Holdings Co., Ltd.</string>
            <key>unique</key>
            <string>Hiragino Sans W5; 15.0d1e3; 2019-06-
13</string>
            <key>valid</key>
            <string>yes</string>
            <key>vendor</key>
            <string>SCREEN Graphic and Precision
Solutions Co., Ltd.</string>
            <key>version</key>
            <string>15.0d1e3</string>

```

```

        </dict>
        <dict>
            <key>_name</key>
            <string>.HiraKakuInterface-W5</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>ver8.20, Copyright (c) 1993-2015
SCREEN Graphic and Precision Solutions Co., Ltd. All Rights Reserved.</string>
            <key>designer</key>
            <string>JIYUKOBO Ltd.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>.Hiragino Kaku Gothic
Interface</string>
            <key>fullname</key>
            <string>.Hiragino Kaku Gothic Interface
W5</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>W5</string>
            <key>trademark</key>
            <string>HIRAGINO is a trademark of SCREEN
Holdings Co., Ltd.</string>
            <key>unique</key>
            <string>.Hiragino Kaku Gothic Interface W5;
15.0d1e3; 2019-06-13</string>
            <key>valid</key>
            <string>yes</string>
            <key>vendor</key>
            <string>SCREEN Graphic and Precision
Solutions Co., Ltd.</string>
            <key>version</key>
            <string>15.0d1e3</string>
        </dict>
    </array>
    <key>valid</key>
    <string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Devanagari Sangam MN.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Devanagari
Sangam MN.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>DevanagariSangamMN-Bold</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Copyright (c) 2003 by Muthu

```

```
Nedumaran. All rights reserved.</string>
    <key>description</key>
    <string>Copyright (c) 2003 by Muthu
Nedumaran. All rights reserved.</string>
    <key>designer</key>
    <string>Muthu Nedumaran</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Devanagari Sangam MN</string>
    <key>fullname</key>
    <string>Devanagari Sangam MN Bold</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Bold</string>
    <key>trademark</key>
    <string>Devanagari Sangam MN is a trademark
of Muthu Nedumaran.</string>
    <key>unique</key>
    <string>Devanagari Sangam MN Bold;
14.0d1e12; 2018-03-01</string>
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Muthu Nedumaran</string>
    <key>version</key>
    <string>14.0d1e12</string>
</dict>
<dict>
    <key>_name</key>
    <string>DevanagariSangamMN</string>
    <key>copy_protected</key>
    <string>no</string>
    <key>copyright</key>
    <string>Copyright (c) 2003 by Muthu
Nedumaran. All rights reserved.</string>
    <key>description</key>
    <string>Copyright (c) 2003 by Muthu
Nedumaran. All rights reserved.</string>
    <key>designer</key>
    <string>Muthu Nedumaran</string>
    <key>duplicate</key>
    <string>no</string>
    <key>embeddable</key>
    <string>yes</string>
    <key>enabled</key>
    <string>yes</string>
    <key>family</key>
    <string>Devanagari Sangam MN</string>
    <key>fullname</key>
    <string>Devanagari Sangam MN</string>
    <key>outline</key>
    <string>yes</string>
    <key>style</key>
    <string>Regular</string>
    <key>trademark</key>
    <string>Devanagari Sangam MN is a trademark
of Muthu Nedumaran.</string>
    <key>unique</key>
```

```

2018-03-01</string>
    <string>Devanagari Sangam MN; 14.0d1e12;
    <key>valid</key>
    <string>yes</string>
    <key>vendor</key>
    <string>Muthu Nedumaran</string>
    <key>version</key>
    <string>14.0d1e12</string>
  </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>Arial Narrow Bold Italic.ttf</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/Supplemental/Arial Narrow
Bold Italic.ttf</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>ArialNarrow-BoldItalic</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>© 2007 The Monotype Corporation.
All Rights Reserved.</string>
      <key>description</key>
      <string>Monotype Drawing Office 1982. A
contemporary sans serif design, Arial contains more humanist characteristics
than many of its predecessors and as such is more in tune with the mood of the
last decades of the twentieth century. The overall treatment of curves is softer
and fuller than in most industrial-style sans serif faces. Terminal strokes are
cut on the diagonal which helps to give the face a less mechanical appearance.
Arial is an extremely versatile family of typefaces which can be used with equal
success for text setting in reports, presentations, magazines etc, and for
display use in newspapers, advertising and promotions.</string>
      <key>designer</key>
      <string>Robin Nicholas, Patricia
Saunders</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>Arial Narrow</string>
      <key>fullname</key>
      <string>Arial Narrow Bold Italic</string>
      <key>outline</key>
      <string>yes</string>
      <key>style</key>
      <string>Bold Italic</string>
      <key>trademark</key>
      <string>Arial is a trademark of The Monotype
Corporation in the United States and/or other countries.</string>
      <key>unique</key>

```

```

2007</string>                <string>Arial Narrow Bold Italic :
                                <key>valid</key>
                                <string>yes</string>
                                <key>vendor</key>
                                <string>The Monotype Corporation</string>
                                <key>version</key>
                                <string>Version 2.38.1x</string>
                                </dict>
                                </array>
                                <key>valid</key>
                                <string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>Trebuchet MS.ttf</string>
  <key>enabled</key>
  <string>yes</string>
  <key>path</key>
  <string>/System/Library/Fonts/Supplemental/Trebuchet
MS.ttf</string>
  <key>type</key>
  <string>truetype</string>
  <key>typefaces</key>
  <array>
    <dict>
      <key>_name</key>
      <string>TrebuchetMS</string>
      <key>copy_protected</key>
      <string>no</string>
      <key>copyright</key>
      <string>© 2006 Microsoft Corporation. All
Rights Reserved.</string>
      <key>description</key>
      <string>Trebuchet, designed by Vincent
Connare in 1996, is a humanist sans serif designed for easy screen readability.
Trebuchet takes its inspiration from the sans serifs of the 1930s which had
large x heights and round features intended to promote readability on signs. The
typeface name is credited to a puzzle heard at Microsoft, where the question was
asked, "could you build a Trebuchet (a form of medieval catapult) to launch a
person from the main campus to the consumer campus, and how?" The Trebuchet
fonts are intended to be the vehicle that fires your messages across the
Internet. "Launch your message with a Trebuchet page".</string>
      <key>designer</key>
      <string>Vincent Connare</string>
      <key>duplicate</key>
      <string>no</string>
      <key>embeddable</key>
      <string>yes</string>
      <key>enabled</key>
      <string>yes</string>
      <key>family</key>
      <string>Trebuchet MS</string>
      <key>fullname</key>
      <string>Trebuchet MS</string>
      <key>outline</key>
      <string>yes</string>
      <key>style</key>
      <string>Regular</string>
      <key>unique</key>
      <string>Microsoft Trebuchet</string>
      <key>valid</key>
      <string>yes</string>
      <key>vendor</key>

```



```

        <string>Microsoft Corporation</string>
        <key>version</key>
        <string>Version 5.00x</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Nadeem.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Nadeem.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>Nadeem</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Nadeem designed by Diwan Software
Ltd. Copyright Apple Computer, Inc. and
its licensors, 1992-1998 all rights reserved.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>Nadeem</string>
            <key>fullname</key>
            <string>Nadeem Regular</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Regular</string>
            <key>unique</key>
            <string>Nadeem Regular; 13.0d1e3; 2017-06-
14</string>
            <key>valid</key>
            <string>yes</string>
            <key>version</key>
            <string>13.0d1e3</string>
        </dict>
    <dict>
        <key>_name</key>
        <string>.NadeemPUA</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>.Nadeem PUA designed by Diwan
Software Ltd. Copyright Apple Computer, Inc. and
its licensors, 1992-1998 all rights reserved.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>

```

```

                <key>enabled</key>
                <string>yes</string>
                <key>family</key>
                <string>.Nadeem PUA</string>
                <key>fullname</key>
                <string>.Nadeem PUA</string>
                <key>outline</key>
                <string>yes</string>
                <key>style</key>
                <string>Regular</string>
                <key>unique</key>
                <string>.Nadeem PUA; 13.0d1e3;
2017-06-14</string>
                <key>valid</key>
                <string>yes</string>
                <key>version</key>
                <string>13.0d1e3</string>
            </dict>
        </array>
        <key>valid</key>
        <string>yes</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>STIXGeneralItalic.otf</string>
        <key>enabled</key>
        <string>yes</string>
        <key>path</key>

<string>/System/Library/Fonts/Supplemental/STIXGeneralItalic.otf</string>
        <key>type</key>
        <string>opentype</string>
        <key>typefaces</key>
        <array>
            <dict>
                <key>_name</key>
                <string>STIXGeneral-Italic</string>
                <key>copy_protected</key>
                <string>no</string>
                <key>copyright</key>
                <string>Copyright (c) 2001-2011 by the STI
Pub Companies, consisting of the American Chemical Society, the American
Institute of Physics, the American Mathematical Society, the American Physical
Society, Elsevier, Inc., and The Institute of Electrical and Electronic
Engineers, Inc. Portions copyright (c) 1998-2003 by MicroPress, Inc. Portions
copyright (c) 1990 by Elsevier, Inc. All rights reserved.</string>
                <key>description</key>
                <string>Arie de Ruiter, who in 1995 was Head
of Information Technology Development at Elsevier Science, made a proposal to
the STI Pub group, an informal group of publishers consisting of representatives
from the American Chemical Society (ACS), American Institute of Physics (AIP),
American Mathematical Society (AMS), American Physical Society (APS), Elsevier,
and Institute of Electrical and Electronics Engineers (IEEE). De Ruiter
encouraged the members to consider development of a series of Web fonts, which
he proposed should be called the Scientific and Technical Information eXchange,
or STIX, Fonts. All STI Pub member organizations enthusiastically endorsed this
proposal, and the STI Pub group agreed to embark on what has become a twelve-
year project. The goal of the project was to identify all alphabetic, symbolic,
and other special characters used in any facet of scientific publishing and to
create a set of Unicode-based fonts that would be distributed free to every
scientist, student, and other interested party worldwide. The fonts would be
consistent with the emerging Unicode standard, and would permit universal
representation of every character. With the release of the STIX fonts, de
Ruiter's vision has been realized.</string>

```

```

        <key>designer</key>
        <string>MicroPress Inc., with final
additions and corrections provided by Coen Hoffman, Elsevier (retired)</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>STIXGeneral</string>
        <key>fullname</key>
        <string>STIXGeneral-Italic</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Italic</string>
        <key>trademark</key>
        <string>STIX Fonts(TM) is a trademark of The
Institute of Electrical and Electronics Engineers, Inc.</string>
        <key>unique</key>
        <string>FontMaster:STIXGeneral-
Italic:1.1.0</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>Version 1.1.0</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Arial Unicode.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Arial
Unicode.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>ArialUnicodeMS</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Digitized data copyright (C) 1993-
2000 Agfa Monotype Corporation. All rights reserved. Arial® is a trademark of
The Monotype Corporation which may be registered in certain
jurisdictions.</string>
            <key>description</key>
            <string>This extended version of Monotype's
Arial contains glyphs for all code points within The Unicode Standard, Version
2.1.</string>
            <key>designer</key>
            <string>Original design: Robin Nicholas,
Patricia Saunders. Extended glyphs: Monotype Type Drawing Office, Monotype
Typography.</string>
            <key>duplicate</key>
            <string>no</string>

```

```

        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Arial Unicode MS</string>
        <key>fullname</key>
        <string>Arial Unicode MS</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>trademark</key>
        <string>ArialÂ® is a trademark of The
Monotype Corporation which may be registered in certain jurisdictions.</string>
        <key>unique</key>
        <string>Monotype - Arial Unicode MS</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>Agfa Monotype Corporation</string>
        <key>version</key>
        <string>Version 1.01x</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>AmericanTypewriter.ttc</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/AmericanTypewriter.ttc</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>AmericanTypewriter</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Digitized data (c) Copyright 1997
E+F Designstudios. ITC American Typewriter is a registered trademark of
International Typeface Corporation.</string>
            <key>duplicate</key>
            <string>no</string>
            <key>embeddable</key>
            <string>yes</string>
            <key>enabled</key>
            <string>yes</string>
            <key>family</key>
            <string>American Typewriter</string>
            <key>fullname</key>
            <string>American Typewriter</string>
            <key>outline</key>
            <string>yes</string>
            <key>style</key>
            <string>Regular</string>
            <key>trademark</key>

```

<string>ITC American Typewriter is a registered trademark of International Typeface Corporation.</string>  
<key>unique</key>  
<string>American Typewriter; 16.0d2e4; 2020-07-06</string>

<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>16.0d2e4</string>

</dict>

<dict>

<key>\_name</key>  
<string>AmericanTypewriter-Light</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Digitized data (c) Copyright 1997

E+F Designstudios. ITC American Typewriter is a registered trademark of International Typeface Corporation.</string>

<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>American Typewriter</string>  
<key>fullname</key>  
<string>American Typewriter Light</string>  
<key>outline</key>  
<string>yes</string>  
<key>style</key>  
<string>Light</string>  
<key>trademark</key>

<string>ITC American Typewriter is a registered trademark of International Typeface Corporation.</string>

<key>unique</key>  
<string>American Typewriter Light; 16.0d2e4;

2020-07-06</string>

<key>valid</key>  
<string>yes</string>  
<key>version</key>  
<string>16.0d2e4</string>

</dict>

<dict>

<key>\_name</key>  
<string>AmericanTypewriter-Bold</string>  
<key>copy\_protected</key>  
<string>no</string>  
<key>copyright</key>  
<string>Digitized data (c) Copyright 1997

E+F Designstudios. ITC American Typewriter is a registered trademark of International Typeface Corporation.</string>

<key>duplicate</key>  
<string>no</string>  
<key>embeddable</key>  
<string>yes</string>  
<key>enabled</key>  
<string>yes</string>  
<key>family</key>  
<string>American Typewriter</string>  
<key>fullname</key>  
<string>American Typewriter Bold</string>  
<key>outline</key>

```

        <string>yes</string>
        <key>style</key>
        <string>Bold</string>
        <key>trademark</key>
        <string>ITC American Typewriter is a
registered trademark of International Typeface Corporation.</string>
        <key>unique</key>
        <string>American Typewriter Bold; 16.0d2e4;
2020-07-06</string>

        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>16.0d2e4</string>
</dict>
<dict>
    <key>_name</key>

    <string>AmericanTypewriter-CondensedLight</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Digitized data (c) Copyright 1997
E+F Designstudios. ITC American Typewriter is a registered trademark of
International Typeface Corporation.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>American Typewriter</string>
        <key>fullname</key>
        <string>American Typewriter Condensed
Light</string>

        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Condensed Light</string>
        <key>unique</key>
        <string>American Typewriter Condensed Light;
16.0d2e4; 2020-07-06</string>

        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>16.0d2e4</string>
</dict>
<dict>
    <key>_name</key>

    <string>AmericanTypewriter-Condensed</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Digitized Data (c) Copyright 1997
E+F Designstudios. ITC American Typewriter is a registered trademark of
International Typeface Corporation.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>

```

```

        <string>American Typewriter</string>
        <key>fullname</key>
        <string>American Typewriter
Condensed</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Condensed</string>
        <key>trademark</key>
        <string>ITC American Typewriter is a
registered trademark of International Typeface Corporation.</string>
        <key>unique</key>
        <string>American Typewriter Condensed;
16.0d2e4; 2020-07-06</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>16.0d2e4</string>
</dict>
<dict>
        <key>_name</key>
        <string>AmericanTypewriter-CondensedBold</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Digitized data (c) Copyright 1997
E+F Designstudios. ITC American Typewriter is a registered trademark of
International Typeface Corporation.</string>
        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>American Typewriter</string>
        <key>fullname</key>
        <string>American Typewriter Condensed
Bold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Condensed Bold</string>
        <key>trademark</key>
        <string>ITC American Typewriter is a
registered trademark of International Typeface Corporation.</string>
        <key>unique</key>
        <string>American Typewriter Condensed Bold;
16.0d2e4; 2020-07-06</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>16.0d2e4</string>
</dict>
<dict>
        <key>_name</key>
        <string>AmericanTypewriter-Semibold</string>
        <key>copy_protected</key>
        <string>no</string>
        <key>copyright</key>
        <string>Digitized data (c) Copyright 1997
E+F Designstudios. ITC American Typewriter is a registered trademark of
International Typeface Corporation.</string>

```

```

        <key>duplicate</key>
        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>American Typewriter</string>
        <key>fullname</key>
        <string>American Typewriter
Semibold</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Semibold</string>
        <key>trademark</key>
        <string>ITC American Typewriter is a
registered trademark of International Typeface Corporation.</string>
        <key>unique</key>
        <string>American Typewriter Semibold;
16.0d2e4; 2020-07-06</string>
        <key>valid</key>
        <string>yes</string>
        <key>version</key>
        <string>16.0d2e4</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
<dict>
    <key>_name</key>
    <string>Arial Narrow.ttf</string>
    <key>enabled</key>
    <string>yes</string>
    <key>path</key>
    <string>/System/Library/Fonts/Supplemental/Arial
Narrow.ttf</string>
    <key>type</key>
    <string>truetype</string>
    <key>typefaces</key>
    <array>
        <dict>
            <key>_name</key>
            <string>ArialNarrow</string>
            <key>copy_protected</key>
            <string>no</string>
            <key>copyright</key>
            <string>Â© 2007 The Monotype Corporation.
All Rights Reserved.</string>
            <key>description</key>
            <string>Monotype Drawing Office 1982. A
contemporary sans serif design, Arial contains more humanist characteristics
than many of its predecessors and as such is more in tune with the mood of the
last decades of the twentieth century. The overall treatment of curves is softer
and fuller than in most industrial-style sans serif faces. Terminal strokes are
cut on the diagonal which helps to give the face a less mechanical appearance.
Arial is an extremely versatile family of typefaces which can be used with equal
success for text setting in reports, presentations, magazines etc, and for
display use in newspapers, advertising and promotions.</string>
            <key>designer</key>
            <string>Robin Nicholas, Patricia
Saunders</string>
            <key>duplicate</key>

```



```

        <string>no</string>
        <key>embeddable</key>
        <string>yes</string>
        <key>enabled</key>
        <string>yes</string>
        <key>family</key>
        <string>Arial Narrow</string>
        <key>fullname</key>
        <string>Arial Narrow</string>
        <key>outline</key>
        <string>yes</string>
        <key>style</key>
        <string>Regular</string>
        <key>trademark</key>
        <string>Arial is a trademark of The Monotype
Corporation in the United States and/or other countries.</string>
        <key>unique</key>
        <string>Arial Narrow Regular : 2007</string>
        <key>valid</key>
        <string>yes</string>
        <key>vendor</key>
        <string>The Monotype Corporation</string>
        <key>version</key>
        <string>Version 2.38.1x</string>
    </dict>
</array>
<key>valid</key>
<string>yes</string>
</dict>
</array>
<key>_parentDataType</key>
<string>SPSoftwareDataType</string>
<key>_properties</key>
<dict>
    <key>_name</key>
    <dict>
        <key>_isColumn</key>
        <string>YES</string>
        <key>_order</key>
        <integer>10</integer>
    </dict>
    <key>checksum</key>
    <dict>
        <key>_order</key>
        <integer>200</integer>
    </dict>
    <key>copy_protected</key>
    <dict>
        <key>_order</key>
        <integer>85</integer>
    </dict>
    <key>copyright</key>
    <dict>
        <key>_order</key>
        <integer>29</integer>
    </dict>
    <key>description</key>
    <dict>
        <key>_order</key>
        <integer>31</integer>
    </dict>
    <key>designer</key>
    <dict>
        <key>_order</key>

```

```
        <integer>27</integer>
</dict>
<key>designer_url</key>
<dict>
    <key>_order</key>
    <integer>28</integer>
</dict>
<key>duplicate</key>
<dict>
    <key>_order</key>
    <integer>80</integer>
</dict>
<key>embeddable</key>
<dict>
    <key>_order</key>
    <integer>90</integer>
</dict>
<key>enabled</key>
<dict>
    <key>_isColumn</key>
    <string>YES</string>
    <key>_order</key>
    <integer>70</integer>
</dict>
<key>family</key>
<dict>
    <key>_order</key>
    <integer>21</integer>
</dict>
<key>fullname</key>
<dict>
    <key>_order</key>
    <integer>20</integer>
</dict>
<key>license</key>
<dict>
    <key>_order</key>
    <integer>32</integer>
</dict>
<key>license_url</key>
<dict>
    <key>_order</key>
    <integer>33</integer>
</dict>
<key>outline</key>
<dict>
    <key>_order</key>
    <integer>50</integer>
</dict>
<key>path</key>
<dict>
    <key>_order</key>
    <integer>100</integer>
</dict>
<key>style</key>
<dict>
    <key>_order</key>
    <integer>22</integer>
</dict>
<key>trademark</key>
<dict>
    <key>_order</key>
    <integer>30</integer>
</dict>
```

```
<key>type</key>
<dict>
  <key>_isColumn</key>
  <string>YES</string>
  <key>_order</key>
  <integer>40</integer>
</dict>
<key>typefaces</key>
<dict>
  <key>_order</key>
  <integer>500</integer>
</dict>
<key>unique</key>
<dict>
  <key>_order</key>
  <integer>26</integer>
</dict>
<key>valid</key>
<dict>
  <key>_isColumn</key>
  <string>YES</string>
  <key>_order</key>
  <integer>60</integer>
</dict>
<key>vendor</key>
<dict>
  <key>_order</key>
  <integer>24</integer>
</dict>
<key>vendor_url</key>
<dict>
  <key>_order</key>
  <integer>25</integer>
</dict>
<key>version</key>
<dict>
  <key>_order</key>
  <integer>23</integer>
</dict>
<key>volumes</key>
<dict>
  <key>_detailLevel</key>
  <string>0</string>
</dict>
</dict>
<key>_timeStamp</key>
<date>2021-08-03T01:21:44Z</date>
<key>_versionInfo</key>
<dict>
  <key>com.apple.SystemProfiler.SPFontReporter</key>
  <string>8</string>
</dict>
</dict>
<dict>
  <key>_SPCommandLineArguments</key>
  <array>
    <string>/usr/sbin/system_profiler</string>
    <string>-nospawn</string>
    <string>-xml</string>
    <string>SPFrameworksDataType</string>
    <string>-detailLevel</string>
    <string>full</string>
  </array>
  <key>_SPCompletionInterval</key>
```

```
<real>7.2260230779647827</real>
<key>_SPResponseTime</key>
<real>7.2965819835662842</real>
<key>_dataType</key>
<string>SPFrameworksDataType</string>
<key>_detailLevel</key>
<integer>1</integer>
<key>_items</key>
<array>
  <dict>
    <key>_name</key>
    <string>JavaRuntimeSupport</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/Frameworks/JavaRuntimeSupport.framework</string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>78</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>MetricKit</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/Frameworks/MetricKit.framework</string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Network</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/Frameworks/Network.framework</string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>IOBluetoothUI</string>
    <key>info</key>
    <string>8.0.5, Copyright Â© 2002-2019 Apple Inc. All
rights reserved.</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
```

```
        <key>path</key>
<string>/System/Library/Frameworks/IOBluetoothUI.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>8.0.5</string>
</dict>
<dict>
  <key>_name</key>
  <string>GameKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/GameKit.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>790.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>SecurityInterface</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/SecurityInterface.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>10.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>DiscRecording</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/DiscRecording.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>9.0.3</string>
</dict>
<dict>
  <key>_name</key>
  <string>Speech</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/Speech.framework</string>
  <key>private_framework</key>
```

```
        <string>no</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Automator</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/Frameworks/Automator.framework</string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>2.10</string>
</dict>
<dict>
    <key>_name</key>
    <string>HIDDriverKit</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/Frameworks/HIDDriverKit.framework</string>
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>_SpriteKit_SwiftUI</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/Frameworks/_SpriteKit_SwiftUI.framework</string>
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>_StoreKit_SwiftUI</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/Frameworks/_StoreKit_SwiftUI.framework</string>
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>1.0</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>SafariServices</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/SafariServices.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>16611</string>
</dict>
<dict>
  <key>_name</key>
  <string>ExceptionHandler</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/ExceptionHandler.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.5</string>
</dict>
<dict>
  <key>_name</key>
  <string>Metal</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/Metal.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>244.303</string>
</dict>
<dict>
  <key>_name</key>
  <string>QuartzCore</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/QuartzCore.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.11</string>
</dict>
<dict>
  <key>_name</key>
  <string>CoreGraphics</string>
  <key>lastModified</key>
```

```
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/Frameworks/CoreGraphics.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>2.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOBluetooth</string>
  <key>info</key>
  <string>8.0.5, Copyright Â© 2002-2019 Apple Inc. All
rights reserved.</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/IOBluetooth.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>8.0.5</string>
</dict>
<dict>
  <key>_name</key>
  <string>StoreKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/StoreKit.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Ruby</string>
  <key>info</key>
  <string>Ruby Runtime and Library</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/Ruby.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>11.5</string>
</dict>
<dict>
  <key>_name</key>
  <string>GSS</string>
```



```
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/Frameworks/GSS.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>4.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>JavaNativeFoundation</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/JavaNativeFoundation.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>80</string>
</dict>
<dict>
  <key>_name</key>
  <string>OpenGL</string>
  <key>info</key>
  <string>OpenGL 18.5.9.0.0</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/OpenGL.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>18.5.9</string>
</dict>
<dict>
  <key>_name</key>
  <string>CoreML</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/CoreML.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>FinderSync</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
```

```
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/Frameworks/FinderSync.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.12</string>
</dict>
<dict>
  <key>_name</key>
  <string>Quartz</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/Quartz.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.5</string>
</dict>
<dict>
  <key>_name</key>
  <string>QuartzComposer</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/Quartz.framework/Frameworks/QuartzComposer.fr
amework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>5.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>QuartzFilters</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/Quartz.framework/Frameworks/QuartzFilters.fr
amework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.10.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>PDFKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
```

```
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/Frameworks/Quartz.framework/Frameworks/PDFKit.framework</string>
```

```
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>QuickLookUI</string>
  <key>info</key>
  <string>5.0, Copyright Apple Inc. 2007-2013</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/Quartz.framework/Frameworks/QuickLookUI.framework</string>
```

```
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>5.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ImageKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/Quartz.framework/Frameworks/ImageKit.framework</string>
```

```
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>3.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>UserNotificationsUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/UserNotificationsUI.framework</string>
```

```
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
```

```

        <key>_name</key>
        <string>TWAIN</string>
        <key>info</key>
        <string>1.9.5, Â© Copyright 2001-2008, TWAIN Working
Group</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/Frameworks/TWAIN.framework</string>
        <key>private_framework</key>
        <string>no</string>
        <key>version</key>
        <string>1.9.5</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CoreMediaIO</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/Frameworks/CoreMediaIO.framework</string>
        <key>private_framework</key>
        <string>no</string>
        <key>version</key>
        <string>1000.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>MetalPerformanceShaders</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/Frameworks/MetalPerformanceShaders.framework</
string>
        <key>private_framework</key>
        <string>no</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>MPSRayIntersector</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/Frameworks/MetalPerformanceShaders.framework/
Frameworks/MPSRayIntersector.framework</string>
        <key>private_framework</key>
        <string>no</string>
        <key>version</key>
        <string>1.0</string>
    </dict>

```

```
<dict>
  <key>_name</key>
  <string>MPSNeuralNetwork</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/Frameworks/MetalPerformanceShaders.framework/
Frameworks/MPSNeuralNetwork.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>MPSNDArray</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/Frameworks/MetalPerformanceShaders.framework/
Frameworks/MPSNDArray.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>MPSCore</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/Frameworks/MetalPerformanceShaders.framework/
Frameworks/MPSCore.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>MPSImage</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/Frameworks/MetalPerformanceShaders.framework/
Frameworks/MPSImage.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>MPSMatrix</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/MetalPerformanceShaders.framework/
Frameworks/MPSMatrix.framework</string>
```

```
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>AutomaticAssessmentConfiguration</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/AutomaticAssessmentConfiguration.framework</
string>
```

```
<key>private_framework</key>
<string>no</string>
<key>signed_by</key>
<array>
  <string>Software Signing</string>
  <string>Apple Code Signing Certification
```

```
Authority</string>
```

```
<string>Apple Root CA</string>
</array>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>ExternalAccessory</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/ExternalAccessory.framework</string>
```

```
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>1.0.0</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>_AVKit_SwiftUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
```

```
        <key>path</key>
<string>/System/Library/Frameworks/_AVKit_SwiftUI.framework</string>
  <key>private_framework</key>
  <string>no</string>
</dict>
<dict>
  <key>_name</key>
  <string>ScreenSaver</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/ScreenSaver.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>5.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>_SceneKit_SwiftUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/_SceneKit_SwiftUI.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>PCSC</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/PCSC.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>8.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>PreferencePanels</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/PreferencePanels.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
```

```
        <string>16.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>MediaPlayer</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/Frameworks/MediaPlayer.framework</string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>LinkPresentation</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/Frameworks/LinkPresentation.framework</string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>146</string>
</dict>
<dict>
    <key>_name</key>
    <string>NetFS</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/Frameworks/NetFS.framework</string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>6.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>MediaToolbox</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/Frameworks/MediaToolbox.framework</string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
```



```
<string>SyncServices</string>
<key>info</key>
<string>Â© 2003-2004 Apple</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>

<string>/System/Library/Frameworks/SyncServices.framework</string>
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>8.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>System</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/System.framework</string>
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>11</string>
</dict>
<dict>
  <key>_name</key>
  <string>UIKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/UIKit.framework</string>
<key>private_framework</key>
<string>no</string>
</dict>
<dict>
  <key>_name</key>
  <string>ForceFeedback</string>
  <key>info</key>
  <string>1.0.6, Copyright Â© 2000-2012 Apple Inc. All
rights reserved.</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/ForceFeedback.framework</string>
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>1.0.6</string>
</dict>
<dict>
  <key>_name</key>
  <string>OSAKit</string>
```

```
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
</dict>
<dict>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.5</string>
</dict>
<dict>
  <key>_name</key>
  <string>CryptoKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<dict>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ServiceManagement</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<dict>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ScreenTime</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<dict>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>3.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>MLCompute</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
</dict>
```

```
        <key>path</key>
<string>/System/Library/Frameworks/MLCompute.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>NaturalLanguage</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/NaturalLanguage.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>CoreVideo</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/CoreVideo.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.8</string>
</dict>
<dict>
  <key>_name</key>
  <string>VideoDecodeAcceleration</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/VideoDecodeAcceleration.framework</
string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>ScriptingBridge</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/ScriptingBridge.framework</string>
```

```
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>1.4</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>MetalKit</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

<string>/System/Library/Frameworks/MetalKit.framework</string>

```
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>147.1</string>
  </dict>
```

```
  <dict>
    <key>_name</key>
    <string>ApplicationServices</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

<string>/System/Library/Frameworks/ApplicationServices.framework</string>

```
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>48</string>
  </dict>
```

```
  <dict>
    <key>_name</key>
    <string>CoreGraphics</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

<string>/System/Library/Frameworks/ApplicationServices.framework/Frameworks/
CoreGraphics.framework</string>

```
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>2.0</string>
  </dict>
```

```
  <dict>
    <key>_name</key>
    <string>LangAnalysis</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

<string>/System/Library/Frameworks/ApplicationServices.framework/Frameworks/
LangAnalysis.framework</string>

```
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>1.7.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>ATS</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

<string>/System/Library/Frameworks/ApplicationServices.framework/Frameworks/ATS.framework</string>

```
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>377</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>CoreText</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

<string>/System/Library/Frameworks/ApplicationServices.framework/Frameworks/CoreText.framework</string>

```
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>677.6.0.2</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>ImageIO</string>
    <key>info</key>
    <string>3.3.0</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

<string>/System/Library/Frameworks/ApplicationServices.framework/Frameworks/ImageIO.framework</string>

```
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>3.3.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>ColorSync</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
```

```
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/Frameworks/ApplicationServices.framework/Frameworks/
ColorSync.framework</string>
```

```
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>4.13.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ATSUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/ApplicationServices.framework/Frameworks/
ATSUI.framework</string>
```

```
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>SpeechSynthesis</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/ApplicationServices.framework/Frameworks/
SpeechSynthesis.framework</string>
```

```
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>9.0.66</string>
</dict>
<dict>
  <key>_name</key>
  <string>ColorSyncLegacy</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/ApplicationServices.framework/Frameworks/
ColorSyncLegacy.framework</string>
```

```
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>4.13.0</string>
</dict>
<dict>
  <key>_name</key>
```

```
<string>HIServices</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/Frameworks/ApplicationServices.framework/Frameworks/
HIServices.framework</string>
```

```
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>1.22</string>
</dict>
<dict>
<key>_name</key>
<string>PrintCore</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/Frameworks/ApplicationServices.framework/Frameworks/
PrintCore.framework</string>
```

```
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>16.1</string>
</dict>
<dict>
<key>_name</key>
<string>QD</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/Frameworks/ApplicationServices.framework/Frameworks/
QD.framework</string>
```

```
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>4.0</string>
</dict>
<dict>
<key>_name</key>
<string>OSLog</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/Frameworks/OSLog.framework</string>
```

```
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>1.0</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>AGL</string>
  <key>info</key>
  <string>OpenGL Carbon compatibility dylib for Mac OS
X</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
<string>/System/Library/Frameworks/AGL.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>3.3.4</string>
</dict>
<dict>
  <key>_name</key>
  <string>PDFKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
<string>/System/Library/Frameworks/PDFKit.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>CoreText</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
<string>/System/Library/Frameworks/CoreText.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>677.6.0.2</string>
</dict>
<dict>
  <key>_name</key>
  <string>UniformTypeIdentifiers</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
<string>/System/Library/Frameworks/UniformTypeIdentifiers.framework</
string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>637</string>
</dict>
```



```
<dict>
  <key>_name</key>
  <string>vmnet</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/vmnet.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Cocoa</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/Cocoa.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>6.11</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOKit</string>
  <key>info</key>
  <string>I/O Kit Framework, Apple Computer Inc</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/IOKit.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>2.0.2</string>
</dict>
<dict>
  <key>_name</key>
  <string>AVFoundation</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/AVFoundation.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>2.0</string>
</dict>
<dict>
  <key>_name</key>
```

```
<string>AVFAudio</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/Frameworks/AVFoundation.framework/Frameworks/
AVFAudio.framework</string>
```

```
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>DiscRecordingUI</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/Frameworks/DiscRecordingUI.framework</string>
```

```
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>9.0.3</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>ParavirtualizedGraphics</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/Frameworks/ParavirtualizedGraphics.framework</
string>
```

```
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>Accelerate</string>
<key>info</key>
<string>vImage, DSP, BLAS, LAPACK, Vector Math, and
```

```
Large Number Library</string>
```

```
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/Frameworks/Accelerate.framework</string>
```

```
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>1.11</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>vImage</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/Frameworks/Accelerate.framework/Frameworks/
vImage.framework</string>
```

```
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>8.1</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>vecLib</string>
<key>info</key>
<string>DSP, BLAS, LAPACK, Vector Math, and Large Number
```

```
Library</string>
```

```
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/Frameworks/Accelerate.framework/Frameworks/
vecLib.framework</string>
```

```
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>3.11</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>DeviceCheck</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/Frameworks/DeviceCheck.framework</string>
```

```
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>ImageIO</string>
<key>info</key>
<string>3.3.0</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/Frameworks/ImageIO.framework</string>
```

```
<key>private_framework</key>
<string>no</string>
<key>version</key>
```

```
        <string>3.3.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>BackgroundTasks</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

<string>/System/Library/Frameworks/BackgroundTasks.framework</string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleScriptKit</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/Frameworks/AppleScriptKit.framework</string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>1.5.3</string>
</dict>
<dict>
    <key>_name</key>
    <string>Carbon</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/Frameworks/Carbon.framework</string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>160</string>
</dict>
<dict>
    <key>_name</key>
    <string>Ink</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/Frameworks/Carbon.framework/Frameworks/Ink.framework</
string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>10.15</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>OpenScripting</string>
  <key>info</key>
  <string>Supplies support for scripting
languages</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/Carbon.framework/Frameworks/OpenScripting.fra
mework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.7</string>
</dict>
<dict>
  <key>_name</key>
  <string>SecurityHI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/Carbon.framework/Frameworks/SecurityHI.frame
ork</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>9.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Print</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/Carbon.framework/Frameworks/Print.framework</
string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>15</string>
</dict>
<dict>
  <key>_name</key>
  <string>SpeechRecognition</string>
  <key>info</key>
  <string>6.0.3</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

<string>/System/Library/Frameworks/Carbon.framework/Frameworks/SpeechRecognition.framework</string>

```
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>6.0.3</string>
</dict>
<dict>
  <key>_name</key>
  <string>ImageCapture</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

<string>/System/Library/Frameworks/Carbon.framework/Frameworks/ImageCapture.framework</string>

```
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>1711.5.2</string>
</dict>
<dict>
```

```
  <key>_name</key>
  <string>CommonPanels</string>
  <key>info</key>
  <string>CommonPanels version 1.2.4, Copyright 2000-2006,
Apple Computer Inc.</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

<string>/System/Library/Frameworks/Carbon.framework/Frameworks/CommonPanels.framework</string>

```
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>1.2.6</string>
</dict>
<dict>
```

```
  <key>_name</key>
  <string>Help</string>
  <key>info</key>
  <string>Copyright 2000-2017, Apple Computer,
Inc.</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

<string>/System/Library/Frameworks/Carbon.framework/Frameworks/Help.framework</string>

```
<key>private_framework</key>
<string>no</string>
<key>version</key>
```

```
    <string>1.3.8</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>HIToolbox</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/Frameworks/Carbon.framework/Frameworks/HIToolbox.framework</string>
```

```
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>2.1.1</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>CoreBluetooth</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/CoreBluetooth.framework</string>
```

```
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>SensorKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/SensorKit.framework</string>
```

```
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>453.0.40</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>DriverKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/DriverKit.framework</string>
```

```
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>vecLib</string>
  <key>info</key>
  <string>DSP, BLAS, LAPACK, Vector Math, and Large Number
Library</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/vecLib.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>3.11</string>
</dict>
<dict>
  <key>_name</key>
  <string>Security</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/Security.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>7.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>_QuickLook_SwiftUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/_QuickLook_SwiftUI.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Contacts</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/Contacts.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
```



```
    <key>_name</key>
    <string>RealityKit</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/Frameworks/RealityKit.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>PhotosUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/PhotosUI.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ReplayKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/ReplayKit.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Virtualization</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/Virtualization.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOSurface</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
```

```
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/Frameworks/IOSurface.framework</string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>290.8.1</string>
</dict>
<dict>
    <key>_name</key>
    <string>MediaLibrary</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/Frameworks/MediaLibrary.framework</string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>1.7.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>SpriteKit</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/Frameworks/SpriteKit.framework</string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>QuickLookThumbnails</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/Frameworks/QuickLookThumbnails.framework</
string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>CoreMedia</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
```

```
<string>/System/Library/Frameworks/CoreMedia.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>BusinessChat</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/BusinessChat.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>OpenDirectory</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/OpenDirectory.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>11.5</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>CFOpenDirectory</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/OpenDirectory.framework/Frameworks/
CFOpenDirectory.framework</string>
```

```
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>11.5</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>Intents</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/Intents.framework</string>
  <key>private_framework</key>
```

```
<string>no</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>DirectoryService</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/DirectoryService.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>11.5</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>ColorSync</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/ColorSync.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>4.13.0</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>JavaVM</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/JavaVM.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>15.0.3</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>JavaRuntimeSupport</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/JavaVM.framework/Frameworks/JavaRuntimeSupport.framework</string>
```

```
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
```

```
    <string>78</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>JavaNativeFoundation</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/Frameworks/JavaVM.framework/Frameworks/JavaNativeFoundat
ion.framework</string>
```

```
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>80</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>AppleScriptObjC</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/AppleScriptObjC.framework</string>
```

```
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.4</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>VideoSubscriberAccount</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/VideoSubscriberAccount.framework</
string>
```

```
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>CoreWLAN</string>
  <key>info</key>
  <string>16.0, Copyright © 2009–2019 Apple Inc. All
```

```
rights reserved.</string>
```

```
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/CoreWLAN.framework</string>
```

```
  <key>private_framework</key>
```

```
        <string>no</string>
        <key>version</key>
        <string>16.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>PencilKit</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

<string>/System/Library/Frameworks/PencilKit.framework</string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>CoreServices</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/Frameworks/CoreServices.framework</string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>1122.41</string>
</dict>
<dict>
    <key>_name</key>
    <string>SearchKit</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/Frameworks/CoreServices.framework/Frameworks/
SearchKit.framework</string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>1.4.1</string>
</dict>
<dict>
    <key>_name</key>
    <string>OSServices</string>
    <key>info</key>
    <string>OS Services Framework</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/Frameworks/CoreServices.framework/Frameworks/
OSServices.framework</string>
    <key>private_framework</key>
```

```
<string>no</string>
<key>version</key>
<string>1122.41</string>
</dict>
<dict>
  <key>_name</key>
  <string>Metadata</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/CoreServices.framework/Frameworks/
Metadata.framework</string>
```

```
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>10.7.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>AE</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/CoreServices.framework/Frameworks/
AE.framework</string>
```

```
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>918.6</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>LaunchServices</string>
  <key>info</key>
  <string>10.6, Copyright © 2000-2007 Apple Inc., All
```

```
Rights Reserved</string>
```

```
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/Frameworks/CoreServices.framework/Frameworks/
LaunchServices.framework</string>
```

```
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>1122.41</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>SharedFileList</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/CoreServices.framework/Frameworks/
SharedFileList.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>144</string>
</dict>
<dict>
  <key>_name</key>
  <string>DictionaryServices</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/CoreServices.framework/Frameworks/
DictionaryServices.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.2</string>
</dict>
<dict>
  <key>_name</key>
  <string>FSEvents</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/CoreServices.framework/Frameworks/
FSEvents.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1290.120.5</string>
</dict>
<dict>
  <key>_name</key>
  <string>CarbonCore</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/CoreServices.framework/Frameworks/
CarbonCore.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1307.3</string>
</dict>
<dict>
  <key>_name</key>
  <string>NetworkingDriverKit</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
```



```

        <key>path</key>
    <string>/System/Library/Frameworks/NetworkingDriverKit.framework</string>
    <key>private_framework</key>
    <string>no</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>MultipeerConnectivity</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

    <string>/System/Library/Frameworks/MultipeerConnectivity.framework</
string>
        <key>private_framework</key>
        <string>no</string>
        <key>version</key>
        <string>172</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Tk</string>
        <key>info</key>
        <string>Tk AQUA 8.5.9,
Copyright Â© 1989-2021 Tcl Core Team,
Copyright Â© 2002-2021 Daniel A. Steffen,
Copyright Â© 2001-2009 Apple Inc.,
Copyright Â© 2001-2002 Jim Ingham & Ian Reid</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
    <string>/System/Library/Frameworks/Tk.framework</string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>8.5.9</string>
</dict>
<dict>
    <key>_name</key>
    <string>WebKit</string>
    <key>info</key>
    <string>16611.3.10.1.3, Copyright 2003-2021 Apple
Inc.</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

    <string>/System/Library/Frameworks/WebKit.framework</string>

```

```
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>16611</string>
</dict>
<dict>
```

```
<key>_name</key>
<string>WebCore</string>
<key>info</key>
<string>16611.3.10.1.3, Copyright 2003-2021 Apple Inc.;
Copyright 1997 Martin Jones <mailto:mjones@kde.org>; Copyright 1998, 1999 Torben
Weis <mailto:weis@kde.org>; Copyright 1998, 1999, 2002 Waldo Bastian
<mailto:bastian@kde.org>; Copyright 1998-2000 Lars Knoll <mailto:knoll@kde.org>;
Copyright 1999, 2001 Antti Koivisto <mailto:koivisto@kde.org>; Copyright 1999-
2001 Harri Porten <mailto:porten@kde.org>; Copyright 2000 Simon Hausmann
<mailto:hausmann@kde.org>; Copyright 2000, 2001 Dirk Mueller
<mailto:mueller@kde.org>; Copyright 2000, 2001 Peter Kelly <mailto:pmk@post.com>;
Copyright 2000 Daniel Molkentin <mailto:molkentin@kde.org>; Copyright 2000 Stefan
Schimanski <mailto:schimmi@kde.org>; Copyright 1998-2000 Netscape Communications
Corporation; Copyright 1998, 1999, 2000 Thai Open Source Software Center Ltd and
Clark Cooper; Copyright 2001, 2002 Expat maintainers.</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/Frameworks/WebKit.framework/Frameworks/WebCore.framework
</string>
```

```
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>16611</string>
</dict>
<dict>
```

```
<key>_name</key>
<string>WebKitLegacy</string>
<key>info</key>
<string>16611.3.10.1.3, Copyright 2003-2021 Apple
Inc.</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/Frameworks/WebKit.framework/Frameworks/WebKitLegacy.fram
ework</string>
```

```
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>16611</string>
</dict>
<dict>
<key>_name</key>
<string>NotificationCenter</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/Frameworks/NotificationCenter.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>SystemConfiguration</string>
  <key>info</key>
  <string>1.20</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/SystemConfiguration.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.20</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>GameController</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/GameController.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>CoreTelephony</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/CoreTelephony.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>113</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>OpenCL</string>
  <key>info</key>
  <string>4.6, Copyright 2008-2019 Apple Inc.</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/OpenCL.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>4.6</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>AVFAudio</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/AVFAudio.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>CoreDisplay</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/CoreDisplay.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>237.4</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>AudioUnit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/AudioUnit.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.14</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>FileProvider</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/FileProvider.framework</string>
  <key>private_framework</key>
  <string>no</string>
```

```
        <key>version</key>
        <string>349.4.2</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>PCIDriverKit</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/Frameworks/PCIDriverKit.framework</string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>Social</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/Frameworks/Social.framework</string>
<key>private_framework</key>
<string>no</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppKit</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/Frameworks/AppKit.framework</string>
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>6.9</string>
</dict>
<dict>
    <key>_name</key>
    <string>IdentityLookup</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/Frameworks/IdentityLookup.framework</string>
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>FWAUserLib</string>
```

```
        <key>info</key>
        <string>FWAUserLib 270.19.2, Copyright © 2000-2020
Apple Inc. All rights reserved.</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
```

```
<string>/System/Library/Frameworks/FWAUserLib.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>270.19.2</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>CoreImage</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/CoreImage.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>16.3.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>CoreAudio</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/CoreAudio.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>5.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>ExecutionPolicy</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/ExecutionPolicy.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>Hypervisor</string>
  <key>lastModified</key>
```

```
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/Frameworks/Hypervisor.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ICADevices</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/ICADevices.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1711.5.2</string>
</dict>
<dict>
  <key>_name</key>
  <string>Kernel</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>

<string>/System/Library/Frameworks/Kernel.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>20.6.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>CoreAudioKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/CoreAudioKit.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.6.6</string>
</dict>
<dict>
```

```
    <key>_name</key>
    <string>LDAP</string>
    <key>info</key>
    <string>OpenLDAP framework v2.4.28</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/Frameworks/LDAP.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>2.4.28</string>
</dict>
<dict>
  <key>_name</key>
  <string>ClassKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/ClassKit.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.2</string>
</dict>
<dict>
  <key>_name</key>
  <string>DVDPlayback</string>
  <key>info</key>
  <string>DVDPlayback Framework</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/DVDPlayback.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>5.9.6</string>
</dict>
<dict>
  <key>_name</key>
  <string>SwiftUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/SwiftUI.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>135</string>
</dict>
<dict>
```



```
    <key>_name</key>
    <string>Combine</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/Frameworks/Combine.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ModelIO</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/ModelIO.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>246.6</string>
</dict>
<dict>
  <key>_name</key>
  <string>SecurityFoundation</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/SecurityFoundation.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>6.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>GLUT</string>
  <key>info</key>
  <string>3.6.20, Copyright Â© 2001-2016 Apple Inc. All
rights reserved.</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/GLUT.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>3.6.20</string>
</dict>
<dict>
  <key>_name</key>
```

```
<string>CalendarStore</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/Frameworks/CalendarStore.framework</string>
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>8.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>MetalPerformanceShadersGraph</string>
<key>arch_kind</key>
<string>arch_arm_i64</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>apple</string>
<key>path</key>
```

```
<string>/System/Library/Frameworks/MetalPerformanceShadersGraph.framework</string>
```

```
<key>private_framework</key>
<string>no</string>
<key>signed_by</key>
<array>
  <string>Software Signing</string>
  <string>Apple Code Signing Certification
```

```
Authority</string>
```

```
  <string>Apple Root CA</string>
```

```
</array>
```

```
<key>version</key>
```

```
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>Collaboration</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/Frameworks/Collaboration.framework</string>
```

```
<key>private_framework</key>
```

```
<string>no</string>
```

```
<key>version</key>
```

```
<string>84</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>Message</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/Frameworks/Message.framework</string>
```

```
        <key>private_framework</key>
        <string>no</string>
        <key>version</key>
        <string>7.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AudioVideoBridging</string>
        <key>info</key>
        <string>AudioVideoBridging 940.4, Copyright © 2010-2020
Apple Inc. All rights reserved.</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

<string>/System/Library/Frameworks/AudioVideoBridging.framework</string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>940.4</string>
</dict>
<dict>
    <key>_name</key>
    <string>Accounts</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/Frameworks/Accounts.framework</string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>113</string>
</dict>
<dict>
    <key>_name</key>
    <string>_AuthenticationServices_SwiftUI</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/Frameworks/_AuthenticationServices_SwiftUI.framework</
string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>Python</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>info</key>
    <string>Python Runtime and Library</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
```

```
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
  <string>/System/Library/Frameworks/Python.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>2.7.16</string>
</dict>
<dict>
  <key>_name</key>
  <string>FileProviderUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/Frameworks/FileProviderUI.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>IMServicePlugIn</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/Frameworks/IMServicePlugIn.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>10.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>IMServicePlugInSupport</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
  <string>/System/Library/Frameworks/IMServicePlugIn.framework/Frameworks/
IMServicePlugInSupport.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>10.0</string>
</dict>
</dict>
```

```
    <key>_name</key>
    <string>_MapKit_SwiftUI</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/Frameworks/_MapKit_SwiftUI.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>QuickLook</string>
  <key>info</key>
  <string>5.0, Copyright Apple Inc. 2007-2013</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/QuickLook.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>5.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AuthenticationServices</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/AuthenticationServices.framework</
string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>12.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>KernelManagement</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/KernelManagement.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
```

```
    <string>AudioToolbox</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/Frameworks/AudioToolbox.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.14</string>
</dict>
<dict>
  <key>_name</key>
  <string>SystemExtensions</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/SystemExtensions.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Kerberos</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/Kerberos.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>3.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>NearbyInteraction</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/NearbyInteraction.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ContactsUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
```

```
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/Frameworks/ContactsUI.framework</string>
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>11.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>CoreSpotLight</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/Frameworks/CoreSpotLight.framework</string>
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>Tcl</string>
<key>info</key>
<string>Tcl 8.5.9,
```

```
Copyright © 1987-2021 Tcl Core Team,
```

```
Copyright © 2001-2021 Daniel A. Steffen,
```

```
Copyright © 2001-2009 Apple Inc.,
```

```
Copyright © 2001-2002 Jim Ingham & Ian Reid</string>
```

```
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/Frameworks/Tcl.framework</string>
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>8.5.9</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>LocalAuthentication</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/Frameworks/LocalAuthentication.framework</string>
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>Foundation</string>
<key>lastModified</key>
```

```
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
</dict>
<dict>
  <string>/System/Library/Frameworks/Foundation.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>6.9</string>
</dict>
<dict>
  <key>_name</key>
  <string>AdSupport</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<dict>
  <string>/System/Library/Frameworks/AdSupport.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>InstallerPlugins</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<dict>
  <string>/System/Library/Frameworks/InstallerPlugins.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>6.2.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Accessibility</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<dict>
  <string>/System/Library/Frameworks/Accessibility.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>PushKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
```



```
<string>/System/Library/Frameworks/PushKit.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>Vision</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/Vision.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>4.3.1</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>CoreAudioTypes</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/CoreAudioTypes.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>signed_by</key>
```

```
<array>
```

```
  <string>Software Signing</string>
  <string>Apple Code Signing Certification
```

```
Authority</string>
```

```
  <string>Apple Root CA</string>
```

```
</array>
```

```
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>NetworkExtension</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/NetworkExtension.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>OpenAL</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
```

```
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
<string>/System/Library/Frameworks/OpenAL.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.8</string>
</dict>
<dict>
  <key>_name</key>
  <string>EventKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
<string>/System/Library/Frameworks/EventKit.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>3.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>MediaAccessibility</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
<string>/System/Library/Frameworks/MediaAccessibility.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>UIKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
<string>/System/Library/Frameworks/UIKit.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>MapKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/Frameworks/MapKit.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppTrackingTransparency</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/AppTrackingTransparency.framework</
string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>CoreHaptics</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/CoreHaptics.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>CallKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/CallKit.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>CoreFoundation</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/CoreFoundation.framework</string>
  <key>private_framework</key>
  <string>no</string>
```

```
        <key>version</key>
        <string>6.9</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CoreMotion</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/Frameworks/CoreMotion.framework</string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>2420.19.23</string>
</dict>
<dict>
    <key>_name</key>
    <string>WidgetKit</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/Frameworks/WidgetKit.framework</string>
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AVKit</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/Frameworks/AVKit.framework</string>
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>1.1</string>
</dict>
<dict>
    <key>_name</key>
    <string>AddressBook</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/Frameworks/AddressBook.framework</string>
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>11.0</string>
</dict>
<dict>
```

```
    <key>_name</key>
    <string>SoundAnalysis</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/Frameworks/SoundAnalysis.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>CoreMIDIServer</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/CoreMIDIServer.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.10</string>
</dict>
<dict>
  <key>_name</key>
  <string>CoreLocation</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/CoreLocation.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>2420.19.23</string>
</dict>
<dict>
  <key>_name</key>
  <string>CloudKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/CloudKit.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>990</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOUSBHost</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
```

```

        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

<string>/System/Library/Frameworks/IIOUSBHost.framework</string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>LatentSemanticMapping</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/Frameworks/LatentSemanticMapping.framework</
string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>2.12.3</string>
</dict>
<dict>
    <key>_name</key>
    <string>CFNetwork</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/Frameworks/CFNetwork.framework</string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>1240.0.4</string>
</dict>
<dict>
    <key>_name</key>
    <string>Photos</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/Frameworks/Photos.framework</string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>JavaScriptCore</string>
    <key>info</key>
    <string>16611.3.10.1.3, Copyright 2003-2021 Apple Inc.;
Copyright 1999-2001 Harri Porten <porten@kde.org>; Copyright 2001 Peter
Kelly <pmk@post.com>; Copyright 1997-2005 University of Cambridge;
Copyright 1991, 2000, 2001 by Lucent Technologies.</string>

```

```
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

<string>/System/Library/Frameworks/JavaScriptCore.framework</string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>16611</string>
</dict>
<dict>
    <key>_name</key>
    <string>GameplayKit</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/Frameworks/GameplayKit.framework</string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>DiskArbitration</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/Frameworks/DiskArbitration.framework</string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>2.7</string>
</dict>
<dict>
    <key>_name</key>
    <string>InstantMessage</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/Frameworks/InstantMessage.framework</string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>8.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>CoreMIDI</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
```

```
        <key>path</key>
<string>/System/Library/Frameworks/CoreMIDI.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>2.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>InputMethodKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/InputMethodKit.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.2</string>
</dict>
<dict>
  <key>_name</key>
  <string>PassKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/PassKit.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ImageCaptureCore</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/ImageCaptureCore.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1711.5.2</string>
</dict>
<dict>
  <key>_name</key>
  <string>CoreData</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/CoreData.framework</string>
  <key>private_framework</key>
```



```
        <string>no</string>
        <key>version</key>
        <string>120</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>GLKit</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/Frameworks/GLKit.framework</string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>124</string>
</dict>
<dict>
    <key>_name</key>
    <string>AdServices</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/Frameworks/AdServices.framework</string>
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>USBDriverKit</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/Frameworks/USBDriverKit.framework</string>
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>CryptoTokenKit</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/Frameworks/CryptoTokenKit.framework</string>
<key>private_framework</key>
<string>no</string>
<key>version</key>
<string>1.0</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>VideoToolbox</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/VideoToolbox.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>UserNotifications</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/UserNotifications.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>DeveloperToolsSupport</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/DeveloperToolsSupport.framework</
string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>10</string>
</dict>
<dict>
  <key>_name</key>
  <string>iTunesLibrary</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/Frameworks/iTunesLibrary.framework</string>
  <key>private_framework</key>
  <string>no</string>
  <key>version</key>
  <string>13.1.6</string>
</dict>
<dict>
  <key>_name</key>
  <string>SceneKit</string>
```

```
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    <string>/System/Library/Frameworks/SceneKit.framework</string>
        <key>private_framework</key>
        <string>no</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>IMTranscoding</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/IMTranscoding.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>10.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>ServerInformation</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/ServerInformation.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>2.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CoreMLTestFramework</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/CoreMLTestFramework.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Spotlight</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
```

```
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

<string>/System/Library/PrivateFrameworks/Spotlight.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>SafariCore</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/SafariCore.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>16611</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppSSOKerberos</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/AppSSOKerberos.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>VFX</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/VFX.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Network</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/Network.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>InertiaCam</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/InertiaCam.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ConfigurationEngineModel</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/ConfigurationEngineModel.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>HomeAutomationInternal</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/HomeAutomationInternal.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>CoreMaterial</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CoreMaterial.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AudioServerDriver</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/AudioServerDriver.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ActionKit</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/ActionKit.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>MonitorPanel</string>
  <key>info</key>
  <string>6.0, Copyright Â© 2001-2016 Apple Inc.</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/MonitorPanel.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>6.0</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>DifferentialPrivacy</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/DifferentialPrivacy.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>UARPUdaterService</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/UARPUdaterService.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>CoreTime</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/CoreTime.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>284.0.4</string>
</dict>
<dict>
  <key>_name</key>
  <string>ContactsAssistantServices</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/ContactsAssistantServices.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>DiskManagement</string>
  <key>info</key>
  <string>Disk Management version 14.0, Copyright ©
1998â€”2020 Apple Inc. All rights reserved.</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/DiskManagement.framework</
string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>14.0</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>CloudPhotoServices</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CloudPhotoServices.framework</
string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>SystemPolicy</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SystemPolicy.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>iPodSync</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/iPodSync.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>7.0</string>
```



```
</dict>
<dict>
  <key>_name</key>
  <string>PackageKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/PackageKit.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>3.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>PackageUIKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/PackageKit.framework/Frameworks/
PackageUIKit.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>TuriCore</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>info</key>
  <string>TuriCore ML APIs for training.</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/TuriCore.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>signed_by</key>
```

```
<array>
  <string>Software Signing</string>
  <string>Apple Code Signing Certification
```

```
Authority</string>
  <string>Apple Root CA</string>
</array>
```

```
  <key>version</key>
  <string>0.0.1</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>FoundationODR</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
```

```
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/FoundationODR.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ScreenTimeSettingsUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>

<string>/System/Library/PrivateFrameworks/ScreenTimeSettingsUI.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>3.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>WebInspector</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>

<string>/System/Library/PrivateFrameworks/WebInspector.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>16611</string>
</dict>
<dict>
  <key>_name</key>
  <string>OSAServicesClient</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>

<string>/System/Library/PrivateFrameworks/OSAServicesClient.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>CrashReporterSupport</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
```

```
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CrashReporterSupport.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>10.13</string>
</dict>
<dict>
  <key>_name</key>
  <string>iAdCore</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/iAdCore.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>SensingProtocols</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SensingProtocols.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>4</string>
</dict>
<dict>
  <key>_name</key>
  <string>IMCorePipeline</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/IMCorePipeline.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>10.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>BridgeOSSoftwareUpdate</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
```

```
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/BridgeOSSoftwareUpdate.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>InputContext</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/InputContext.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>TextureIO</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/TextureIO.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>3.10.9</string>
</dict>
<dict>
  <key>_name</key>
  <string>AssetCacheServices</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AssetCacheServices.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>118</string>
</dict>
<dict>
  <key>_name</key>
  <string>IDSSystemPreferencesSignIn</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
```

<key>path</key>

<string>/System/Library/PrivateFrameworks/IDSSystemPreferencesSignIn.framework</string>

<key>private\_framework</key>  
<string>yes</string>  
<key>version</key>  
<string>10.0</string>  
</dict>  
<dict>  
<key>\_name</key>  
<string>FMNetworking</string>  
<key>lastModified</key>  
<date>2020-01-01T08:00:00Z</date>  
<key>obtained\_from</key>  
<string>unknown</string>  
<key>path</key>

<string>/System/Library/PrivateFrameworks/FMNetworking.framework</string>

<key>private\_framework</key>  
<string>yes</string>  
<key>version</key>  
<string>1.0</string>  
</dict>  
<dict>  
<key>\_name</key>  
<string>ConditionInducer</string>  
<key>lastModified</key>  
<date>2020-01-01T08:00:00Z</date>  
<key>obtained\_from</key>  
<string>unknown</string>  
<key>path</key>

<string>/System/Library/PrivateFrameworks/ConditionInducer.framework</string>

<key>private\_framework</key>  
<string>yes</string>  
<key>version</key>  
<string>1.0</string>  
</dict>  
<dict>  
<key>\_name</key>  
<string>CoreSpeechFoundation</string>  
<key>lastModified</key>  
<date>2020-01-01T08:00:00Z</date>  
<key>obtained\_from</key>  
<string>unknown</string>  
<key>path</key>

<string>/System/Library/PrivateFrameworks/CoreSpeechFoundation.framework</string>

<key>private\_framework</key>  
<string>yes</string>  
<key>version</key>  
<string>1.0</string>  
</dict>  
<dict>  
<key>\_name</key>  
<string>CoreOptimization</string>  
<key>lastModified</key>  
<date>2020-01-01T08:00:00Z</date>  
<key>obtained\_from</key>

```
        <string>unknown</string>
        <key>path</key>
    <string>/System/Library/PrivateFrameworks/CoreOptimization.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CreateML</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>
    <string>/System/Library/PrivateFrameworks/CreateML.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
            <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>EmailCore</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    <string>/System/Library/PrivateFrameworks/EmailCore.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>11.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Install</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    <string>/System/Library/PrivateFrameworks/Install.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>700</string>
    </dict>
```

```
<dict>
  <key>_name</key>
  <string>DistributionKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/Install.framework/Frameworks/
DistributionKit.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>700</string>
</dict>
<dict>
  <key>_name</key>
  <string>VirtualGarage</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/VirtualGarage.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ZhuGeSupport</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/ZhuGeSupport.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>SiriAudioSupport</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/SiriAudioSupport.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
```

```
<string>AddressBookCore</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AddressBookCore.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>SiriKitInvocation</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SiriKitInvocation.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
```

```
<key>_name</key>
<string>acfsSupport</string>
<key>info</key>
<string>589 (6.0.5), Copyright © 2005-2012 Apple Inc.
```

```
All rights reserved.</string>
```

```
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>apple</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/acfsSupport.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>signed_by</key>
<array>
  <string>Software Signing</string>
  <string>Apple Code Signing Certification
```

```
Authority</string>
```

```
<string>Apple Root CA</string>
</array>
<key>version</key>
<string>589</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>TextToSpeech</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```



```
<string>/System/Library/PrivateFrameworks/TextToSpeech.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>TextToSpeechBundleSupport</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/TextToSpeech.framework/Frameworks/
TextToSpeechBundleSupport.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>JetEngine</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/JetEngine.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ByteRangeLocking</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/ByteRangeLocking.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.3.0</string>
</dict>
<dict>
```

```
    <key>_name</key>
    <string>CMImaging</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/CMImaging.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>CoreAppleCVA</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/CoreAppleCVA.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>3.10.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>USDKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/USDKit.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>UIFoundation</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/UIFoundation.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AnnotationKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
```

```
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/AnnotationKit.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>CombineCocoa</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/CombineCocoa.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>SpanMatcher</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/SpanMatcher.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>WebInspectorUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/WebInspectorUI.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>16611</string>
</dict>
<dict>
  <key>_name</key>
  <string>AMPDevices</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
```

```
<string>/System/Library/PrivateFrameworks/AMPDevices.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.1.6</string>
</dict>
<dict>
  <key>_name</key>
  <string>SystemMigrationNetworking</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SystemMigrationNetworking.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>CoreUtilsUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CoreUtilsUI.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>6.6</string>
</dict>
<dict>
  <key>_name</key>
  <string>CoreParsec</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CoreParsec.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AccountPolicy</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AccountPolicy.framework</string>
```

```
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CFAccountPolicy</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/AccountPolicy.framework/
Frameworks/CFAccountPolicy.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>EmojiFoundation</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/EmojiFoundation.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AOSAccounts</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/AOSAccounts.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.3.1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CoreCaptureControl</string>
        <key>info</key>
        <string>1.0, Copyright © 2015 Apple Inc. All rights
reserved.</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
```

<string>/System/Library/PrivateFrameworks/CoreCaptureControl.framework</string>

<key>private\_framework</key>  
<string>yes</string>  
<key>version</key>  
<string>1.0</string>

</dict>

<dict>

<key>\_name</key>  
<string>XCTAutomationSupport</string>  
<key>lastModified</key>  
<date>2020-01-01T08:00:00Z</date>  
<key>obtained\_from</key>  
<string>unknown</string>  
<key>path</key>

<string>/System/Library/PrivateFrameworks/XCTAutomationSupport.framework</string>

<key>private\_framework</key>  
<string>yes</string>  
<key>version</key>  
<string>1.0</string>

</dict>

<dict>

<key>\_name</key>  
<string>CaptiveNetwork</string>  
<key>lastModified</key>  
<date>2020-01-01T08:00:00Z</date>  
<key>obtained\_from</key>  
<string>unknown</string>  
<key>path</key>

<string>/System/Library/PrivateFrameworks/CaptiveNetwork.framework</string>

<key>private\_framework</key>  
<string>yes</string>  
<key>version</key>  
<string>13.0</string>

</dict>

<dict>

<key>\_name</key>  
<string>CoreKnowledge</string>  
<key>lastModified</key>  
<date>2020-01-01T08:00:00Z</date>  
<key>obtained\_from</key>  
<string>unknown</string>  
<key>path</key>

<string>/System/Library/PrivateFrameworks/CoreKnowledge.framework</string>

<key>private\_framework</key>  
<string>yes</string>  
<key>version</key>  
<string>1.0</string>

</dict>

<dict>

<key>\_name</key>  
<string>SiriExperiments</string>  
<key>lastModified</key>  
<date>2020-01-01T08:00:00Z</date>  
<key>obtained\_from</key>  
<string>unknown</string>  
<key>path</key>

```
<string>/System/Library/PrivateFrameworks/SiriExperiments.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>Marco</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/Marco.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>10.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>FeedbackLogger</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/FeedbackLogger.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>SiriPlaybackControlSupport</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/SiriPlaybackControlSupport.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppStoreComponents</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AppStoreComponents.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>ApplePushService</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/ApplePushService.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>4.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>CoreRE</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/CoreRE.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>FMFUI</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/FMFUI.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>FilesActionsUI</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/FilesActionsUI.framework</
string>
```



```
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SiriGeo</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/SiriGeo.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SearchSuggestions</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/SearchSuggestions.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>GraphVisualizer</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/GraphVisualizer.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Shortcut</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/Shortcut.framework</string>
        <key>private_framework</key>
        <string>yes</string>
```

```
        <key>version</key>
        <string>2.16</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>FTClientServices</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/FTClientServices.framework</
string>

        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>10.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SystemUIPlugin</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/SystemUIPlugin.framework</
string>

        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.7</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>MessagesBlastDoorSupport</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/MessagesBlastDoorSupport.framework</
string>

        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AdAnalytics</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/AdAnalytics.framework</string>
        <key>private_framework</key>
        <string>yes</string>
```

```
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>ClassroomKit</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/ClassroomKit.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0.11</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>IDSHashPersistence</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/IDSHashPersistence.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>10.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppServerSupport</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/AppServerSupport.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>WebContentAnalysis</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/WebContentAnalysis.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
```

```
    <string>5.1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>ProactiveInputPredictionsInternals</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

<string>/System/Library/PrivateFrameworks/ProactiveInputPredictionsInternals.framework</string>

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
```

</dict>

<dict>

```
    <key>_name</key>
    <string>BluetoothManager</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

<string>/System/Library/PrivateFrameworks/BluetoothManager.framework</string>

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
```

</dict>

<dict>

```
    <key>_name</key>
    <string>Categories</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

<string>/System/Library/PrivateFrameworks/Categories.framework</string>

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
```

</dict>

<dict>

```
    <key>_name</key>
    <string>SiriVOX</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

<string>/System/Library/PrivateFrameworks/SiriVOX.framework</string>

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
```

```
    </dict>
    <dict>
      <key>_name</key>
      <string>HeimODAdmin</string>
      <key>lastModified</key>
      <date>2020-01-01T08:00:00Z</date>
      <key>obtained_from</key>
      <string>unknown</string>
      <key>path</key>

    <string>/System/Library/PrivateFrameworks/HeimODAdmin.framework</string>
      <key>private_framework</key>
      <string>yes</string>
      <key>version</key>
      <string>4.0</string>
    </dict>
    <dict>
      <key>_name</key>
      <string>iPod</string>
      <key>info</key>
      <string>iPod version 1.7, Copyright © 2002-2015 Apple
Inc.</string>
      <key>lastModified</key>
      <date>2020-01-01T08:00:00Z</date>
      <key>obtained_from</key>
      <string>unknown</string>
      <key>path</key>

    <string>/System/Library/PrivateFrameworks/iPod.framework</string>
      <key>private_framework</key>
      <string>yes</string>
      <key>version</key>
      <string>1.7</string>
    </dict>
    <dict>
      <key>_name</key>
      <string>HTTPServer</string>
      <key>lastModified</key>
      <date>2020-01-01T08:00:00Z</date>
      <key>obtained_from</key>
      <string>unknown</string>
      <key>path</key>

    <string>/System/Library/PrivateFrameworks/HTTPServer.framework</string>
      <key>private_framework</key>
      <string>yes</string>
      <key>version</key>
      <string>39</string>
    </dict>
    <dict>
      <key>_name</key>
      <string>CoreMediaStream</string>
      <key>lastModified</key>
      <date>2020-01-01T08:00:00Z</date>
      <key>obtained_from</key>
      <string>unknown</string>
      <key>path</key>

    <string>/System/Library/PrivateFrameworks/CoreMediaStream.framework</
string>
      <key>private_framework</key>
      <string>yes</string>
      <key>version</key>
      <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>IOSurfaceAccelerator</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/IOSurfaceAccelerator.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0.0</string>
</dict>
<dict>
```

```
  <key>_name</key>
  <string>HomeAI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/HomeAI.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
```

```
  <key>_name</key>
  <string>AppleCVA</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AppleCVA.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>201.16.0</string>
</dict>
<dict>
```

```
  <key>_name</key>
  <string>IconFoundation</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/IconFoundation.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>479.4</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>SemanticDocumentManagement</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SemanticDocumentManagement.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>3</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>PrintingPrivate</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/PrintingPrivate.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>15</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>PhoneNumbers</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/PhoneNumbers.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>IOImageLoader</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/IOImageLoader.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>RemoteXPC</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/RemoteXPC.framework</string>
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>CalendarDraw</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CalendarDraw.framework</string>
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>8.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>CloudKitCodeProtobuf</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CloudKitCodeProtobuf.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AirPlayReceiver</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AirPlayReceiver.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>2.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
```



```
        <string>BiometricKitUI</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/BiometricKitUI.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AuthKitUI</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/AuthKitUI.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>MediaMiningKit</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/MediaMiningKit.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleFSCompression</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/AppleFSCompression.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>125</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>NetworkStatistics</string>
```

```
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/NetworkStatistics.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.2</string>
</dict>
<dict>
  <key>_name</key>
  <string>ContactsAutocompleteUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/ContactsAutocompleteUI.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>FindMyDeviceUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/FindMyDeviceUI.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>TTYUtilities</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/TTYUtilities.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AACCore</string>
```

```
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/AACore.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>CoreFollowUp</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/CoreFollowUp.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>C2</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/C2.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.3</string>
</dict>
<dict>
  <key>_name</key>
  <string>H10ISPServices</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/H10ISPServices.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>16.15</string>
</dict>
<dict>
  <key>_name</key>
  <string>MediaFoundation</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
```

```
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/MediaFoundation.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CacheDelete</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/CacheDelete.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>StoreKitUIMac</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/StoreKitUIMac.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>MobileStoreDemoCore</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/MobileStoreDemoCore.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>ReminderMigration</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
```

```
<string>/System/Library/PrivateFrameworks/ReminderMigration.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>HDRProcessing</string>
    <key>info</key>
    <string>2015-2021</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/HDRProcessing.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.117.54</string>
</dict>
<dict>
    <key>_name</key>
    <string>login</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/login.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>3.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>loginsupport</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/login.framework/Frameworks/
loginsupport.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>PAImagingCore</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
</dict>
```

```
        <key>path</key>
<string>/System/Library/PrivateFrameworks/PAImagingCore.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>6.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>CalendarFoundation</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/CalendarFoundation.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>8.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Mail</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/Mail.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>11.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>iTunesCloud</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/iTunesCloud.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>DynamicDesktop</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/DynamicDesktop.framework</
```

```
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>UniversalAccess</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/UniversalAccess.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>7.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>UAEHCommon</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/UniversalAccess.framework/
Frameworks/UAEHCommon.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>7.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>UniversalAccessCore</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/UniversalAccess.framework/
Frameworks/UniversalAccessCore.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>7.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>Zoom</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/UniversalAccess.framework/
```

```
Frameworks/Zoom.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>2.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AGXGPURawCounter</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/AGXGPURawCounter.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>173.28.7</string>
</dict>
<dict>
  <key>_name</key>
  <string>GameKitServices</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/GameKitServices.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>3.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>GPUSupport</string>
  <key>info</key>
  <string>GPUSupport 18.5.9.0.0</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/GPUSupport.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>18.5.9</string>
</dict>
<dict>
  <key>_name</key>
```



```
        <string>SampleAnalysis</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/SampleAnalysis.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AdCore</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/AdCore.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>VoiceShortcuts</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/VoiceShortcuts.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppSupport</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/AppSupport.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CoreDAV</string>
        <key>lastModified</key>
```

```
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CoreDAV.framework</string>
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0.1</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>CoreSpeech</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CoreSpeech.framework</string>
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>RunningBoardServices</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/RunningBoardServices.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AOSKit</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AOSKit.framework</string>
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.07</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>ContactsAutocomplete</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
```

```
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/ContactsAutocomplete.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AVConference</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AVConference.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>3.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>LegacyHandle</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AVConference.framework/Frameworks/
LegacyHandle.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>3.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>GKSPerformance</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AVConference.framework/Frameworks/
GKSPerformance.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>3.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ViceroyTrace</string>
  <key>lastModified</key>
```

```
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AVConference.framework/Frameworks/
ViceroyTrace.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>3.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>SimpleKeyExchange</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AVConference.framework/Frameworks/
SimpleKeyExchange.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>3.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>snatmap</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AVConference.framework/Frameworks/
snatmap.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>3.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ICE</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AVConference.framework/Frameworks/
ICE.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>3.0</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>WirelessProximity</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/WirelessProximity.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>CoreUARP</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/CoreUARP.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>LinguisticData</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/LinguisticData.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>TTSAsset</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/TTSAsset.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
```

```
        <string>KnowledgeGraphKit</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/KnowledgeGraphKit.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>FMIPCore</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/FMIPCore.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>ConfigurationProfiles</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/ConfigurationProfiles.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>13.3</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CoreUtilsSwift</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/CoreUtilsSwift.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>6.6</string>
    </dict>
    <dict>
        <key>_name</key>
```

```
    <string>SiriInference</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/SiriInference.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>FindMyDevice</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/FindMyDevice.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>UIRecording</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/UIRecording.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>TCC</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/TCC.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>MMCS</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
```

```
        <string>unknown</string>
        <key>path</key>
<string>/System/Library/PrivateFrameworks/MMCS.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.3</string>
</dict>
<dict>
  <key>_name</key>
  <string>PhotosFormats</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/PhotosFormats.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>CoreRC</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/CoreRC.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>TextInputMenuUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/TextInputMenuUI.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>CorePDF</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
```



```
<string>/System/Library/PrivateFrameworks/CorePDF.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>4.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>UIKitServices</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/UIKitServices.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>SecCodeWrapper</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/SecCodeWrapper.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>4.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Seeding</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/Seeding.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>MobileSystemServices</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/MobileSystemServices.framework</
string>
```

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AccessibilityPerformance</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

<string>/System/Library/PrivateFrameworks/AccessibilityPerformance.framework</string>

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>FusionPluginServices</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

<string>/System/Library/PrivateFrameworks/FusionPluginServices.framework</string>

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AssistiveControlSupport</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

<string>/System/Library/PrivateFrameworks/AssistiveControlSupport.framework</string>

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>2.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>GPUInfo</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/GPUInfo.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.3.9</string>
</dict>
<dict>
  <key>_name</key>
  <string>CoreUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CoreUI.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>2.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>AuthenticationServicesCore</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AuthenticationServicesCore.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>SPShared</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SPShared.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>GeoServices</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/GeoServices.framework</string>
```

```
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>ProtocolBuffer</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/ProtocolBuffer.framework</
string>

        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CallHistory</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/CallHistory.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CommonUtilities</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/CommonUtilities.framework</
string>

        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>8.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>DataDetectorsCore</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/DataDetectorsCore.framework</
string>

        <key>private_framework</key>
```

```
        <string>yes</string>
        <key>version</key>
        <string>8.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>MetadataUtilities</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/MetadataUtilities.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>iPodVoiceOver</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>info</key>
        <string>1.4.4, Copyright © 2009-2020 Apple
Inc.</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/iPodVoiceOver.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
                <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>1.4.4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>QuickLookNonBaseSystem</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/QuickLookNonBaseSystem.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
```

```
<dict>
  <key>_name</key>
  <string>TrustEvaluationAgent</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/TrustEvaluationAgent.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>2.0</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>SafariPlatformSupport</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SafariPlatformSupport.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>16611</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>BezelServices</string>
  <key>info</key>
  <string>344</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/BezelServices.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>344</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>SkyLight</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SkyLight.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
```

```
    <string>1.600.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>SiriSpeechSynthesis</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SiriSpeechSynthesis.framework</string>
```

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>EmbeddedOSSupportHost</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/EmbeddedOSSupportHost.framework</string>
```

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>WirelessCoexManager</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/WirelessCoexManager.framework</string>
```

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>DistributedEvaluation</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/DistributedEvaluation.framework</string>
```

```
    <key>private_framework</key>
```

```
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>MessageSecurity</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/MessageSecurity.framework</string>
```

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>CloudPhotoServicesConfiguration</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CloudPhotoServicesConfiguration.framework</string>
```

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>6.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>NotificationCenterUI</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/NotificationCenterUI.framework</string>
```

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>RemoteServiceDiscovery</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```



```
<string>/System/Library/PrivateFrameworks/RemoteServiceDiscovery.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>PhotoVision</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/PhotoVision.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>GPUWrangler</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/GPUWrangler.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>6.3.5</string>
</dict>
<dict>
    <key>_name</key>
    <string>DisplayServices</string>
    <key>info</key>
    <string>DisplayServices 3.1</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/DisplayServices.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>3.1</string>
</dict>
<dict>
    <key>_name</key>
    <string>SPSupport</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SPSupport.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>10.16</string>
</dict>
<dict>
  <key>_name</key>
  <string>DuetActivityScheduler</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/DuetActivityScheduler.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>SoftwareUpdateCoreConnect</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SoftwareUpdateCoreConnect.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>RenderBox</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/RenderBox.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>77</string>
</dict>
<dict>
  <key>_name</key>
  <string>CoreHAP</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CoreHAP.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>EAFirmwareUpdater</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/EAFirmwareUpdater.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOPresentment</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/IOPresentment.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>58</string>
</dict>
<dict>
  <key>_name</key>
  <string>LinkPresentation</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/LinkPresentation.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>146</string>
</dict>
<dict>
  <key>_name</key>
  <string>QuickLookUIIosmac</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/QuickLookUIIosmac.framework</
string>
```

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>OTSVG</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/OTSVG.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>AccessibilityBundles</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AccessibilityBundles.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>SystemDesktopAppearance</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SystemDesktopAppearance.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>CoreAVCHD</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CoreAVCHD.framework</string>
```

```
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>6.1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>OSASyncProxyClient</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/OSASyncProxyClient.framework</
string>

        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppSandbox</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/AppSandbox.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>4.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>WiFiCloudSyncEngine</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/WiFiCloudSyncEngine.framework</
string>

        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SiriContactsIntents</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/SiriContactsIntents.framework</
string>

        <key>private_framework</key>
```

```
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>DataDetectorsNaturalLanguage</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/DataDetectorsNaturalLanguage.framework</string>
```

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>PlugInKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/PlugInKit.framework</string>
```

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>PowerlogFullOperators</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/PowerlogFullOperators.framework</string>
```

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>SignpostMetrics</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SignpostMetrics.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>BiometricKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/BiometricKit.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>NeutrinoCore</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/NeutrinoCore.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Ogma</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/Ogma.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>DiagnosticExtensionsDaemon</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/DiagnosticExtensionsDaemon.framework</string>
  <key>private_framework</key>
  <string>yes</string>
```

```
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SetupKit</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/SetupKit.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>6.6</string>
</dict>
<dict>
    <key>_name</key>
    <string>ContactsAgent</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/ContactsAgent.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>CorePrediction</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/CorePrediction.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>WPDaemon</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/WPDaemon.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
```



```
<dict>
  <key>_name</key>
  <string>MediaControlSender</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/MediaControlSender.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>2.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>IconServices</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/IconServices.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>479.4</string>
</dict>
<dict>
  <key>_name</key>
  <string>RapportUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/RapportUI.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>2.6.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>MediaKit</string>
  <key>info</key>
  <string>Esoteric Media Manipulation</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/MediaKit.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>16</string>
</dict>
<dict>
```

```
        <key>_name</key>
        <string>MFAAuthentication</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/MFAAuthentication.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>PhotoAnalysis</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/PhotoAnalysis.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>HIDPreferences</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/HIDPreferences.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>MessagesKit</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/MessagesKit.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>StoreKitMacHelper</string>
```

```
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/StoreKitMacHelper.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AccessibilityPlatformTranslation</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AccessibilityPlatformTranslation.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleSauce</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AppleSauce.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>MailSupport</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/MailSupport.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>11.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>PDS</string>
  <key>lastModified</key>
```

```
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

<string>/System/Library/PrivateFrameworks/PDS.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>HomeKit</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/HomeKit.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>FrontBoardServices</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/FrontBoardServices.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>703.16</string>
</dict>
<dict>
    <key>_name</key>
    <string>AGXCompilerCore</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/AGXCompilerCore.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>173.28.7</string>
</dict>
<dict>
    <key>_name</key>
    <string>CPAnalytics</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
```

```
        <string>unknown</string>
        <key>path</key>
<string>/System/Library/PrivateFrameworks/CPAnalytics.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>OSD</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/OSD.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>CardServices</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/CardServices.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>MaterialKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/MaterialKit.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ContextualActionsClient</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
```

```
<string>/System/Library/PrivateFrameworks/ContextualActionsClient.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>PersonaKit</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/PersonaKit.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>kperf</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/kperf.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>PhotosGraph</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/PhotosGraph.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleServiceToolkit</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/AppleServiceToolkit.framework</string>
    <key>private_framework</key>
```

```
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>ExpansionSlotSupport</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/ExpansionSlotSupport.framework</string>
```

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
    <key>_name</key>
    <string>AppSSO</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AppSSO.framework</string>
```

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
    <key>_name</key>
    <string>PreferencePanesSupport</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/PreferencePanesSupport.framework</string>
```

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0</string>
```

```
</dict>
```

```
<dict>
```

```
    <key>_name</key>
    <string>IntentsServices</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/IntentsServices.framework</string>
```

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>DeviceIdentity</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/DeviceIdentity.framework</string>
```

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>ClockMenuExtraPreferences</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/ClockMenuExtraPreferences.framework</string>
```

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.1.1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Calculate</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/Calculate.framework</string>
```

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.4</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>LanguageModeling</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/LanguageModeling.framework</string>
```



```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>PAImaging</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/PAImaging.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>6.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>LocalAuthenticationUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/LocalAuthenticationUI.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>CloudServices</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CloudServices.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>FlowFrameKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/FlowFrameKit.framework</string>
  <key>private_framework</key>
  <string>yes</string>
```

```
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>SpeechRecognitionCommandServices</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

<string>/System/Library/PrivateFrameworks/SpeechRecognitionCommandServices.framework</string>

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>3.0.92</string>
```

```
  </dict>
  <dict>
    <key>_name</key>
    <string>FaceCoreLight</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

<string>/System/Library/PrivateFrameworks/FaceCoreLight.framework</string>

```
    <key>private_framework</key>
    <string>yes</string>
```

```
  </dict>
  <dict>
    <key>_name</key>
    <string>SearchAds</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

<string>/System/Library/PrivateFrameworks/SearchAds.framework</string>

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
```

```
  </dict>
  <dict>
    <key>_name</key>
    <string>SpotlightIndex</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

<string>/System/Library/PrivateFrameworks/SpotlightIndex.framework</string>

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>10.7.0</string>
```

```
  </dict>
```

```
<dict>
  <key>_name</key>
  <string>ApplePDPHelper</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/ApplePDPHelper.framework</string>
  <key>private_framework</key>
  <string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>ViewBridge</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/ViewBridge.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>553.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>CalendarAgent</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/CalendarAgent.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>8.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>PersonalizationPortraitInternals</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/PersonalizationPortraitInternals.frame
```

work</string>

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
```

</dict>

<dict>

```
<key>_name</key>
<string>ReminderKit</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

<string>/System/Library/PrivateFrameworks/ReminderKit.framework</string>

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
```

</dict>

<dict>

```
<key>_name</key>
<string>ScoreBoard</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

<string>/System/Library/PrivateFrameworks/ScoreBoard.framework</string>

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
```

</dict>

<dict>

```
<key>_name</key>
<string>TrialProto</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

<string>/System/Library/PrivateFrameworks/TrialProto.framework</string>

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
```

</dict>

<dict>

```
<key>_name</key>
<string>ScreenTimeCore</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

<string>/System/Library/PrivateFrameworks/ScreenTimeCore.framework</string>

```
<key>private_framework</key>
<string>yes</string>
```

```
    <key>version</key>
    <string>3.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>ContextKitExtraction</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/ContextKitExtraction.framework</string>
```

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>PrintKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/PrintKit.framework</string>
```

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>2.0</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>SpeechRecognitionCore</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SpeechRecognitionCore.framework</string>
```

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>6.1.25</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>SiriAppResolution</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SiriAppResolution.framework</string>
```

```
    <key>private_framework</key>
```

```
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AudioToolboxCore</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/AudioToolboxCore.framework</
string>

        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>VideoProcessing</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/VideoProcessing.framework</
string>

        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>BaseBoard</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/BaseBoard.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>526</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AssetViewer</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/AssetViewer.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
```

```
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AVFCore</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/AVFCore.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>ToneKit</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/ToneKit.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>MobileStorage</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/MobileStorage.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>Suggestions</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/Suggestions.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>6.0</string>
</dict>
<dict>
    <key>_name</key>
```

```
<string>PassKitUI</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/PassKitUI.framework</string>
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>MediaConversionService</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/MediaConversionService.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>6.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>SiriFoundation</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SiriFoundation.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>RemoteConfiguration</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/RemoteConfiguration.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>3.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
```



```
<string>CoreLocationProtobuf</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CoreLocationProtobuf.framework</
string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1</string>
</dict>
<dict>
<key>_name</key>
<string>DiagnosticExtensions</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/DiagnosticExtensions.framework</
string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
<key>_name</key>
<string>SiriClientFlow</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SiriClientFlow.framework</
string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
<key>_name</key>
<string>MachineSettings</string>
<key>info</key>
<string>MachineSettings Framework</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/MachineSettings.framework</
string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
```

```
        <string>11.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>ResponseKit</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/ResponseKit.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleGVACore</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/AppleGVACore.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>108.7.1</string>
</dict>
<dict>
    <key>_name</key>
    <string>SearchUI</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/SearchUI.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>SiriDialogEngine</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/SiriDialogEngine.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
```

```
        <key>_name</key>
        <string>ReplayKitMacHelper</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/ReplayKitMacHelper.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>InternetAccounts</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/InternetAccounts.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>2.1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CoreSuggestionsInternals</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/CoreSuggestionsInternals.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SafariSafeBrowsing</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/SafariSafeBrowsing.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>16611</string>
    </dict>
```

```
<dict>
  <key>_name</key>
  <string>BookCoverUtility</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/BookCoverUtility.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>PasswordServer</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/PasswordServer.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>11.5</string>
</dict>
<dict>
  <key>_name</key>
  <string>AirTrafficHost</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/AirTrafficHost.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>4018.730.19</string>
</dict>
<dict>
  <key>_name</key>
  <string>SiriKitRuntime</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
```

```
        <key>path</key>
    <string>/System/Library/PrivateFrameworks/SiriKitRuntime.framework</
string>
```

```
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>DocumentCamera</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
```

```
    <string>/System/Library/PrivateFrameworks/DocumentCamera.framework</
string>
```

```
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>MorphunAssetsUpdater</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/MorphunAssetsUpdater.framework</
string>
```

```
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CalendarPersistence</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
```

```
    <string>/System/Library/PrivateFrameworks/CalendarPersistence.framework</
string>
```

```
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>8.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CalendarAgentLink</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
```

```
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CalendarAgentLink.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>8.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>BackgroundTaskManagement</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/BackgroundTaskManagement.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AccessoryNowPlaying</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AccessoryNowPlaying.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>GPURawCounter</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/GPURawCounter.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>20.3</string>
</dict>
<dict>
  <key>_name</key>
  <string>LoginUIKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
```

```
        <string>unknown</string>
        <key>path</key>
<string>/System/Library/PrivateFrameworks/LoginUIKit.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>4.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>LoginUICore</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/LoginUIKit.framework/Frameworks/
LoginUICore.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>4.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Safari</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/Safari.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>16611</string>
</dict>
<dict>
  <key>_name</key>
  <string>SPFinder</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/SPFinder.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>RTTUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/RTTUI.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Transparency</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/Transparency.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>DeviceCheckInternal</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/DeviceCheckInternal.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Bom</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/Bom.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>14.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>StoreFoundation</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/StoreFoundation.framework</
string>
```



```
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>OfficeImport</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

<string>/System/Library/PrivateFrameworks/OfficeImport.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>6.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AskPermission</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/AskPermission.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>SpotlightServices</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/SpotlightServices.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AMPSharing</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/AMPSharing.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
```

```
        <string>1.1.6</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>NewDeviceOutreach</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/NewDeviceOutreach.framework</
string>

        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>3.0.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AirPlaySender</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/AirPlaySender.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Sentry</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/Sentry.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>XCTTargetBootstrap</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/XCTTargetBootstrap.framework</
string>

        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
```

```
<dict>
  <key>_name</key>
  <string>SpeakerRecognition</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/SpeakerRecognition.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>PeopleSuggester</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/PeopleSuggester.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>OpenDirectoryConfigUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/OpenDirectoryConfigUI.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>10.9</string>
</dict>
<dict>
  <key>_name</key>
  <string>HomeKitBackingStore</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/HomeKitBackingStore.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>FamilyControls</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/FamilyControls.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>4.1</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>ContactsDonationFeedback</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/ContactsDonationFeedback.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>ConstantClasses</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/ConstantClasses.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>ProactiveExperimentsInternals</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/ProactiveExperimentsInternals.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
```

```
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CorePhoneNumbers</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/CorePhoneNumbers.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>PowerLog</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/PowerLog.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>HID</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/HID.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CoreThemeDefinition</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/CoreThemeDefinition.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>2.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>AggregateDictionaryHistory</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AggregateDictionaryHistory.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>CoreWiFi</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CoreWiFi.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>3.0</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>DFRDisplay</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/DFRDisplay.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>176.100.1</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>MobileIcons</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/MobileIcons.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>SystemMigration_SDKHeaders</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SystemMigration_SDKHeaders.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
</dict>
<dict>
```

```
<key>_name</key>
<string>CoreADI</string>
<key>arch_kind</key>
<string>arch_i64</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>apple</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CoreADI.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>signed_by</key>
<array>
  <string>Software Signing</string>
  <string>Apple Code Signing Certification
Authority</string>
  <string>Apple Root CA</string>
</array>
<key>version</key>
<string>5.1.0</string>
```

```
</dict>
<dict>
```

```
<key>_name</key>
<string>ProactiveSupportStubs</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/ProactiveSupportStubs.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>KerberosHelper</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

<string>/System/Library/PrivateFrameworks/KerberosHelper.framework</string>

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>4.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AssetsLibraryServices</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

<string>/System/Library/PrivateFrameworks/AssetsLibraryServices.framework</string>

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>ChronoServices</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

<string>/System/Library/PrivateFrameworks/ChronoServices.framework</string>

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>IMDMessageServices</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

<string>/System/Library/PrivateFrameworks/IMDMessageServices.framework</string>

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>10.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleFirmwareUpdate</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```



```
<string>/System/Library/PrivateFrameworks/AppleFirmwareUpdate.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>IOAccelerator</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/IOAccelerator.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>442.9</string>
</dict>
<dict>
    <key>_name</key>
    <string>BioKitAggD</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/BioKitAggD.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>CMCapture</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/CMCapture.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>GraphicsAppSupport</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/GraphicsAppSupport.framework</
string>
```

```
        <key>private_framework</key>
        <string>yes</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>HomeKitCore</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/HomeKitCore.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>PlacesKit</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/PlacesKit.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CDDataAccessExpress</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/CDDataAccessExpress.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SiriOntologyProtobuf</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/SiriOntologyProtobuf.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
```

```
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>iAdServices</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/iAdServices.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SMBCClientEngine</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/SMBCClientEngine.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>PegasusAPI</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/PegasusAPI.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>TransparencyDetailsViewMac</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/TransparencyDetailsViewMac.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>IOPlatformPluginFamily</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/IOPlatformPluginFamily.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
```

```
  <key>_name</key>
  <string>DeviceLink</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/DeviceLink.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
```

```
Authority</string>
```

```
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>5.0</string>
```

```
</dict>
<dict>
```

```
  <key>_name</key>
  <string>ANCompiler</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/ANCompiler.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>4.2.6</string>
```

```
</dict>
<dict>
```

```
  <key>_name</key>
  <string>MessagesHelperKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
```

```
        <key>path</key>
    <string>/System/Library/PrivateFrameworks/MessageHelperKit.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleLDAP</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/AppleLDAP.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>11.5</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AirPlaySupport</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/AirPlaySupport.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>2.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>ExtensionFoundation</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/ExtensionFoundation.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>19.4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>PhotosImagingFoundation</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
```

<string>/System/Library/PrivateFrameworks/PhotosImagingFoundation.framework</string>

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>6.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>SystemMigration</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

<string>/System/Library/PrivateFrameworks/SystemMigration.framework</string>

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>3306</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>ConfigProfileHelper</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

<string>/System/Library/PrivateFrameworks/ConfigProfileHelper.framework</string>

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>13.3</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>NPTKit</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

<string>/System/Library/PrivateFrameworks/NPTKit.framework</string>

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.8.5</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>FeatureFlags</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/FeatureFlags.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Power logDatabaseReader</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/Power logDatabaseReader.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>CoreUtils</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CoreUtils.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>6.6</string>
</dict>
<dict>
  <key>_name</key>
  <string>DesktopServicesPriv</string>
  <key>info</key>
  <string>Desktop Services</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/DesktopServicesPriv.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.21</string>
</dict>
<dict>
  <key>_name</key>
  <string>WebDriver</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
```

```
        <key>path</key>
<string>/System/Library/PrivateFrameworks/WebDriver.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>16611</string>
</dict>
<dict>
  <key>_name</key>
  <string>JavaScriptAppleEvents</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/JavaScriptAppleEvents.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AudioTransportCommon</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/AudioTransportCommon.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>200.6</string>
</dict>
<dict>
  <key>_name</key>
  <string>VisualTestKit</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/VisualTestKit.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
```



```
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>IOGPU</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

<string>/System/Library/PrivateFrameworks/IOGPU.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>21.11</string>
</dict>
<dict>
    <key>_name</key>
    <string>ODML</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/ODML.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>CoreCDPUI</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/CoreCDPUI.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>CoreFollowUpUI</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/CoreFollowUpUI.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
```

```
        <key>_name</key>
        <string>AdPlatforms</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

<string>/System/Library/PrivateFrameworks/AdPlatforms.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>_SceneKit_Ogma</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/_SceneKit_Ogma.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>UsageTracking</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/UsageTracking.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>3.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>Admin</string>
    <key>info</key>
    <string>13.0, Copyright © 1998-2013 Apple Inc.</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/Admin.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>13.0</string>
</dict>
<dict>
    <key>_name</key>
```

```
        <string>MallocStackLogging</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/MallocStackLogging.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>MessageProtection</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/MessageProtection.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>2.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>MFiAuthentication</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/MFiAuthentication.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>FamilyNotification</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/FamilyNotification.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
```

```
    <string>CoreFP</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/CoreFP.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>2.19.9</string>
</dict>
<dict>
  <key>_name</key>
  <string>AuthKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/AuthKit.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ReminderKitInternal</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/ReminderKitInternal.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Power logLiteOperators</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/Power logLiteOperators.framework</
```

```
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>IMTransferAgent</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/IMTransferAgent.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>Mangrove</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/Mangrove.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>NLP</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/NLP.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>CoreAccessories</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/CoreAccessories.framework</
string>
    <key>private_framework</key>
```

```
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AMPLibrary</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/AMPLibrary.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.1.6</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppContainer</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/AppContainer.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>4.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>CoreWLANKit</string>
    <key>info</key>
    <string>16.0, Copyright © 2011-2019 Apple Inc. All
rights reserved.</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/CoreWLANKit.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>16.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>apfs_boot_mount</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/apfs_boot_mount.framework</
string>
    <key>private_framework</key>
```

```
        <string>yes</string>
        <key>version</key>
        <string>1677.141.1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>IASUtilities</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

<string>/System/Library/PrivateFrameworks/IASUtilities.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>SidecarCore</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/SidecarCore.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>TrustedAccessory</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/TrustedAccessory.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>XARTRecovery</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/XARTRecovery.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
```

```
    </dict>
  <dict>
    <key>_name</key>
    <string>SpotlightReceiver</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/SpotlightReceiver.framework</
string>

    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>NetAppsUtilities</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/NetAppsUtilities.framework</
string>

    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>CloudFamilyRestrictions</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/CloudFamilyRestrictions.framework</
string>

    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>CoreJapaneseEngine</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/CoreJapaneseEngine.framework</
string>

    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
```



```
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>IMCore</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

<string>/System/Library/PrivateFrameworks/IMCore.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>10.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>InstallerDiagnostics</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/InstallerDiagnostics.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>CoreChart</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/CoreChart.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>ServerCompatibility</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/ServerCompatibility.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Restore</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/Restore.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>2.6</string>
</dict>
<dict>
  <key>_name</key>
  <string>SpotlightDaemon</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/SpotlightDaemon.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>GPUCompiler</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/GPUCompiler.framework</string>
  <key>private_framework</key>
  <string>yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>DAAPKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/DAAPKit.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>DataDeliveryServices</string>
  <key>lastModified</key>
```

```
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/DataDeliveryServices.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>QuickLookThumbnailing</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/QuickLookThumbnailing.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleLOM</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AppleLOM.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AVFoundationCF</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AVFoundationCF.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>2.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>CoreAutoLayout</string>
```

```
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/CoreAutoLayout.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppStoreDaemon</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/AppStoreDaemon.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>OSAnalyticsPrivate</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/OSAnalyticsPrivate.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AXMediaUtilities</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/AXMediaUtilities.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Noticeboard</string>
```

```
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/Noticeboard.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>ProactiveEventTracker</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/ProactiveEventTracker.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>EmbeddedOSInstall</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/EmbeddedOSInstall.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>PhotoFoundation</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/PhotoFoundation.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>6.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>ProactiveInputPredictions</string>
```

```
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/ProactiveInputPredictions.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>Rapport</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/Rapport.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>2.6.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>BiomeStorage</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/BiomeStorage.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>WirelessDiagnostics</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/WirelessDiagnostics.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>FolderActionsKit</string>
<key>lastModified</key>
```

```
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/FolderActionsKit.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>RTBuddyCrashlogDecoder</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/RTBuddyCrashlogDecoder.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>PSNormalizer</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/PSNormalizer.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>16</string>
</dict>
<dict>
  <key>_name</key>
  <string>ShareSheet</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/ShareSheet.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1630</string>
</dict>
<dict>
  <key>_name</key>
  <string>AXRuntime</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
```

```
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/AXRuntime.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>MobileAssetUpdater</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/MobileAssetUpdater.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AOSAccountsLite</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/AOSAccountsLite.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>BridgeOSInstallReporting</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/BridgeOSInstallReporting.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>IMAP</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
```



```
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

<string>/System/Library/PrivateFrameworks/IMAP.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>11.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>yara</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/yara.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>NewsToday</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/NewsToday.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>3.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>DeviceManagement</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/DeviceManagement.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>CoreServicesInternal</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

<string>/System/Library/PrivateFrameworks/CoreServicesInternal.framework</string>

<key>private\_framework</key>  
<string>yes</string>  
<key>version</key>  
<string>476.1.1</string>

</dict>

<dict>

<key>\_name</key>  
<string>RevealCore</string>  
<key>lastModified</key>  
<date>2020-01-01T08:00:00Z</date>  
<key>obtained\_from</key>  
<string>unknown</string>  
<key>path</key>

<string>/System/Library/PrivateFrameworks/RevealCore.framework</string>

<key>private\_framework</key>  
<string>yes</string>  
<key>version</key>  
<string>1.0</string>

</dict>

<dict>

<key>\_name</key>  
<string>ProactiveExperiments</string>  
<key>lastModified</key>  
<date>2020-01-01T08:00:00Z</date>  
<key>obtained\_from</key>  
<string>unknown</string>  
<key>path</key>

<string>/System/Library/PrivateFrameworks/ProactiveExperiments.framework</string>

<key>private\_framework</key>  
<string>yes</string>  
<key>version</key>  
<string>1.0</string>

</dict>

<dict>

<key>\_name</key>  
<string>Email</string>  
<key>lastModified</key>  
<date>2020-01-01T08:00:00Z</date>  
<key>obtained\_from</key>  
<string>unknown</string>  
<key>path</key>

<string>/System/Library/PrivateFrameworks/Email.framework</string>

<key>private\_framework</key>  
<string>yes</string>  
<key>version</key>  
<string>11.0</string>

</dict>

<dict>

<key>\_name</key>  
<string>AppStoreUI</string>  
<key>lastModified</key>  
<date>2020-01-01T08:00:00Z</date>  
<key>obtained\_from</key>  
<string>unknown</string>  
<key>path</key>

```
<string>/System/Library/PrivateFrameworks/AppStoreUI.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>IOAccelMemoryInfo</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/IOAccelMemoryInfo.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Backup</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/Backup.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.18</string>
</dict>
<dict>
  <key>_name</key>
  <string>PDSAgent</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/PDSAgent.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>caulk</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/caulk.framework</string>
  <key>private_framework</key>
```

```

        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>LocationSupport</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/LocationSupport.framework</
string>

        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>2420.19.23</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>IMTranscoderAgent</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/IMTranscoderAgent.framework</
string>

        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>10.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>MobileDevice</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/MobileDevice.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
            <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>1253.140.1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CommonAuth</string>
        <key>lastModified</key>

```

```
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

<string>/System/Library/PrivateFrameworks/CommonAuth.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>4.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AFKUser</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/AFKUser.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>StorageManagement</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/StorageManagement.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>CoreNLP</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/CoreNLP.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>PencilKit</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
```

```
        <key>path</key>
    <string>/System/Library/PrivateFrameworks/PencilKit.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>FinderSyncPriv</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/FinderSyncPriv.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.7</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>PersonaUI</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/PersonaUI.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppStoreFoundation</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/AppStoreFoundation.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>ShazamKitUI</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/ShazamKitUI.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>CalendarNotification</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CalendarNotification.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>DigitalTouchShared</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/DigitalTouchShared.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>PowerLogCore</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/PowerLogCore.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>OSAnalytics</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/OSAnalytics.framework</string>
```

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AudioResourceArbitration</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

<string>/System/Library/PrivateFrameworks/AudioResourceArbitration.framework</string>

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>CoreDuet</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

<string>/System/Library/PrivateFrameworks/CoreDuet.framework</string>

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleCredentialManager</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

<string>/System/Library/PrivateFrameworks/AppleCredentialManager.framework</string>

```
    <key>private_framework</key>
    <string>yes</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>ScreenSharing</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

<string>/System/Library/PrivateFrameworks/ScreenSharing.framework</string>

```
    <key>private_framework</key>
    <string>yes</string>
```



```
    <key>version</key>
    <string>2.4.2</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Geode</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/Geode.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>6.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>AddressBookAutocomplete</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AddressBookAutocomplete.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>11.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Lookup</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/Lookup.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.2</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>CMCaptureCore</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CMCaptureCore.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
    </dict>
    <dict>
      <key>_name</key>
      <string>MapsSupport</string>
    </dict>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/MapsSupport.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ProactiveSupport</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/ProactiveSupport.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ShareKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/ShareKit.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>668</string>
</dict>
<dict>
  <key>_name</key>
  <string>TextInput</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/TextInput.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
```

```
        <key>_name</key>
        <string>GraphicsServices</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/GraphicsServices.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>ChunkingLibrary</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/ChunkingLibrary.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>334.1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>IMAssistantCore</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/IMAssistantCore.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>10.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>NewsCore</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/NewsCore.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>6.4.1</string>
    </dict>
    <dict>
        <key>_name</key>
```

```
    <string>SDAPI</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/SDAPI.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>SoftwareUpdate</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/SoftwareUpdate.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>6</string>
</dict>
<dict>
  <key>_name</key>
  <string>FMCore</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/FMCore.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>CoreAnalytics</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/CoreAnalytics.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Lexicon</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
```

```
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/Lexicon.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>IDS</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/IDS.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>10.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>BridgeXPC</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/BridgeXPC.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Osprey</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/Osprey.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>SiriUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
```

```
<string>/System/Library/PrivateFrameworks/SiriUI.framework</string>  
  <key>private_framework</key>  
  <string>yes</string>  
  <key>version</key>  
  <string>3006.2.1</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>  
  <string>AudioDSPManager</string>  
  <key>lastModified</key>  
  <date>2020-01-01T08:00:00Z</date>  
  <key>obtained_from</key>  
  <string>unknown</string>  
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AudioDSPManager.framework</string>
```

```
  <key>private_framework</key>  
  <string>yes</string>  
  <key>version</key>  
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>  
  <string>CoreAUC</string>  
  <key>lastModified</key>  
  <date>2020-01-01T08:00:00Z</date>  
  <key>obtained_from</key>  
  <string>unknown</string>  
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CoreAUC.framework</string>
```

```
  <key>private_framework</key>  
  <string>yes</string>  
  <key>version</key>  
  <string>326.2.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>  
  <string>AccessibilitySharedSupport</string>  
  <key>lastModified</key>  
  <date>2020-01-01T08:00:00Z</date>  
  <key>obtained_from</key>  
  <string>unknown</string>  
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AccessibilitySharedSupport.framework</string>
```

```
  <key>private_framework</key>  
  <string>yes</string>  
  <key>version</key>  
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>  
  <string>ShareServicesCore</string>  
  <key>lastModified</key>  
  <date>2020-01-01T08:00:00Z</date>  
  <key>obtained_from</key>  
  <string>unknown</string>  
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/ShareServicesCore.framework</string>
```

```
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>6.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>BookUtility</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/BookUtility.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AdPlatformsCommon</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/AdPlatformsCommon.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>CoreNameParser</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/CoreNameParser.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleSRP</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/AppleSRP.framework</string>
    <key>private_framework</key>
```

```

        <string>yes</string>
        <key>version</key>
        <string>5.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>TextRecognition</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/TextRecognition.framework</
string>

        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>ContactsUICore</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/ContactsUICore.framework</
string>

        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CoreKE</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/CoreKE.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
            <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>6.17.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SymptomDiagnosticReporter</string>
        <key>lastModified</key>

```



```
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SymptomDiagnosticReporter.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
```

```
<key>_name</key>
<string>CSCSupport</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CSCSupport.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
```

```
<key>_name</key>
<string>ShazamInsights</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/ShazamInsights.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
```

```
<key>_name</key>
<string>TelephonyUtilities</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/TelephonyUtilities.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
```

```
<key>_name</key>
<string>AccountsDaemon</string>
<key>lastModified</key>
```

```
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/AccountsDaemon.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>113</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SoftLinking</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/SoftLinking.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>ASEProcessing</string>
        <key>info</key>
        <string>1.26.0, Copyright Apple Inc, 2015</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/ASEProcessing.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.26.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Futhark</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/Futhark.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CDDDataAccess</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
```

```
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CDDataAccess.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>DACoreDAVGlue</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CDDataAccess.framework/Frameworks/
DACoreDAVGlue.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>DACAIDAV</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CDDataAccess.framework/Frameworks/
DACAIDAV.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>DADAemonSupport</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CDDataAccess.framework/Frameworks/
DADAemonSupport.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>OpenDirectoryConfig</string>
```

```
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/OpenDirectoryConfig.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>11.5</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SignpostSupport</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/SignpostSupport.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.60.1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>RemindersToolbox</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/RemindersToolbox.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>NotesShared</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/NotesShared.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>4.8.1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>FWAVC</string>
        <key>lastModified</key>
```

```
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

<string>/System/Library/PrivateFrameworks/FWAVC.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>501.47</string>
</dict>
<dict>
    <key>_name</key>
    <string>NetFSServer</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/NetFSServer.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>2.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>MessageUIMacHelper</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/MessageUIMacHelper.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>KeyboardServices</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/KeyboardServices.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>DrawingKit</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
```

```
        <string>unknown</string>
        <key>path</key>
<string>/System/Library/PrivateFrameworks/DrawingKit.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>InstallCoordination</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/InstallCoordination.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Bootability</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/Bootability.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>FusionPluginKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/FusionPluginKit.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ShoveService</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/ShoveService.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>FeatureFlagsSupport</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/FeatureFlagsSupport.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>DeviceToDeviceManager</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/DeviceToDeviceManager.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>38.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>Symbolication</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/Symbolication.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>12.5</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>KRExperiments</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/KRExperiments.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleHIDTransportSupport</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AppleHIDTransportSupport.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>SocialServices</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SocialServices.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>87</string>
</dict>
<dict>
  <key>_name</key>
  <string>IAP</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/IAP.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>NeutrinoKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/NeutrinoKit.framework</string>
```



```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Montreal</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
  </dict>
<string>/System/Library/PrivateFrameworks/Montreal.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleVA</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/AppleVA.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>6.1.3</string>
</dict>
<dict>
  <key>_name</key>
  <string>VectorKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/VectorKit.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>WiFiAnalytics</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/WiFiAnalytics.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>CloudDocs</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CloudDocs.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>CommunicationsFilter</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CommunicationsFilter.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>10.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>FamilyCircleUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/FamilyCircleUI.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>QLCharts</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/QLCharts.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>MobileBluetooth</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/MobileBluetooth.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>CoreDuetStatistics</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/CoreDuetStatistics.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ReminderKitUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/ReminderKitUI.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>385</string>
</dict>
<dict>
  <key>_name</key>
  <string>MarkupUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/MarkupUI.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
```

```
    <string>AttributeGraph</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

  <string>/System/Library/PrivateFrameworks/AttributeGraph.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>81</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>ParsecModel</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

  <string>/System/Library/PrivateFrameworks/ParsecModel.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Slideshows</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

  <string>/System/Library/PrivateFrameworks/Slideshows.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>4.5.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>OpusFoundation</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

  <string>/System/Library/PrivateFrameworks/Slideshows.framework/Frameworks/
OpusFoundation.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>OpusKit</string>
```

```
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/Slideshows.framework/Frameworks/
OpusKit.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>VoiceTrigger</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/VoiceTrigger.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>FTAWD</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/FTAWD.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>8.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppSSOCore</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AppSSOCore.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>ExchangeWebServices</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
```

```

    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
  </dict>
  <string>/System/Library/PrivateFrameworks/ExchangeWebServices.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>8.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Reveal</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/Reveal.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ScreenReader</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/ScreenReader.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>10</string>
</dict>
<dict>
  <key>_name</key>
  <string>ScreenReaderBrailleDriver</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>info</key>
  <string>Copyright Â© 2008-2011 Apple Inc. All Rights
Reserved.</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
</dict>

```

```
<string>/System/Library/PrivateFrameworks/ScreenReader.framework/Frameworks/
ScreenReaderBrailleDriver.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>10</string>
</dict>
<dict>
  <key>_name</key>
  <string>ScreenReaderOutput</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/ScreenReader.framework/Frameworks/
ScreenReaderOutput.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>10</string>
</dict>
<dict>
  <key>_name</key>
  <string>BrailleTranslation</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/ScreenReader.framework/Frameworks/
BrailleTranslation.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>DiskImages2</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/DiskImages2.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>InAppMessages</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/InAppMessages.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>FontServices</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/FontServices.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>PhotoImaging</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/PhotoImaging.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleAccount</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/AppleAccount.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>NetAuth</string>
  <key>lastModified</key>
```



```
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

<string>/System/Library/PrivateFrameworks/NetAuth.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>6.2</string>
</dict>
<dict>
    <key>_name</key>
    <string>SpeechObjects</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/SpeechObjects.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>9.0.43.3</string>
</dict>
<dict>
    <key>_name</key>
    <string>Memories</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/Memories.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>GameCenterFoundation</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/GameCenterFoundation.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
```

```
        <key>version</key>
        <string>790.1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>FamilyCircle</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/FamilyCircle.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>FoundInAppsPlugins</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/FoundInAppsPlugins.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>PhotoPrintProduct</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/PhotoPrintProduct.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
            <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SharePointManagement</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
```

```
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SharePointManagement.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>NewDeviceOutreachMacUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/NewDeviceOutreachMacUI.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>APFS</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/APFS.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1677.141.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleIDAuthSupport</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AppleIDAuthSupport.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AdID</string>
  <key>lastModified</key>
```

```
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AdID.framework</string>
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>SoftwareUpdateCoreSupport</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SoftwareUpdateCoreSupport.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>FileProvider</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/FileProvider.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>349.4.2</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>MMCSServices</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/MMCSServices.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>10.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>ACDECClient</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
```

```
        <string>unknown</string>
        <key>path</key>
    <string>/System/Library/PrivateFrameworks/ACDECLient.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>2.0.4</string>
</dict>
<dict>
    <key>_name</key>
    <string>IPTelephony</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/IPTelephony.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>DialogEngine</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/DialogEngine.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>3006.13.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>CoreCDPInternal</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/CoreCDPInternal.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
```

```
    <string>MorphunSwift</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/MorphunSwift.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>DCIMServices</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/DCIMServices.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ProofReader</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/ProofReader.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>2.4</string>
</dict>
<dict>
  <key>_name</key>
  <string>FMFCore</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/FMFCore.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>PerformanceAnalysis</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
```

```
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/PerformanceAnalysis.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.278.3</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>DiskImages</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/DiskImages.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>595.140.1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>RemoteViewServices</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/RemoteViewServices.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>2.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SafariFoundation</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/SafariFoundation.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>16611</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CoreRecents</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
    </dict>
```

```
        <key>path</key>
<string>/System/Library/PrivateFrameworks/CoreRecents.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>UserActivity</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/UserActivity.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>439</string>
</dict>
<dict>
  <key>_name</key>
  <string>HIDAnalytics</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/HIDAnalytics.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>OAHSoftwareUpdate</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/OAHSoftwareUpdate.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppleIDSSOAuthentication</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```



```
<string>/System/Library/PrivateFrameworks/AppleIDSSOAuthentication.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>NetworkServiceProxy</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/NetworkServiceProxy.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>ContactsUIMacHelper</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/ContactsUIMacHelper.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>TimeMachine</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/TimeMachine.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>PowerlogControl</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/PowerlogControl.framework</string>
```

```
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>UserManagement</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/UserManagement.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>EmailDaemon</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/EmailDaemon.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>UXKit</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/UXKit.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>6.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleNVMe</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/AppleNVMe.framework</string>
    <key>private_framework</key>
    <string>yes</string>
```

```
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AirPlaySync</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

<string>/System/Library/PrivateFrameworks/AirPlaySync.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>MediaRemote</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/MediaRemote.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>PersistentConnection</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/PersistentConnection.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>iCalendar</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/iCalendar.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>7.0</string>
```

```
    </dict>
    <dict>
      <key>_name</key>
      <string>NotesUI</string>
      <key>lastModified</key>
      <date>2020-01-01T08:00:00Z</date>
      <key>obtained_from</key>
      <string>unknown</string>
      <key>path</key>

    <string>/System/Library/PrivateFrameworks/NotesUI.framework</string>
      <key>private_framework</key>
      <string>yes</string>
      <key>version</key>
      <string>4.8.1</string>
    </dict>
    <dict>
      <key>_name</key>
      <string>SignpostCollection</string>
      <key>lastModified</key>
      <date>2020-01-01T08:00:00Z</date>
      <key>obtained_from</key>
      <string>unknown</string>
      <key>path</key>

    <string>/System/Library/PrivateFrameworks/SignpostCollection.framework</
string>
      <key>private_framework</key>
      <string>yes</string>
      <key>version</key>
      <string>1.60.1</string>
    </dict>
    <dict>
      <key>_name</key>
      <string>CoreRecognition</string>
      <key>lastModified</key>
      <date>2020-01-01T08:00:00Z</date>
      <key>obtained_from</key>
      <string>unknown</string>
      <key>path</key>

    <string>/System/Library/PrivateFrameworks/CoreRecognition.framework</
string>
      <key>private_framework</key>
      <string>yes</string>
      <key>version</key>
      <string>1.3</string>
    </dict>
    <dict>
      <key>_name</key>
      <string>HearingUtilities</string>
      <key>lastModified</key>
      <date>2020-01-01T08:00:00Z</date>
      <key>obtained_from</key>
      <string>unknown</string>
      <key>path</key>

    <string>/System/Library/PrivateFrameworks/HearingUtilities.framework</
string>
      <key>private_framework</key>
      <string>yes</string>
      <key>version</key>
      <string>1.0</string>
    </dict>
```

```
<dict>
  <key>_name</key>
  <string>nt</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/nt.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>2.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>SearchUICardKitProviderSupport</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/SearchUICardKitProviderSupport.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ChronoUIServices</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/ChronoUIServices.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>IMDaemonCore</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/IMDaemonCore.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>10.0</string>
</dict>
<dict>
```

```

    <key>_name</key>
    <string>HelpData</string>
    <key>info</key>
    <string>Copyright 2000-2018, Apple Computer,
Inc.</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/HelpData.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>2.3</string>
</dict>
<dict>
    <key>_name</key>
    <string>BehaviorMiner</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/BehaviorMiner.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>SystemMigrationUtils</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/SystemMigrationUtils.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>CoreNavigation</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/CoreNavigation.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>

```

```
</dict>
<dict>
  <key>_name</key>
  <string>AppleGVA</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/AppleGVA.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>108.7.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>FMCoreLite</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/FMCoreLite.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>PowerUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/PowerUI.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>MediaServices</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/MediaServices.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ClassKit</string>
```

```
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
<string>/System/Library/PrivateFrameworks/ClassKit.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.2</string>
</dict>
<dict>
    <key>_name</key>
    <string>MapsSuggestions</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/MapsSuggestions.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>2.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>CPMLBestShim</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/CPMLBestShim.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AVFCapture</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/AVFCapture.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>RecapPerformanceTesting</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
```



```
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/RecapPerformanceTesting.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>17</string>
</dict>
<dict>
  <key>_name</key>
  <string>CoreSuggestionsML</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CoreSuggestionsML.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>XprotectFramework</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/XprotectFramework.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPodUpdater</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/iPodUpdater.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>306</string>
</dict>
<dict>
  <key>_name</key>
  <string>PrototypeTools</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
```

```
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/PrototypeTools.framework</string>
    <dict>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CalendarUIKit</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/CalendarUIKit.framework</string>
    <dict>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>MetalTools</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/MetalTools.framework</string>
    <dict>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SiriPlaybackControlIntents</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/SiriPlaybackControlIntents.framework</string>
    <dict>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>ContactsPersistence</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
    </dict>
```

```
        <key>path</key>
    <string>/System/Library/PrivateFrameworks/ContactsPersistence.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>IntlPreferences</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/IntlPreferences.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>2.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppleMediaServicesUI</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

<string>/System/Library/PrivateFrameworks/AppleMediaServicesUI.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AXHearingSupport</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/AXHearingSupport.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>VisionKit</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
```

```
        <string>unknown</string>
        <key>path</key>
<string>/System/Library/PrivateFrameworks/VisionKit.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>CoreEmoji</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/CoreEmoji.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>MobileObliteration</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/MobileObliteration.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>169.100.9.0.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppStoreKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/AppStoreKit.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>PhotoLibrary</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
```

```
<string>/System/Library/PrivateFrameworks/PhotoLibrary.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>SiriKitFlow</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/SiriKitFlow.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>BiomePubSub</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/BiomePubSub.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AXCoreUtilities</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/AXCoreUtilities.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>URLFormatting</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/URLFormatting.framework</string>
  <key>private_framework</key>
  <string>yes</string>
```

```
        <key>version</key>
        <string>146</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>acfs</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

<string>/System/Library/PrivateFrameworks/acfs.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.1</string>
</dict>
<dict>
    <key>_name</key>
    <string>WiFiPeerToPeer</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/WiFiPeerToPeer.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>ProactiveML</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/ProactiveML.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>OSASubmissionClient</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/OSASubmissionClient.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>MobileActivationMacOS</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/MobileActivationMacOS.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>AppleSystemInfo</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
  <string>/System/Library/PrivateFrameworks/AppleSystemInfo.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>3.1.5</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>KeychainCircle</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
  <string>/System/Library/PrivateFrameworks/KeychainCircle.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>SpotlightIndexUtilities</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SpotlightIndexUtilities.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
```

```
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SoftwareUpdateCore</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/SoftwareUpdateCore.framework</
string>

        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CoreSVG</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/CoreSVG.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>BiomeFoundation</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/BiomeFoundation.framework</
string>

        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>DFRBrightness</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/DFRBrightness.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
```



```
</dict>
<dict>
  <key>_name</key>
  <string>SiriCore</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/SiriCore.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>HIDDisplay</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/HIDDisplay.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Notes</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/Notes.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>4.8.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>MultitouchSupport</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/MultitouchSupport.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>4440.3</string>
</dict>
<dict>
  <key>_name</key>
```

```
        <string>CoreSuggestions</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/CoreSuggestions.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SearchFoundation</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/SearchFoundation.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>FlightUtilitiesCore</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/FlightUtilitiesCore.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>EmailAddressing</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/EmailAddressing.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>11.0</string>
    </dict>
    <dict>
        <key>_name</key>
```

```
        <string>AudioSession</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

<string>/System/Library/PrivateFrameworks/AudioSession.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>CPMS</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/CPMS.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AdPlatformsInternal</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/AdPlatformsInternal.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>SecurityToken</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/SecurityToken.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>4.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>ToneLibrary</string>
    <key>lastModified</key>
```

```
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

<string>/System/Library/PrivateFrameworks/ToneLibrary.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>CoreDuetDataModel</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/CoreDuetDataModel.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>PhotosPlayer</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/PhotosPlayer.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>NewsAnalyticsUpload</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/NewsAnalyticsUpload.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>QuickLookSupport</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
```

```
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/QuickLookSupport.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Helium</string>
        <key>arch_kind</key>
        <string>arch_arm_i64</string>
        <key>info</key>
        <string>Helium version 3.1.0, Â© Apple Inc. 2006-2013.
All rights reserved.</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>apple</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/Helium.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>signed_by</key>
        <array>
            <string>Software Signing</string>
            <string>Apple Code Signing Certification
Authority</string>
            <string>Apple Root CA</string>
        </array>
        <key>version</key>
        <string>3.1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>UAUPlugin</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/UAUPlugin.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CoreCapture</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/CoreCapture.framework</string>
        <key>private_framework</key>
        <string>yes</string>
```

```
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>VisualPairing</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/VisualPairing.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.8</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CharacterPicker</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/CharacterPicker.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CoreSpotLightImportDaemon</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/CoreSpotLightImportDaemon.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>StoreJavaScript</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/StoreJavaScript.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
```

```
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>StoreUI</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/StoreUI.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>TimeSync</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/TimeSync.framework</string>
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>GeoKit</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/GeoKit.framework</string>
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>2.2</string>
</dict>
<dict>
    <key>_name</key>
    <string>PassKitCore</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/PassKitCore.framework</string>
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
```

```
        <key>_name</key>
        <string>AOSUI</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/AOSUI.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.2</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CoreSuggestionsUI</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/CoreSuggestionsUI.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>DirectoryServer</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/DirectoryServer.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>11.5</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CFDirectoryServer</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/DirectoryServer.framework/
Frameworks/CFDirectoryServer.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>11.5</string>
    </dict>
    <dict>
        <key>_name</key>
```



```
<string>NetworkMenusCommon</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/NetworkMenusCommon.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>2.2</string>
</dict>
<dict>
  <key>_name</key>
  <string>SiriDailyBriefingInternal</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SiriDailyBriefingInternal.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>MetricKitSource</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/MetricKitSource.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>WildDevices</string>
  <key>info</key>
  <string>WildDevices 200.1.1, Copyright © 2018-2020
```

```
Apple Inc. All rights reserved.</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/WildDevices.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>200.1.1</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>DisplayTransportServices</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/DisplayTransportServices.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.3</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>CoreEmbeddedSpeechRecognition</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CoreEmbeddedSpeechRecognition.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>MetricMeasurement</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/MetricMeasurement.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>EAP8021X</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/EAP8021X.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
```

```
    <string>14.0.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>CVNLP</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CVNLP.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>AudioPasscode</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AudioPasscode.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>TrialServer</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/TrialServer.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>AppleMediaServicesUIDynamic</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AppleMediaServicesUIDynamic.framework<
/string>
  <key>private_framework</key>
  <string>yes</string>
  <key>signed_by</key>
```

```

    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>AppleVPA</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
    <string>/System/Library/PrivateFrameworks/AppleVPA.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>3.26.1</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>IOMobileFramebuffer</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
    <string>/System/Library/PrivateFrameworks/IOMobileFramebuffer.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>343.0.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>ShazamKit</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
    <string>/System/Library/PrivateFrameworks/ShazamKit.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>MobileAsset</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

```

```
<string>/System/Library/PrivateFrameworks/MobileAsset.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>IMTransferServices</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/IMTransferServices.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>10.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>QuickLookIosmac</string>
  <key>info</key>
  <string>5.0, Copyright Apple Inc. 2007-2013</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/QuickLookIosmac.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>5.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>SyncServicesUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SyncServicesUI.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>8.1</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>AudioHistory</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AudioHistory.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>SiriObservation</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SiriObservation.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>FMF</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/FMF.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>SystemAdministrationInterface</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SystemAdministrationInterface.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>SocialAppsCore</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

<string>/System/Library/PrivateFrameworks/SocialAppsCore.framework</string>

<key>private\_framework</key>  
<string>yes</string>  
<key>version</key>  
<string>8.0</string>

</dict>

<dict>

<key>\_name</key>  
<string>BoardServices</string>  
<key>lastModified</key>  
<date>2020-01-01T08:00:00Z</date>  
<key>obtained\_from</key>  
<string>unknown</string>  
<key>path</key>

<string>/System/Library/PrivateFrameworks/BoardServices.framework</string>

<key>private\_framework</key>  
<string>yes</string>  
<key>version</key>  
<string>1.0</string>

</dict>

<dict>

<key>\_name</key>  
<string>PhotosUIApps</string>  
<key>lastModified</key>  
<date>2020-01-01T08:00:00Z</date>  
<key>obtained\_from</key>  
<string>unknown</string>  
<key>path</key>

<string>/System/Library/PrivateFrameworks/PhotosUIApps.framework</string>

<key>private\_framework</key>  
<string>yes</string>  
<key>version</key>  
<string>1.0</string>

</dict>

<dict>

<key>\_name</key>  
<string>ConfigurationProfilesUI</string>  
<key>lastModified</key>  
<date>2020-01-01T08:00:00Z</date>  
<key>obtained\_from</key>  
<string>unknown</string>  
<key>path</key>

<string>/System/Library/PrivateFrameworks/ConfigurationProfilesUI.framework</string>

<key>private\_framework</key>  
<string>yes</string>  
<key>version</key>  
<string>1.0</string>

</dict>

<dict>

<key>\_name</key>  
<string>IntentsFoundation</string>  
<key>lastModified</key>  
<date>2020-01-01T08:00:00Z</date>  
<key>obtained\_from</key>  
<string>unknown</string>  
<key>path</key>

<string>/System/Library/PrivateFrameworks/IntentsFoundation.framework</string>

```
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>CloudKitDaemon</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/CloudKitDaemon.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>990</string>
</dict>
<dict>
    <key>_name</key>
    <string>NearField</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/NearField.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>317.2</string>
</dict>
<dict>
    <key>_name</key>
    <string>IdleTimerServices</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/IdleTimerServices.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AuthenticationServices</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/AuthenticationServices.framework</
```



```
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>12.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>Quagga</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/Quagga.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>47</string>
</dict>
<dict>
    <key>_name</key>
    <string>ManagedClient</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/ManagedClient.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>13.3</string>
</dict>
<dict>
    <key>_name</key>
    <string>iWorkXPC</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/iWorkXPC.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AssistantServices</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/AssistantServices.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
```

```
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>MobileSoftwareUpdate</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/MobileSoftwareUpdate.framework</string>
```

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>2.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>WorkflowUIServices</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/WorkflowUIServices.framework</string>
```

```
    <key>private_framework</key>
    <string>yes</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>HomeKitEventRouter</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/HomeKitEventRouter.framework</string>
```

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>CoreLSKD</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CoreLSKD.framework</string>
    <key>private_framework</key>
    <string>yes</string>
```

```

    <key>signed_by</key>
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
Authority</string>
      <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>15.3.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>UIKitMacHelper</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/UIKitMacHelper.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>ClassKitUI</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/ClassKitUI.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.2</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>SharingXPCCServices</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/SharingXPCCServices.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1630</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>WeatherKit</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>

```

```
        <key>path</key>
<string>/System/Library/PrivateFrameworks/WeatherKit.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>2.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Espresso</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/Espresso.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>IMSharedUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/IMSharedUI.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ktrace</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/ktrace.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>JetUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/JetUI.framework</string>
  <key>private_framework</key>
```

```
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>IMFoundation</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/IMFoundation.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>10.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>Heimdal</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/Heimdal.framework</string>
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>4.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>DirectoryEditor</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/DirectoryEditor.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>10.9</string>
</dict>
<dict>
    <key>_name</key>
    <string>PegasusKit</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/PegasusKit.framework</string>
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>DiagnosticRequestService</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/DiagnosticRequestService.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.4</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>MDSChannel</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/MDSChannel.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.3</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>Symptoms</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/Symptoms.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>SymptomEvaluator</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/Symptoms.framework/Frameworks/  
SymptomEvaluator.framework</string>  
  <key>private_framework</key>  
  <string>yes</string>  
  <key>version</key>  
  <string>1.0</string>  
</dict>  
<dict>  
  <key>_name</key>  
  <string>SymptomAnalytics</string>  
  <key>lastModified</key>  
  <date>2020-01-01T08:00:00Z</date>  
  <key>obtained_from</key>  
  <string>unknown</string>  
  <key>path</key>  
</dict>  
<string>/System/Library/PrivateFrameworks/Symptoms.framework/Frameworks/  
SymptomAnalytics.framework</string>  
  <key>private_framework</key>  
  <string>yes</string>  
  <key>version</key>  
  <string>1.0</string>  
</dict>  
<dict>  
  <key>_name</key>  
  <string>SymptomPresentationLite</string>  
  <key>lastModified</key>  
  <date>2020-01-01T08:00:00Z</date>  
  <key>obtained_from</key>  
  <string>unknown</string>  
  <key>path</key>  
</dict>  
<string>/System/Library/PrivateFrameworks/Symptoms.framework/Frameworks/  
SymptomPresentationLite.framework</string>  
  <key>private_framework</key>  
  <string>yes</string>  
  <key>version</key>  
  <string>1.0</string>  
</dict>  
<dict>  
  <key>_name</key>  
  <string>SymptomPresentationFeed</string>  
  <key>lastModified</key>  
  <date>2020-01-01T08:00:00Z</date>  
  <key>obtained_from</key>  
  <string>unknown</string>  
  <key>path</key>  
</dict>  
<string>/System/Library/PrivateFrameworks/Symptoms.framework/Frameworks/  
SymptomPresentationFeed.framework</string>  
  <key>private_framework</key>  
  <string>yes</string>  
  <key>version</key>  
  <string>1.0</string>  
</dict>  
<dict>  
  <key>_name</key>  
  <string>ManagedEvent</string>  
  <key>lastModified</key>  
  <date>2020-01-01T08:00:00Z</date>  
  <key>obtained_from</key>  
  <string>unknown</string>  
  <key>path</key>  
</dict>
```

```
<string>/System/Library/PrivateFrameworks/Symptoms.framework/Frameworks/
ManagedEvent.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>SymptomNetworkUsage</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/Symptoms.framework/Frameworks/
SymptomNetworkUsage.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>IDSFoundation</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/IDSFoundation.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>10.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>CryptoKitPrivate</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/CryptoKitPrivate.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>TrustedPeers</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/TrustedPeers.framework</string>
```



```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>SiriFindMy</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

<string>/System/Library/PrivateFrameworks/SiriFindMy.framework</string>

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
```

</dict>

```
  <dict>
    <key>_name</key>
    <string>SoftwareUpdateMacController</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

<string>/System/Library/PrivateFrameworks/SoftwareUpdateMacController.framework</string>

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
```

</dict>

```
  <dict>
    <key>_name</key>
    <string>CloudFamilyRestrictionsDaemon</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

<string>/System/Library/PrivateFrameworks/CloudFamilyRestrictionsDaemon.framework</string>

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
```

</dict>

```
  <dict>
    <key>_name</key>
    <string>IOKitten</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

<string>/System/Library/PrivateFrameworks/IOKitten.framework</string>

```
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>200.6</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CoreHandwriting</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/CoreHandwriting.framework</
string>

        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>161</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CloudPhotoLibrary</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/CloudPhotoLibrary.framework</
string>

        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Coherence</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/Coherence.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SharedWebCredentials</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/SharedWebCredentials.framework</
string>
```

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>928.6</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>MailUI</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/MailUI.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>11.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Cards</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/Cards.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>CommerceKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CommerceKit.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.2.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>CommerceCore</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CommerceKit.framework/Frameworks/
CommerceCore.framework</string>
  <key>private_framework</key>
  <string>yes</string>
```

```
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>NewsTransport</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/NewsTransport.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>5.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleJPEG</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/AppleJPEG.framework</string>
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>BookKit</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/BookKit.framework</string>
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>3.2</string>
</dict>
<dict>
    <key>_name</key>
    <string>EmailFoundation</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/EmailFoundation.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>11.0</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>ANEHostCompiler</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/ANEHostCompiler.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>4.2.6</string>
</dict>
<dict>
  <key>_name</key>
  <string>CoreBrightness</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/CoreBrightness.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>RecoveryOS</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/RecoveryOS.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>kperfddata</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/kperfdata.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>TVRemoteCore</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/TVRemoteCore.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>CoreDaemon</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/CoreDaemon.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.3</string>
</dict>
<dict>
  <key>_name</key>
  <string>Catalyst</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/Catalyst.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ContactsDonation</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/ContactsDonation.framework</
string>
  <key>private_framework</key>
```

```
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>MobileInstallation</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/MobileInstallation.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>2.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SiriTasks</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/SiriTasks.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>RemoteCoreML</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/RemoteCoreML.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AssetCacheServicesExtensions</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/AssetCacheServicesExtensions.framework
</string>
        <key>private_framework</key>
        <string>yes</string>
```

```
    <key>version</key>
    <string>118</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>JavaScriptOSA</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/JavaScriptOSA.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.1</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>BridgeOSObfuscation</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/BridgeOSObfuscation.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>AssertionServices</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AssertionServices.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>LocalAuthenticationRecoveryUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/LocalAuthenticationRecoveryUI.framework</string>
```

```
  <key>private_framework</key>
```



```
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>ControlCenter</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/ControlCenter.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>StorageKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/StorageKit.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>ISSupport</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/ISSupport.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.9.9</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>SignpostNotification</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SignpostNotification.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
```

```
        <string>1.60.1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>perfddata</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/perfddata.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleScript</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/AppleScript.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>2.7</string>
</dict>
<dict>
    <key>_name</key>
    <string>CalDAV</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/CalDAV.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>8.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>ScreenTimeUI</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/ScreenTimeUI.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>3.0</string>
</dict>
<dict>
    <key>_name</key>
```

```
        <string>WiFiVelocity</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

<string>/System/Library/PrivateFrameworks/WiFiVelocity.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>5.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>CoreDuetContext</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/CoreDuetContext.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AutoLoop</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/AutoLoop.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>SystemAdministration</string>
    <key>info</key>
    <string>SystemAdministration Framework</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/SystemAdministration.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
```

```
        <key>_name</key>
        <string>Timeline</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

<string>/System/Library/PrivateFrameworks/Timeline.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>vCard</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/vCard.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>MultiverseSupport</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/MultiverseSupport.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>VideoSubscriberAccountUI</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/VideoSubscriberAccountUI.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
```

```
    <string>AXAssetLoader</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/AXAssetLoader.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>MetricKitCore</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/MetricKitCore.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AppSupportUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/AppSupportUI.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>FTServices</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/FTServices.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>10.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>InAppMessagesCore</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
```

```
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/InAppMessagesCore.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>WebFilterDNS</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/WebFilterDNS.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>2.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>OAuth</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/OAuth.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>25</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AmbientDisplay</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/AmbientDisplay.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>133.2</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>DiagnosticLogCollection</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
```

<string>/System/Library/PrivateFrameworks/DiagnosticLogCollection.framework</string>

<key>private\_framework</key>  
<string>yes</string>  
<key>version</key>  
<string>10.0</string>

</dict>

<dict>

<key>\_name</key>  
<string>SpeechDictionary</string>  
<key>info</key>  
<string>8.0.5</string>  
<key>lastModified</key>  
<date>2020-01-01T08:00:00Z</date>  
<key>obtained\_from</key>  
<string>unknown</string>  
<key>path</key>

<string>/System/Library/PrivateFrameworks/SpeechDictionary.framework</string>

<key>private\_framework</key>  
<string>yes</string>  
<key>version</key>  
<string>8.0.5</string>

</dict>

<dict>

<key>\_name</key>  
<string>FindMyMac</string>  
<key>lastModified</key>  
<date>2020-01-01T08:00:00Z</date>  
<key>obtained\_from</key>  
<string>unknown</string>  
<key>path</key>

<string>/System/Library/PrivateFrameworks/FindMyMac.framework</string>

<key>private\_framework</key>  
<string>yes</string>  
<key>version</key>  
<string>3.1</string>

</dict>

<dict>

<key>\_name</key>  
<string>JavaLaunching</string>  
<key>lastModified</key>  
<date>2020-01-01T08:00:00Z</date>  
<key>obtained\_from</key>  
<string>unknown</string>  
<key>path</key>

<string>/System/Library/PrivateFrameworks/JavaLaunching.framework</string>

<key>private\_framework</key>  
<string>yes</string>  
<key>version</key>  
<string>1.0</string>

</dict>

<dict>

<key>\_name</key>  
<string>WiFiPolicy</string>  
<key>lastModified</key>  
<date>2020-01-01T08:00:00Z</date>  
<key>obtained\_from</key>  
<string>unknown</string>

```
        <key>path</key>
    <string>/System/Library/PrivateFrameworks/WiFiPolicy.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CoreRoutine</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/CoreRoutine.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>PowerlogHelperdOperators</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/PowerlogHelperdOperators.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>MobileContainerManager</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/MobileContainerManager.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CloudDocsDaemon</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
```



```
        <key>path</key>
    <string>/System/Library/PrivateFrameworks/CloudDocsDaemon.framework</string>
```

```
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>BrightnessControl</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
```

```
    <string>/System/Library/PrivateFrameworks/BrightnessControl.framework</string>
```

```
        <key>private_framework</key>
        <string>yes</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>PrivateFederatedLearning</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/PrivateFederatedLearning.framework</string>
```

```
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>ExtensionKit</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/ExtensionKit.framework</string>
```

```
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>19.4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>ExchangeSync</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/ExchangeSync.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>2002.80.2</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>PassKitMacHelper</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/PassKitMacHelper.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>InternationalSupport</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/InternationalSupport.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>VFXBase</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/VFXBase.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
```

```
Authority</string>
```

```
    <string>Apple Root CA</string>
```

```
  </array>
```

```
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>NewsFoundation</string>
```

```
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/NewsFoundation.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>3.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppAttestInternal</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/AppAttestInternal.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>GameCenterUI</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/GameCenterUI.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>DiagnosticRequest</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/DiagnosticRequest.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.4</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>MailWebProcessSupport</string>
        <key>lastModified</key>
```

```
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/MailWebProcessSupport.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
```

```
<key>_name</key>
<string>GameCenterUICore</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/GameCenterUICore.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
```

```
<key>_name</key>
<string>Jet</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/Jet.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
```

```
<key>_name</key>
<string>DFRFoundation</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/DFRFoundation.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
```

```
<key>_name</key>
<string>ContextKit</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
```

```
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/ContextKit.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>GraphKit</string>
    <key>arch_kind</key>
    <string>arch_arm_i64</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/GraphKit.framework</string>
<key>private_framework</key>
<string>yes</string>
<key>signed_by</key>
<array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
</array>
<key>version</key>
<string>1.0.5</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleNeuralEngine</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/AppleNeuralEngine.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>PodcastServices</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/PodcastServices.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
```

```
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CoreCDP</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/CoreCDP.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>RemoteManagement</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/RemoteManagement.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SiriInstrumentation</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/SiriInstrumentation.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>WatchdogClient</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/WatchdogClient.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
```

```
    </dict>
  <dict>
    <key>_name</key>
    <string>FuseBoardServices</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/FuseBoardServices.framework</
string>

    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>MetricKitServices</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/MetricKitServices.framework</
string>

    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>MailCore</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/MailCore.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>11.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>EFILogin</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/EFILogin.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>2.0</string>
  </dict>
</dict>
```

```
<key>_name</key>
<string>PhotoLibraryServices</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/PhotoLibraryServices.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>CameraImagingFramework</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CameraImagingFramework.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>oncrpc</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/oncrpc.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>10.9</string>
</dict>
<dict>
  <key>_name</key>
  <string>PhotosUICore</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/PhotosUICore.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
```



```
    <key>_name</key>
    <string>Mondrian</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/Mondrian.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>6.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>SidecarUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/SidecarUI.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ProtectedCloudStorage</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/ProtectedCloudStorage.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ASOctaneSupport</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/ASOctaneSupport.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
```

```
<string>ConversationKit</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/ConversationKit.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>EmbeddedAcousticRecognition</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/EmbeddedAcousticRecognition.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>RTCReporting</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/RTCReporting.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>11.85.2</string>
</dict>
<dict>
  <key>_name</key>
  <string>MailService</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/MailService.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>11.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>PersonalizationPortrait</string>
```

```
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/PersonalizationPortrait.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>PacketFilter</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/PacketFilter.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>SpotlightLinguistics</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SpotlightLinguistics.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>AppleAppSupport</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AppleAppSupport.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.5</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
```

```
<string>OSInstaller</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/OSInstaller.framework</string>
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>SAObjects</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SAObjects.framework</string>
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>XQuery</string>
<key>info</key>
<string>XQuery version 1.3.1, Copyright (c) 2004-2012
```

```
Apple Inc.</string>
```

```
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/XQuery.framework</string>
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.3.1</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>FinderKit</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/FinderKit.framework</string>
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.15</string>
```

```
</dict>
```

```
<dict>
```

```
<key>_name</key>
<string>MapsSync</string>
```

```
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

<string>/System/Library/PrivateFrameworks/MapsSync.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>_RealityKit_Ogma</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/_RealityKit_Ogma.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleMediaServices</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/AppleMediaServices.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>IncomingCallFilter</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/IncomingCallFilter.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>10.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>IMAVCore</string>
    <key>lastModified</key>
```

```
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

<string>/System/Library/PrivateFrameworks/IMAVCore.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>10.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>MiniSoftwareUpdate</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/MiniSoftwareUpdate.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>IOCEC</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/IOCEC.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>CoreSymbolication</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/CoreSymbolication.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>12.5</string>
</dict>
<dict>
    <key>_name</key>
    <string>SiriTTS</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
```

```
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/SiriTTS.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1</string>
</dict>
<dict>
    <key>_name</key>
    <string>VoiceShortcutClient</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/VoiceShortcutClient.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>GenerationalStorage</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/GenerationalStorage.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>2.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>StoreServices</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>apple</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/StoreServices.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>signed_by</key>
    <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
    </array>
    <key>version</key>
    <string>1</string>
</dict>
<dict>
```

```
        <key>_name</key>
        <string>DuetRecommendation</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/DuetRecommendation.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SyncedDefaults</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/SyncedDefaults.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>2.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SiriVideoIntents</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/SiriVideoIntents.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SecureChannel</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/SecureChannel.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
```



```
        <string>IMSharedUtilities</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/IMSharedUtilities.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>10.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>BiometricSupport</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/BiometricSupport.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>MediaExperience</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/MediaExperience.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>DVD</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/DVD.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>4.1.2</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>PerformanceTrace</string>
```

```
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/PerformanceTrace.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>HDAInterface</string>
        <key>info</key>
        <string>HDAInterface 283.15, Copyright Â© 2000-2019
Apple Inc. All rights reserved.</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/HDAInterface.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>283.15</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CoreDuetSync</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/CoreDuetSync.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>ContactsFoundation</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/ContactsFoundation.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>8.0</string>
    </dict>
    <dict>
        <key>_name</key>
```

```
    <string>FMCoreUI</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/FMCoreUI.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>AlgosScoreFramework</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/AlgosScoreFramework.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>MTLCompiler</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/MTLCompiler.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>244.303</string>
</dict>
<dict>
  <key>_name</key>
  <string>SafariShared</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/SafariShared.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>16611</string>
</dict>
<dict>
  <key>_name</key>
  <string>UARP iCloud</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
```

```
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/UARPiCloud.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>DebugSymbols</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/DebugSymbols.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>195.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>CardKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/CardKit.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ConsoleKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
<string>/System/Library/PrivateFrameworks/ConsoleKit.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>SocialUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
</dict>
```

```
<string>/System/Library/PrivateFrameworks/SocialUI.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>8.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>AutoBugCaptureCore</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AutoBugCaptureCore.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>DTXConnectionServices</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/DTXConnectionServices.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>12.5</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>CoreKDL</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CoreKDL.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>InternationalTextSearch</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/InternationalTextSearch.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>HMFoundation</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/HMFoundation.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>APTransport</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/APTransport.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>FileProviderDaemon</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/FileProviderDaemon.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>SuggestionsSpotlightMetrics</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/SuggestionsSpotlightMetrics.framework</string>
```

/string>

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
```

</dict>

<dict>

```
<key>_name</key>
<string>DataDetectors</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

<string>/System/Library/PrivateFrameworks/DataDetectors.framework</string>

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>5.0</string>
```

</dict>

<dict>

```
<key>_name</key>
<string>LockoutUI</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

<string>/System/Library/PrivateFrameworks/LockoutUI.framework</string>

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
```

</dict>

<dict>

```
<key>_name</key>
<string>EasyConfig</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

<string>/System/Library/PrivateFrameworks/EasyConfig.framework</string>

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>6.6</string>
```

</dict>

<dict>

```
<key>_name</key>
<string>ChronoKit</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

<string>/System/Library/PrivateFrameworks/ChronoKit.framework</string>

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
```

```
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>DiagnosticsKit</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/DiagnosticsKit.framework</
string>

        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>iCloudNotification</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/iCloudNotification.framework</
string>

        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>OnBoardingKit</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/OnBoardingKit.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>InputTranscoder</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/InputTranscoder.framework</
string>

        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
```



```
    </dict>
  <dict>
    <key>_name</key>
    <string>IDSKVStore</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/IDSKVStore.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>10.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>HearingCore</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/HearingCore.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>RemoteTextInput</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/RemoteTextInput.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>CalendarWidget</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

    <string>/System/Library/PrivateFrameworks/CalendarWidget.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
  </dict>
</dict>
```

```
        <key>_name</key>
        <string>PIP</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

<string>/System/Library/PrivateFrameworks/PIP.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>MTLSimImplementation</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/MTLSimImplementation.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>244.303</string>
</dict>
<dict>
    <key>_name</key>
    <string>AggregateDictionary</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/AggregateDictionary.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>ScreenTimeServiceUI</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/ScreenTimeServiceUI.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>3.0</string>
</dict>
<dict>
```

```
        <key>_name</key>
        <string>CoreServicesStore</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/CoreServicesStore.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1122.41</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>XGBoostFramework</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/XGBoostFramework.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SpotlightServerKit</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/SpotlightServerKit.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>DiskSpaceDiagnostics</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/DiskSpaceDiagnostics.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
```

```
<dict>
  <key>_name</key>
  <string>MobileKeyBag</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/MobileKeyBag.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>2.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>H13ISPServices</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/H13ISPServices.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>3.58</string>
</dict>
<dict>
  <key>_name</key>
  <string>AudioAnalytics</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/AudioAnalytics.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>OctagonTrust</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/OctagonTrust.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
```

```
<string>SetupAssistantFramework</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SetupAssistantFramework.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
```

```
<key>_name</key>
<string>SiriIntentEvents</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SiriIntentEvents.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
```

```
<key>_name</key>
<string>CoreDuetDebugLogging</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CoreDuetDebugLogging.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
```

```
<key>_name</key>
<string>Sharing</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/Sharing.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1630</string>
</dict>
<dict>
```

```
    <key>_name</key>
    <string>RunningBoard</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/RunningBoard.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>SPOwner</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/SPOwner.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>ContentKit</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/ContentKit.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>TextInputCore</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/TextInputCore.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>SafeEjectGPU</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
```

```
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    <string>/System/Library/PrivateFrameworks/SafeEjectGPU.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>41</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>BatteryUIKit</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/BatteryUIKit.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AppSSOUI</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/AppSSOUI.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>LoggingSupport</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
    </dict>
    <string>/System/Library/PrivateFrameworks/LoggingSupport.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Engram</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/Engram.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>EmbeddedSensingProtocols</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/EmbeddedSensingProtocols.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>4</string>
</dict>
<dict>
  <key>_name</key>
  <string>OSUpdate</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/OSUpdate.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>PhoneNumberResolver</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/PhoneNumberResolver.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>OSPersonalization</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```



```
<string>/System/Library/PrivateFrameworks/OSPersonalization.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>PassKitUIFoundation</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/PassKitUIFoundation.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>RTTUtilities</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/RTTUtilities.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>IMDPersistence</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/IMDPersistence.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>10.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>PhysicsKit</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/PhysicsKit.framework</string>
```

```
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SiriAudioInternal</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/SiriAudioInternal.framework</
string>

        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>IntentsCore</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/IntentsCore.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>CalendarUI</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/CalendarUI.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>8.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SCEP</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/SCEP.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
```

```
    <string>2.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>PassKit</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/PassKit.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>QuickLookThumbnailingDaemon</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/QuickLookThumbnailingDaemon.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>CryptoKitCBridging</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CryptoKitCBridging.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>CloudKitCode</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CloudKitCode.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>SafariSharedUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/SafariSharedUI.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>16611</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>MobileSpotlightIndex</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/MobileSpotlightIndex.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>10.7.0</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>ANEServices</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/ANEServices.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>4.75</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>StreamingZip</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/StreamingZip.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
```

```
</dict>
```

```
<dict>
  <key>_name</key>
  <string>AudioServerApplication</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AudioServerApplication.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>Apple80211</string>
  <key>info</key>
  <string>17.0, Copyright © 2000–2019 Apple Inc. All
```

```
rights reserved.</string>
```

```
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/Apple80211.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>17.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>MediaStream</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/MediaStream.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>FMClient</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/FMClient.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Uninstall</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/Uninstall.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>BookKitFoundation</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/BookKitFoundation.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>WeatherFoundation</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/WeatherFoundation.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.3</string>
</dict>
<dict>
  <key>_name</key>
  <string>PodcastsFoundation</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

  <string>/System/Library/PrivateFrameworks/PodcastsFoundation.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>SiriOntology</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/SiriOntology.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Navigation</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/Navigation.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>BackBoardServices</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/BackBoardServices.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>CoreChineseEngine</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/CoreChineseEngine.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
```

```
Authority</string>      <string>Apple Code Signing Certification
                        <string>Apple Root CA</string>
                        </array>
                        <key>version</key>
                        <string>104</string>
</dict>
<dict>
  <key>_name</key>
  <string>FaceCore</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/FaceCore.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>4.3.2</string>
</dict>
<dict>
  <key>_name</key>
  <string>AXHearingCoreSupport</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/AXHearingCoreSupport.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>UIKitSystemAppServices</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/UIKitSystemAppServices.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>BiomeStreams</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```



```
<string>/System/Library/PrivateFrameworks/BiomeStreams.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>ParsecUI</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/ParsecUI.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>BluetoothAudio</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/BluetoothAudio.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>19</string>
</dict>
<dict>
  <key>_name</key>
  <string>MSUDataAccessor</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/MSUDataAccessor.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>BridgeOSInstall</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/BridgeOSInstall.framework</string>
```

```
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>DASDaemon</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/DASDaemon.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>DCERPC</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/DCERPC.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>2.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>BulkSymbolication</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/BulkSymbolication.framework</
string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.278.3</string>
</dict>
<dict>
    <key>_name</key>
    <string>MetalSerializer</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/MetalSerializer.framework</
string>
    <key>private_framework</key>
```

```
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>ScreenReaderCore</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/ScreenReaderCore.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>10</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Translation</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/Translation.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>TemplateKit</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/TemplateKit.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>iLifeMediaBrowser</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/iLifeMediaBrowser.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
```

```
    <string>2.15.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>RemindersUICore</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/RemindersUICore.framework</string>
```

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>MobileAccessoryUpdater</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/MobileAccessoryUpdater.framework</string>
```

```
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>HelloWorldMacHelper</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/HelloWorldMacHelper.framework</string>
```

```
    <key>private_framework</key>
    <string>yes</string>
    <key>signed_by</key>
```

```
    <array>
      <string>Software Signing</string>
      <string>Apple Code Signing Certification
```

```
Authority</string>
```

```
      <string>Apple Root CA</string>
    </array>
```

```
    <key>version</key>
    <string>1.0</string>
```

```
</dict>
```

```
<dict>
```

```
  <key>_name</key>
  <string>BlastDoor</string>
  <key>lastModified</key>
```

```
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/BlastDoor.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>PodcastsKit</string>
  <key>arch_kind</key>
  <string>arch_arm_i64</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>apple</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/PodcastsKit.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>signed_by</key>
  <array>
    <string>Software Signing</string>
    <string>Apple Code Signing Certification
Authority</string>
    <string>Apple Root CA</string>
  </array>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>LimitAdTracking</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/LimitAdTracking.framework</
string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Netrb</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>

<string>/System/Library/PrivateFrameworks/Netrb.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
```

```
    <string>1.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>MusicLibrary</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/MusicLibrary.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>ParsecSubscriptionServiceSupport</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/ParsecSubscriptionServiceSupport.frame
work</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>FlightUtilities</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/FlightUtilities.framework</
string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>CoreSDB</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CoreSDB.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>10.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>HomeKitDaemon</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/HomeKitDaemon.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>CoreDuetDaemonProtocol</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CoreDuetDaemonProtocol.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>PromotedContentSupport</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/PromotedContentSupport.framework</string>
```

```
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.0</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Tourist</string>
  <key>lastModified</key>
  <date>2020-01-01T08:00:00Z</date>
  <key>obtained_from</key>
  <string>unknown</string>
  <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/Tourist.framework</string>
  <key>private_framework</key>
  <string>yes</string>
  <key>version</key>
  <string>1.1</string>
```

```
    </dict>
    <dict>
      <key>_name</key>
      <string>SMBCClient</string>
      <key>lastModified</key>
      <date>2020-01-01T08:00:00Z</date>
      <key>obtained_from</key>
      <string>unknown</string>
      <key>path</key>

    <string>/System/Library/PrivateFrameworks/SMBCClient.framework</string>
      <key>private_framework</key>
      <string>yes</string>
      <key>version</key>
      <string>3.6</string>
    </dict>
    <dict>
      <key>_name</key>
      <string>SymptomReporter</string>
      <key>lastModified</key>
      <date>2020-01-01T08:00:00Z</date>
      <key>obtained_from</key>
      <string>unknown</string>
      <key>path</key>

    <string>/System/Library/PrivateFrameworks/SymptomReporter.framework</
string>
      <key>private_framework</key>
      <string>yes</string>
      <key>version</key>
      <string>1.0</string>
    </dict>
    <dict>
      <key>_name</key>
      <string>ProVideo</string>
      <key>arch_kind</key>
      <string>arch_arm_i64</string>
      <key>lastModified</key>
      <date>2020-01-01T08:00:00Z</date>
      <key>obtained_from</key>
      <string>apple</string>
      <key>path</key>

    <string>/System/Library/PrivateFrameworks/ProVideo.framework</string>
      <key>private_framework</key>
      <string>yes</string>
      <key>signed_by</key>
      <array>
        <string>Software Signing</string>
        <string>Apple Code Signing Certification
Authority</string>
        <string>Apple Root CA</string>
      </array>
      <key>version</key>
      <string>1.0</string>
    </dict>
    <dict>
      <key>_name</key>
      <string>InternalSwiftProtobuf</string>
      <key>lastModified</key>
      <date>2020-01-01T08:00:00Z</date>
      <key>obtained_from</key>
      <string>unknown</string>
      <key>path</key>
```



```
<string>/System/Library/PrivateFrameworks/InternalSwiftProtobuf.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>AppleShareClientCore</string>
    <key>info</key>
    <string>Low Level AppleShare Client Framework, Copyright
Â© 2000 - 2016, Apple Inc.</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AppleShareClientCore.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>4.0.1</string>
</dict>
<dict>
    <key>_name</key>
    <string>WorkflowKit</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/WorkflowKit.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>3.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>CoreCaptureDaemon</string>
    <key>info</key>
    <string>1.0, Copyright Â© 2015 Apple Inc. All rights
reserved.</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/CoreCaptureDaemon.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
```

```
        <key>_name</key>
        <string>KnowledgeMonitor</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/KnowledgeMonitor.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SiriAnalytics</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/SiriAnalytics.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>DSEExternalDisplay</string>
        <key>info</key>
        <string>DSEExternalDisplay 3.1</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/DSEExternalDisplay.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>3.1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Trial</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/Trial.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
```

```
        <key>_name</key>
        <string>BluetoothServices</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/BluetoothServices.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>NewsDaemon</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/NewsDaemon.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>6.4.1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AccessibilitySupport</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/AccessibilitySupport.framework</
string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>2.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>AccessibilityKit</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

    <string>/System/Library/PrivateFrameworks/AccessibilitySupport.framework/
Frameworks/AccessibilityKit.framework</string>
        <key>private_framework</key>
        <string>yes</string>
        <key>version</key>
        <string>2.0</string>
    </dict>
    <dict>
```

```
<key>_name</key>
<string>AccessibilityEvents</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AccessibilitySupport.framework/
Frameworks/AccessibilityEvents.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>2.0</string>
</dict>
<dict>
```

```
<key>_name</key>
<string>AccessibilityVisuals</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AccessibilitySupport.framework/
Frameworks/AccessibilityVisuals.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>2.0</string>
</dict>
<dict>
```

```
<key>_name</key>
<string>AccessibilityFoundation</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AccessibilitySupport.framework/
Frameworks/AccessibilityFoundation.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>2.0</string>
</dict>
<dict>
```

```
<key>_name</key>
<string>AccountsUI</string>
<key>lastModified</key>
<date>2020-01-01T08:00:00Z</date>
<key>obtained_from</key>
<string>unknown</string>
<key>path</key>
```

```
<string>/System/Library/PrivateFrameworks/AccountsUI.framework</string>
```

```
<key>private_framework</key>
<string>yes</string>
<key>version</key>
<string>1.0</string>
</dict>
<dict>
```

```
<key>_name</key>
```

```
        <string>SiriSignals</string>
        <key>lastModified</key>
        <date>2020-01-01T08:00:00Z</date>
        <key>obtained_from</key>
        <string>unknown</string>
        <key>path</key>

<string>/System/Library/PrivateFrameworks/SiriSignals.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>LibraryRepair</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/System/Library/PrivateFrameworks/LibraryRepair.framework</string>
    <key>private_framework</key>
    <string>yes</string>
    <key>version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>iTunesLibrary</string>
    <key>lastModified</key>
    <date>2020-01-01T08:00:00Z</date>
    <key>obtained_from</key>
    <string>unknown</string>
    <key>path</key>

<string>/Library/Frameworks/iTunesLibrary.framework</string>
    <key>private_framework</key>
    <string>no</string>
    <key>version</key>
    <string>13.1.6</string>
</dict>
</array>
<key>_parentDataType</key>
<string>SPSoftwareDataType</string>
<key>_properties</key>
<dict>
    <key>_name</key>
    <dict>
        <key>_isColumn</key>
        <string>YES</string>
        <key>_order</key>
        <string>0</string>
        <key>_width</key>
        <string>300</string>
    </dict>
    <key>arch_kind</key>
    <dict>
        <key>_order</key>
        <integer>30</integer>
    </dict>
    <key>lastModified</key>
</dict>
```

```
        <key>_dateFormat</key>
        <string>%X</string>
        <key>_isColumn</key>
        <string>YES</string>
        <key>_order</key>
        <string>20</string>
        <key>_width</key>
        <string>150</string>
    </dict>
    <key>obtained_from</key>
    <dict>
        <key>_isColumn</key>
        <string>YES</string>
        <key>_order</key>
        <string>15</string>
    </dict>
    <key>signed_by</key>
    <dict>
        <key>_order</key>
        <string>60</string>
    </dict>
    <key>version</key>
    <dict>
        <key>_isColumn</key>
        <string>YES</string>
        <key>_order</key>
        <string>10</string>
        <key>_suppressLocalization</key>
        <true/>
        <key>_width</key>
        <string>150</string>
    </dict>
    <key>volumes</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
    </dict>
</dict>
<key>_timeStamp</key>
<date>2021-08-03T01:21:44Z</date>
<key>_versionInfo</key>
<dict>
    <key>com.apple.SystemProfiler.SPFrameworksReporter</key>
    <string>915</string>
</dict>
</dict>
<dict>
    <key>_SPCommandLineArguments</key>
    <array>
        <string>/usr/sbin/system_profiler</string>
        <string>-nospawn</string>
        <string>-xml</string>
        <string>SPDisplaysDataType</string>
        <string>-detailLevel</string>
        <string>full</string>
    </array>
    <key>_SPCompletionInterval</key>
    <real>0.41616499423980713</real>
    <key>_SPResponseTime</key>
    <real>0.49798405170440674</real>
    <key>_dataType</key>
    <string>SPDisplaysDataType</string>
    <key>_detailLevel</key>
    <integer>-1</integer>
</dict>
```

```
<key>_items</key>
<array>
  <dict>
    <key>_name</key>
    <string>kHW_IntelIrisGraphics645Item</string>
    <key>_spdisplays_vram</key>
    <string>1536 MB</string>
    <key>spdisplays_device-id</key>
    <string>0x3ea6</string>
    <key>spdisplays_metalfamily</key>
    <string>spdisplays_mt_lgpufamilymac2</string>
    <key>spdisplays_ndrvs</key>
    <array>
      <dict>
        <key>_IODisplayEDID</key>
        <data>
          AP////////wAGED2gAAAAABaBbAQS1
          HRJ4Ag+hr lJDsCYNUFQAAAAABAQEB
          AQEBAQEBAQEBAQEBAQEBA2WUAUKBALmAI
          IAgIHRMQAAAAA/ABDb2xvciBM
          Q0QKICAgAAAAEAAAAAAAAAAAAAAAAA
          AAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
          AVNwEnkDAH+BP/oQAAMBGA8oFwAA
          AAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
          AAAAAAAAAABGTVg5MjA0MEJDSEo0
          NjJBUwogICAgIH+BKfoQAAIBABEA
          AAKQAzwEKwVxBy8JkQzVEVMXiCAh
          LBQ8v1QQdMii0uNXAAAAAAAAAAAAA
          AACpkA==
        </data>
        <key>_name</key>
        <string>Color LCD</string>
        <key>_spdisplays_display-product-id</key>
        <string>a03d</string>

<key>_spdisplays_display-serial-number2</key>
    <string>0</string>
    <key>_spdisplays_display-vendor-id</key>
    <string>610</string>
    <key>_spdisplays_display-week</key>
    <string>16</string>
    <key>_spdisplays_display-year</key>
    <string>2017</string>
    <key>_spdisplays_displayID</key>
    <string>4280f40</string>
    <key>_spdisplays_displayPath</key>

    <string>IOService:/AppleACPIPlatformExpert/PCI0@0/AppleACPIPCI/IGPU@2/
    AppleIntelFramebuffer@0/AppleMCCSControlModule</string>
    <key>_spdisplays_displayRegID</key>
    <string>5827</string>
    <key>_spdisplays_displayport_device</key>
    <dict>
      <key>_name</key>

<string>spdisplays_displayport_info</string>

<key>spdisplays_displayport_DPCD_version</key>
    <string>1.1</string>

<key>spdisplays_displayport_current_bandwidth</key>
    <string> 3.24 Gbps</string>

<key>spdisplays_displayport_current_lanes</key>
```

```

        <string>4</string>
<key>spdisplays_displayport_current_spread</key>
    <string>0.0%</string>
<key>spdisplays_displayport_errors_lane0</key>
    <string>0</string>
<key>spdisplays_displayport_errors_lane1</key>
    <string>0</string>
<key>spdisplays_displayport_errors_lane2</key>
    <string>0</string>
<key>spdisplays_displayport_errors_lane3</key>
    <string>0</string>
<key>spdisplays_displayport_hdcp_capability</key>
<string>spdisplays_displayport_hdcp_incapable</string>
<key>spdisplays_displayport_max_bandwidth</key>
    <string>2.70 Gbps</string>
<key>spdisplays_displayport_max_lanes</key>
    <string>4</string>
<key>spdisplays_displayport_max_spread</key>
    <string>0.5%</string>
<key>spdisplays_displayport_sink_ascii_name</key>
    <string>eD?gda</string>
<key>spdisplays_displayport_sink_chip_version</key>
    <string> 0.01</string>
<key>spdisplays_displayport_sink_count</key>
    <string>1</string>
<key>spdisplays_displayport_sink_sw_version</key>
    <string> 6</string>
<key>spdisplays_displayport_sink_vendor</key>
    <string>00 10 fa</string>
<key>spdisplays_displayport_valid_error_lane0</key>
    <string>1</string>
<key>spdisplays_displayport_valid_error_lane1</key>
    <string>1</string>
<key>spdisplays_displayport_valid_error_lane2</key>
    <string>1</string>
<key>spdisplays_displayport_valid_error_lane3</key>
    <string>1</string>
</dict>
<key>_spdisplays_edid</key>

```

```

<string>0x00ffffffffffff0006103da000000000101b0104b51d1278020fa1ae5243b0260d5054
000000010101010101010101010101010101010101010101d9650050a0402e60082008081eb31000001a000000
fc00436f6c6f72204c43440a2020200000001000000000000000000000000000000000000000100000000
000000000000000000000000000015370127903007f813ffa10000301180f281700000000000000000000

```



00464d5839323034304243484a34363241530a20  
202020207f8129fa10000201001100000290033c042b0571072f09910cd51153178820212c143cbf  
541074c8a2d2e3570000000000000000000000000000a990</string>

<key>\_spdisplays\_pixels</key>  
<string>2880 x 1800</string>  
<key>\_spdisplays\_resolution</key>  
<string>1440 x 900</string>  
<key>spdisplays\_ambient\_brightness</key>  
<string>spdisplays\_yes</string>  
<key>spdisplays\_connection\_type</key>  
<string>spdisplays\_internal</string>  
<key>spdisplays\_depth</key>  
<string>CGSThirtytwoBitColor</string>  
<key>spdisplays\_display\_type</key>

<string>spdisplays\_built-in\_retinaLCD</string>  
<key>spdisplays\_main</key>  
<string>spdisplays\_yes</string>  
<key>spdisplays\_mirror</key>  
<string>spdisplays\_off</string>  
<key>spdisplays\_online</key>  
<string>spdisplays\_yes</string>  
<key>spdisplays\_pixelresolution</key>  
<string>spdisplays\_2560x1600Retina</string>

</dict>  
</array>  
<key>spdisplays\_revision-id</key>  
<string>0x0001</string>  
<key>spdisplays\_vendor</key>  
<string>Intel</string>  
<key>spdisplays\_vram\_shared</key>  
<string>1536 MB</string>  
<key>sppci\_bus</key>  
<string>spdisplays\_builtin</string>  
<key>sppci\_device\_type</key>  
<string>spdisplays\_gpu</string>  
<key>sppci\_model</key>  
<string>Intel Iris Plus Graphics 645</string>

</dict>  
</array>  
<key>\_parentDataType</key>  
<string>SPHardwareDataType</string>  
<key>\_properties</key>  
<dict>  
<key>\_name</key>  
<dict>  
<key>\_isColumn</key>  
<string>YES</string>  
<key>\_order</key>  
<string>0</string>  
</dict>  
<key>spdisplays\_automatic\_graphics\_switching</key>  
<dict>  
<key>\_order</key>  
<string>177</string>  
</dict>  
<key>spdisplays\_coreimage</key>  
<dict>  
<key>\_order</key>  
<string>164</string>  
</dict>  
<key>spdisplays\_depth</key>  
<dict>  
<key>\_order</key>

```
        <string>150</string>
</dict>
<key>spdisplays_device-id</key>
<dict>
    <key>_order</key>
    <string>165</string>
</dict>
<key>spdisplays_display-fw-version</key>
<dict>
    <key>_order</key>
    <string>152</string>
</dict>
<key>spdisplays_display-product-id</key>
<dict>
    <key>_order</key>
    <string>159</string>
</dict>
<key>spdisplays_display-serial-number</key>
<dict>
    <key>_order</key>
    <string>151</string>
</dict>
<key>spdisplays_display-vendor-id</key>
<dict>
    <key>_order</key>
    <string>160</string>
</dict>
<key>spdisplays_display-week</key>
<dict>
    <key>_order</key>
    <string>162</string>
</dict>
<key>spdisplays_display-year</key>
<dict>
    <key>_order</key>
    <string>163</string>
</dict>
<key>spdisplays_display_type</key>
<dict>
    <key>_order</key>
    <string>130</string>
</dict>
<key>spdisplays_displayport_device</key>
<dict>
    <key>_order</key>
    <string>171</string>
</dict>
<key>spdisplays_efi-version</key>
<dict>
    <key>_order</key>
    <string>176</string>
</dict>
<key>spdisplays_gmux-version</key>
<dict>
    <key>_order</key>
    <string>178</string>
</dict>
<key>spdisplays_main</key>
<dict>
    <key>_order</key>
    <string>165</string>
</dict>
<key>spdisplays_metal</key>
<dict>
```

```
        <key>_order</key>
        <string>186</string>
    </dict>
    <key>spdisplays_metal_headless</key>
    <dict>
        <key>_order</key>
        <string>192</string>
    </dict>
    <key>spdisplays_metal_peer_group</key>
    <dict>
        <key>_order</key>
        <string>189</string>
    </dict>
    <key>spdisplays_metal_peer_index</key>
    <dict>
        <key>_order</key>
        <string>190</string>
    </dict>
    <key>spdisplays_metal_removable</key>
    <dict>
        <key>_order</key>
        <string>191</string>
    </dict>
    <key>spdisplays_metal_slot</key>
    <dict>
        <key>_order</key>
        <string>188</string>
    </dict>
    <key>spdisplays_metalfamily</key>
    <dict>
        <key>_order</key>
        <string>187</string>
    </dict>
    <key>spdisplays_mirror</key>
    <dict>
        <key>_order</key>
        <string>166</string>
    </dict>
    <key>spdisplays_mirror_status</key>
    <dict>
        <key>_order</key>
        <string>167</string>
    </dict>
    <key>spdisplays_online</key>
    <dict>
        <key>_order</key>
        <string>168</string>
    </dict>
    <key>spdisplays_optionrom-version</key>
    <dict>
        <key>_order</key>
        <string>174</string>
    </dict>
    <key>spdisplays_pcie_width</key>
    <dict>
        <key>_order</key>
        <string>40</string>
    </dict>
    <key>spdisplays_pixelresolution</key>
    <dict>
        <key>_order</key>
        <string>144</string>
    </dict>
    <key>spdisplays_psprom-version</key>
```

```
<dict>
  <key>_order</key>
  <string>175</string>
</dict>
<key>spdisplays_quartzextreme</key>
<dict>
  <key>_order</key>
  <string>169</string>
</dict>
<key>spdisplays_resolution</key>
<dict>
  <key>_order</key>
  <string>145</string>
</dict>
<key>spdisplays_retina</key>
<dict>
  <key>_order</key>
  <string>146</string>
</dict>
<key>spdisplays_revision-id</key>
<dict>
  <key>_order</key>
  <string>170</string>
</dict>
<key>spdisplays_rom-revision</key>
<dict>
  <key>_order</key>
  <string>172</string>
</dict>
<key>spdisplays_rotation</key>
<dict>
  <key>_order</key>
  <string>170</string>
</dict>
<key>spdisplays_vbios-version</key>
<dict>
  <key>_order</key>
  <string>173</string>
</dict>
<key>spdisplays_vendor</key>
<dict>
  <key>_order</key>
  <string>155</string>
</dict>
<key>spdisplays_vram</key>
<dict>
  <key>_order</key>
  <string>135</string>
</dict>
<key>spdisplays_vram_shared</key>
<dict>
  <key>_order</key>
  <string>136</string>
</dict>
<key>sppci_bus</key>
<dict>
  <key>_isColumn</key>
  <string>YES</string>
  <key>_order</key>
  <string>25</string>
</dict>
<key>sppci_cores</key>
<dict>
  <key>_order</key>
```

```
        <string>31</string>
    </dict>
    <key>sppci_device-id</key>
    <dict>
        <key>_order</key>
        <string>50</string>
    </dict>
    <key>sppci_device_type</key>
    <dict>
        <key>_isColumn</key>
        <string>YES</string>
        <key>_order</key>
        <string>20</string>
    </dict>
    <key>sppci_kextinfo</key>
    <dict>
        <key>_order</key>
        <string>185</string>
    </dict>
    <key>sppci_model</key>
    <dict>
        <key>_order</key>
        <string>1</string>
    </dict>
    <key>sppci_name</key>
    <dict>
        <key>_order</key>
        <string>10</string>
    </dict>
    <key>sppci_revision-id</key>
    <dict>
        <key>_order</key>
        <string>90</string>
    </dict>
    <key>sppci_rom-revision</key>
    <dict>
        <key>_order</key>
        <string>80</string>
    </dict>
    <key>sppci_slot_name</key>
    <dict>
        <key>_isColumn</key>
        <string>YES</string>
        <key>_order</key>
        <string>30</string>
    </dict>
    <key>sppci_subsystem-id</key>
    <dict>
        <key>_order</key>
        <string>70</string>
    </dict>
    <key>sppci_subsystem-vendor-id</key>
    <dict>
        <key>_order</key>
        <string>60</string>
    </dict>
    <key>sppci_vendor-id</key>
    <dict>
        <key>_order</key>
        <string>35</string>
    </dict>
    <key>volumes</key>
    <dict>
        <key>_detailLevel</key>
```

```

        <string>0</string>
      </dict>
    </dict>
  <key>_timeStamp</key>
  <date>2021-08-03T01:21:44Z</date>
  <key>_versionInfo</key>
  <dict>
    <key>com.apple.SystemProfiler.SPDisplaysReporter</key>
    <string>571.1</string>
  </dict>
</dict>
<dict>
  <key>_SPCommandLineArguments</key>
  <array>
    <string>/usr/sbin/system_profiler</string>
    <string>-nospawn</string>
    <string>-xml</string>
    <string>SPHardwareDataType</string>
    <string>-detailLevel</string>
    <string>full</string>
  </array>
  <key>_SPCompletionInterval</key>
  <real>0.21880710124969482</real>
  <key>_SPResponseTime</key>
  <real>0.25515806674957275</real>
  <key>_dataType</key>
  <string>SPHardwareDataType</string>
  <key>_detailLevel</key>
  <string>-2</string>
  <key>_items</key>
  <array>
    <dict>
      <key>_name</key>
      <string>hardware_overview</string>
      <key>activation_lock_status</key>
      <string>activation_lock_disabled</string>
      <key>boot_rom_version</key>
      <string>1554.140.20.0.0 (iBridge:
18.16.14759.0.1,0)</string>
      <key>cpu_type</key>
      <string>Quad-Core Intel Core i5</string>
      <key>current_processor_speed</key>
      <string>1.4 GHz</string>
      <key>l2_cache_core</key>
      <string>256 KB</string>
      <key>l3_cache</key>
      <string>6 MB</string>
      <key>machine_model</key>
      <string>MacBookPro15,4</string>
      <key>machine_name</key>
      <string>MacBook Pro</string>
      <key>number_processors</key>
      <integer>4</integer>
      <key>packages</key>
      <integer>1</integer>
      <key>physical_memory</key>
      <string>8 GB</string>
      <key>platform_UUID</key>
      <string>0ACBA955-ECEC-5E3E-A351-B997600A8192</string>
      <key>platform_cpu_htt</key>
      <string>htt_enabled</string>
      <key>provisioning_UDID</key>
      <string>0ACBA955-ECEC-5E3E-A351-B997600A8192</string>
      <key>serial_number</key>

```

```
        <string>FVFZ2ELSL410</string>
    </dict>
</array>
<key>_parentDataType</key>
<string>SPRootDataType</string>
<key>_properties</key>
<dict>
    <key>LOM_revision</key>
    <dict>
        <key>_order</key>
        <string>85</string>
    </dict>
    <key>Lightshow_version</key>
    <dict>
        <key>_order</key>
        <string>83</string>
        <key>_suppressLocalization</key>
        <string>YES</string>
    </dict>
    <key>MMM_state</key>
    <dict>
        <key>_order</key>
        <string>70</string>
    </dict>
    <key>SMC_version_other</key>
    <dict>
        <key>_order</key>
        <string>82</string>
    </dict>
    <key>SMC_version_riser</key>
    <dict>
        <key>_order</key>
        <string>81</string>
    </dict>
    <key>SMC_version_system</k
ey>
    <dict>
        <key>_order</key>
        <string>80</string>
        <key>_suppressLocalization</key>
        <string>YES</string>
    </dict>
    <key>activation_lock_status</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
        <key>_order</key>
        <string>99</string>
    </dict>
    <key>apple_rom_info</key>
    <dict>
        <key>_order</key>
        <string>54</string>
    </dict>
    <key>boot_rom_release_date</key>
    <dict>
        <key>_order</key>
        <string>52</string>
    </dict>
    <key>boot_rom_vendor</key>
    <dict>
        <key>_order</key>
        <string>50</string>
    </dict>
```

```
<key>boot_rom_version</key>
<dict>
  <key>_order</key>
  <string>51</string>
</dict>
<key>bus_speed</key>
<dict>
  <key>_order</key>
  <string>45</string>
</dict>
<key>chip_type</key>
<dict>
  <key>_order</key>
  <string>16</string>
</dict>
<key>cores_per_package</key>
<dict>
  <key>_order</key>
  <string>24</string>
</dict>
<key>cpu_interconnect_speed</key>
<dict>
  <key>_order</key>
  <string>46</string>
</dict>
<key>cpu_type</key>
<dict>
  <key>_order</key>
  <string>15</string>
</dict>
<key>current_processor_speed</key>
<dict>
  <key>_order</key>
  <string>17</string>
</dict>
<key>enclosure</key>
<dict>
  <key>_order</key>
  <string>12</string>
</dict>
<key>l2_cache</key>
<dict>
  <key>_order</key>
  <string>26</string>
</dict>
<key>l2_cache_core</key>
<dict>
  <key>_order</key>
  <string>26</string>
</dict>
<key>l2_cache_share</key>
<dict>
  <key>_order</key>
  <string>26</string>
</dict>
<key>l2_cache_size</key>
<dict>
  <key>_order</key>
  <string>26</string>
</dict>
<key>l3_cache</key>
<dict>
  <key>_order</key>
  <string>27</string>
```



```
</dict>
<key>l3_cache_processor</key>
<dict>
  <key>_order</key>
  <string>27</string>
</dict>
<key>l3_cache_size</key>
<dict>
  <key>_order</key>
  <string>27</string>
</dict>
<key>machine_model</key>
<dict>
  <key>_order</key>
  <string>11</string>
</dict>
<key>machine_name</key>
<dict>
  <key>_order</key>
  <string>10</string>
</dict>
<key>maximum_processor_speed</key>
<dict>
  <key>_order</key>
  <string>19</string>
</dict>
<key>minimum_processor_speed</key>
<dict>
  <key>_order</key>
  <string>18</string>
</dict>
<key>number_cpus</key>
<dict>
  <key>_order</key>
  <string>20</string>
</dict>
<key>number_processors</key>
<dict>
  <key>_order</key>
  <string>22</string>
</dict>
<key>os_loader_version</key>
<dict>
  <key>_order</key>
  <string>53</string>
</dict>
<key>packages</key>
<dict>
  <key>_order</key>
  <string>20</string>
</dict>
<key>physical_memory</key>
<dict>
  <key>_order</key>
  <string>40</string>
</dict>
<key>platform_UUID</key>
<dict>
  <key>_detailLevel</key>
  <string>0</string>
  <key>_order</key>
  <string>97</string>
</dict>
<key>platform_cpu_features</key>
```

```
<dict>
  <key>_order</key>
  <string>30</string>
</dict>
<key>platform_cpu_htt</key>
<dict>
  <key>_order</key>
  <string>28</string>
</dict>
<key>platform_cpu_vendor</key>
<dict>
  <key>_order</key>
  <string>13</string>
</dict>
<key>platform_manufacturer</key>
<dict>
  <key>_order</key>
  <string>4</string>
</dict>
<key>platform_product_name</key>
<dict>
  <key>_order</key>
  <string>2</string>
</dict>
<key>platform_version</key>
<dict>
  <key>_order</key>
  <string>6</string>
</dict>
<key>provisioning_UDID</key>
<dict>
  <key>_detailLevel</key>
  <string>0</string>
  <key>_order</key>
  <string>98</string>
</dict>
<key>riser_serial_number</key>
<dict>
  <key>_detailLevel</key>
  <string>0</string>
  <key>_order</key>
  <string>92</string>
</dict>
<key>sales_order_number</key>
<dict>
  <key>_detailLevel</key>
  <string>0</string>
  <key>_order</key>
  <string>95</string>
</dict>
<key>serial_number</key>
<dict>
  <key>_detailLevel</key>
  <string>0</string>
  <key>_order</key>
  <string>90</string>
</dict>
<key>volumes</key>
<dict>
  <key>_detailLevel</key>
  <string>0</string>
</dict>
</dict>
<key>_timeStamp</key>
```

```
<date>2021-08-03T01:21:15Z</date>
<key>_versionInfo</key>
<dict>
  <key>com.apple.SystemProfiler.SPPlatformReporter</key>
  <string>1500</string>
</dict>
</dict>
<dict>
  <key>_SPCommandLineArguments</key>
  <array>
    <string>/usr/sbin/system_profiler</string>
    <string>-nospawn</string>
    <string>-xml</string>
    <string>SPInstallHistoryDataType</string>
    <string>-detailLevel</string>
    <string>full</string>
  </array>
  <key>_SPCompletionInterval</key>
  <real>0.2409210205078125</real>
  <key>_SPResponseTime</key>
  <real>0.32195198535919189</real>
  <key>_dataType</key>
  <string>SPInstallHistoryDataType</string>
  <key>_detailLevel</key>
  <integer>1</integer>
  <key>_items</key>
  <array>
    <dict>
      <key>_name</key>
      <string>macOS 11.5.1</string>
      <key>install_date</key>
      <date>2021-08-02T07:27:24Z</date>
      <key>install_version</key>
      <string>11.5.1</string>
      <key>package_source</key>
      <string>package_source_apple</string>
    </dict>
    <dict>
      <key>_name</key>
      <string>Avira Security</string>
      <key>install_date</key>
      <date>2021-08-03T00:55:28Z</date>
      <key>package_source</key>
      <string>package_source_other</string>
    </dict>
  </array>
  <key>_parentDataType</key>
  <string>SPSoftwareDataType</string>
  <key>_properties</key>
  <dict>
    <key>_name</key>
    <dict>
      <key>_isColumn</key>
      <string>YES</string>
      <key>_order</key>
      <string>10</string>
    </dict>
    <key>install_date</key>
    <dict>
      <key>_isColumn</key>
      <string>YES</string>
      <key>_order</key>
      <string>30</string>
    </dict>
  </dict>
</dict>
```

```
<key>install_version</key>
<dict>
  <key>_isColumn</key>
  <string>YES</string>
  <key>_order</key>
  <string>20</string>
</dict>
<key>package_source</key>
<dict>
  <key>_isColumn</key>
  <string>YES</string>
  <key>_order</key>
  <string>25</string>
</dict>
<key>volumes</key>
<dict>
  <key>_detailLevel</key>
  <string>0</string>
</dict>
</dict>
<key>_timeStamp</key>
<date>2021-08-03T01:21:44Z</date>
<key>_versionInfo</key>
<dict>
  <key>com.apple.SystemProfiler.SPInstallHistoryReporter</key>
  <string>1044</string>
</dict>
</dict>
<dict>
  <key>_SPCommandLineArguments</key>
  <array>
    <string>/usr/sbin/system_profiler</string>
    <string>-nospawn</string>
    <string>-xml</string>
    <string>SPInternationalDataType</string>
    <string>-detailLevel</string>
    <string>full</string>
  </array>
  <key>_SPCompletionInterval</key>
  <real>0.23015797138214111</real>
  <key>_SPResponseTime</key>
  <real>0.3112189769744873</real>
  <key>_dataType</key>
  <string>SPInternationalDataType</string>
  <key>_detailLevel</key>
  <string>0</string>
  <key>_items</key>
  <array>
    <dict>
      <key>_name</key>
      <string>user_settings</string>
      <key>linguistic_data_assets_requested</key>
      <array>
        <string>en</string>
        <string>zh</string>
        <string>zh_Hans</string>
      </array>
      <key>user_calendar</key>
      <string>gregorian</string>
      <key>user_country_code</key>
      <string>SG</string>
      <key>user_current_input_source</key>
      <string>com.apple.keylayout.ABC</string>
      <key>user_language_code</key>
```

```
<string>en</string>
<key>user_locale</key>
<string>en_SG</string>
<key>user_preferred_interface_languages</key>
<array>
  <string>en-GB</string>
</array>
<key>user_uses_metric_system</key>
<string>value_yes</string>
</dict>
<dict>
  <key>_name</key>
  <string>system_settings</string>
  <key>system_country</key>
  <string>SG</string>
  <key>system_interface_languages</key>
  <array>
    <string>en</string>
    <string>en-GB</string>
    <string>en-AU</string>
    <string>en-IN</string>
    <string>zh-Hans</string>
    <string>zh-Hant</string>
    <string>zh-HK</string>
    <string>ja</string>
    <string>es</string>
    <string>es-419</string>
    <string>fr</string>
    <string>fr-CA</string>
    <string>de</string>
    <string>ru</string>
    <string>pt-BR</string>
    <string>pt-PT</string>
    <string>it</string>
    <string>ko</string>
    <string>tr</string>
    <string>nl</string>
    <string>ar</string>
    <string>th</string>
    <string>sv</string>
    <string>da</string>
    <string>vi</string>
    <string>nb</string>
    <string>pl</string>
    <string>fi</string>
    <string>id</string>
    <string>he</string>
    <string>el</string>
    <string>ro</string>
    <string>hu</string>
    <string>cs</string>
    <string>ca</string>
    <string>sk</string>
    <string>uk</string>
    <string>hr</string>
    <string>ms</string>
    <string>hi</string>
  </array>
  <key>system_languages</key>
  <array>
    <string>en-GB</string>
  </array>
  <key>system_locale</key>
  <string>en_SG</string>
```

```

        <key>system_text_direction</key>
        <string>text_direction_ltr</string>
        <key>system_uses_metric_system</key>
        <string>value_no</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>recovery_os_settings</string>
        <key>boot_kbd</key>
        <string>252</string>
        <key>boot_locale</key>
        <string>en-GB</string>
    </dict>
</array>
<key>_parentDataType</key>
<string>SPSoftwareDataType</string>
<key>_properties</key>
<dict>
    <key>volumes</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
    </dict>
</dict>
<key>_timeStamp</key>
<date>2021-08-03T01:21:44Z</date>
<key>_versionInfo</key>
<dict>
    <key>com.apple.SystemProfiler.SPInternationalReporter</key>
    <string>1</string>
</dict>
</dict>
<dict>
    <key>_SPCommandLineArguments</key>
    <array>
        <string>/usr/sbin/system_profiler</string>
        <string>-nospawn</string>
        <string>-xml</string>
        <string>SPLegacySoftwareDataType</string>
        <string>-detailLevel</string>
        <string>full</string>
    </array>
    <key>_SPCompletionInterval</key>
    <real>0.24541902542114258</real>
    <key>_SPResponseTime</key>
    <real>0.32785201072692871</real>
    <key>_dataType</key>
    <string>SPLegacySoftwareDataType</string>
    <key>_detailLevel</key>
    <integer>1</integer>
    <key>_items</key>
    <array/>
    <key>_parentDataType</key>
    <string>SPSoftwareDataType</string>
    <key>_properties</key>
    <dict>
        <key>_name</key>
        <dict>
            <key>_isColumn</key>
            <true/>
            <key>_isOutlineColumn</key>
            <true/>
            <key>_order</key>
            <string>0</string>
        </dict>
    </dict>
</dict>

```

```

        </dict>
        <key>volumes</key>
        <dict>
            <key>_detailLevel</key>
            <string>0</string>
        </dict>
    </dict>
    <key>_timeStamp</key>
    <date>2021-08-03T01:21:45Z</date>
    <key>_versionInfo</key>
    <dict>
        <key>com.apple.SystemProfiler.SPLegacySoftwareReporter</key>
        <string>1</string>
    </dict>
</dict>
<dict>
    <key>_SPCommandLineArguments</key>
    <array>
        <string>/usr/sbin/system_profiler</string>
        <string>-nospawn</string>
        <string>-xml</string>
        <string>SPNetworkLocationDataType</string>
        <string>-detailLevel</string>
        <string>full</string>
    </array>
    <key>_SPCompletionInterval</key>
    <real>0.2543560266494751</real>
    <key>_SPResponseTime</key>
    <real>0.33556902408599854</real>
    <key>_dataType</key>
    <string>SPNetworkLocationDataType</string>
    <key>_detailLevel</key>
    <integer>0</integer>
    <key>_items</key>
    <array>
        <dict>
            <key>_name</key>
            <string>Automatic</string>
            <key>spnetworklocation_isActive</key>
            <string>yes</string>
            <key>spnetworklocation_services</key>
            <array>
                <dict>
                    <key>IPv4</key>
                    <dict>
                        <key>ConfigMethod</key>
                        <string>DHCP</string>
                    </dict>
                    <key>IPv6</key>
                    <dict>
                        <key>ConfigMethod</key>
                        <string>Automatic</string>
                    </dict>
                    <key>Proxies</key>
                    <dict>
                        <key>ExceptionsList</key>
                        <array>
                            <string>*.local</string>
                            <string>169.254/16</string>
                        </array>
                        <key>FTPPassive</key>
                        <string>yes</string>
                    </dict>
                </dict>
            </array>
            <key>_name</key>

```

```

    <string>USB 10/100/1000 LAN</string>
    <key>bsd_device_name</key>
    <string>en3</string>
    <key>type</key>
    <string>Ethernet</string>
</dict>
<dict>
  <key>IEEE80211</key>
  <dict>
    <key>JoinModeFallback</key>
    <array>
      <string>DoNothing</string>
    </array>
    <key>PowerEnabled</key>
    <false/>
    <key>RememberJoinedNetworks</key>
    <true/>
    <key>Version</key>
    <integer>3000</integer>
  </dict>
  <key>IPv4</key>
  <dict>
    <key>ConfigMethod</key>
    <string>DHCP</string>
  </dict>
  <key>IPv6</key>
  <dict>
    <key>ConfigMethod</key>
    <string>Automatic</string>
  </dict>
  <key>Proxies</key>
  <dict>
    <key>ExceptionsList</key>
    <array>
      <string>*.local</string>
      <string>169.254/16</string>
    </array>
    <key>FTPPassive</key>
    <string>yes</string>
  </dict>
  <key>_name</key>
  <string>Wi-Fi</string>
  <key>bsd_device_name</key>
  <string>en0</string>
  <key>hardware_address</key>
  <string>a4:83:e7:4a:8c:21</string>
  <key>type</key>
  <string>IEEE80211</string>
</dict>
<dict>
  <key>IPv4</key>
  <dict>
    <key>ConfigMethod</key>
    <string>DHCP</string>
  </dict>
  <key>IPv6</key>
  <dict>
    <key>ConfigMethod</key>
    <string>Automatic</string>
  </dict>
  <key>Proxies</key>
  <dict>
    <key>ExceptionsList</key>
    <array>

```



```

                <string>*.local</string>
                <string>169.254/16</string>
            </array>
            <key>FTPPassive</key>
            <string>yes</string>
        </dict>
        <key>_name</key>
        <string>Bluetooth PAN</string>
        <key>bsd_device_name</key>
        <string>en5</string>
        <key>type</key>
        <string>Ethernet</string>
    </dict>
    <dict>
        <key>IPv4</key>
        <dict>
            <key>ConfigMethod</key>
            <string>DHCP</string>
        </dict>
        <key>IPv6</key>
        <dict>
            <key>ConfigMethod</key>
            <string>Automatic</string>
        </dict>
        <key>Proxies</key>
        <dict>
            <key>ExceptionsList</key>
            <array>
                <string>*.local</string>
                <string>169.254/16</string>
            </array>
            <key>FTPPassive</key>
            <string>yes</string>
        </dict>
        <key>_name</key>
        <string>Thunderbolt Bridge</string>
        <key>bsd_device_name</key>
        <string>bridge0</string>
        <key>hardware_address</key>
        <string>82:9f:b9:21:18:01</string>
        <key>type</key>
        <string>Bridge</string>
    </dict>
</array>
</dict>
</array>
<key>_parentDataType</key>
<string>SPNetworkDataType</string>
<key>_properties</key>
<dict>
    <key>AppleTalk</key>
    <dict>
        <key>_order</key>
        <string>300</string>
    </dict>
    <key>DNS</key>
    <dict>
        <key>_order</key>
        <string>400</string>
    </dict>
    <key>Ethernet</key>
    <dict>
        <key>_order</key>
        <string>700</string>
    </dict>
</dict>

```

```
</dict>
<key>IPv4</key>
<dict>
  <key>_order</key>
  <string>100</string>
</dict>
<key>IPv6</key>
<dict>
  <key>_order</key>
  <string>200</string>
</dict>
<key>Proxies</key>
<dict>
  <key>_order</key>
  <string>600</string>
</dict>
<key>_name</key>
<dict>
  <key>_isColumn</key>
  <string>YES</string>
  <key>_order</key>
  <string>0</string>
</dict>
<key>bsd_device_name</key>
<dict>
  <key>_order</key>
  <string>20</string>
</dict>
<key>dhcp</key>
<dict>
  <key>_order</key>
  <string>500</string>
</dict>
<key>hardware_address</key>
<dict>
  <key>_order</key>
  <string>25</string>
</dict>
<key>spnetworklocation_isActive</key>
<dict>
  <key>_isColumn</key>
  <string>YES</string>
  <key>_order</key>
  <string>1</string>
</dict>
<key>type</key>
<dict>
  <key>_order</key>
  <string>10</string>
</dict>
<key>volumes</key>
<dict>
  <key>_detailLevel</key>
  <string>0</string>
</dict>
</dict>
<key>_timeStamp</key>
<date>2021-08-03T01:21:45Z</date>
<key>_versionInfo</key>
<dict>
  <key>com.apple.SystemProfiler.SPNetworkLocationReporter</key>
  <string>915</string>
</dict>
</dict>
```

```

<dict>
  <key>_SPCommandLineArguments</key>
  <array>
    <string>/usr/sbin/system_profiler</string>
    <string>-nospawn</string>
    <string>-xml</string>
    <string>SPLogsDataType</string>
    <string>-detailLevel</string>
    <string>full</string>
  </array>
  <key>_SPCompletionInterval</key>
  <real>2.1076729297637939</real>
  <key>_SPResponseTime</key>
  <real>2.1906840801239014</real>
  <key>_dataType</key>
  <string>SPLogsDataType</string>
  <key>_detailLevel</key>
  <integer>1</integer>
  <key>_items</key>
  <array>
    <dict>
      <key>_name</key>
      <string>asl_messages_description</string>
      <key>byteSize</key>
      <integer>132003</integer>
      <key>contents</key>
      <string>...

```

```

3 Aug 2021 at 8:55:28 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL
| sent by mds[52]
3 Aug 2021 at 8:55:28 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL
| sent by mds[52]
3 Aug 2021 at 8:55:28 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL
| sent by mds[52]
3 Aug 2021 at 8:55:28 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL
| sent by mds[52]
3 Aug 2021 at 8:55:29 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL
| sent by mds[52]
3 Aug 2021 at 8:55:29 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL
| sent by mds[52]
3 Aug 2021 at 8:55:56 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL
| sent by AccountProfileRemoteViewService[2103]
3 Aug 2021 at 8:55:57 AM com.apple.xpc.launchd[1]: Coalition Cache Hit:
app<&application.com.apple.systempreferences.1152921500311955177.1152921500311
955182(501)&gt; [1597]
3 Aug 2021 at 8:55:58 AM AccountProfileRemoteViewService[2282]: objc[2282]:
Class AOSUISpyglassAccountChangeHelper is implemented in both
/System/Library/PrivateFrameworks/AOSUI.framework/Versions/A/AOSUI and
/System/Library/PrivateFrameworks/AOSUI.framework/Versions/A/XPCServices/
AccountProfileRemoteViewService.xpc/Contents/MacOS/
AccountProfileRemoteViewService. One of the two will be used. Which one is
undefined.
3 Aug 2021 at 8:56:01 AM com.apple.xpc.launchd[1]: Service did not exit 5
seconds after SIGTERM. Sending SIGKILL.
3 Aug 2021 at 8:56:04 AM com.apple.preference.security.remoteservice[2293]:
objc[2293]: Class AWDSecurityPrefAutoUnlockSetup is implemented in both
/System/Library/PreferencePanes/Security.prefPane/Contents/XPCServices/
com.apple.preference.security.remoteservice.xpc/Contents/MacOS/
com.apple.preference.security.remoteservice (0x1053c1768) and
/System/Library/PreferencePanes/Security.prefPane/Contents/MacOS/Security
(0x10861f7a0). One of the two will be used. Which one is undefined.
3 Aug 2021 at 8:56:05 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL
| sent by mds[52]
3 Aug 2021 at 8:56:05 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL
| sent by mds[52]

```

3 Aug 2021 at 8:56:05 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by mds[52]  
3 Aug 2021 at 8:56:05 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by mds[52]  
3 Aug 2021 at 8:56:05 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by mds[52]  
3 Aug 2021 at 8:56:05 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by mds[52]  
3 Aug 2021 at 8:56:05 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by mds[52]  
3 Aug 2021 at 8:56:05 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by mds[52]  
3 Aug 2021 at 8:56:05 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by mds[52]  
3 Aug 2021 at 8:56:06 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by mds[52]  
3 Aug 2021 at 8:56:06 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by mds[52]  
3 Aug 2021 at 8:56:06 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by mds[52]  
3 Aug 2021 at 8:56:06 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by mds[52]  
3 Aug 2021 at 8:56:06 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by mds[52]  
3 Aug 2021 at 8:56:12 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by mds[52]  
3 Aug 2021 at 8:56:19 AM Brave Browser Helper[2043]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 8:56:19 AM syslogd[24]: ASL Sender Statistics  
3 Aug 2021 at 8:56:30 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by nesessionmanager[1973]  
3 Aug 2021 at 8:57:19 AM Brave Browser Helper[2043]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 8:58:19 AM Brave Browser Helper[2043]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 8:58:22 AM efilogin-helper[2306]: objc[2306]: Class EFILWLogging  
is implemented in both  
/System/Library/PrivateFrameworks/EFILogin.framework/Versions/A/EFILogin and  
/System/Library/PrivateFrameworks/EFILogin.framework/Versions/A/Resources/  
efilogin-helper. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 8:58:22 AM efilogin-helper[2306]: objc[2306]: Class EFILWLogging  
is implemented in both  
/System/Library/PrivateFrameworks/EFILogin.framework/Versions/A/EFILogin  
(0x7fff81ac8f00) and  
/System/Library/PrivateFrameworks/EFILogin.framework/Versions/A/Resources/  
EFIResourceBuilder.bundle/Contents/MacOS/EFIResourceBuilder (0x10cf71078). One  
of the two will be used. Which one is undefined.  
3 Aug 2021 at 8:58:23 AM com.apple.xpc.launchd[1]: Service only ran for 0  
seconds. Pushing respawn out by 1 seconds.  
3 Aug 2021 at 8:58:24 AM efilogin-helper[2308]: objc[2308]: Class EFILWLogging  
is implemented in both  
/System/Library/PrivateFrameworks/EFILogin.framework/Versions/A/EFILogin and  
/System/Library/PrivateFrameworks/EFILogin.framework/Versions/A/Resources/  
efilogin-helper. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 8:58:24 AM efilogin-helper[2308]: objc[2308]: Class EFILWLogging  
is implemented in both  
/System/Library/PrivateFrameworks/EFILogin.framework/Versions/A/EFILogin  
(0x7fff81ac8f00) and  
/System/Library/PrivateFrameworks/EFILogin.framework/Versions/A/Resources/  
EFIResourceBuilder.bundle/Contents/MacOS/EFIResourceBuilder (0x10c8a2078). One  
of the two will be used. Which one is undefined.  
3 Aug 2021 at 8:58:24 AM VTDecoderXPCService[2309]: DEPRECATED USE in

libdispatch client: Changing the target of a source after it has been activated;  
set a breakpoint on \_dispatch\_bug\_deprecated to debug  
3 Aug 2021 at 8:58:24 AM VTDecoderXPService[2309]: DEPRECATED USE in  
libdispatch client: Changing target queue hierarchy after xpc connection was  
activated; set a breakpoint on \_dispatch\_bug\_deprecated to debug  
3 Aug 2021 at 8:58:24 AM VTDecoderXPService[2309]: getattrlist failed for  
/Library/GPUBundles/AppleIntelKBLGraphicsVADriver.bundle/Contents/MacOS/  
AppleIntelKBLGraphicsVADriver: #2: No such file or directory  
3 Aug 2021 at 8:58:24 AM VTDecoderXPService[2309]: getattrlist failed for  
/Library/GPUBundles/AppleIntelCFLGraphicsVAME.bundle/Contents/MacOS/  
AppleIntelCFLGraphicsVAME: #2: No such file or directory  
3 Aug 2021 at 8:58:24 AM VTDecoderXPService[2309]: DEPRECATED USE in  
libdispatch client: Changing the target of a source after it has been activated;  
set a breakpoint on \_dispatch\_bug\_deprecated to debug  
3 Aug 2021 at 8:58:24 AM VTDecoderXPService[2309]: DEPRECATED USE in  
libdispatch client: Changing target queue hierarchy after xpc connection was  
activated; set a breakpoint on \_dispatch\_bug\_deprecated to debug  
3 Aug 2021 at 8:58:31 AM efilogin-helper[2311]: objc[2311]: Class EFILWLogging  
is implemented in both  
/System/Library/PrivateFrameworks/EFILogin.framework/Versions/A/EFILogin and  
/System/Library/PrivateFrameworks/EFILogin.framework/Versions/A/Resources/  
efilogin-helper. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 8:58:32 AM efilogin-helper[2311]: objc[2311]: Class EFILWLogging  
is implemented in both  
/System/Library/PrivateFrameworks/EFILogin.framework/Versions/A/EFILogin  
(0x7fff81ac8f00) and  
/System/Library/PrivateFrameworks/EFILogin.framework/Versions/A/Resources/  
EFIResourceBuilder.bundle/Contents/MacOS/EFIResourceBuilder (0x1037da078). One  
of the two will be used. Which one is undefined.  
3 Aug 2021 at 8:58:32 AM com.apple.xpc.launchd[1]: Service only ran for 0  
seconds. Pushing respawn out by 1 seconds.  
3 Aug 2021 at 8:58:33 AM efilogin-helper[2312]: objc[2312]: Class EFILWLogging  
is implemented in both  
/System/Library/PrivateFrameworks/EFILogin.framework/Versions/A/EFILogin and  
/System/Library/PrivateFrameworks/EFILogin.framework/Versions/A/Resources/  
efilogin-helper. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 8:58:33 AM efilogin-helper[2312]: objc[2312]: Class EFILWLogging  
is implemented in both  
/System/Library/PrivateFrameworks/EFILogin.framework/Versions/A/EFILogin  
(0x7fff81ac8f00) and  
/System/Library/PrivateFrameworks/EFILogin.framework/Versions/A/Resources/  
EFIResourceBuilder.bundle/Contents/MacOS/EFIResourceBuilder (0x107790078). One  
of the two will be used. Which one is undefined.  
3 Aug 2021 at 8:58:33 AM VTDecoderXPService[2313]: DEPRECATED USE in  
libdispatch client: Changing the target of a source after it has been activated;  
set a breakpoint on \_dispatch\_bug\_deprecated to debug  
3 Aug 2021 at 8:58:33 AM VTDecoderXPService[2313]: DEPRECATED USE in  
libdispatch client: Changing target queue hierarchy after xpc connection was  
activated; set a breakpoint on \_dispatch\_bug\_deprecated to debug  
3 Aug 2021 at 8:58:33 AM VTDecoderXPService[2313]: getattrlist failed for  
/Library/GPUBundles/AppleIntelKBLGraphicsVADriver.bundle/Contents/MacOS/  
AppleIntelKBLGraphicsVADriver: #2: No such file or directory  
3 Aug 2021 at 8:58:33 AM VTDecoderXPService[2313]: getattrlist failed for  
/Library/GPUBundles/AppleIntelCFLGraphicsVAME.bundle/Contents/MacOS/  
AppleIntelCFLGraphicsVAME: #2: No such file or directory  
3 Aug 2021 at 8:58:33 AM VTDecoderXPService[2313]: DEPRECATED USE in  
libdispatch client: Changing the target of a source after it has been activated;  
set a breakpoint on \_dispatch\_bug\_deprecated to debug  
3 Aug 2021 at 8:58:33 AM VTDecoderXPService[2313]: DEPRECATED USE in  
libdispatch client: Changing target queue hierarchy after xpc connection was  
activated; set a breakpoint on \_dispatch\_bug\_deprecated to debug  
3 Aug 2021 at 8:58:53 AM com.apple.xpc.launchd[1]: This service is defined to be  
constantly running and is inherently inefficient.  
3 Aug 2021 at 8:58:57 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL





notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:08:07 AM Brave Browser Helper[2405]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:08:07 AM Brave Browser Helper[2405]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:08:07 AM Brave Browser Helper[2405]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:08:14 AM Brave Browser Helper[2405]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:08:14 AM Brave Browser Helper[2405]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:08:14 AM com.apple.xpc.launchd[1]: Coalition Cache Hit:  
app<application.com.apple.DiskImageMounter.1152921500312151949.11529215003121  
51954(501)> [2060]  
3 Aug 2021 at 9:08:19 AM Brave Browser Helper[2043]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:08:22 AM com.apple.xpc.launchd[1]: Endpoint has been activated  
through legacy launch(3) APIs. Please switch to XPC or bootstrap\_check\_in():  
com.apple.quicklookd.xpc  
3 Aug 2021 at 9:08:22 AM com.apple.xpc.launchd[1]: Endpoint has been activated  
through legacy launch(3) APIs. Please switch to XPC or bootstrap\_check\_in():  
com.apple.quicklook  
3 Aug 2021 at 9:08:28 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by mds[52]  
3 Aug 2021 at 9:08:46 AM Brave Browser Helper[2025]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:08:52 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by mds[52]  
3 Aug 2021 at 9:08:52 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by mds[52]  
3 Aug 2021 at 9:08:52 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by mds[52]  
3 Aug 2021 at 9:09:16 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by mds[52]  
3 Aug 2021 at 9:09:19 AM Brave Browser Helper[2043]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:10:19 AM Brave Browser Helper[2043]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:10:41 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by mds[52]  
3 Aug 2021 at 9:10:41 AM Brave Browser Helper[2025]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:10:41 AM Brave Browser Helper[2025]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:10:44 AM com.apple.xpc.launchd[1]: Service exited with abnormal  
code: 1  
3 Aug 2021 at 9:10:56 AM Avira Security[2274]: getattrlist failed for  
/System/Library/Extensions/AppleIntelKBLGraphicsGLDriver.bundle/Contents/MacOS/  
AppleIntelKBLGraphicsGLDriver: #2: No such file or directory  
3 Aug 2021 at 9:10:56 AM Avira Security[2274]: getattrlist failed for  
/System/Library/Frameworks/OpenGL.framework/Resources//GLRendererFloat.bundle/  
GLRendererFloat: #2: No such file or directory  
3 Aug 2021 at 9:11:12 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by Avira Stats[2275]  
3 Aug 2021 at 9:11:19 AM Brave Browser Helper[2043]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:11:22 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by mds[52]  
3 Aug 2021 at 9:11:22 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by mds[52]  
3 Aug 2021 at 9:11:22 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by mds[52]  
3 Aug 2021 at 9:11:56 AM Brave Browser Helper[2025]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835



3 Aug 2021 at 9:12:11 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by mds[52]  
3 Aug 2021 at 9:12:19 AM Brave Browser Helper[2043]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:12:32 AM Brave Browser Helper[2025]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:13:19 AM Brave Browser Helper[2043]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:13:52 AM Brave Browser Helper[2025]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:14:00 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by mds[52]  
3 Aug 2021 at 9:14:00 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by mds[52]  
3 Aug 2021 at 9:14:00 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by mds[52]  
3 Aug 2021 at 9:14:19 AM Brave Browser Helper[2043]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:14:33 AM Brave Browser Helper[2459]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:14:33 AM Brave Browser Helper[2459]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:14:33 AM Brave Browser Helper[2459]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:14:33 AM Brave Browser Helper[2459]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:14:33 AM Brave Browser Helper[2459]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:14:33 AM Brave Browser Helper[2459]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:14:33 AM Brave Browser Helper[2459]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:14:33 AM Brave Browser Helper[2459]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:14:33 AM Brave Browser Helper[2459]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:14:33 AM Brave Browser Helper[2459]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:14:33 AM Brave Browser Helper[2459]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:14:33 AM Brave Browser Helper[2459]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:14:33 AM Brave Browser Helper[2459]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:14:33 AM Brave Browser Helper[2459]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:14:35 AM Brave Browser Helper[2459]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:14:35 AM Brave Browser Helper[2459]: Libnotify:  
notify\_register\_coalesced\_registration failed with code 9 on line 2835  
3 Aug 2021 at 9:14:39 AM com.apple.xpc.launchd[1]: Coalition Cache Hit:  
app<&application.com.apple.DiskImageMounter.1152921500312151949.11529215003121  
51954(501)&gt; [2060]  
3 Aug 2021 at 9:14:48 AM com.apple.xpc.launchd[1]: Endpoint has been activated  
through legacy launch(3) APIs. Please switch to XPC or bootstrap\_check\_in():  
com.apple.quicklookd.xpc  
3 Aug 2021 at 9:14:48 AM com.apple.xpc.launchd[1]: Endpoint has been activated  
through legacy launch(3) APIs. Please switch to XPC or bootstrap\_check\_in():  
com.apple.quicklook  
3 Aug 2021 at 9:15:14 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by mds[52]  
3 Aug 2021 at 9:15:16 AM com.apple.xpc.launchd[1]: Coalition Cache Hit:



| sent by loginwindow[868]  
3 Aug 2021 at 9:16:23 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by loginwindow[868]  
3 Aug 2021 at 9:16:23 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by loginwindow[868]  
3 Aug 2021 at 9:16:23 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by loginwindow[868]  
3 Aug 2021 at 9:16:23 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by loginwindow[868]  
3 Aug 2021 at 9:16:23 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by loginwindow[868]  
3 Aug 2021 at 9:16:23 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by loginwindow[868]  
3 Aug 2021 at 9:16:23 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL  
| sent by loginwindow[868]  
3 Aug 2021 at 9:16:23 AM com.apple.xpc.launchd[1]: Service exited due to SIGTERM  
| sent by loginwindow[868]  
3 Aug 2021 at 9:16:23 AM NotificationCenter[2496]: objc[2496]: Class  
NCCAFenceWrapper is implemented in both  
/System/Library/PrivateFrameworks/NotificationCenterUI.framework/Versions/A/  
NotificationCenterUI and  
/System/Library/CoreServices/NotificationCenter.app/Contents/MacOS/  
NotificationCenter. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:16:23 AM NotificationCenter[2496]: objc[2496]: Class  
NCJSONTransformer is implemented in both  
/System/Library/Frameworks/NotificationCenter.framework/Versions/A/  
NotificationCenter and  
/System/Library/CoreServices/NotificationCenter.app/Contents/MacOS/  
NotificationCenter. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:16:23 AM sessionlogoutd[2497]: DEAD\_PROCESS: 868 console  
3 Aug 2021 at 9:16:24 AM shutdown[2498]: SHUTDOWN\_TIME: 1627953384 40000  
3 Aug 2021 at 9:16:39 AM bootlog[0]: BOOT\_TIME 1627953399 969421  
3 Aug 2021 at 9:16:41 AM syslogd[68]: Configuration Notice:  
ASL Module "com.apple.cdscheduler" claims selected messages.  
Those messages may not appear in standard system log files or in the ASL  
database.  
3 Aug 2021 at 9:16:41 AM syslogd[68]: Configuration Notice:  
ASL Module "com.apple.install" claims selected messages.  
Those messages may not appear in standard system log files or in the ASL  
database.  
3 Aug 2021 at 9:16:41 AM syslogd[68]: Configuration Notice:  
ASL Module "com.apple.authd" sharing output destination "/var/log/asl" with ASL  
Module "com.apple.asl".  
Output parameters from ASL Module "com.apple.asl" override any specified in ASL  
Module "com.apple.authd".  
3 Aug 2021 at 9:16:41 AM syslogd[68]: Configuration Notice:  
ASL Module "com.apple.authd" sharing output destination "/var/log/system.log"  
with ASL Module "com.apple.asl".  
Output parameters from ASL Module "com.apple.asl" override any specified in ASL  
Module "com.apple.authd".  
3 Aug 2021 at 9:16:41 AM syslogd[68]: Configuration Notice:  
ASL Module "com.apple.authd" claims selected messages.  
Those messages may not appear in standard system log files or in the ASL  
database.  
3 Aug 2021 at 9:16:41 AM syslogd[68]: Configuration Notice:  
ASL Module "com.apple.eventmonitor" claims selected messages.  
Those messages may not appear in standard system log files or in the ASL  
database.

3 Aug 2021 at 9:16:41 AM syslogd[68]: Configuration Notice:  
ASL Module "com.apple.mail" claims selected messages.  
Those messages may not appear in standard system log files or in the ASL  
database.

3 Aug 2021 at 9:16:41 AM syslogd[68]: Configuration Notice:  
ASL Module "com.apple.performance" claims selected messages.  
Those messages may not appear in standard system log files or in the ASL  
database.

3 Aug 2021 at 9:16:41 AM syslogd[68]: Configuration Notice:  
ASL Module "com.apple.iokit.power" claims selected messages.  
Those messages may not appear in standard system log files or in the ASL  
database.

3 Aug 2021 at 9:16:41 AM syslogd[68]: Configuration Notice:  
ASL Module "com.apple.contacts.ContactsAutocomplete" claims selected messages.  
Those messages may not appear in standard system log files or in the ASL  
database.

3 Aug 2021 at 9:16:41 AM syslogd[68]: Configuration Notice:  
ASL Module "com.apple.mkb" sharing output destination  
"/private/var/log/keybagd.log" with ASL Module "com.apple.mkb.internal".  
Output parameters from ASL Module "com.apple.mkb.internal" override any  
specified in ASL Module "com.apple.mkb".

3 Aug 2021 at 9:16:41 AM syslogd[68]: Configuration Notice:  
ASL Module "com.apple.mkb" claims selected messages.  
Those messages may not appear in standard system log files or in the ASL  
database.

3 Aug 2021 at 9:16:41 AM syslogd[68]: Configuration Notice:  
ASL Module "com.apple.AddressBookLegacy" claims selected messages.  
Those messages may not appear in standard system log files or in the ASL  
database.

3 Aug 2021 at 9:16:41 AM syslogd[68]: Configuration Notice:  
ASL Module "com.apple.MessageTracer" claims selected messages.  
Those messages may not appear in standard system log files or in the ASL  
database.

3 Aug 2021 at 9:16:41 AM syslogd[68]: Configuration Notice:  
ASL Module "com.apple.clouddocs" claims selected messages.  
Those messages may not appear in standard system log files or in the ASL  
database.

3 Aug 2021 at 9:16:41 AM com.apple.xpc.launchd[1]: launchd logging initialized

3 Aug 2021 at 9:16:41 AM com.apple.xpc.launchd[1]: Doing boot task:  
xpcroleaccountd

3 Aug 2021 at 9:16:41 AM com.apple.xpc.launchd[1]: Doing boot task:  
init\_featureflags

3 Aug 2021 at 9:16:41 AM com.apple.xpc.launchd[1]: Doing boot task:  
EndpointSecurity

3 Aug 2021 at 9:16:41 AM com.apple.xpc.launchd[1]: Doing boot task: rc.server

3 Aug 2021 at 9:16:41 AM com.apple.xpc.launchd[1]: rc.server: optional boot task  
not present

3 Aug 2021 at 9:16:41 AM com.apple.xpc.launchd[1]: Doing boot task: tzinit

3 Aug 2021 at 9:16:41 AM com.apple.xpc.launchd[1]: Doing boot task: dirhelper

3 Aug 2021 at 9:16:41 AM com.apple.xpc.launchd[1]: Doing boot task: rootless-  
init

3 Aug 2021 at 9:16:41 AM com.apple.xpc.launchd[1]: Doing boot task: finish-demo-  
restore

3 Aug 2021 at 9:16:41 AM com.apple.xpc.launchd[1]: finish-demo-restore: optional  
boot task not present

3 Aug 2021 at 9:16:41 AM com.apple.xpc.launchd[1]: Doing boot task: systemstats

3 Aug 2021 at 9:16:41 AM com.apple.xpc.launchd[1]: Doing boot task: prng\_seedctl

3 Aug 2021 at 9:16:41 AM Installer Progress[101]: Progress UI App Starting

3 Aug 2021 at 9:16:41 AM syslogd[68]: ASL Sender Statistics

3 Aug 2021 at 9:16:41 AM com.apple.xpc.launchd[1]: Endpoint has been activated  
through legacy launch(3) APIs. Please switch to XPC or bootstrap\_check\_in():  
com.apple.system.logger

3 Aug 2021 at 9:16:41 AM com.apple.xpc.launchd[1]: Endpoint has been activated  
through legacy launch(3) APIs. Please switch to XPC or bootstrap\_check\_in():

com.apple.bsd.dirhelper  
3 Aug 2021 at 9:16:42 AM syspolicyd[164]: objc[164]: Class StagedBundleData is implemented in both /System/Library/PrivateFrameworks/SystemPolicy.framework/Versions/A/SystemPolicy and /usr/libexec/syspolicyd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:16:42 AM syspolicyd[164]: objc[164]: Class MIS is implemented in both /System/Library/PrivateFrameworks/SystemPolicy.framework/Versions/A/SystemPolicy and /usr/libexec/syspolicyd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:16:42 AM syspolicyd[164]: objc[164]: Class AppWrapper is implemented in both /System/Library/PrivateFrameworks/SystemPolicy.framework/Versions/A/SystemPolicy and /usr/libexec/syspolicyd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:16:42 AM syspolicyd[164]: objc[164]: Class PolicyCacheMeta is implemented in both /System/Library/PrivateFrameworks/SystemPolicy.framework/Versions/A/SystemPolicy and /usr/libexec/syspolicyd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:16:42 AM syspolicyd[164]: objc[164]: Class AppWrapperPolicyResult is implemented in both /System/Library/PrivateFrameworks/SystemPolicy.framework/Versions/A/SystemPolicy and /usr/libexec/syspolicyd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:16:42 AM syspolicyd[164]: objc[164]: Class AppWrapperPolicy is implemented in both /System/Library/PrivateFrameworks/SystemPolicy.framework/Versions/A/SystemPolicy and /usr/libexec/syspolicyd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:16:42 AM syspolicyd[164]: objc[164]: Class ValidationProgress is implemented in both /usr/lib/libmis.dylib and /usr/libexec/syspolicyd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:16:42 AM syspolicyd[164]: objc[164]: Class SLog is implemented in both /System/Library/PrivateFrameworks/SystemPolicy.framework/Versions/A/SystemPolicy and /usr/libexec/syspolicyd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:16:42 AM syspolicyd[164]: objc[164]: Class AKELData is implemented in both /System/Library/PrivateFrameworks/SystemPolicy.framework/Versions/A/SystemPolicy and /usr/libexec/syspolicyd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:16:42 AM syspolicyd[164]: objc[164]: Class PolicyScanTarget is implemented in both /System/Library/PrivateFrameworks/SystemPolicy.framework/Versions/A/SystemPolicy and /usr/libexec/syspolicyd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:16:42 AM syspolicyd[164]: objc[164]: Class BundleData is implemented in both /System/Library/PrivateFrameworks/SystemPolicy.framework/Versions/A/SystemPolicy and /usr/libexec/syspolicyd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:16:42 AM syspolicyd[164]: objc[164]: Class SPMigrationScanner is implemented in both /System/Library/PrivateFrameworks/SystemPolicy.framework/Versions/A/SystemPolicy and /usr/libexec/syspolicyd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:16:42 AM syspolicyd[164]: objc[164]: Class SPExecutionHistoryItem is implemented in both /System/Library/PrivateFrameworks/SystemPolicy.framework/Versions/A/SystemPolicy and /usr/libexec/syspolicyd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:16:43 AM timed[111]: settimeofday({0x610898fb,0x3ea44}) == 0  
3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: entering bootstrap mode

3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Unknown key for dictionary:  
com.apple.xpc.activity  
3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): Interval/int64  
3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): NetworkDownloadSize/int64  
3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): Delay/int64  
3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): RequireNetworkConnectivity/bool  
3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): Priority/string  
3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): Interval/int64  
3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): Delay/int64  
3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): AllowBattery/bool  
3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): Priority/string  
3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Service  
"com.apple.ManagedClient.startup" tried to register for endpoint  
"com.apple.ManagedClient.agent" already registered by owner:  
com.apple.ManagedClient  
3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: This service is defined to be  
constantly running and is inherently inefficient.  
3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Event stream  
com.apple.launchservices.LSObservers is already monitored by com.apple.lsd,  
ignoring  
3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Unknown key for dictionary:  
NoEnvironmentVariables  
3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: exiting bootstrap mode  
3 Aug 2021 at 9:16:43 AM PowerUIAgent[145]: DEPRECATED USE in libdispatch  
client: dispatch source activated with no event handler set; set a breakpoint on  
\_dispatch\_bug\_deprecated to debug  
3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: entering bootstrap mode  
3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Unknown key for dictionary:  
com.apple.xpc.activity  
3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): Interval/int64  
3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): NetworkDownloadSize/int64  
3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): Delay/int64  
3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): RequireNetworkConnectivity/bool  
3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): Priority/string  
3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): Interval/int64  
3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): Delay/int64  
3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): AllowBattery/bool  
3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): Priority/string  
3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: This service is defined to be  
constantly running and is inherently inefficient.  
3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Event stream  
com.apple.launchservices.LSObservers is already monitored by com.apple.lsd,  
ignoring  
3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Unknown key for dictionary:  
NoEnvironmentVariables  
3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: exiting bootstrap mode

3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Service "com.apple.ManagedClient.enroll" tried to register for endpoint "com.apple.ManagedClient.agent" already registered by owner: com.apple.ManagedClient

3 Aug 2021 at 9:16:43 AM findmydeviced[213]: objc[213]: Class LocalizedUnregisterErrorKey is implemented in both /System/Library/PrivateFrameworks/FindMyDevice.framework/Versions/A/FindMyDevice and /usr/libexec/findmydeviced. One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:16:43 AM dasd[120]: assertion failed: 20G80: libsystemstats.dylib + 26570 [B5ABAA73-3084-3C32-BDF2-A2A08E144227]: 0x0

3 Aug 2021 at 9:16:43 AM dasd[120]: assertion failed: 20G80: libsystemstats.dylib + 26570 [B5ABAA73-3084-3C32-BDF2-A2A08E144227]: 0x0

3 Aug 2021 at 9:16:43 AM dasd[120]: assertion failed: 20G80: libsystemstats.dylib + 26570 [B5ABAA73-3084-3C32-BDF2-A2A08E144227]: 0x0

3 Aug 2021 at 9:16:43 AM dasd[120]: assertion failed: 20G80: libsystemstats.dylib + 26570 [B5ABAA73-3084-3C32-BDF2-A2A08E144227]: 0x0

3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Service only ran for 1 seconds. Pushing respawn out by 9 seconds.

3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: entering bootstrap mode

3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Unknown key for dictionary: com.apple.xpc.activity

3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): Interval/int64

3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): NetworkDownloadSize/int64

3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): Delay/int64

3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): RequireNetworkConnectivity/bool

3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): Priority/string

3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): Interval/int64

3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): Delay/int64

3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): AllowBattery/bool

3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): Priority/string

3 Aug 2021 at 9:16:43 AM com.apple.xpc.launchd[1]: This service is defined to be constantly running and is inherently inefficient.

3 Aug 2021 at 9:16:44 AM com.apple.xpc.launchd[1]: Event stream com.apple.launchservices.LSObserver is already monitored by com.apple.lsd, ignoring

3 Aug 2021 at 9:16:44 AM com.apple.xpc.launchd[1]: Unknown key for dictionary: NoEnvironmentVariables

3 Aug 2021 at 9:16:44 AM com.apple.xpc.launchd[1]: exiting bootstrap mode

3 Aug 2021 at 9:16:44 AM com.apple.geod[244]: objc[244]: Class GEOETAProvider is implemented in both /System/Library/PrivateFrameworks/GeoServices.framework/Versions/A/GeoServices and /System/Library/PrivateFrameworks/GeoServices.framework/Versions/A/XPCServices/com.apple.geod.xpc/Contents/MacOS/com.apple.geod. One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:16:44 AM backupd[251]: DEPRECATED USE in libdispatch client: dispatch source activated with no event handler set; set a breakpoint on \_dispatch\_bug\_deprecated to debug

3 Aug 2021 at 9:16:44 AM corekld[254]: objc[254]: Class KDLMobileAsset is implemented in both /System/Library/PrivateFrameworks/CoreKDL.framework/Versions/A/CoreKDL and /System/Library/PrivateFrameworks/CoreKDL.framework/Support/corekld. One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:16:44 AM com.apple.xpc.launchd[1]: entering bootstrap mode

3 Aug 2021 at 9:16:44 AM com.apple.xpc.launchd[1]: com.apple.package-script-

service (lint): JoinExistingSession is only available to Application services.  
3 Aug 2021 at 9:16:44 AM com.apple.xpc.launchd[1]: Unknown key for dictionary:  
com.apple.xpc.activity  
3 Aug 2021 at 9:16:44 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): Interval/int64  
3 Aug 2021 at 9:16:44 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): NetworkDownloadSize/int64  
3 Aug 2021 at 9:16:44 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): Delay/int64  
3 Aug 2021 at 9:16:44 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): RequireNetworkConnectivity/bool  
3 Aug 2021 at 9:16:44 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): Priority/string  
3 Aug 2021 at 9:16:44 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): Interval/int64  
3 Aug 2021 at 9:16:44 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): Delay/int64  
3 Aug 2021 at 9:16:44 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): AllowBattery/bool  
3 Aug 2021 at 9:16:44 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): Priority/string  
3 Aug 2021 at 9:16:44 AM com.apple.xpc.launchd[1]: This service is defined to be  
constantly running and is inherently inefficient.  
3 Aug 2021 at 9:16:44 AM com.apple.xpc.launchd[1]: Event stream  
com.apple.launchservices.LSObserver is already monitored by com.apple.lsd,  
ignoring  
3 Aug 2021 at 9:16:44 AM com.apple.xpc.launchd[1]: Unknown key for dictionary:  
NoEnvironmentVariables  
3 Aug 2021 at 9:16:44 AM com.apple.xpc.launchd[1]: exiting bootstrap mode  
3 Aug 2021 at 9:16:44 AM suhelperd[261]: objc[261]: Class SUReachabilityMonitor  
is implemented in both  
/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/  
SoftwareUpdate and /System/Library/CoreServices/Software  
Update.app/Contents/Resources/suhelperd. One of the two will be used. Which one  
is undefined.  
3 Aug 2021 at 9:16:44 AM suhelperd[261]: objc[261]: Class SUPrinterScan is  
implemented in both  
/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/  
SoftwareUpdate and /System/Library/CoreServices/Software  
Update.app/Contents/Resources/suhelperd. One of the two will be used. Which one  
is undefined.  
3 Aug 2021 at 9:16:44 AM suhelperd[261]: objc[261]: Class SUSignedFlatPkg is  
implemented in both  
/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/  
SoftwareUpdate and /System/Library/CoreServices/Software  
Update.app/Contents/Resources/suhelperd. One of the two will be used. Which one  
is undefined.  
3 Aug 2021 at 9:16:44 AM suhelperd[261]: objc[261]: Class  
SUPowerAssertionManager is implemented in both  
/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/  
SoftwareUpdate and /System/Library/CoreServices/Software  
Update.app/Contents/Resources/suhelperd. One of the two will be used. Which one  
is undefined.  
3 Aug 2021 at 9:16:44 AM suhelperd[261]: objc[261]: Class SUPowerSourceMonitor  
is implemented in both  
/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/  
SoftwareUpdate and /System/Library/CoreServices/Software  
Update.app/Contents/Resources/suhelperd. One of the two will be used. Which one  
is undefined.  
3 Aug 2021 at 9:16:44 AM suhelperd[261]: objc[261]: Class SUURLConnection is  
implemented in both  
/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/  
SoftwareUpdate and /System/Library/CoreServices/Software  
Update.app/Contents/Resources/suhelperd. One of the two will be used. Which one



is undefined.

3 Aug 2021 at 9:16:44 AM suhelperd[261]: objc[261]: Class KeychainMasterHandler is implemented in both /usr/lib/libIASAuthReboot.dylib and /System/Library/CoreServices/Software Update.app/Contents/Resources/suhelperd. One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:16:44 AM com.apple.xpc.launchd[1]: com.apple.package-script-service (lint): JoinExistingSession is only available to Application services.

3 Aug 2021 at 9:16:44 AM fud[89]: objc[89]: Class AMSupportURLConnectionDelegate is implemented in both /usr/lib/libamsupport.dylib and /System/Library/PrivateFrameworks/MobileAccessoryUpdater.framework/Support/fud. One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:16:44 AM fud[89]: objc[89]: Class AMSupportURLSession is implemented in both /usr/lib/libamsupport.dylib and /System/Library/PrivateFrameworks/MobileAccessoryUpdater.framework/Support/fud. One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:16:44 AM com.apple.xpc.launchd[1]: This service is defined to be constantly running and is inherently inefficient.

3 Aug 2021 at 9:16:44 AM com.apple.xpc.launchd[1]: Enabling Probabilistic Guard Malloc for process: com.apple.ManagedClient

3 Aug 2021 at 9:16:45 AM MRT[76]: getatrrlist failed for : #2: No such file or directory

3 Aug 2021 at 9:16:45 AM MRT[76]: getatrrlist failed for : #2: No such file or directory

3 Aug 2021 at 9:16:46 AM mds[97]: objc[97]: Class MDSObjectToken is implemented in both

/System/Library/PrivateFrameworks/SpotlightServerKit.framework/Versions/A/SpotlightServerKit (0x7fff804d77f0) and /System/Library/Frameworks/CoreServices.framework/Versions/A/Frameworks/Metadata.framework/Versions/A/Support/mds (0x1021d7048). One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:16:46 AM mds[97]: objc[97]: Class MDSObjectToken is implemented in both

/System/Library/PrivateFrameworks/SpotlightServerKit.framework/Versions/A/SpotlightServerKit (0x7fff804d77f0) and /System/Library/Frameworks/CoreServices.framework/Versions/A/Frameworks/Metadata.framework/Versions/A/Support/mds (0x1021d7048). One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:16:46 AM mds[97]: objc[97]: Class MDSToken is implemented in both /System/Library/PrivateFrameworks/SpotlightServerKit.framework/Versions/A/SpotlightServerKit (0x7fff804d77a0) and /System/Library/Frameworks/CoreServices.framework/Versions/A/Frameworks/Metadata.framework/Versions/A/Support/mds (0x1021d75e8). One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:16:46 AM mds[97]: objc[97]: Class \_MDSPathFilter is implemented in both /System/Library/PrivateFrameworks/SpotlightIndex.framework/Versions/A/SpotlightIndex (0x7fff804b13a8) and /System/Library/Frameworks/CoreServices.framework/Versions/A/Frameworks/Metadata.framework/Versions/A/Support/mds (0x1021d81a0). One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:16:46 AM mds[97]: objc[97]: Class MDSReadCopyUpdate is implemented in both

/System/Library/PrivateFrameworks/SpotlightServerKit.framework/Versions/A/SpotlightServerKit (0x7fff804d7840) and /System/Library/Frameworks/CoreServices.framework/Versions/A/Frameworks/Metadata.framework/Versions/A/Support/mds (0x1021d8268). One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:16:46 AM mds[97]: objc[97]: Class MDSInternalToken is implemented in both

/System/Library/PrivateFrameworks/SpotlightServerKit.framework/Versions/A/SpotlightServerKit (0x7fff804d7750) and /System/Library/Frameworks/CoreServices.framework/Versions/A/Frameworks/Metadata.framework/Versions/A/Support/mds (0x1021d92a8). One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: entering bootstrap mode

3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: This service is defined to be constantly running and is inherently inefficient.

3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: Unknown key for Boolean: DrainMessagesAfterFailedInit

3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: This service is defined to be constantly running and is inherently inefficient.

3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: com.apple.universalaccessd (lint): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: com.apple.VoiceOver (lint): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: com.apple.accessibility.AXVisualSupportAgent (lint): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: com.apple.AskPermissionUI (lint): UserName is not supported for non-System services.

3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: com.apple.AssistiveControl (lint): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: com.apple.DwellControl (lint): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: com.apple.universalaccesscontrol (lint): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: Unknown key for Boolean: DrainMessagesAfterFailedInit

3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: exiting bootstrap mode

3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: entering bootstrap mode

3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: Unknown key for dictionary: com.apple.xpc.activity

3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): Interval/int64

3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): NetworkDownloadSize/int64

3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): Delay/int64

3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): RequireNetworkConnectivity/bool

3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): Priority/string

3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): Interval/int64

3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): Delay/int64

3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): AllowBattery/bool

3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): Priority/string

3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: This service is defined to be constantly running and is inherently inefficient.

3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: Event stream com.apple.launchservices.LSObserver is already monitored by com.apple.lsd, ignoring

3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: Unknown key for dictionary: NoEnvironmentVariables

3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: exiting bootstrap mode

3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: entering bootstrap mode

3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: Unknown key for dictionary: com.apple.xpc.activity

3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): Interval/int64

3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: Invalid type for event

(event/type): NetworkDownloadSize/int64  
3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): Delay/int64  
3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): RequireNetworkConnectivity/bool  
3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): Priority/string  
3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): Interval/int64  
3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): Delay/int64  
3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): AllowBattery/bool  
3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): Priority/string  
3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: This service is defined to be  
constantly running and is inherently inefficient.  
3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: Event stream  
com.apple.launchservices.LSObservers is already monitored by com.apple.lsd,  
ignoring  
3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: Unknown key for dictionary:  
NoEnvironmentVariables  
3 Aug 2021 at 9:16:46 AM com.apple.xpc.launchd[1]: exiting bootstrap mode  
3 Aug 2021 at 9:16:46 AM WindowServer[138]: DEPRECATED USE in libdispatch  
client: dispatch source activated with no event handler set; set a breakpoint on  
\_dispatch\_bug\_deprecated to debug  
3 Aug 2021 at 9:16:47 AM com.apple.xpc.launchd[1]: entering bootstrap mode  
3 Aug 2021 at 9:16:47 AM com.apple.xpc.launchd[1]: Unknown key for dictionary:  
com.apple.xpc.activity  
3 Aug 2021 at 9:16:47 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): Interval/int64  
3 Aug 2021 at 9:16:47 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): NetworkDownloadSize/int64  
3 Aug 2021 at 9:16:47 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): Delay/int64  
3 Aug 2021 at 9:16:47 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): RequireNetworkConnectivity/bool  
3 Aug 2021 at 9:16:47 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): Priority/string  
3 Aug 2021 at 9:16:47 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): Interval/int64  
3 Aug 2021 at 9:16:47 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): Delay/int64  
3 Aug 2021 at 9:16:47 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): AllowBattery/bool  
3 Aug 2021 at 9:16:47 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): Priority/string  
3 Aug 2021 at 9:16:47 AM com.apple.xpc.launchd[1]: This service is defined to be  
constantly running and is inherently inefficient.  
3 Aug 2021 at 9:16:47 AM com.apple.xpc.launchd[1]: Event stream  
com.apple.launchservices.LSObservers is already monitored by com.apple.lsd,  
ignoring  
3 Aug 2021 at 9:16:47 AM com.apple.xpc.launchd[1]: Unknown key for dictionary:  
NoEnvironmentVariables  
3 Aug 2021 at 9:16:47 AM com.apple.xpc.launchd[1]: exiting bootstrap mode  
3 Aug 2021 at 9:16:47 AM systemstats[77]: DEPRECATED USE in libdispatch client:  
dispatch source activated with no event handler set; set a breakpoint on  
\_dispatch\_bug\_deprecated to debug  
3 Aug 2021 at 9:16:48 AM Installer Progress[101]: 1 Boot windows acquired  
3 Aug 2021 at 9:16:48 AM Installer Progress[101]: Enable display of the  
Cinematic Boot windows  
3 Aug 2021 at 9:16:48 AM com.apple.xpc.launchd[1]: Service only ran for 1  
seconds. Pushing respawn out by 9 seconds.  
3 Aug 2021 at 9:16:48 AM Installer Progress[101]: \_ShowUnmanagedSpace: 1f103:

Showing Unmanaged Space 2

```
3 Aug 2021 at 9:16:48 AM systemstats[77]: assertion failed: 20G80:
libsystemstats.dylib + 26570 [B5ABAA73-3084-3C32-BDF2-A2A08E144227]: 0x0
3 Aug 2021 at 9:16:48 AM systemstats[77]: assertion failed: 20G80:
libsystemstats.dylib + 26570 [B5ABAA73-3084-3C32-BDF2-A2A08E144227]: 0x0
3 Aug 2021 at 9:16:48 AM systemstats[77]: assertion failed: 20G80:
libsystemstats.dylib + 26570 [B5ABAA73-3084-3C32-BDF2-A2A08E144227]: 0x0
3 Aug 2021 at 9:16:48 AM systemstats[77]: assertion failed: 20G80:
libsystemstats.dylib + 26570 [B5ABAA73-3084-3C32-BDF2-A2A08E144227]: 0x0
3 Aug 2021 at 9:16:48 AM systemstats[77]: assertion failed: 20G80:
libsystemstats.dylib + 26570 [B5ABAA73-3084-3C32-BDF2-A2A08E144227]: 0x0
3 Aug 2021 at 9:16:48 AM systemstats[77]: assertion failed: 20G80:
libsystemstats.dylib + 26570 [B5ABAA73-3084-3C32-BDF2-A2A08E144227]: 0x0
3 Aug 2021 at 9:16:48 AM Installer Progress[101]: Hiding the cursor in Progress
UI
3 Aug 2021 at 9:16:48 AM Installer Progress[101]: Configuration is deferred 0
3 Aug 2021 at 9:16:48 AM Installer Progress[101]: IASGetCurrentInstallPhaseList:
Unable to get phases
3 Aug 2021 at 9:16:48 AM Installer Progress[101]: IASGetCurrentInstallPhase:
Unable to get the current phase name
3 Aug 2021 at 9:16:48 AM Installer Progress[101]: Current phase name wasn't
saved, using the first phase in the list, current phase = "(null)"
3 Aug 2021 at 9:16:48 AM Installer Progress[101]: currentPhase = "(null)",
phases = (null)
3 Aug 2021 at 9:16:48 AM Installer Progress[101]: Progress app is loadingâ€š„,Ä¶
3 Aug 2021 at 9:16:48 AM Installer Progress[101]: Progress app is running with
no progress set
3 Aug 2021 at 9:16:48 AM Installer Progress[101]: Progress app is runningâ€š„,Ä¶
3 Aug 2021 at 9:16:48 AM bootinstalld[324]: getattrlist failed for
/System/Volumes/Data/.com.apple.templatemigration.boot-install.plist: #2: No
such file or directory
3 Aug 2021 at 9:16:48 AM loginwindow[141]: Clearing phase info
3 Aug 2021 at 9:16:48 AM loginwindow[141]: calling progress app
remoteObjectProxy
3 Aug 2021 at 9:16:48 AM loginwindow[141]: Creating connection
3 Aug 2021 at 9:16:48 AM loginwindow[141]: Connection = 0x7fae3c247ae0, callers
= (
    "&lt;IASUPCaller: 0x7fae3a731bb0&gt;"
)
3 Aug 2021 at 9:16:48 AM Installer Progress[101]: caller =
/System/Library/CoreServices/loginwindow.app/Contents/MacOS/loginwindow
3 Aug 2021 at 9:16:48 AM Installer Progress[101]: Version 2
3 Aug 2021 at 9:16:48 AM loginwindow[141]: version = 2
3 Aug 2021 at 9:16:48 AM loginwindow[141]: isModernOS = 1
3 Aug 2021 at 9:16:48 AM loginwindow[141]: Add phase named "IOKit Boot",
progress 26.367188, delayInSeconds 0
3 Aug 2021 at 9:16:48 AM Installer Progress[101]: Clearing phase info
3 Aug 2021 at 9:16:48 AM Installer Progress[101]: IASClearInstallProgress:
Clearing Registry
3 Aug 2021 at 9:16:48 AM loginwindow[141]: Add phase named "loginwindow Boot",
progress 73.632812, delayInSeconds -1
3 Aug 2021 at 9:16:48 AM Installer Progress[101]: totalPercentage = 0.000000
3 Aug 2021 at 9:16:48 AM loginwindow[141]: Connection = 0x7fae3c247ae0, callers
= (
    "&lt;IASUPCaller: 0x7fae3a731bb0&gt;",
    "&lt;IASUPCaller: 0x7fae3c248dd0&gt;"
)
3 Aug 2021 at 9:16:48 AM Installer Progress[101]: currentPhase = "(null)",
phases = (
    "&lt;IASPPPhase: 0x6000009d8980: 'IOKit Boot', percentage 26.4, delay 0&gt;"
)
3 Aug 2021 at 9:16:48 AM loginwindow[141]: client 0x7fae3c249060: phaseName =
```

```

"loginwindow Boot", registering connection
3 Aug 2021 at 9:16:48 AM Installer Progress[101]: IASSetCurrentInstallPhaseList:
phases set to (
    {
        ConclusionDelay = 0;
        InstallPhase = "IOKit Boot";
        InstallPhaseActualPercentageKey = "26.36719";
        InstallPhasePercentageKey = 26;
    }
)
3 Aug 2021 at 9:16:48 AM Installer Progress[101]: IASSetCurrentInstallPhase:
Current phase name set to "IOKit Boot"
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: totalPercentage = 26.367188
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: currentPhase = "&lt;IASPPhase:
0x6000009d8980: 'IOKit Boot', percentage 26.4, delay 0&gt;", phases = (
    "&lt;IASPPhase: 0x6000009d8980: 'IOKit Boot', percentage 26.4, delay 0&gt;",
    "&lt;IASPPhase: 0x6000009c1fc0: 'loginwindow Boot', percentage 73.6, delay
-1&gt;"
)
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: IASSetCurrentInstallPhaseList:
phases set to (
    {
        ConclusionDelay = 0;
        InstallPhase = "IOKit Boot";
        InstallPhaseActualPercentageKey = "26.36719";
        InstallPhasePercentageKey = 26;
    },
    {
        ConclusionDelay = "-1";
        InstallPhase = "loginwindow Boot";
        InstallPhaseActualPercentageKey = "73.63281";
        InstallPhasePercentageKey = 74;
    }
)
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: Register process 141,
phaseName loginwindow Boot, uuid 6928F3A3-927A-4DA2-BA7A-C2300DB51DC5
3 Aug 2021 at 9:16:49 AM loginwindow[141]: client 0x7fae3c249060: phaseName =
"loginwindow Boot" was created
3 Aug 2021 at 9:16:49 AM loginwindow[141]: Connection = 0x7fae3c247ae0, callers
= (
    "&lt;IASUPCaller: 0x7fae3a731bb0&gt;",
    "&lt;IASUPCaller: 0x7fae3c248dd0&gt;",
    "&lt;IASUPCaller: 0x7fae3c02ca90&gt;"
)
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: Connected processes {
    "6928F3A3-927A-4DA2-BA7A-C2300DB51DC5" = {
        "Phase Name" = "loginwindow Boot";
        "Process ID" = 141;
        UUID = "6928F3A3-927A-4DA2-BA7A-C2300DB51DC5";
    };
}
3 Aug 2021 at 9:16:49 AM loginwindow[141]: client 0x7fae3c02ca50: phaseName =
"IOKit Boot", registering connection
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: Saving completion handler for
phase loginwindow Boot
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: Connected processes {
    "6928F3A3-927A-4DA2-BA7A-C2300DB51DC5" = {
        CompletionHandlerKey = "&lt;__NSMallocBlock__: 0x600002ad0a50&gt;";
        "Phase Name" = "loginwindow Boot";
        "Process ID" = 141;
        UUID = "6928F3A3-927A-4DA2-BA7A-C2300DB51DC5";
    };
}
3 Aug 2021 at 9:16:49 AM loginwindow[141]: client 0x7fae3c02ca50: phaseName =

```

```
"IOKit Boot" was created
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: Register process 141,
phaseName IOKit Boot, uuid 7A5C244D-CBBF-440A-8540-F3E053FC6C3C
3 Aug 2021 at 9:16:49 AM loginwindow[141]: client 0x7fae3c02ca50: phaseName =
"IOKit Boot", show progress UI called
3 Aug 2021 at 9:16:49 AM loginwindow[141]: ISAP: Show progress UI called
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: Connected processes {
    "6928F3A3-927A-4DA2-BA7A-C2300DB51DC5" = {
        CompletionHandlerKey = "&lt;__NSMallocBlock__: 0x600002ad0a50&gt;";
        "Phase Name" = "loginwindow Boot";
        "Process ID" = 141;
        UUID = "6928F3A3-927A-4DA2-BA7A-C2300DB51DC5";
    };
    "7A5C244D-CBBF-440A-8540-F3E053FC6C3C" = {
        "Phase Name" = "IOKit Boot";
        "Process ID" = 141;
        UUID = "7A5C244D-CBBF-440A-8540-F3E053FC6C3C";
    };
}
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: Saving completion handler for
phase IOKit Boot
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: Connected processes {
    "6928F3A3-927A-4DA2-BA7A-C2300DB51DC5" = {
        CompletionHandlerKey = "&lt;__NSMallocBlock__: 0x600002ad0a50&gt;";
        "Phase Name" = "loginwindow Boot";
        "Process ID" = 141;
        UUID = "6928F3A3-927A-4DA2-BA7A-C2300DB51DC5";
    };
    "7A5C244D-CBBF-440A-8540-F3E053FC6C3C" = {
        CompletionHandlerKey = "&lt;__NSMallocBlock__: 0x600002ac9540&gt;";
        "Phase Name" = "IOKit Boot";
        "Process ID" = 141;
        UUID = "7A5C244D-CBBF-440A-8540-F3E053FC6C3C";
    };
}
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: Progress Updated: currentPhase
= "IOKit Boot", phase progress = 100.000, total progress = 26.367
3 Aug 2021 at 9:16:49 AM loginwindow[141]: client 0x7fae3c02ca50: phaseName =
"IOKit Boot" is done
3 Aug 2021 at 9:16:49 AM loginwindow[141]: ISAP: Done with Phase "IOKit Boot"
3 Aug 2021 at 9:16:49 AM loginwindow[141]: client 0x7fae3c02ca50: phaseName =
"IOKit Boot" is being released
3 Aug 2021 at 9:16:49 AM loginwindow[141]: Releasing Connection
3 Aug 2021 at 9:16:49 AM loginwindow[141]: client 0x7fae3c249060: handler =
0x7ffee79b42c8
3 Aug 2021 at 9:16:49 AM com.apple.xpc.launchd[1]: com.apple.package-script-
service (lint): JoinExistingSession is only available to Application services.
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: IASGetCurrentInstallPhaseList:
phases = (
    {
        ConclusionDelay = 0;
        InstallPhase = "IOKit Boot";
        InstallPhaseActualPercentageKey = "26.3671875";
        InstallPhasePercentageKey = 26;
    },
    {
        ConclusionDelay = "-1";
        InstallPhase = "loginwindow Boot";
        InstallPhaseActualPercentageKey = "73.6328125";
        InstallPhasePercentageKey = 74;
    }
)
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: IASGetCurrentInstallPhase:
Current phase name is "IOKit Boot"
```

```
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: Advance to phase named =
"IOKit Boot"
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: currentPhase = "&lt;IASPPhase:
0x6000009de800: 'IOKit Boot', percentage 26.4, delay 0&gt;", phases = (
    "&lt;IASPPhase: 0x6000009de800: 'IOKit Boot', percentage 26.4, delay 0&gt;",
    "&lt;IASPPhase: 0x6000009de760: 'loginwindow Boot', percentage 73.6, delay
-1&gt;"
)
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: Showing Progress UI
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: HotKeys disabled
3 Aug 2021 at 9:16:49 AM Installer Progress[101]:
_LSSetMetaApplicationInformationItem add to frontmost list success
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: Showing the windows
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: There are 0 window(s) and 1
display(s), 1 window(s) will be added
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: Created a window at {{0, 0},
{1440, 900}}
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: Adding Apple Logo
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: Apple logo view created
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: Status is ""
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: Alternate status is ""
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: IASPIsUsingFileVault NO
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: IASPGetBootMode Standard
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: no background for progress
added because:
3 Aug 2021 at 9:16:49 AM Installer Progress[101]:          and / or NOT booting
from EFI loginwindow
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: Setting window alpha values to
1.0
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: Ordering windows front
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: Created CG Shield Window
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: Enable the display of progress
windows
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: Using AppKit display change
notification
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: Done with phase = "IOKit Boot"
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: Progress Updated: currentPhase
= "IOKit Boot", phase progress = 100.000, total progress = 26.367
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: IASSetCurrentInstallPhase:
Current phase name set to "loginwindow Boot"
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: Saving completion handler for
phase IOKit Boot
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: Connected processes {
    "6928F3A3-927A-4DA2-BA7A-C2300DB51DC5" = {
        CompletionHandlerKey = "&lt;__NSMallocBlock__: 0x600002ad0a50&gt;";
        "Phase Name" = "loginwindow Boot";
        "Process ID" = 141;
        UUID = "6928F3A3-927A-4DA2-BA7A-C2300DB51DC5";
    };
    "7A5C244D-CBBF-440A-8540-F3E053FC6C3C" = {
        CompletionHandlerKey = "&lt;__NSMallocBlock__: 0x600002ad0af0&gt;";
        "Phase Name" = "IOKit Boot";
        "Process ID" = 141;
        UUID = "7A5C244D-CBBF-440A-8540-F3E053FC6C3C";
    };
}
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: Unregister process 141,
phaseName IOKit Boot, uuid 7A5C244D-CBBF-440A-8540-F3E053FC6C3C
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: Connected processes {
    "6928F3A3-927A-4DA2-BA7A-C2300DB51DC5" = {
        CompletionHandlerKey = "&lt;__NSMallocBlock__: 0x600002ad0a50&gt;";
        "Phase Name" = "loginwindow Boot";
        "Process ID" = 141;
        UUID = "6928F3A3-927A-4DA2-BA7A-C2300DB51DC5";
```

```
};
}
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: Progress Updated: currentPhase
= "loginwindow Boot", phase progress = 10.000, total progress = 33.730
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: Progress Updated: currentPhase
= "loginwindow Boot", phase progress = 25.000, total progress = 44.775
3 Aug 2021 at 9:16:49 AM Installer Progress[101]: Releasing the boot windows
3 Aug 2021 at 9:16:49 AM akd[334]: objc[334]: Class
AKCarrierBundlePhoneCertificate is implemented in both
/System/Library/PrivateFrameworks/AuthKit.framework/Versions/A/AuthKit and
/System/Library/PrivateFrameworks/AuthKit.framework/Versions/A/Support/akd. One
of the two will be used. Which one is undefined.
3 Aug 2021 at 9:16:49 AM akd[334]: objc[334]: Class AKCarrierBundleUtilities is
implemented in both
/System/Library/PrivateFrameworks/AuthKit.framework/Versions/A/AuthKit and
/System/Library/PrivateFrameworks/AuthKit.framework/Versions/A/Support/akd. One
of the two will be used. Which one is undefined.
3 Aug 2021 at 9:16:49 AM com.apple.xpc.launchd[1]: Path not allowed in target
domain: type = uid, path =
/System/Library/Frameworks/MediaAccessibility.framework/Versions/A/XPCServices/
com.apple.accessibility.mediaaccessibilityd.xpc error = 1: Operation not
permitted, origin =
/System/Library/Frameworks/Security.framework/Versions/A/MachServices/
SecurityAgent.bundle
3 Aug 2021 at 9:16:49 AM com.apple.xpc.launchd[1]: Path not allowed in target
domain: type = uid, path =
/System/Library/PrivateFrameworks/GeoServices.framework/Versions/A/XPCServices/
com.apple.geod.xpc error = 1: Operation not permitted, origin =
/System/Library/Frameworks/Security.framework/Versions/A/MachServices/
SecurityAgent.bundle
3 Aug 2021 at 9:16:49 AM com.apple.xpc.launchd[1]: Path not allowed in target
domain: type = uid, path =
/System/Library/PrivateFrameworks/ViewBridge.framework/Versions/A/XPCServices/
ViewBridgeAuxiliary.xpc error = 1: Operation not permitted, origin =
/System/Library/Frameworks/Security.framework/Versions/A/MachServices/
SecurityAgent.bundle
3 Aug 2021 at 9:16:49 AM com.apple.xpc.launchd[1]: Path not allowed in target
domain: type = uid, path =
/System/Library/Frameworks/CoreServices.framework/Versions/A/Frameworks/
DictionaryServices.framework/Versions/A/XPCServices/
com.apple.DictionaryServiceHelper.xpc error = 1: Operation not permitted, origin
= /System/Library/Frameworks/Security.framework/Versions/A/MachServices/
SecurityAgent.bundle
3 Aug 2021 at 9:16:49 AM com.apple.xpc.launchd[1]: Path not allowed in target
domain: type = uid, path =
/System/Library/PrivateFrameworks/SpeechRecognitionCore.framework/Versions/A/
XPCServices/com.apple.SpeechRecognitionCore.brokerd.xpc error = 1: Operation not
permitted, origin =
/System/Library/Frameworks/Security.framework/Versions/A/MachServices/
SecurityAgent.bundle
3 Aug 2021 at 9:16:49 AM com.apple.xpc.launchd[1]: Path not allowed in target
domain: type = uid, path =
/System/Library/Frameworks/Security.framework/Versions/A/XPCServices/
TrustedPeersHelper.xpc error = 1: Operation not permitted, origin =
/System/Library/Frameworks/Security.framework/Versions/A/MachServices/
SecurityAgent.bundle
3 Aug 2021 at 9:16:49 AM com.apple.xpc.launchd[1]: Path not allowed in target
domain: type = uid, path =
/System/Library/Frameworks/AppKit.framework/Versions/C/XPCServices/
ColorSampler.xpc error = 1: Operation not permitted, origin =
/System/Library/Frameworks/Security.framework/Versions/A/MachServices/
SecurityAgent.bundle
3 Aug 2021 at 9:16:49 AM com.apple.xpc.launchd[1]: Path not allowed in target
domain: type = uid, path =
```



```
/System/Library/Frameworks/ApplicationServices.framework/Versions/A/Frameworks/
HIServices.framework/Versions/A/XPCServices/com.apple.hiservices-xpcservice.xpc
error = 1: Operation not permitted, origin =
/System/Library/Frameworks/Security.framework/Versions/A/MachServices/
SecurityAgent.bundle
3 Aug 2021 at 9:16:49 AM com.apple.xpc.launchd[1]: Path not allowed in target
domain: type = uid, path =
/System/Library/Frameworks/IOKit.framework/Versions/A/XPCServices/
IOServiceAuthorizeAgent.xpc error = 1: Operation not permitted, origin =
/System/Library/Frameworks/Security.framework/Versions/A/MachServices/
SecurityAgent.bundle
3 Aug 2021 at 9:16:49 AM com.apple.xpc.launchd[1]: Path not allowed in target
domain: type = uid, path =
/System/Library/Frameworks/Security.framework/Versions/A/XPCServices/
XPCKeychainSandboxCheck.xpc error = 1: Operation not permitted, origin =
/System/Library/Frameworks/Security.framework/Versions/A/MachServices/
SecurityAgent.bundle
3 Aug 2021 at 9:16:49 AM com.apple.xpc.launchd[1]: Path not allowed in target
domain: type = uid, path =
/System/Library/Frameworks/Security.framework/Versions/A/XPCServices/
XPCTimeStampingService.xpc error = 1: Operation not permitted, origin =
/System/Library/Frameworks/Security.framework/Versions/A/MachServices/
SecurityAgent.bundle
3 Aug 2021 at 9:16:49 AM com.apple.xpc.launchd[1]: entering bootstrap mode
3 Aug 2021 at 9:16:49 AM com.apple.xpc.launchd[1]: Unknown key for dictionary:
com.apple.xpc.activity
3 Aug 2021 at 9:16:49 AM com.apple.xpc.launchd[1]: Invalid type for event
(event/type): Interval/int64
3 Aug 2021 at 9:16:49 AM com.apple.xpc.launchd[1]: Invalid type for event
(event/type): NetworkDownloadSize/int64
3 Aug 2021 at 9:16:49 AM com.apple.xpc.launchd[1]: Invalid type for event
(event/type): Delay/int64
3 Aug 2021 at 9:16:49 AM com.apple.xpc.launchd[1]: Invalid type for event
(event/type): RequireNetworkConnectivity/bool
3 Aug 2021 at 9:16:49 AM com.apple.xpc.launchd[1]: Invalid type for event
(event/type): Priority/string
3 Aug 2021 at 9:16:49 AM com.apple.xpc.launchd[1]: Invalid type for event
(event/type): Interval/int64
3 Aug 2021 at 9:16:49 AM com.apple.xpc.launchd[1]: Invalid type for event
(event/type): Delay/int64
3 Aug 2021 at 9:16:49 AM com.apple.xpc.launchd[1]: Invalid type for event
(event/type): AllowBattery/bool
3 Aug 2021 at 9:16:49 AM com.apple.xpc.launchd[1]: Invalid type for event
(event/type): Priority/string
3 Aug 2021 at 9:16:49 AM com.apple.xpc.launchd[1]: This service is defined to be
constantly running and is inherently inefficient.
3 Aug 2021 at 9:16:49 AM com.apple.xpc.launchd[1]: Event stream
com.apple.launchservices.LSObserver is already monitored by com.apple.lsd,
ignoring
3 Aug 2021 at 9:16:49 AM com.apple.xpc.launchd[1]: Unknown key for dictionary:
NoEnvironmentVariables
3 Aug 2021 at 9:16:49 AM com.apple.xpc.launchd[1]: exiting bootstrap mode
3 Aug 2021 at 9:16:49 AM VTDecoderXPCService[337]: DEPRECATED USE in libdispatch
client: Changing the target of a source after it has been activated; set a
breakpoint on _dispatch_bug_deprecated to debug
3 Aug 2021 at 9:16:49 AM VTDecoderXPCService[337]: DEPRECATED USE in libdispatch
client: Changing target queue hierarchy after xpc connection was activated; set
a breakpoint on _dispatch_bug_deprecated to debug
3 Aug 2021 at 9:16:49 AM VTDecoderXPCService[337]: getattrlist failed for
/Library/GPUBundles/AppleIntelKBLGraphicsVADriver.bundle/Contents/MacOS/
AppleIntelKBLGraphicsVADriver: #2: No such file or directory
3 Aug 2021 at 9:16:49 AM VTDecoderXPCService[337]: getattrlist failed for
/Library/GPUBundles/AppleIntelCFLGraphicsVAME.bundle/Contents/MacOS/
AppleIntelCFLGraphicsVAME: #2: No such file or directory
```

3 Aug 2021 at 9:16:49 AM VTDecoderXPService[337]: DEPRECATED USE in libdispatch client: Changing the target of a source after it has been activated; set a breakpoint on \_dispatch\_bug\_deprecated to debug

3 Aug 2021 at 9:16:49 AM VTDecoderXPService[337]: DEPRECATED USE in libdispatch client: Changing target queue hierarchy after xpc connection was activated; set a breakpoint on \_dispatch\_bug\_deprecated to debug

3 Aug 2021 at 9:16:50 AM coreauthd[342]: objc[342]: Class OwnerInfo is implemented in both  
/System/Library/Frameworks/LocalAuthentication.framework/Support/coreauthd (0x10336aa60) and  
/System/Library/Frameworks/LocalAuthentication.framework/Support/ModulePlugins/ModuleACM.bundle/Contents/MacOS/ModuleACM (0x103408ed8). One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:16:50 AM coreauthd[342]: objc[342]: Class OwnerInfos is implemented in both  
/System/Library/Frameworks/LocalAuthentication.framework/Support/coreauthd (0x10336aab0) and  
/System/Library/Frameworks/LocalAuthentication.framework/Support/ModulePlugins/ModuleACM.bundle/Contents/MacOS/ModuleACM (0x103408f28). One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:16:50 AM loginwindow[141]: client 0x7fae3c249060: phaseName = "loginwindow Boot" is done

3 Aug 2021 at 9:16:50 AM loginwindow[141]: ISAP: Done with Phase "loginwindow Boot"

3 Aug 2021 at 9:16:50 AM Installer Progress[101]: Progress Updated: currentPhase = "loginwindow Boot", phase progress = 100.000, total progress = 100.000

3 Aug 2021 at 9:16:50 AM Installer Progress[101]: Done with phase = "loginwindow Boot"

3 Aug 2021 at 9:16:50 AM Installer Progress[101]: Progress Updated: currentPhase = "loginwindow Boot", phase progress = 100.000, total progress = 100.000

3 Aug 2021 at 9:16:50 AM Installer Progress[101]: IASCclearInstallProgress: Clearing Registry

3 Aug 2021 at 9:16:51 AM Installer Progress[101]: Calling animation completion handler

3 Aug 2021 at 9:16:51 AM Installer Progress[101]: Progress complete, notifying registered clients

3 Aug 2021 at 9:16:51 AM Installer Progress[101]: Calling completion handler for phase "loginwindow Boot"

3 Aug 2021 at 9:16:51 AM loginwindow[141]: Calling completion handler for 0x7fae3c249060

3 Aug 2021 at 9:16:51 AM loginwindow[141]: client 0x7fae3c249060: phaseName = "loginwindow Boot", hide progress UI called

3 Aug 2021 at 9:16:51 AM loginwindow[141]: ISAP: hide progress UI called

3 Aug 2021 at 9:16:51 AM loginwindow[141]: client 0x7fae3c249060: phaseName = "loginwindow Boot" is being released

3 Aug 2021 at 9:16:51 AM Installer Progress[101]: Hiding Progress UI

3 Aug 2021 at 9:16:51 AM loginwindow[141]: Releasing Connection

3 Aug 2021 at 9:16:51 AM Installer Progress[101]: Showing the cursor in Progress UI

3 Aug 2021 at 9:16:51 AM Installer Progress[101]: GUI session is not logged in

3 Aug 2021 at 9:16:51 AM Installer Progress[101]: Setting window alpha values to 0.0

3 Aug 2021 at 9:16:51 AM Installer Progress[101]: Ordering windows out

3 Aug 2021 at 9:16:51 AM Installer Progress[101]:  
\_LSSetMetaApplicationInformationItem remove from frontmost list success

3 Aug 2021 at 9:16:51 AM Installer Progress[101]: HotKeys enabled

3 Aug 2021 at 9:16:51 AM Installer Progress[101]: Start quit timer, will attempt to quit in 5 second(s) at 9:16:56 AM

3 Aug 2021 at 9:16:51 AM Installer Progress[101]: Saving completion handler for phase loginwindow Boot

3 Aug 2021 at 9:16:51 AM Installer Progress[101]: Connected processes {  
"6928F3A3-927A-4DA2-BA7A-C2300DB51DC5" = {  
CompletionHandlerKey = "&lt;\_\_NSMallocBlock\_\_: 0x600002ad8a00&gt;";  
"Phase Name" = "loginwindow Boot";

```
"Process ID" = 141;
  UUID = "6928F3A3-927A-4DA2-BA7A-C2300DB51DC5";
};
}
3 Aug 2021 at 9:16:51 AM Installer Progress[101]: Unregister process 141,
phaseName loginwindow Boot, uuid 6928F3A3-927A-4DA2-BA7A-C2300DB51DC5
3 Aug 2021 at 9:16:51 AM Installer Progress[101]: Connected processes {
}
3 Aug 2021 at 9:16:51 AM Installer Progress[101]: Start quit timer, will attempt
to quit in 5 second(s) at 9:16:56 AM
3 Aug 2021 at 9:16:52 AM com.apple.xpc.launchd[1]: entering bootstrap mode
3 Aug 2021 at 9:16:52 AM com.apple.xpc.launchd[1]: Unknown key for dictionary:
com.apple.xpc.activity
3 Aug 2021 at 9:16:52 AM com.apple.xpc.launchd[1]: Invalid type for event
(event/type): Interval/int64
3 Aug 2021 at 9:16:52 AM com.apple.xpc.launchd[1]: Invalid type for event
(event/type): NetworkDownloadSize/int64
3 Aug 2021 at 9:16:52 AM com.apple.xpc.launchd[1]: Invalid type for event
(event/type): Delay/int64
3 Aug 2021 at 9:16:52 AM com.apple.xpc.launchd[1]: Invalid type for event
(event/type): RequireNetworkConnectivity/bool
3 Aug 2021 at 9:16:52 AM com.apple.xpc.launchd[1]: Invalid type for event
(event/type): Priority/string
3 Aug 2021 at 9:16:52 AM com.apple.xpc.launchd[1]: Invalid type for event
(event/type): Interval/int64
3 Aug 2021 at 9:16:52 AM com.apple.xpc.launchd[1]: Invalid type for event
(event/type): Delay/int64
3 Aug 2021 at 9:16:52 AM com.apple.xpc.launchd[1]: Invalid type for event
(event/type): AllowBattery/bool
3 Aug 2021 at 9:16:52 AM com.apple.xpc.launchd[1]: Invalid type for event
(event/type): Priority/string
3 Aug 2021 at 9:16:52 AM com.apple.xpc.launchd[1]: This service is defined to be
constantly running and is inherently inefficient.
3 Aug 2021 at 9:16:52 AM com.apple.xpc.launchd[1]: Event stream
com.apple.launchservices.LSObservers is already monitored by com.apple.lsd,
ignoring
3 Aug 2021 at 9:16:52 AM com.apple.xpc.launchd[1]: Unknown key for dictionary:
NoEnvironmentVariables
3 Aug 2021 at 9:16:52 AM com.apple.xpc.launchd[1]: exiting bootstrap mode
3 Aug 2021 at 9:16:52 AM Installer Progress[101]: Order Out CG Shield Window
3 Aug 2021 at 9:16:52 AM wifiFirmwareLoader[354]: sandbox initialization failed:
wifiFirmwareLoader: profile not found
3 Aug 2021 at 9:16:56 AM Installer Progress[101]: Quitting because there are no
phases. There are no connected processes. The UI is not showing.
3 Aug 2021 at 9:16:56 AM Installer Progress[101]: Quitting Progress App
3 Aug 2021 at 9:16:56 AM Installer Progress[101]: Showing the cursor in Progress
UI
3 Aug 2021 at 9:16:56 AM Installer Progress[101]: GUI session is not logged in
3 Aug 2021 at 9:16:56 AM Installer Progress[101]: Setting window alpha values to
0.0
3 Aug 2021 at 9:16:56 AM Installer Progress[101]: Ordering windows out
3 Aug 2021 at 9:16:56 AM Installer Progress[101]: Showing the cursor in Progress
UI
3 Aug 2021 at 9:16:56 AM loginwindow[141]: The connection was interrupted,
calling interruption handlers
3 Aug 2021 at 9:17:11 AM com.apple.xpc.launchd[1]: Probabilistic Guard Malloc-
enabled process exited: com.apple.ManagedClient
3 Aug 2021 at 9:17:49 AM loginwindow[141]: There is still an active connection
3 Aug 2021 at 9:17:51 AM loginwindow[141]: There is still an active connection
3 Aug 2021 at 9:18:40 AM mdsync[358]: objc[358]: Class MDSPathFilter is
implemented in both
/System/Library/Frameworks/CoreServices.framework/Versions/A/Frameworks/
Metadata.framework/Versions/A/Metadata and
/System/Library/Frameworks/CoreServices.framework/Versions/A/Frameworks/
```

Metadata.framework/Versions/A/Support/mdsync. One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:18:40 AM com.apple.xpc.launchd[1]: entering bootstrap mode

3 Aug 2021 at 9:18:40 AM com.apple.xpc.launchd[1]: Unknown key for dictionary: com.apple.xpc.activity

3 Aug 2021 at 9:18:40 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): Interval/int64

3 Aug 2021 at 9:18:40 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): NetworkDownloadSize/int64

3 Aug 2021 at 9:18:40 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): Delay/int64

3 Aug 2021 at 9:18:40 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): RequireNetworkConnectivity/bool

3 Aug 2021 at 9:18:40 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): Priority/string

3 Aug 2021 at 9:18:40 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): Interval/int64

3 Aug 2021 at 9:18:40 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): Delay/int64

3 Aug 2021 at 9:18:40 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): AllowBattery/bool

3 Aug 2021 at 9:18:40 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): Priority/string

3 Aug 2021 at 9:18:40 AM com.apple.xpc.launchd[1]: This service is defined to be constantly running and is inherently inefficient.

3 Aug 2021 at 9:18:40 AM com.apple.xpc.launchd[1]: Event stream com.apple.launchservices.LSObserver is already monitored by com.apple.lsd, ignoring

3 Aug 2021 at 9:18:40 AM com.apple.xpc.launchd[1]: Unknown key for dictionary: NoEnvironmentVariables

3 Aug 2021 at 9:18:40 AM com.apple.xpc.launchd[1]: exiting bootstrap mode

3 Aug 2021 at 9:18:41 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL | sent by mds[97]

3 Aug 2021 at 9:18:41 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL | sent by mds[97]

3 Aug 2021 at 9:18:41 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL | sent by mds[97]

3 Aug 2021 at 9:18:41 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL | sent by mds[97]

3 Aug 2021 at 9:18:41 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL | sent by mds[97]

3 Aug 2021 at 9:18:41 AM secld[380]: objc[380]: Class CTKClientSEP\_SEParameters is implemented in both /System/Library/Frameworks/Security.framework/Versions/A/Security and /usr/libexec/secld. One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:18:41 AM secld[380]: objc[380]: Class CTKClientSEP\_SEKey is implemented in both /System/Library/Frameworks/Security.framework/Versions/A/Security and /usr/libexec/secld. One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:18:41 AM secld[380]: objc[380]: Class CTKClientSEP\_TKDataSource is implemented in both /System/Library/Frameworks/Security.framework/Versions/A/Security and /usr/libexec/secld. One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:18:41 AM secld[380]: objc[380]: Class CTKClientSEP\_TKTLVRecord is implemented in both /System/Library/Frameworks/Security.framework/Versions/A/Security and /usr/libexec/secld. One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:18:41 AM secld[380]: objc[380]: Class CTKClientSEP\_TKBERTLVRecord is implemented in both /System/Library/Frameworks/Security.framework/Versions/A/Security and /usr/libexec/secld. One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:18:41 AM secld[380]: objc[380]: Class CTKClientSEP\_TKSimpleTLVRecord is implemented in both /System/Library/Frameworks/Security.framework/Versions/A/Security and





architectural performance issue. Please transition away from it.  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]:  
com.apple.notificationcenterui.agent (lint): The HideUntilCheckIn property is an  
architectural performance issue. Please transition away from it.  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]:  
com.apple.notificationcenterui.agent (lint): The HideUntilCheckIn property is an  
architectural performance issue. Please transition away from it.  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: This service is defined to be  
constantly running and is inherently inefficient.  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: This service is defined to be  
constantly running and is inherently inefficient.  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: com.apple.Dock.agent (lint):  
The HideUntilCheckIn property is an architectural performance issue. Please  
transition away from it.  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: com.apple.Dock.agent (lint):  
The HideUntilCheckIn property is an architectural performance issue. Please  
transition away from it.  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: com.apple.Dock.agent (lint):  
The HideUntilCheckIn property is an architectural performance issue. Please  
transition away from it.  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: com.apple.Dock.agent (lint):  
The HideUntilCheckIn property is an architectural performance issue. Please  
transition away from it.  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: com.apple.Dock.agent (lint):  
The HideUntilCheckIn property is an architectural performance issue. Please  
transition away from it.  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: com.apple.Dock.agent (lint):  
The HideUntilCheckIn property is an architectural performance issue. Please  
transition away from it.  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: com.apple.Dock.agent (lint):  
The HideUntilCheckIn property is an architectural performance issue. Please  
transition away from it.  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: com.apple.Dock.agent (lint):  
The HideUntilCheckIn property is an architectural performance issue. Please  
transition away from it.  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: com.apple.Dock.agent (lint):  
The HideUntilCheckIn property is an architectural performance issue. Please  
transition away from it.  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: com.apple.Dock.agent (lint):  
The HideUntilCheckIn property is an architectural performance issue. Please  
transition away from it.  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: com.apple.Dock.agent (lint):  
The HideUntilCheckIn property is an architectural performance issue. Please  
transition away from it.  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: com.apple.Dock.agent (lint):  
The HideUntilCheckIn property is an architectural performance issue. Please  
transition away from it.  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: com.apple.Dock.agent (lint):  
The HideUntilCheckIn property is an architectural performance issue. Please  
transition away from it.  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: com.apple.Dock.agent (lint):  
The HideUntilCheckIn property is an architectural performance issue. Please  
transition away from it.  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: Could not import service from  
caller: path = /System/Library/LaunchAgents/com.apple.eospreflightagent.plist,  
caller = loginwindow.141, error = 138: Service cannot be loaded on this hardware  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: com.apple.universalaccessd  
(lint): The HideUntilCheckIn property is an architectural performance issue.  
Please transition away from it.  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: com.apple.VoiceOver (lint):  
The HideUntilCheckIn property is an architectural performance issue. Please  
transition away from it.  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: com.apple.TextInputSwitcher  
(lint): The HideUntilCheckIn property is an architectural performance issue.  
Please transition away from it.  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]:  
com.apple.accessibility.AXVisualSupportAgent (lint): The HideUntilCheckIn  
property is an architectural performance issue. Please transition away from it.  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: Caller tried to import  
service with same label as an existing service: path =  
/System/Library/LaunchAgents/com.apple.ctkd.plist, caller = loginwindow.141  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: com.apple.ReportCrash (lint):  
Unrecognized MachService property: DrainMessagesOnCrash

3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: com.apple.AskPermissionUI (lint): UserName is not supported for non-System services.

3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: com.apple.AssistiveControl (lint): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: Unknown key for string: RunLoopType

3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: com.apple.TextInputMenuAgent (lint): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: Unmanaged endpoint "com.apple.tsm.uiserver" was canceled to transfer the ownership to: com.apple.TextInputMenuAgent

3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: Caller tried to import service with same label as an existing service: path = /System/Library/LaunchAgents/com.apple.trustd.agent.plist, caller = loginwindow.141

3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: Could not import service from caller: path = /System/Library/LaunchAgents/com.apple.MemorySlotNotification.plist, caller = loginwindow.141, error = 138: Service cannot be loaded on this hardware

3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: This service is defined to be constantly running and is inherently inefficient.

3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: com.apple.corespeechd (lint): EnablePressuredExit is not compatible with KeepAlive=true. Ignoring EnablePressuredExit.

3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: This service is defined to be constantly running and is inherently inefficient.

3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: Unknown key for Boolean: PowerNap

3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: com.apple.remindd (lint): Invalid type for a LaunchEvent stream, should be a dictionary (stream/type): com.apple.alarm/bool

3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: com.apple.warmd\_agent (lint): Assuming EnablePressuredExit=false given EnableTransactions=false.

3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: Could not import service from caller: path = /System/Library/LaunchAgents/com.apple.ExpansionSlotNotification.plist, caller = loginwindow.141, error = 138: Service cannot be loaded on this hardware

3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: com.apple.DwellControl (lint): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): com.apple.icloud.searchpartyd.fetchServerConfiguration/array

3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: The ServiceIPC key is no longer respected. Please remove it.

3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: com.apple.universalaccesscontrol (lint): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: This service is defined to be constantly running and is inherently inefficient.

3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: Event stream com.apple.remotemanagement.configs is already monitored by com.apple.remotemanagementd, ignoring

3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: Unknown key for dictionary: NoEnvironmentVariables

3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: com.apple.midiserver (lint): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: com.apple.amsengagementd (lint): UserName is not supported for non-System services.

3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: com.apple.SystemUIServer.agent (lint): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.



3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]:  
com.apple.SystemUIServer.agent (lint): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]:  
com.apple.SystemUIServer.agent (lint): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]:  
com.apple.SystemUIServer.agent (lint): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]:  
com.apple.SystemUIServer.agent (lint): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: Caller tried to import service with same label as an existing service: path = /System/Library/LaunchAgents/com.apple.CoreAuthentication.agent.plist, caller = loginwindow.141  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: Unknown key for Boolean: DrainMessagesAfterFailedInit  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: Unknown key for Boolean: com.apple.private.security.no-sandbox  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: Unknown key for dictionary: UNUserNotificationCenter  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: com.apple.replayd (lint): UserName is not supported for non-System services.  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: com.apple.replayd (lint): GroupName is not supported for non-System services.  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: Unknown key for Boolean: \_AdjustProgramPath  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: This service is defined to be constantly running and is inherently inefficient.  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: This service is defined to be constantly running and is inherently inefficient.  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: Failed to bootstrap path: path = /System/Library/LaunchAgents/com.apple.CoreAuthentication.agent.plist, error = 17: File exists  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: Failed to bootstrap path: path = /System/Library/LaunchAgents/com.apple.MemorySlotNotification.plist, error = 138: Service cannot be loaded on this hardware  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: Failed to bootstrap path: path = /System/Library/LaunchAgents/com.apple.trustd.agent.plist, error = 17: File exists  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: Failed to bootstrap path: path = /System/Library/LaunchAgents/com.apple.eospreflightagent.plist, error = 138: Service cannot be loaded on this hardware  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: Failed to bootstrap path: path = /System/Library/LaunchAgents/com.apple.ExpansionSlotNotification.plist, error = 138: Service cannot be loaded on this hardware  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: Failed to bootstrap path: path = /System/Library/LaunchAgents/com.apple.ctkd.plist, error = 17: File exists  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: exiting bootstrap mode  
3 Aug 2021 at 9:20:31 AM otherbsd[423]: assertion failed: 20G80: otherbsd + 20731 [63542256-2EC8-345D-9EF7-C4AA943C7BE6]: 0x0  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: entering bootstrap mode  
3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: exiting bootstrap mode  
3 Aug 2021 at 9:20:31 AM backgroundtaskmanagementagent[430]: objc[430]: Class BTMLoginItem is implemented in both /System/Library/PrivateFrameworks/BackgroundTaskManagement.framework/Versions/A/BackgroundTaskManagement and /System/Library/CoreServices/backgroundtaskmanagementagent. One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:20:31 AM backgroundtaskmanagementagent[430]: objc[430]: Class BTMBackgroundItem is implemented in both /System/Library/PrivateFrameworks/BackgroundTaskManagement.framework/Versions/A/BackgroundTaskManagement and /System/Library/CoreServices/backgroundtaskmanagementagent. One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: Could not import service from caller: caller = otherbsd.423, service = ch.protonvpn.ProtonVPNStarter, error = 119: Service is disabled

3 Aug 2021 at 9:20:31 AM UserEventAgent[422]: objc[422]: Class SPLog is implemented in both /System/Library/PrivateFrameworks/SystemPolicy.framework/Versions/A/SystemPolicy (0x7fff8220f180) and /System/Library/UserEventPlugins/SystemPolicyEvents.plugin/Contents/MacOS/SystemPolicyEvents (0x10adb350). One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:20:31 AM usernoted[436]: DEPRECATED USE in libdispatch client: dispatch source activated with no event handler set; set a breakpoint on \_dispatch\_bug\_deprecated to debug

3 Aug 2021 at 9:20:31 AM com.apple.xpc.launchd[1]: com.apple.package-script-service (lint): JoinExistingSession is only available to Application services.

3 Aug 2021 at 9:20:31 AM NotificationCenter[439]: objc[439]: Class NCCAFenceWrapper is implemented in both /System/Library/PrivateFrameworks/NotificationCenterUI.framework/Versions/A/NotificationCenterUI and /System/Library/CoreServices/NotificationCenter.app/Contents/MacOS/NotificationCenter. One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:20:31 AM NotificationCenter[439]: objc[439]: Class NCJSONTransformer is implemented in both /System/Library/Frameworks/NotificationCenter.framework/Versions/A/NotificationCenter and /System/Library/CoreServices/NotificationCenter.app/Contents/MacOS/NotificationCenter. One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:20:31 AM rapportd[447]: objc[447]: Class RPEventRegistration is implemented in both /System/Library/PrivateFrameworks/Rapport.framework/Versions/A/Rapport and /usr/libexec/rapportd. One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:20:31 AM rapportd[447]: objc[447]: Class RPRequestRegistration is implemented in both /System/Library/PrivateFrameworks/Rapport.framework/Versions/A/Rapport and /usr/libexec/rapportd. One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:20:31 AM rapportd[447]: objc[447]: Class RPRequestEntry is implemented in both /System/Library/PrivateFrameworks/Rapport.framework/Versions/A/Rapport and /usr/libexec/rapportd. One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:20:32 AM CommCenter[438]: objc[438]: Class CTCellularPlanManagerCameraScanAction is implemented in both /System/Library/Frameworks/CoreTelephony.framework/Versions/A/CoreTelephony (0x7fff8014f730) and /System/Library/Frameworks/CoreTelephony.framework/Support/CommCenter (0x10680b1c0). One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:20:32 AM CommCenter[438]: objc[438]: Class CTSimLabel is implemented in both /System/Library/Frameworks/CoreTelephony.framework/Versions/A/CoreTelephony (0x7fff8014de30) and /System/Library/Frameworks/CoreTelephony.framework/Support/CommCenter (0x10680c3e0). One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:20:32 AM AMPDeviceDiscoveryAgent[464]: objc[464]: Class AMSupportURLConnectionDelegate is implemented in both /usr/lib/libauthinstall.dylib (0x7fff82fb0440) and /System/Library/PrivateFrameworks/MobileDevice.framework/Versions/A/MobileDevice (0x108c0e910). One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:20:32 AM AMPDeviceDiscoveryAgent[464]: objc[464]: Class AMSupportURLSession is implemented in both /usr/lib/libauthinstall.dylib

(0x7fff82fb0490) and  
/System/Library/PrivateFrameworks/MobileDevice.framework/Versions/A/MobileDevice  
(0x108c0e960). One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:20:32 AM AMPDeviceDiscoveryAgent[464]: objc[464]: Class RPStream  
is implemented in both  
/System/Library/PrivateFrameworks/EmbeddedOSInstall.framework/Versions/A/  
EmbeddedOSInstall (0x7fff8259b820) and  
/System/Library/PrivateFrameworks/MobileDevice.framework/Versions/A/MobileDevice  
(0x108c0e9b0). One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:20:32 AM syncdefaultsd[473]: objc[473]: Class SYDClient is  
implemented in both  
/System/Library/PrivateFrameworks/SyncedDefaults.framework/Versions/A/  
SyncedDefaults and  
/System/Library/PrivateFrameworks/SyncedDefaults.framework/Support/  
syncdefaultsd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:20:32 AM syncdefaultsd[473]: objc[473]: Class SYDJournal is  
implemented in both  
/System/Library/PrivateFrameworks/SyncedDefaults.framework/Versions/A/  
SyncedDefaults and  
/System/Library/PrivateFrameworks/SyncedDefaults.framework/Support/  
syncdefaultsd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:20:33 AM com.apple.xpc.launchd[1]: Service "com.apple.sharingd"  
tried to register for endpoint "com.apple.private.alloy.nearby-idswake" already  
registered by owner: com.apple.rapportd  
3 Aug 2021 at 9:20:34 AM CloudKeychainProxy[495]: objc[495]: Class SecXPCUtils  
is implemented in both  
/System/Library/Frameworks/Security.framework/Versions/A/Security and  
/System/Library/Frameworks/Security.framework/Versions/A/Resources/  
CloudKeychainProxy.bundle/Contents/MacOS/CloudKeychainProxy. One of the two will  
be used. Which one is undefined.  
3 Aug 2021 at 9:20:34 AM CloudKeychainProxy[495]: objc[495]: Class SecXPCHelper  
is implemented in both  
/System/Library/Frameworks/Security.framework/Versions/A/Security and  
/System/Library/Frameworks/Security.framework/Versions/A/Resources/  
CloudKeychainProxy.bundle/Contents/MacOS/CloudKeychainProxy. One of the two will  
be used. Which one is undefined.  
3 Aug 2021 at 9:20:34 AM assistantd[496]: objc[496]: Class  
AFCoreAnalyticsCrossDeviceEvent is implemented in both  
/System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/  
AssistantServices and  
/System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/  
Support/assistantd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:20:34 AM assistantd[496]: objc[496]: Class  
AFHeadphonesAnnouncementRequestCapabilityProvider is implemented in both  
/System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/  
AssistantServices and  
/System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/  
Support/assistantd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:20:34 AM assistantd[496]: objc[496]: Class  
AFPPersonalUserSettings is implemented in both  
/System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/  
AssistantServices and  
/System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/  
Support/assistantd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:20:34 AM assistantd[496]: objc[496]: Class AFAssertionContext is  
implemented in both  
/System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/  
AssistantServices and  
/System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/  
Support/assistantd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:20:34 AM assistantd[496]: objc[496]: Class  
\_AFAssertionContextMutation is implemented in both  
/System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/  
AssistantServices and

/System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/Support/assistantd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:20:34 AM assistantd[496]: objc[496]: Class AFAalytics is implemented in both  
/System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/AssistantServices and  
/System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/Support/assistantd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:20:34 AM assistantd[496]: objc[496]: Class AFSiriUserNotificationRequest is implemented in both  
/System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/AssistantServices and  
/System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/Support/assistantd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:20:34 AM assistantd[496]: objc[496]: Class AFSiriUserNotificationRequestCapabilityManager is implemented in both  
/System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/AssistantServices and  
/System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/Support/assistantd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:20:34 AM assistantd[496]: objc[496]: Class AFSiriNotificationRequest is implemented in both  
/System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/AssistantServices and  
/System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/Support/assistantd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:20:34 AM assistantd[496]: objc[496]: Class AFSiriAnnouncementRequestCapabilityManager is implemented in both  
/System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/AssistantServices and  
/System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/Support/assistantd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:20:34 AM neagent[497]: objc[497]: Class NEAgentAppPushExtension is implemented in both  
/System/Library/Frameworks/NetworkExtension.framework/Versions/A/NetworkExtension (0x7fff81703378) and /usr/libexec/neagent (0x109cb50c8). One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:20:34 AM com.apple.xpc.launchd[1]: Endpoint has been activated through legacy launch(3) APIs. Please switch to XPC or bootstrap\_check\_in(): com.apple.CoreLocation.agent  
3 Aug 2021 at 9:20:34 AM com.apple.xpc.launchd[1]: Skipping remaining event endpoints for importance boosting.  
3 Aug 2021 at 9:20:34 AM com.apple.xpc.launchd[1]: Skipping remaining instance endpoints for importance boosting.  
3 Aug 2021 at 9:20:35 AM remindd[507]: objc[507]: Class REMCDChangeTrackingState is implemented in both  
/System/Library/PrivateFrameworks/ReminderKit.framework/Versions/A/ReminderKit and /usr/libexec/remindd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:20:35 AM Finder[432]: assertion failed: 20G80: libxpc.dylib + 88455 [D3D34FC5-2269-399E-A637-4D33E6BAFC64]: 0x89  
3 Aug 2021 at 9:20:35 AM com.apple.xpc.launchd[1]: exiting ondemand mode  
3 Aug 2021 at 9:20:35 AM corespeechd[508]: objc[508]: Class CSSelectiveChannelAudioFileWriter is implemented in both  
/System/Library/PrivateFrameworks/SpeakerRecognition.framework/Versions/A/SpeakerRecognition and  
/System/Library/PrivateFrameworks/CoreSpeech.framework/corespeechd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:20:35 AM corespeechd[508]: objc[508]: Class CSAudioFileManager is implemented in both  
/System/Library/PrivateFrameworks/SpeakerRecognition.framework/Versions/A/SpeakerRecognition and  
/System/Library/PrivateFrameworks/CoreSpeech.framework/corespeechd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:20:35 AM corespeechd[508]: objc[508]: Class

CSPlainAudioFileWriter is implemented in both  
/System/Library/PrivateFrameworks/SpeakerRecognition.framework/Versions/A/  
SpeakerRecognition and  
/System/Library/PrivateFrameworks/CoreSpeech.framework/corespeechd. One of the  
two will be used. Which one is undefined.

3 Aug 2021 at 9:20:35 AM corespeechd[508]: objc[508]: Class CSAudioRecordContext  
is implemented in both  
/System/Library/PrivateFrameworks/SpeakerRecognition.framework/Versions/A/  
SpeakerRecognition and  
/System/Library/PrivateFrameworks/CoreSpeech.framework/corespeechd. One of the  
two will be used. Which one is undefined.

3 Aug 2021 at 9:20:35 AM corespeechd[508]: objc[508]: Class CSRemoteRecordClient  
is implemented in both  
/System/Library/PrivateFrameworks/SpeakerRecognition.framework/Versions/A/  
SpeakerRecognition and  
/System/Library/PrivateFrameworks/CoreSpeech.framework/corespeechd. One of the  
two will be used. Which one is undefined.

3 Aug 2021 at 9:20:35 AM askpermissiond[516]: objc[516]: Class Request is  
implemented in both  
/System/Library/Frameworks/LocalAuthentication.framework/Support/DaemonUtils.fra  
mework/Versions/A/DaemonUtils and  
/System/Library/PrivateFrameworks/AskPermission.framework/Versions/A/Resources/  
askpermissiond. One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:20:35 AM com.apple.xpc.launchd[1]: Caller not allowed to perform  
action: seedusage.517, action = service removal, code = 150: Operation not  
permitted while System Integrity Protection is engaged, uid = 501, euid = 501,  
gid = 20, egid = 20, asid = 100007

3 Aug 2021 at 9:20:35 AM fud[533]: objc[533]: Class  
AMSupportURLConnectionDelegate is implemented in both  
/usr/lib/libamsupport.dylib and  
/System/Library/PrivateFrameworks/MobileAccessoryUpdater.framework/Support/fud.  
One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:20:35 AM fud[533]: objc[533]: Class AMSupportURLSession is  
implemented in both /usr/lib/libamsupport.dylib and  
/System/Library/PrivateFrameworks/MobileAccessoryUpdater.framework/Support/fud.  
One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:20:35 AM amsaccounts[523]: objc[523]: Class  
AMSDaemonConnectionInterface is implemented in both  
/System/Library/PrivateFrameworks/AppleMediaServices.framework/Versions/A/  
AppleMediaServices and  
/System/Library/PrivateFrameworks/AppleMediaServices.framework/Versions/A/  
Resources/amsaccounts. One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:20:36 AM amsaccounts[523]: objc[523]: Class AMSXDProtoMessage  
is implemented in both  
/System/Library/PrivateFrameworks/AppleMediaServices.framework/Versions/A/  
AppleMediaServices and  
/System/Library/PrivateFrameworks/AppleMediaServices.framework/Versions/A/  
Resources/amsaccounts. One of the two will be used. Which one is undefined.

3 Aug 2021 at 9:20:36 AM com.apple.geod[536]: objc[536]: Class GEOETAProvider is  
implemented in both  
/System/Library/PrivateFrameworks/GeoServices.framework/Versions/A/GeoServices  
and /System/Library/PrivateFrameworks/GeoServices.framework/Versions/A/  
XPCServices/com.apple.geod.xpc/Contents/MacOS/com.apple.geod. One of the two  
will be used. Which one is undefined.

3 Aug 2021 at 9:20:36 AM com.apple.xpc.launchd[1]: Endpoint has been activated  
through legacy launch(3) APIs. Please switch to XPC or bootstrap\_check\_in():  
com.apple.bsd.dirhelper

3 Aug 2021 at 9:20:36 AM MRT[524]: getatrlist failed for : #2: No such file or  
directory

3 Aug 2021 at 9:20:41 AM com.apple.xpc.launchd[1]: entering bootstrap mode

3 Aug 2021 at 9:20:41 AM com.apple.xpc.launchd[1]: Unknown key for dictionary:  
com.apple.xpc.activity

3 Aug 2021 at 9:20:41 AM com.apple.xpc.launchd[1]: Invalid type for event  
(event/type): Interval/int64

3 Aug 2021 at 9:20:41 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): NetworkDownloadSize/int64  
3 Aug 2021 at 9:20:41 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): Delay/int64  
3 Aug 2021 at 9:20:41 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): RequireNetworkConnectivity/bool  
3 Aug 2021 at 9:20:41 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): Priority/string  
3 Aug 2021 at 9:20:41 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): Interval/int64  
3 Aug 2021 at 9:20:41 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): Delay/int64  
3 Aug 2021 at 9:20:41 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): AllowBattery/bool  
3 Aug 2021 at 9:20:41 AM com.apple.xpc.launchd[1]: Invalid type for event (event/type): Priority/string  
3 Aug 2021 at 9:20:41 AM com.apple.xpc.launchd[1]: This service is defined to be constantly running and is inherently inefficient.  
3 Aug 2021 at 9:20:41 AM com.apple.xpc.launchd[1]: Event stream com.apple.launchservices.LSObservable is already monitored by com.apple.lsd, ignoring  
3 Aug 2021 at 9:20:41 AM com.apple.xpc.launchd[1]: Unknown key for dictionary: NoEnvironmentVariables  
3 Aug 2021 at 9:20:41 AM com.apple.xpc.launchd[1]: exiting bootstrap mode  
3 Aug 2021 at 9:20:45 AM rtcreportingd[555]: objc[555]: Class UpdateAndReportServices is implemented in both /System/Library/PrivateFrameworks/RTCReporting.framework/Versions/A/RTCReporting and /usr/libexec/rtcreportingd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:20:45 AM rtcreportingd[555]: objc[555]: Class RTCReportingDeallocNotifier is implemented in both /System/Library/PrivateFrameworks/RTCReporting.framework/Versions/A/RTCReporting and /usr/libexec/rtcreportingd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:20:45 AM rtcreportingd[555]: objc[555]: Class RTCReportingAggregationObject is implemented in both /System/Library/PrivateFrameworks/RTCReporting.framework/Versions/A/RTCReporting and /usr/libexec/rtcreportingd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:20:45 AM rtcreportingd[555]: objc[555]: Class RTCReporting is implemented in both /System/Library/PrivateFrameworks/RTCReporting.framework/Versions/A/RTCReporting and /usr/libexec/rtcreportingd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:20:49 AM akd[556]: objc[556]: Class AKCarrierBundlePhoneCertificate is implemented in both /System/Library/PrivateFrameworks/AuthKit.framework/Versions/A/AuthKit and /System/Library/PrivateFrameworks/AuthKit.framework/Versions/A/Support/akd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:20:49 AM akd[556]: objc[556]: Class AKCarrierBundleUtilities is implemented in both /System/Library/PrivateFrameworks/AuthKit.framework/Versions/A/AuthKit and /System/Library/PrivateFrameworks/AuthKit.framework/Versions/A/Support/akd. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:21:07 AM TVCacheExtension[579]: objc[579]: Class PDFToRasterImageRef is implemented in both /System/Library/PrivateFrameworks/AMPLibrary.framework/Versions/A/AMPLibrary and /System/Applications/TV.app/Contents/PlugIns/TVCacheExtension.appex/Contents/MacOS/TVCacheExtension. One of the two will be used. Which one is undefined.  
3 Aug 2021 at 9:21:07 AM MusicCacheExtension[580]: objc[580]: Class PDFToRasterImageRef is implemented in both /System/Library/PrivateFrameworks/AMPLibrary.framework/Versions/A/AMPLibrary and /System/Applications/Music.app/Contents/PlugIns/MusicCacheExtension.appex/Contents/MacOS/MusicCacheExtension. One of the two will be used. Which one is

```
undefined.
3 Aug 2021 at 9:21:07 AM replayd[569]: objc[569]: Class RPSession is implemented
in both /System/Library/PrivateFrameworks/Rapport.framework/Versions/A/Rapport
and /usr/libexec/replayd. One of the two will be used. Which one is undefined.
3 Aug 2021 at 9:21:07 AM replayd[569]: objc[569]: Class RPCClient is implemented
in both /System/Library/PrivateFrameworks/Rapport.framework/Versions/A/Rapport
and /usr/libexec/replayd. One of the two will be used. Which one is undefined.
3 Aug 2021 at 9:21:07 AM com.apple.xpc.launchd[1]: entering bootstrap mode
3 Aug 2021 at 9:21:07 AM com.apple.xpc.launchd[1]: Unknown key for dictionary:
com.apple.xpc.activity
3 Aug 2021 at 9:21:07 AM com.apple.xpc.launchd[1]: Invalid type for event
(event/type): Interval/int64
3 Aug 2021 at 9:21:07 AM com.apple.xpc.launchd[1]: Invalid type for event
(event/type): NetworkDownloadSize/int64
3 Aug 2021 at 9:21:07 AM com.apple.xpc.launchd[1]: Invalid type for event
(event/type): Delay/int64
3 Aug 2021 at 9:21:07 AM com.apple.xpc.launchd[1]: Invalid type for event
(event/type): RequireNetworkConnectivity/bool
3 Aug 2021 at 9:21:07 AM com.apple.xpc.launchd[1]: Invalid type for event
(event/type): Priority/string
3 Aug 2021 at 9:21:07 AM com.apple.xpc.launchd[1]: Invalid type for event
(event/type): Interval/int64
3 Aug 2021 at 9:21:07 AM com.apple.xpc.launchd[1]: Invalid type for event
(event/type): Delay/int64
3 Aug 2021 at 9:21:07 AM com.apple.xpc.launchd[1]: Invalid type for event
(event/type): AllowBattery/bool
3 Aug 2021 at 9:21:07 AM com.apple.xpc.launchd[1]: Invalid type for event
(event/type): Priority/string
3 Aug 2021 at 9:21:07 AM com.apple.xpc.launchd[1]: This service is defined to be
constantly running and is inherently inefficient.
3 Aug 2021 at 9:21:07 AM com.apple.xpc.launchd[1]: Event stream
com.apple.launchservices.LSObservers is already monitored by com.apple.lsd,
ignoring
3 Aug 2021 at 9:21:07 AM com.apple.xpc.launchd[1]: Unknown key for dictionary:
NoEnvironmentVariables
3 Aug 2021 at 9:21:07 AM com.apple.xpc.launchd[1]: exiting bootstrap mode
3 Aug 2021 at 9:21:23 AM com.apple.appkit.xpc.openAndSavePanelService[598]:
assertion failed: 20G80: libxpc.dylib + 88455 [D3D34FC5-2269-399E-A637-
4D33E6BAFC64]: 0x89
3 Aug 2021 at 9:21:31 AM com.apple.xpc.launchd[1]: Service exited due to SIGKILL
| sent by mds[97]</string>
    <key>lastModified</key>
    <date>2021-08-03T01:21:31Z</date>
    <key>source</key>
    <string>/var/log/asl</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>install_log_description</string>
    <key>byteSize</key>
    <integer>214250</integer>
    <key>contents</key>
    <string>...
  }
2021-08-02 00:27:31-07 MacBook-Pro Installer Progress[56]: Connected processes {
}
2021-08-02 00:27:31-07 MacBook-Pro softwareupdated[179]: Adding client
SUUpdateServiceClient pid=404, uid=248, installAuth=NO rights=(), transactions=0
(/System/Library/CoreServices/Setup Assistant.app/Contents/MacOS/Setup
Assistant)
2021-08-02 00:27:31-07 MacBook-Pro Setup Assistant[404]: Query for available
updates: FINISHED
2021-08-02 00:27:31-07 MacBook-Pro softwareupdated[179]: Adding client
SUUpdateServiceClient pid=404, uid=248, installAuth=NO rights=(), transactions=0
```

```
(/System/Library/CoreServices/Setup Assistant.app/Contents/MacOS/Setup
Assistant)
2021-08-02 00:27:31-07 MacBook-Pro Setup Assistant[404]:
SUOSUAuthenticationManager: Disabling local authentication requirement
2021-08-02 00:27:31-07 MacBook-Pro Setup Assistant[404]: Controller: shouldScan
- 1, productKeysInActiveForegroundTransactions - 0, client = 4,
shouldScanForClient: 0
2021-08-02 00:27:31-07 MacBook-Pro Setup Assistant[404]:
SUOSUAuthenticationManager: Disabling local authentication requirement
2021-08-02 00:27:31-07 MacBook-Pro storagekitd[439]: Starting SKDaemon...
2021-08-02 00:27:31-07 MacBook-Pro softwareupdated[179]: SUOSUServiceDaemon:
Connection not from SoftwareUpdateNotificationManager
2021-08-02 00:27:31-07 MacBook-Pro softwareupdated[179]: SUOSUServiceDaemon:
Connection not from SoftwareUpdateNotificationManager
2021-08-02 00:27:31-07 MacBook-Pro Setup Assistant[404]: SUOSUShimController:
Armed: 0, with mode: 0, date: (null), updates queued for later: (
)
2021-08-02 00:27:31-07 MacBook-Pro storagekitd[439]: Client entitled for
destructive operations
2021-08-02 00:27:31-07 MacBook-Pro storagekitd[439]: Adding client connection
<NSXPConnection: 0x7f8b58e09de0>; connection on mach service named
com.apple.storagekitd from pid 404
2021-08-02 00:27:32-07 MacBook-Pro Installer Progress[56]: Quitting because
there are no phases. There are no connected processes. The UI is not showing.
2021-08-02 00:27:32-07 MacBook-Pro Installer Progress[56]: Quitting Progress App
2021-08-02 00:27:32-07 MacBook-Pro Installer Progress[56]: Setting window alpha
values to 0.0
2021-08-02 00:27:32-07 MacBook-Pro SoftwareUpdateNotificationManager[473]:
AssertionMgr: Take com.apple.softwareupdate.NotifyAgentAssertion-
BadgingCountChanged assertion with type BackgroundTask for pid 473, id 0x80B8
2021-08-02 00:27:32-07 MacBook-Pro SoftwareUpdateNotificationManager[473]:
SUOSUAuthenticationManager: Disabling local authentication requirement
2021-08-02 00:27:32-07 MacBook-Pro softwareupdated[179]: Adding client
SUUpdateServiceClient pid=473, uid=248, installAuth=NO rights=(), transactions=0
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/
SoftwareUpdateNotificationManager)
2021-08-02 00:27:32-07 MacBook-Pro SoftwareUpdateNotificationManager[473]:
AssertionMgr: Cancel com.apple.softwareupdate.NotifyAgentAssertion-
BadgingCountChanged assertion for pid 473, id 0x80B8
2021-08-02 00:27:32-07 MacBook-Pro SoftwareUpdateNotificationManager[473]:
SUOSUAuthenticationManager: Disabling local authentication requirement
2021-08-02 00:27:32-07 MacBook-Pro softwareupdated[179]: Adding client
SUUpdateServiceClient pid=473, uid=248, installAuth=NO rights=(), transactions=0
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/
SoftwareUpdateNotificationManager)
2021-08-02 00:27:32-07 MacBook-Pro SoftwareUpdateNotificationManager[473]:
AssertionMgr: Could not cancel com.apple.softwareupdate.NotifyAgentAssertion-
BadgingCountChanged assertion - no assertion found for pid 473
2021-08-02 00:27:32-07 MacBook-Pro SoftwareUpdateNotificationManager[473]:
(null)i%$softwareupdated: Service connection invalidated!
2021-08-02 00:27:32-07 MacBook-Pro SoftwareUpdateNotificationManager[473]:
(null)i%$softwareupdated: Service connection invalidated!
2021-08-02 00:27:32-07 MacBook-Pro softwareupdated[179]: Removing client
SUUpdateServiceClient pid=473, uid=248, installAuth=NO rights=(), transactions=0
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/
SoftwareUpdateNotificationManager)
2021-08-02 00:27:32-07 MacBook-Pro softwareupdated[179]: Removing client
SUUpdateServiceClient pid=473, uid=248, installAuth=NO rights=(), transactions=0
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/
SoftwareUpdateNotificationManager)
```



2021-08-02 00:27:32-07 MacBook-Pro softwareupdated[179]: Adding client SUUpdateServiceClient pid=473, uid=248, installAuth=NO rights=(), transactions=0 (/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/SoftwareUpdateNotificationManager)

2021-08-02 00:27:32-07 MacBook-Pro SoftwareUpdateNotificationManager[473]: Query for available updates: FINISHED

2021-08-02 00:27:32-07 MacBook-Pro softwareupdated[179]: Adding client SUUpdateServiceClient pid=473, uid=248, installAuth=NO rights=(), transactions=0 (/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/SoftwareUpdateNotificationManager)

2021-08-02 00:27:32-07 MacBook-Pro SoftwareUpdateNotificationManager[473]: Controller: shouldScan - 1, productKeysInActiveForegroundTransactions - 0, client = 2, shouldScanForClient: 1

2021-08-02 00:27:32-07 MacBook-Pro SoftwareUpdateNotificationManager[473]: SUOSUShimController: Start legacy scan

2021-08-02 00:27:32-07 MacBook-Pro SoftwareUpdateNotificationManager[473]: SUOSUShimController: Start MSU scan

2021-08-02 00:27:32-07 MacBook-Pro SoftwareUpdateNotificationManager[473]: SUOSUAuthenticationManager: Disabling local authentication requirement

2021-08-02 00:27:32-07 MacBook-Pro softwareupdated[179]: SUScan: Scan for client pid 179 (/System/Library/CoreServices/SoftwareUpdate.app/Contents/Resources/softwareupdated)

2021-08-02 00:27:32-07 MacBook-Pro softwareupdated[179]: SUOSUServiceDaemon: Adding MDM client: (null) (pid = 473, uid = 248, path = /System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/SoftwareUpdateNotificationManager, connection remote object interface = &lt;NSXPCInterface: 0x7f9b1ec26980&gt;;, exported interface = &lt;NSXPCInterface: 0x7f9b1ec1b090&gt;;, remote object proxy = &lt;\_\_NSXPCInterfaceProxy\_SUOSUServiceClientProtocol: 0x7f9b1ec274a0&gt;)

2021-08-02 00:27:32-07 MacBook-Pro SoftwareUpdateNotificationManager[473]: SUOSUShimController: Received availableUpdatesChanged notification, ignoring because scan is in progress

2021-08-02 00:27:33-07 MacBook-Pro SoftwareUpdateNotificationManager[473]: AssertionMgr: Take com.apple.softwareupdate.NotifyAgentAssertion-BadgingCountChanged assertion with type BackgroundTask for pid 473, id 0x80BB

2021-08-02 00:27:33-07 MacBook-Pro SoftwareUpdateNotificationManager[473]: SUOSUAuthenticationManager: Disabling local authentication requirement

2021-08-02 00:27:33-07 MacBook-Pro SoftwareUpdateNotificationManager[473]: SUOSUShimController: Available MSU updates: ( )

2021-08-02 00:27:33-07 MacBook-Pro softwareupdated[179]: Adding client SUUpdateServiceClient pid=473, uid=248, installAuth=NO rights=(), transactions=0 (/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/SoftwareUpdateNotificationManager)

2021-08-02 00:27:33-07 MacBook-Pro SoftwareUpdateNotificationManager[473]: AssertionMgr: Cancel com.apple.softwareupdate.NotifyAgentAssertion-BadgingCountChanged assertion for pid 473, id 0x80BB

2021-08-02 00:27:33-07 MacBook-Pro SoftwareUpdateNotificationManager[473]: SUOSUAuthenticationManager: Disabling local authentication requirement

2021-08-02 00:27:33-07 MacBook-Pro softwareupdated[179]: Adding client SUUpdateServiceClient pid=473, uid=248, installAuth=NO rights=(), transactions=0 (/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/SoftwareUpdateNotificationManager)

2021-08-02 00:27:33-07 MacBook-Pro SoftwareUpdateNotificationManager[473]: AssertionMgr: Could not cancel com.apple.softwareupdate.NotifyAgentAssertion-BadgingCountChanged assertion - no assertion found for pid 473

2021-08-02 00:27:33-07 MacBook-Pro SoftwareUpdateNotificationManager[473]: (null)i%\$softwareupdated: Service connection invalidated!

2021-08-02 00:27:33-07 MacBook-Pro SoftwareUpdateNotificationManager[473]:

(null)i%šsoftwareupdated: Service connection invalidated!  
2021-08-02 00:27:33-07 MacBook-Pro softwareupdated[179]: Removing client  
SUUpdateServiceClient pid=473, uid=248, installAuth=NO rights=(), transactions=0  
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/  
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/  
SoftwareUpdateNotificationManager)  
2021-08-02 00:27:33-07 MacBook-Pro softwareupdated[179]: Removing client  
SUUpdateServiceClient pid=473, uid=248, installAuth=NO rights=(), transactions=0  
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/  
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/  
SoftwareUpdateNotificationManager)  
2021-08-02 00:27:33-07 MacBook-Pro installld[482]: installld: Starting  
2021-08-02 00:27:33-07 MacBook-Pro installld[482]: installld: uid=0, euid=0  
2021-08-02 00:27:33-07 MacBook-Pro system\_installld[494]: installld: Starting  
2021-08-02 00:27:33-07 MacBook-Pro system\_installld[494]: installld: uid=0, euid=0  
2021-08-02 00:27:33-07 MacBook-Pro softwareupdated[179]: Got status 200  
2021-08-02 00:27:33-07 MacBook-Pro softwareupdated[179]: MSU updates found: (  
)  
2021-08-02 00:27:33-07 MacBook-Pro Setup Assistant[404]: Controller: Received  
availableUpdatesChanged notification; no need to set properties b/c updates  
didn't change  
2021-08-02 00:27:33-07 MacBook-Pro softwareupdated[179]: Client Pid:404 tried to  
set an SU Preference but is not entitled!  
2021-08-02 00:27:33-07 MacBook-Pro Setup Assistant[404]: SUOSUShimController:  
Armed: 0, with mode: 0, date: (null), updates queued for later: (  
)  
2021-08-02 00:27:34-07 MacBook-Pro softwareupdated[179]: SUScan: Using catalog  
<https://swscan.apple.com/content/catalogs/others/index-10.16-10.15-10.14-10.13-10.12-10.11-10.10-10.9-mountainlion-lion-snowleopard-leopard.merged-1.sucatalog.gz>  
2021-08-02 00:27:34-07 MacBook-Pro softwareupdated[179]: bridgeOS: Minimum  
bridge version requirement satisfied ((null)), skipping search for bridgeOS  
update  
2021-08-02 00:27:35-07 MacBook-Pro storagekitd[439]: disk1s1s1 appears to be an  
APFS snapshot disk.  
2021-08-02 00:27:35-07 MacBook-Pro Setup Assistant[404]: Connected to daemon.  
Language set to: en\_GB  
2021-08-02 00:27:35-07 MacBook-Pro Setup Assistant[404]: Connected to daemon.  
Language set to: en\_GB  
2021-08-02 00:27:35-07 MacBook-Pro softwareupdated[179]: bridgeOS: Minimum  
bridge version requirement satisfied ((null)), skipping search for bridgeOS  
update  
2021-08-02 00:27:35-07 MacBook-Pro softwareupdated[179]: bridgeOS: Minimum  
bridge version requirement satisfied ((null)), skipping search for bridgeOS  
update  
2021-08-02 00:27:36-07 MacBook-Pro softwareupdated[179]: bridgeOS: Minimum  
bridge version requirement satisfied ((null)), skipping search for bridgeOS  
update  
2021-08-02 00:27:36-07 MacBook-Pro softwareupdated[179]: bridgeOS: Minimum  
bridge version requirement satisfied ((null)), skipping search for bridgeOS  
update  
2021-08-02 00:27:36-07 MacBook-Pro softwareupdated[179]: JS: No bundle  
at/Applications/SafeView.app  
2021-08-02 00:27:36-07 MacBook-Pro softwareupdated[179]: bridgeOS: Minimum  
bridge version requirement satisfied ((null)), skipping search for bridgeOS  
update  
2021-08-02 00:27:37-07 MacBook-Pro softwareupdated[179]: bridgeOS: Minimum  
bridge version requirement satisfied ((null)), skipping search for bridgeOS  
update  
2021-08-02 00:27:37-07 MacBook-Pro softwareupdated[179]: bridgeOS: Minimum  
bridge version requirement satisfied ((null)), skipping search for bridgeOS  
update  
2021-08-02 00:27:38-07 MacBook-Pro softwareupdated[179]: JS: 11.5.1  
2021-08-02 00:27:38-07 MacBook-Pro softwareupdated[179]: bridgeOS: Minimum

bridge version requirement satisfied ((null)), skipping search for bridgeOS  
update  
2021-08-02 00:27:38-07 MacBook-Pro softwareupdated[179]: bridgeOS: Minimum  
bridge version requirement satisfied ((null)), skipping search for bridgeOS  
update  
2021-08-02 00:27:41-07 MacBook-Pro softwareupdated[179]: SUScan: Elapsed scan  
time = 8.4  
2021-08-02 00:27:41-07 MacBook-Pro softwareupdated[179]: Refreshing available  
updates from scan  
2021-08-02 00:27:41-07 MacBook-Pro SoftwareUpdateNotificationManager[473]:  
AssertionMgr: Take com.apple.softwareupdate.NotifyAgentAssertion-  
BadgingCountChanged assertion with type BackgroundTask for pid 473, id 0x812C  
2021-08-02 00:27:41-07 MacBook-Pro SoftwareUpdateNotificationManager[473]:  
SUOSUAuthenticationManager: Disabling local authentication requirement  
2021-08-02 00:27:41-07 MacBook-Pro softwareupdated[179]: SUStatisticsManager:  
Successfully reported statistics for category 5  
2021-08-02 00:27:41-07 MacBook-Pro softwareupdated[179]: Adding client  
SUUpdateServiceClient pid=473, uid=248, installAuth=NO rights=(), transactions=0  
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/  
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/  
SoftwareUpdateNotificationManager)  
2021-08-02 00:27:41-07 MacBook-Pro SoftwareUpdateNotificationManager[473]:  
AssertionMgr: Cancel com.apple.softwareupdate.NotifyAgentAssertion-  
BadgingCountChanged assertion for pid 473, id 0x812C  
2021-08-02 00:27:41-07 MacBook-Pro SoftwareUpdateNotificationManager[473]:  
SUOSUAuthenticationManager: Disabling local authentication requirement  
2021-08-02 00:27:41-07 MacBook-Pro softwareupdated[179]: Adding client  
SUUpdateServiceClient pid=473, uid=248, installAuth=NO rights=(), transactions=0  
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/  
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/  
SoftwareUpdateNotificationManager)  
2021-08-02 00:27:41-07 MacBook-Pro SoftwareUpdateNotificationManager[473]:  
AssertionMgr: Could not cancel com.apple.softwareupdate.NotifyAgentAssertion-  
BadgingCountChanged assertion - no assertion found for pid 473  
2021-08-02 00:27:41-07 MacBook-Pro SoftwareUpdateNotificationManager[473]:  
SUOSUAuthenticationManager: Disabling local authentication requirement  
2021-08-02 00:27:41-07 MacBook-Pro softwareupdated[179]: Adding client  
SUUpdateServiceClient pid=473, uid=248, installAuth=NO rights=(), transactions=0  
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/  
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/  
SoftwareUpdateNotificationManager)  
2021-08-02 00:27:41-07 MacBook-Pro SoftwareUpdateNotificationManager[473]:  
AssertionMgr: Could not cancel com.apple.softwareupdate.NotifyAgentAssertion-  
BadgingCountChanged assertion - no assertion found for pid 473  
2021-08-02 00:27:41-07 MacBook-Pro SoftwareUpdateNotificationManager[473]:  
(null)i%\$softwareupdated: Service connection invalidated!  
2021-08-02 00:27:41-07 MacBook-Pro SoftwareUpdateNotificationManager[473]:  
(null)i%\$softwareupdated: Service connection invalidated!  
2021-08-02 00:27:41-07 MacBook-Pro SoftwareUpdateNotificationManager[473]:  
(null)i%\$softwareupdated: Service connection invalidated!  
2021-08-02 00:27:41-07 MacBook-Pro softwareupdated[179]: Removing client  
SUUpdateServiceClient pid=473, uid=248, installAuth=NO rights=(), transactions=0  
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/  
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/  
SoftwareUpdateNotificationManager)  
2021-08-02 00:27:41-07 MacBook-Pro softwareupdated[179]: Removing client  
SUUpdateServiceClient pid=473, uid=248, installAuth=NO rights=(), transactions=0  
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/  
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/  
SoftwareUpdateNotificationManager)  
2021-08-02 00:27:41-07 MacBook-Pro softwareupdated[179]: Removing client  
SUUpdateServiceClient pid=473, uid=248, installAuth=NO rights=(), transactions=0  
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/  
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/

SoftwareUpdateNotificationManager)  
2021-08-02 00:27:41-07 MacBook-Pro softwareupdated[179]: Scan (f=1, d=0) completed  
2021-08-02 00:27:41-07 MacBook-Pro softwareupdated[179]: 0 updates found:  
2021-08-02 00:27:41-07 MacBook-Pro softwareupdated[179]: MSU updates found: (  
)  
2021-08-02 00:27:41-07 MacBook-Pro Setup Assistant[404]: Controller: Received availableUpdatesChanged notification; new updates: []; new major updates: [071-72781, 071-71342, 071-00696, 071-32414, 071-29172, 001-68446, 001-51042, 001-36801, 061-26589, 061-26578]  
2021-08-02 00:27:41-07 MacBook-Pro softwareupdated[179]: Client Pid:404 tried to set an SU Preference but is not entitled!  
2021-08-02 00:27:41-07 MacBook-Pro Setup Assistant[404]: SUOSUShimController: Armed: 0, with mode: 0, date: (null), updates queued for later: (  
)  
2021-08-02 00:27:41-07 MacBook-Pro softwareupdated[179]: MSU updates found: (  
)  
2021-08-02 00:27:41-07 MacBook-Pro SoftwareUpdateNotificationManager[473]: Controller: Received availableUpdatesChanged notification; new updates: []; new major updates: [071-72781, 071-71342, 071-00696, 071-32414, 071-29172, 001-68446, 001-51042, 001-36801, 061-26589, 061-26578]  
2021-08-02 00:27:41-07 MacBook-Pro SoftwareUpdateNotificationManager[473]: SUOSUShimController: Armed: 0, with mode: 0, date: (null), updates queued for later: (  
)  
2021-08-02 00:27:41-07 MacBook-Pro softwareupdated[179]: MSU updates found: (  
)  
2021-08-02 00:27:41-07 MacBook-Pro SoftwareUpdateNotificationManager[473]: Controller: Received availableUpdatesChanged notification; new updates: []; new major updates: [071-72781, 071-71342, 071-00696, 071-32414, 071-29172, 001-68446, 001-51042, 001-36801, 061-26589, 061-26578]  
2021-08-02 00:27:41-07 MacBook-Pro SoftwareUpdateNotificationManager[473]: SUOSUShimController: Armed: 0, with mode: 0, date: (null), updates queued for later: (  
)  
2021-08-02 00:27:59-07 MacBook-Pro softwareupdate\_firstrun\_tasks[309]: BuildTagCache: Building tag cache if necessary using catalog host swscan.apple.com  
2021-08-02 00:27:59-07 MacBook-Pro softwareupdated[179]: Adding client SUUpdateServiceClient pid=309, uid=200, installAuth=NO rights=(), transactions=0 (/System/Library/CoreServices/Software Update.app/Contents/Resources/softwareupdate\_firstrun\_tasks)  
2021-08-02 00:27:59-07 MacBook-Pro softwareupdated[179]: BuildTagCache: Cache is current  
2021-08-02 00:27:59-07 MacBook-Pro softwareupdate\_firstrun\_tasks[309]: BuildTagCache: Finished  
2021-08-02 00:27:59-07 MacBook-Pro softwareupdate\_firstrun\_tasks[309]: Exiting, transaction count has reached 0.  
2021-08-02 00:27:59-07 MacBook-Pro softwareupdated[179]: Removing client SUUpdateServiceClient pid=309, uid=200, installAuth=NO rights=(), transactions=0 (/System/Library/CoreServices/Software Update.app/Contents/Resources/softwareupdate\_firstrun\_tasks)  
2021-08-02 00:31:14-07 MacBook-Pro storagekitd[439]: Client entitled for destructive operations  
2021-08-02 00:31:14-07 MacBook-Pro storagekitd[439]: Adding client connection &NSXPCCONNECTION: 0x7f8b58e06600& connection on mach service named com.apple.storagekitd from pid 794  
2021-08-02 00:31:14-07 MacBook-Pro systemmigrationd[794]: Connected to daemon. Language set to: en\_GB  
2021-08-02 00:35:54-07 MacBook-Pro storagekitd[439]: Client entitled for destructive operations  
2021-08-02 00:35:54-07 MacBook-Pro storagekitd[439]: Adding client connection &NSXPCCONNECTION: 0x7f8b58d36020& connection on mach service named com.apple.storagekitd from pid 345

2021-08-02 00:35:54-07 MacBook-Pro mbsystemadministration[345]: Connected to daemon. Language set to: en\_GB  
2021-08-02 00:35:54-07 Kosomaks-MacBook-Pro storagekitd[439]: Update preboot system operation began...  
2021-08-02 00:35:54-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message: UpdatePreboot: Commencing operation to update the Preboot Volume for Target Volume disk1s5 (HD - Data)  
2021-08-02 00:35:54-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message: UpdatePreboot: Commanded targeting System-role regardless of target input = InhibitAutoGroupTarget = 0  
2021-08-02 00:35:54-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message: UpdatePreboot: Commanded moving Preboot/etc UUID dirs from old to modern = MigrateSubjectDir = 1  
2021-08-02 00:35:54-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message: UpdatePreboot: The Target Volume is part of APFS Container disk1  
2021-08-02 00:35:54-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message: UpdatePreboot: The Data-sibling or self of the target is disk1s5 err=0  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message: UpdatePreboot: The Target (normalized to Data-role) Volume's OpenDirectory (non-special kind) user count is 1 and the Recovery (any of 4 kinds) user count is 0  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message: UpdatePreboot: There are OpenDirectory user(s) but no Recovery user(s)  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message: UpdatePreboot: The above is an abort condition for some purposes but not UpdatePreboot; continuing  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message: UpdatePreboot: The Target Volume is part of APFS Volume Group C405B46F-78E9-45EE-BE13-8451292ED829  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message: UpdatePreboot: No custom OD source path given, but a custom macOS source path IS given  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message: UpdatePreboot: Using explicitly-given path for macOS source root  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message: UpdatePreboot: Using target volume mountpoint plus standard OD subpath for OD source root  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message: UpdatePreboot: Sourcing VAR directory relative to source macOS  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message: UpdatePreboot: Sourcing USR directory relative to source macOS  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message: UpdatePreboot: Search Path For macOS Source Files = (nil=NotMounted) = /  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message: UpdatePreboot: Directory That macOS "var" Is Searched To Be In = (nil=NoMacOS) = /  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message: UpdatePreboot: Directory That macOS "usr" Is Searched To Be In = (nil=NoMacOS) = /  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message: UpdatePreboot: Open Directory Database Search Path = (nil=MacOSSearchPathNotMounted) = /System/Volumes/Data/var/db/dslocal/nodes/Default  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message: UpdatePreboot: Preserve EncryptedRootPList When No-OD = 0  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message: UpdatePreboot: Unable to open Open Directory database; setting AuthODNodeOrNil accordingly  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message: UpdatePreboot: Mounting and ensuring as mounted the related Preboot Volume  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message: UpdatePreboot: Preboot Volume = disk1s2 (Preboot)  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message: UpdatePreboot: Preboot Volume Target Directory (currently in use; no migration, if any, yet) = /System/Volumes/Preboot/C405B46F-78E9-45EE-BE13-8451292ED829

2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message:  
UpdatePreboot: Taking mount hold on Preboot Volume  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message:  
UpdatePreboot: Migrating UUID Folder name as necessary  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message:  
UpdatePreboot: Checking for Preboot Subject UUID Folder naming policy  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message:  
UpdatePreboot: If Current != Modern, and target >= 10.16.0, then will  
additively migrate and refresh Subject UUID Folder path  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message:  
UpdatePreboot: MigrationSwitchMode=3. Migration=ON, with UnERB=OFF=Delete  
nothing. See 60939293 60982552 60399155.  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message:  
UpdatePreboot: After possible migration and obtaining refreshed Subject UUID and  
paths; err=0  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message:  
UpdatePreboot: Did migrate Subject UUID Dirs = 0  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message:  
UpdatePreboot: New-use Subject UUID Dir Naming = C405B46F-78E9-45EE-BE13-  
8451292ED829  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message:  
UpdatePreboot: Possibly-new Preboot Subject UUID Dir Path =  
/System/Volumes/Preboot/C405B46F-78E9-45EE-BE13-8451292ED829  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message:  
UpdatePreboot: Obtained list of 1 APFS Crypto User(s) on Target Volume  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message:  
UpdatePreboot: If a "DISK" APFS Crypto User exists, it is expected to be  
C405B46F-78E9-45EE-BE13-8451292ED829  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message:  
UpdatePreboot: Considering APFS Crypto User 3CDE05C6-D603-48A1-8375-8AD1E27029C3  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message:  
UpdatePreboot: Defaulting and requiring that this be an Open Directory User  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message:  
UpdatePreboot: Treating this APFS Crypto User to be, and requiring to match, an  
Open Directory User  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message:  
UpdatePreboot: If no OD database match below, that will result in no ERPL user  
record for this user  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message:  
UpdatePreboot: No OD available, so setting flag indicating known incompleteness  
of user data gathering, and abort this user  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message:  
UpdatePreboot: Error for this processed user was -69569  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message:  
UpdatePreboot: Error among all processed users was -69569  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message:  
UpdatePreboot: Successfully processed these user styles: TheDISK=0  
AtLeastOneOD=0 AtLeastOneRecoveryKind=0  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message:  
UpdatePreboot: Aborting entire operation, regardless of abort mode, because an  
error occurred for one or more users and not even one contingency user was  
successfully processed  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message:  
UpdatePreboot: Releasing mount hold on Preboot Volume  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message:  
UpdatePreboot: Restoring mount state of Preboot Volume  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message:  
UpdatePreboot: Did restore mount state of Preboot Volume err=(ignored)=0  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message:  
UpdatePreboot: Doing memory releases  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: DM Message:  
UpdatePreboot: Exiting Update Preboot operation with overall  
error=(ZeroMeansSuccess)=-69569  
2021-08-02 00:35:55-07 Kosomaks-MacBook-Pro storagekitd[439]: Update preboot

completed, result: -69569  
2021-08-02 00:37:08-07 Kosomaks-MacBook-Pro softwareupdated[179]:  
SUOSUPowerEventObserver: System will sleep  
2021-08-02 01:02:16-07 Kosomaks-MacBook-Pro softwareupdated[179]:  
SUOSUPowerEventObserver: System will power on  
2021-08-02 01:02:17-07 Kosomaks-MacBook-Pro softwareupdated[179]:  
SUOSUPowerEventObserver: System has powered on  
2021-08-02 16:03:36+08 Kosomaks-MacBook-Pro softwareupdated[179]: Event handler  
called with flags: 103  
2021-08-02 16:03:53+08 Kosomaks-MacBook-Pro Installer Progress[1172]: Progress  
UI App Starting  
2021-08-02 16:03:53+08 Kosomaks-MacBook-Pro mbsystemadministration[345]:  
isModernOS = 1  
2021-08-02 16:03:53+08 Kosomaks-MacBook-Pro Installer Progress[1172]:  
IASGetCurrentInstallPhaseList: Unable to get phases  
2021-08-02 16:03:53+08 Kosomaks-MacBook-Pro Installer Progress[1172]:  
IASGetCurrentInstallPhase: Unable to get the current phase name  
2021-08-02 16:03:53+08 Kosomaks-MacBook-Pro Installer Progress[1172]:  
currentPhase = "(null)", phases = (null)  
2021-08-02 16:03:53+08 Kosomaks-MacBook-Pro Installer Progress[1172]:  
IASClearInstallProgress: Clearing Registry  
2021-08-02 16:03:54+08 Kosomaks-MacBook-Pro Installer Progress[1172]: Progress  
app is loadingâ€¦  
2021-08-02 16:03:54+08 Kosomaks-MacBook-Pro Installer Progress[1172]: Progress  
app is running with no progress set  
2021-08-02 16:03:54+08 Kosomaks-MacBook-Pro Installer Progress[1172]: Progress  
app is runningâ€¦  
2021-08-02 16:03:54+08 Kosomaks-MacBook-Pro storagekitd[439]: Removing client  
connection &lt;SKDaemonConnection: 0x7f8b58e098a0&gt;  
2021-08-02 16:03:54+08 Kosomaks-MacBook-Pro storagekitd[439]: Ejecting 1 disks  
2021-08-02 16:03:54+08 Kosomaks-MacBook-Pro storagekitd[439]: Ejecting SKDisk  
{ BSD Name: disk2 Mount point: /private/var/setup Role: kSKDiskRolePhysicalDisk  
Type: kSKDiskTypeUninitialized }  
2021-08-02 16:03:54+08 Kosomaks-MacBook-Pro softwareupdated[179]:  
SUOSUServiceDaemon: Connection invalidated!  
2021-08-02 16:03:54+08 Kosomaks-MacBook-Pro softwareupdated[179]:  
SUOSUServiceDaemon: Connection invalidated!  
2021-08-02 16:03:54+08 Kosomaks-MacBook-Pro bootinstalld[340]: BootTimeInstall:  
Client loginwindow[98]: Disconnected.  
2021-08-02 16:03:54+08 Kosomaks-MacBook-Pro bootinstalld[340]: Removing  
bootinstalld client, total: 0  
2021-08-02 16:03:54+08 Kosomaks-MacBook-Pro softwareupdated[179]: Removing  
client SUUpdateServiceClient pid=473, uid=248, installAuth=NO rights=(),  
transactions=0  
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/  
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/  
SoftwareUpdateNotificationManager)  
2021-08-02 16:03:54+08 Kosomaks-MacBook-Pro softwareupdated[179]: Removing  
client SUUpdateServiceClient pid=404, uid=248, installAuth=NO rights=(),  
transactions=0 (/System/Library/CoreServices/Setup  
Assistant.app/Contents/MacOS/Setup Assistant)  
2021-08-02 16:03:54+08 Kosomaks-MacBook-Pro softwareupdated[179]: Removing  
client SUUpdateServiceClient pid=404, uid=248, installAuth=NO rights=(),  
transactions=0 (/System/Library/CoreServices/Setup  
Assistant.app/Contents/MacOS/Setup Assistant)  
2021-08-02 16:03:54+08 Kosomaks-MacBook-Pro softwareupdated[179]: Removing  
client SUUpdateServiceClient pid=473, uid=248, installAuth=NO rights=(),  
transactions=0  
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/  
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/  
SoftwareUpdateNotificationManager)  
2021-08-02 16:03:54+08 Kosomaks-MacBook-Pro softwareupdated[179]:  
SUOSUServiceDaemon: Removing MDM client: (null) (pid = 473, uid = 248, path =  
/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/

```
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/
SoftwareUpdateNotificationManager, connection remote object interface =
<NSXPCInterface: 0x7f9b1ec26980>;, exported interface = (null), remote
object proxy = <__NSXPCInterfaceProxy_SUOSUServiceClientProtocol:
0x7f9b1bf0bd10>;)
2021-08-02 16:03:55+08 Kosomaks-MacBook-Pro storagekitd[439]: Ejected
2021-08-02 16:03:55+08 Kosomaks-MacBook-Pro Installer Progress[1172]: Connected
processes {
}
2021-08-02 16:03:55+08 Kosomaks-MacBook-Pro storagekitd[439]: Removing client
connection <SKDaemonConnection: 0x7f8b58d082a0>;
2021-08-02 16:03:56+08 Kosomaks-MacBook-Pro Installer Progress[1172]: Quitting
Progress App
2021-08-02 16:03:56+08 Kosomaks-MacBook-Pro Installer Progress[1172]: Setting
window alpha values to 0.0
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[1197]: AssertionMgr: Take
com.apple.softwareupdate.NotifyAgentAssertion-LoginDone assertion with type
BackgroundTask for pid 1197, id 0x8410
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[1197]: SUOSUAuthenticationManager: Disabling
local authentication requirement
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro softwareupdated[179]: Adding client
SUUpdateServiceClient pid=1197, uid=501, installAuth=NO rights=(),
transactions=0
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/
SoftwareUpdateNotificationManager)
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro softwareupdated[179]:
SUOSNotificationBundleHandler: Should notify? NO (Notification pending=0, bundle
exists=0, mdmInitiatedNotificationBundleInstall=0)
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[1197]: AssertionMgr: Cancel
com.apple.softwareupdate.NotifyAgentAssertion-LoginDone assertion for pid 1197,
id 0x8410
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[1197]: (null)i%$softwareupdated: Service
connection invalidated!
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro softwareupdated[179]: Removing
client SUUpdateServiceClient pid=1197, uid=501, installAuth=NO rights=(),
transactions=0
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/
SoftwareUpdateNotificationManager)
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro softwareupdated[179]: Adding client
SUUpdateServiceClient pid=1197, uid=501, installAuth=NO rights=(),
transactions=0
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/
SoftwareUpdateNotificationManager)
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro softwareupdated[179]: Adding client
SUUpdateServiceClient pid=1197, uid=501, installAuth=NO rights=(),
transactions=0
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/
SoftwareUpdateNotificationManager)
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[1197]: Query for available updates: FINISHED
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[1197]: Controller: Time interval since last
scan - 2179.590212
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[1197]: Controller: shouldScan - 1,
productKeysInActiveForegroundTransactions - 0, client = 2, shouldScanForClient:
```



1

```
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[1197]: SUOSUShimController: Start legacy scan
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[1197]: SUOSUShimController: Start MSU scan
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[1197]: SUOSUAuthenticationManager: Disabling
local authentication requirement
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro softwareupdated[179]: SUScan: Scan
for client pid 179 (/System/Library/CoreServices/Software
Update.app/Contents/Resources/softwareupdated)
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro softwareupdated[179]:
SUOSUServiceDaemon: Adding MDM client: (null) (pid = 1197, uid = 501, path =
/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/
SoftwareUpdateNotificationManager, connection remote object interface =
<NSXPCInterface: 0x7f9b1bebb550>;, exported interface = <NSXPCInterface:
0x7f9b1bebd910>;, remote object proxy =
<__NSXPCInterfaceProxy_SUOSUServiceClientProtocol: 0x7f9b1be5d740>;)
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro softwareupdated[179]: SUScan:
Fetching the catalog failed due to an error. Although our catalogTestMode is
nil, we will not exit a TestMode (if we are in one).
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro softwareupdated[179]: SUScan:
Elapsed scan time = 0.0
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro softwareupdated[179]: SUScan: Error
encountered in scan: Error Domain=NSURLErrorDomain Code=-1009 "Can't connect
to the Apple Software Update server, because you are not connected to the
internet." UserInfo={_kCFStreamErrorCodeKey=50,
NSLocalizedStringRecoverySuggestion=Make sure you're connected to the internet, and
then try again., NSLocalizedStringDescription=Can't connect to the Apple Software
Update server, because you are not connected to the internet.,
SUErrorRelatedCode=SUErrorCodeScanCatalogNotFound,
NSErrorFailingURLStringKey=https://swscan.apple.com/content/catalogs/others/
index-10.16-10.15-10.14-10.13-10.12-10.11-10.10-10.9-mountainlion-lion-
snowleopard-leopard.merged-1.sucatalog.gz,
NSErrorFailingURLKey=https://swscan.apple.com/content/catalogs/others/
index-10.16-10.15-10.14-10.13-10.12-10.11-10.10-10.9-mountainlion-lion-
snowleopard-leopard.merged-1.sucatalog.gz, _kCFStreamErrorDomainKey=1}
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[1197]: AssertionMgr: Take
com.apple.softwareupdate.NotifyAgentAssertion-BadgingCountChanged assertion with
type BackgroundTask for pid 1197, id 0x8411
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[1197]: SUOSUAuthenticationManager: Disabling
local authentication requirement
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[1197]: SUOSUShimController: Received
availableUpdatesChanged notification, ignoring because scan is in progress
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro softwareupdated[179]: Scan got error
Can't connect to the Apple Software Update server, because you are not
connected to the internet.
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro softwareupdated[179]:
SUStatisticsManager: Successfully reported statistics for category 5
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro softwareupdated[179]: Adding client
SUUpdateServiceClient pid=1197, uid=501, installAuth=NO rights=(),
transactions=0
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/
SoftwareUpdateNotificationManager)
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[1197]: AssertionMgr: Cancel
com.apple.softwareupdate.NotifyAgentAssertion-BadgingCountChanged assertion for
pid 1197, id 0x8411
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro
```

```
SoftwareUpdateNotificationManager[1197]: SUOSUAuthenticationManager: Disabling
local authentication requirement
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro softwareupdated[179]: Adding client
SUUpdateServiceClient pid=1197, uid=501, installAuth=NO rights=(),
transactions=0
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/
SoftwareUpdateNotificationManager)
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[1197]: AssertionMgr: Could not cancel
com.apple.softwareupdate.NotifyAgentAssertion-BadgingCountChanged assertion - no
assertion found for pid 1197
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[1197]: SUOSUAuthenticationManager: Disabling
local authentication requirement
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro softwareupdated[179]: Adding client
SUUpdateServiceClient pid=1197, uid=501, installAuth=NO rights=(),
transactions=0
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/
SoftwareUpdateNotificationManager)
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[1197]: AssertionMgr: Could not cancel
com.apple.softwareupdate.NotifyAgentAssertion-BadgingCountChanged assertion - no
assertion found for pid 1197
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[1197]: (null)i%$softwareupdated: Service
connection invalidated!
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro softwareupdated[179]: Removing
client SUUpdateServiceClient pid=1197, uid=501, installAuth=NO rights=(),
transactions=0
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/
SoftwareUpdateNotificationManager)
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[1197]: (null)i%$softwareupdated: Service
connection invalidated!
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro softwareupdated[179]: Removing
client SUUpdateServiceClient pid=1197, uid=501, installAuth=NO rights=(),
transactions=0
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/
SoftwareUpdateNotificationManager)
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[1197]: AssertionMgr: Take
com.apple.softwareupdate.NotifyAgentAssertion-BadgingCountChanged assertion with
type BackgroundTask for pid 1197, id 0x8412
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[1197]: SUOSUAuthenticationManager: Disabling
local authentication requirement
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[1197]: SUOSUShimController: Available MSU
updates: (
)
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro
```

SoftwareUpdateNotificationManager[1197]: SUOSUShimController: msuScanError: (null), legacyScanError: Error Domain=NSURLErrorDomain Code=-1009 "Can't connect to the Apple Software Update server, because you are not connected to the internet." UserInfo={\_kCFStreamErrorDomainKey=1, NSLocalizedRecoverySuggestion=Make sure you're connected to the internet, and then try again., NSLocalizedDescription=Can't connect to the Apple Software Update server, because you are not connected to the internet., SUErrorRelatedCode=SUErrorCodeScanCatalogNotFound, NSErrorFailingURLStringKey=https://swscan.apple.com/content/catalogs/others/index-10.16-10.15-10.14-10.13-10.12-10.11-10.10-10.9-mountainlion-lion-snowleopard-leopard.merged-1.sucatalog.gz, NSErrorFailingURLKey=https://swscan.apple.com/content/catalogs/others/index-10.16-10.15-10.14-10.13-10.12-10.11-10.10-10.9-mountainlion-lion-snowleopard-leopard.merged-1.sucatalog.gz, \_kCFStreamErrorCodeKey=50}  
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro  
SoftwareUpdateNotificationManager[1197]: SUPrefPaneController: Last known CatalogURL is default.  
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro softwareupdated[179]: Adding client SUUpdateServiceClient pid=1197, uid=501, installAuth=NO rights=(), transactions=0  
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/SoftwareUpdateNotificationManager)  
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro  
SoftwareUpdateNotificationManager[1197]: AssertionMgr: Cancel com.apple.softwareupdate.NotifyAgentAssertion-BadgingCountChanged assertion for pid 1197, id 0x8412  
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro  
SoftwareUpdateNotificationManager[1197]: SUOSUAuthenticationManager: Disabling local authentication requirement  
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro softwareupdated[179]: Adding client SUUpdateServiceClient pid=1197, uid=501, installAuth=NO rights=(), transactions=0  
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/SoftwareUpdateNotificationManager)  
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro  
SoftwareUpdateNotificationManager[1197]: AssertionMgr: Could not cancel com.apple.softwareupdate.NotifyAgentAssertion-BadgingCountChanged assertion - no assertion found for pid 1197  
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro  
SoftwareUpdateNotificationManager[1197]: (null)ï¼softwareupdated: Service connection invalidated!  
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro  
SoftwareUpdateNotificationManager[1197]: (null)ï¼softwareupdated: Service connection invalidated!  
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro softwareupdated[179]: Removing client SUUpdateServiceClient pid=1197, uid=501, installAuth=NO rights=(), transactions=0  
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/SoftwareUpdateNotificationManager)  
2021-08-02 16:04:00+08 Kosomaks-MacBook-Pro softwareupdated[179]: Removing client SUUpdateServiceClient pid=1197, uid=501, installAuth=NO rights=(), transactions=0  
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/SoftwareUpdateNotificationManager)  
2021-08-02 16:04:24+08 Kosomaks-MacBook-Pro storagekitd[439]: Removing client connection &lt;SKDaemonConnection: 0x7f8b58e24340&gt;  
2021-08-02 16:04:24+08 Kosomaks-MacBook-Pro storagekitd[439]: No more connections, storagekitd will exit...  
2021-08-02 16:05:21+08 Kosomaks-MacBook-Pro storagekitd[1206]: Starting SKDaemon...

2021-08-02 16:05:21+08 Kosomaks-MacBook-Pro storagekitd[1206]: Client entitled for destructive operations  
2021-08-02 16:05:21+08 Kosomaks-MacBook-Pro storagekitd[1206]: Adding client connection &lt;NSXPCConnection: 0x7fc271c151b0&gt; connection on mach service named com.apple.storagekitd from pid 1205  
2021-08-02 16:05:23+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:05:23+08 Kosomaks-MacBook-Pro Disk Utility[1205]: Connected to daemon. Language set to: en\_GB  
2021-08-02 16:05:23+08 Kosomaks-MacBook-Pro Disk Utility[1205]: Connected to daemon. Language set to: en\_GB  
2021-08-02 16:05:24+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:05:27+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:05:29+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:05:33+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:05:35+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:05:38+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:05:41+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:05:44+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:05:49+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:05:52+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:05:55+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:05:57+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:05:58+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:06:01+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:06:04+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:06:07+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:06:11+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:06:14+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:06:17+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:06:18+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:06:24+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:06:28+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:06:31+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:06:35+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:06:45+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:06:48+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:06:50+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears



to be an APFS snapshot disk.  
2021-08-02 16:09:34+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:09:37+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:09:40+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:09:43+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:09:46+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:09:49+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:09:55+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:09:58+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:10:10+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:10:13+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:10:17+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:10:20+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:10:29+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:10:36+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:10:45+08 Kosomaks-MacBook-Pro storagekitd[1206]: disk1s1s1 appears to be an APFS snapshot disk.  
2021-08-02 16:10:58+08 Kosomaks-MacBook-Pro storagekitd[1206]: Removing client connection &SKDaemonConnection: 0x7fc271c15c80&gt;  
2021-08-02 16:10:58+08 Kosomaks-MacBook-Pro storagekitd[1206]: No more connections, storagekitd will exit...  
2021-08-02 16:11:31+08 Kosomaks-MacBook-Pro softwareupdated[179]: SUOSUPowerEventObserver: System will sleep  
2021-08-02 17:35:22+08 Kosomaks-MacBook-Pro softwareupdated[179]: SUOSUPowerEventObserver: System will power on  
2021-08-02 17:35:23+08 Kosomaks-MacBook-Pro softwareupdated[179]: SUOSUPowerEventObserver: System has powered on  
2021-08-02 17:51:12+08 Kosomaks-MacBook-Pro softwareupdated[179]: SUOSUPowerEventObserver: System is considering sleep  
2021-08-02 17:51:12+08 Kosomaks-MacBook-Pro softwareupdated[179]: SUOSUPowerEventObserver: System will sleep  
2021-08-02 18:06:16+08 Kosomaks-MacBook-Pro softwareupdated[179]: SUOSUPowerEventObserver: System will power on  
2021-08-02 18:06:17+08 Kosomaks-MacBook-Pro softwareupdated[179]: SUOSUPowerEventObserver: System has powered on  
2021-08-02 18:06:34+08 Kosomaks-MacBook-Pro softwareupdated[179]: SUOSUPowerEventObserver: System will sleep  
2021-08-02 18:07:20+08 Kosomaks-MacBook-Pro softwareupdated[179]: SUOSUPowerEventObserver: System will power on  
2021-08-02 18:07:22+08 Kosomaks-MacBook-Pro softwareupdated[179]: SUOSUPowerEventObserver: System has powered on  
2021-08-02 18:07:41+08 Kosomaks-MacBook-Pro softwareupdated[179]: SUOSUPowerEventObserver: System will sleep  
2021-08-02 18:58:29+08 Kosomaks-MacBook-Pro softwareupdated[179]: SUOSUPowerEventObserver: System will power on  
2021-08-02 18:58:30+08 Kosomaks-MacBook-Pro softwareupdated[179]: SUOSUPowerEventObserver: System has powered on  
2021-08-02 19:01:14+08 Kosomaks-MacBook-Pro storagekitd[1499]: Starting SKDaemon...  
2021-08-02 19:01:14+08 Kosomaks-MacBook-Pro storagekitd[1499]: Client entitled

for destructive operations

2021-08-02 19:01:14+08 Kosomaks-MacBook-Pro storagekitd[1499]: Adding client connection &lt;NSXPCCConnection: 0x7ff682e048a0&gt; connection on mach service named com.apple.storagekitd from pid 1498

2021-08-02 19:01:15+08 Kosomaks-MacBook-Pro storagekitd[1499]: disk1s1s1 appears to be an APFS snapshot disk.

2021-08-02 19:01:15+08 Kosomaks-MacBook-Pro Disk Utility[1498]: Connected to daemon. Language set to: en\_GB

2021-08-02 19:01:15+08 Kosomaks-MacBook-Pro Disk Utility[1498]: Connected to daemon. Language set to: en\_GB

2021-08-02 19:01:16+08 Kosomaks-MacBook-Pro storagekitd[1499]: disk1s1s1 appears to be an APFS snapshot disk.

2021-08-02 19:01:17+08 Kosomaks-MacBook-Pro storagekitd[1499]: disk1s1s1 appears to be an APFS snapshot disk.

2021-08-02 19:01:21+08 Kosomaks-MacBook-Pro storagekitd[1499]: disk1s1s1 appears to be an APFS snapshot disk.

2021-08-02 19:01:24+08 Kosomaks-MacBook-Pro storagekitd[1499]: disk1s1s1 appears to be an APFS snapshot disk.

2021-08-02 19:01:27+08 Kosomaks-MacBook-Pro storagekitd[1499]: disk1s1s1 appears to be an APFS snapshot disk.

2021-08-02 19:01:30+08 Kosomaks-MacBook-Pro storagekitd[1499]: disk1s1s1 appears to be an APFS snapshot disk.

2021-08-02 19:01:33+08 Kosomaks-MacBook-Pro storagekitd[1499]: disk1s1s1 appears to be an APFS snapshot disk.

2021-08-02 19:01:36+08 Kosomaks-MacBook-Pro storagekitd[1499]: disk1s1s1 appears to be an APFS snapshot disk.

2021-08-02 19:01:39+08 Kosomaks-MacBook-Pro storagekitd[1499]: disk1s1s1 appears to be an APFS snapshot disk.

2021-08-02 19:01:42+08 Kosomaks-MacBook-Pro storagekitd[1499]: disk1s1s1 appears to be an APFS snapshot disk.

2021-08-02 19:01:45+08 Kosomaks-MacBook-Pro storagekitd[1499]: disk1s1s1 appears to be an APFS snapshot disk.

2021-08-02 19:01:54+08 Kosomaks-MacBook-Pro storagekitd[1499]: disk1s1s1 appears to be an APFS snapshot disk.

2021-08-02 19:02:18+08 Kosomaks-MacBook-Pro storagekitd[1499]: disk1s1s1 appears to be an APFS snapshot disk.

2021-08-02 19:02:20+08 Kosomaks-MacBook-Pro storagekitd[1499]: disk1s1s1 appears to be an APFS snapshot disk.

2021-08-02 19:02:23+08 Kosomaks-MacBook-Pro storagekitd[1499]: disk1s1s1 appears to be an APFS snapshot disk.

2021-08-02 19:02:34+08 Kosomaks-MacBook-Pro storagekitd[1499]: disk1s1s1 appears to be an APFS snapshot disk.

2021-08-02 19:02:38+08 Kosomaks-MacBook-Pro storagekitd[1499]: disk1s1s1 appears to be an APFS snapshot disk.

2021-08-02 19:02:41+08 Kosomaks-MacBook-Pro softwareupdated[179]:  
SUOSUPowerEventObserver: System will sleep

2021-08-02 19:02:41+08 Kosomaks-MacBook-Pro storagekitd[1499]: disk1s1s1 appears to be an APFS snapshot disk.

2021-08-03 07:43:41+08 Kosomaks-MacBook-Pro softwareupdated[179]:  
SUOSUPowerEventObserver: System will power on

2021-08-03 07:43:42+08 Kosomaks-MacBook-Pro softwareupdated[179]:  
SUOSUPowerEventObserver: System has powered on

2021-08-03 07:43:52+08 Kosomaks-MacBook-Pro storagekitd[1499]: disk1s1s1 appears to be an APFS snapshot disk.

2021-08-03 07:43:55+08 Kosomaks-MacBook-Pro storagekitd[1499]: disk1s1s1 appears to be an APFS snapshot disk.

2021-08-03 07:43:58+08 Kosomaks-MacBook-Pro storagekitd[1499]: disk1s1s1 appears to be an APFS snapshot disk.

2021-08-03 07:44:01+08 Kosomaks-MacBook-Pro storagekitd[1499]: disk1s1s1 appears to be an APFS snapshot disk.

2021-08-03 07:44:04+08 Kosomaks-MacBook-Pro storagekitd[1499]: disk1s1s1 appears to be an APFS snapshot disk.

2021-08-03 07:44:08+08 Kosomaks-MacBook-Pro storagekitd[1499]: disk1s1s1 appears to be an APFS snapshot disk.

2021-08-03 07:44:08+08 Kosomaks-MacBook-Pro storagekitd[1499]: Removing client connection &lt;SKDaemonConnection: 0x7ff682e053d0&gt;;  
2021-08-03 07:44:08+08 Kosomaks-MacBook-Pro storagekitd[1499]: No more connections, storagekitd will exit...  
2021-08-03 07:52:16+08 Kosomaks-MacBook-Pro softwareupdated[179]: SUOSUPowerEventObserver: System is considering sleep  
2021-08-03 07:52:46+08 Kosomaks-MacBook-Pro softwareupdated[179]: SUOSUPowerEventObserver: System will sleep  
2021-08-03 08:03:01+08 Kosomaks-MacBook-Pro softwareupdated[179]: SUOSUPowerEventObserver: System will power on  
2021-08-03 08:03:04+08 Kosomaks-MacBook-Pro softwareupdated[179]: SUOSUPowerEventObserver: System has powered on  
2021-08-03 08:05:42+08 Kosomaks-MacBook-Pro softwareupdated[179]: SUOSUPowerEventObserver: System is considering sleep  
2021-08-03 08:06:12+08 Kosomaks-MacBook-Pro softwareupdated[179]: SUOSUPowerEventObserver: System will sleep  
2021-08-03 08:07:46+08 Kosomaks-MacBook-Pro softwareupdated[179]: SUOSUPowerEventObserver: System will power on  
2021-08-03 08:07:48+08 Kosomaks-MacBook-Pro softwareupdated[179]: SUOSUPowerEventObserver: System has powered on  
2021-08-03 08:55:23+08 Kosomaks-MacBook-Pro installer[2199]: Product archive /var/folders/7l/g0bjpp0d4\_30vnjb8y4w19rc0000gn/T/46FFA42C-91A4-4C05-9717-D8540DE732C6/avira.pkg trustLevel=350  
2021-08-03 08:55:23+08 Kosomaks-MacBook-Pro installer[2199]: External component packages (1) trustLevel=350  
2021-08-03 08:55:23+08 Kosomaks-MacBook-Pro installer[2199]: - [IFDInstallController(Private) \_buildInstallPlanReturningError:]: location = file://localhost  
2021-08-03 08:55:23+08 Kosomaks-MacBook-Pro installer[2199]: - [IFDInstallController(Private) \_buildInstallPlanReturningError:]: file://localhost/var/folders/7l/g0bjpp0d4\_30vnjb8y4w19rc0000gn/T/46FFA42C-91A4-4C05-9717-D8540DE732C6/avira.pkg#Avira\_Security.pkg  
2021-08-03 08:55:23+08 Kosomaks-MacBook-Pro installer[2199]: Set authorization level to root for session  
2021-08-03 08:55:23+08 Kosomaks-MacBook-Pro installer[2199]: Administrator authorization granted.  
2021-08-03 08:55:23+08 Kosomaks-MacBook-Pro installer[2199]: Set authorization level to root for session  
2021-08-03 08:55:23+08 Kosomaks-MacBook-Pro installer[2199]: Will use PK session  
2021-08-03 08:55:23+08 Kosomaks-MacBook-Pro installer[2199]: Using authorization level of root for IFPKInstallElement  
2021-08-03 08:55:23+08 Kosomaks-MacBook-Pro installer[2199]: Starting installation:  
2021-08-03 08:55:23+08 Kosomaks-MacBook-Pro installer[2199]: Configuring volume "HD"  
2021-08-03 08:55:23+08 Kosomaks-MacBook-Pro installer[2199]: Preparing disk for local booted install.  
2021-08-03 08:55:24+08 Kosomaks-MacBook-Pro installer[2199]: Free space on "HD": 230.19 GB (230189080576 bytes).  
2021-08-03 08:55:24+08 Kosomaks-MacBook-Pro installer[2199]: Create temporary directory "/var/folders/zz/zyxvpxvq6csfxvn\_n0000000000000/T//Install.2199yTkjyY"  
2021-08-03 08:55:24+08 Kosomaks-MacBook-Pro installer[2199]: IFPKInstallElement (1 packages)  
2021-08-03 08:55:24+08 Kosomaks-MacBook-Pro installer[2199]: Current Path: /usr/sbin/installer  
2021-08-03 08:55:24+08 Kosomaks-MacBook-Pro installer[2199]: Current Path: /System/Library/Frameworks/Security.framework/authtrampoline  
2021-08-03 08:55:24+08 Kosomaks-MacBook-Pro installld[482]: PackageKit: Adding client PKInstallDaemonClient pid=2199, uid=0 (/usr/sbin/installer)  
2021-08-03 08:55:24+08 Kosomaks-MacBook-Pro installer[2199]: PackageKit: Enqueuing install with framework-specified quality of service (utility)  
2021-08-03 08:55:24+08 Kosomaks-MacBook-Pro installld[482]: PackageKit: -----  
Begin install -----  
2021-08-03 08:55:24+08 Kosomaks-MacBook-Pro installld[482]: PackageKit:



```
request=PKInstallRequest &lt;1 packages, destination=/&gt;
2021-08-03 08:55:24+08 Kosomaks-MacBook-Pro installd[482]: PackageKit:
packages=(
  "PKLeopardPackage &lt;id=com.avira.security.pkg, version=1.0,
url=file:///var/folders/7l/g0bjpp0d4_30vnjb8y4w19rc0000gn/T/46FFA42C-91A4-4C05-
9717-D8540DE732C6/avira.pkg#Avira_Security.pkg&gt;"
)
2021-08-03 08:55:24+08 Kosomaks-MacBook-Pro installd[482]: PackageKit: Set
reponsibility for install to 2198
2021-08-03 08:55:25+08 Kosomaks-MacBook-Pro installd[482]: PackageKit:
Extracting
file:///var/folders/7l/g0bjpp0d4_30vnjb8y4w19rc0000gn/T/46FFA42C-91A4-4C05-9717-
D8540DE732C6/avira.pkg#Avira_Security.pkg
(destination=/Library/InstallerSandboxes/.PKInstallSandboxManager/FE309165-
EBAE-47B1-891C-49A5B9616F1C.activeSandbox/Root, uid=0)
2021-08-03 08:55:26+08 Kosomaks-MacBook-Pro installd[482]: PackageKit: prevent
user idle system sleep
2021-08-03 08:55:26+08 Kosomaks-MacBook-Pro installd[482]: PackageKit:
suspending backupd
2021-08-03 08:55:26+08 Kosomaks-MacBook-Pro installd[482]: PackageKit
(package_script_service): Preparing to execute script "./preinstall" in
/private/tmp/PKInstallSandbox.tD293m/Scripts/com.avira.security.pkg.vbyhDf
2021-08-03 08:55:26+08 Kosomaks-MacBook-Pro install_monitor[2200]: Temporarily
excluding: /Applications, /Library, /System, /bin, /private, /sbin, /usr
2021-08-03 08:55:26+08 Kosomaks-MacBook-Pro package_script_service[2201]:
PackageKit: Executing script "preinstall" in
/tmp/PKInstallSandbox.tD293m/Scripts/com.avira.security.pkg.vbyhDf
2021-08-03 08:55:26+08 Kosomaks-MacBook-Pro package_script_service[2201]: Set
responsibility to pid: 2198, responsible_path:
/System/Library/Frameworks/Security.framework/authtrampoline
2021-08-03 08:55:27+08 Kosomaks-MacBook-Pro package_script_service[2201]:
./preinstall: Received: 4 arguments
2021-08-03 08:55:27+08 Kosomaks-MacBook-Pro package_script_service[2201]:
./preinstall: /var/folders/7l/g0bjpp0d4_30vnjb8y4w19rc0000gn/T/46FFA42C-91A4-
4C05-9717-D8540DE732C6/avira.pkg
2021-08-03 08:55:27+08 Kosomaks-MacBook-Pro package_script_service[2201]:
./preinstall: /
2021-08-03 08:55:27+08 Kosomaks-MacBook-Pro package_script_service[2201]:
./preinstall: /
2021-08-03 08:55:27+08 Kosomaks-MacBook-Pro package_script_service[2201]:
./preinstall: /
2021-08-03 08:55:27+08 Kosomaks-MacBook-Pro package_script_service[2201]:
./preinstall: Updating defaults
2021-08-03 08:55:27+08 Kosomaks-MacBook-Pro package_script_service[2201]:
./preinstall: 2021-08-03 08:55:27.409 defaults[2209:80673]
2021-08-03 08:55:27+08 Kosomaks-MacBook-Pro package_script_service[2201]:
./preinstall: Domain (com.avira.security) not found.
2021-08-03 08:55:27+08 Kosomaks-MacBook-Pro package_script_service[2201]:
./preinstall: Defaults have not been changed.
2021-08-03 08:55:27+08 Kosomaks-MacBook-Pro package_script_service[2201]:
Responsibility set back to self.
2021-08-03 08:55:27+08 Kosomaks-MacBook-Pro installd[482]: PackageKit: Using
trashcan path
/var/folders/zz/zyxvpxvq6csfxvn_n000000000000000/T/PKInstallSandboxTrash/FE309165-
EBAE-47B1-891C-49A5B9616F1C.sandboxTrash for sandbox
/Library/InstallerSandboxes/.PKInstallSandboxManager/FE309165-EBAE-47B1-
891C-49A5B9616F1C.activeSandbox
2021-08-03 08:55:27+08 Kosomaks-MacBook-Pro installd[482]: PackageKit:
Shoving /Library/InstallerSandboxes/.PKInstallSandboxManager/FE309165-EBAE-47B1-
891C-49A5B9616F1C.activeSandbox/Root (2 items) to /
2021-08-03 08:55:27+08 Kosomaks-MacBook-Pro softwareupdated[179]: Event handler
called with flags: 103
2021-08-03 08:55:27+08 Kosomaks-MacBook-Pro softwareupdated[179]: Event handler
called with flags: 103
```

2021-08-03 08:55:27+08 Kosomaks-MacBook-Pro installld[482]: PackageKit (package\_script\_service): Preparing to execute script "./postinstall" in /private/tmp/PKInstallSandbox.tD293m/Scripts/com.avira.security.pkg.vbyhDf  
2021-08-03 08:55:27+08 Kosomaks-MacBook-Pro package\_script\_service[2201]: PackageKit: Executing script "postinstall" in /tmp/PKInstallSandbox.tD293m/Scripts/com.avira.security.pkg.vbyhDf  
2021-08-03 08:55:27+08 Kosomaks-MacBook-Pro package\_script\_service[2201]: Set responsibility to pid: 2198, responsible\_path: /System/Library/Frameworks/Security.framework/authtrampoline  
2021-08-03 08:55:28+08 Kosomaks-MacBook-Pro package\_script\_service[2201]: ./postinstall: Received: 4 arguments  
2021-08-03 08:55:28+08 Kosomaks-MacBook-Pro package\_script\_service[2201]: ./postinstall: /var/folders/7l/g0bjpp0d4\_30vnjb8y4w19rc0000gn/T/46FFA42C-91A4-4C05-9717-D8540DE732C6/avira.pkg  
2021-08-03 08:55:28+08 Kosomaks-MacBook-Pro package\_script\_service[2201]: ./postinstall: /  
2021-08-03 08:55:28+08 Kosomaks-MacBook-Pro package\_script\_service[2201]: ./postinstall: /  
2021-08-03 08:55:28+08 Kosomaks-MacBook-Pro package\_script\_service[2201]: ./postinstall: /  
2021-08-03 08:55:28+08 Kosomaks-MacBook-Pro package\_script\_service[2201]: ./postinstall: Loading launch daemons  
2021-08-03 08:55:28+08 Kosomaks-MacBook-Pro package\_script\_service[2201]: ./postinstall: /Library/LaunchDaemons/com.avira.security.installld.plist: Could not find specified service  
2021-08-03 08:55:28+08 Kosomaks-MacBook-Pro package\_script\_service[2201]: ./postinstall: Unload failed: 113: Could not find specified service  
2021-08-03 08:55:28+08 Kosomaks-MacBook-Pro package\_script\_service[2201]: ./postinstall: /Library/LaunchDaemons/com.avira.security.uninstallld.plist: Could not find specified service  
2021-08-03 08:55:28+08 Kosomaks-MacBook-Pro package\_script\_service[2201]: ./postinstall: Unload failed: 113: Could not find specified service  
2021-08-03 08:55:28+08 Kosomaks-MacBook-Pro package\_script\_service[2201]: ./postinstall: /Library/LaunchDaemons/com.avira.security.privd.plist: Could not find specified service  
2021-08-03 08:55:28+08 Kosomaks-MacBook-Pro package\_script\_service[2201]: ./postinstall: Unload failed: 113: Could not find specified service  
2021-08-03 08:55:28+08 Kosomaks-MacBook-Pro package\_script\_service[2201]: ./postinstall: Loading launch agents  
2021-08-03 08:55:28+08 Kosomaks-MacBook-Pro package\_script\_service[2201]: ./postinstall: Unload failed: 5: Input/output error  
2021-08-03 08:55:28+08 Kosomaks-MacBook-Pro package\_script\_service[2201]: ./postinstall: Unload failed: 5: Input/output error  
2021-08-03 08:55:28+08 Kosomaks-MacBook-Pro package\_script\_service[2201]: ./postinstall: Unload failed: 5: Input/output error  
2021-08-03 08:55:28+08 Kosomaks-MacBook-Pro package\_script\_service[2201]: ./postinstall: Adding required custom rights  
2021-08-03 08:55:28+08 Kosomaks-MacBook-Pro package\_script\_service[2201]: ./postinstall: com.avira.scanservice.rtpoff  
2021-08-03 08:55:28+08 Kosomaks-MacBook-Pro package\_script\_service[2201]: ./postinstall: YES (0)  
2021-08-03 08:55:28+08 Kosomaks-MacBook-Pro package\_script\_service[2201]: ./postinstall: Adding required custom right com.avira.security.quarantine.manage  
2021-08-03 08:55:28+08 Kosomaks-MacBook-Pro package\_script\_service[2201]: ./postinstall: YES (0)  
2021-08-03 08:55:28+08 Kosomaks-MacBook-Pro package\_script\_service[2201]: Responsibility set back to self.  
2021-08-03 08:55:28+08 Kosomaks-MacBook-Pro installld[482]: PackageKit: Writing receipt for com.avira.security.pkg to /  
2021-08-03 08:55:28+08 Kosomaks-MacBook-Pro installld[482]: PackageKit: Touched bundle /Applications/Avira Security.app/Contents/Helpers/Avira StatusMenu.app  
2021-08-03 08:55:28+08 Kosomaks-MacBook-Pro installld[482]: PackageKit: Touched bundle /Library/Application Support/Avira Security/Avira Updater.app  
2021-08-03 08:55:28+08 Kosomaks-MacBook-Pro installld[482]: PackageKit: Touched

```
bundle /Library/Application Support/Avira Security/privd.app
2021-08-03 08:55:28+08 Kosomaks-MacBook-Pro installd[482]: PackageKit: Touched
bundle /Applications/Avira Security.app
2021-08-03 08:55:28+08 Kosomaks-MacBook-Pro installd[482]: PackageKit: Touched
bundle /Library/Application Support/Avira Security/UIAgent.app
2021-08-03 08:55:28+08 Kosomaks-MacBook-Pro installd[482]: PackageKit: Touched
bundle /Library/Application Support/Avira Security/installd.app
2021-08-03 08:55:28+08 Kosomaks-MacBook-Pro installd[482]: PackageKit: Touched
bundle /Library/Application Support/Avira Security/UninstallerHelper.app
2021-08-03 08:55:28+08 Kosomaks-MacBook-Pro installd[482]: Installed "Avira
Security" ()
2021-08-03 08:55:28+08 Kosomaks-MacBook-Pro install_monitor[2200]: Re-
included: /Applications, /Library, /System, /bin, /private, /sbin, /usr
2021-08-03 08:55:29+08 Kosomaks-MacBook-Pro installd[482]: PackageKit: releasing
backupd
2021-08-03 08:55:29+08 Kosomaks-MacBook-Pro installd[482]: PackageKit: allow
user idle system sleep
2021-08-03 08:55:29+08 Kosomaks-MacBook-Pro installd[482]: PackageKit: Cleared
responsibility for install from 2199.
2021-08-03 08:55:29+08 Kosomaks-MacBook-Pro installd[482]: PackageKit: ----- End
install -----
2021-08-03 08:55:29+08 Kosomaks-MacBook-Pro installd[482]: PackageKit: 4.8s
elapsed install time
2021-08-03 08:55:29+08 Kosomaks-MacBook-Pro installd[482]: PackageKit: Running
idle tasks
2021-08-03 08:55:29+08 Kosomaks-MacBook-Pro installd[482]: PackageKit: Done with
sandbox removals
2021-08-03 08:55:29+08 Kosomaks-MacBook-Pro installer[2199]: PackageKit:
Registered bundle
file:///Applications/Avira%20Security.app/Contents/Helpers/Avira%20StatusMenu.ap
p/ for uid 0
2021-08-03 08:55:29+08 Kosomaks-MacBook-Pro installer[2199]: PackageKit:
Registered bundle
file:///Library/Application%20Support/Avira%20Security/Avira%20Updater.app/ for
uid 0
2021-08-03 08:55:29+08 Kosomaks-MacBook-Pro installer[2199]: PackageKit:
Registered bundle
file:///Library/Application%20Support/Avira%20Security/privd.app/ for uid 0
2021-08-03 08:55:29+08 Kosomaks-MacBook-Pro installer[2199]: PackageKit:
Registered bundle file:///Applications/Avira%20Security.app/ for uid 0
2021-08-03 08:55:29+08 Kosomaks-MacBook-Pro installer[2199]: PackageKit:
Registered bundle
file:///Library/Application%20Support/Avira%20Security/UIAgent.app/ for uid 0
2021-08-03 08:55:29+08 Kosomaks-MacBook-Pro installer[2199]: PackageKit:
Registered bundle
file:///Library/Application%20Support/Avira%20Security/installd.app/ for uid 0
2021-08-03 08:55:29+08 Kosomaks-MacBook-Pro installer[2199]: PackageKit:
Registered bundle
file:///Library/Application%20Support/Avira%20Security/UninstallerHelper.app/
for uid 0
2021-08-03 08:55:29+08 Kosomaks-MacBook-Pro installd[482]: PackageKit: Removing
client PKInstallDaemonClient pid=2199, uid=0 (/usr/sbin/installer)
2021-08-03 08:55:29+08 Kosomaks-MacBook-Pro installer[2199]: Running install
actions
2021-08-03 08:55:29+08 Kosomaks-MacBook-Pro installer[2199]: Removing temporary
directory "/var/folders/zz/zyxvpxvq6csfxvn_n0000000000000/T//Install.2199yTkjyY"
2021-08-03 08:55:29+08 Kosomaks-MacBook-Pro installer[2199]: Finalize disk "HD"
2021-08-03 08:55:29+08 Kosomaks-MacBook-Pro installer[2199]: Notifying system of
updated components
2021-08-03 08:55:29+08 Kosomaks-MacBook-Pro installer[2199]:
2021-08-03 08:55:29+08 Kosomaks-MacBook-Pro installer[2199]: **** Summary
Information ****
2021-08-03 08:55:29+08 Kosomaks-MacBook-Pro installer[2199]: Operation
Elapsed time
```

```
2021-08-03 08:55:29+08 Kosomaks-MacBook-Pro installer[2199]:
-----
2021-08-03 08:55:29+08 Kosomaks-MacBook-Pro installer[2199]:          disk
0.04 seconds
2021-08-03 08:55:29+08 Kosomaks-MacBook-Pro installer[2199]:          script
0.00 seconds
2021-08-03 08:55:29+08 Kosomaks-MacBook-Pro installer[2199]:          zero
0.00 seconds
2021-08-03 08:55:29+08 Kosomaks-MacBook-Pro installer[2199]:          install
5.93 seconds
2021-08-03 08:55:29+08 Kosomaks-MacBook-Pro installer[2199]:          -total-
5.98 seconds
2021-08-03 08:55:29+08 Kosomaks-MacBook-Pro installer[2199]:
2021-08-03 09:16:23+08 Kosomaks-MacBook-Pro softwareupdated[179]:
SUOSUServiceDaemon: Removing MDM client: (null) (pid = 1197, uid = 501, path
= /System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/
SoftwareUpdateNotificationManager, connection remote object interface =
<NSXPCInterface: 0x7f9b1bebb550>;, exported interface = (null), remote
object proxy = <__NSXPCInterfaceProxy_SUOSUServiceClientProtocol:
0x7f9b1ea8a480>;)
2021-08-03 09:16:23+08 Kosomaks-MacBook-Pro softwareupdated[179]: Removing
client SUUpdateServiceClient pid=1197, uid=501, installAuth=NO rights=(),
transactions=0
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/
SoftwareUpdateNotificationManager)
2021-08-03 09:16:23+08 Kosomaks-MacBook-Pro softwareupdated[179]: Removing
client SUUpdateServiceClient pid=1197, uid=501, installAuth=NO rights=(),
transactions=0
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/
SoftwareUpdateNotificationManager)
2021-08-03 09:16:41+08 localhost Installer Progress[101]: Progress UI App
Starting
2021-08-03 09:16:44+08 Kosomaks-MacBook-Pro softwareupdated[257]:
softwareupdated: Starting with build 11.5.1 (20G80)
2021-08-03 09:16:44+08 Kosomaks-MacBook-Pro softwareupdated[257]: Initializing
SoftwareUpdateMacController (SUMacControllerServer)
2021-08-03 09:16:44+08 Kosomaks-MacBook-Pro softwareupdated[257]: Initialized
SoftwareUpdateMacController (SUMacControllerServer)
2021-08-03 09:16:44+08 Kosomaks-MacBook-Pro softwareupdated[257]:
SUOSUAlarmObserver: Setting alarm event stream handler
2021-08-03 09:16:44+08 Kosomaks-MacBook-Pro softwareupdated[257]:
SUOSUAuthenticationManager: Disabling local authentication requirement
2021-08-03 09:16:44+08 Kosomaks-MacBook-Pro softwareupdated[257]:
SUOSUServiceDaemon: Error reading
/var/folders/zz/zyxvpxvq6csfxvn_n00000s0000068/C/com.apple.OSUpdate.SUOSUService
Daemon.state: Error Domain=NSCocoaErrorDomain Code=260 "The file
"com.apple.OSUpdate.SUOSUServiceDaemon.state" couldn't be opened because
there is no such file."
UserInfo={NSFilePath=/var/folders/zz/zyxvpxvq6csfxvn_n00000s0000068/C/
com.apple.OSUpdate.SUOSUServiceDaemon.state, NSUnderlyingError=0x7f9e3a90fe10
{Error Domain=NSPOSIXErrorDomain Code=2 "No such file or directory"}}
2021-08-03 09:16:44+08 Kosomaks-MacBook-Pro softwareupdated[257]:
SUOSUServiceDaemon: Use standard 6 hour auto update interval
2021-08-03 09:16:44+08 Kosomaks-MacBook-Pro softwareupdated[257]:
authorizeWithEmptyAuthorizationForRights: Requesting provided rights: 1
2021-08-03 09:16:45+08 Kosomaks-MacBook-Pro softwareupdated[257]:
/Library/Bundles does not exist - watching for directory creation
2021-08-03 09:16:45+08 Kosomaks-MacBook-Pro softwareupdated[257]: Previous
System Version : 11.5.1 (20G80), Current System Version : 11.5.1 (20G80)
2021-08-03 09:16:45+08 Kosomaks-MacBook-Pro softwareupdated[257]:
BackgroundActivity: Activity check-in with Interval 21600
```

```
2021-08-03 09:16:45+08 Kosomaks-MacBook-Pro softwareupdated[257]: Adding client
SUUpdateServiceClient pid=230, uid=0, installAuth=NO rights=(), transactions=0
(/usr/libexec/mobileassetd)
2021-08-03 09:16:48+08 Kosomaks-MacBook-Pro bootinstalld[324]: BootTimeInstall:
Configuring sandbox...
2021-08-03 09:16:48+08 Kosomaks-MacBook-Pro Installer Progress[101]:
IASGetCurrentInstallPhaseList: Unable to get phases
2021-08-03 09:16:48+08 Kosomaks-MacBook-Pro Installer Progress[101]:
IASGetCurrentInstallPhase: Unable to get the current phase name
2021-08-03 09:16:48+08 Kosomaks-MacBook-Pro Installer Progress[101]:
currentPhase = "(null)", phases = (null)
2021-08-03 09:16:48+08 Kosomaks-MacBook-Pro Installer Progress[101]: Progress
app is loadingâ€¦!
2021-08-03 09:16:48+08 Kosomaks-MacBook-Pro Installer Progress[101]: Progress
app is running with no progress set
2021-08-03 09:16:48+08 Kosomaks-MacBook-Pro Installer Progress[101]: Progress
app is runningâ€¦!
2021-08-03 09:16:48+08 Kosomaks-MacBook-Pro bootinstalld[324]: BootTimeInstall:
Sandbox successfully configured
2021-08-03 09:16:48+08 Kosomaks-MacBook-Pro bootinstalld[324]: Adding
bootinstalld client (loginwindow (pid = 141, uid = 0, path =
/System/Library/CoreServices/loginwindow.app/Contents/MacOS/loginwindow,
connection remote object interface = &lt;NSXPCInterface: 0x7f86b4d07240&gt;;,
exported interface = &lt;NSXPCInterface: 0x7f86b4d059e0&gt;;, remote object proxy
= &lt;__NSXPCInterfaceProxy_IASBootTimeInstallClientProtocol:
0x7f86b4c11ba0&gt;)), total: 1
2021-08-03 09:16:48+08 Kosomaks-MacBook-Pro bootinstalld[324]: BootTimeInstall:
Client loginwindow[141]: Connected.
2021-08-03 09:16:48+08 Kosomaks-MacBook-Pro loginwindow[141]: isModernOS = 1
2021-08-03 09:16:48+08 Kosomaks-MacBook-Pro Installer Progress[101]:
IASClearInstallProgress: Clearing Registry
2021-08-03 09:16:48+08 Kosomaks-MacBook-Pro Installer Progress[101]:
currentPhase = "(null)", phases = (
    &lt;IASPPhase: 0x6000009d8980: 'IOKit Boot', percentage 26.4, delay
0&gt;";
)
2021-08-03 09:16:48+08 Kosomaks-MacBook-Pro Installer Progress[101]:
IASSetCurrentInstallPhaseList: phases set to (
    {
        ConclusionDelay = 0;
        InstallPhase = "IOKit Boot";
        InstallPhaseActualPercentageKey = "26.36719";
        InstallPhasePercentageKey = 26;
    }
)
2021-08-03 09:16:48+08 Kosomaks-MacBook-Pro Installer Progress[101]:
IASSetCurrentInstallPhase: Current phase name set to "IOKit Boot"
2021-08-03 09:16:49+08 Kosomaks-MacBook-Pro Installer Progress[101]:
currentPhase = "&lt;IASPPhase: 0x6000009d8980: 'IOKit Boot', percentage 26.4,
delay 0&gt;";, phases = (
    &lt;IASPPhase: 0x6000009d8980: 'IOKit Boot', percentage 26.4, delay
0&gt;";,
    &lt;IASPPhase: 0x6000009c1fc0: 'loginwindow Boot', percentage 73.6,
delay -1&gt;";
)
2021-08-03 09:16:49+08 Kosomaks-MacBook-Pro Installer Progress[101]:
IASSetCurrentInstallPhaseList: phases set to (
    {
        ConclusionDelay = 0;
        InstallPhase = "IOKit Boot";
        InstallPhaseActualPercentageKey = "26.36719";
        InstallPhasePercentageKey = 26;
    },
    {
```

```

        ConclusionDelay = "-1";
        InstallPhase = "loginwindow Boot";
        InstallPhaseActualPercentageKey = "73.63281";
        InstallPhasePercentageKey = 74;
    }
)
2021-08-03 09:16:49+08 Kosomaks-MacBook-Pro Installer Progress[101]: Connected
processes {
    "6928F3A3-927A-4DA2-BA7A-C2300DB51DC5" = {
        "Phase Name" = "loginwindow Boot";
        "Process ID" = 141;
        UUID = "6928F3A3-927A-4DA2-BA7A-C2300DB51DC5";
    };
}
2021-08-03 09:16:49+08 Kosomaks-MacBook-Pro Installer Progress[101]: Connected
processes {
    "6928F3A3-927A-4DA2-BA7A-C2300DB51DC5" = {
        CompletionHandlerKey = "&lt;__NSMallocBlock__
0x600002ad0a50&gt;";
        "Phase Name" = "loginwindow Boot";
        "Process ID" = 141;
        UUID = "6928F3A3-927A-4DA2-BA7A-C2300DB51DC5";
    };
}
2021-08-03 09:16:49+08 Kosomaks-MacBook-Pro loginwindow[141]: ISAP: Show
progress UI called
2021-08-03 09:16:49+08 Kosomaks-MacBook-Pro Installer Progress[101]: Connected
processes {
    "6928F3A3-927A-4DA2-BA7A-C2300DB51DC5" = {
        CompletionHandlerKey = "&lt;__NSMallocBlock__
0x600002ad0a50&gt;";
        "Phase Name" = "loginwindow Boot";
        "Process ID" = 141;
        UUID = "6928F3A3-927A-4DA2-BA7A-C2300DB51DC5";
    };
    "7A5C244D-CBBF-440A-8540-F3E053FC6C3C" = {
        "Phase Name" = "IOKit Boot";
        "Process ID" = 141;
        UUID = "7A5C244D-CBBF-440A-8540-F3E053FC6C3C";
    };
}
2021-08-03 09:16:49+08 Kosomaks-MacBook-Pro Installer Progress[101]: Connected
processes {
    "6928F3A3-927A-4DA2-BA7A-C2300DB51DC5" = {
        CompletionHandlerKey = "&lt;__NSMallocBlock__
0x600002ad0a50&gt;";
        "Phase Name" = "loginwindow Boot";
        "Process ID" = 141;
        UUID = "6928F3A3-927A-4DA2-BA7A-C2300DB51DC5";
    };
    "7A5C244D-CBBF-440A-8540-F3E053FC6C3C" = {
        CompletionHandlerKey = "&lt;__NSMallocBlock__
0x600002ac9540&gt;";
        "Phase Name" = "IOKit Boot";
        "Process ID" = 141;
        UUID = "7A5C244D-CBBF-440A-8540-F3E053FC6C3C";
    };
}
2021-08-03 09:16:49+08 Kosomaks-MacBook-Pro loginwindow[141]: ISAP: Done with
Phase "IOKit Boot"
2021-08-03 09:16:49+08 Kosomaks-MacBook-Pro Installer Progress[101]:
IASGetCurrentInstallPhaseList: phases = (
    {
        ConclusionDelay = 0;

```

```

        InstallPhase = "IOKit Boot";
        InstallPhaseActualPercentageKey = "26.3671875";
        InstallPhasePercentageKey = 26;
    },
    {
        ConclusionDelay = "-1";
        InstallPhase = "loginwindow Boot";
        InstallPhaseActualPercentageKey = "73.6328125";
        InstallPhasePercentageKey = 74;
    }
)
2021-08-03 09:16:49+08 Kosomaks-MacBook-Pro Installer Progress[101]:
IASGetCurrentInstallPhase: Current phase name is "IOKit Boot"
2021-08-03 09:16:49+08 Kosomaks-MacBook-Pro Installer Progress[101]:
currentPhase = "&lt;IASPPPhase: 0x6000009de800: 'IOKit Boot', percentage 26.4,
delay 0&gt;";, phases = (
    "&lt;IASPPPhase: 0x6000009de800: 'IOKit Boot', percentage 26.4, delay
0&gt;";,
    "&lt;IASPPPhase: 0x6000009de760: 'loginwindow Boot', percentage 73.6,
delay -1&gt;";
)
2021-08-03 09:16:49+08 Kosomaks-MacBook-Pro Installer Progress[101]: Showing
Progress UI
2021-08-03 09:16:49+08 Kosomaks-MacBook-Pro Installer Progress[101]: There are 0
window(s) and 1 display(s), 1 window(s) will be added
2021-08-03 09:16:49+08 Kosomaks-MacBook-Pro Installer Progress[101]: Created a
window at {{0, 0}, {1440, 900}}
2021-08-03 09:16:49+08 Kosomaks-MacBook-Pro Installer Progress[101]: Status is
""
2021-08-03 09:16:49+08 Kosomaks-MacBook-Pro Installer Progress[101]: Alternate
status is ""
2021-08-03 09:16:49+08 Kosomaks-MacBook-Pro Installer Progress[101]: no
background for progress added because:
2021-08-03 09:16:49+08 Kosomaks-MacBook-Pro Installer Progress[101]:
and / or NOT booting from EFI loginwindow
2021-08-03 09:16:49+08 Kosomaks-MacBook-Pro Installer Progress[101]: Setting
window alpha values to 1.0
2021-08-03 09:16:49+08 Kosomaks-MacBook-Pro Installer Progress[101]: Ordering
windows front
2021-08-03 09:16:49+08 Kosomaks-MacBook-Pro Installer Progress[101]: Done with
phase = "IOKit Boot"
2021-08-03 09:16:49+08 Kosomaks-MacBook-Pro Installer Progress[101]:
IASSetCurrentInstallPhase: Current phase name set to "loginwindow Boot"
2021-08-03 09:16:49+08 Kosomaks-MacBook-Pro Installer Progress[101]: Connected
processes {
    "6928F3A3-927A-4DA2-BA7A-C2300DB51DC5" = {
        CompletionHandlerKey = "&lt;__NSMallocBlock__":
0x600002ad0a50&gt;";
        "Phase Name" = "loginwindow Boot";
        "Process ID" = 141;
        UUID = "6928F3A3-927A-4DA2-BA7A-C2300DB51DC5";
    };
    "7A5C244D-CBBF-440A-8540-F3E053FC6C3C" = {
        CompletionHandlerKey = "&lt;__NSMallocBlock__":
0x600002ad0af0&gt;";
        "Phase Name" = "IOKit Boot";
        "Process ID" = 141;
        UUID = "7A5C244D-CBBF-440A-8540-F3E053FC6C3C";
    };
}
2021-08-03 09:16:49+08 Kosomaks-MacBook-Pro Installer Progress[101]: Connected
processes {
    "6928F3A3-927A-4DA2-BA7A-C2300DB51DC5" = {
        CompletionHandlerKey = "&lt;__NSMallocBlock__":

```

```
0x600002ad0a50>";
    "Phase Name" = "loginwindow Boot";
    "Process ID" = 141;
    UUID = "6928F3A3-927A-4DA2-BA7A-C2300DB51DC5";
};
}
2021-08-03 09:16:50+08 Kosomaks-MacBook-Pro loginwindow[141]: ISAP: Done with
Phase "loginwindow Boot"
2021-08-03 09:16:50+08 Kosomaks-MacBook-Pro Installer Progress[101]: Done with
phase = "loginwindow Boot"
2021-08-03 09:16:50+08 Kosomaks-MacBook-Pro Installer Progress[101]:
IASClearInstallProgress: Clearing Registry
2021-08-03 09:16:51+08 Kosomaks-MacBook-Pro loginwindow[141]: ISAP: hide
progress UI called
2021-08-03 09:16:51+08 Kosomaks-MacBook-Pro Installer Progress[101]: Hiding
Progress UI
2021-08-03 09:16:51+08 Kosomaks-MacBook-Pro Installer Progress[101]: Setting
window alpha values to 0.0
2021-08-03 09:16:51+08 Kosomaks-MacBook-Pro Installer Progress[101]: Ordering
windows out
2021-08-03 09:16:51+08 Kosomaks-MacBook-Pro Installer Progress[101]: Connected
processes {
    "6928F3A3-927A-4DA2-BA7A-C2300DB51DC5" = {
        CompletionHandlerKey = "&lt;__NSMallocBlock__";
0x600002ad8a00>";
        "Phase Name" = "loginwindow Boot";
        "Process ID" = 141;
        UUID = "6928F3A3-927A-4DA2-BA7A-C2300DB51DC5";
    };
}
2021-08-03 09:16:51+08 Kosomaks-MacBook-Pro Installer Progress[101]: Connected
processes {
}
2021-08-03 09:16:56+08 Kosomaks-MacBook-Pro Installer Progress[101]: Quitting
because there are no phases. There are no connected processes. The UI is not
showing.
2021-08-03 09:16:56+08 Kosomaks-MacBook-Pro Installer Progress[101]: Quitting
Progress App
2021-08-03 09:16:56+08 Kosomaks-MacBook-Pro Installer Progress[101]: Setting
window alpha values to 0.0
2021-08-03 09:16:56+08 Kosomaks-MacBook-Pro Installer Progress[101]: Ordering
windows out
2021-08-03 09:18:50+08 Kosomaks-MacBook-Pro softwareupdated[257]:
SUOSUPowerEventObserver: System is considering sleep
2021-08-03 09:18:50+08 Kosomaks-MacBook-Pro softwareupdated[257]:
SUOSUPowerEventObserver: System will sleep
2021-08-03 09:20:02+08 Kosomaks-MacBook-Pro softwareupdated[257]:
SUOSUPowerEventObserver: System will power on
2021-08-03 09:20:03+08 Kosomaks-MacBook-Pro softwareupdated[257]:
SUOSUPowerEventObserver: System has powered on
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[554]: AssertionMgr: Take
com.apple.softwareupdate.NotifyAgentAssertion-LoginDone assertion with type
BackgroundTask for pid 554, id 0x81FB
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[554]: SUOSUAuthenticationManager: Disabling
local authentication requirement
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro softwareupdated[257]: Adding client
SUUpdateServiceClient pid=554, uid=501, installAuth=NO rights=(), transactions=0
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/
SoftwareUpdateNotificationManager)
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro softwareupdated[257]:
SUOSNotificationBundleHandler: Should notify? NO (Notification pending=0, bundle
```



exists=0, mdmInitiatedNotificationBundleInstall=0)  
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro  
SoftwareUpdateNotificationManager[554]: AssertionMgr: Cancel  
com.apple.softwareupdate.NotifyAgentAssertion-LoginDone assertion for pid 554,  
id 0x81FB  
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro  
SoftwareUpdateNotificationManager[554]: (null)ĩ%šsoftwareupdated: Service  
connection invalidated!  
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro softwareupdated[257]: Removing  
client SUUpdateServiceClient pid=554, uid=501, installAuth=NO rights=(),  
transactions=0  
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/  
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/  
SoftwareUpdateNotificationManager)  
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro softwareupdated[257]: Adding client  
SUUpdateServiceClient pid=554, uid=501, installAuth=NO rights=(), transactions=0  
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/  
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/  
SoftwareUpdateNotificationManager)  
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro  
SoftwareUpdateNotificationManager[554]: Query for available updates: FINISHED  
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro softwareupdated[257]: Adding client  
SUUpdateServiceClient pid=554, uid=501, installAuth=NO rights=(), transactions=0  
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/  
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/  
SoftwareUpdateNotificationManager)  
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro  
SoftwareUpdateNotificationManager[554]: Controller: Time interval since last  
scan - 62205.541486  
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro  
SoftwareUpdateNotificationManager[554]: Controller: shouldScan - 1,  
productKeysInActiveForegroundTransactions - 0, client = 2, shouldScanForClient:  
1  
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro  
SoftwareUpdateNotificationManager[554]: SUOSUShimController: Start legacy scan  
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro  
SoftwareUpdateNotificationManager[554]: SUOSUShimController: Start MSU scan  
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro  
SoftwareUpdateNotificationManager[554]: SUOSUAuthenticationManager: Disabling  
local authentication requirement  
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro softwareupdated[257]: SUScan: Scan  
for client pid 257 (/System/Library/CoreServices/Software  
Update.app/Contents/Resources/softwareupdated)  
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro softwareupdated[257]:  
SUOSUServiceDaemon: Adding MDM client: (null) (pid = 554, uid = 501, path =  
/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/  
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/  
SoftwareUpdateNotificationManager, connection remote object interface =  
&lt;NSXPCInterface: 0x7f9e3a93dc60&gt;, exported interface = &lt;NSXPCInterface:  
0x7f9e3a93b300&gt;, remote object proxy =  
&lt;\_\_NSXPCInterfaceProxy\_SUOSUServiceClientProtocol: 0x7f9e3a92f920&gt;)  
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro  
SoftwareUpdateNotificationManager[554]: SUOSUShimController: Received  
availableUpdatesChanged notification, ignoring because scan is in progress  
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro softwareupdated[257]: SUScan:  
Fetching the catalog failed due to an error. Although our catalogTestMode is  
nil, we will not exit a TestMode (if we are in one).  
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro softwareupdated[257]: SUScan:  
Elapsed scan time = 0.0  
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro softwareupdated[257]: SUScan: Error  
encountered in scan: Error Domain=NSURLErrorDomain Code=-1009 "Canâ€™t connect  
to the Apple Software Update server, because you are not connected to the  
internet." UserInfo={\_kCFStreamErrorCodeKey=50,  
NSLocalizedStringRecoverySuggestion=Make sure youâ€™re connected to the internet, and

then try again., NSLocalizedDescription=Can't connect to the Apple Software Update server, because you are not connected to the internet., SUErrorRelatedCode=SUErrorCodeScanCatalogNotFound, NSErrorFailingURLStringKey=https://swscan.apple.com/content/catalogs/others/index-10.16-10.15-10.14-10.13-10.12-10.11-10.10-10.9-mountainlion-lion-snowleopard-leopard.merged-1.sucatalog.gz, NSErrorFailingURLKey=https://swscan.apple.com/content/catalogs/others/index-10.16-10.15-10.14-10.13-10.12-10.11-10.10-10.9-mountainlion-lion-snowleopard-leopard.merged-1.sucatalog.gz, \_kCFStreamErrorDomainKey=1}  
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro  
SoftwareUpdateNotificationManager[554]: AssertionMgr: Take com.apple.softwareupdate.NotifyAgentAssertion-BadgingCountChanged assertion with type BackgroundTask for pid 554, id 0x8208  
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro  
SoftwareUpdateNotificationManager[554]: SUOSUAuthenticationManager: Disabling local authentication requirement  
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro softwareupdated[257]: Scan got error Can't connect to the Apple Software Update server, because you are not connected to the internet.  
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro softwareupdated[257]: SUStatisticsManager: Successfully reported statistics for category 5  
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro softwareupdated[257]: Adding client SUUpdateServiceClient pid=554, uid=501, installAuth=NO rights=(), transactions=0 (/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/SoftwareUpdateNotificationManager)  
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro  
SoftwareUpdateNotificationManager[554]: AssertionMgr: Cancel com.apple.softwareupdate.NotifyAgentAssertion-BadgingCountChanged assertion for pid 554, id 0x8208  
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro  
SoftwareUpdateNotificationManager[554]: SUOSUAuthenticationManager: Disabling local authentication requirement  
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro softwareupdated[257]: Adding client SUUpdateServiceClient pid=554, uid=501, installAuth=NO rights=(), transactions=0 (/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/SoftwareUpdateNotificationManager)  
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro  
SoftwareUpdateNotificationManager[554]: AssertionMgr: Could not cancel com.apple.softwareupdate.NotifyAgentAssertion-BadgingCountChanged assertion - no assertion found for pid 554  
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro  
SoftwareUpdateNotificationManager[554]: SUOSUAuthenticationManager: Disabling local authentication requirement  
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro softwareupdated[257]: Adding client SUUpdateServiceClient pid=554, uid=501, installAuth=NO rights=(), transactions=0 (/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/SoftwareUpdateNotificationManager)  
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro  
SoftwareUpdateNotificationManager[554]: AssertionMgr: Could not cancel com.apple.softwareupdate.NotifyAgentAssertion-BadgingCountChanged assertion - no assertion found for pid 554  
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro  
SoftwareUpdateNotificationManager[554]: (null)softwareupdated: Service connection invalidated!  
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro  
SoftwareUpdateNotificationManager[554]: (null)softwareupdated: Service connection invalidated!  
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro  
SoftwareUpdateNotificationManager[554]: (null)softwareupdated: Service connection invalidated!  
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro softwareupdated[257]: Removing

```
client SUUpdateServiceClient pid=554, uid=501, installAuth=NO rights=(),
transactions=0
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/
SoftwareUpdateNotificationManager)
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro softwareupdated[257]: Removing
client SUUpdateServiceClient pid=554, uid=501, installAuth=NO rights=(),
transactions=0
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/
SoftwareUpdateNotificationManager)
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro softwareupdated[257]: Removing
client SUUpdateServiceClient pid=554, uid=501, installAuth=NO rights=(),
transactions=0
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/
SoftwareUpdateNotificationManager)
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[554]: AssertionMgr: Take
com.apple.softwareupdate.NotifyAgentAssertion-BadgingCountChanged assertion with
type BackgroundTask for pid 554, id 0x820A
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[554]: SUOSUAuthenticationManager: Disabling
local authentication requirement
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[554]: SUOSUShimController: Available MSU
updates: (
)
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[554]: SUOSUShimController: msuScanError:
(null), legacyScanError: Error Domain=NSURLErrorDomain Code=-1009 "Canâ€™t
connect to the Apple Software Update server, because you are not connected to
the internet." UserInfo={_kCFStreamErrorDomainKey=1,
NSLocalizedStringRecoverySuggestion=Make sure youâ€™re connected to the internet, and
then try again., NSLocalizedStringDescription=Canâ€™t connect to the Apple Software
Update server, because you are not connected to the internet.,
SUErrorRelatedCode=SUErrorCodeScanCatalogNotFound,
NSErrorFailingURLStringKey=https://swscan.apple.com/content/catalogs/others/
index-10.16-10.15-10.14-10.13-10.12-10.11-10.10-10.9-mountainlion-lion-
snowleopard-leopard.merged-1.sucatalog.gz,
NSErrorFailingURLKey=https://swscan.apple.com/content/catalogs/others/
index-10.16-10.15-10.14-10.13-10.12-10.11-10.10-10.9-mountainlion-lion-
snowleopard-leopard.merged-1.sucatalog.gz, _kCFStreamErrorCodeKey=50}
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[554]: SUPrefPaneController: Last known
CatalogURL is default.
2021-08-03 09:20:45+08
Kosomaks-MacBook-Pro softwareupdated[257]: Adding client SUUpdateServiceClient
pid=554, uid=501, installAuth=NO rights=(), transactions=0
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/
SoftwareUpdateNotificationManager)
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[554]: AssertionMgr: Cancel
com.apple.softwareupdate.NotifyAgentAssertion-BadgingCountChanged assertion for
pid 554, id 0x820A
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[554]: SUOSUAuthenticationManager: Disabling
local authentication requirement
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro softwareupdated[257]: Adding client
SUUpdateServiceClient pid=554, uid=501, installAuth=NO rights=(), transactions=0
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/
SoftwareUpdateNotificationManager)
```

```
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[554]: AssertionMgr: Could not cancel
com.apple.softwareupdate.NotifyAgentAssertion-BadgingCountChanged assertion - no
assertion found for pid 554
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[554]: (null)ĩ¼šsoftwareupdated: Service
connection invalidated!
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro
SoftwareUpdateNotificationManager[554]: (null)ĩ¼šsoftwareupdated: Service
connection invalidated!
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro softwareupdated[257]: Removing
client SUUpdateServiceClient pid=554, uid=501, installAuth=NO rights=(),
transactions=0
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/
SoftwareUpdateNotificationManager)
2021-08-03 09:20:45+08 Kosomaks-MacBook-Pro softwareupdated[257]: Removing
client SUUpdateServiceClient pid=554, uid=501, installAuth=NO rights=(),
transactions=0
(/System/Library/PrivateFrameworks/SoftwareUpdate.framework/Versions/A/
Resources/SoftwareUpdateNotificationManager.app/Contents/MacOS/
SoftwareUpdateNotificationManager)
2021-08-03 09:21:07+08 Kosomaks-MacBook-Pro installld[572]: installld: Starting
2021-08-03 09:21:07+08 Kosomaks-MacBook-Pro installld[572]: installld: uid=0,
euid=0
2021-08-03 09:21:07+08 Kosomaks-MacBook-Pro system_installld[571]: installld:
Starting
2021-08-03 09:21:07+08 Kosomaks-MacBook-Pro system_installld[571]: installld:
uid=0, euid=0
</string>
    <key>lastModified</key>
    <date>2021-08-03T01:21:07Z</date>
    <key>source</key>
    <string>/var/log/install.log</string>
</dict>
<dict>
    <key>_name</key>
    <string>fsck_hfs_log_description</string>
    <key>byteSize</key>
    <integer>3348</integer>
    <key>contents</key>
    <string>
/dev/rdisk2s2: fsck_hfs started at Tue Aug  3 08:10:12 2021
/dev/rdisk2s2: /dev/rdisk2s2: ** /dev/rdisk2s2 (NO WRITE)
/dev/rdisk2s2:   Executing fsck_hfs (version hfs-556.100.11).
QUICKCHECK ONLY; FILESYSTEM CLEAN
/dev/rdisk2s2: fsck_hfs completed at Tue Aug  3 08:10:12 2021

/dev/rdisk2s2: fsck_hfs started at Tue Aug  3 08:10:13 2021
/dev/rdisk2s2: /dev/rdisk2s2: ** /dev/rdisk2s2 (NO WRITE)
/dev/rdisk2s2:   Executing fsck_hfs (version hfs-556.100.11).
QUICKCHECK ONLY; FILESYSTEM CLEAN
/dev/rdisk2s2: fsck_hfs completed at Tue Aug  3 08:10:13 2021

/dev/rdisk3s1: fsck_hfs started at Tue Aug  3 08:13:24 2021
/dev/rdisk3s1: /dev/rdisk3s1: ** /dev/rdisk3s1 (NO WRITE)
/dev/rdisk3s1:   Executing fsck_hfs (version hfs-556.100.11).
QUICKCHECK ONLY; FILESYSTEM CLEAN
/dev/rdisk3s1: fsck_hfs completed at Tue Aug  3 08:13:24 2021

/dev/rdisk3s1: fsck_hfs started at Tue Aug  3 08:13:25 2021
```

/dev/rdisk3s1: /dev/rdisk3s1: \*\* /dev/rdisk3s1 (NO WRITE)  
/dev/rdisk3s1: Executing fsck\_hfs (version hfs-556.100.11).  
QUICKCHECK ONLY; FILESYSTEM CLEAN  
/dev/rdisk3s1: fsck\_hfs completed at Tue Aug 3 08:13:25 2021

/dev/rdisk4s1: fsck\_hfs started at Tue Aug 3 08:26:15 2021  
/dev/rdisk4s1: /dev/rdisk4s1: \*\* /dev/rdisk4s1 (NO WRITE)  
/dev/rdisk4s1: Executing fsck\_hfs (version hfs-556.100.11).  
QUICKCHECK ONLY; FILESYSTEM CLEAN  
/dev/rdisk4s1: fsck\_hfs completed at Tue Aug 3 08:26:15 2021

/dev/rdisk4s1: fsck\_hfs started at Tue Aug 3 08:26:16 2021  
/dev/rdisk4s1: /dev/rdisk4s1: \*\* /dev/rdisk4s1 (NO WRITE)  
/dev/rdisk4s1: Executing fsck\_hfs (version hfs-556.100.11).  
QUICKCHECK ONLY; FILESYSTEM CLEAN  
/dev/rdisk4s1: fsck\_hfs completed at Tue Aug 3 08:26:16 2021

/dev/rdisk5s1: fsck\_hfs started at Tue Aug 3 08:53:57 2021  
/dev/rdisk5s1: /dev/rdisk5s1: \*\* /dev/rdisk5s1 (NO WRITE)  
/dev/rdisk5s1: Executing fsck\_hfs (version hfs-556.100.11).  
QUICKCHECK ONLY; FILESYSTEM CLEAN  
/dev/rdisk5s1: fsck\_hfs completed at Tue Aug 3 08:53:57 2021

/dev/rdisk5s1: fsck\_hfs started at Tue Aug 3 08:53:58 2021  
/dev/rdisk5s1: /dev/rdisk5s1: \*\* /dev/rdisk5s1 (NO WRITE)  
/dev/rdisk5s1: Executing fsck\_hfs (version hfs-556.100.11).  
QUICKCHECK ONLY; FILESYSTEM CLEAN  
/dev/rdisk5s1: fsck\_hfs completed at Tue Aug 3 08:53:58 2021

/dev/rdisk6s1: fsck\_hfs started at Tue Aug 3 09:08:18 2021  
/dev/rdisk6s1: /dev/rdisk6s1: \*\* /dev/rdisk6s1 (NO WRITE)  
/dev/rdisk6s1: Executing fsck\_hfs (version hfs-556.100.11).  
QUICKCHECK ONLY; FILESYSTEM CLEAN  
/dev/rdisk6s1: fsck\_hfs completed at Tue Aug 3 09:08:18 2021

/dev/rdisk6s1: fsck\_hfs started at Tue Aug 3 09:08:19 2021  
/dev/rdisk6s1: /dev/rdisk6s1: \*\* /dev/rdisk6s1 (NO WRITE)  
/dev/rdisk6s1: Executing fsck\_hfs (version hfs-556.100.11).  
QUICKCHECK ONLY; FILESYSTEM CLEAN  
/dev/rdisk6s1: fsck\_hfs completed at Tue Aug 3 09:08:19 2021

/dev/rdisk7s1: fsck\_hfs started at Tue Aug 3 09:14:45 2021  
/dev/rdisk7s1: /dev/rdisk7s1: \*\* /dev/rdisk7s1 (NO WRITE)  
/dev/rdisk7s1: Executing fsck\_hfs (version hfs-556.100.11).  
QUICKCHECK ONLY; FILESYSTEM CLEAN  
/dev/rdisk7s1: fsck\_hfs completed at Tue Aug 3 09:14:45 2021

/dev/rdisk7s1: fsck\_hfs started at Tue Aug 3 09:14:46 2021  
/dev/rdisk7s1: /dev/rdisk7s1: \*\* /dev/rdisk7s1 (NO WRITE)  
/dev/rdisk7s1: Executing fsck\_hfs (version hfs-556.100.11).  
QUICKCHECK ONLY; FILESYSTEM CLEAN  
/dev/rdisk7s1: fsck\_hfs completed at Tue Aug 3 09:14:46 2021

</string>

<key>lastModified</key>

<date>2021-08-03T01:14:46Z</date>

```
        <key>source</key>
        <string>/var/log/fsck_hfs.log</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>per_user_fsck_hfs_log_description</string>
        <key>byteSize</key>
        <integer>3050</integer>
        <key>contents</key>
        <string>
```

```
fsck_hfs started at Tue Aug  3 08:10:12 2021
** /dev/rdisk2s2 (NO WRITE)
    Executing fsck_hfs (version hfs-556.100.11).
** Checking non-journaled HFS Plus Volume.
    The volume name is Brave Browser
** Checking extents overflow file.
** Checking catalog file.
** Checking multi-linked files.
** Checking catalog hierarchy.
** Checking volume bitmap.
** Checking volume information.
** The volume Brave Browser appears to be OK.
fsck_hfs completed at Tue Aug  3 08:10:12 2021
```

```
fsck_hfs started at Tue Aug  3 08:13:24 2021
** /dev/rdisk3s1 (NO WRITE)
    Executing fsck_hfs (version hfs-556.100.11).
** Checking non-journaled HFS Plus Volume.
    The volume name is ProtonVPN
** Checking extents overflow file.
** Checking catalog file.
** Checking multi-linked files.
** Checking catalog hierarchy.
** Checking extended attributes file.
** Checking volume bitmap.
** Checking volume information.
** The volume ProtonVPN appears to be OK.
fsck_hfs completed at Tue Aug  3 08:13:24 2021
```

```
fsck_hfs started at Tue Aug  3 08:26:15 2021
** /dev/rdisk4s1 (NO WRITE)
    Executing fsck_hfs (version hfs-556.100.11).
** Checking non-journaled HFS Plus Volume.
    The volume name is ProtonVPN
** Checking extents overflow file.
** Checking catalog file.
** Checking multi-linked files.
** Checking catalog hierarchy.
** Checking extended attributes file.
** Checking volume bitmap.
** Checking volume information.
** The volume ProtonVPN appears to be OK.
fsck_hfs completed at Tue Aug  3 08:26:15 2021
```

```
fsck_hfs started at Tue Aug  3 08:53:57 2021
** /dev/rdisk5s1 (NO WRITE)
    Executing fsck_hfs (version hfs-556.100.11).
** Checking non-journaled HFS Plus Volume.
    The volume name is Avira Installer
** Checking extents overflow file.
** Checking catalog file.
```

```
** Checking multi-linked files.
** Checking catalog hierarchy.
** Checking extended attributes file.
** Checking volume bitmap.
** Checking volume information.
** The volume Avira Installer appears to be OK.
fsck_hfs completed at Tue Aug 3 08:53:57 2021
```

```
fsck_hfs started at Tue Aug 3 09:08:18 2021
** /dev/rdisk6s1 (NO WRITE)
   Executing fsck_hfs (version hfs-556.100.11).
** Checking non-journaled HFS Plus Volume.
   The volume name is Webroot WiFi Security
** Checking extents overflow file.
** Checking catalog file.
** Checking multi-linked files.
** Checking catalog hierarchy.
** Checking extended attributes file.
** Checking volume bitmap.
** Checking volume information.
** The volume Webroot WiFi Security appears to be OK.
fsck_hfs completed at Tue Aug 3 09:08:18 2021
```

```
fsck_hfs started at Tue Aug 3 09:14:45 2021
** /dev/rdisk7s1 (NO WRITE)
   Executing fsck_hfs (version hfs-556.100.11).
** Checking non-journaled HFS Plus Volume.
   The volume name is NetSpot
** Checking extents overflow file.
** Checking catalog file.
** Checking multi-linked files.
** Checking catalog hierarchy.
** Checking extended attributes file.
** Checking volume bitmap.
** Checking volume information.
** The volume NetSpot appears to be OK.
fsck_hfs completed at Tue Aug 3 09:14:45 2021
```

</string>

```
      <key>lastModified</key>
      <date>2021-08-03T01:14:45Z</date>
      <key>source</key>
      <string>/Users/kos/Library/logs/fsck_hfs.log</string>
    </dict>
    <dict>
      <key>_name</key>
      <string>application_firewall_log_description</string>
      <key>byteSize</key>
      <integer>0</integer>
      <key>contents</key>
      <string></string>
      <key>lastModified</key>
      <date>2021-08-02T23:45:36Z</date>
      <key>source</key>
      <string>/var/log/appfirewall.log</string>
    </dict>
    <dict>
      <key>_name</key>
      <string>kernel_log_description</string>
      <key>byteSize</key>
      <integer>0</integer>
      <key>contents</key>
```

```
        <string></string>
        <key>source</key>
        <string>/var/log/asl</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>wifi_log_description</string>
        <key>byteSize</key>
        <integer>37712</integer>
        <key>contents</key>
        <string>...
```

```
Mon Aug  2 17:35:22.482 Usb Host Notification en0 driver available, seqNum 6,
Total 0
Mon Aug  2 17:35:22.483 Usb Host Notification Error Apple80211Set: Device power
is off seqNum 6 en0
Mon Aug  2 17:35:23.347 Usb Host Notification en0 driver available, seqNum 7,
Total 0
Mon Aug  2 17:35:23.355 Usb Host Notification Error Apple80211Set: Operation not
supported seqNum 7 en0
Mon Aug  2 17:36:06.351 &lt;kernel&gt; postMessage::1412
APPLE80211_M_BSSID_CHANGED received
Mon Aug  2 17:36:06.351 &lt;kernel&gt; No InterfaceAverageCCA
Mon Aug  2 17:36:06.351 &lt;kernel&gt; Adding setInterfaceAverageCCA with cca 6
Mon Aug  2 17:36:06.352 &lt;kernel&gt; Added known cca 6 for channel 112 into
setInterfaceAverageCCA
Mon Aug  2 17:36:06.353 &lt;kernel&gt; postMessage::1412
APPLE80211_M_BSSID_CHANGED received
Mon Aug  2 17:36:06.353 Mon Aug  2 17:36:06.452 &lt;airport[177]&gt; ERROR:
sharingd (1007) is not entitled for com.apple.wifi.join_history, will not allow
request
Mon Aug  2 17:36:06.454 &lt;airport[177]&gt; ERROR: rapportd (895) is not
entitled for com.apple.wifi.join_history, will not allow request
Mon Aug  2 17:36:06.462 &lt;airport[177]&gt; ERROR: rapportd (895) is not
entitled for com.apple.wifi.join_history, will not allow request
Mon Aug  2 17:36:06.462 &lt;airport[177]&gt; ERROR: sharingd (1007) is not
entitled for com.apple.wifi.join_history, will not allow request
Mon Aug  2 17:36:06.465 &lt;airport[177]&gt; ERROR: rapportd (895) is not
entitled for com.apple.wifi.join_history, will not allow request
Mon Aug  2 17:36:06.465 &lt;airport[177]&gt; ERROR: sharingd (1007) is not
entitled for com.apple.wifi.join_history, will not allow request
Mon Aug  2 17:36:06.466 &lt;airport[177]&gt; ERROR: rapportd (895) is not
entitled for com.apple.wifi.join_history, will not allow request
Mon Aug  2 17:36:06.467 &lt;airport[177]&gt; ERROR: sharingd (1007) is not
entitled for com.apple.wifi.join_history, will not allow request
Mon Aug  2 17:36:26.426 Apple80211Set:10032 Processing APPLE80211_IOC_ROAM
Mon Aug  2 17:36:26.426 Apple80211Set:10046 Processing APPLE80211_IOC_ROAM
dataRef:0x7ff306226820
Mon Aug  2 17:36:26.426 Apple80211Set:10067 CFTType is CFData
Mon Aug  2 17:36:28.453 &lt;kernel&gt; postMessage::1412
APPLE80211_M_BSSID_CHANGED received
Mon Aug  2 17:36:28.453 Mon Aug  2 17:49:23.900 &lt;kernel&gt; No
InterfaceAverageCCA
Mon Aug  2 17:49:23.900 &lt;kernel&gt; Adding setInterfaceAverageCCA with cca 11
Mon Aug  2 17:49:23.905 &lt;kernel&gt;
I080211Controller::addSubscriptionForThisReporterFetchedOnTimer() Failed to
addSubscription for group Interface llw0 subgroup Average CCA driver
0x866281f970f0fc8d - data underrun
Mon Aug  2 17:51:12.394 &lt;kernel&gt; IOCTL (from pid 177) not recognized: 5
out of 379
Mon Aug  2 17:56:35.807 &lt;kernel&gt;
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/
com.apple.xbs/Sources/AirPortFamily_kexts/AirPortFamily-1852.1/I080211Family/
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command
failure
```



Mon Aug 2 17:56:35.807 <kernel>;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command  
failure

Mon Aug 2 17:56:35.807 <kernel>;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command  
failure

Mon Aug 2 17:56:35.807 <kernel>;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command  
failure

Mon Aug 2 17:56:35.813 Usb Host Notification en0 driver available, seqNum 8,  
Total 0

Mon Aug 2 17:56:35.814 Usb Host Notification Error Apple80211Set: Device power  
is off seqNum 8 en0

Mon Aug 2 17:56:36.138 Usb Host Notification en0 driver available, seqNum 9,  
Total 0

Mon Aug 2 17:56:36.585 Usb Host Notification Error Apple80211Set: Operation not  
supported seqNum 9 en0

Mon Aug 2 17:56:36.593 <airport[177]>; ERROR: sharingd (1007) is not  
entitled for com.apple.wifi.join\_history, will not allow request

Mon Aug 2 17:56:36.594 <airport[177]>; ERROR: rapportd (895) is not  
entitled for com.apple.wifi.join\_history, will not allow request

Mon Aug 2 17:59:18.035 <kernel>;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command  
failure

Mon Aug 2 17:59:18.036 <kernel>;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command  
failure

Mon Aug 2 17:59:18.036 <kernel>;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command  
failure

Mon Aug 2 17:59:18.036 <kernel>;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command  
failure

Mon Aug 2 17:59:18.058 Usb Host Notification en0 driver available, seqNum 10,  
Total 0

Mon Aug 2 17:59:18.807 Usb Host Notification Error Apple80211Set: Operation not  
supported seqNum 10 en0

Mon Aug 2 17:59:18.888 Usb Host Notification en0 driver available, seqNum 11,  
Total 0

Mon Aug 2 17:59:18.891 Usb Host Notification Error Apple80211Set: Operation not  
supported seqNum 11 en0

Mon Aug 2 17:59:18.902 <airport[177]>; ERROR: rapportd (895) is not  
entitled for com.apple.wifi.join\_history, will not allow request

Mon Aug 2 17:59:18.902 <airport[177]>; ERROR: sharingd (1007) is not  
entitled for com.apple.wifi.join\_history, will not allow request

Mon Aug 2 18:06:16.117 <kernel>;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command  
failure

Mon Aug 2 18:06:16.117 <kernel>;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command  
failure

Mon Aug 2 18:06:16.117 <kernel>;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command  
failure

Mon Aug 2 18:06:16.117 <kernel>;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command  
failure

Mon Aug 2 18:06:16.150 Usb Host Notification en0 driver available, seqNum 12,  
Total 0

Mon Aug 2 18:06:16.150 Usb Host Notification Error Apple80211Set: Device power  
is off seqNum 12 en0

Mon Aug 2 18:06:16.465 Usb Host Notification en0 driver available, seqNum 13,  
Total 0

Mon Aug 2 18:06:16.892 Usb Host Notification Error Apple80211Set: Operation not  
supported seqNum 13 en0

Mon Aug 2 18:06:16.901 <airport[177]> ERROR: sharingd (1007) is not  
entitled for com.apple.wifi.join\_history, will not allow request

Mon Aug 2 18:06:16.902 <airport[177]> ERROR: rapportd (895) is not  
entitled for com.apple.wifi.join\_history, will not allow request

Mon Aug 2 18:06:17.543 <airport[177]> airportdProcessDLILEvent:  
<en0>; event=1, flags=0xFFFF8863, lastPowerPref=on

Mon Aug 2 18:06:17.543 <airport[177]> airportdProcessDLILEvent: en0  
marked UP, applying user power preferences (ON).

Mon Aug 2 18:06:17.543 <airport[177]> airportdProcessDLILEvent:  
<en0>; Setting power ON

Mon Aug 2 18:06:17.634 <kernel>; IOCTL (from pid 177) not recognized: 5  
out of 379

Mon Aug 2 18:06:17.656 <airport[177]> ERROR: sharingd (1007) is not  
entitled for com.apple.wifi.join\_history, will not allow request

Mon Aug 2 18:06:17.656 <airport[177]> ERROR: rapportd (895) is not  
entitled for com.apple.wifi.join\_history, will not allow request

Mon Aug 2 18:06:34.002 <kernel>; IOCTL (from pid 177) not recognized: 5  
out of 379

Mon Aug 2 18:06:40.173 Apple80211Set:10032 Processing APPLE80211\_IOC\_ROAM

Mon Aug 2 18:06:40.173 Apple80211Set:10046 Processing APPLE80211\_IOC\_ROAM  
dataRef:0x7ff304fc7730

Mon Aug 2 18:06:40.173 Apple80211Set:10067 CFTYPE is CFData

Mon Aug 2 18:06:42.147 <kernel>; postMessage::1412  
APPLE80211\_M\_BSSID\_CHANGED received

Mon Aug 2 18:06:42.147 Mon Aug 2 18:07:20.691 <kernel>;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command  
failure

Mon Aug 2 18:07:20.694 <kernel>;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command  
failure

Mon Aug 2 18:07:20.694 <kernel>;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command  
failure

Mon Aug 2 18:07:20.694 <kernel>;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/

```
com.apple.xbs/Sources/AirPortFamily_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command  
failure  
Mon Aug 2 18:07:20.701 Usb Host Notification en0 driver available, seqNum 14,  
Total 0  
Mon Aug 2 18:07:20.701 Usb Host Notification Error Apple80211Set: Device power  
is off seqNum 14 en0  
Mon Aug 2 18:07:20.734 &lt;airport[177]&gt; airportdProcessDLILEvent:  
&lt;en0&gt; event=1, flags=0xFFFF8863, lastPowerPref=on  
Mon Aug 2 18:07:20.734 &lt;airport[177]&gt; airportdProcessDLILEvent: en0  
marked UP, applying user power preferences (ON).  
Mon Aug 2 18:07:20.734 &lt;airport[177]&gt; airportdProcessDLILEvent:  
&lt;en0&gt; Setting power ON  
Mon Aug 2 18:07:20.735 &lt;airport[177]&gt; _bsd_80211_event_callback: Failed  
to get power setting from device : err 0  
Mon Aug 2 18:07:20.735  
Mon Aug 2 18:07:20.737 &lt;airport[177]&gt; ERROR: rapportd (895) is not  
entitled for com.apple.wifi.join_history, will not allow request  
Mon Aug 2 18:07:20.738 &lt;airport[177]&gt; ERROR: sharingd (1007) is not  
entitled for com.apple.wifi.join_history, will not allow request  
Mon Aug 2 18:07:21.010 Usb Host Notification en0 driver available, seqNum 15,  
Total 0  
Mon Aug 2 18:07:21.013 Usb Host Notification Error Apple80211Set: Operation not  
supported seqNum 15 en0  
Mon Aug 2 18:07:21.023 &lt;airport[177]&gt; ERROR: rapportd (895) is not  
entitled for com.apple.wifi.join_history, will not allow request  
Mon Aug 2 18:07:21.023 &lt;airport[177]&gt; ERROR: sharingd (1007) is not  
entitled for com.apple.wifi.join_history, will not allow request  
Mon Aug 2 18:07:41.419 &lt;kernel&gt; IOCTL (from pid 177) not recognized: 5  
out of 379  
Mon Aug 2 18:58:29.024 &lt;kernel&gt;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command  
failure  
Mon Aug 2 18:58:29.024 &lt;kernel&gt;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command  
failure  
Mon Aug 2 18:58:29.024 &lt;kernel&gt;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command  
failure  
Mon Aug 2 18:58:29.024 &lt;kernel&gt;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command  
failure  
Mon Aug 2 18:58:29.053 &lt;airport[177]&gt; airportdProcessDLILEvent:  
&lt;en0&gt; event=1, flags=0xFFFF8863, lastPowerPref=on  
Mon Aug 2 18:58:29.053 &lt;airport[177]&gt; airportdProcessDLILEvent: en0  
marked UP, applying user power preferences (ON).  
Mon Aug 2 18:58:29.053 &lt;airport[177]&gt; airportdProcessDLILEvent:  
&lt;en0&gt; Setting power ON  
Mon Aug 2 18:58:29.061 Usb Host Notification en0 driver available, seqNum 16,  
Total 0  
Mon Aug 2 18:58:29.061 Usb Host Notification Error Apple80211Set: Device power  
is off seqNum 16 en0  
Mon Aug 2 18:58:29.077 Mon Aug 2 18:58:29.369 &lt;airport[177]&gt;  
_bsd_80211_event_callback: Failed to get power setting from device : err 0  
Mon Aug 2 18:58:29.794  
Mon Aug 2 18:58:29.794 &lt;airport[177]&gt; ERROR: sharingd (1007) is not
```

entitled for com.apple.wifi.join\_history, will not allow request  
Mon Aug 2 18:58:29.795 &lt;airport[177]&gt; ERROR: rapportd (895) is not  
entitled for com.apple.wifi.join\_history, will not allow request  
Usb Host Notification en0 driver available, seqNum 17, Total 0  
Mon Aug 2 18:58:29.803 Usb Host Notification Error Apple80211Set: Operation not  
supported seqNum 17 en0  
Mon Aug 2 18:58:29.813 &lt;airport[177]&gt; ERROR: rapportd (895) is not  
entitled for com.apple.wifi.join\_history, will not allow request  
Mon Aug 2 18:58:29.813 &lt;airport[177]&gt; ERROR: sharingd (1007) is not  
entitled for com.apple.wifi.join\_history, will not allow request  
Mon Aug 2 19:08:11.242 &lt;kernel&gt; IOCTL (from pid 177) not recognized: 5  
out of 379  
Mon Aug 2 19:08:11.242 &lt;kernel&gt;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command  
failure  
Mon Aug 2 19:08:11.242 &lt;kernel&gt;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command  
failure  
Mon Aug 2 19:08:11.242 &lt;kernel&gt;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command  
failure  
Mon Aug 2 19:08:11.242 &lt;kernel&gt;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command  
failure  
Mon Aug 2 19:08:11.258 Usb Host Notification en0 driver available, seqNum 18,  
Total 0  
Mon Aug 2 19:08:11.258 Usb Host Notification Error Apple80211Set: Device power  
is off seqNum 18 en0  
Mon Aug 2 19:08:11.484 &lt;kernel&gt; postMessage::1412  
APPLE80211\_M\_BSSID\_CHANGED received  
Mon Aug 2 19:08:11.485 Mon Aug 2 19:08:11.523 &lt;kernel&gt;  
AppleBCMwlanCore::getSSIDData(): Get failure: APPLE80211\_IOC\_SSID: -528342013  
Mon Aug 2 19:08:11.667 Usb Host Notification en0 driver available, seqNum 19,  
Total 0  
Mon Aug 2 19:08:11.956 &lt;kernel&gt; postMessage::1412  
APPLE80211\_M\_BSSID\_CHANGED received  
Mon Aug 2 19:08:12.006 &lt;kernel&gt; postMessage::1412  
APPLE80211\_M\_BSSID\_CHANGED received  
Mon Aug 2 19:08:12.006 Usb Host Notification Error Apple80211Set: Operation  
not supported seqNum 19 en0  
Mon Aug 2 19:08:12.056 &lt;airport[177]&gt; ERROR: sharingd (1007) is not  
entitled for com.apple.wifi.join\_history, will not allow request  
Mon Aug 2 19:08:12.056 &lt;airport[177]&gt; ERROR: rapportd (895) is not  
entitled for com.apple.wifi.join\_history, will not allow request  
Mon Aug 2 19:08:12.070 &lt;airport[177]&gt; ERROR: rapportd (895) is not  
entitled for com.apple.wifi.join\_history, will not allow request  
Mon Aug 2 19:08:12.071 &lt;airport[177]&gt; ERROR: sharingd (1007) is not  
entitled for com.apple.wifi.join\_history, will not allow request  
Mon Aug 2 19:08:12.099 &lt;airport[177]&gt; ERROR: sharingd (1007) is not  
entitled for com.apple.wifi.join\_history, will not allow request  
Mon Aug 2 19:08:12.099 &lt;airport[177]&gt; ERROR: rapportd (895) is not  
entitled for com.apple.wifi.join\_history, will not allow request  
Mon Aug 2 19:08:12.105 &lt;airport[177]&gt; ERROR: sharingd (1007) is not  
entitled for com.apple.wifi.join\_history, will not allow request  
Mon Aug 2 19:08:12.105 &lt;airport[177]&gt; ERROR: rapportd (895) is not  
entitled for com.apple.wifi.join\_history, will not allow request

Mon Aug 2 19:08:12.108 <airport[177]> ERROR: sharingd (1007) is not entitled for com.apple.wifi.join\_history, will not allow request  
Mon Aug 2 19:08:12.108 <airport[177]> ERROR: rapportd (895) is not entitled for com.apple.wifi.join\_history, will not allow request  
Mon Aug 2 19:10:05.301 <kernel>;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command failure  
Mon Aug 2 19:10:05.301 <kernel>;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command failure  
Mon Aug 2 19:10:05.301 <kernel>;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command failure  
Mon Aug 2 19:10:05.301 <kernel>;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command failure  
Mon Aug 2 19:10:05.324 Usb Host Notification en0 driver available, seqNum 20,  
Total 0  
Mon Aug 2 19:10:05.324 Usb Host Notification Error Apple80211Set: Device power  
is off seqNum 20 en0  
Mon Aug 2 19:10:05.642 Usb Host Notification en0 driver available, seqNum 21,  
Total 0  
Mon Aug 2 19:10:06.076 Usb Host Notification Error Apple80211Set: Operation not  
supported seqNum 21 en0  
Mon Aug 2 19:10:06.088 <airport[177]> ERROR: sharingd (1007) is not  
entitled for com.apple.wifi.join\_history, will not allow request  
Mon Aug 2 19:10:06.088 <airport[177]> ERROR: rapportd (895) is not  
entitled for com.apple.wifi.join\_history, will not allow request  
Mon Aug 2 19:30:48.001 <kernel>;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command  
failure  
Mon Aug 2 19:30:48.001 <kernel>;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command  
failure  
Mon Aug 2 19:30:48.001 <kernel>;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command  
failure  
Mon Aug 2 19:30:48.002 <kernel>;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command  
failure  
Mon Aug 2 19:30:48.010 Usb Host Notification en0 driver available, seqNum 22,  
Total 0  
Mon Aug 2 19:30:48.010 Usb Host Notification Error Apple80211Set: Device power  
is off seqNum 22 en0  
Mon Aug 2 19:30:48.148 <kernel>; postMessage::1412  
APPLE80211\_M\_BSSID\_CHANGED received  
Mon Aug 2 19:30:48.773 Mon Aug 2 19:30:48.628 Usb Host Notification en0 driver  
available, seqNum 23, Total 0

&lt;kernel&gt; AppleBCM WLANCore::getSSIDData(): Get failure:  
APPLE80211\_IOC\_SSID: -528342013  
Mon Aug 2 19:30:48.791 Usb Host Notification Error Apple80211Set: Operation not supported seqNum 23 en0  
Tue Aug 3 07:03:57.541 &lt;kernel&gt;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command failure  
Tue Aug 3 07:03:57.545 &lt;kernel&gt;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command failure  
Tue Aug 3 07:03:57.545 &lt;kernel&gt;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command failure  
Tue Aug 3 07:03:57.545 &lt;kernel&gt;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command failure  
Tue Aug 3 07:03:57.566 Usb Host Notification en0 driver available, seqNum 24, Total 0  
Tue Aug 3 07:03:58.320 Usb Host Notification Error Apple80211Set: Operation not supported seqNum 24 en0  
Tue Aug 3 07:03:58.418 Usb Host Notification en0 driver available, seqNum 25, Total 0  
Tue Aug 3 07:03:58.426 Usb Host Notification Error Apple80211Set: Operation not supported seqNum 25 en0  
Tue Aug 3 07:43:41.022 &lt;kernel&gt;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command failure  
Tue Aug 3 07:43:41.025 &lt;kernel&gt;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command failure  
Tue Aug 3 07:43:41.027 &lt;kernel&gt;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command failure  
Tue Aug 3 07:43:41.027 &lt;kernel&gt;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command failure  
Tue Aug 3 07:43:41.035 Usb Host Notification en0 driver available, seqNum 26, Total 0  
Tue Aug 3 07:43:41.035 Usb Host Notification Error Apple80211Set: Device power is off seqNum 26 en0  
Tue Aug 3 07:43:41.058 Tue Aug 3 07:43:41.259 Usb Host Notification en0 driver available, seqNum 27, Total 0  
&lt;airport[177]&gt; airportdProcessDLIEvent: &lt;en0&gt; event=1, flags=0xFFFF8863, lastPowerPref=on  
Tue Aug 3 07:43:41.793 &lt;airport[177]&gt; airportdProcessDLIEvent: en0 marked UP, applying user power preferences (ON).  
Tue Aug 3 07:43:41.793 &lt;airport[177]&gt; airportdProcessDLIEvent: &lt;en0&gt; Setting power ON

Tue Aug 3 07:43:41.793 &lt;airport[177]&gt; \_bsd\_80211\_event\_callback: Failed to get power setting from device : err 0  
Tue Aug 3 07:43:41.793  
Tue Aug 3 07:43:41.801 Usb Host Notification Error Apple80211Set: Operation not supported seqNum 27 en0  
Tue Aug 3 07:44:21.845 &lt;kernel&gt;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command failure  
Tue Aug 3 07:44:21.845 &lt;kernel&gt;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command failure  
Tue Aug 3 07:44:21.845 &lt;kernel&gt;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command failure  
Tue Aug 3 07:44:21.845 &lt;kernel&gt;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command failure  
Tue Aug 3 07:44:21.847 Usb Host Notification en0 driver available, seqNum 28, Total 0  
Tue Aug 3 07:44:21.847 Usb Host Notification Error Apple80211Set: Device power is off seqNum 28 en0  
Tue Aug 3 07:44:21.871 Usb Host Notification en0 driver available, seqNum 29, Total 0  
Tue Aug 3 07:44:21.871 Usb Host Notification Error Apple80211Set: Device power is off seqNum 29 en0  
Tue Aug 3 07:44:21.872 &lt;kernel&gt;  
I080211VirtualInterface::handleSIOCSIFFLAGS : Source handleIoctlGated calling peerManager-&gt;disable  
Tue Aug 3 07:44:21.872 &lt;kernel&gt;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command failure  
Tue Aug 3 07:44:21.872 &lt;kernel&gt;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command failure  
Tue Aug 3 07:44:21.872 &lt;kernel&gt;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command failure  
Tue Aug 3 07:53:23.483 Usb Host Notification en0 driver available, seqNum 30, Total 0  
Tue Aug 3 07:53:23.483 Usb Host Notification Error Apple80211Set: Device power is off seqNum 30 en0  
Tue Aug 3 08:03:01.317 Usb Host Notification en0 driver available, seqNum 31, Total 0  
Tue Aug 3 08:03:01.317 Usb Host Notification Error Apple80211Set: Device power is off seqNum 31 en0  
Tue Aug 3 08:03:01.355 &lt;airport[177]&gt; airportdProcessDLILEvent: &lt;en0&gt; event=1, flags=0xFFFF8863, lastPowerPref=off  
Tue Aug 3 08:03:01.355 &lt;airport[177]&gt; airportdProcessDLILEvent: en0 marked UP, applying user power preferences (OFF).  
Tue Aug 3 08:03:01.355 &lt;airport[177]&gt; airportdProcessDLILEvent:

&lt;en0&gt; Setting power OFF  
Tue Aug 3 08:03:01.545 Usb Host Notification en0 driver available, seqNum 32, Total 0  
Tue Aug 3 08:03:01.546 Usb Host Notification Error Apple80211Set: Device power is off seqNum 32 en0  
Tue Aug 3 08:07:46.751 Usb Host Notification en0 driver available, seqNum 33, Total 0  
Tue Aug 3 08:07:46.752 Usb Host Notification Error Apple80211Set: Device power is off seqNum 33 en0  
Tue Aug 3 08:07:46.787 &lt;airport[177]&gt; airportdProcessDLILEvent: &lt;en0&gt; event=1, flags=0xFFFF8863, lastPowerPref=off  
Tue Aug 3 08:07:46.787 &lt;airport[177]&gt; airportdProcessDLILEvent: en0 marked UP, applying user power preferences (OFF).  
Tue Aug 3 08:07:46.788 &lt;airport[177]&gt; airportdProcessDLILEvent: &lt;en0&gt; Setting power OFF  
Tue Aug 3 08:07:46.988 Usb Host Notification en0 driver available, seqNum 34, Total 0  
Tue Aug 3 08:07:47.524 Usb Host Notification Error Apple80211Set: Device power is off seqNum 34 en0  
Tue Aug 3 09:16:46.988 Usb Host Notification NOT activated  
Tue Aug 3 09:16:46.992 &lt;airport[231]&gt; \_bsdDriver\_init: registration for monitoring bssSteeringRequest event  
Tue Aug 3 09:16:46.992  
Tue Aug 3 09:16:46.994 &lt;kernel&gt; IOCTL (from pid 231) not recognized: 5 out of 379  
Tue Aug 3 09:16:46.996 &lt;kernel&gt; Not adding subscription due to missing boot-arg wlan.iorsubscriptions  
Tue Aug 3 09:16:46.996 &lt;kernel&gt; Creating all peerManager reporters  
Tue Aug 3 09:16:46.999 &lt;airport[231]&gt; \_initLocaleManager: Started locale manager  
Tue Aug 3 09:16:46.999 &lt;airport[231]&gt; \_initInterface: Failed to query current SSID (Operation not supported)  
Tue Aug 3 09:16:47.008 Usb Host Notification en0 driver available, seqNum 1, Total 0  
Tue Aug 3 09:16:47.017 Usb Host Notification Error Apple80211Set: Operation not supported seqNum 1 en0  
Tue Aug 3 09:16:47.049 &lt;airport[231]&gt; airportdProcessDLILEvent: &lt;en0&gt; event=9, flags=0xFFFF8863, lastPowerPref=off  
Tue Aug 3 09:16:47.049 &lt;airport[231]&gt; airportdProcessDLILEvent: en0 attached (up)  
Tue Aug 3 09:16:47.051 &lt;airport[231]&gt; \_bsdDriver\_init: registration for monitoring bssSteeringRequest event  
Tue Aug 3 09:16:47.051  
Tue Aug 3 09:16:47.051 &lt;kernel&gt; IOCTL (from pid 231) not recognized: 5 out of 379  
Tue Aug 3 09:16:47.051 &lt;kernel&gt; IOCTL (from pid 231) not recognized: 5 out of 379  
Tue Aug 3 09:16:47.055 &lt;kernel&gt;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command failure  
Tue Aug 3 09:16:47.055 &lt;kernel&gt;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command failure  
Tue Aug 3 09:16:47.101 &lt;kernel&gt; Not adding subscription due to missing boot-arg wlan.iorsubscriptions  
Tue Aug 3 09:16:47.114 &lt;kernel&gt;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command failure



Tue Aug 3 09:16:47.114 <kernel>;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command  
failure  
Tue Aug 3 09:16:47.130 <kernel>;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command  
failure  
Tue Aug 3 09:16:47.130 <kernel>;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command  
failure  
Tue Aug 3 09:16:47.194 Usb Host Notification awdl0 driver available, seqNum 2,  
Total 0  
Tue Aug 3 09:16:47.194 Usb Host Notification Error Apple80211Set: Operation not  
supported seqNum 2 awdl0  
Tue Aug 3 09:16:47.200 <kernel>; IOCTL (from pid 231) not recognized: 363  
out of 379  
Tue Aug 3 09:16:47.214 Usb Host Notification en0 driver available, seqNum 3,  
Total 0  
Tue Aug 3 09:16:47.215 Usb Host Notification Error Apple80211Set: Device power  
is off seqNum 3 en0  
Tue Aug 3 09:16:47.302 <kernel>;  
I080211VirtualInterface::handleSIOCIFFLAGS : Source handleIoctlGated calling  
peerManager->disable  
Tue Aug 3 09:16:47.302 <kernel>;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command  
failure  
Tue Aug 3 09:16:47.302 <kernel>;  
/System/Volumes/Data/SWE/macOS/BuildRoots/d7e177bcf5/Library/Caches/  
com.apple.xbs/Sources/AirPortFamily\_kexts/AirPortFamily-1852.1/I080211Family/  
BaseClass/I080211ScanManager.cpp::scanControl[2182] Error: Scan control command  
failure  
Tue Aug 3 09:20:03.245 <airport[231]>; airportdProcessDLILEvent:  
<en0>; event=1, flags=0xFFFF8863, lastPowerPref=off  
Tue Aug 3 09:20:03.246 <airport[231]>; airportdProcessDLILEvent: en0  
marked UP, applying user power preferences (OFF).  
Tue Aug 3 09:20:03.246 <airport[231]>; airportdProcessDLILEvent:  
<en0>; Setting power OFF  
Tue Aug 3 09:20:03.279 Usb Host Notification en0 driver available, seqNum 4,  
Total 0  
Tue Aug 3 09:20:03.279 Usb Host Notification Error Apple80211Set: Device power  
is off seqNum 4 en0  
Tue Aug 3 09:20:33.703 <airport[231]>; Could not set property  
APPLE80211\_REGKEY\_AWDL\_MAC\_ADDRESS\_IN\_USE to 0  
Tue Aug 3 09:20:36.626 <airport[231]>; ERROR: ControlCenter (429) is not  
entitled for com.apple.wifi.events, but allowing anyways for event type 2  
</string>

```
<key>lastModified</key>
<date>2021-08-03T01:20:36Z</date>
<key>source</key>
<string>/var/log/wifi.log</string>
</dict>
<dict>
  <key>_name</key>
  <string>nvrnram_output_description</string>
  <key>byteSize</key>
  <integer>4984</integer>
  <key>contents</key>
```

```
<string>&lt;?xml version="1.0" encoding="UTF-8"?&gt;
&lt;!DOCTYPE plist PUBLIC "-//Apple//DTD PLIST 1.0//EN"
"http://www.apple.com/DTDs/PropertyList-1.0.dtd"&gt;
&lt;plist version="1.0"&gt;
&lt;dict&gt;
  &lt;key&gt;HW_BOOT_DATA&lt;/key&gt;
  &lt;data&gt;
    AQAAAAhuAAAAARCKGAgAAAAAAAAAAAAAAAAAG8AAAA1QwYCAAAAAAAAAAAAAAAAAAcAAAAAKR
    BwIAAAAAAAAAAAAAAAAAABxAAAAESMHAgAAAAAAAAAAAAAAAAAHIAAAApIwcAAAAAAAAAAAA
    AAACwAAAFAlBwIAAAAAAAAAAAAAAAAAAB0AAAABYyHAgAAAAAAAAAAAAAAAAAHUAAAABJwC
    AAAAAAAAAAAAAAAAAAdgAAADUWAQMAAAAAAAAAAAAAAAAAABtAAAVBQGAgAAAAAAAAAAAAAA
    AA==
  &lt;/data&gt;
  &lt;key&gt;IONVRAM-SYCNOW-PROPERTY&lt;/key&gt;
  &lt;data&gt;
    SU90VLJBTS1TWU5DTk9XLVBST1BFULRZ
  &lt;/data&gt;
  &lt;key&gt;SystemAudioVolume&lt;/key&gt;
  &lt;data&gt;
    EA==
  &lt;/data&gt;
  &lt;key&gt;auto-boot&lt;/key&gt;
  &lt;data&gt;
    dHJ1ZQ==
  &lt;/data&gt;
  &lt;key&gt;backlight-level&lt;/key&gt;
  &lt;data&gt;
    PBY=
  &lt;/data&gt;
  &lt;key&gt;bluetoothActiveControllerInfo&lt;/key&gt;
  &lt;data&gt;
    kgCsBQAAAAAAKSD5y8VqQ==
  &lt;/data&gt;
  &lt;key&gt;bluetoothInternalControllerInfo&lt;/key&gt;
  &lt;data&gt;
    kgCsBQAAAACkg+cvFak=
  &lt;/data&gt;
  &lt;key&gt;csr-active-config&lt;/key&gt;
  &lt;data&gt;
    EAAAAA==
  &lt;/data&gt;
  &lt;key&gt;efi-boot-device&lt;/key&gt;
  &lt;data&gt;
    PGFycmF5PjxkaWN0PjxrZXk+SU9NYXRjaDwva2V5PjxkaWN0PjxrZXk+SU9Qcm92aWRl
    cknSYXNzPC9rZXk+PHN0cmLuZz5JT01LZGhPC9zdHJpbmc+PGtleT5JT1Byb3BlcnR5
    TWF0Y2g8L2tleT48ZGhjdD48a2V5PlVVSUQ8L2tleT48c3RyaW5nPjY3Q+PGtleT5
    CTExhc3RUC0R0YW1lPC9rZXk+PHN0cmLuZz5kaXNrMXMyPC9zdHJpbmc+PC9kaWN0
    PjxkaWN0PjxrZXk+SU9FRkLEZXPY2VQYXRoVHlwZTwva2V5PjxzZHJpbmc+TWVkaWFG
    aWxlUGF0aDwvc3RyaW5nPjxrZXk+UGF0aDwva2V5PjxzZHJpbmc+XEM0MDVCNDZGLTc4
    RTktNDVFRS1CRTEzLTg0NTEyOTJFRDgyOVxTeXN0ZW1cTGlicmFyeVxDb3JlU2VydmJj
    ZXNcYm9vdC5lZmk8L3N0cmLuZz48L2RyY3Q+PC9hcnJheT4A
  &lt;/data&gt;
  &lt;key&gt;efi-boot-device-data&lt;/key&gt;
  &lt;data&gt;
    AgEMANBBawoAAAAAQEGAAAdAQEGAAAAxYQAAEAAAAAAAAAAAAAAAAAQBKgACAAAABiwb
    AAAAAABl4KUDAAAAAJJZxfhPE89Mu8siYBsoPr4CAgQDJAD3/HS+fAvzSZFHafQELmhc
    h8NseIQSoUqZRtnlxFnWCwQEmgBcAEMANAawADUAQgA0ADYARgAtADcA0ABFADkALQA0
    ADUARQBFAC0AQgBFADEAMwAtADgANAA1ADEAMgA5ADIARQBEADgAMgA5AFwAUwB5AHMA
    dABLAG0AXABMAGkAYgByAGEAcgB5AFwAQwBvAHIAZQBTAGUAcgB2AGkAYwBlAHMAXABi
    AG8AbwB0AC4AZQBmAGkAAAB//wQA
  &lt;/data&gt;
  &lt;key&gt;fmm-computer-name&lt;/key&gt;
  &lt;data&gt;
```



```

    </data>
</dict>
</plist>
</string>
        <key>lastModified</key>
        <date>2021-08-03T01:21:45Z</date>
        <key>source</key>
        <string>/usr/sbin/nvram -xp</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>ioreg_output_description</string>
        <key>byteSize</key>
        <integer>746155</integer>
        <key>contents</key>
        <string>+-o Root &lt;class IORegistryEntry, id
0x100000100, retain 22&gt;
    | {
    |   "IOKitBuildVersion" = "Darwin Kernel Version 20.6.0: Wed Jun 23 00:26:31
PDT 2021; root:xnu-7195.141.2~5/RELEASE_X86_64"
    |   "OS Build Version" = "20G80"
    |   "IOBluetoothActive" = Yes
    |   "OSKernelCPUSubtype" = 0x3
    |   "OSKernelCPUType" = 0x1000007
    |   "OSPrelinkKextCount" = 0x12
    |   "IORegistryPlanes" =
{"IOPower"="IOPower", "IOService"="IOService", "IO80211Plane"="IO80211Plane", "IOUSB"="IOUSB", "CoreCapture"="CoreCapture", "IOACPIPlane"="IOACPIPlane", "IODeviceTree"="IODeviceTree"}
    |   "IOConsoleLocked" = No
    |   "IOConsoleUsers" =
({"kCGSSessionOnConsoleKey"=Yes, "kCGSSessionAuditIDKey"=0x186a7, "kSCSecuritySessionID"=0x186a7, "kCGSessionLongUserNameKey"="Kosomak", "kCGSessionLoginwindowSafeLogin"=No, "kCGSessionUserIDKey"=0x1f5, "kCGSessionLoginDoneKey"=Yes, "kCGSessionIDKey"=0x101, "kCGSessionGroupIDKey"=0x14, "kCGSessionSystemSafeBoot"=No, "kCGSessionUserNameKey"="kos"})
    |   "IOKitDiagnostics" = {"Instance allocation"=0x95ac60, "Container allocation"=0x7b595e, "Pageable allocation"=0x2ab73078, "Classes"={"IONDRVFramebuffer"=0x0, "AppleUSBVHCIPIPE"=0x15, "IGAccelCommandQueue"=0xa, "IOHIDEventServiceFastPathUserClient"=0x0, "IOKitDiagnosticsClient"=0x0, "IONaturalMemoryCursor"=0x0, "AppleUSBXHCIIsochronousRequestPool"=0x2, "AppleUSBdiagnostics"=0x0, "IOAudioClientBufferSet"=0x0, "IOUSBHostHIDDevice"=0x0, "AppleSMCPMC"=0x1, "AppleUSBRequest"=0x1, "AppleASMedia1042USBXHCICommandRing"=0x0, "IGAccelSharedUserClient"=0xb, "IOUSBMas$
    | }
    |
    +-o MacBookPro15,4 &lt;class IOPlatformExpertDevice, id 0x100000114,
registered, matched, active, busy 0 (6763 ms), retain 63&gt;
    | {
    |   "IOInterruptSpecifiers" = (&lt;09000000005000000&gt;);
    |   "IOPolledInterface" = "SMCPolledInterface is not serializable"
    |   "IOPlatformUUID" = "0ACBA955-ECEC-5E3E-A351-B997600A8192"
    |   "serial-number" =
&lt;4c343130000000000000000000000000000000004656465a32454c534c343130000000000000000000000000000000000000000&gt;
    |   "platform-feature" = &lt;3a00000000000000&gt;;
    |   "IOPlatformSystemSleepPolicy" =
&lt;534c505402000a0008000000080000000000000000000000000000000000000500000000000000050100000100
000000004000000004000000010000000100007000000000000000fdd870100000000200000002000
000000000000000000000005000000000000000fdd870100000000c41600000000000080000000800
0000050000000000000000fdd870100000000c4161000000010002040000020400000070000000800
00000fdd870100000000c416000000000020000000200000000500000000000000fdd87010000
0000c416000000000000088000000880000005000000000000000fdd870100000000c41600000000
000000c0000000c000000070000000800$

```

```

|   "IOBusyInterest" = "IOCommand is not serializable"
|   "target-type" = <&lt;4d616300&&gt;
|   "IOInterruptControllers" = ("io-apic-0")
|   "name" = <&lt;2f00&&gt;
|   "version" = <&lt;312e3000&&gt;
|   "manufacturer" = <&lt;4170706c6520496e632e00&&gt;
|   "compatible" = <&lt;4d6163426f6f6b50726f31352c3400&&gt;
|   "product-name" = <&lt;4d6163426f6f6b50726f31352c3400&&gt;
|   "IOPlatformSerialNumber" = "FVZ2ELSL410"
|   "IOConsoleSecurityInterest" = "IOCommand is not serializable"
|   "clock-frequency" = <&lt;0084d717&&gt;
|   "model" = <&lt;4d6163426f6f6b50726f31352c3400&&gt;
|   "board-id" = <&lt;4d61632d3533464442334438444238434139373100&&gt;
|   "bridge-model" = <&lt;4a323133415000&&gt;
|   "system-type" = <&lt;02&&gt;
| }
|
+-o AppleACPIPlatformExpert <&lt;class AppleACPIPlatformExpert, id
0x100000115, registered, matched, active, busy 0 (3389 ms), retain 53&&gt;
| | {
| |   "IOClass" = "AppleACPIPlatformExpert"
| |   "CFBundleIdentifier" = "com.apple.driver.AppleACPIPlatform"
| |   "IOProviderClass" = "IOPlatformExpertDevice"
| |   "IOProbeScore" = 0x2710
| |   "IONameMatch" = "ACPI"
| |   "IOPlatformMapperPresent" = Yes
| |   "IOMatchCategory" = "IODefaultMatchCategory"
| |   "acpi-mmcfg-seg0" = 0xe0000000
| |   "IOPlatformMaxBusDelay" = (0xffffffffffffffff, 0x0)
| |   "IOPolledInterface" = "AppleACPIEventPoller is not serializable"
| |   "Wake Reason" = <&lt;00010000000000000000000000000000&&gt;
| |   "IONameMatched" = "ACPI"
| |   "IOPersonalityPublisher" = "com.apple.driver.AppleACPIPlatform"
| |   "Platform Memory Ranges" = (0x0, 0xffffffff)
| |   "CFBundleIdentifierKernel" = "com.apple.driver.AppleACPIPlatform"
| |   "IOPlatformMaxInterruptDelay" = (0xffffffffffffffff, 0x0)
| |   "ACPI Statistics" =
{"GpeLastDispatched"=0x29, "MethodCount"=0x680, "SciCount"=0x943, "GpeCount"=0x943,
"FixedEventCount"=0x0}
| | }
| |
| +-o IOPMrootDomain <&lt;class IOPMrootDomain, id 0x100000119, registered,
matched, active, busy 0 (19 ms), retain 97&&gt;
| | | {
| | |   "Wake Reason" = "EC.KeyboardTouchpad"
| | |   "IOPMSystemSleepParameters" =
<&lt;020001000700000000000000fdd87018051010000000000000000000000000000&&gt;
| | |   "IOPMUserTriggeredFullWake" = Yes
| | |   "IOSleepSupported" = Yes
| | |   "IOUserClientClass" = "RootDomainUserClient"
| | |   "DriverPMAssertions" = 0x0
| | |   "IOPMSystemSleepPolicyHandler" = Yes
| | |   "AppleClamshellCausesSleep" = Yes
| | |   "Last Sleep Reason" = "Idle Sleep"
| | |   "Hibernate File Min" = 0x40000000
| | |   "IOPlatformFeatureDefaults" =
{"TCPKeepAliveDuringSleep"=Yes, "DNDWhileDisplaySleeps"=No, "TCPKeepAliveExpiration
Timeout"=0xa8c0, "NotificationWake"=Yes}
| | |   "IOPMBatteryPercentageFactors" = 0x5f14
| | |   "BootSessionUUID" = "2D79B832-66DF-437A-9F53-F3D4CDE1A77D"
| | |   "IOPowerManagement" =
{"ChildrenPowerState"=0x0, "DevicePowerState"=0x4, "CurrentPowerState"=0x4, "Capabi
lityFlags"=0x2, "MaxPowerState"=0x4, "DriverPowerState"=0x4}

```

```

    | | | "Power Status" =
{"CPU_Power_Limits"={"CPU_Scheduler_Limit"=0x64,"CPU_Available_CPUs"=0x8,"CPU_Sp
eed_Limit"=0x64}}
    | | | "IOPriorityPowerStateInterest" = "IOCommand is not serializable"
    | | | "AppleClamshellState" = No
    | | | "SystemPowerProfileOverrideDict" = {"Battery Power"={"Hibernate
Mode"=0x3,"High Standby Delay"=0x15180,"DarkWakeBackgroundTasks"=No,"Standby
Delay"=0x2a30,"System Sleep Timer"=0x1,"Standby Enabled"=0x1,"Standby Battery
Threshold"=0x32},"UPS Power"={"Hibernate Mode"=0x3,"High Standby
Delay"=0x15180,"DarkWakeBackgroundTasks"=No,"Standby Delay"=0x2a30,"System Sleep
Timer"=0x1,"Standby Enabled"=0x1,"Standby Battery Threshold"=0x32},"AC
Power"={"Hibernate Mode"=0x3,"High Standby
Delay"=0x15180,"DarkWakeBackgroundTasks"=Yes,"Standby Dela$
    | | | "Wake Type" = "UserActivity Assertion"
    | | | "DarkWakeServices" =
{"SleepServicesModes"={"ModeA"={"Expiration"=0x0,"BatteryFloor"=0x0,"BaseInterva
ls"={"Battery"={"BaseSleepInterval"=0xe10,"BaseWakeCapInterval"=0xb4},"AC"={"Bas
eSleepInterval"=0xe10,"BaseWakeCapInterval"=0x15180}}}},"DarkWakeBackgroundTasks
"=0x1,"SleepServices"=0x7}
    | | | "Standby Timer" = 0x15180
    | | | "DriverPMAssertionsDetailed" =
({"Assertions"=0x20,"ModifiedTime"=0x610899d400050762,"Owner"="NHI0","RegistryEn
tryID"=0x100000320,"CreatedTime"=0x0,"Level"=0x0,"ID"=0x1f4},
{"Assertions"=0x1,"ModifiedTime"=0x610899d40004f097,"Owner"="IOThunderboltContro
ller","RegistryEntryID"=0x100000323,"CreatedTime"=0x0,"Level"=0x0,"ID"=0x1f5})
    | | | "System Capabilities" = 0xf
    | | | "IOPMDeepIdleSupported" = Yes
    | | | "SleepDisabled" = No
    | | | "Hibernate Mode" = 0x3
    | | | "PMStatusCode" = 0x6cd2a6ec00000000
    | | | "Standby Enabled" = Yes
    | | | "DestroyFVKeyOnStandby" = No
    | | | "IOPMSystemSleepType" = 0x7
    | | | "Hibernate File" = "/var/vm/sleepimage"
    | | | "IOHibernateState" = &lt;00000000&gt;
    | | | "PCITopLevel" =
("MCHC","IGPU","XHC1","IMEI","RP01","RP05","RP09","URT0","LPCB","HDEF","SBUS","X
SPI")
    | | | "Standby Delay" = 0x2a30
    | | | "IOPMUserIsActive" = Yes
    | | | "Supported Features" = {"ConsoleShutdown"=0x20e0007,"Wake On
Clamshell
Open"=0x1f90007,"ProximityWake"=0x2050003,"WakeOnACChange"=0x1f60007,"Maintenanc
eWakeCalendarDate"=0x2000007,"VAC-
T"=0x1fb0007,"PowerByCalendarDate"=0x1fd0007,"GPUSwitch"=0x20b0007,"WakeOnLid"=0
x1f80007,"WakeOnMagicPacket"=(0x2020005,0x2080005),"Hibernation"=0x1f50007,"Adap
tiveDimming"=0x2030007,"SleepServiceWakeCalendarKey"=0x2010007,"Graphics_Power_L
imits"=0x20c0007,"DisplayDims"=0x2090007,"Graphics_Power_Performance"=0x20d0007,
"Wake On AC Change"=0x1f70007,"U$
    | | | "IOAppPowerStateInterest" = "IOCommand is not serializable"
    | | | "IOGeneralInterest" = "IOCommand is not serializable"
    | | | "SleepWakeUUID" = "89E87F68-6801-48D9-AFC2-AA873B912582"
    | | | }
    | | |
    | | | +-o IORootParent &lt;class IORootParent, id 0x10000011a, !registered, !
matched, active, busy 0, retain 7&gt;
    | | | {
    | | | | "IOPowerManagement" = {"WQ-CheckForWork"=0x8ed,"WQ-
ScanEntries"=0x4bb,"CapabilityFlags"=0x0,"MaxPowerState"=0x1,"WQ-
QueueEmpty"=0x3f,"DevicePowerState"=0x1,"WQ-
NoWorkDone"=0x5b,"ChildrenPowerState"=0x0,"CurrentPowerState"=0x1}
    | | | }
    | | |
    | | | +-o RootDomainUserClient &lt;class RootDomainUserClient, id

```

```

0x10000043c, !registered, !matched, active, busy 0, retain 5>
| | | {
| | |   "IOUserClientCreator" = "pid 87, logd"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient <class RootDomainUserClient, id
0x10000043f, !registered, !matched, active, busy 0, retain 5>
| | | {
| | |   "IOUserClientCreator" = "pid 93, watchdog"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient <class RootDomainUserClient, id
0x10000044b, !registered, !matched, active, busy 0, retain 5>
| | | {
| | |   "IOUserClientCreator" = "pid 113, securityd"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient <class RootDomainUserClient, id
0x10000044f, !registered, !matched, active, busy 0, retain 5>
| | | {
| | |   "IOUserClientCreator" = "pid 81, powerd"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient <class RootDomainUserClient, id
0x100000450, !registered, !matched, active, busy 0, retain 5>
| | | {
| | |   "IOUserClientCreator" = "pid 81, powerd"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient <class RootDomainUserClient, id
0x100000451, !registered, !matched, active, busy 0, retain 5>
| | | {
| | |   "IOUserClientCreator" = "pid 81, powerd"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient <class RootDomainUserClient, id
0x100000454, !registered, !matched, active, busy 0, retain 5>
| | | {
| | |   "IOUserClientCreator" = "pid 119, displaypolicyd"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient <class RootDomainUserClient, id
0x100000455, !registered, !matched, active, busy 0, retain 5>
| | | {
| | |   "IOUserClientCreator" = "pid 108, opendiroryd"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient <class RootDomainUserClient, id
0x10000045c, !registered, !matched, active, busy 0, retain 5>
| | | {
| | |   "IOUserClientCreator" = "pid 69, UserEventAgent"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient <class RootDomainUserClient, id
0x10000045d, !registered, !matched, active, busy 0, retain 5>

```

```

| | | {
| | |   "IOUserClientCreator" = "pid 81, powerd"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient <class RootDomainUserClient, id
0x100000460, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | |   "IOUserClientCreator" = "pid 180, coreaudiod"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient <class RootDomainUserClient, id
0x100000462, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | |   "IOUserClientCreator" = "pid 79, configd"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient <class RootDomainUserClient, id
0x100000463, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | |   "IOUserClientCreator" = "pid 109, apsd"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient <class RootDomainUserClient, id
0x100000465, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | |   "IOUserClientCreator" = "pid 112, usbmuxd"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient <class RootDomainUserClient, id
0x100000466, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | |   "IOUserClientCreator" = "pid 114, auditd"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient <class RootDomainUserClient, id
0x10000047a, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | |   "IOUserClientCreator" = "pid 211, symptomsd"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient <class RootDomainUserClient, id
0x1000004a1, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | |   "IOUserClientCreator" = "pid 257, softwareupdated"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient <class RootDomainUserClient, id
0x100000514, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | |   "IOUserClientCreator" = "pid 180, coreaudiod"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient <class RootDomainUserClient, id
0x100000564, !registered, !matched, active, busy 0, retain 5>;
| | | {

```



```

| | | "IOUserClientCreator" = "pid 297, thermald"
| | | "IOUserClientDefaultLocking" = Yes
| | | }
| | | +-o RootDomainUserClient <class RootDomainUserClient, id
0x100000573, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | | "IOUserClientCreator" = "pid 231, airportd"
| | | "IOUserClientDefaultLocking" = Yes
| | | }
| | | +-o RootDomainUserClient <class RootDomainUserClient, id
0x100000576, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | | "IOUserClientCreator" = "pid 237, awdd"
| | | "IOUserClientDefaultLocking" = Yes
| | | }
| | | +-o RootDomainUserClient <class RootDomainUserClient, id
0x10000057c, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | | "IOUserClientCreator" = "pid 300, locationd"
| | | "IOUserClientDefaultLocking" = Yes
| | | }
| | | +-o RootDomainUserClient <class RootDomainUserClient, id
0x10000058c, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | | "IOUserClientCreator" = "pid 138, WindowServer"
| | | "IOUserClientDefaultLocking" = Yes
| | | }
| | | +-o RootDomainUserClient <class RootDomainUserClient, id
0x100000592, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | | "IOUserClientCreator" = "pid 138, WindowServer"
| | | "IOUserClientDefaultLocking" = Yes
| | | }
| | | +-o RootDomainUserClient <class RootDomainUserClient, id
0x100000593, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | | "IOUserClientCreator" = "pid 138, WindowServer"
| | | "IOUserClientDefaultLocking" = Yes
| | | }
| | | +-o RootDomainUserClient <class RootDomainUserClient, id
0x100000595, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | | "IOUserClientCreator" = "pid 305, biometrickitd"
| | | "IOUserClientDefaultLocking" = Yes
| | | }
| | | +-o RootDomainUserClient <class RootDomainUserClient, id
0x1000005e0, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | | "IOUserClientCreator" = "pid 138, WindowServer"
| | | "IOUserClientDefaultLocking" = Yes
| | | }
| | | +-o RootDomainUserClient <class RootDomainUserClient, id
0x1000005e5, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | | "IOUserClientCreator" = "pid 133, corebrightnessd"

```

```

| | | "IOUserClientDefaultLocking" = Yes
| | | }
| | | +-o RootDomainUserClient <class RootDomainUserClient, id
0x1000005f2, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | | "IOUserClientCreator" = "pid 124, PerfPowerService"
| | | "IOUserClientDefaultLocking" = Yes
| | | }
| | | +-o RootDomainUserClient <class RootDomainUserClient, id
0x1000005fb, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | | "IOUserClientCreator" = "pid 133, corebrightnessd"
| | | "IOUserClientDefaultLocking" = Yes
| | | }
| | | +-o RootDomainUserClient <class RootDomainUserClient, id
0x100000606, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | | "IOUserClientCreator" = "pid 124, PerfPowerService"
| | | "IOUserClientDefaultLocking" = Yes
| | | }
| | | +-o RootDomainUserClient <class RootDomainUserClient, id
0x100000614, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | | "IOUserClientCreator" = "pid 322, systemstats"
| | | "IOUserClientDefaultLocking" = Yes
| | | }
| | | +-o RootDomainUserClient <class RootDomainUserClient, id
0x10000061a, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | | "IOUserClientCreator" = "pid 141, loginwindow"
| | | "IOUserClientDefaultLocking" = Yes
| | | }
| | | +-o RootDomainUserClient <class RootDomainUserClient, id
0x10000061b, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | | "IOUserClientCreator" = "pid 311, nfc"
| | | "IOUserClientDefaultLocking" = Yes
| | | }
| | | +-o RootDomainUserClient <class RootDomainUserClient, id
0x100000654, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | | "IOUserClientCreator" = "pid 349, systemsoundserve"
| | | "IOUserClientDefaultLocking" = Yes
| | | }
| | | +-o RootDomainUserClient <class RootDomainUserClient, id
0x1000006cd, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | | "IOUserClientCreator" = "pid 138, WindowServer"
| | | "IOUserClientDefaultLocking" = Yes
| | | }
| | | +-o RootDomainUserClient <class RootDomainUserClient, id
0x1000006e6, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | | "IOUserClientCreator" = "pid 418, corecaptured"
| | | "IOUserClientDefaultLocking" = Yes

```

```

| | | }
| | | +-o RootDomainUserClient <class RootDomainUserClient, id
0x1000006f3, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | |     "IOUserClientCreator" = "pid 236, VDCAssistant"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | | +-o RootDomainUserClient <class RootDomainUserClient, id
0x1000006f8, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | |     "IOUserClientCreator" = "pid 236, VDCAssistant"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | | +-o RootDomainUserClient <class RootDomainUserClient, id
0x1000006fb, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | |     "IOUserClientCreator" = "pid 141, loginwindow"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | | +-o RootDomainUserClient <class RootDomainUserClient, id
0x1000006fc, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | |     "IOUserClientCreator" = "pid 141, loginwindow"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | | +-o RootDomainUserClient <class RootDomainUserClient, id
0x1000006fd, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | |     "IOUserClientCreator" = "pid 141, loginwindow"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | | +-o RootDomainUserClient <class RootDomainUserClient, id
0x100000701, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | |     "IOUserClientCreator" = "pid 431, SystemUIServer"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | | +-o RootDomainUserClient <class RootDomainUserClient, id
0x100000704, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | |     "IOUserClientCreator" = "pid 447, rapportd"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | | +-o RootDomainUserClient <class RootDomainUserClient, id
0x100000705, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | |     "IOUserClientCreator" = "pid 452, com.apple.hiserv"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | | +-o RootDomainUserClient <class RootDomainUserClient, id
0x100000707, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | |     "IOUserClientCreator" = "pid 453, identityservices"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }

```

```

| | |
| | | +-o RootDomainUserClient &lt;class RootDomainUserClient, id
0x10000070c, !registered, !matched, active, busy 0, retain 5&gt;
| | | {
| | |     "IOUserClientCreator" = "pid 439, NotificationCent"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | |
| | | +-o RootDomainUserClient &lt;class RootDomainUserClient, id
0x100000718, !registered, !matched, active, busy 0, retain 5&gt;
| | | {
| | |     "IOUserClientCreator" = "pid 438, CommCenter"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | |
| | | +-o RootDomainUserClient &lt;class RootDomainUserClient, id
0x100000719, !registered, !matched, active, busy 0, retain 5&gt;
| | | {
| | |     "IOUserClientCreator" = "pid 438, CommCenter"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | |
| | | +-o RootDomainUserClient &lt;class RootDomainUserClient, id
0x10000071a, !registered, !matched, active, busy 0, retain 5&gt;
| | | {
| | |     "IOUserClientCreator" = "pid 438, CommCenter"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | |
| | | +-o RootDomainUserClient &lt;class RootDomainUserClient, id
0x10000071b, !registered, !matched, active, busy 0, retain 5&gt;
| | | {
| | |     "IOUserClientCreator" = "pid 432, Finder"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | |
| | | +-o RootDomainUserClient &lt;class RootDomainUserClient, id
0x10000071f, !registered, !matched, active, busy 0, retain 5&gt;
| | | {
| | |     "IOUserClientCreator" = "pid 472, callservicesd"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | |
| | | +-o RootDomainUserClient &lt;class RootDomainUserClient, id
0x100000721, !registered, !matched, active, busy 0, retain 5&gt;
| | | {
| | |     "IOUserClientCreator" = "pid 470, sharingd"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | |
| | | +-o RootDomainUserClient &lt;class RootDomainUserClient, id
0x100000723, !registered, !matched, active, busy 0, retain 5&gt;
| | | {
| | |     "IOUserClientCreator" = "pid 470, sharingd"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | |
| | | +-o RootDomainUserClient &lt;class RootDomainUserClient, id
0x100000726, !registered, !matched, active, busy 0, retain 5&gt;
| | | {
| | |     "IOUserClientCreator" = "pid 470, sharingd"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | |

```

```

| | +-o RootDomainUserClient &lt;class RootDomainUserClient, id
0x10000072b, !registered, !matched, active, busy 0, retain 5&gt;
| | | {
| | |   "IOUserClientCreator" = "pid 481, imagent"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient &lt;class RootDomainUserClient, id
0x100000730, !registered, !matched, active, busy 0, retain 5&gt;
| | | {
| | |   "IOUserClientCreator" = "pid 485, IMDPersistenceAg"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient &lt;class RootDomainUserClient, id
0x100000731, !registered, !matched, active, busy 0, retain 5&gt;
| | | {
| | |   "IOUserClientCreator" = "pid 480, homed"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient &lt;class RootDomainUserClient, id
0x100000732, !registered, !matched, active, busy 0, retain 5&gt;
| | | {
| | |   "IOUserClientCreator" = "pid 488, diagnosticextens"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient &lt;class RootDomainUserClient, id
0x100000734, !registered, !matched, active, busy 0, retain 5&gt;
| | | {
| | |   "IOUserClientCreator" = "pid 498, fmfed"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient &lt;class RootDomainUserClient, id
0x100000735, !registered, !matched, active, busy 0, retain 5&gt;
| | | {
| | |   "IOUserClientCreator" = "pid 496, assistantd"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient &lt;class RootDomainUserClient, id
0x100000736, !registered, !matched, active, busy 0, retain 5&gt;
| | | {
| | |   "IOUserClientCreator" = "pid 483, CalendarAgent"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient &lt;class RootDomainUserClient, id
0x100000737, !registered, !matched, active, busy 0, retain 5&gt;
| | | {
| | |   "IOUserClientCreator" = "pid 487, ScreenTimeAgent"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient &lt;class RootDomainUserClient, id
0x100000738, !registered, !matched, active, busy 0, retain 5&gt;
| | | {
| | |   "IOUserClientCreator" = "pid 501, CalNCService"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient &lt;class RootDomainUserClient, id

```

```

0x100000739, !registered, !matched, active, busy 0, retain 5>
| | | {
| | |   "IOUserClientCreator" = "pid 501, CalNCSservice"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient <class RootDomainUserClient, id
0x10000073b, !registered, !matched, active, busy 0, retain 5>
| | | {
| | |   "IOUserClientCreator" = "pid 518, AirPlayUIAgent"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient <class RootDomainUserClient, id
0x100000745, !registered, !matched, active, busy 0, retain 5>
| | | {
| | |   "IOUserClientCreator" = "pid 523, amsaccountsd"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient <class RootDomainUserClient, id
0x100000746, !registered, !matched, active, busy 0, retain 5>
| | | {
| | |   "IOUserClientCreator" = "pid 469, itunescloudd"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient <class RootDomainUserClient, id
0x100000748, !registered, !matched, active, busy 0, retain 5>
| | | {
| | |   "IOUserClientCreator" = "pid 507, remindd"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient <class RootDomainUserClient, id
0x100000749, !registered, !matched, active, busy 0, retain 5>
| | | {
| | |   "IOUserClientCreator" = "pid 512, exchangesyncd"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient <class RootDomainUserClient, id
0x10000074e, !registered, !matched, active, busy 0, retain 5>
| | | {
| | |   "IOUserClientCreator" = "pid 519, cloudpaired"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient <class RootDomainUserClient, id
0x100000751, !registered, !matched, active, busy 0, retain 5>
| | | {
| | |   "IOUserClientCreator" = "pid 520, diagnostics_agen"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient <class RootDomainUserClient, id
0x100000753, !registered, !matched, active, busy 0, retain 5>
| | | {
| | |   "IOUserClientCreator" = "pid 130, bluetoothd"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient <class RootDomainUserClient, id
0x10000075a, !registered, !matched, active, busy 0, retain 5>

```

```

| | | {
| | |   "IOUserClientCreator" = "pid 432, Finder"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient <class RootDomainUserClient, id
0x10000077e, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | |   "IOUserClientCreator" = "pid 594, com.apple.speech"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient <class RootDomainUserClient, id
0x10000077f, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | |   "IOUserClientCreator" = "pid 596, cupsd"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o RootDomainUserClient <class RootDomainUserClient, id
0x100000783, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | |   "IOUserClientCreator" = "pid 598, com.apple.appkit"
| | |   "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o IOPCIMessageInterruptController <class
IOPCIMessageInterruptController, id 0x10000012f, registered, matched, active,
busy 0 (1 ms), retain 7>;
| | | {
| | |   "Vector Count" = 0x190
| | |   "MSIFree" = 0x127
| | |   "Base Vector Number" = 0x70
| | |   "InterruptControllerName" = "IOPCIMessageInterruptController"
| | | }
| | +-o AppleVTD <class AppleVTD, id 0x100000130, registered, matched,
active, busy 0 (0 ms), retain 570>;
| | | {
| | |   "IOPlatformQuiesceAction" = 0x7ffffc17
| | |   "stats" =
<<00000001dc030000ccb4000080fc010000010000000000001e0b010008000000080000001c0d
0000d405000056b30100de2200008236000034250000da1100006e04000059040000460400002804
000043000000010000000500000000000000b0000000400000001000000010000000000000000
00000000000000000000000000000000000000000000000000000000000000000000000000
00000000000000000000000000000000000000000000000000000000000000000000000000
00000000000000000000000000000000000000000000000000000000000000000000000000
00000000000000000000000000000000000000000000000000000000000000000000000000
00000000000000000000000000000000000000000000000000000000000000000000000000$
| |   "IOReportLegendPublic" = Yes
| |   "IOInterruptControllers" =
("IOPCIMessageInterruptController","IOPCIMessageInterruptController")
| |   "IOInterruptSpecifiers" =
(<<0000000000000100>>,<<0100000000000100>>);
| |   "IOPlatformActiveAction" = 0x7ffffc17
| |   "IOReportLegend" = ({"IOReportGroupName"="Interrupt Statistics (by
index)","IOReportChannels"=(0x496e747200000000,0x100020001,"
First Level Interrupt Handler Count"),(0x496e747200000001,0x100020001,"
Second Level Interrupt Handler Count"),(0x496e747200000002,0x100020001,"
First Level Interrupt Handler Time (MATUs)"),(0x496e747200000003,0x100020001,"
Second Level Interrupt Handler CPU Time (MATUs)"),
(0x496e747200000004,0x100020001,"Second Level Interrupt Handler System Time
(MATUs)")), "IOReportCh$
| | }
| |

```

```

| +-o cpus <class IOPlatformDevice, id 0x100000131, registered, matched,
active, busy 0 (0 ms), retain 22>>
| | {
| |   "name" = <6370757300>>
| | }
| |
| +-o CPU0@0 <class IOACPIPlatformDevice, id 0x100000132, registered,
matched, active, busy 0 (826 ms), retain 9>>
| | {
| |   "processor-lapic" = 0x0
| |   "clock-frequency" = <004e7253>>
| |   "processor-number" = 0x0
| |   "timebase-frequency" = <00ca9a3b>>
| |   "processor-id" = 0x1
| |   "bus-frequency" = <0084d717>>
| |   "plugin-type" = 0x1
| |   "cpu-type" = <0906>>
| |   "device_type" = <70726f636573736f7200>>
| |   "name" = <4350553000>>
| |   "processor-index" = 0x0
| | }
| |
| +-o AppleACPICPU <class AppleACPICPU, id 0x100000143, registered,
matched, active, busy 0 (761 ms), retain 8>>
| | {
| |   "IOClass" = "AppleACPICPU"
| |   "CFBundleIdentifier" = "com.apple.driver.AppleACPIPlatform"
| |   "IOProviderClass" = "IOACPIPlatformDevice"
| |   "IOProbeScore" = 0x3e8
| |   "IONameMatch" = "processor"
| |   "IOInterruptSpecifiers" = (<00000000>>,<01000000>>)
| |   "IOMatchCategory" = "IODefaultMatchCategory"
| |   "IOCPUID" = 0x100000143
| |   "IOInterruptControllers" =
("IOPlatformInterruptController","IOPlatformInterruptController")
| |   "IONameMatched" = "processor"
| |   "IOPersonalityPublisher" = "com.apple.driver.AppleACPIPlatform"
| |   "IOCPUState" = "Running"
| |   "CFBundleIdentifierKernel" = "com.apple.driver.AppleACPIPlatform"
| |   "IOCPUNumber" = 0x0
| | }
| |
| +-o AppleACPICPUInterruptController <class
AppleACPICPUInterruptController, id 0x100000153, registered, matched, active,
busy 0 (0 ms), retain 6>>
| | {
| |   "IOPlatformInterruptController" = Yes
| | }
| |
| +-o X86PlatformPlugin <class X86PlatformPlugin, id 0x1000004d9,
registered, matched, active, busy 0 (660 ms), retain 13>>
| | {
| |   "IOClass" = "X86PlatformPlugin"
| |   "supportRestartOnPowerFail" = No
| |   "UIBoost" = Yes
| |   "IOPersonalityPublisher" = "com.apple.driver.X86PlatformPlugin"
| |   "IOResourceMatch" = "ACPI"
| |   "IOPlatformPowerProfile" =
{"ThermalConfiguration"={"Domain"={"CPU"={"SFIWindow"=0xc350,"SFIAppNap"={"EffortCurve"="40=0%,72=67%"}}, "QOSThermalThresholds"={"Utility"=0x40,"NonFocal"=0xfb}, "SFIMaintenance"={"EffortCurve"="40=0%,64=50%,72=67%"}, "SFI DarwinBG"={"EffortCurve"="40=0%,64=50%,72=67%"}, "ThermalPressure"={"Heavy"={"HighThreshold"=0xc8,"LowThreshold"=0x5a}, "Sleeping"={"HighThreshold"=0xfc,"LowThreshold"=0xfb}, "Nominal"={"HighThreshold"=0x3e,"LowThreshold"=0x0}, "Trapping"={"HighThreshold"=0xfa,"Low

```



```
Threshold"=0xaa}, "Moderate$
    | | | "IOProviderClass" = "AppleACPICPU"
    | | | "IOPowerManagement" =
{"CapabilityFlags"=0x8000, "MaxPowerState"=0x1, "CurrentPowerState"=0x1}
    | | | "IOParentMatch" = {"IOPropertyMatch"={"plugin-
type"=0x1}, "IOProviderClass"="IOACPIPlatformDevice"}
    | | | "lastSleepEntry" =
&lt;416000000000000000000000000000000000000000000000000000070000000100000000fdd870100000000&gt;
    | | | "IOProbeScore" = 0x7d0
    | | | "ThermalLevelsSupported" = Yes
    | | | "IOPropertyMatch" = {"IOCPUNumber"=0x0}
    | | | "lastSleepFactorsPM" = 0x220802
    | | | "CFBundleIdentifierKernel" =
"com.apple.driver.X86PlatformPlugin"
    | | | "CPUOnACPower" = No
    | | | "IOMatchCategory" = "IODefaultMatchCategory"
    | | | "CFBundleIdentifier" = "com.apple.driver.X86PlatformPlugin"
    | | | "ThermalConfiguration" =
{"Domain"={"CPU"={"SFIWindow"=0xc350, "SFIAppNap"={"EffortCurve"="40=0%, 72=67%"},
"QOSThermalThresholds"={"Utility"=0x40, "NonFocal"=0xfb}, "SFIMaintenance"={"Effor
tCurve"="40=0%, 64=50%, 72=67%"}, "SFIDarwinBG"={"EffortCurve"="40=0%, 64=50%, 72=67%
"}, "ThermalPressure"={"Heavy"={"HighThreshold"=0xc8, "LowThreshold"=0x5a}, "Sleepi
ng"={"HighThreshold"=0xfc, "LowThreshold"=0xfb}, "Nominal"={"HighThreshold"=0x3e, "
LowThreshold"=0x0}, "Trapping"={"HighThreshold"=0xfa, "LowThreshold"=0xaa}, "Modera
te"={"HighThreshold"=0x64, "L$
    | | | "BootDriveIsInternalSolidState" = Yes
    | | | "IOPPFDiagDict" =
{"ResourceName"="Mac-53FDB3D8DB8CA971.plist", "IGPULimitDict"={"currentLimit"=0x
0, "handlerRegistered"=Yes, "pMin"=0xf, "pMax"=0x0}, "CPUPLimitDictHard"={"curren
tLimit"=0x0, "handlerRegistered"=Yes, "pMin"=0x23, "pMax"=0x0}, "CPUPLimitDict"={"curre
ntLimit"=0x0, "handlerRegistered"=Yes, "pMin"=0x23, "pMax"=0x0}, "PLimitVersion"=0x3
, "IdlePLimitDict"={"currentLimit"=0x0, "handlerRegistered"=Yes, "pMin"=0x64, "pMax"
=0x0}, "IGPUSingleSlicePLimitDict"={"pMax"=0x0, "pMin"=0xf, "handlerRegistered"=Yes
}}
    | | | "ForcedIdleTable" =
{"0x55"=0x1c9c380, "0x41"=0x1b3f578, "0x3c"=0x17d7840, "0x64"=0x1c9c380, "0x5f"=0x1c
9c380, "0x50"=0x1c9c380, "0x4b"=0x1c9c380, "0x28"=0xfe4d90, "0x5a"=0x1c9c380, "0x37"=
0x15314b0, "0x23"=0xeabdc0, "0x1e"=0xdb7b80, "0x46"=0x1c9c380, "0x32"=0x1312d00, "0x2
d"=0x1156b88}
    | | | "LastSleepType" = 0x7
    | | | "IOGeneralInterest" = "IOCommand is not serializable"
    | | | "lastSleepFactorsPP" = 0xc1a07
    | | | "CPUPStates" = {"Frequency"=0xf3c, "PState"=0x0},
{"Frequency"=0xed8, "PState"=0x1}, {"Frequency"=0xe74, "PState"=0x2},
{"Frequency"=0xe10, "PState"=0x3}, {"Frequency"=0xdac, "PState"=0x4},
{"Frequency"=0xd48, "PState"=0x5}, {"Frequency"=0xce4, "PState"=0x6},
{"Frequency"=0xc80, "PState"=0x7}, {"Frequency"=0xc1c, "PState"=0x8},
{"Frequency"=0xbb8, "PState"=0x9}, {"Frequency"=0xb54, "PState"=0xa},
{"Frequency"=0xaf0, "PState"=0xb}, {"Frequency"=0xa8c, "PState"=0xc},
{"Frequency"=0xa28, "PState"=0xd}, {"Frequency"=0x9c4, "PState"=0xe},
{"Frequency"=0x960, "PS$
    | | | }
    | | | }
    | | | +-o IOPlatformEnabler &lt;class IOPlatformPluginDevice, id
0x10000055b, registered, matched, active, busy 0 (6 ms), retain 7&gt;
    | | | {
    | | | | "name" = &lt;494f506c6174666f726d456e61626c657200&gt;
    | | | | }
    | | | +-o ApplePlatformEnabler &lt;class ApplePlatformEnabler, id
0x10000055e, registered, matched, active, busy 0 (0 ms), retain 5&gt;
    | | | {
    | | | | "IOClass" = "ApplePlatformEnabler"
    | | | | "CFBundleIdentifier" =
```

```

"com.apple.driver.ApplePlatformEnabler"
| | | "IOProviderClass" = "IOPlatformPluginDevice"
| | | "IOCFPlugInTypes" = {"CFB68B9A-40AF-437A-AFFE-
FE671C6193C5"}="ApplePlatformEnabler.kext/Contents/PlugIns/
ApplePlatformEnablerLib.plugin"}
| | | "IOUserClientClass" = "ApplePlatformEnablerUserClient"
| | | "IOProbeScore" = 0x4e20
| | | "IONameMatch" = "IOPlatformEnabler"
| | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | "DVDSupported" = Yes
| | | "SSAltDefault" = Yes
| | | "ODSSupported" = Yes
| | | "IONameMatched" = "IOPlatformEnabler"
| | | "IOPersonalityPublisher" =
"com.apple.driver.ApplePlatformEnabler"
| | | "CFBundleIdentifierKernel" =
"com.apple.driver.ApplePlatformEnabler"
| | | }
| | | +-o AGPMEnabler <class IOPlatformPluginDevice, id 0x10000055c,
registered, matched, active, busy 0 (42 ms), retain 7>
| | | | {
| | | | "name" = <4147504d456e61626c657200>
| | | | }
| | | | +-o AGPMController <class AGPMController, id 0x100000560, !
registered, !matched, active, busy 0, retain 4>
| | | | {
| | | | "IOProbeScore" = 0x0
| | | | "CFBundleIdentifier" = "com.apple.driver.AGPM"
| | | | "IOProviderClass" = "IOPlatformPluginDevice"
| | | | "IOClass" = "AGPMController"
| | | | "IOPersonalityPublisher" = "com.apple.driver.AGPM"
| | | | "CFBundleIdentifierKernel" = "com.apple.driver.AGPM"
| | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | "IONameMatch" = "AGPMEnabler"
| | | | "Machine" =
{"MacBookPro15,4"}={"IGPU"}={"BoostPState"}=(0x18,0x18,0x118,0x18,0x118), "NumPriori
tyLevels"=0x3, "Heuristic"}={"ThresholdsForRingOverrideTable2"}=(0xa,0x64), "Thresho
ldsForRingOverrideTable1"}=(0x5,0xf), "ThresholdsForRingOverrideTable0"}=(0x0,0xa),
"DownStep"=0x1, "EvaluateUpInterval"=0x9c40, "GT3Floor"=0xa, "NumOfRingTableOverrid
e"=0x17, "CPGControl"}={"RenderHysteresis"}=0x20, "Wake_Limit"=0x50, "MediaHysteresis
"=0x20}, "RingOverrideTable2"}=(0x9,0xb,0xc,0xe,0xf,0x11,0x12,0x14,0x15,0x17,0x18,
0x1a,0x1b,0x1d,0x1e,0x20,0x21,0x23,0x$
| | | | "IONameMatched" = "AGPMEnabler"
| | | | }
| | | | +-o X86PlatformShim <class X86PlatformShim, id 0x10000055d, !
registered, !matched, active, busy 0, retain 4>
| | | | {
| | | | "IOProbeScore" = 0x0
| | | | "CFBundleIdentifier" = "com.apple.driver.X86PlatformShim"
| | | | "IOProviderClass" = "X86PlatformPlugin"
| | | | "IOClass" = "X86PlatformShim"
| | | | "IOPersonalityPublisher" = "com.apple.driver.X86PlatformShim"
| | | | "CFBundleIdentifierKernel" =
"com.apple.driver.X86PlatformShim"
| | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | "IONameMatch" = "X86PlatformPlugin"
| | | | "IONameMatched" = "X86PlatformPlugin"
| | | | }
| | | | +-o CPU1@2 <class IOACPIPlatformDevice, id 0x100000133, registered,
matched, active, busy 0 (65 ms), retain 8>

```

```

| | | {
| | | "processor-lapic" = 0x2
| | | "clock-frequency" = <004e7253>;
| | | "processor-number" = 0x2
| | | "timebase-frequency" = <00ca9a3b>;
| | | "processor-id" = 0x2
| | | "bus-frequency" = <0084d717>;
| | | "cpu-type" = <0906>;
| | | "device_type" = <70726f636573736f7200>;
| | | "name" = <4350553100>;
| | | "processor-index" = 0x1
| | | }
| | +-o AppleACPICPU <class AppleACPICPU, id 0x100000144, registered,
matched, active, busy 0 (0 ms), retain 6>;
| | | {
| | | "IOClass" = "AppleACPICPU"
| | | "CFBundleIdentifier" = "com.apple.driver.AppleACPIPlatform"
| | | "IOProviderClass" = "IOACPIPlatformDevice"
| | | "IOProbeScore" = 0x3e8
| | | "IONameMatch" = "processor"
| | | "IOInterruptSpecifiers" = (<00020000>;, <01020000>;)
| | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | "IOCPUID" = 0x100000144
| | | "IOInterruptControllers" =
("IOPlatformInterruptController", "IOPlatformInterruptController")
| | | "IONameMatched" = "processor"
| | | "IOPersonalityPublisher" = "com.apple.driver.AppleACPIPlatform"
| | | "IOCPUState" = "Running"
| | | "CFBundleIdentifierKernel" = "com.apple.driver.AppleACPIPlatform"
| | | "IOCPUNumber" = 0x1
| | | }
| | +-o CPU2@4 <class IOACPIPlatformDevice, id 0x100000134, registered,
matched, active, busy 0 (65 ms), retain 8>;
| | | {
| | | "processor-lapic" = 0x4
| | | "clock-frequency" = <004e7253>;
| | | "processor-number" = 0x4
| | | "timebase-frequency" = <00ca9a3b>;
| | | "processor-id" = 0x3
| | | "bus-frequency" = <0084d717>;
| | | "cpu-type" = <0906>;
| | | "device_type" = <70726f636573736f7200>;
| | | "name" = <4350553200>;
| | | "processor-index" = 0x2
| | | }
| | +-o AppleACPICPU <class AppleACPICPU, id 0x100000145, registered,
matched, active, busy 0 (0 ms), retain 6>;
| | | {
| | | "IOClass" = "AppleACPICPU"
| | | "CFBundleIdentifier" = "com.apple.driver.AppleACPIPlatform"
| | | "IOProviderClass" = "IOACPIPlatformDevice"
| | | "IOProbeScore" = 0x3e8
| | | "IONameMatch" = "processor"
| | | "IOInterruptSpecifiers" = (<00040000>;, <01040000>;)
| | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | "IOCPUID" = 0x100000145
| | | "IOInterruptControllers" =
("IOPlatformInterruptController", "IOPlatformInterruptController")
| | | "IONameMatched" = "processor"
| | | "IOPersonalityPublisher" = "com.apple.driver.AppleACPIPlatform"
| | | "IOCPUState" = "Running"

```

```

| |         "CFBundleIdentifierKernel" = "com.apple.driver.AppleACPIPlatform"
| |         "IOCPUNumber" = 0x2
| |     }
| |
| | +--o CPU3@6 <<class IOACPIPlatformDevice, id 0x100000135, registered,
matched, active, busy 0 (66 ms), retain 8>>
| |     {
| |         "processor-lapic" = 0x6
| |         "clock-frequency" = <<004e7253>>
| |         "processor-number" = 0x6
| |         "timebase-frequency" = <<00ca9a3b>>
| |         "processor-id" = 0x4
| |         "bus-frequency" = <<0084d717>>
| |         "cpu-type" = <<0906>>
| |         "device_type" = <<70726f636573736f7200>>
| |         "name" = <<4350553300>>
| |         "processor-index" = 0x3
| |     }
| |
| | +--o AppleACPICPU <<class AppleACPICPU, id 0x100000146, registered,
matched, active, busy 0 (0 ms), retain 6>>
| |     {
| |         "IOClass" = "AppleACPICPU"
| |         "CFBundleIdentifier" = "com.apple.driver.AppleACPIPlatform"
| |         "IOProviderClass" = "IOACPIPlatformDevice"
| |         "IOProbeScore" = 0x3e8
| |         "IONameMatch" = "processor"
| |         "IOInterruptSpecifiers" = (<<00060000>>;<<01060000>>)
| |         "IOMatchCategory" = "IODefaultMatchCategory"
| |         "IOCPUID" = 0x100000146
| |         "IOInterruptControllers" =
("IOPlatformInterruptController", "IOPlatformInterruptController")
| |         "IONameMatched" = "processor"
| |         "IOPersonalityPublisher" = "com.apple.driver.AppleACPIPlatform"
| |         "IOCPUState" = "Running"
| |         "CFBundleIdentifierKernel" = "com.apple.driver.AppleACPIPlatform"
| |         "IOCPUNumber" = 0x3
| |     }
| |
| | +--o CPU4@1 <<class IOACPIPlatformDevice, id 0x100000136, registered,
matched, active, busy 0 (66 ms), retain 8>>
| |     {
| |         "processor-lapic" = 0x1
| |         "clock-frequency" = <<004e7253>>
| |         "processor-number" = 0x1
| |         "timebase-frequency" = <<00ca9a3b>>
| |         "processor-id" = 0x5
| |         "bus-frequency" = <<0084d717>>
| |         "cpu-type" = <<0906>>
| |         "device_type" = <<70726f636573736f7200>>
| |         "name" = <<4350553400>>
| |         "processor-index" = 0x4
| |     }
| |
| | +--o AppleACPICPU <<class AppleACPICPU, id 0x100000147, registered,
matched, active, busy 0 (0 ms), retain 6>>
| |     {
| |         "IOClass" = "AppleACPICPU"
| |         "CFBundleIdentifier" = "com.apple.driver.AppleACPIPlatform"
| |         "IOProviderClass" = "IOACPIPlatformDevice"
| |         "IOProbeScore" = 0x3e8
| |         "IONameMatch" = "processor"
| |         "IOInterruptSpecifiers" = (<<00010000>>;<<01010000>>)
| |         "IOMatchCategory" = "IODefaultMatchCategory"

```

```

| |         "IOCPUID" = 0x100000147
| |         "IOInterruptControllers" =
("IOPlatformInterruptController", "IOPlatformInterruptController")
| |         "IONameMatched" = "processor"
| |         "IOPersonalityPublisher" = "com.apple.driver.AppleACPIPlatform"
| |         "IOCPUState" = "Running"
| |         "CFBundleIdentifierKernel" = "com.apple.driver.AppleACPIPlatform"
| |         "IOCPUNumber" = 0x4
| |     }
| |
| | +-o CPU5@3 <class IOACPIPlatformDevice, id 0x100000137, registered,
matched, active, busy 0 (67 ms), retain 8>
| |     {
| |         "processor-lapic" = 0x3
| |         "clock-frequency" = <004e7253>;
| |         "processor-number" = 0x3
| |         "timebase-frequency" = <00ca9a3b>;
| |         "processor-id" = 0x6
| |         "bus-frequency" = <0084d717>;
| |         "cpu-type" = <0906>;
| |         "device_type" = <70726f636573736f7200>;
| |         "name" = <4350553500>;
| |         "processor-index" = 0x5
| |     }
| |
| | +-o AppleACPICPU <class AppleACPICPU, id 0x100000148, registered,
matched, active, busy 0 (0 ms), retain 6>
| |     {
| |         "IOClass" = "AppleACPICPU"
| |         "CFBundleIdentifier" = "com.apple.driver.AppleACPIPlatform"
| |         "IOProviderClass" = "IOACPIPlatformDevice"
| |         "IOProbeScore" = 0x3e8
| |         "IONameMatch" = "processor"
| |         "IOInterruptSpecifiers" = (<00030000>;, <01030000>;)
| |         "IOMatchCategory" = "IODefaultMatchCategory"
| |         "IOCPUID" = 0x100000148
| |         "IOInterruptControllers" =
("IOPlatformInterruptController", "IOPlatformInterruptController")
| |         "IONameMatched" = "processor"
| |         "IOPersonalityPublisher" = "com.apple.driver.AppleACPIPlatform"
| |         "IOCPUState" = "Running"
| |         "CFBundleIdentifierKernel" = "com.apple.driver.AppleACPIPlatform"
| |         "IOCPUNumber" = 0x5
| |     }
| |
| | +-o CPU6@5 <class IOACPIPlatformDevice, id 0x100000138, registered,
matched, active, busy 0 (68 ms), retain 8>
| |     {
| |         "processor-lapic" = 0x5
| |         "clock-frequency" = <004e7253>;
| |         "processor-number" = 0x5
| |         "timebase-frequency" = <00ca9a3b>;
| |         "processor-id" = 0x7
| |         "bus-frequency" = <0084d717>;
| |         "cpu-type" = <0906>;
| |         "device_type" = <70726f636573736f7200>;
| |         "name" = <4350553600>;
| |         "processor-index" = 0x6
| |     }
| |
| | +-o AppleACPICPU <class AppleACPICPU, id 0x100000149, registered,
matched, active, busy 0 (0 ms), retain 6>
| |     {
| |         "IOClass" = "AppleACPICPU"

```

```

| | "CFBundleIdentifier" = "com.apple.driver.AppleACPIPlatform"
| | "IOProviderClass" = "IOACPIPlatformDevice"
| | "IOProbeScore" = 0x3e8
| | "IONameMatch" = "processor"
| | "IOInterruptSpecifiers" = (<00050000>;,<01050000>);
| | "IOMatchCategory" = "IODefaultMatchCategory"
| | "IOCPUID" = 0x100000149
| | "IOInterruptControllers" =
("IOPlatformInterruptController","IOPlatformInterruptController")
| | "IONameMatched" = "processor"
| | "IOPersonalityPublisher" = "com.apple.driver.AppleACPIPlatform"
| | "IOCPUState" = "Running"
| | "CFBundleIdentifierKernel" = "com.apple.driver.AppleACPIPlatform"
| | "IOCPUNumber" = 0x6
| | }
| |
| +-o CPU7@7 <class IOACPIPlatformDevice, id 0x100000139, registered,
matched, active, busy 0 (68 ms), retain 8&gt;
| | {
| | "processor-lapic" = 0x7
| | "clock-frequency" = <004e7253&gt;;
| | "processor-number" = 0x7
| | "timebase-frequency" = <00ca9a3b&gt;;
| | "processor-id" = 0x8
| | "bus-frequency" = <0084d717&gt;;
| | "cpu-type" = <0906&gt;;
| | "device_type" = <70726f636573736f7200&gt;;
| | "name" = <4350553700&gt;;
| | "processor-index" = 0x7
| | }
| |
| +-o AppleACPICPU <class AppleACPICPU, id 0x10000014a, registered,
matched, active, busy 0 (0 ms), retain 6&gt;
| | {
| | "IOClass" = "AppleACPICPU"
| | "CFBundleIdentifier" = "com.apple.driver.AppleACPIPlatform"
| | "IOProviderClass" = "IOACPIPlatformDevice"
| | "IOProbeScore" = 0x3e8
| | "IONameMatch" = "processor"
| | "IOInterruptSpecifiers" = (<00070000>;,<01070000>);
| | "IOMatchCategory" = "IODefaultMatchCategory"
| | "IOCPUID" = 0x10000014a
| | "IOInterruptControllers" =
("IOPlatformInterruptController","IOPlatformInterruptController")
| | "IONameMatched" = "processor"
| | "IOPersonalityPublisher" = "com.apple.driver.AppleACPIPlatform"
| | "IOCPUState" = "Running"
| | "CFBundleIdentifierKernel" = "com.apple.driver.AppleACPIPlatform"
| | "IOCPUNumber" = 0x7
| | }
| |
| +-o CPU8 <class IOACPIPlatformDevice, id 0x10000013a, registered,
matched, active, busy 0 (68 ms), retain 7&gt;
| | {
| | "processor-index" = 0x8
| | "processor-id" = 0x9
| | "name" = <4350553800&gt;;
| | "cpu-type" = <0906&gt;;
| | "device_type" = <70726f636573736f7200&gt;;
| | }
| |
| +-o CPU9 <class IOACPIPlatformDevice, id 0x10000013b, registered,
matched, active, busy 0 (68 ms), retain 7&gt;
| | {

```

```

| | "processor-index" = 0x9
| | "processor-id" = 0xa
| | "name" = &lt;4350553900&gt;
| | "cpu-type" = &lt;0906&gt;
| | "device_type" = &lt;70726f636573736f7200&gt;
| | }
| |
| +-o CPUA &lt;class IOACPIPlatformDevice, id 0x10000013c, registered,
matched, active, busy 0 (68 ms), retain 7&gt;
| | {
| | "processor-index" = 0xa
| | "processor-id" = 0xb
| | "name" = &lt;4350554100&gt;
| | "cpu-type" = &lt;0906&gt;
| | "device_type" = &lt;70726f636573736f7200&gt;
| | }
| |
| +-o CPUB &lt;class IOACPIPlatformDevice, id 0x10000013d, registered,
matched, active, busy 0 (68 ms), retain 7&gt;
| | {
| | "processor-index" = 0xb
| | "processor-id" = 0xc
| | "name" = &lt;4350554200&gt;
| | "cpu-type" = &lt;0906&gt;
| | "device_type" = &lt;70726f636573736f7200&gt;
| | }
| |
| +-o CPUC &lt;class IOACPIPlatformDevice, id 0x10000013e, registered,
matched, active, busy 0 (68 ms), retain 7&gt;
| | {
| | "processor-index" = 0xc
| | "processor-id" = 0xd
| | "name" = &lt;4350554300&gt;
| | "cpu-type" = &lt;0906&gt;
| | "device_type" = &lt;70726f636573736f7200&gt;
| | }
| |
| +-o CPUD &lt;class IOACPIPlatformDevice, id 0x10000013f, registered,
matched, active, busy 0 (68 ms), retain 7&gt;
| | {
| | "processor-index" = 0xd
| | "processor-id" = 0xe
| | "name" = &lt;4350554400&gt;
| | "cpu-type" = &lt;0906&gt;
| | "device_type" = &lt;70726f636573736f7200&gt;
| | }
| |
| +-o CPUE &lt;class IOACPIPlatformDevice, id 0x100000140, registered,
matched, active, busy 0 (68 ms), retain 7&gt;
| | {
| | "processor-index" = 0xe
| | "processor-id" = 0xf
| | "name" = &lt;4350554500&gt;
| | "cpu-type" = &lt;0906&gt;
| | "device_type" = &lt;70726f636573736f7200&gt;
| | }
| |
| +-o CPUF &lt;class IOACPIPlatformDevice, id 0x100000141, registered,
matched, active, busy 0 (68 ms), retain 7&gt;
| | {
| | "processor-index" = 0xf
| | "processor-id" = 0x10
| | "name" = &lt;4350554600&gt;
| | "cpu-type" = &lt;0906&gt;

```

```

| | "device_type" = <70726f636573736f7200>;
| | }
| |
| +-o io-apic@fec00000 <class IOACPIPlatformDevice, id 0x100000142,
registered, matched, active, busy 0 (0 ms), retain 7>;
| | {
| | | "Physical Address" = 0xfffffffffec00000
| | | "Vector Limit" = 0x70
| | | "InterruptControllerName" = "io-apic-0"
| | | "Destination APIC ID" = 0x0
| | | "Base Vector Number" = 0x40
| | | "IOInterruptControllers" = ("IOPlatformInterruptController")
| | | "IOInterruptSpecifiers" = (<00000000>;)
| | | "APIC ID" = 0x2
| | | }
| |
| +-o AppleAPICInterruptController <class
AppleAPICInterruptController, id 0x100000154, registered, matched, active, busy
0 (0 ms), retain 9>;
| | {
| | | "IOProbeScore" = 0x0
| | | "CFBundleIdentifier" = "com.apple.driver.AppleAPIC"
| | | "IOProviderClass" = "IOPlatformDevice"
| | | "IOClass" = "AppleAPICInterruptController"
| | | "IOPersonalityPublisher" = "com.apple.driver.AppleAPIC"
| | | "CFBundleIdentifierKernel" = "com.apple.driver.AppleAPIC"
| | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | "IONameMatch" = "io-apic"
| | | "Vector Count" = 0x18
| | | "IONameMatched" = "io-apic"
| | | "Base Vector Number" = 0x40
| | | }
| |
| +-o AppleACPIEventController <class AppleACPIEventController, id
0x100000155, !registered, !matched, active, busy 0, retain 6>;
| | {
| | | "InterruptControllerName" = "ACPIEventController"
| | | }
| |
| +-o boot-ec <class IOACPIPlatformDevice, id 0x100000156, registered,
matched, active, busy 0 (5 ms), retain 7>;
| | {
| | | "IOReportLegendPublic" = Yes
| | | "IOInterruptControllers" = ("ACPIEventController")
| | | "IOInterruptSpecifiers" = (<7300000000000000>;)
| | | "IOReportLegend" = ({"IOReportGroupName"="Interrupt Statistics (by
index)", "IOReportChannels"=( (0x496e747200000000, 0x100020001, "
First Level Interrupt Handler Count"), (0x496e747200000001, 0x100020001, "
Second Level Interrupt Handler Count"), (0x496e747200000002, 0x100020001, "
First Level Interrupt Handler Time (MATUs)", (0x496e747200000003, 0x100020001, "
Second Level Interrupt Handler CPU Time (MATUs)",
(0x496e747200000004, 0x100020001, "Second Level Interrupt Handler System Time
(MATUs)")), "IOReportCh$
| | | }
| | |
| | +-o AppleACPIEC <class AppleACPIEC, id 0x100000157, registered,
matched, active, busy 0 (0 ms), retain 6>;
| | {
| | | "IOProbeScore" = 0x0
| | | "CFBundleIdentifier" = "com.apple.driver.AppleACPIEC"
| | | "IOProviderClass" = "IOACPIPlatformDevice"
| | | "IOClass" = "AppleACPIEC"
| | | "IOPersonalityPublisher" = "com.apple.driver.AppleACPIEC"
| | | "CFBundleIdentifierKernel" = "com.apple.driver.AppleACPIEC"

```



```

| |      "IOMatchCategory" = "IODefaultMatchCategory"
| |      "IONameMatch" = ("PNP0C09", "boot-ec")
| |      "IOGeneralInterest" = "IOCommand is not serializable"
| |      "IONameMatched" = "boot-ec"
| |      "Statistics" =
{"OBFSsciTimeout"=0x0, "SpuriousQuery"=0x0, "CommandCount"=0x37a, "MaxLatency"=0x3b1
d06, "SCIActive"=Yes, "CommandRetry"=0x0, "SpuriousSCI"=0x156, "IBFSsciTimeout"=0x0, "
OBFPollTimeout"=0x0, "IBFPollTimeout"=0x0, "MissingSCI"=0x0}
| |      }
| |      +-o bios <&class IOPlatformDevice, id 0x100000158, registered, matched,
active, busy 0 (0 ms), retain 6&gt;
| |      {
| |      | "IOName" = "bios"
| |      | }
| |      +-o AppleSMBIOS <&class AppleSMBIOS, id 0x100000159, registered,
matched, active, busy 0 (0 ms), retain 5&gt;
| |      {
| |      | "IOProbeScore" = 0x0
| |      | "CFBundleIdentifier" = "com.apple.driver.AppleSMBIOS"
| |      | "IOMatchCategory" = "AppleSMBIOS"
| |      | "IOClass" = "AppleSMBIOS"
| |      | "IOPersonalityPublisher" = "com.apple.driver.AppleSMBIOS"
| |      | "IOProviderClass" = "IOPlatformDevice"
| |      | "CFBundleIdentifierKernel" = "com.apple.driver.AppleSMBIOS"
| |      | "IONameMatch" = "bios"
| |      | "SMBIOS" =
&lt;&1017000003030300008000feff0200000000000000000000000000000115401000000feff4000400000
100b0001021d80005508030405060200000000550800000000b004000000000000000000000000
000000000000000000000000000000000000000000000000000000004368616e6e656c412d
44494d4d300042414e4b2030004d6963726f6e003030303030303030003938373635343332313000
4d5435324c3531324d3332443250462d30390000115402000000feff4000400000100b0001021d80
00550803040506020000000055080000000b0040000000000000000000000000000000000000
0000000000000000000000000000000000000000000000000000000000000000$
| |      | "IONameMatched" = "bios"
| |      | "SMBIOS-EPS" =
&lt;&5f534d5f1c1f030162010000000000005f444d495f20830a00f0ec88260031&gt;
| |      | }
| |      +-o PCI0@0 <&class IOACPIPlatformDevice, id 0x10000015d, registered,
matched, active, busy 0 (1497 ms), retain 49&gt;
| |      {
| |      | "compatible" = &lt;&504e503041303300&gt;
| |      | "IODTPersist" = 0x0
| |      | "_STA" = 0xffffffffffffffff
| |      | "IOPCIConfigured" = Yes
| |      | "acpi-address-spaces" =
&lt;&0200000000000000000000000000000000000000000000000000000000000000ff0000000000
0000000000000000000000000100000000000000000000000000000000000000000000000000
000000100000000000000000000000000000000000000000000000000000000000000000ff70c0000000
0000000000000000000000f80c000000000000000000000000000000000000000000000000000000
00000100000000000000000000000000000000000000000000d00000000000fff00000000
000000000000000000000000f30000000000000000000000000000000000000000000000000000
00000000000000000000000000000000000000000000$
| |      | "IODeviceMemory" = ({ "address"=0xcf8, "length"=0x8})
| |      | "#size-cells" = &lt;&02000000&gt;
| |      | "acpi-pci-routing-table" =
&lt;&1800000000000000fff1f0000000001000000000000180000001000000fff1f0000000
00011000000000000018000000200000fff1f000000000120000000000018000000300
000fff1f000000000013000000000001800000000000fff1e00000000014000000000
000180000000100000fff1e0000000001500000000000018000000200000fff1e000000
00016000000000000018000000300000fff1e00000000017000000000000180000000000
000fff1d000000000100000000000018000000100000fff1d000000000110000000000

```

```

00001800000002000000ffff1d0000000$
| | | "_ADR" = 0x0
| | | "_UID" = "0"
| | | "device-properties" = {"acpi-device"="IOACPIPlatformDevice is not
serializable", "acpi-path"="/_SB/PCI0@0"}
| | | "#address-cells" = <0300000000>;
| | | "acpi-path" = "IOACPIPlane:/_SB/PCI0@0"
| | | "name" = <504e503041303800>;
| | | "acpi-device" = "IOACPIPlatformDevice is not serializable"
| | | }
| | +-o AppleACPIPCI <class AppleACPIPCI, id 0x1000002b9, registered,
matched, active, busy 0 (1485 ms), retain 35>&;
| | | {
| | | "IOProbeScore" = 0x1388
| | | "CFBundleIdentifier" = "com.apple.driver.AppleACPIPlatform"
| | | "IOProviderClass" = "IOACPIPlatformDevice"
| | | "IOClass" = "AppleACPIPCI"
| | | "IOPersonalityPublisher" = "com.apple.driver.AppleACPIPlatform"
| | | "CFBundleIdentifierKernel" = "com.apple.driver.AppleACPIPlatform"
| | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | "IONameMatch" = "PNP0A03"
| | | "IOPowerManagement" =
{"ChildrenPowerState"=0x2, "CurrentPowerState"=0x2, "CapabilityFlags"=0x102, "MaxPo
werState"=0x3}
| | | "IONameMatched" = "PNP0A03"
| | | }
| | +-o MCHC@0 <class IOPCIDevice, id 0x10000021a, registered,
matched, active, busy 0 (0 ms), retain 8>&;
| | | {
| | | "name" = <706369383038362c3365643000>;
| | | "subsystem-vendor-id" = <86800000>;
| | | "compatible" =
<706369383038362c3732373000706369383038362c3365643000706369636c6173732c303630
303030004d43484300>;
| | | "IOName" = "pci8086,3ed0"
| | | "reg" = <0000000000000000000000000000000000000000000000000000000000000000>;
| | | "device-id" = <d03e0000>;
| | | "IOServiceDEXTitlements" =
(("com.apple.developer.driverkit.transport.pci"))
| | | "IOPowerManagement" =
{"CurrentPowerState"=0x2, "CapabilityFlags"=0x102, "ChildProxyPowerState"=0x2, "Max
PowerState"=0x3}
| | | "built-in" = <00>;
| | | "IOPCIResourced" = Yes
| | | "revision-id" = <08000000>;
| | | "vendor-id" = <86800000>;
| | | "pcidebug" = "0:0:0"
| | | "class-code" = <00000600>;
| | | "acpi-path" = "IOACPIPlane:/_SB/PCI0@0/MCHC@0"
| | | "subsystem-id" = <70720000>;
| | | "acpi-device" = "IOACPIPlatformDevice is not serializable"
| | | }
| | +-o IGPU@2 <class IOPCIDevice, id 0x10000021c, registered,
matched, active, busy 0 (362 ms), retain 34>&;
| | | {
| | | "AAPL00,PanelPowerOn" = <19010000>;
| | | "acpi-path" = "IOACPIPlane:/_SB/PCI0@0/IGPU@20000"
| | | "acpi-device" = "IOACPIPlatformDevice is not serializable"
| | | "assigned-addresses" =
<10100082400000000000000010000000000000001181000c2400000000000000000000000
00102010008100000000003000000000000040000000>;

```

```

| | | | "vendor-id" = <86800000>;
| | | | "class-code" = <00000300>;
| | | | "hda-gfx" = <6f6e626f6172642d3100>;
| | | | "subsystem-vendor-id" = <6b100000>;
| | | | "IOName" = "display"
| | | | "IOPCIExpressLinkCapabilities" = 0x0
| | | | "IOMemoryDescriptorOptions" = 0x800
| | | | "IOPCIMSIMode" = Yes
| | | | "pcidebug" = "0:2:0"
| | | | "IOPCIExpressLinkStatus" = 0x0
| | | | "AAPL,GfxYTile" = <01000000>;
| | | | "pci-aspm-default" = 0x0
| | | | "IOPCIExpressCapabilities" = 0x92
| | | | "IOServiceDexTEntitlements" =
(("com.apple.developer.driverkit.transport.pci"))
| | | | "AAPL00,PanelPowerDown" = <3c000000>;
| | | | "IOInterruptControllers" = ("io-
apic-0", "IOPCIMessagedInterruptController")
| | | | "AAPL,gray-value" = <00000000>;
| | | | "built-in" = <00>;
| | | | "IOPCIResourced" = Yes
| | | | "saved-config" =
<47000000000000000000000000000000000000003000500a63e00ce567c070000000000000000
0000000000000000000000000000000000000000000000000000000000000000000000001010101000610
3da002034000000000000000002906c8a0f000a4006500000002e0000000800200020000800400b
08075a0001000100000000000000000000000000000000000000000000000000000000000000000000
00000000000000000000000000000000000000000000000000000000000000000000000000000000000
00000000000000000000000000000000000000000000000000000000000000000000000000000000000>;
| | | | "GraphicsBacklightSetup-0" =
<000001000000000000aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa000000000000000000000000000000
0000>;
| | | | "IOPowerManagement" =
{"ChildrenPowerState"=0x2, "CurrentPowerState"=0x2, "CapabilityFlags"=0x102, "Child
ProxyPowerState"=0x2, "MaxPowerState"=0x3}
| | | | "IODeviceMemory" =
(({ "address"=0x401000000, "length"=0x1000000}),
({ "address"=0x400000000, "length"=0x1000000}), "IOSubMemoryDescriptor is not
serializable")
| | | | "AAPL00,PanelPowerOff" = <11000000>;
| | | | "subsystem-id" = <78010000>;
| | | | "graphic-options" = <0c000000>;
| | | | "name" = <646973706c617900>;
| | | | "IOBusyInterest" = "IOCommand is not serializable"
| | | | "model" =
<496e74656c204972697320506c75732047726170686963732036343500>;
| | | | "AAPL,gray-page" = <01000000>;
| | | | "AAPL00,PanelPowerUp" = <30000000>;
| | | | "compatible" =
<706369313036622c31373800706369383038362c3365613600706369636c6173732c303333030
3030004947505500>;
| | | | "IOHibernateState" = <00000000>;
| | | | "AAPL00,PanelCycleDelay" = <fa000000>;
| | | | "GraphicsDisplaySetup" =
<000001000000000004000000a80c00000100000000000100000003000000906c8a0f00000000
000a00004006000050000000000000000000000000000000002e0000000000000000000000800000020000000
012000000008000000000001000100000000000ffff04000000000000010100a80c0000000001
00400b000008070000002d000001000000000000000000>;
| | | | "IOReportLegendPublic" = Yes
| | | | "attached-gpu-control-path" =
"IOService:/AppleACPIPlatformExpert/PCI0@0/AppleACPIPCI/IGPU@2/AppleIntelFramebuffer@0/AGPM"
| | | | "reg" =
<0010000000000000000000000000000000101000020000000000000000000000000000000
000118100042000000000000000000000000000010201000010000000000000000000000000004000

```

```

0000>;
| | | | "AAPL,Gfx324" = &lt;01000000&gt;;
| | | | "IOReportLegend" = ({"IOReportGroupName"="Interrupt Statistics
(by index)", "IOReportChannels"=( (0x496e747200010000, 0x100020001, "
First Level Interrupt Handler Count"), (0x496e747200010001, 0x100020001, "
Second Level Interrupt Handler Count"), (0x496e747200010002, 0x100020001, "
First Level Interrupt Handler Time (MATUs)"), (0x496e747200010003, 0x100020001, "
Second Level Interrupt Handler CPU Time (MATUs)"),
(0x496e747200010004, 0x100020001, "Second Level Interrupt Handler System Time
(MATUs)")), "IORepo$
| | | | "device-id" = &lt;a63e0000&gt;;
| | | | "revision-id" = &lt;01000000&gt;;
| | | | "IOInterruptSpecifiers" =
(&lt;1000000007000000&gt;;, &lt;02000000000000100&gt;;)
| | | | "AAPL,ig-platform-id" = &lt;0500a63e&gt;;
| | | | }
| | | | +-o AppleIntelFramebufferController &lt;class
AppleIntelFramebufferController, id 0x1000004f7, registered, matched, active,
busy 0 (101 ms), retain 10&gt;;
| | | | {
| | | | | "IOClass" = "AppleIntelFramebufferController"
| | | | | "dpm" = &lt;01000000&gt;;
| | | | | "IOPersonalityPublisher" =
"com.apple.driver.AppleIntelCFLGraphicsFramebuffer"
| | | | | "IOReportLegendPublic" = Yes
| | | | | "IOProviderClass" = "IOPCIDevice"
| | | | | "IOProbeScore" = 0x13885
| | | | | "FBControl" = {"Compression"=0x1}
| | | | | "FBMemControl" = 0xb
| | | | | "IOSourceVersion" = "0.0.0.0"
| | | | | "FeatureControl" =
{"SpreadON"=0x1, "EDPDownSpreadDisable"=0x0, "YTiling"=0x1, "ResourceSetSupport"=0x
1, "SupportDynamicCDClk"=0x1, "Enable8K"=0x1, "RenderStandby"=0x1, "TTNFBuffDistribu
tion"=0x1, "EnablePlaneRotation"=0x1, "VBLWatchdogFeatureEnable"=0x1, "GFMPPFM"=0x2
, "GPUInterruptHandling"=0x1, "IgnorePanelTimings"=0x0, "ASRDisable"=0x0, "GammaTest
Mode"=0x0, "CoarsePowerGatingSelect"=0x4, "EnableTconScaler"=0x1, "RotationSupportF
orMultiLink"=0x1, "EdramSWModeInED"=0x1, "FastDisplayDetectDisable"=0x0, "RCxEIMode
Enable"=0x1, "OptimizeForTTNFAfte$
| | | | | "CFBundleIdentifierKernel" =
"com.apple.driver.AppleIntelCFLGraphicsFramebuffer"
| | | | | "IOPCIPrimaryMatch" = "0x3E9B8086 0x3EA58086 0x3EA68086
0x3E928086 0x3E918086 0x3E988086 0x9BC88086 0x9BC58086 0x9BC48086"
| | | | | "VRAM,totalMB" = &lt;0006000000000000&gt;;
| | | | | "Debug" =
{"LogEnable"=Yes, "LogHeader"={"Module"=Yes, "Tag"=Yes, "File"=No, "StackLevel"=No, "
Stamp"=No, "ThreadId"=No, "Line"=No, "Function"=Yes, "LogLevel"=Yes}, "LogLevel"={"PO
WER"=0x1f, "DISPLAY"=0x1f, "DIAGS"=0x1f, "DEFAULT"=0x1f, "AUX"=0x7, "PANEL"=0x7, "TRAN
SACTION"=0x7, "HDCP"=0x7, "LINK_TRAINING"=0x1f, "PLANE"=0x7, "SYSCTL"=0x7, "SCALER"=0
x7, "METRICS"=0x1f, "DIAGNOSTICS"=0x1f}, "LogListener"={"Printf"={}}}
| | | | | "CFBundleIdentifier" =
"com.apple.driver.AppleIntelCFLGraphicsFramebuffer"
| | | | | "IOMatchCategory" = "IOFramebuffer"
| | | | | "PMTControl" = {"DisplayEngineCounting"=0x0}
| | | | | "NumFrameBuffer" = &lt;03&gt;;
| | | | | "IOReportLegend" =
({"IOReportChannels"=( (0x524330, 0x180000001, "RC0"), (0x524331, 0x180000001, "RC1"),
(0x524336, 0x180000001, "RC6")), "IOReportGroupName"="GPU C-
States", "IOReportChannelInfo"={"IOReportChannelUnit"=0x1000076000000000}},
{"IOReportChannels"=( (0x445042, 0x200020002, "Dynamic Pixel Backlight
State")), "IOReportGroupName"="Display", "IOReportChannelInfo"={"IOReportChannelUn
it"=0x1000076000000001}}, {"IOReportChannels"=( (0x505352, 0x700020002, "Panel Self
Refresh State")), "IOReportGroupName"="Display", "IOReportChannelInfo"={"IORe$
| | | | | "IOPCIClassMatch" = "0x03000000&0xff000000"

```



```

0x10000050d, registered, matched, active, busy 0 (1 ms), retain 8&gt;
| | | | | | | | | | | | | | | | {
| | | | | | | | | | | | | | | | "NeedsPolicyDriver" = No
| | | | | | | | | | | | | | | | "IOUserClientClass" = "AGDPUserClient"
| | | | | | | | | | | | | | | | "IOGeneralInterest" = "IOCommand is not serializable"
| | | | | | | | | | | | | | | | }
| | | | | | | | | | | | | | | | +-o AGDPUserClient &lt;class AGDPUserClient, id
0x100000515, !registered, !matched, active, busy 0, retain 5&gt;
| | | | | | | | | | | | | | | | {
| | | | | | | | | | | | | | | | "IOUserClientCreator" = "pid 119, displaypolicyd"
| | | | | | | | | | | | | | | | "IOUserClientDefaultLocking" = Yes
| | | | | | | | | | | | | | | | }
| | | | | | | | | | | | | | | | +-o AppleGraphicsDeviceControlClient &lt;class
AppleGraphicsDeviceControlClient, id 0x1000005b0, !registered, !matched, active,
busy 0, retain 5&gt;
| | | | | | | | | | | | | | | | {
| | | | | | | | | | | | | | | | "IOUserClientCreator" = "pid 138, WindowServer"
| | | | | | | | | | | | | | | | "IOUserClientDefaultLocking" = Yes
| | | | | | | | | | | | | | | | }
| | | | | | | | | | | | | | | | +-o AppleGraphicsDeviceControlClient &lt;class
AppleGraphicsDeviceControlClient, id 0x1000005bb, !registered, !matched, active,
busy 0, retain 5&gt;
| | | | | | | | | | | | | | | | {
| | | | | | | | | | | | | | | | "IOUserClientCreator" = "pid 138, WindowServer"
| | | | | | | | | | | | | | | | "IOUserClientDefaultLocking" = Yes
| | | | | | | | | | | | | | | | }
| | | | | | | | | | | | | | | | +-o AppleGraphicsDeviceControlClient &lt;class
AppleGraphicsDeviceControlClient, id 0x1000005c5, !registered, !matched, active,
busy 0, retain 5&gt;
| | | | | | | | | | | | | | | | {
| | | | | | | | | | | | | | | | "IOUserClientCreator" = "pid 138, WindowServer"
| | | | | | | | | | | | | | | | "IOUserClientDefaultLocking" = Yes
| | | | | | | | | | | | | | | | }
| | | | | | | | | | | | | | | | +-o AppleGraphicsDeviceControlClient &lt;class
AppleGraphicsDeviceControlClient, id 0x1000005cd, !registered, !matched, active,
busy 0, retain 5&gt;
| | | | | | | | | | | | | | | | {
| | | | | | | | | | | | | | | | "IOUserClientCreator" = "pid 138, WindowServer"
| | | | | | | | | | | | | | | | "IOUserClientDefaultLocking" = Yes
| | | | | | | | | | | | | | | | }
| | | | | | | | | | | | | | | | +-o AppleGraphicsDeviceControlClient &lt;class
AppleGraphicsDeviceControlClient, id 0x10000060a, !registered, !matched, active,
busy 0, retain 5&gt;
| | | | | | | | | | | | | | | | {
| | | | | | | | | | | | | | | | "IOUserClientCreator" = "pid 124, PerfPowerService"
| | | | | | | | | | | | | | | | "IOUserClientDefaultLocking" = Yes
| | | | | | | | | | | | | | | | }
| | | | | | | | | | | | | | | | +-o AppleIntelMEClientController &lt;class
AppleIntelMEClientController, id 0x100000504, registered, matched, active, busy
0 (0 ms), retain 7&gt;
| | | | | | | | | | | | | | | | {
| | | | | | | | | | | | | | | | "IOUserClientClass" = "AppleIntelMEUserClient"
| | | | | | | | | | | | | | | | "IOPowerManagement" =
{"CapabilityFlags"=0x8000,"MaxPowerState"=0x1,"CurrentPowerState"=0x1}
| | | | | | | | | | | | | | | | }
| | | | | | | | | | | | | | | | +-o AppleIntelFramebuffer@0 &lt;class AppleIntelFramebuffer, id

```







```

| | | | | "IOClass" = "AppleUpstreamUserClientDriver"
| | | | | "IOPersonalityPublisher" =
"com.apple.driver.AppleUpstreamUserClient"
| | | | | "IOProviderClass" = "IOFramebuffer"
| | | | | "CFBundleIdentifierKernel" =
"com.apple.driver.AppleUpstreamUserClient"
| | | | | "IOUserClientClass" = "AppleUpstreamUserClient"
| | | | | "IOResourceMatch" = "IOKit"
| | | | | }
| | | | | +-o AGPM <&class AGPM, id 0x100000561, registered, matched,
active, busy 0 (0 ms), retain 8&&gt;
| | | | | {
| | | | | "max-value" = 0xf
| | | | | "min-value" = 0x0
| | | | | "IOReportLegendPublic" = Yes
| | | | | "GPUInternalSingleSlice" = {"max-value"=0xf,"min-value"=0x0}
| | | | | "IOPowerManagement" =
{"CapabilityFlags"=0x0,"CurrentPowerState"=0x0}
| | | | | "Heuristic-ID" = <&02000000&&gt;
| | | | | "IOReportLegend" =
({ "IOReportChannels"=( (0x506c696d69744944, 0x180000001, "PlimitNS"),
(0x53616d706c654944, 0x180000001, "PlimitSampleTimeNS")), "IOReportGroupName"="AGPM
Statistics", "IOReportChannelInfo"={"IOReportChannelUnit"=0x0}})
| | | | | }
| | | | | +-o IOFramebufferI2CInterface <&class
IOFramebufferI2CInterface, id 0x100000599, registered, matched, active, busy 0
(0 ms), retain 7&&gt;
| | | | | {
| | | | | "IOI2CBusType" = 0x1
| | | | | "IOI2CSupportedCommFlags" = 0x2
| | | | | "IOI2CInterfaceID" = 0x0
| | | | | "IOI2CTransactionTypes" = 0x13
| | | | | }
| | | | | +-o IOI2CInterfaceUserClient <&class
IOI2CInterfaceUserClient, id 0x100000778, !registered, !matched, active, busy 0,
retain 5&&gt;
| | | | | {
| | | | | "IOUserClientCreator" = "pid 586, System Informati"
| | | | | "IOUserClientDefaultLocking" = Yes
| | | | | }
| | | | | +-o IOI2CInterfaceUserClient <&class
IOI2CInterfaceUserClient, id 0x100000779, !registered, !matched, active, busy 0,
retain 5&&gt;
| | | | | {
| | | | | "IOUserClientCreator" = "pid 586, System Informati"
| | | | | "IOUserClientDefaultLocking" = Yes
| | | | | }
| | | | | +-o display0 <&class IODisplayConnect, id 0x10000059a,
registered, matched, active, busy 0 (4 ms), retain 6&&gt;
| | | | | {
| | | | | }
| | | | | +-o AppleBacklightDisplay <&class AppleBacklightDisplay, id
0x10000059b, registered, matched, active, busy 0 (0 ms), retain 9&&gt;
| | | | | {
| | | | | "IOClass" = "AppleBacklightDisplay"
| | | | | "CFBundleIdentifier" = "com.apple.iokit.IOGraphicsFamily"
| | | | | "IOProviderClass" = "IODisplayConnect"
| | | | | "DisplayProductID" = 0xa03d

```

```
| | | | "IODisplayEDID" =
<lt;00ffffffffffffff0006103da000000000101b0104b51d1278020fa1ae5243b0260d5054000000
01010101010101010101010101010101d9650050a0402e60082008081eb31000001a000000fc0043
6f6c6f72204c43440a2020200000001000000000000000000000000000000000000000000000000
000000000000000015370127903007f813ffa10000301180f28170000000000000000000000000
00000000000000000000000000000000464d5839323034304243484a34363241530a20202020
207f8129fa10000201001100000290033c042b0571072f09910cd51153178820212c143cbf541074
c8a2d2e357000000000000000000000$
| | | | "IODisplayPrefsKeyOld" =
"IOService:/AppleACPIPlatformExpert/PCI0@0/AppleACPIPCI/IGPU@2/AppleIntelFramebu
ffer@0/display0/AppleBacklightDisplay-610-a03d"
| | | | "IODisplayPrefsKey" =
"IOService:/AppleACPIPlatformExpert/PCI0@0/AppleACPIPCI/IGPU@2-610-
a03d-10c8a8d2c625209b"
| | | | "IOProbeScore" = 0xbb8
| | | | "IODisplayGUID" = 0x6100000000000000
| | | | "IODisplayParameters" = {"commit"={"reg"=0x0}, "linear-
brightness-
probe"={"min"=0x0, "max"=0xe357, "value"=0x1639}, "ggsc"={"min"=0x0, "max"=0x10000, "
value"=0x10000}, "vblm"={"min"=0x0, "max"=0x30000, "value"=0x10000}, "dsyp"={"min"=0
x0, "max"=0x2, "value"=0x2}, "rgsc"={"min"=0x0, "max"=0x10000, "value"=0x10000}, "bgsc
"={"min"=0x0, "max"=0x10000, "value"=0x10000}, "brightness-
probe"={"min"=0x0, "max"=0x400, "value"=0x233}, "bklt"={"min"=0x0, "max"=0xffff, "val
ue"=0x1645}, "linear-
brightness"={"min"=0x0, "max"=0xe357, "value"=0x163c}, "brightness"={$
| | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | "IOPowerManagement" =
{"DevicePowerState"=0x3, "CurrentPowerState"=0x3, "CapabilityFlags"=0xc000, "MaxPow
erState"=0x3}
| | | | "IOPersonalityPublisher" =
"com.apple.iokit.IOGraphicsFamily"
| | | | "IODisplayConnectFlags" = <lt;00080000<>
| | | | "CFBundleIdentifierKernel" =
"com.apple.iokit.IOGraphicsFamily"
| | | | "IODisplayAttributes" =
{"IODisplayAttributes"=<lt;6761747600000000073676c6604000000726c6f630100000063646
70080808000676c666400000000<>; "IODisplayMobileBLTable"=<lt;001100000290033c042
b0571072f09910cd51153178820212c143cbf541074c8a2d2e357<>;}
| | | | "DisplayVendorID" = 0x610
| | | | "DisplayParameterHandlerUsesCharPtr" = Yes
| | | | "DisplaySerialNumber" = 0x0
}
| | | | +-o IOFramebufferUserClient <lt;class IOFramebufferUserClient, id
0x1000005a2, !registered, !matched, active, busy 0, retain 5<>;
| | | | {
| | | | "IOUserClientCreator" = "pid 138, WindowServer"
| | | | "IOUserClientDefaultLocking" = Yes
| | | | }
| | | | +-o AppleIntelFramebuffer@1 <lt;class AppleIntelFramebuffer, id
0x1000004fc, registered, matched, active, busy 0 (100 ms), retain 17<>;
| | | | {
| | | | "IOFBGammaCount" = 0x400
| | | | "IOFBConfig" =
{"IOFB0Hz"=Yes, "IOFBModes"=({"ID"=0xffffffffffffff00, "DM"=<lt;010000000100000000
000000000000070000000000000000000000000000000000000000000000000000<>;, "AID"=0x226})}
| | | | "IOFBIntegrated" = Yes
| | | | "IOPMStrictTreeOrder" = Yes
| | | | "IOI2CTransactionTypes" = 0x13
| | | | "IOFBGammaWidth" = 0xa
| | | | "AAPL,DisplayPipe" = <lt;ffff0000<>;
| | | | "IOPowerManagement" =
{"MaxPowerState"=0x2, "CurrentPowerState"=0x2, "CapabilityFlags"=0x8000, "ChildProx
```



```

| | | | | "IOClass" = "AppleMCCSParameterHandler"
| | | | | "IOPersonalityPublisher" =
"com.apple.driver.AppleMCCSControl"
| | | | | "IOKitDebug" = 0x0
| | | | | "AppleMCCSFeatures" = 0x1
| | | | | "IOProviderClass" = "AppleMCCSControlFamily"
| | | | | "CFBundleIdentifierKernel" =
"com.apple.driver.AppleMCCSControl"
| | | | | "IOResourceMatch" = "IOKit"
| | | | | }
| | | | | +-o AppleUpstreamUserClientDriver <class
AppleUpstreamUserClientDriver, id 0x10000050b, registered, matched, active, busy
0 (0 ms), retain 5&gt;
| | | | | {
| | | | | "IOProbeScore" = 0x0
| | | | | "CFBundleIdentifier" =
"com.apple.driver.AppleUpstreamUserClient"
| | | | | "IOMatchCategory" = "AppleUpstreamUserClientDriver"
| | | | | "IOClass" = "AppleUpstreamUserClientDriver"
| | | | | "IOPersonalityPublisher" =
"com.apple.driver.AppleUpstreamUserClient"
| | | | | "IOProviderClass" = "IOFramebuffer"
| | | | | "CFBundleIdentifierKernel" =
"com.apple.driver.AppleUpstreamUserClient"
| | | | | "IOUserClientClass" = "AppleUpstreamUserClient"
| | | | | "IOResourceMatch" = "IOKit"
| | | | | }
| | | | | +-o IOFramebufferI2CInterface <class
IOFramebufferI2CInterface, id 0x10000059f, registered, matched, active, busy 0
(0 ms), retain 5&gt;
| | | | | {
| | | | | "IOI2CBusType" = 0x1
| | | | | "IOI2CSupportedCommFlags" = 0x2
| | | | | "IOI2CInterfaceID" = 0x100000000
| | | | | "IOI2CTransactionTypes" = 0x13
| | | | | }
| | | | | +-o IOFramebufferUserClient <class IOFramebufferUserClient, id
0x1000005b4, !registered, !matched, active, busy 0, retain 5&gt;
| | | | | {
| | | | | "IOUserClientCreator" = "pid 138, WindowServer"
| | | | | "IOUserClientDefaultLocking" = Yes
| | | | | }
| | | | | +-o AppleIntelFramebuffer@2 <class AppleIntelFramebuffer, id
0x1000004fd, registered, matched, active, busy 0 (100 ms), retain 17&gt;
| | | | | {
| | | | | "IOFBGammaCount" = 0x400
| | | | | "IOFBConfig" =
{"IOFB0Hz"=Yes, "IOFBModes"={"ID"=0xfffffffffffff00, "DM"=&lt;010000000100000000
000000000000000700000000000000000000000000000000000000000000000&gt;;, "AID"=0x226}}
| | | | | "IOFBIntegrated" = Yes
| | | | | "IOPMStrictTreeOrder" = Yes
| | | | | "IOI2CTransactionTypes" = 0x13
| | | | | "IOFBGammaWidth" = 0xa
| | | | | "AAPL,DisplayPipe" = &lt;ffff0000&gt;;
| | | | | "IOPowerManagement" =
{"MaxPowerState"=0x2, "CurrentPowerState"=0x2, "CapabilityFlags"=0x8000, "ChildProx
yPowerState"=0x2, "DriverPowerState"=0x1}
| | | | | "IOFramebufferOpenGLIndex" = 0x2
| | | | | "connector-type" = &lt;00040000&gt;;
| | | | | "IOFBI2CInterfaceIDs" = (0x200000000)

```



```

| | | | | "AppleMCCSFeatures" = 0x1
| | | | | "IOProviderClass" = "AppleMCCSControlFamily"
| | | | | "CFBundleIdentifierKernel" =
"com.apple.driver.AppleMCCSControl"
| | | | | "IOResourceMatch" = "IOKit"
| | | | | }
| | | | | +-o AppleUpstreamUserClientDriver <class
AppleUpstreamUserClientDriver, id 0x10000050a, registered, matched, active, busy
0 (0 ms), retain 5&gt;
| | | | | {
| | | | | "IOProbeScore" = 0x0
| | | | | "CFBundleIdentifier" =
"com.apple.driver.AppleUpstreamUserClient"
| | | | | "IOMatchCategory" = "AppleUpstreamUserClientDriver"
| | | | | "IOClass" = "AppleUpstreamUserClientDriver"
| | | | | "IOPersonalityPublisher" =
"com.apple.driver.AppleUpstreamUserClient"
| | | | | "IOProviderClass" = "IOFramebuffer"
| | | | | "CFBundleIdentifierKernel" =
"com.apple.driver.AppleUpstreamUserClient"
| | | | | "IOUserClientClass" = "AppleUpstreamUserClient"
| | | | | "IOResourceMatch" = "IOKit"
| | | | | }
| | | | | +-o IOFramebufferI2CInterface <class
IOFramebufferI2CInterface, id 0x1000005a1, registered, matched, active, busy 0
(0 ms), retain 5&gt;
| | | | | {
| | | | | "IOI2CBusType" = 0x1
| | | | | "IOI2CSupportedCommFlags" = 0x2
| | | | | "IOI2CInterfaceID" = 0x200000000
| | | | | "IOI2CTransactionTypes" = 0x13
| | | | | }
| | | | | +-o IOFramebufferUserClient <class IOFramebufferUserClient, id
0x1000005be, !registered, !matched, active, busy 0, retain 5&gt;
| | | | | {
| | | | | "IOUserClientCreator" = "pid 138, WindowServer"
| | | | | "IOUserClientDefaultLocking" = Yes
| | | | | }
| | | | | +-o IntelAccelerator <class IntelAccelerator, id 0x1000004f9,
registered, matched, active, busy 0 (6 ms), retain 53&gt;
| | | | | {
| | | | | "IOGeneralInterest" = "IOCommand is not serializable"
| | | | | "IODVDBundleName" = "AppleIntelKBLGraphicsVADriver"
| | | | | "IOGVAHEVCEncode" = "2"
| | | | | "InternalStatisticsAccm" = {}
| | | | | "GPURawCounterBundleName" = "AppleIntelKBLGraphicsMTLDriver"
| | | | | "MetalStatisticsName" =
("MetalStatistics", "autocorr1/ComputeBasic", "autocorr1/ComputeExtended", "autocorr1/
ComputeExtra", "autocorr1/ComputeL3Cache", "autocorr1/HDCAndSF", "autocorr1/
L3_1", "autocorr1/L3_2", "autocorr1/L3_3", "autocorr1/MemoryReads", "autocorr1/
MemoryWrites", "autocorr1/RasterizerAndPixelBackend", "autocorr1/
RenderBasic", "autocorr1/RenderPipeProfile", "autocorr1/Sampler", "autocorr1/
TDL_1", "autocorr1/TDL_2")
| | | | | "IOGVAXDecode" = "2"
| | | | | "GPURawCounterPluginClassName" = "IGGPURawCounterSourceGroup"
| | | | | "InternalStatistics" = {}
| | | | | "IOGVABGRAEnc" = "Gen95"
| | | | | "AGCInfo" =
{"fBusyCount"=0x0, "poweredOffByAGC"=No, "fSubmissionsSinceLastCheck"=0xae2, "fLast
SubmissionPID"=0x8a}

```

```

    | | | | "MetalPluginName" = "AppleIntelKBLGraphicsMTLDriver"
    | | | | "PerformanceStatisticsAccum" =
{"orphanedReusableVidMemoryHitRate"=0x0, "texturePageOutBytes"=0x0, "swapCompleteV
ideoWaitTime"=0x0, "orphanedReusableSysMemoryHitRate"=0x7, "dataBufferCount"=0x0, "
oolTexturePageInBytes"=0x0, "textureCount"=0x346, "iosurfaceTextureCreationCount"=
0x0, "surfaceReadLockIdleWaitTime"=0x0, "freeDataBufferWaitTime"=0x0, "orphanedReus
ableSysMemoryBytes"=0x4b000, "ioSurfaceReadOutBytes"=0x0, "agprefTextureCreationCo
unt"=0x0, "orphanedReusableSysMemoryCount"=0x12, "finishAll2DWaitTime"=0x0, "orphan
edNonReusableSysMemo$
    | | | | "PerformanceStatistics" =
{"orphanedReusableVidMemoryHitRate"=0x0, "texturePageOutBytes"=0x0, "swapCompleteV
ideoWaitTime"=0x0, "orphanedReusableSysMemoryHitRate"=0x7, "dataBufferCount"=0x0, "
oolTexturePageInBytes"=0x0, "textureCount"=0x346, "Device Utilization % at cur p-
state"=0x0, "iosurfaceTextureCreationCount"=0x4, "freeDataBufferWaitTime"=0x0, "sur
faceReadLockIdleWaitTime"=0x0, "orphanedReusableSysMemoryBytes"=0x4b000, "ioSurfac
eReadOutBytes"=0x0, "agprefTextureCreationCount"=0x0, "orphanedReusableSysMemoryCo
unt"=0x12, "finishAll2DWait$
    | | | | "IOGLBundleName" = "AppleIntelKBLGraphicsGLDriver"
    | | | | "IOPCIClassMatch" = "0x03000000&0xff000000"
    | | | | "IOSourceVersion" = "0.0.0.0"
    | | | | "IOPersonalityPublisher" =
"com.apple.driver.AppleIntelKBLGraphics"
    | | | | "Development" =
{"SignalStampRange"=0x1, "CsbProcModeSelect"=0x0, "PreemptionTimerIntervalUS"=0x7d
0, "EnableBlitLib"=0x1, "EUThrottle"=0x0, "PageTableMode"=0x40, "SamplerPipeThrottle
"=0x0, "DisablePageFaultHandling"=0x0, "GraphicsSchedulerSelect"=0x0, "EnablePlaneR
otation"=0x0, "AddressMode"=0x40, "DisableTailCoalescing"=0x0, "SemaphoreWaitPoll"=
0x1, "SingleChannelIndex"=0x0, "HwCtxCacheUpdate"=0x1, "SurfaceSizeBasedColorBuffer
LLCBypass"=0x2, "WaitForComplete"=0x0, "PPGTT"=0x1, "AllowIOSurfaceRenderCompressio
n"=0x1, "SchedSecure"=0x1, "AllowRend$
    | | | | "IOGVAHEVCDecodeCapabilities" =
{"VTPerProfileDetails"={"1"={"VTMaxDecodeLevel"=0xba}, "2"={"VTMaxDecodeLevel"=0x
ba}, "3"={"VTMaxDecodeLevel"=0xba}}, "VTSupportedProfileArray"=(0x1, 0x2, 0x3)}
    | | | | "IOPCIPrimaryMatch" = "0x59128086 0x59168086 0x591B8086
0x591C8086 0x591E8086 0x59268086 0x59278086 0x59238086 0x87C08086 0x3E9B8086
0x3EA58086 0x3EA68086 0x3E918086 0x3E928086 0x3E988086 0x9B418086 0x9BCA8086
0x9BCC8086 0x9BC88086 0x9BC58086 0x9BC48086"
    | | | | "IOGVAH264EncodeCapabilities" =
{"VTRating"=0x190, "VTQualityRating"=0x32}
    | | | | "VRAM, totalMB" = 0x600
    | | | | "CFBundleIdentifier" =
"com.apple.driver.AppleIntelKBLGraphics"
    | | | | "IOAccelRevision" = 0x2
    | | | | "IOCFPlugInTypes" = {"ACCF0000-0000-0000-0000-
000a2789904e"="IOAccelerator2D.plugin"}
    | | | | "IOProviderClass" = "IOPCIDevice"
    | | | | "IOVARendererID" = 0x1080020
    | | | | "IOGVACodec" = "Gen95"
    | | | | "IOReportLegendPublic" = Yes
    | | | | "IOGVAHEVCDecode" = "2"
    | | | | "IOClass" = "IntelAccelerator"
    | | | | "CFBundleIdentifierKernel" =
"com.apple.driver.AppleIntelKBLGraphics"
    | | | | "IOGVAScaler" = "Gen95"
    | | | | "IOReportLegend" =
({"IOReportChannels"=(0xfa0, 0x180000001, "Overall GPU Busy"),
(0xfa1, 0x180000001, "Overall GPU total time"), (0x0, 0x180000001, "Command Buffer
Bytes"), (0x1, 0x180000001, "GL Command Buffer Bytes"), (0x2, 0x180000001, "CL Command
Buffer Bytes"), (0x3, 0x180000001, "2D Command Buffer Bytes"),
(0x4, 0x180000001, "Video Command Buffer Bytes"), (0x5, 0x180000001, "Out-Of-Line
Texture Creation Bytes"), (0x6, 0x180000001, "Shared System Memory Texture Creation
Bytes"), (0x7, 0x180000001, "Private Video Memory Texture Creation Bytes"), (0x$
    | | | | "IOMatchCategory" = "IOAccelerator"
    | | | | "AccelCaps" = 0xf

```

```

| | | | "IOAccelDisplayPipeCapabilities" =
{"DisplayPipeSupported"=Yes,"TransactionsSupported"=Yes}
| | | | "IOGVAHEVCEncodeCapabilities" =
{"VTPerProfileDetails"={"1"={"VTMaxEncodeLevel"=0x9c},"2"={"VTMaxEncodeLevel"=0x
9c}},"VTQualityRating"=0x50,"VTRating"=0x64,"VTSupportedProfileArray"=(0x1,0x2)}
| | | | "IOProbeScore" = 0x3e8
| | | | "SurfaceList" = ()
| | | | }
| | | | +-o IGAccel2DContext <class IGAccel2DContext, id
0x1000005aa, !registered, !matched, active, busy 0, retain 6>;
| | | | {
| | | | "lastSubmittedTime" = 0x0
| | | | "accumulatedGPUPTime" = 0x0
| | | | "IOUserClientCreator" = "pid 138, WindowServer"
| | | | }
| | | | +-o IOAccelDisplayPipeUserClient2 <class
IOAccelDisplayPipeUserClient2, id 0x1000005b2, !registered, !matched, active,
busy 0, retain 6>;
| | | | {
| | | | "IOUserClientCreator" = "pid 138, WindowServer"
| | | | }
| | | | +-o IGAccel2DContext <class IGAccel2DContext, id
0x1000005b5, !registered, !matched, active, busy 0, retain 6>;
| | | | {
| | | | "lastSubmittedTime" = 0x0
| | | | "accumulatedGPUPTime" = 0x0
| | | | "IOUserClientCreator" = "pid 138, WindowServer"
| | | | }
| | | | +-o IOAccelDisplayPipeUserClient2 <class
IOAccelDisplayPipeUserClient2, id 0x1000005bd, !registered, !matched, active,
busy 0, retain 6>;
| | | | {
| | | | "IOUserClientCreator" = "pid 138, WindowServer"
| | | | }
| | | | +-o IGAccel2DContext <class IGAccel2DContext, id
0x1000005bf, !registered, !matched, active, busy 0, retain 6>;
| | | | {
| | | | "lastSubmittedTime" = 0x0
| | | | "accumulatedGPUPTime" = 0x0
| | | | "IOUserClientCreator" = "pid 138, WindowServer"
| | | | }
| | | | +-o IOAccelDisplayPipeUserClient2 <class
IOAccelDisplayPipeUserClient2, id 0x1000005c7, !registered, !matched, active,
busy 0, retain 6>;
| | | | {
| | | | "IOUserClientCreator" = "pid 138, WindowServer"
| | | | }
| | | | +-o IGAccelDevice <class IGAccelDevice, id 0x1000005ca, !
registered, !matched, active, busy 0, retain 6>;
| | | | {
| | | | "API" = "Metal"
| | | | "IOUserClientCreator" = "pid 138, WindowServer"
| | | | }
| | | | +-o IGAccelSharedUserClient <class IGAccelSharedUserClient, id
0x1000005cb, !registered, !matched, active, busy 0, retain 6>;
| | | | {

```



```

| | | | | "IOUserClientCreator" = "pid 138, WindowServer"
| | | | | }
| | | | | +-o IGAccelSurface &lt;class IGAccelSurface, id 0x1000005d0, !
registered, !matched, active, busy 0, retain 6&gt;
| | | | | {
| | | | |   "IOUserClientCreator" = "pid 138, WindowServer"
| | | | | }
| | | | | +-o IGAccelSurface &lt;class IGAccelSurface, id 0x1000005d6, !
registered, !matched, active, busy 0, retain 6&gt;
| | | | | {
| | | | |   "IOUserClientCreator" = "pid 138, WindowServer"
| | | | | }
| | | | | +-o IGAccelSurface &lt;class IGAccelSurface, id 0x1000005d7, !
registered, !matched, active, busy 0, retain 6&gt;
| | | | | {
| | | | |   "IOUserClientCreator" = "pid 138, WindowServer"
| | | | | }
| | | | | +-o IGAccelSurface &lt;class IGAccelSurface, id 0x1000005d8, !
registered, !matched, active, busy 0, retain 6&gt;
| | | | | {
| | | | |   "IOUserClientCreator" = "pid 138, WindowServer"
| | | | | }
| | | | | +-o IGAccelSurface &lt;class IGAccelSurface, id 0x1000005d9, !
registered, !matched, active, busy 0, retain 6&gt;
| | | | | {
| | | | |   "IOUserClientCreator" = "pid 138, WindowServer"
| | | | | }
| | | | | +-o IGAccelSurface &lt;class IGAccelSurface, id 0x1000005da, !
registered, !matched, active, busy 0, retain 6&gt;
| | | | | {
| | | | |   "IOUserClientCreator" = "pid 138, WindowServer"
| | | | | }
| | | | | +-o IGAccelSurface &lt;class IGAccelSurface, id 0x1000005db, !
registered, !matched, active, busy 0, retain 6&gt;
| | | | | {
| | | | |   "IOUserClientCreator" = "pid 138, WindowServer"
| | | | | }
| | | | | +-o IGAccelSurface &lt;class IGAccelSurface, id 0x1000005dc, !
registered, !matched, active, busy 0, retain 6&gt;
| | | | | {
| | | | |   "IOUserClientCreator" = "pid 138, WindowServer"
| | | | | }
| | | | | +-o IGAccelSurface &lt;class IGAccelSurface, id 0x1000005dd, !
registered, !matched, active, busy 0, retain 6&gt;
| | | | | {
| | | | |   "IOUserClientCreator" = "pid 138, WindowServer"
| | | | | }
| | | | | +-o IGAccelCommandQueue &lt;class IGAccelCommandQueue, id
0x1000005e1, !registered, !matched, active, busy 0, retain 6&gt;
| | | | | {
| | | | |   "lastSubmittedTime" = 0x3c0934ba8b
| | | | |   "IOUserClientCreator" = "pid 138, WindowServer"
| | | | |   "accumulatedGPUPTime" = 0x18381531a
| | | | | }

```



```

| | | | +o IGAcelDevice <class IGAcelDevice, id 0x100000711, !
registered, !matched, active, busy 0, retain 6>;
| | | | | {
| | | | |     "API" = "Metal"
| | | | |     "IOUserClientCreator" = "pid 460, iconservicesagen"
| | | | | }
| | | | |
| | | | | +o IGAcelSharedUserClient <class IGAcelSharedUserClient, id
0x100000712, !registered, !matched, active, busy 0, retain 6>;
| | | | | | {
| | | | | |     "IOUserClientCreator" = "pid 460, iconservicesagen"
| | | | | | }
| | | | | |
| | | | | | +o IGAcelCommandQueue <class IGAcelCommandQueue, id
0x100000713, !registered, !matched, active, busy 0, retain 6>;
| | | | | | | {
| | | | | | |     "lastSubmittedTime" = 0x34e207348f
| | | | | | |     "IOUserClientCreator" = "pid 460, iconservicesagen"
| | | | | | |     "accumulatedGPUPTime" = 0x15ea08
| | | | | | | }
| | | | | |
| | | | | | +o IGAcelDevice <class IGAcelDevice, id 0x100000727, !
registered, !matched, active, busy 0, retain 6>;
| | | | | | | {
| | | | | | |     "API" = "Metal"
| | | | | | |     "IOUserClientCreator" = "pid 459, com.apple.dock.e"
| | | | | | | }
| | | | | |
| | | | | | +o IGAcelSharedUserClient <class IGAcelSharedUserClient, id
0x100000728, !registered, !matched, active, busy 0, retain 6>;
| | | | | | | {
| | | | | | |     "IOUserClientCreator" = "pid 459, com.apple.dock.e"
| | | | | | | }
| | | | | |
| | | | | | +o IGAcelCommandQueue <class IGAcelCommandQueue, id
0x100000729, !registered, !matched, active, busy 0, retain 6>;
| | | | | | | {
| | | | | | |     "lastSubmittedTime" = 0x2b215cd645
| | | | | | |     "IOUserClientCreator" = "pid 459, com.apple.dock.e"
| | | | | | |     "accumulatedGPUPTime" = 0x6159c
| | | | | | | }
| | | | | |
| | | | | | +o IGAcelDevice <class IGAcelDevice, id 0x10000072d, !
registered, !matched, active, busy 0, retain 6>;
| | | | | | | {
| | | | | | |     "API" = "Metal"
| | | | | | |     "IOUserClientCreator" = "pid 449, ControlStrip"
| | | | | | | }
| | | | | |
| | | | | | +o IGAcelSharedUserClient <class IGAcelSharedUserClient, id
0x10000072e, !registered, !matched, active, busy 0, retain 6>;
| | | | | | | {
| | | | | | |     "IOUserClientCreator" = "pid 449, ControlStrip"
| | | | | | | }
| | | | | |
| | | | | | +o IGAcelCommandQueue <class IGAcelCommandQueue, id
0x10000072f, !registered, !matched, active, busy 0, retain 6>;
| | | | | | | {
| | | | | | |     "lastSubmittedTime" = 0x2b4ba756cb
| | | | | | |     "IOUserClientCreator" = "pid 449, ControlStrip"
| | | | | | |     "accumulatedGPUPTime" = 0x1615a4
| | | | | | | }
| | | | | |
| | | | | | +o IGAcelDevice <class IGAcelDevice, id 0x10000073f, !

```

```
registered, !matched, active, busy 0, retain 6&gt;
    {
        "API" = "Metal"
        "IOUserClientCreator" = "pid 432, Finder"
    }
+-o IGAccelSharedUserClient &lt;class IGAccelSharedUserClient, id
0x100000740, !registered, !matched, active, busy 0, retain 6&gt;
    {
        "IOUserClientCreator" = "pid 432, Finder"
    }
+-o IGAccelCommandQueue &lt;class IGAccelCommandQueue, id
0x100000741, !registered, !matched, active, busy 0, retain 6&gt;
    {
        "lastSubmittedTime" = 0x342d71229e
        "IOUserClientCreator" = "pid 432, Finder"
        "accumulatedGPUtime" = 0xef9a9
    }
+-o IGAccelDevice &lt;class IGAccelDevice, id 0x10000074f, !
registered, !matched, active, busy 0, retain 6&gt;
    {
        "API" = "Metal"
        "IOUserClientCreator" = "pid 545, SafeEjectGPUServ"
    }
+-o IGAccelSharedUserClient &lt;class IGAccelSharedUserClient, id
0x100000750, !registered, !matched, active, busy 0, retain 6&gt;
    {
        "IOUserClientCreator" = "pid 545, SafeEjectGPUServ"
    }
+-o IGAccelDevice &lt;class IGAccelDevice, id 0x100000767, !
registered, !matched, active, busy 0, retain 6&gt;
    {
        "API" = "Metal"
        "IOUserClientCreator" = "pid 586, System Informati"
    }
+-o IGAccelSharedUserClient &lt;class IGAccelSharedUserClient, id
0x100000768, !registered, !matched, active, busy 0, retain 6&gt;
    {
        "IOUserClientCreator" = "pid 586, System Informati"
    }
+-o IGAccelCommandQueue &lt;class IGAccelCommandQueue, id
0x100000769, !registered, !matched, active, busy 0, retain 6&gt;
    {
        "lastSubmittedTime" = 0x36ff1b545b
        "IOUserClientCreator" = "pid 586, System Informati"
        "accumulatedGPUtime" = 0xbb083
    }
+-o IGAccelDevice &lt;class IGAccelDevice, id 0x100000787, !
registered, !matched, active, busy 0, retain 6&gt;
    {
        "API" = "Metal"
        "IOUserClientCreator" = "pid 598, com.apple.appkit"
    }
+-o IGAccelSharedUserClient &lt;class IGAccelSharedUserClient, id
0x100000788, !registered, !matched, active, busy 0, retain 6&gt;
    {
```



```

    | | | | "IOPCIResourced" = Yes
    | | | | "compatible" =
<706369383038362c3732373000706369383038362c3964656400706369636c6173732c306330
333330005848433100>&gt;
    | | | | "IOServiceDEXTentitlements" =
(("com.apple.developer.driverkit.transport.pci"))
    | | | | "acpi-path" = "IOACPIPlane:/_SB/PCI0@0/XHC1@140000"
    | | | | "subsystem-id" = <70720000>&gt;
    | | | | "revision-id" = <300000000>&gt;
    | | | | "IOPCIPMCSSState" = 0x10b
    | | | | "pcidebug" = "0:20:0"
    | | | | "IOName" = "pci8086,9ded"
    | | | | "IOReportLegend" = ({"IOReportGroupName"="Interrupt Statistics
(by index)", "IOReportChannels"=(0x496e747200010000, 0x100020001, "
First Level Interrupt Handler Count"), (0x496e747200010001, 0x100020001, "
Second Level Interrupt Handler Count"), (0x496e747200010002, 0x100020001, "
First Level Interrupt Handler Time (MATUs)"), (0x496e747200010003, 0x100020001, "
Second Level Interrupt Handler CPU Time (MATUs)"),
(0x496e747200010004, 0x100020001, "Second Level Interrupt Handler System Time
(MATUs)")), "IORepo$
    | | | | "reg" =
<00a000000000000000000000000000000000000000000000000000000000000000000000
0100>&gt;
    | | | | }
    | | | | }
    | | | | +-o XHC1@14000000 <class AppleIntelCNLUSBXHCI, id 0x1000002e2,
registered, matched, active, busy 0 (0 ms), retain 32>&gt;
    | | | | {
    | | | |     "IOClass" = "AppleIntelCNLUSBXHCI"
    | | | |     "CFBundleIdentifier" = "com.apple.driver.usb.AppleUSBXHCIPCI"
    | | | |     "IOProviderClass" = "IOPCIDevice"
    | | | |     "kUSBSleepSupported" = Yes
    | | | |     "kUSBSleepPortCurrentLimit" = 0xbb8
    | | | |     "IOPCITunnelCompatible" = Yes
    | | | |     "kUSBWakePortCurrentLimit" = 0xbb8
    | | | |     "IOProbeScore" = 0x1388
    | | | |     "IOPowerManagement" =
{"ChildrenPowerState"=0x0, "DevicePowerState"=0x0, "CurrentPowerState"=0x0, "Capabi
lityFlags"=0x0, "MaxPowerState"=0x3, "DriverPowerState"=0x0}
    | | | |     "locationID" = 0x14000000
    | | | |     "IOMatchCategory" = "IODefaultMatchCategory"
    | | | |     "Revision" = <0103>&gt;
    | | | |     "controller-statistics" =
{"kControllerStatIOCount"=0x0, "kControllerStatPowerStateTime"={"kPowerStateOff"=
"256614ms (99%)", "kPowerStateSleep"="0ms (0%)", "kPowerStateOn"="6ms
(0%)", "kPowerStateSuspended"="353ms
(0%)"}, "kControllerStatSpuriousInterruptCount"=0x0}
    | | | |     "IOPersonalityPublisher" =
"com.apple.driver.usb.AppleUSBXHCIPCI"
    | | | |     "IOPCIPrimaryMatch" = "0x9ded8086 0xa36d8086 0x06ed8086"
    | | | |     "CFBundleIdentifierKernel" =
"com.apple.driver.usb.AppleUSBXHCIPCI"
    | | | |     "device-properties" = {"acpi-device"="IOACPIPlatformDevice is
not serializable", "acpi-path"="IOACPIPlane:/_SB/PCI0@0/XHC1@140000"}
    | | | |     "UsbRTD3Supported" = Yes
    | | | |     "name" = <5848433100>&gt;
    | | | | }
    | | | | +-o HS06@14100000 <class AppleUSB20XHCITypeCPort, id
0x10000038e, registered, matched, active, busy 0 (0 ms), retain 10>&gt;
    | | | | {
    | | | |     "UsbCompanionSS" =
{"UsbCompanionPortNumber"=<03000000>&gt;, "UsbCompanionControllerName"="XHC2"}
    | | | |     "kUSBHostPortExternalDevicePowerController" =

```

```

"IOACPIPlatformDevice is not serializable"
    | | | | "kUSBSleepPortCurrentLimit" = 0xbb8
    | | | | "UsbConnector" = 0x9
    | | | | "UsbCompanionSSP" =
{"UsbCompanionPortNumber"=&lt;03000000&gt;,"UsbCompanionControllerName"="XHC2"}
    | | | | "kUSBWakePortCurrentLimit" = 0xbb8
    | | | | "locationID" = 0x14100000
    | | | | "IOPowerManagement" =
{"PowerOverrideOn"=Yes,"DevicePowerState"=0x0,"CurrentPowerState"=0x0,"Capabilit
yFlags"=0x0,"MaxPowerState"=0x3,"DriverPowerState"=0x0}
    | | | | "IOGeneralInterest" = "IOCommand is not serializable"
    | | | | "kUSBBusCurrentSleepAllocation" = 0x0
    | | | | "port-status" = 0x0
    | | | | "device-properties" = {"NoNumber"=0x0,"acpi-
device"="IOACPIPlatformDevice is not
serializable","acpi-path"="IOACPIPlane:/_SB/PCI0@0/XHC1@140000/RHUB@0/HS06@6"}
    | | | | "kUSBBusCurrentAllocation" = 0x0
    | | | | "port-statistics" =
{"kPortStatEOF2ViolationCurrentConnectCount"=0x0,"kPortStatEOF2ViolationDuringRe
setCount"=0x0,"kPortStatPowerStateTime"={"kPowerStateOff"="256849ms
(100%)","kPowerStateSleep"="0ms (0%)","kPowerStateOn"="0ms
(0%)","kPowerStateSuspended"="0ms
(0%)"},"kPortStatConnectCount"=0x0,"kPortStatRemoteWakeCount"=0x0,"kPortStatEOF2
ViolationRecoveryDuringResetCount"=0x0,"kPortStatAddressFailureCount"=0x0,"kPort
StatEOF2ViolationCount"=0x0,"kPortStatEnumerationFailureCount"=0x0,"kPortStatOve
rCurrentCount"=0x0,"kPortSta$
    | | | | "name" = "HS06"
    | | | | "port" = &lt;06000000&gt;
    | | | | }
    | | | | +-o HS08@14200000 &lt;class AppleUSB20XHCITYPECPort, id
0x100000390, registered, matched, active, busy 0 (0 ms), retain 10&gt;
    | | | | {
    | | | | "UsbCompanionSS" =
{"UsbCompanionPortNumber"=&lt;04000000&gt;,"UsbCompanionControllerName"="XHC2"}
    | | | | "kUSBHostPortExternalDevicePowerController" =
"IOACPIPlatformDevice is not serializable"
    | | | | "kUSBSleepPortCurrentLimit" = 0xbb8
    | | | | "UsbConnector" = 0x9
    | | | | "UsbCompanionSSP" =
{"UsbCompanionPortNumber"=&lt;04000000&gt;,"UsbCompanionControllerName"="XHC2"}
    | | | | "kUSBWakePortCurrentLimit" = 0xbb8
    | | | | "locationID" = 0x14200000
    | | | | "IOPowerManagement" =
{"PowerOverrideOn"=Yes,"DevicePowerState"=0x0,"CurrentPowerState"=0x0,"Capabilit
yFlags"=0x0,"MaxPowerState"=0x3,"DriverPowerState"=0x0}
    | | | | "IOGeneralInterest" = "IOCommand is not serializable"
    | | | | "kUSBBusCurrentSleepAllocation" = 0x0
    | | | | "port-status" = 0x0
    | | | | "device-properties" = {"NoNumber"=0x0,"acpi-
device"="IOACPIPlatformDevice is not
serializable","acpi-path"="IOACPIPlane:/_SB/PCI0@0/XHC1@140000/RHUB@0/HS08@8"}
    | | | | "kUSBBusCurrentAllocation" = 0x0
    | | | | "port-statistics" =
{"kPortStatEOF2ViolationCurrentConnectCount"=0x0,"kPortStatEOF2ViolationDuringRe
setCount"=0x0,"kPortStatPowerStateTime"={"kPowerStateOff"="256729ms
(100%)","kPowerStateSleep"="0ms (0%)","kPowerStateOn"="0ms
(0%)","kPowerStateSuspended"="0ms
(0%)"},"kPortStatConnectCount"=0x0,"kPortStatRemoteWakeCount"=0x0,"kPortStatEOF2
ViolationRecoveryDuringResetCount"=0x0,"kPortStatAddressFailureCount"=0x0,"kPort
StatEOF2ViolationCount"=0x0,"kPortStatEnumerationFailureCount"=0x0,"kPortStatOve
rCurrentCount"=0x0,"kPortSta$
    | | | | "name" = "HS08"
    | | | | "port" = &lt;08000000&gt;

```







```

| | | +-o IOPP &lt;class IOPCI2PCIBridge, id 0x1000002f2, registered,
matched, active, busy 0 (2 ms), retain 12&gt;
| | | | {
| | | |   "IOProbeScore" = 0xfffffffffffffff9c
| | | |   "CFBundleIdentifier" = "com.apple.iokit.IOPCIFamily"
| | | |   "IOProviderClass" = "IOPCIDevice"
| | | |   "IOClass" = "IOPCI2PCIBridge"
| | | |   "IOPersonalityPublisher" = "com.apple.iokit.IOPCIFamily"
| | | |   "CFBundleIdentifierKernel" = "com.apple.iokit.IOPCIFamily"
| | | |   "IOMatchCategory" = "IODefaultMatchCategory"
| | | |   "IONameMatch" = "pci-bridge"
| | | |   "IOPowerManagement" =
{"ChildrenPowerState"=0x2, "CurrentPowerState"=0x2, "CapabilityFlags"=0x102, "MaxPo
werState"=0x3}
| | | |   "IONameMatched" = "pci-bridge"
| | | | }
| | | +-o ARPT@0 &lt;class IOPCIDevice, id 0x100000230, registered,
matched, active, busy 0 (0 ms), retain 12&gt;
| | | | {
| | | |   "acpi-device" = "IOACPIPlatformDevice is not serializable"
| | | |   "IOPCIMSIMode" = Yes
| | | |   "assigned-addresses" =
&lt;10000182000000000000008091000000000000010018000182000000000000009100000000000
4000&gt;;
| | | |   "vendor-id" = &lt;e4140000&gt;;
| | | |   "class-code" = &lt;00800200&gt;;
| | | |   "subsystem-vendor-id" = &lt;6b100000&gt;;
| | | |   "IOPCIExpressLinkCapabilities" = 0x46f812
| | | |   "IOName" = "pci14e4,4488"
| | | |   "IOPCIPMCSSState" = 0x4108
| | | |   "module-instance" = "formosa"
| | | |   "pcidebug" = "1:0:0"
| | | |   "IOChildIndex" = 0x1
| | | |   "IOPCIExpressLinkStatus" = 0x1012
| | | |   "pci-aspm-default" = 0x102
| | | |   "IOPCIExpressCapabilities" = 0x2
| | | |   "IOServiceDEXTentitlements" =
(("com.apple.developer.driverkit.transport.pci"))
| | | |   "IOInterruptControllers" = ("io-
apic-0", "IOPCIMessageInterruptController")
| | | |   "built-in" = &lt;00&gt;;
| | | |   "IOPCIResourced" = Yes
| | | |   "IOPowerManagement" =
{"ChildrenPowerState"=0x2, "CurrentPowerState"=0x2, "CapabilityFlags"=0x102, "Child
ProxyPowerState"=0x2, "MaxPowerState"=0x3}
| | | |   "IODeviceMemory" =
({{"address"=0x91800000, "length"=0x10000}),
({{"address"=0x91000000, "length"=0x400000}))
| | | |   "acpi-pmcap-offset" = 0x48
| | | |   "name" = &lt;706369313465342c3434383800&gt;;
| | | |   "subsystem-id" = &lt;70080000&gt;;
| | | |   "compatible" =
&lt;706369313036622c38373000706369313465342c3434383800706369636c6173732c30323830
3030004152505400&gt;;
| | | |   "acpi-wake-type" = 0x2
| | | |   "IOReportLegendPublic" = Yes
| | | |   "reg" =
&lt;000001000000000000000000000000000000000000000000000000000000000000000000
010018000102000000000000000000000000000000000000000000000000000000000000
&gt;;
| | | |   "IOReportLegend" = ({"IOReportGroupName"="Interrupt
Statistics (by index)", "IOReportChannels"=((0x496e747200010000, 0x100020001, "
First Level Interrupt Handler Count"), (0x496e747200010001, 0x100020001, "
Second Level Interrupt Handler Count"), (0x496e747200010002, 0x100020001, "

```

```

First Level Interrupt Handler Time (MATUs)",(0x496e747200010003,0x100020001,"
Second Level Interrupt Handler CPU Time (MATUs)",
(0x496e747200010004,0x100020001,"Second Level Interrupt Handler System Time
(MATUs)")), "IO$
    | | | | "device-id" = <88440000>;
    | | | | "revision-id" = <04000000>;
    | | | | "IOInterruptSpecifiers" =
(<1000000007000000>;<06000000000000100>;)
    | | | | "acpi-path" = "IOACPIPlane:/_SB/PCI0@0/RP01@1c0000/ARPT@0"
    | | | | }
    | | | | +-o pci14e4,5fa0@0,1 <class IOPCIDevice, id 0x1000002d9,
registered, matched, active, busy 0 (1 ms), retain 11>;
    | | | | {
    | | | | "assigned-addresses" =
<100101820000000000000081910000000000800000180101820000000000004091000000000000
4000>;
    | | | | "IOInterruptSpecifiers" =
(<1100000007000000>;<07000000000000100>;)
    | | | | "IOPCIMCSState" = 0x4008
    | | | | "class-code" = <00800200>;
    | | | | "IODeviceMemory" =
({{"address"=0x91810000,"length"=0x8000}},
{"address"=0x91400000,"length"=0x400000})
    | | | | "IOReportLegendPublic" = Yes
    | | | | "IOPowerManagement" =
{"ChildrenPowerState"=0x2,"CurrentPowerState"=0x2,"CapabilityFlags"=0x102,"Child
ProxyPowerState"=0x2,"MaxPowerState"=0x3}
    | | | | "subsystem-vendor-id" = <6b100000>;
    | | | | "pci-aspm-default" = 0x102
    | | | | "IOPCIMSIMode" = Yes
    | | | | "IOInterruptControllers" = ("io-
apic-0","IOPCIMessageInterruptController")
    | | | | "vendor-id" = <e4140000>;
    | | | | "name" = <706369313465342c3566613000>;
    | | | | "device-id" = <a05f0000>;
    | | | | "IOChildIndex" = 0x2
    | | | | "acpi-pmcap-offset" = 0x48
    | | | | "IOPCIResourced" = Yes
    | | | | "compatible" =
<706369313036622c38373000706369313465342c3566613000706369636c6173732c30323830
303000>;
    | | | | "IOServiceDEXTitlements" =
(("com.apple.developer.driverkit.transport.pci"))
    | | | | "IOPCIExpressLinkCapabilities" = 0x46d812
    | | | | "subsystem-id" = <70080000>;
    | | | | "revision-id" = <04000000>;
    | | | | "IOPCIExpressLinkStatus" = 0x1012
    | | | | "IOPCIExpressCapabilities" = 0x2
    | | | | "pcidebug" = "1:0:1"
    | | | | "IOName" = "pci14e4,5fa0"
    | | | | "acpi-wake-type" = 0x2
    | | | | "reg" =
<1001010000000000000000000000000000100101020000000000000000000000080
0000180101020000000000000000000000000000004000>;
    | | | | "IOReportLegend" = ({"IOReportGroupName"="Interrupt
Statistics (by index)","IOReportChannels"=(0x496e747200010000,0x100020001,"
First Level Interrupt Handler Count"),(0x496e747200010001,0x100020001,"
Second Level Interrupt Handler CPU Time (MATUs)",(0x496e747200010002,0x100020001,"
First Level Interrupt Handler Time (MATUs)",(0x496e747200010003,0x100020001,"
Second Level Interrupt Handler CPU Time (MATUs)",
(0x496e747200010004,0x100020001,"Second Level Interrupt Handler System Time
(MATUs)")), "IO$
    | | | | }

```



```

| | | | "subsystem-id" = <00000000>;
| | | | "TBTPCI_SC" = 0x0
| | | | "TBTPCI_TOTAL_RT" = 0x0
| | | | "TBTPCI_LS" = 0x7043
| | | | "TBTPCI_TOTAL_LWRT" = 0x0
| | | | "compatible" =
<70636937662c3000706369383038362c3964626300706369636c6173732c3036303430300052
50303500>;
| | | | "TBTPCI_PRRT" = 0x0
| | | | "TBTPCI_TOTAL_LUP" = 0x1
| | | | "IOPCIExpressSlotStatus" = 0x140
| | | | "reg" = <00e4000000000000000000000000000000000000000000000000>;
| | | | "TBTPCI_TOTAL_NLRT" = 0x0
| | | | "device-id" = <bc9d0000>;
| | | | "#address-cells" = <03000000>;
| | | | "revision-id" = <f0000000>;
| | | | "IOInterruptSpecifiers" = (<1000000007000000>);
| | | | "acpi-path" = "IOACPIPlane:/_SB/PCI0@0/RP05@1c0004"
| | | | }
+-o IOPP <class IOPCI2PCIBridge, id 0x100002f6, registered,
matched, active, busy 0 (275 ms), retain 8>;
| | | | {
| | | |   "IOProbeScore" = 0xffffffffffff9c
| | | |   "CFBundleIdentifier" = "com.apple.iokit.IOPCIFamily"
| | | |   "IOProviderClass" = "IOPCIDevice"
| | | |   "IOClass" = "IOPCI2PCIBridge"
| | | |   "IOPersonalityPublisher" = "com.apple.iokit.IOPCIFamily"
| | | |   "CFBundleIdentifierKernel" = "com.apple.iokit.IOPCIFamily"
| | | |   "IOMatchCategory" = "IODefaultMatchCategory"
| | | |   "IONameMatch" = "pci-bridge"
| | | |   "IOPowerManagement" =
{"ChildrenPowerState"=0x0,"CurrentPowerState"=0x0,"CapabilityFlags"=0x0,"MaxPowerState"=0x3}
| | | |   "IONameMatched" = "pci-bridge"
| | | | }
+-o UPSB@0 <class IOPCIDevice, id 0x10000232, registered,
matched, active, busy 0 (275 ms), retain 17>;
| | | | {
| | | |   "acpi-device" = "IOACPIPlatformDevice is not serializable"
| | | |   "IOPCIExpressLinkCapabilities" = 0x448843
| | | |   "vendor-id" = <86800000>;
| | | |   "class-code" = <00040600>;
| | | |   "subsystem-vendor-id" = <7f000000>;
| | | |   "IOName" = "pci-bridge"
| | | |   "#size-cells" = <02000000>;
| | | |   "IOPCIHPTType" = 0x31
| | | |   "pcidebug" = "3:0:0(4:255)"
| | | |   "IOChildIndex" = 0x1
| | | |   "IOPCIExpressLinkStatus" = 0x1043
| | | |   "pci-aspm-default" = 0x100
| | | |   "IOPCIExpressCapabilities" = 0x52
| | | |   "IOServiceDEXTitlements" =
(("com.apple.developer.driverkit.transport.pci","com.apple.developer.driverkit.t
ransport.pci.bridge"))
| | | |   "IOPCIConfigured" = Yes
| | | |   "IOInterruptControllers" = ("io-apic-0")
| | | |   "IODTPersist" = 0x0
| | | |   "built-in" = <00>;
| | | |   "IOPCIResourced" = Yes
| | | |   "IOPowerManagement" =
{"ChildrenPowerState"=0x0,"CurrentPowerState"=0x0,"CapabilityFlags"=0x0,"ChildPr
oxyPowerState"=0x2,"MaxPowerState"=0x3}

```

```

| | | | | "ranges" =
<0000008200000000000000b09100000082000000000000b09100000000000504e000000c24000
000000005012000000c240000000000050123f0000000000b0ed000000810000000004000000000
0081000000000040000000000000b00000>;
| | | | | "acpi-pmcap-offset" = 0x80
| | | | | "name" = <7063692d62726964676500>;
| | | | | "subsystem-id" = <00000000>;
| | | | | "USB Cable Attached" = No
| | | | | "compatible" =
<70636937662c3000706369383038362c3135656100706369636c6173732c3036303430300055
50534200>;
| | | | | "PCI-Thunderbolt" = 0x1
| | | | | "reg" = <000003000000000000000000000000000000000000000000>;
| | | | | "IOPCITunnelL1Enable" = Yes
| | | | | "device-id" = <ea150000>;
| | | | | "#address-cells" = <03000000>;
| | | | | "revision-id" = <06000000>;
| | | | | "IOInterruptSpecifiers" = (<1000000007000000>);
| | | | | "acpi-path" = "IOACPIPlane:/_SB/PCI0@0/RP05@1c0004/UPSB@0"
| | | | | }
| | | | | +-o IOPP <class IOPCI2PCIBridge, id 0x100000309, registered,
matched, active, busy 0 (273 ms), retain 14>;
| | | | | {
| | | | | "IOProbeScore" = 0xffffffffffff9c
| | | | | "CFBundleIdentifier" = "com.apple.iokit.IOPCIFamily"
| | | | | "IOProviderClass" = "IOPCIDevice"
| | | | | "IOClass" = "IOPCI2PCIBridge"
| | | | | "IOPersonalityPublisher" = "com.apple.iokit.IOPCIFamily"
| | | | | "CFBundleIdentifierKernel" = "com.apple.iokit.IOPCIFamily"
| | | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | | "IONameMatch" = "pci-bridge"
| | | | | "IOPowerManagement" =
{"ChildrenPowerState"=0x0,"CurrentPowerState"=0x0,"CapabilityFlags"=0x0,"MaxPowerState"=0x3}
| | | | | "IONameMatched" = "pci-bridge"
| | | | | }
| | | | | +-o DSB0@0 <class IOPCIDevice, id 0x100000233, registered,
matched, active, busy 0 (268 ms), retain 11>;
| | | | | {
| | | | | "acpi-device" = "IOACPIPlatformDevice is not
serializable"
| | | | | "PCIHotplugCapable" = 0x0
| | | | | "IOPCIExpressLinkCapabilities" = 0x600841
| | | | | "vendor-id" = <86800000>;
| | | | | "class-code" = <00040600>;
| | | | | "IOName" = "pci-bridge"
| | | | | "#size-cells" = <02000000>;
| | | | | "IOPCIExpressSlotCapabilities" = 0x40000
| | | | | "IOPCIHPTType" = 0x1
| | | | | "pcidebug" = "4:0:0(6:6)"
| | | | | "IOChildIndex" = 0x1
| | | | | "IOPCIExpressLinkStatus" = 0x5041
| | | | | "pci-aspm-default" = 0x0
| | | | | "IOPCIExpressCapabilities" = 0x162
| | | | | "IOServiceDEXTitlements" =
(("com.apple.developer.driverkit.transport.pci","com.apple.developer.driverkit.t
ransport.pci.bridge"))
| | | | | "IOPCIConfigured" = Yes
| | | | | "IOInterruptControllers" = ("io-apic-0")
| | | | | "IODTPersist" = 0x0
| | | | | "built-in" = <00>;
| | | | | "IOPCIResourced" = Yes

```

```
| | | | | "IOPowerManagement" =
{"ChildrenPowerState"=0x0, "CurrentPowerState"=0x0, "CapabilityFlags"=0x0, "ChildPr
oxyPowerState"=0x2, "MaxPowerState"=0x3}
| | | | | "ranges" =
&lt;000000082000000000000000c0910000000820000000000000c0910000000000001000000000c20000
0000000000000000000c200000000000000000000000000000000000081000000000000000000
00810000000000000000000000000000000000&gt;;
| | | | | "acpi-pmcap-offset" = 0x80
| | | | | "name" = &lt;7063692d627269646676500&gt;;
| | | | | "compatible" =
&lt;706369383038362c3135656100706369636c6173732c303630343030004453423000&gt;;
| | | | | "IOPCIExpressSlotStatus" = 0x40
| | | | | "reg" = &lt;000004000000000000000000000000000000000000000000&gt;;
| | | | | "IOPCITunnelL1Enable" = Yes
| | | | | "device-id" = &lt;ea150000&gt;;
| | | | | "#address-cells" = &lt;03000000&gt;;
| | | | | "revision-id" = &lt;06000000&gt;;
| | | | | "IOInterruptSpecifiers" = (&lt;1000000007000000&gt;;)
| | | | | "acpi-path" =
"IOACPIPlane:/_SB/PCI0@0/RP05@1c0004/UPSB@0/DSB0@0"
| | | | | }
| | | | | +-o IOPP &lt;class IOPCI2PCIBridge, id 0x10000030f,
registered, matched, active, busy 0 (264 ms), retain 8&gt;;
| | | | | {
| | | | | "IOProbeScore" = 0xffffffffffffffff9c
| | | | | "CFBundleIdentifier" = "com.apple.iokit.IOPCIFamily"
| | | | | "IOProviderClass" = "IOPCIDevice"
| | | | | "IOClass" = "IOPCI2PCIBridge"
| | | | | "IOPersonalityPublisher" =
"com.apple.iokit.IOPCIFamily"
| | | | | "CFBundleIdentifierKernel" =
"com.apple.iokit.IOPCIFamily"
| | | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | | "IONameMatch" = "pci-bridge"
| | | | | "IOPowerManagement" =
{"ChildrenPowerState"=0x0, "CurrentPowerState"=0x0, "CapabilityFlags"=0x0, "MaxPowe
rState"=0x3}
| | | | | "IONameMatched" = "pci-bridge"
| | | | | }
| | | | | +-o NHIO@0 &lt;class IOPCIDevice, id 0x100000234,
registered, matched, active, busy 0 (264 ms), retain 10&gt;;
| | | | | {
| | | | | "acpi-device" = "IOACPIPlatformDevice is not
serializable"
| | | | | "IOPCIMSIMode" = Yes
| | | | | "assigned-addresses" =
&lt;1000068200000000000000c0910000000000004001400068200000000000c49100000000010
0000&gt;;
| | | | | "vendor-id" = &lt;86800000&gt;;
| | | | | "class-code" = &lt;00800800&gt;;
| | | | | "subsystem-vendor-id" = &lt;86800000&gt;;
| | | | | "IOPCIExpressLinkCapabilities" = 0x40841
| | | | | "IOName" = "pci8086,15eb"
| | | | | "pathcr" =
&lt;04000000000000000000007001000100005000000000000000000007001000100001000000b00
0e000e00000000000000020000000000000000400020001000300000000000000000007000200
0100&gt;;
| | | | | "TBSDPLowToHigh" = &lt;01000000&gt;;
| | | | | "IOPCIHPTtype" = 0x1
| | | | | "power-save" = 0x1
| | | | | "pcidebug" = "6:0:0"
| | | | | "IOChildIndex" = 0x1
```

```

| | | | | "IOPCIExpressLinkStatus" = 0x1041
| | | | | "TBTFflags" = <0b0000000>;
| | | | | "pci-aspm-default" = 0x100
| | | | | "IOPCIExpressCapabilities" = 0x2
| | | | | "IOServiceDEXTentitlements" =
(("com.apple.developer.driverkit.transport.pci"))
| | | | | "IOInterruptControllers" = ("io-
apic-0", "IOPCIMessageInterruptController")
| | | | | "linkDetails" = <08000000003000000>;
| | | | | "IOPCITunnelControllerID" = 0x100000320
| | | | | "built-in" = <00>;
| | | | | "IOPCIResourced" = Yes
| | | | | "IOPowerManagement" =
{"ChildrenPowerState"=0x0, "CurrentPowerState"=0x0, "CapabilityFlags"=0x0, "ChildPr
oxyPowerState"=0x2, "MaxPowerState"=0x3}
| | | | | "IODeviceMemory" =
({{"address"=0x91c00000, "length"=0x40000}),
({"address"=0x91c40000, "length"=0x1000})
| | | | | "acpi-pmcap-offset" = 0x80
| | | | | "name" = <706369383038362c3135656200>;
| | | | | "ThunderboltUUID" =
<3d00fe8ad3777a5dbc8f29ce29fad8aa>;
| | | | | "subsystem-id" = <00000000>;
| | | | | "compatible" =
<706369383038362c3000706369383038362c3135656200706369636c6173732c303838303030
004e48493000>;
| | | | | "ThunderboltDROM" =
<c0004608999ddd010026f2ec4301580001000d00010008818002800000000882900180000000
0883800480010000088490038001000005850901000586090100028703882003898002ca02cb0d01
4170706c6520496e632e000c024d6163696e746f736800000000000000000000000000000000
000000000000000000000000>;
| | | | | "sscOffset" = <0007>;
| | | | | "IOReportLegendPublic" = Yes
| | | | | "reg" =
<00000600000000000000000000000000000000000000000000000000000000000000000000
04001400060200000000000000000000000000000000000000000000000000000000000000
00>;
| | | | | "IOPCITunnelL1Enable" = Yes
| | | | | "IOReportLegend" = {"IOReportGroupName"="Interrupt
Statistics (by index)", "IOReportChannels"=(0x496e747200010000, 0x100020001, "
First Level Interrupt Handler Count"), (0x496e747200010001, 0x100020001, "
Second Level Interrupt Handler Count"), (0x496e747200010002, 0x100020001, "
First Level Interrupt Handler Time (MATUs)", (0x496e747200010003, 0x100020001, "
Second Level Interrupt Handler CPU Time (MATUs)",
(0x496e747200010004, 0x100020001, "Second Level Interrupt Handler System Time
(MATUs$
| | | | | "device-id" = <eb150000>;
| | | | | "ThunderboltConfig" =
<00021c000c00070401000e00070402000d000704010012000404020002000100>;
| | | | | "revision-id" = <06000000>;
| | | | | "IOInterruptSpecifiers" =
(<1000000007000000>;, <0b000000000000100>;)
| | | | | "acpi-path" =
"IOACPIPlane:/_SB/PCI0@0/RP05@1c0004/UPSB0@0/DSB0@0/NHI0@0"
| | | | | }
| | | | | +-o AppleThunderboltHAL <class AppleThunderboltHAL,
id 0x100000320, registered, matched, active, busy 0 (160 ms), retain 11>;
| | | | | {
| | | | | "IOClass" = "AppleThunderboltHAL"
| | | | | "CFBundleIdentifier" =
"com.apple.driver.AppleThunderboltNHI"
| | | | | "IOProviderClass" = "IOPCIDevice"
| | | | | "IOPCIClassMatch" = "0x08800000&0xffff0000"
| | | | | "IOPCITunnelCompatible" = Yes

```



```

| | | | | "IOPlatformSleepAction" = 0x30d40
| | | | | "IOProbeScore" = 0x0
| | | | | "IOPCIMatch" = "0x15008086&0xff00ffff"
| | | | | "IOPlatformWakeAction" = 0x30d40
| | | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | | "NVM Loaded" = 0x5000063
| | | | | "IOPowerManagement" =
{"ChildrenPowerState"=0x3,"DevicePowerState"=0x0,"CurrentPowerState"=0x0,"Capabi
lityFlags"=0x0,"MaxPowerState"=0x3,"PowerOverrideOn"=Yes}
| | | | | "Statistics" = {"Total Rx Packets"="3159","Total
Tx Packets"="3159"}
| | | | | "IOPersonalityPublisher" =
"com.apple.driver.AppleThunderboltNHI"
| | | | | "CFBundleIdentifierKernel" =
"com.apple.driver.AppleThunderboltNHI"
| | | | | "Hardware Owner" = "AppleThunderboltNHIType3"
| | | | | }
| | | | | +-o AppleThunderboltNHIType3 &class
AppleThunderboltNHIType3, id 0x100000322, registered, matched, active, busy 0
(160 ms), retain 9&gt;
| | | | | {
| | | | | "RTPC" = Yes
| | | | | }
| | | | | +-o IOThunderboltController &class
IOThunderboltController, id 0x100000323, registered, matched, active, busy 0
(160 ms), retain 16&gt;
| | | | | {
| | | | | "User Client Version" = 0x5
| | | | | "Generation" = 0x7
| | | | | "IOCFPlugInTypes" = {"3A0F596B-5D02-41D3-99D4-
E27D4F218A54"="IOThunderboltFamily.kext/Contents/PlugIns/
IOThunderboltLib.plugin"}
| | | | | "JTAG Device Count" = 0x1
| | | | | "IOUserClientClass" =
"IOThunderboltFamilyUserClient"
| | | | | "IOPowerManagement" =
{"ChildrenPowerState"=0x2,"DesiredPowerState"=0x2,"CurrentPowerState"=0x0,"Capab
ilityFlags"=0x0,"MaxPowerState"=0x2,"DriverPowerState"=0x2}
| | | | | "Using Bus Power" = No
| | | | | }
| | | | | +-o IOThunderboltLocalNode &class
IOThunderboltLocalNode, id 0x100000349, registered, matched, active, busy 0 (96
ms), retain 7&gt;
| | | | | {
| | | | | "Domain UUID" = "3D00FE8A-D377-7A5D-
BC8F-29CE29FAD8AA"
| | | | | }
| | | | | +-o AppleThunderboltIPService &class
AppleThunderboltIPService, id 0x1000004ce, registered, matched, active, busy 0
(0 ms), retain 9&gt;
| | | | | {
| | | | | "IOProbeScore" = 0x1000
| | | | | "CFBundleIdentifier" =
"com.apple.driver.AppleThunderboltIP"
| | | | | "IOMatchCategory" =
"AppleThunderboltIPService"
| | | | | "IOClass" = "AppleThunderboltIPService"
| | | | | "IOPersonalityPublisher" =
"com.apple.driver.AppleThunderboltIP"
| | | | | "IOProviderClass" =

```









```
AppleHPMDevice, id 0x10000039a, registered, matched, active, busy 0 (0 ms),
retain 6&gt;
```

```
| | | | | | {
| | | | | |   "Version" = 0x210000
| | | | | |   "Revision ID" = 0x22
| | | | | |   "RID" = 0x0
| | | | | |   "Vendor ID" = 0x28
| | | | | |   "Address" = 0x0
| | | | | |   "Device ID" = 0xcd3217
| | | | | |   "UUID" = "72679502-3019-A194-7B43-
D36076624DB2"
| | | | | |   "Revision" = 0x0
| | | | | |   "Route String" = 0x0
| | | | | | }
| | | | | |
```

```
+--o AppleHPMDevice@1 &lt;class
```

```
AppleHPMDevice, id 0x1000003b1, registered, matched, active, busy 0 (0 ms),
retain 6&gt;
```

```
| | | | | | {
| | | | | |   "Version" = 0x210000
| | | | | |   "Revision ID" = 0x22
| | | | | |   "RID" = 0x0
| | | | | |   "Vendor ID" = 0x28
| | | | | |   "Address" = 0x1
| | | | | |   "Device ID" = 0xcd3217
| | | | | |   "UUID" = "9CE49402-61C8-A2BD-A747-
86771864B1EF"
| | | | | |   "Revision" = 0x0
| | | | | |   "Route String" = 0x0
| | | | | | }
| | | | | |
```

```
+--o IOThunderboltPort@1 &lt;class
```

```
IOThunderboltPort, id 0x100000358, registered, matched, active, busy 0 (37 ms),
retain 8&gt;
```

```
| | | | | | {
| | | | | |   "Max In Hop ID" = 0x13
| | | | | |   "Micro Type" = 0x4
| | | | | |   "Supported Link Width" = 0x3
| | | | | |   "Max Credits" = 0x3c
| | | | | |   "Micro Route String" = 0x0
| | | | | |   "Target Link Width" = 0x1
| | | | | |   "Required Bandwidth Allocated" = 0x0
| | | | | |   "Lane" = 0x1
| | | | | |   "Socket ID" = "2"
| | | | | |   "Max Out Hop ID" = 0x13
| | | | | |   "Revision ID" = 0x6
| | | | | |   "Maximum Bandwidth Allocated" = 0x0
| | | | | |   "HPM Type" = 0x5
| | | | | |   "Current Link Width" = 0x1
| | | | | |   "Port Number" = 0x1
| | | | | |   "Target Link Speed" = 0xc
| | | | | |   "Thunderbolt Version" = 0x10
| | | | | |   "Link Bandwidth" = 0x64
| | | | | |   "Dual-Link Port" = 0x2
| | | | | |   "Micro Address" = 0x0
| | | | | |   "Supported Link Speed" = 0xc
| | | | | |   "Description" = "Thunderbolt Port"
| | | | | |   "Dual-Link Port RID" = 0x0
| | | | | |   "Adapter Type" = 0x1
| | | | | |   "Hop Table" = ( )
| | | | | |   "HPM Address" = 0x0
| | | | | |   "Vendor ID" = 0x8086
| | | | | |   "Micro Version" = 0x14300
| | | | | |   "Device ID" = 0x15ea
| | | | | | }
```

```
IOThunderboltPort, id 0x100000359, registered, matched, active, busy 0 (37 ms),
retain 7&gt;
    "Bus Power" = 0x0
    "Current Link Speed" = 0x8
}
+-o IOThunderboltPort@2 &lt;class
```

```
{
  "Max In Hop ID" = 0x13
  "Micro Type" = 0x4
  "Supported Link Width" = 0x3
  "Max Credits" = 0x3c
  "Micro Route String" = 0x0
  "Target Link Width" = 0x1
  "Required Bandwidth Allocated" = 0x0
  "Lane" = 0x2
  "Socket ID" = "2"
  "Max Out Hop ID" = 0x13
  "Revision ID" = 0x6
  "Maximum Bandwidth Allocated" = 0x0
  "HPM Type" = 0x5
  "Current Link Width" = 0x1
  "Port Number" = 0x2
  "Target Link Speed" = 0xc
  "Thunderbolt Version" = 0x10
  "Link Bandwidth" = 0x64
  "Dual-Link Port" = 0x1
  "Micro Address" = 0x0
  "Supported Link Speed" = 0xc
  "Description" = "Thunderbolt Port"
  "Dual-Link Port RID" = 0x0
  "Adapter Type" = 0x1
  "Hop Table" = ()
  "HPM Address" = 0x0
  "Vendor ID" = 0x8086
  "Micro Version" = 0x14300
  "Device ID" = 0x15ea
  "Bus Power" = 0x0
  "Current Link Speed" = 0x8
}
```

```
IOThunderboltPort, id 0x10000035a, registered, matched, active, busy 0 (36 ms),
retain 8&gt;
```

```
{
  "Max In Hop ID" = 0x13
  "Micro Type" = 0x4
  "Supported Link Width" = 0x3
  "Max Credits" = 0x3c
  "Micro Route String" = 0x0
  "Target Link Width" = 0x1
  "Required Bandwidth Allocated" = 0x0
  "Lane" = 0x1
  "Socket ID" = "1"
  "Max Out Hop ID" = 0x13
  "Revision ID" = 0x6
  "Maximum Bandwidth Allocated" = 0x0
  "HPM Type" = 0x5
  "Current Link Width" = 0x1
  "Port Number" = 0x3
  "Target Link Speed" = 0xc
  "Thunderbolt Version" = 0x10
  "Link Bandwidth" = 0x64
  "Dual-Link Port" = 0x4
}
```









```

| | | | | "PCI Function" = 0x0
| | | | | "PCI Path" =
"IOSERVICE:/AppleACPIPlatformExpert/PCI000/AppleACPIPCI/RP0501C,4/IOPP/UPSB00/
IOPP/DSB4@4"

| | | | | "PCI Entry ID" = 0x10000026e
| | | | | "Vendor ID" = 0x8086
| | | | | "Adapter Type" = 0x100101
| | | | | }
+--o AppleThunderboltPCIDownAdapter
<class AppleThunderboltPCIDownAdapter, id 0x10000039c, registered, matched,
active, busy 0 (0 ms), retain 5>
| | | | | {
| | | | | "IOProbeScore" = 0x1000
| | | | | "CFBundleIdentifier" =
"com.apple.driver.AppleThunderboltPCIDownAdapter"
| | | | | "IOProviderClass" =
"IOThunderboltPort"
| | | | | "IOClass" =
"AppleThunderboltPCIDownAdapter"
| | | | | "IOPersonalityPublisher" =
"com.apple.driver.AppleThunderboltPCIDownAdapter"
| | | | | "Adapter Type" = 0x100101
| | | | | "CFBundleIdentifierKernel" =
"com.apple.driver.AppleThunderboltPCIDownAdapter"
| | | | | "IOMatchCategory" =
"IODefaultMatchCategory"
| | | | | }
+--o IOThunderboltPort@C <class
IOThunderboltPort, id 0x100000360, registered, matched, active, busy 0 (35 ms),
retain 6>
| | | | | {
| | | | | "Max Credits" = 0x8
| | | | | "Description" = "Port is inactive"
| | | | | "Port Number" = 0xc
| | | | | "Max In Hop ID" = 0x8
| | | | | "Hop Table" = ()
| | | | | "Thunderbolt Version" = 0x10
| | | | | "Maximum Bandwidth Allocated" = 0x0
| | | | | "Required Bandwidth Allocated" = 0x0
| | | | | "Device ID" = 0x15ea
| | | | | "Revision ID" = 0x6
| | | | | "Max Out Hop ID" = 0x8
| | | | | "Vendor ID" = 0x8086
| | | | | "Adapter Type" = 0x0
| | | | | }
+--o IOThunderboltPort@D <class
IOThunderboltPort, id 0x100000361, registered, matched, active, busy 0 (35 ms),
retain 6>
| | | | | {
| | | | | "Max Credits" = 0x8
| | | | | "Description" = "Port is inactive"
| | | | | "Port Number" = 0xd
| | | | | "Max In Hop ID" = 0x8
| | | | | "Hop Table" = ()
| | | | | "Thunderbolt Version" = 0x10
| | | | | "Maximum Bandwidth Allocated" = 0x0
| | | | | "Required Bandwidth Allocated" = 0x0
| | | | | "Device ID" = 0x15ea
| | | | | "Revision ID" = 0x6
| | | | | "Max Out Hop ID" = 0x8

```



```

| | | | | "revision-id" = <06000000>;
| | | | | "IOInterruptSpecifiers" =
(<1100000007000000>;,<08000000000000100>;)
| | | | | "acpi-path" =
"IOACPIPlane:/_SB/PCI000/RP05@1c0004/UPSB@0/DSB1@10000"
| | | | | }
| | | | | +-o IOPP <class IOPCI2PCIBridge, id 0x100000316,
registered, matched, active, busy 0 (0 ms), retain 6>;
| | | | | {
| | | | | "IOProbeScore" = 0xffffffffffff9c
| | | | | "CFBundleIdentifier" = "com.apple.iokit.IOPCIFamily"
| | | | | "IOProviderClass" = "IOPCIDevice"
| | | | | "IOClass" = "IOPCI2PCIBridge"
| | | | | "IOPersonalityPublisher" =
"com.apple.iokit.IOPCIFamily"
| | | | | "CFBundleIdentifierKernel" =
"com.apple.iokit.IOPCIFamily"
| | | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | | "IONameMatch" = "pci-bridge"
| | | | | "IOPowerManagement" =
{"DesiredPowerState"=0x2,"CurrentPowerState"=0x0,"CapabilityFlags"=0x0,"MaxPower
State"=0x3,"DriverPowerState"=0x2}
| | | | | "IONameMatched" = "pci-bridge"
| | | | | }
| | | | | +-o DSB2@2 <class IOPCIDevice, id 0x10000024f, registered,
matched, active, busy 0 (160 ms), retain 11>;
| | | | | {
| | | | | "acpi-device" = "IOACPIPlatformDevice is not
serializable"
| | | | | "PCIHotplugCapable" = 0x0
| | | | | "IOPCIExpressLinkCapabilities" = 0x2600841
| | | | | "vendor-id" = <86800000>;
| | | | | "class-code" = <00040600>;
| | | | | "IOName" = "pci-bridge"
| | | | | "#size-cells" = <02000000>;
| | | | | "IOPCIExpressSlotCapabilities" = 0x40000
| | | | | "IOPCIHPTType" = 0x2
| | | | | "pcidebug" = "4:2:0(5:5)"
| | | | | "IOChildIndex" = 0x3
| | | | | "IOPCIExpressLinkStatus" = 0x5041
| | | | | "pci-aspm-default" = 0x0
| | | | | "IOPCIExpressCapabilities" = 0x162
| | | | | "IOServiceDEXTitlements" =
(("com.apple.developer.driverkit.transport.pci","com.apple.developer.driverkit.t
ransport.pci.bridge"))
| | | | | "IOPCIConfigured" = Yes
| | | | | "IOInterruptControllers" = ("io-apic-0")
| | | | | "IODTPersist" = 0x0
| | | | | "built-in" = <00>;
| | | | | "IOPCIResourced" = Yes
| | | | | "IOPowerManagement" =
{"ChildrenPowerState"=0x0,"CurrentPowerState"=0x0,"CapabilityFlags"=0x0,"ChildPr
oxyPowerState"=0x2,"MaxPowerState"=0x3}
| | | | | "ranges" =
<0000008200000000000000b09100000082000000000000b091000000000001000000000c2000
00000000000000000c200000000000000000000000000000000000000000810000000000000000
00810000000000000000000000000000>;
| | | | | "acpi-pmcap-offset" = 0x80
| | | | | "name" = <7063692d62726964676500>;
| | | | | "compatible" =
<706369383038362c3135656100706369636c6173732c303630343030004453423200>;
| | | | | "IOPCIExpressSlotStatus" = 0x40

```

```

| | | | | "reg" = <001004000000000000000000000000000000000000000000000000000000000000>;
| | | | | "IOPCITunnelL1Enable" = Yes
| | | | | "device-id" = <ea150000>;
| | | | | "#address-cells" = <03000000>;
| | | | | "revision-id" = <06000000>;
| | | | | "IOInterruptSpecifiers" = (<1200000007000000>;)
| | | | | "acpi-path" =
"IOACPIPlane:/_SB/PCI000/RP05@1c0004/UPSB00/DSB2@20000"
| | | | | }
| | | | | +-o IOPP <class IOPCI2PCIBridge, id 0x100000314,
registered, matched, active, busy 0 (157 ms), retain 8>;
| | | | | {
| | | | | "IOProbeScore" = 0xfffffffffffff9c
| | | | | "CFBundleIdentifier" = "com.apple.iokit.IOPCIFamily"
| | | | | "IOProviderClass" = "IOPCIDevice"
| | | | | "IOClass" = "IOPCI2PCIBridge"
| | | | | "IOPersonalityPublisher" =
"com.apple.iokit.IOPCIFamily"
| | | | | "CFBundleIdentifierKernel" =
"com.apple.iokit.IOPCIFamily"
| | | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | | "IONameMatch" = "pci-bridge"
| | | | | "IOPowerManagement" =
{"ChildrenPowerState"=0x0, "CurrentPowerState"=0x0, "CapabilityFlags"=0x0, "MaxPowerState"=0x3}
| | | | | "IONameMatched" = "pci-bridge"
| | | | | }
| | | | | +-o XHC2@0 <class IOPCIDevice, id 0x100000250,
registered, matched, active, busy 0 (157 ms), retain 13>;
| | | | | {
| | | | | "acpi-device" = "IOACPIPlatformDevice is not
serializable"
| | | | | "assigned-addresses" =
<1000058200000000000000b091000000000000100>;
| | | | | "vendor-id" = <86800000>;
| | | | | "class-code" = <30030c00>;
| | | | | "subsystem-vendor-id" = <86800000>;
| | | | | "IOPCIExpressLinkCapabilities" = 0x440841
| | | | | "IOName" = "pci8086,15ec"
| | | | | "IOPCIHPTType" = 0x2
| | | | | "pcidebug" = "5:0:0"
| | | | | "IOChildIndex" = 0x1
| | | | | "IOPCIExpressLinkStatus" = 0x1041
| | | | | "pci-aspm-default" = 0x100
| | | | | "IOPCIExpressCapabilities" = 0x2
| | | | | "IOServiceDEXTentitlements" =
(("com.apple.developer.driverkit.transport.pci"))
| | | | | "IOInterruptControllers" = ("io-
apic-0", "IOPCIMessagedInterruptController")
| | | | | "built-in" = <00>;
| | | | | "IOPCIResourced" = Yes
| | | | | "IOPowerManagement" =
{"ChildrenPowerState"=0x0, "CurrentPowerState"=0x0, "CapabilityFlags"=0x0, "ChildProxyPowerState"=0x2, "MaxPowerState"=0x3}
| | | | | "AAPL,xhci-clock-id" = 0x1
| | | | | "IODeviceMemory" =
({{"address"=0x91b00000, "length"=0x10000}))
| | | | | "acpi-pmcap-offset" = 0x80
| | | | | "name" = <706369383038362c3135656300>;
| | | | | "subsystem-id" = <00000000>;
| | | | | "compatible" =
<706369383038362c3000706369383038362c3135656300706369636c6173732c306330333330>

```



```
id 0x10000038d, registered, matched, active, busy 0 (0 ms), retain 14&gt;
  | | | | |
  | | | | | {
  | | | | |   "UsbCompanionLS" =
{"UsbCompanionPortNumber"=&lt;06000000&gt;; "UsbCompanionControllerName"="XHC1"}
  | | | | |   "kUSBBusCurrentAllocation" = 0x96
  | | | | |   "link-error-count" = 0x0
  | | | | |   "kUSBHostPortExternalDevicePowerController" =
"IOACPIPlatformDevice is not serializable"
  | | | | |   "kUSBSleepPortCurrentLimit" = 0xbb8
  | | | | |   "UsbConnector" = 0x9
  | | | | |   "kUSBWakePortCurrentLimit" = 0xbb8
  | | | | |   "IOPowerManagement" =
{"PowerOverrideOn"=Yes, "DevicePowerState"=0x0, "CurrentPowerState"=0x0, "Capabilit
yFlags"=0x0, "MaxPowerState"=0x3, "DriverPowerState"=0x0}
  | | | | |   "locationID" = 0x100000
  | | | | |   "IOGeneralInterest" = "IOCommand is not
serializable"
  | | | | |   "kUSBBusCurrentSleepAllocation" = 0x0
  | | | | |   "UsbCompanionFS" =
{"UsbCompanionPortNumber"=&lt;06000000&gt;; "UsbCompanionControllerName"="XHC1"}
  | | | | |   "UsbCompanionHS" =
{"UsbCompanionPortNumber"=&lt;06000000&gt;; "UsbCompanionControllerName"="XHC1"}
  | | | | |   "device-properties" = {"acpi-
device"="IOACPIPlatformDevice is not serializable", "UsbCPortNumber"=0x2, "acpi-
path"="IOACPIPlane:/_SB/PCI0@0/RP05@1c0004/UPSB@0/DSB2@20000/XHC2@0/RHUB@0/
SSP1@3"}
  | | | | |   "port-status" = 0x0
  | | | | |   "UsbCPortNumber" = 0x2
  | | | | |   "port-statistics" =
{"kPortStatEOF2ViolationCurrentConnectCount"=0x0, "kPortStatEOF2ViolationDuringRe
setCount"=0x0, "kPortStatPowerStateTime"={"kPowerStateOff"="256923ms
(100%)", "kPowerStateSleep"="0ms (0%)", "kPowerStateOn"="0ms
(0%)", "kPowerStateSuspended"="0ms
(0%)"}, "kPortStatConnectCount"=0x0, "kPortStatRemoteWakeCount"=0x0, "kPortStatEOF2
ViolationRecoveryDuringResetCount"=0x0, "kPortStatAddressFailureCount"=0x0, "kPort
StatEOF2ViolationCount"=0x0, "kPortStatEnumerationFailureCount"=0x0, "kPortStatOve
rCurrentCount"=0$
  | | | | |   "name" = "SSP1"
  | | | | |   "port" = &lt;03000000&gt;
  | | | | | }
+-o SSP2@00200000 &lt;class AppleUSB30XHCITYPECPort,
id 0x100000391, registered, matched, active, busy 0 (0 ms), retain 14&gt;
  | | | | |
  | | | | | {
  | | | | |   "UsbCompanionLS" =
{"UsbCompanionPortNumber"=&lt;08000000&gt;; "UsbCompanionControllerName"="XHC1"}
  | | | | |   "kUSBBusCurrentAllocation" = 0x96
  | | | | |   "link-error-count" = 0x0
  | | | | |   "kUSBHostPortExternalDevicePowerController" =
"IOACPIPlatformDevice is not serializable"
  | | | | |   "kUSBSleepPortCurrentLimit" = 0xbb8
  | | | | |   "UsbConnector" = 0x9
  | | | | |   "kUSBWakePortCurrentLimit" = 0xbb8
  | | | | |   "IOPowerManagement" =
{"PowerOverrideOn"=Yes, "DevicePowerState"=0x0, "CurrentPowerState"=0x0, "Capabilit
yFlags"=0x0, "MaxPowerState"=0x3, "DriverPowerState"=0x0}
  | | | | |   "locationID" = 0x200000
  | | | | |   "IOGeneralInterest" = "IOCommand is not
serializable"
  | | | | |   "kUSBBusCurrentSleepAllocation" = 0x0
  | | | | |   "UsbCompanionFS" =
{"UsbCompanionPortNumber"=&lt;08000000&gt;; "UsbCompanionControllerName"="XHC1"}
  | | | | |   "UsbCompanionHS" =
{"UsbCompanionPortNumber"=&lt;08000000&gt;; "UsbCompanionControllerName"="XHC1"}
```











```

| | | | | "IOReportLegendPublic" = Yes
| | | | | "IOClass" = "AppleANS2Controller"
| | | | | "CFBundleIdentifierKernel" =
"com.apple.iokit.IONVMeFamily"
| | | | | "IOPlatformPanicAction" = 0x0
| | | | | "IOMaximumSegmentByteCountRead" = 0x1000
| | | | | "IOPCITunnelCompatible" = Yes
| | | | | "IOReportLegend" =
({ "IOReportChannels"=((0x4e564d6520507772,0x400020002,"NVMe Power
States")), "IOReportGroupName"="NVMe", "IOReportChannelInfo"={"IOReportChannelUnit
"=0x100007600000001}})
| | | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | | "IOMaximumSegmentCountRead" = 0x100
| | | | | "IOProbeScore" = 0x0
| | | | | "Controller Characteristics" = {"Preferred IO
Size"=0x100000, "Encryption Type"="AES-XTS"}
| | | | | }
| | | | | +-o IONVMeBlockStorageDevice@1 <class
IONVMeBlockStorageDevice, id 0x10000034e, registered, matched, active, busy 0
(81 ms), retain 11>
| | | | | {
| | | | | "IOCFPlugInTypes" = {"AA0FA6F9-C2D6-457F-
B10B-59A13253292F"="NVMeSMARTLib.plugin"}
| | | | | "NamespaceUUID" = 0x0
| | | | | "Logical Block Size" = 0x1000
| | | | | "NamespaceID" = 0x1
| | | | | "IOUnit" = 0x1
| | | | | "IOReportLegend" =
({ "IOReportGroupName"="NVMe", "IOReportChannels"=((0x5469657230204257,0x180000001
,"Tier0 BW Scale Factor"),(0x5469657231204257,0x180000001,"Tier1 BW Scale
Factor"),(0x5469657232204257,0x180000001,"Tier2 BW Scale Factor"),
(0x5469657233204257,0x180000001,"Tier3 BW Scale
Factor")), "IOReportChannelInfo"={"IOReportChannelUnit"=0x0}, "IOReportSubGroupNam
e"="BW Limits"},
{ "IOReportGroupName"="NVMe", "IOReportChannels"=((0x546f742054696d65,0x180000001,
"Total time elapsed"),(0x5469657230202020,0x180000001,"Tier0 T$
| | | | | "ThermalThrottlingSupported" = Yes
| | | | | "device-type" = "Generic"
| | | | | "IOReportLegendPublic" = Yes
| | | | | "Physical Block Size" = 0x1000
| | | | | "Protocol Characteristics" = {"Physical
Interconnect"="PCI-Express", "Physical Interconnect Location"="Internal"}
| | | | | "Device Characteristics" = {"Serial
Number"="FV9928209NRKRFWBL", "Medium Type"="Solid State", "Product Name"="APPLE
SSD AP0256N", "Vendor Name"="", "Product Revision Level"="1161.100"}
| | | | | "IOStorageFeatures" =
{"Unmap"=Yes, "Priority"=Yes, "Barrier"=Yes}
| | | | | "NVMe SMART Capable" = Yes
| | | | | }
| | | | | +-o IOBlockStorageDriver <class IOBlockStorageDriver, id
0x100000034f, registered, matched, active, busy 0 (81 ms), retain 9>
| | | | | {
| | | | | "IOPropertyMatch" = {"device-type"="Generic"}
| | | | | "CFBundleIdentifier" =
"com.apple.iokit.IOStorageFamily"
| | | | | "IOProviderClass" = "IOBlockStorageDevice"
| | | | | "IOClass" = "IOBlockStorageDriver"
| | | | | "IOProbeScore" = 0x0
| | | | | "CFBundleIdentifierKernel" =
"com.apple.iokit.IOStorageFamily"
| | | | | "Statistics" = {"Operations (Write)"=0x2b65, "Latency
Time (Write)"=0x0, "Bytes (Read)"=0x5de36000, "Errors (Write)"=0x0, "Total Time

```









```

| | | | |
CF1974F1BA8B" | "UUID" = "12FBFF9A-073D-4894-B11C-
| | | | | | "BSD Unit" = 0x1
| | | | | | "BSD Major" = 0x1
| | | | | | "Ejectable" = No
| | | | | | "BSD Name" = "disk1"
| | | | | | "Physical Block Size" = 0x1000
| | | | | | "IOGeneralInterest" = "IOCommand is not
serializable" |
| | | | | | "Content Hint" = "EF57347C-0000-11AA-AA11-
00306543ECAC" |
| | | | | | "Leaf" = No
| | | | | | }
| | | | | | +-o AppleAPFSMediaBSDClient &lt;class
AppleAPFSMediaBSDClient, id 0x10000037d, registered, matched, active, busy 0 (0
ms), retain 7&gt;
| | | | | | {
| | | | | | | "IOProbeScore" = 0x7918
| | | | | | | "CFBundleIdentifier" =
| | | | | | | "IOMatchCategory" = "IOMediaBSDClient"
| | | | | | | "IOClass" = "AppleAPFSMediaBSDClient"
| | | | | | | "IOPersonalityPublisher" =
| | | | | | | "IOProviderClass" = "AppleAPFSMedia"
| | | | | | | "CFBundleIdentifierKernel" =
| | | | | | | "IOResourceMatch" = "IOBSD"
| | | | | | | }
| | | | | | +-o AppleAPFSContainer &lt;class
AppleAPFSContainer, id 0x100000384, registered, matched, active, busy 0 (1 ms),
retain 13&gt;
| | | | | | {
| | | | | | | "IOClass" = "AppleAPFSContainer"
| | | | | | | "CFBundleIdentifier" =
| | | | | | | "IOProviderClass" = "IOMedia"
| | | | | | | "IOPropertyMatch" = ({"Content
Hint"="EF57347C-0000-11AA-AA11-00306543ECAC"})
| | | | | | | "Logical Block Size" = 0x1000
| | | | | | | "IOUserClientClass" =
| | | | | | | "AppleAPFSUserClient"
| | | | | | | "IOProbeScore" = 0x3e8
| | | | | | | "IOGeneralInterest" = "IOCommand is not
serializable" |
| | | | | | | "IOMatchCategory" = "IOStorage"
| | | | | | | "Statistics" = {"Metadata: Number of
spaceman bitmap bytes read"=0x133000,"Metadata: Number of write
errors"=0x0,"Number of times device's cache flushed"=0x0,"Write burst: Total
number of I/Os"=0x6cc4,"Write burst: Total time"=0x31f10ac44,"Bytes read from
block device"=0x4bfa5000,"Object cache: Number of writes"=0x2d93,"Object cache:
Number of objects processed by partial cache flushes"=0x0,"Read requests sent to
block device"=0xc5cd,"Metadata: Number of bytes written"=0x2d93000,"Write burst:
Total time be$
| | | | | | | "UUID" = "12FBFF9A-073D-4894-B11C-
CF1974F1BA8B" |
| | | | | | | "ContainerBlockSize" = 0x1000
| | | | | | | "IOPersonalityPublisher" =
| | | | | | | "Status" = "Online"
| | | | | | | "CFBundleIdentifierKernel" =
| | | | | | | "com.apple.filesystems.apfs"
| | | | | | | "com.apple.filesystems.apfs"

```

```

| | | | | "IOAPFSPreBootDevice" = ("Preboot@2")
| | | | | }
| | | | | }
| | | | | +-o HD@1 <class AppleAPFSVolume, id
0x10000039f, registered, matched, active, busy 0 (1 ms), retain 14>;
| | | | | {
| | | | | "Logical Block Size" = 0x1000
| | | | | "Open" = Yes
| | | | | "Preferred Block Size" = 0x1000
| | | | | "RoleValue" = 0x1
| | | | | "Writable" = Yes
| | | | | "Sealed" = "Broken"
| | | | | "IOBusyInterest" = "IOCommand is not
serializable"
| | | | | "FullName" = "HD"
| | | | | "Size" = 0x3a5e065000
| | | | | "Content" = "41504653-0000-11AA-AA11-
00306543ECAC"
| | | | | "BSD Minor" = 0x8
| | | | | "FormattedBy" = "storagekitd
(1677.141.1)"
| | | | | "Whole" = No
| | | | | "IOStorageFeatures" =
{"Unmap"=Yes, "Priority"=Yes, "Barrier"=Yes}
| | | | | "Removable" = No
| | | | | "UUID" = "C5FD01B6-E420-4445-9D2C-
AE667D13E9E6"
| | | | | "CaseSensitive" = No
| | | | | "Statistics" = {"Metadata: Number of
fsroot bytes written"=0x0, "Bytes read from block device"=0x2bc58000, "Calls to
VNOP_ALLOCATE"=0x0, "Calls to VNOP_LOOKUP"=0x638ce, "Calls to
VNOP_GETATTRLISTBULK"=0x706d, "Calls to VNOP_CLOSE"=0x1bd2b, "Calls to
VNOP_MNOMAP"=0xe53, "Calls to VNOP_INACTIVE"=0x7f5a, "Calls to
VNOP_REMOVENAMEDSTREAM"=0x0, "Calls to VNOP_READ"=0x19dc9, "File defrag: Number of
failed defrag attempts"=0x0, "Calls to VNOP_BLOCKMAP"=0x9f05, "Calls to
VNOP_CREATE"=0x0, "Metadata: Number of objects failed $
| | | | | "BSD Unit" = 0x1
| | | | | "Ejectable" = No
| | | | | "VolGroupUUID" = "C405B46F-78E9-45EE-
BE13-8451292ED829"
| | | | | "Role" = ("System")
| | | | | "BSD Name" = "disk1s1"
| | | | | "BSD Major" = 0x1
| | | | | "Physical Block Size" = 0x1000
| | | | | "IOGeneralInterest" = "IOCommand is not
serializable"
| | | | | "VolGroupMntFromName" = "/dev/disk1s1s1"
| | | | | "Status" = "Online"
| | | | | "autodiskmount" = No
| | | | | "Content Hint" = "41504653-0000-11AA-
AA11-00306543ECAC"
| | | | | "Leaf" = Yes
| | | | | }
| | | | | +-o AppleAPFSVolumeBSDClient <class
AppleAPFSVolumeBSDClient, id 0x1000003a7, registered, matched, active, busy 0 (0
ms), retain 6>;
| | | | | {
| | | | | "IOProbeScore" = 0x7918
| | | | | "CFBundleIdentifier" =
"com.apple.filesystems.apfs"
| | | | | "IOMatchCategory" = "IOMediaBSDClient"
| | | | | "IOClass" = "AppleAPFSVolumeBSDClient"
| | | | | "IOPersonalityPublisher" =

```



```

0x10000003a0, registered, matched, active, busy 0 (0 ms), retain 11&gt;
    {
        "Logical Block Size" = 0x1000
        "Open" = Yes
        "Preferred Block Size" = 0x1000
        "RoleValue" = 0x10
        "Writable" = Yes
        "Sealed" = "No"
        "IOBusyInterest" = "IOCommand is not
serializable"
        "FullName" = "Preboot"
        "Size" = 0x3a5e065000
        "Content" = "41504653-0000-11AA-AA11-
00306543ECAC"
        "BSD Minor" = 0x4
        "FormattedBy" = "diskmanagementd
(1677.141.1)"
        "Whole" = No
        "IOStorageFeatures" =
{"Unmap"=Yes, "Priority"=Yes, "Barrier"=Yes}
        "Removable" = No
        "UUID" = "786CC387-1284-4AA1-9946-
D9E5C459D60B"
        "CaseSensitive" = No
        "Statistics" = {"Metadata: Number of
fsroot bytes written"=0x0, "Bytes read from block device"=0x1000, "Calls to
VNOP_ALLOCATE"=0x0, "Calls to VNOP_LOOKUP"=0x26, "Calls to
VNOP_GETATTRLISTBULK"=0x0, "Calls to VNOP_CLOSE"=0xb, "Calls to
VNOP_MNOMAP"=0x0, "Calls to VNOP_INACTIVE"=0x2, "Calls to
VNOP_REMOVENAMEDSTREAM"=0x0, "Calls to VNOP_READ"=0x1, "File defrag: Number of
failed defrag attempts"=0x0, "Calls to VNOP_BLOCKMAP"=0x1, "Calls to
VNOP_CREATE"=0x0, "Metadata: Number of objects failed to write"=0x0, "Calls to VN$
        "BSD Unit" = 0x1
        "Ejectable" = No
        "VolGroupUUID" = "00000000-0000-0000-
0000-000000000000"
        "Role" = ("Preboot")
        "BSD Name" = "disk1s2"
        "BSD Major" = 0x1
        "Physical Block Size" = 0x1000
        "IOGeneralInterest" = "IOCommand is not
serializable"
        "autodiskmount" = No
        "Status" = "Online"
        "Content Hint" = "41504653-0000-11AA-
AA11-00306543ECAC"
        "Leaf" = Yes
    }
}
+-o AppleAPFSVolumeBSDClient &lt;class
AppleAPFSVolumeBSDClient, id 0x1000003a5, registered, matched, active, busy 0 (0
ms), retain 7&gt;
    {
        "IOProbeScore" = 0x7918
        "CFBundleIdentifier" =
"com.apple.filesystems.apfs"
        "IOMatchCategory" = "IOMediaBSDClient"
        "IOClass" = "AppleAPFSVolumeBSDClient"
        "IOPersonalityPublisher" =
"com.apple.filesystems.apfs"
        "IOProviderClass" = "AppleAPFSVolume"
        "CFBundleIdentifierKernel" =
"com.apple.filesystems.apfs"

```

```

    | | | | | "IOResourceMatch" = "IOBSD"
    | | | | | }
0x1000003a1, registered, matched, active, busy 0 (0 ms), retain 9&gt;
    | | | | | {
    | | | | | "Logical Block Size" = 0x1000
    | | | | | "Open" = No
    | | | | | "Preferred Block Size" = 0x1000
    | | | | | "RoleValue" = 0x4
    | | | | | "Writable" = Yes
    | | | | | "Sealed" = "No"
    | | | | | "IOBusyInterest" = "IOCommand is not
serializable"
    | | | | | "FullName" = "Recovery"
    | | | | | "Size" = 0x3a5e065000
    | | | | | "Content" = "41504653-0000-11AA-AA11-
00306543ECAC"
    | | | | | "BSD Minor" = 0x5
    | | | | | "FormattedBy" = "diskmanagementd
(1677.141.1)"
    | | | | | "Whole" = No
    | | | | | "IOStorageFeatures" =
{"Unmap"=Yes, "Priority"=Yes, "Barrier"=Yes}
    | | | | | "Removable" = No
    | | | | | "UUID" = "6C8C63DA-D989-470D-B18C-
A516DFB0051E"
    | | | | | "CaseSensitive" = No
    | | | | | "Statistics" = {"Metadata: Number of
fsroot bytes written"=0x0, "Bytes read from block device"=0x1000, "Calls to
VNOP_ALLOCATE"=0x0, "Calls to VNOP_LOOKUP"=0xc, "Calls to
VNOP_GETATTRLISTBULK"=0x0, "Calls to VNOP_CLOSE"=0x4, "Calls to
VNOP_MNOMAP"=0x0, "Calls to VNOP_INACTIVE"=0x6, "Calls to
VNOP_REMOVENAMEDSTREAM"=0x0, "Calls to VNOP_READ"=0x1, "File defrag: Number of
failed defrag attempts"=0x0, "Calls to VNOP_BLOCKMAP"=0x1, "Calls to
VNOP_CREATE"=0x0, "Metadata: Number of objects failed to write"=0x0, "Calls to
VNO$
    | | | | | "BSD Unit" = 0x1
    | | | | | "Ejectable" = No
    | | | | | "VolGroupUUID" = "00000000-0000-0000-
0000-000000000000"
    | | | | | "Role" = ("Recovery")
    | | | | | "BSD Name" = "disk1s3"
    | | | | | "BSD Major" = 0x1
    | | | | | "Physical Block Size" = 0x1000
    | | | | | "IOGeneralInterest" = "IOCommand is not
serializable"
    | | | | | "autodiskmount" = No
    | | | | | "Status" = "Online"
    | | | | | "Content Hint" = "41504653-0000-11AA-
AA11-00306543ECAC"
    | | | | | "Leaf" = Yes
    | | | | | }
    | | | | | +o AppleAPFSVolumeBSDClient <&class
AppleAPFSVolumeBSDClient, id 0x1000003a6, registered, matched, active, busy 0 (0
ms), retain 6&gt;
    | | | | | {
    | | | | | "IOProbeScore" = 0x7918
    | | | | | "CFBundleIdentifier" =
"com.apple.filesystems.apfs"
    | | | | | "IOMatchCategory" = "IOMediaBSDClient"
    | | | | | "IOClass" = "AppleAPFSVolumeBSDClient"
    | | | | | "IOPersonalityPublisher" =

```

```

"com.apple.filesystems.apfs"      |         "IOProviderClass" = "AppleAPFSVolume"
|         "CFBundleIdentifierKernel" =
"com.apple.filesystems.apfs"      |
|         "IOResourceMatch" = "IOBSD"
|         }
|
|         +-o VM@4 <<class AppleAPFSVolume, id
0x10000003a2, registered, matched, active, busy 0 (0 ms), retain 11<>;
|         {
|         "Logical Block Size" = 0x1000
|         "Open" = Yes
|         "Preferred Block Size" = 0x1000
|         "RoleValue" = 0x8
|         "Writable" = Yes
|         "Sealed" = "No"
|         "IOBusyInterest" = "IOCommand is not
serializable"
|         "FullName" = "VM"
|         "Size" = 0x3a5e065000
|         "Content" = "41504653-0000-11AA-AA11-
00306543ECAC"
|         "BSD Minor" = 0x9
|         "FormattedBy" = "diskmanagementd
(1677.141.1)"
|         "Whole" = No
|         "IOStorageFeatures" =
{"Unmap"=Yes, "Priority"=Yes, "Barrier"=Yes}
|         "Removable" = No
|         "UUID" = "788FA987-DF39-42AE-B2FF-
CCD2500E4936"
|         "CaseSensitive" = No
|         "Statistics" = {"Metadata: Number of
fsroot bytes written"=0x1000, "Bytes read from block device"=0x0, "Calls to
VNOP_ALLOCATE"=0x0, "Calls to VNOP_LOOKUP"=0x1f, "Calls to
VNOP_GETATTRLISTBULK"=0x0, "Calls to VNOP_CLOSE"=0x9, "Calls to
VNOP_MNOMAP"=0x0, "Calls to VNOP_INACTIVE"=0x0, "Calls to
VNOP_REMOVENAMEDSTREAM"=0x0, "Calls to VNOP_READ"=0x0, "File defrag: Number of
failed defrag attempts"=0x0, "Calls to VNOP_BLOCKMAP"=0x0, "Calls to
VNOP_CREATE"=0x0, "Metadata: Number of objects failed to write"=0x0, "Calls to VN$
|         "BSD Unit" = 0x1
|         "Ejectable" = No
|         "VolGroupUUID" = "00000000-0000-0000-
0000-000000000000"
|         "Role" = ("VM")
|         "BSD Name" = "disk1s4"
|         "BSD Major" = 0x1
|         "Physical Block Size" = 0x1000
|         "IOGeneralInterest" = "IOCommand is not
serializable"
|         "autodiskmount" = No
|         "Status" = "Online"
|         "Content Hint" = "41504653-0000-11AA-
AA11-00306543ECAC"
|         "Leaf" = Yes
|         }
|         +-o AppleAPFSVolumeBSDClient <<class
AppleAPFSVolumeBSDClient, id 0x10000003ac, registered, matched, active, busy 0 (0
ms), retain 7<>;
|         {
|         "IOProbeScore" = 0x7918
|         "CFBundleIdentifier" =
"com.apple.filesystems.apfs"

```







```

| | | | | "OSInternal" = Yes
| | | | | }
| | | | | +-o AppleAPFSVolumeBSDClient <class
AppleAPFSVolumeBSDClient, id 0x1000003af, registered, matched, active, busy 0 (0
ms), retain 7<>
| | | | | {
| | | | | "IOProbeScore" = 0x7918
| | | | | "CFBundleIdentifier" =
"com.apple.filesystems.apfs"
| | | | | "IOMatchCategory" = "IOMediaBSDClient"
| | | | | "IOClass" = "AppleAPFSVolumeBSDClient"
| | | | | "IOPersonalityPublisher" =
"com.apple.filesystems.apfs"
| | | | | "IOProviderClass" = "AppleAPFSVolume"
| | | | | "CFBundleIdentifierKernel" =
"com.apple.filesystems.apfs"
| | | | | "IOResourceMatch" = "IOBSD"
| | | | | }
| | | | | +-o IOBC@0,1 <class IOPCIDevice, id 0x1000002a5, registered,
matched, active, busy 0 (1223 ms), retain 10<>
| | | | | {
| | | | | "assigned-addresses" =
<&100102c240000000000004011000000000004000180102c240000000000081200000000000
0800200102c24000000000002112000000000000100<&gt;
| | | | | "IOInterruptSpecifiers" =
(&1800000000000100<&gt;;&1900000000000100<&gt;;&1a00000000000100<&gt;;&1b
1b00000000000100<&gt;;&1c00000000000100<&gt;;&1d00000000000100<&gt;;&1e00
000000000100<&gt;;&1f00000000000100<&gt;);
| | | | | "class-code" = &00000000<&gt;;
| | | | | "IODeviceMemory" =
(({"address"=0x4011400000,"length"=0x400000}),
{"address"=0x4012080000,"length"=0x80000}),
{"address"=0x4012210000,"length"=0x10000}))
| | | | | "IOReportLegendPublic" = Yes
| | | | | "IOPowerManagement" =
{"ChildrenPowerState"=0x2,"CurrentPowerState"=0x2,"CapabilityFlags"=0x102,"Child
ProxyPowerState"=0x2,"MaxPowerState"=0x3}
| | | | | "subsystem-vendor-id" = &6b100000<&gt;;
| | | | | "built-in" = &00<&gt;;
| | | | | "acpi-device" = "IOACPIPlatformDevice is not serializable"
| | | | | "pci-aspm-default" = 0x102
| | | | | "IOPCIMSI Mode" = Yes
| | | | | "IOInterruptControllers" =
("IOPCIMessagedInterruptController","IOPCIMessagedInterruptController","IOPCIMes
sagedInterruptController","IOPCIMessagedInterruptController","IOPCIMessagedInter
ruptController","IOPCIMessagedInterruptController","IOPCIMessagedInterruptContro
ller","IOPCIMessagedInterruptController")
| | | | | "vendor-id" = &6b100000<&gt;;
| | | | | "name" = &706369313036622c3138303100<&gt;;
| | | | | "device-id" = &01180000<&gt;;
| | | | | "IOChildIndex" = 0x2
| | | | | "acpi-pmcap-offset" = 0x40
| | | | | "pci-msi-flags" = &0100000000000000<&gt;;
| | | | | "compatible" =
<&706369313036622c3138303100706369636c6173732c30303030303000494f424300<&gt;;
| | | | | "IOPCIResourced" = Yes
| | | | | "IOServiceDEXTitlements" =
(("com.apple.developer.driverkit.transport.pci"))
| | | | | "IOPCIExpressLinkCapabilities" = 0x477843
| | | | | "acpi-path" = "IOACPIPlane:/_SB/PCI0@0/RP09@1d0000/IOBC@1"
| | | | | "subsystem-id" = &01180000<&gt;;
| | | | | "revision-id" = &01000000<&gt;;

```



```

| | | | | "VersionMajor" = 0x1
| | | | | "GroupIndex" = 0x0
| | | | | "VersionMinor" = 0x1
| | | | | "CopySize" = 0x1000
| | | | | "IsFormatted" = 0x1
| | | | | }
| | | | | +-o AppleUSBVHCIBCE@80000000 <class AppleUSBVHCIBCE, id
0x1000000344, registered, matched, active, busy 0 (1159 ms), retain 139>;
| | | | | {
| | | | | "IOClass" = "AppleUSBVHCIBCE"
| | | | | "CFBundleIdentifier" =
"com.apple.driver.usb.AppleUSBVHCIBCE"
| | | | | "IOProviderClass" = "IOBufferCopyEngine"
| | | | | "kUSBSleepSupported" = Yes
| | | | | "IOPowerManagement" =
{"ChildrenPowerState"=0x3,"DevicePowerState"=0x2,"CurrentPowerState"=0x3,"Capabi
lityFlags"=0x8000,"MaxPowerState"=0x3,"DriverPowerState"=0x0}
| | | | | "IOProbeScore" = 0x0
| | | | | "IOGeneralInterest" = "IOCommand is not serializable"
| | | | | "locationID" = 0xffffffff80000000
| | | | | "IOMatchCategory" = "AppleUSBVHCI"
| | | | | "controller-statistics" =
{"kControllerStatIOCount"=0x3b80,"kControllerStatPowerStateTime"={"kPowerStateOf
f"="0ms (0%)" ,"kPowerStateSleep"="1994ms (0%)" ,"kPowerStateOn"="254948ms
(99%)" ,"kPowerStateSuspended"="55ms
(0%)"}, "kControllerStatSpuriousInterruptCount"=0x60}
| | | | | "IOPersonalityPublisher" =
"com.apple.driver.usb.AppleUSBVHCIBCE"
| | | | | "CFBundleIdentifierKernel" =
"com.apple.driver.usb.AppleUSBVHCIBCE"
| | | | | }
| | | | | +-o AppleUSBVHCIPort@80100000 <class AppleUSBVHCIPort,
id 0x10000003b4, registered, matched, active, busy 0 (355 ms), retain 13>;
| | | | | {
| | | | | "locationID" = 0xffffffff80100000
| | | | | "port-statistics" =
{"kPortStatEOF2ViolationCurrentConnectCount"=0x0,"kPortStatEOF2ViolationDuringRe
setCount"=0x0,"kPortStatPowerStateTime"={"kPowerStateOff"="0ms
(0%)" ,"kPowerStateSleep"="2019ms (0%)" ,"kPowerStateOn"="254863ms
(99%)" ,"kPowerStateSuspended"="0ms
(0%)"}, "kPortStatConnectCount"=0x0,"kPortStatRemoteWakeCount"=0x0,"kPortStatEOF2
ViolationRecoveryDuringResetCount"=0x0,"kPortStatAddressFailureCount"=0x0,"kPort
StatEOF2ViolationCount"=0x0,"kPortStatEnumerationFailureCount"=0x0,"kPortStatOve
rCurrentCount"=0x0,"$
| | | | | "IOPowerManagement" =
{"ChildrenPowerState"=0x3,"DevicePowerState"=0x2,"CurrentPowerState"=0x3,"Capabi
lityFlags"=0x8000,"MaxPowerState"=0x3,"DriverPowerState"=0x0}
| | | | | "IOGeneralInterest" = "IOCommand is not serializable"
| | | | | "port-status" = 0x1302
| | | | | "port" = <01000000>;
| | | | | }
| | | | | +-o Apple T2 Controller@80100000 <class
IOUSBHostDevice, id 0x10000003cc, registered, matched, active, busy 0 (354 ms),
retain 33>;
| | | | | {
| | | | | "kUSBSerialNumberString" = "0000000000000000"
| | | | | "bDeviceClass" = 0x0
| | | | | "bDeviceSubClass" = 0x0
| | | | | "iSerialNumber" = 0x3
| | | | | "Built-In" = Yes
| | | | | "IOServiceDEXTentitlements" =

```



```

| | | | | |
| | | | | | +-o NCM Control@0 <class IOUSBHostInterface, id
0x100000416, registered, matched, active, busy 0 (31 ms), retain 11&gt;
| | | | | | {
| | | | | | "USBSpeed" = 0x3
| | | | | | "iInterface" = 0x7
| | | | | | "IOServiceLegacyMatchingRegistryID" = 0x100000421
| | | | | | "bInterfaceProtocol" = 0x0
| | | | | | "bAlternateSetting" = 0x0
| | | | | | "idProduct" = 0x8233
| | | | | | "bcdDevice" = 0x201
| | | | | | "USB Interface Name" = "NCM Control"
| | | | | | "USB Product Name" = "Apple T2 Controller"
| | | | | | "locationID" = 0xffffffff80100000
| | | | | | "bInterfaceClass" = 0x2
| | | | | | "bInterfaceSubClass" = 0xd
| | | | | | "IOCFPlugInTypes" = {"2d9786c6-9ef3-11d4-ad51-
000a27052861"="IOUSBHostFamily.kext/Contents/PlugIns/IOUSBLib.bundle"}
| | | | | | "USBPortType" = 0x2
| | | | | | "kUSBString" = "NCM Control"
| | | | | | "bInterfaceNumber" = 0x0
| | | | | | "bConfigurationValue" = 0x1
| | | | | | "USB Vendor Name" = "Apple Inc."
| | | | | | "idVendor" = 0x5ac
| | | | | | "IOServiceDEXTitlements" =
(("com.apple.developer.driverkit.transport.usb", "com.apple.developer.driverkit.b
uiltin"))
| | | | | | "bNumEndpoints" = 0x1
| | | | | | "USB Serial Number" = "0000000000000000"
| | | | | | "IOGeneralInterest" = "IOCommand is not
serializable"
| | | | | | "IOClassNameOverride" = "IOUSBInterface"
| | | | | | }
| | | | | | +-o AppleUSBNCMControl <class AppleUSBNCMControl,
id 0x100000423, registered, matched, active, busy 0 (0 ms), retain 7&gt;
| | | | | | {
| | | | | | "IOProbeScore" = 0xe678
| | | | | | "CFBundleIdentifier" =
"com.apple.driver.usb.cdc.ncm"
| | | | | | "IOProviderClass" = "IOUSBHostInterface"
| | | | | | "IOClass" = "AppleUSBNCMControl"
| | | | | | "bInterfaceClass" = 0x2
| | | | | | "CFBundleIdentifierKernel" =
"com.apple.driver.usb.cdc.ncm"
| | | | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | | | "bInterfaceSubClass" = 0xd
| | | | | | "bInterfaceProtocol" = "*"
| | | | | | }
| | | | | | +-o NCM Data@1 <class IOUSBHostInterface, id
0x10000041c, registered, matched, active, busy 0 (238 ms), retain 12&gt;
| | | | | | {
| | | | | | "USBSpeed" = 0x3
| | | | | | "iInterface" = 0x8
| | | | | | "IOServiceLegacyMatchingRegistryID" = 0x100000422
| | | | | | "bInterfaceProtocol" = 0x1
| | | | | | "bAlternateSetting" = 0x1
| | | | | | "idProduct" = 0x8233
| | | | | | "bcdDevice" = 0x201
| | | | | | "USB Interface Name" = "NCM Data"
| | | | | | "USB Product Name" = "Apple T2 Controller"
| | | | | | "locationID" = 0xffffffff80100000
| | | | | | "Product Name" = "Apple T2 Controller"

```





```

| | | | | | | | | | {
| | | | | | | | | |   "IOUserClientCreator" = "pid 79, configd"
| | | | | | | | | |   "IOUserClientDefaultLocking" = Yes
| | | | | | | | | | }
| | | | | | | | | | +-o AppleUSBVHCIPort@80200000  &lt;class AppleUSBVHCIPort,
id 0x1000003b5, registered, matched, active, busy 0 (75 ms), retain 13&gt;;
| | | | | | | | | | {
| | | | | | | | | |   "locationID" = 0xffffffff80200000
| | | | | | | | | |   "port-statistics" =
{"kPortStatEOF2ViolationCurrentConnectCount"=0x0,"kPortStatEOF2ViolationDuringRe
setCount"=0x0,"kPortStatPowerStateTime"={"kPowerStateOff"="0ms
(0%)" ,"kPowerStateSleep"="2025ms (0%)" ,"kPowerStateOn"="254838ms
(99%)" ,"kPowerStateSuspended"="0ms
(0%)"}, "kPortStatConnectCount"=0x1,"kPortStatRemoteWakeCount"=0x0,"kPortStatEOF2
ViolationRecoveryDuringResetCount"=0x0,"kPortStatAddressFailureCount"=0x0,"kPort
StatEOF2ViolationCount"=0x0,"kPortStatEnumerationFailureCount"=0x0,"kPortStatOve
rCurrentCount"=0x0,"$
| | | | | | | | | |   "IOPowerManagement" =
{"ChildrenPowerState"=0x3,"DevicePowerState"=0x2,"CurrentPowerState"=0x3,"Capabi
lityFlags"=0x8000,"MaxPowerState"=0x3,"DriverPowerState"=0x0}
| | | | | | | | | |   "IOGeneralInterest" = "IOCommand is not serializable"
| | | | | | | | | |   "port-status" = 0x1302
| | | | | | | | | |   "port" = &lt;02000000&gt;;
| | | | | | | | | | }
| | | | | | | | | | +-o FaceTime HD Camera (Built-in)@80200000  &lt;class
IOUSBHostDevice, id 0x1000003d1, registered, matched, active, busy 0 (75 ms),
retain 33&gt;;
| | | | | | | | | | {
| | | | | | | | | |   "kUSBSerialNumberString" = "CC29263RC4CJ3Y38H"
| | | | | | | | | |   "bDeviceClass" = 0xef
| | | | | | | | | |   "bDeviceSubClass" = 0x2
| | | | | | | | | |   "iSerialNumber" = 0x3
| | | | | | | | | |   "Built-In" = Yes
| | | | | | | | | |   "IOServiceDXTentitlements" =
(("com.apple.developer.driverkit.transport.usb","com.apple.developer.driverkit.b
uiltin"))
| | | | | | | | | |   "iProduct" = 0x2
| | | | | | | | | |   "USB Serial Number" = "CC29263RC4CJ3Y38H"
| | | | | | | | | |   "USB Vendor Name" = "Apple Inc."
| | | | | | | | | |   "USBSpeed" = 0x3
| | | | | | | | | |   "IOPowerManagement" =
{"PowerOverrideOn"=Yes,"CapabilityFlags"=0x8000,"MaxPowerState"=0x2,"DevicePower
State"=0x2,"DriverPowerState"=0x0,"ChildrenPowerState"=0x1,"CurrentPowerState"=0
x2}
| | | | | | | | | |   "bNumConfigurations" = 0x1
| | | | | | | | | |   "kUSBProductString" = "FaceTime HD Camera (Built-
in)"
| | | | | | | | | |   "IOServiceLegacyMatchingRegistryID" = 0x1000003eb
| | | | | | | | | |   "kUSBVendorString" = "Apple Inc."
| | | | | | | | | |   "USB Product Name" = "FaceTime HD Camera (Built-in)"
| | | | | | | | | |   "iManufacturer" = 0x1
| | | | | | | | | |   "idVendor" = 0x5ac
| | | | | | | | | |   "Device Speed" = 0x2
| | | | | | | | | |   "kUSBCurrentConfiguration" = 0x1
| | | | | | | | | |   "idProduct" = 0x8514
| | | | | | | | | |   "bcdDevice" = 0x201
| | | | | | | | | |   "sessionID" = 0x493a4ed0
| | | | | | | | | |   "USB Address" = 0x3
| | | | | | | | | |   "non-removable" = "yes"
| | | | | | | | | |   "UsbUserClientEntitlementRequired" =
"com.apple.ibridge.control"
| | | | | | | | | |   "IOCFPlugInTypes" = {"9dc7b780-9ec0-11d4-

```













```

| | | | | | "CFBundleIdentifier" =
"com.apple.AppleUserHIDDrivers" "MaxOutputReportSize" = 0x1
| | | | | | "IOCFPlugInTypes" = {"FA12FA38-6F1A-11D4-
BA0C-0005028F18D5"="IOHIDFamily.kext/Contents/PlugIns/
IOHIDLib.plugin", "40A57A4E-26A0-11D8-9295-000A958A2C78"="IOHIDFamily.kext/
Contents/PlugIns/IOHIDLib.plugin", "7DDEECA8-A7B4-
11DA-8A0E-0014519758EF"="IOHIDFamily.kext/Contents/PlugIns/IOHIDLib.plugin"}
| | | | | | "IOProviderClass" = "IOUSBHostInterface"
| | | | | | "IOUserClass" = "AppleUserUSBHostHIDDevice"
| | | | | | "LocationID" = 0xffffffff80300000
| | | | | | "IOClass" = "AppleUserHIDDevice"
| | | | | | "CFBundleIdentifierKernel" =
"com.apple.iokit.IOHIDFamily" "PrimaryUsage" = 0x41
| | | | | | "HIDDefaultBehavior" = ""
| | | | | | "CountryCode" = 0x0
| | | | | | "RequestTimeout" = 0x4c4b40
| | | | | | "bInterfaceSubClass" = 0x0
| | | | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | | | "IOProbeScore" = 0xc738
| | | | | | "IOGeneralInterest" = "IOCommand is not
serializable"
| | | | | | "bInterfaceClass" = 0x3
| | | | | | "HIDDKStart" = Yes
| | | | | | }
+o IOHIDInterface <class IOHIDInterface, id
0x1000000531, registered, matched, active, busy 0 (5 ms), retain 7>
| | | | | | {
| | | | | | "Transport" = "USB"
| | | | | | "BootProtocol" = 0x0
| | | | | | "HIDDefaultBehavior" = ""
| | | | | | "Manufacturer" = "Apple Inc."
| | | | | | "Product" = "Ambient Light Sensor"
| | | | | | "MaxInputReportSize" = 0x12
| | | | | | "Built-In" = Yes
| | | | | | "DeviceUsagePairs" =
({ "DeviceUsagePage"=0x20, "DeviceUsage"=0x41})
| | | | | | "MaxOutputReportSize" = 0x1
| | | | | | "ReportDescriptor" =
<&lt;05200941a101850105200a16031501250275089501a1020a40080a4108b100c00a0e0316c800
26102775109501b1020a09031501250175089501a1020a3008b100c00a19031501250475089501a1
020a50080a51080a52080a5508b100c00a180316018026ff7f7510950a5500b1020a010215012507
75089501a1020a00080a01080a02080a03080a04080a05080a0608b100c00a040315002610277510
9501b1020ad1e4550e150026102775209501b1420ad114550d15002700e1f50575209501b1420ad3
1455003500450115002700e1f50575209501b14205200a0202350045001501250175089501a1020a
11080a13088100c00$
| | | | | | "CountryCode" = 0x0
| | | | | | "VendorID" = 0x5ac
| | | | | | "VersionNumber" = 0x201
| | | | | | "IOServiceDEXTitlements" =
(("com.apple.developer.driverkit.transport.hid", "com.apple.developer.driverkit.b
uiltin"))
| | | | | | "PrimaryUsage" = 0x41
| | | | | | "LocationID" = 0xffffffff80300000
| | | | | | "ProductID" = 0x8262
| | | | | | "SerialNumber" = "000000000000"
| | | | | | "ReportInterval" = 0x0
| | | | | | "PrimaryUsagePage" = 0x20
| | | | | | "MaxFeatureReportSize" = 0x29
| | | | | | }
+o AppleUSBALSService <class

```

```

AppleUSBALSService, id 0x100000534, registered, matched, active, busy 0 (0 ms),
retain 5&gt;
    | | | | | | | | | | | | | | | | | | | | | | {
    | | | | | | | | | | | | | | | | | | | | | | "IOCFPlugInTypes" = {"0516B563-
B15B-11DA-96EB-0014519758EF"="AppleHIDALSService.kext/Contents/PlugIns/
AppleHIDALS.plugin"}
    | | | | | | | | | | | | | | | | | | | | | | "CFBundleIdentifier" =
"com.apple.driver.AppleHIDALSService"
    | | | | | | | | | | | | | | | | | | | | | | "IOClass" = "AppleUSBALSService"
    | | | | | | | | | | | | | | | | | | | | | | "IOProviderClass" = "IOHIDInterface"
    | | | | | | | | | | | | | | | | | | | | | | "VendorID" = 0x5ac
    | | | | | | | | | | | | | | | | | | | | | | "IOProbeScore" = 0x1838
    | | | | | | | | | | | | | | | | | | | | | | "IOGeneralInterest" = "IOCommand is not
serializable"
    | | | | | | | | | | | | | | | | | | | | | | "PrimaryUsage" = 0x41
    | | | | | | | | | | | | | | | | | | | | | | "IOMatchCategory" = "IODefaultMatchCategory"
    | | | | | | | | | | | | | | | | | | | | | | "DeviceUsagePairs" =
({"DeviceUsagePage"=0x20, "DeviceUsage"=0x41})
    | | | | | | | | | | | | | | | | | | | | | | "ProductID" = 0x8262
    | | | | | | | | | | | | | | | | | | | | | | "IOPersonalityPublisher" =
"com.apple.driver.AppleHIDALSService"
    | | | | | | | | | | | | | | | | | | | | | | "HIDServiceSupport" = Yes
    | | | | | | | | | | | | | | | | | | | | | | "PrimaryUsagePage" = 0x20
    | | | | | | | | | | | | | | | | | | | | | | "CFBundleIdentifierKernel" =
"com.apple.driver.AppleHIDALSService"
    | | | | | | | | | | | | | | | | | | | | | | }
    | | | | | | | | | | | | | | | | | | | | | | }
    | | | | | | | | | | | | | | | | | | | | | | +-o IOHIDLibUserClient <&class
IOHIDLibUserClient, id 0x100000582, !registered, !matched, active, busy 0,
retain 6&gt;
    | | | | | | | | | | | | | | | | | | | | | | {
    | | | | | | | | | | | | | | | | | | | | | | "DebugState" =
{"MaxEnqueueReportSize"=0x2000, "EventQueueMap"={"entrySize"=0x0, "QueueSize"=0x4
000, "EnqueueErrorCount"=0x0, "head"=0x348, "UsagePercentHist"={"100"=0x0, "60"=0x0,
"50"=0x0, "0"=0x8, "40"=0x0, "30"=0x0, "90"=0x0, "20"=0x0, "80"=0x0, "10"=0x0, "70"=0x0}
, "tail"=0x348, "numEntries"=0x0}), "ClientOpened"=Yes, "Privileged"=Yes}
    | | | | | | | | | | | | | | | | | | | | | | "IOUserClientCreator" = "pid 138,
WindowServer"
    | | | | | | | | | | | | | | | | | | | | | | "IOUserClientDefaultLocking" = Yes
    | | | | | | | | | | | | | | | | | | | | | | }
    | | | | | | | | | | | | | | | | | | | | | | +-o AppleUSBVHCIPort@80400000 <&class AppleUSBVHCIPort,
id 0x1000003b7, registered, matched, active, busy 0 (607 ms), retain 13&gt;
    | | | | | | | | | | | | | | | | | | | | | | {
    | | | | | | | | | | | | | | | | | | | | | | "locationID" = 0xffffffff80400000
    | | | | | | | | | | | | | | | | | | | | | | "port-statistics" =
{"kPortStatEOF2ViolationCurrentConnectCount"=0x0, "kPortStatEOF2ViolationDuringRe
setCount"=0x0, "kPortStatPowerStateTime"={"kPowerStateOff"="0ms
(0%)" , "kPowerStateSleep"="2008ms (0%)" , "kPowerStateOn"="254851ms
(99%)" , "kPowerStateSuspended"="0ms
(0%)"}, "kPortStatConnectCount"=0x1, "kPortStatRemoteWakeCount"=0x0, "kPortStatEOF2
ViolationRecoveryDuringResetCount"=0x0, "kPortStatAddressFailureCount"=0x0, "kPort
StatEOF2ViolationCount"=0x0, "kPortStatEnumerationFailureCount"=0x0, "kPortStatOve
rCurrentCount"=0x0, "$
    | | | | | | | | | | | | | | | | | | | | | | "IOPowerManagement" =
{"ChildrenPowerState"=0x3, "DevicePowerState"=0x2, "CurrentPowerState"=0x3, "Capabi
lityFlags"=0x8000, "MaxPowerState"=0x3, "DriverPowerState"=0x0}
    | | | | | | | | | | | | | | | | | | | | | | "IOGeneralInterest" = "IOCommand is not serializable"
    | | | | | | | | | | | | | | | | | | | | | | "port-status" = 0x1302
    | | | | | | | | | | | | | | | | | | | | | | "port" = <&04000000&gt;
    | | | | | | | | | | | | | | | | | | | | | | }
    | | | | | | | | | | | | | | | | | | | | | | }
    | | | | | | | | | | | | | | | | | | | | | | +-o Headset@80400000 <&class IOUSBHostDevice, id
0x1000003d5, registered, matched, active, busy 0 (607 ms), retain 25&gt;

```

```
| | | | | | | {
| | | | | | |   "kUSBSerialNumberString" = "000000000000"
| | | | | | |   "bDeviceClass" = 0x0
| | | | | | |   "bDeviceSubClass" = 0x0
| | | | | | |   "iSerialNumber" = 0x3
| | | | | | |   "Built-In" = Yes
| | | | | | |   "IOServiceDXTentitlements" =
("com.apple.developer.driverkit.transport.usb","com.apple.developer.driverkit.b
uilton"))
| | | | | | |   "iProduct" = 0x2
| | | | | | |   "USB Serial Number" = "000000000000"
| | | | | | |   "USB Vendor Name" = "Apple"
| | | | | | |   "USBSpeed" = 0x3
| | | | | | |   "IOPowerManagement" =
{"PowerOverrideOn"=Yes,"CapabilityFlags"=0x8000,"MaxPowerState"=0x2,"DevicePower
State"=0x2,"DriverPowerState"=0x0,"ChildrenPowerState"=0x1,"CurrentPowerState"=0
x2}
| | | | | | |   "bNumConfigurations" = 0x1
| | | | | | |   "kUSBProductString" = "Headset"
| | | | | | |   "IOServiceLegacyMatchingRegistryID" = 0x1000003df
| | | | | | |   "kUSBVendorString" = "Apple"
| | | | | | |   "USB Product Name" = "Headset"
| | | | | | |   "iManufacturer" = 0x1
| | | | | | |   "idVendor" = 0x5ac
| | | | | | |   "Device Speed" = 0x2
| | | | | | |   "kUSBCurrentConfiguration" = 0x1
| | | | | | |   "idProduct" = 0x8103
| | | | | | |   "bcdDevice" = 0x210
| | | | | | |   "sessionID" = 0x48a42df7
| | | | | | |   "USB Address" = 0x5
| | | | | | |   "non-removable" = "yes"
| | | | | | |   "UsbUserClientEntitlementRequired" =
"com.apple.ibridge.control"
| | | | | | |   "IOCFPlugInTypes" = {"9dc7b780-9ec0-11d4-
a54f-000a27052861"="IOUSBHostFamily.kext/Contents/PlugIns/IOUSBLib.bundle"}
| | | | | | |   "IOClassNameOverride" = "IOUSBDevice"
| | | | | | |   "USBPortType" = 0x2
| | | | | | |   "bDeviceProtocol" = 0x0
| | | | | | |   "locationID" = 0xffffffff80400000
| | | | | | |   "bcdUSB" = 0x200
| | | | | | |   "kUSBAddress" = 0x5
| | | | | | |   "IOGeneralInterest" = "IOCommand is not
serializable"
| | | | | | |   "bMaxPacketSize0" = 0x40
| | | | | | | }
| | | | | | | +-o AppleUSBHostLegacyClient <&class
AppleUSBHostLegacyClient, id 0x1000003e0, !registered, !matched, active, busy 0,
retain 8&&gt;
| | | | | | | {
| | | | | | |   "IOPowerManagement" =
{"DevicePowerState"=0x0,"CurrentPowerState"=0x1,"CapabilityFlags"=0x10000,"MaxPo
werState"=0x2,"DriverPowerState"=0x1}
| | | | | | | }
| | | | | | | +-o AppleUSBHostCompositeDevice <&class
AppleUSBHostCompositeDevice, id 0x100000407, !registered, !matched, active, busy
0, retain 4&&gt;
| | | | | | | {
| | | | | | |   "IOProbeScore" = 0xc350
| | | | | | |   "CFBundleIdentifier" =
"com.apple.driver.usb.AppleUSBHostCompositeDevice"
| | | | | | |   "IOProviderClass" = "IOUSBHostDevice"
| | | | | | |   "IOClass" = "AppleUSBHostCompositeDevice"
```





```
{ "ReportID"=0x0, "ElementCookie"=0x1, "CollectionType"=0x1, "Type"=0x201, "Variable  
Size"=0x0, "Elements"=( {"VariableSize"=0x0, "UnitExponent"=0x0, "IsRelative"=No, "Us  
agePage"=0xc, "Max"=0x1, "IsArray"=No, "Type"=0x2, "Size"=0x1, "Min"=0x0, "Flags"=0x2,  
"ReportID"=0x0, "Usage"=0xcd, "ReportCount"=0x1, "Unit"=0x0, "HasNullState"=No, "Repo  
rtSize"=0x1, "HasPreferredState"=Yes, "IsNonLinear"=No, "ScaledMin"=0x0, "IsWrapping  
"=No, "ScaledMax"=0x1, "ElementCookie"=0x4},  
{ "VariableSize"=0x0, "UnitExponent"=0x0, "IsRelative"=No, "UsageP$  
 | | | | | | | "IOServiceDEXTentitlements" =  
"com.apple.developer.driverkit.family_hid.device"  
 | | | | | | | "Manufacturer" = "Apple"  
 | | | | | | | "IOUserServerCDHash" =  
"2a19a5c5d913aa2c3471e15ecea21afecba0ef78"  
 | | | | | | | "ProductID" = 0x8103  
 | | | | | | | "RegisterService" = No  
 | | | | | | | "DeviceUsagePairs" =  
{ "DeviceUsagePage"=0xc, "DeviceUsage"=0x1 } )  
 | | | | | | | "IOPowerManagement" =  
{ "DevicePowerState"=0x0, "CurrentPowerState"=0x0, "CapabilityFlags"=0x0, "MaxPowerS  
tate"=0x2 }  
 | | | | | | | "IOUserServerName" =  
"com.apple.driverkit.AppleUserUSBHostHIDDevice0"  
 | | | | | | | "ReportInterval" = 0x0  
 | | | | | | | "InputReportElements" =  
{ "ReportID"=0x0, "ElementCookie"=0x7, "Size"=0x8, "ReportCount"=0x1, "Type"=0x1, "Va  
riableSize"=0x0, "UsagePage"=0x0, "ReportSize"=0x8, "Usage"=0x0 } )  
 | | | | | | | "IOMatchedPersonality" =  
{ "IOProbeScore"=0x3e8, "CFBundleIdentifier"="com.apple.AppleUserHIDDrivers", "bInt  
erfaceClass"=0x3, "HIDDefaultBehavior"="", "IOClass"="AppleUserHIDDevice", "IOProvi  
derClass"="IOUSBHostInterface", "CFBundleIdentifierKernel"="com.apple.iokit.IOHID  
Family", "IOUserServerCDHash"="2a19a5c5d913aa2c3471e15ecea21afecba0ef78", "bInterf  
aceSubClass"=0x0, "IOUserClass"="AppleUserUSBHostHIDDevice", "IOUserServerName"="c  
om.apple.driverkit.AppleUserUSBHostHIDDevice0"}  
 | | | | | | | "CFBundleIdentifier" =  
"com.apple.AppleUserHIDDrivers"  
 | | | | | | | "MaxOutputReportSize" = 0x0  
 | | | | | | | "IOCFPlugInTypes" = {"FA12FA38-6F1A-11D4-  
BA0C-0005028F18D5"="IOHIDFamily.kext/Contents/PlugIns/  
IOHIDLib.plugin", "40A57A4E-26A0-11D8-9295-000A958A2C78"="IOHIDFamily.kext/  
Contents/PlugIns/IOHIDLib.plugin", "7DDEECA8-A7B4-  
11DA-8A0E-0014519758EF"="IOHIDFamily.kext/Contents/PlugIns/IOHIDLib.plugin"}  
 | | | | | | | "IOProviderClass" = "IOUSBHostInterface"  
 | | | | | | | "IOUserClass" = "AppleUserUSBHostHIDDevice"  
 | | | | | | | "LocationID" = 0xffffffff80400000  
 | | | | | | | "IOClass" = "AppleUserHIDDevice"  
 | | | | | | | "CFBundleIdentifierKernel" =  
"com.apple.iokit.IOHIDFamily"  
 | | | | | | | "PrimaryUsage" = 0x1  
 | | | | | | | "HIDDefaultBehavior" = ""  
 | | | | | | | "CountryCode" = 0x0  
 | | | | | | | "RequestTimeout" = 0x4c4b40  
 | | | | | | | "bInterfaceSubClass" = 0x0  
 | | | | | | | "IOMatchCategory" = "IODefaultMatchCategory"  
 | | | | | | | "IOProbeScore" = 0xc738  
 | | | | | | | "DeviceOpenedByEventSystem" = Yes  
 | | | | | | | "bInterfaceClass" = 0x3  
 | | | | | | | "HIDDKStart" = Yes  
 | | | | | | | }  
 | | | | | | | +-o IOHIDInterface &lt;class IOHIDInterface, id  
0x100000052a, registered, matched, active, busy 0 (17 ms), retain 10&gt;  
 | | | | | | | {  
 | | | | | | | | "Transport" = "USB"  
 | | | | | | | | "BootProtocol" = 0x0  
 | | | | | | | | "HIDDefaultBehavior" = ""  
 | | | | | | | }
```





```

| | | | | | | | +-o Apple Internal Keyboard / Trackpad@80500000 <class
IOUSBHostDevice, id 0x100000665, registered, matched, active, busy 0 (169 ms),
retain 41>
| | | | | | | | {
| | | | | | | | "kUSBSerialNumberString" = "FM7923600JWKT58AQ+WDN"
| | | | | | | | "bDeviceClass" = 0x0
| | | | | | | | "bDeviceSubClass" = 0x0
| | | | | | | | "iSerialNumber" = 0x3
| | | | | | | | "Built-In" = Yes
| | | | | | | | "IOServiceDEXTitlements" =
(("com.apple.developer.driverkit.transport.usb", "com.apple.developer.driverkit.b
uiltin"))
| | | | | | | | "iProduct" = 0x2
| | | | | | | | "USB Serial Number" = "FM7923600JWKT58AQ+WDN"
| | | | | | | | "USB Vendor Name" = "Apple Inc."
| | | | | | | | "USBSpeed" = 0x3
| | | | | | | | "IOPowerManagement" =
{"PowerOverrideOn"=Yes, "CapabilityFlags"=0x8000, "MaxPowerState"=0x2, "DevicePower
State"=0x2, "DriverPowerState"=0x0, "ChildrenPowerState"=0x1, "CurrentPowerState"=0
x2}
| | | | | | | | "bNumConfigurations" = 0x1
| | | | | | | | "kUSBProductString" = "Apple Internal Keyboard /
Trackpad"
| | | | | | | | "IOServiceLegacyMatchingRegistryID" = 0x100000667
| | | | | | | | "kUSBVendorString" = "Apple Inc."
| | | | | | | | "USB Product Name" = "Apple Internal Keyboard /
Trackpad"
| | | | | | | | "iManufacturer" = 0x1
| | | | | | | | "idVendor" = 0x5ac
| | | | | | | | "Device Speed" = 0x2
| | | | | | | | "kUSBCurrentConfiguration" = 0x1
| | | | | | | | "idProduct" = 0x27d
| | | | | | | | "bcdDevice" = 0x928
| | | | | | | | "sessionID" = 0x24151731ee
| | | | | | | | "USB Address" = 0x8
| | | | | | | | "non-removable" = "yes"
| | | | | | | | "UsbUserClientEntitlementRequired" =
"com.apple.ibridge.control"
a54f-000a27052861"="IOUSBHostFamily.kext/Contents/PlugIns/IOUSBLib.bundle"}
| | | | | | | | "IOCFPlugInTypes" = {"9dc7b780-9ec0-11d4-
| | | | | | | | "IOClassNameOverride" = "IOUSBDevice"
| | | | | | | | "USBPortType" = 0x2
| | | | | | | | "bDeviceProtocol" = 0x0
| | | | | | | | "locationID" = 0xffffffff80500000
| | | | | | | | "bcdUSB" = 0x200
| | | | | | | | "kUSBAddress" = 0x8
| | | | | | | | "IOGeneralInterest" = "IOCommand is not
serializable"
| | | | | | | | "bMaxPacketSize0" = 0x40
| | | | | | | | }
| | | | | | | | +-o AppleUSBHostLegacyClient <class
AppleUSBHostLegacyClient, id 0x100000668, !registered, !matched, active, busy 0,
retain 8>
| | | | | | | | {
| | | | | | | | "IOPowerManagement" =
{"DevicePowerState"=0x0, "CurrentPowerState"=0x1, "CapabilityFlags"=0x10000, "MaxPo
werState"=0x2, "DriverPowerState"=0x1}
| | | | | | | | }
| | | | | | | | +-o AppleUSBHostCompositeDevice <class
AppleUSBHostCompositeDevice, id 0x100000674, !registered, !matched, active, busy
0, retain 4>
| | | | | | | | {

```

```

        "IOProbeScore" = 0xc350
        "CFBundleIdentifier" =
"com.apple.driver.usb.AppleUSBHostCompositeDevice"
        "IOProviderClass" = "IOUSBHostDevice"
        "IOClass" = "AppleUSBHostCompositeDevice"
        "IOPersonalityPublisher" =
"com.apple.driver.usb.AppleUSBHostCompositeDevice"
        "bDeviceSubClass" = 0x0
        "CFBundleIdentifierKernel" =
"com.apple.driver.usb.AppleUSBHostCompositeDevice"
        "IOMatchCategory" = "IODefaultMatchCategory"
        "kUSBPreferredConfiguration" = 0x1
        "bDeviceClass" = 0x0
    }
    +-o HID Relay@0 &lt;class IOUSBHostInterface, id
0x100000679, registered, matched, active, busy 0 (87 ms), retain 12&gt;
    {
        "USBSpeed" = 0x3
        "iInterface" = 0x8
        "IOServiceLegacyMatchingRegistryID" = 0x10000067e
        "bInterfaceProtocol" = 0x0
        "bAlternateSetting" = 0x0
        "idProduct" = 0x27d
        "bcdDevice" = 0x928
        "USB Interface Name" = "HID Relay"
        "USB Product Name" = "Apple Internal Keyboard /
Trackpad"
        "locationID" = 0xffffffff80500000
        "bInterfaceClass" = 0x3
        "bInterfaceSubClass" = 0x0
        "IOCFPlugInTypes" = {"2d9786c6-9ef3-11d4-ad51-
000a27052861"="IOUSBHostFamily.kext/Contents/PlugIns/IOUSBLib.bundle"}
        "USBPortType" = 0x2
        "kUSBString" = "HID Relay"
        "bInterfaceNumber" = 0x0
        "bConfigurationValue" = 0x1
        "USB Vendor Name" = "Apple Inc."
        "idVendor" = 0x5ac
        "IOServiceDEXTitlements" =
(("com.apple.developer.driverkit.transport.usb", "com.apple.developer.driverkit.b
uiltin"))
        "bNumEndpoints" = 0x1
        "IODEXTMatchCount" = 0x1
        "USB Serial Number" = "FM7923600JWKT58AQ+WDN"
        "IOGeneralInterest" = "IOCommand is not
serializable"
        "IOClassNameOverride" = "IOUSBInterface"
    }
    +-o AppleUserUSBHostHIDDevice &lt;class
AppleUserHIDDevice, id 0x100000683, registered, matched, active, busy 0 (40 ms),
retain 11&gt;
    {
        "PrimaryUsagePage" = 0xff00
        "MaxInputReportSize" = 0x5
        "IOUserClientClass" = "IOHIDLibUserClient"
        "VersionNumber" = 0x928
        "VendorID" = 0x5ac
        "ReportDescriptor" =
&lt;0600ff090ba1010600ff090b150026ff00750896040085e08122c0&gt;
        "Built-In" = Yes
        "DebugState" =
{"GetReportTime"=0x17d72f2679, "GetReportCount"=0x7, "GetReportFailCount"=0x1}

```



```

    |   |   |   |   |   |   |   }
    |   |   |   |   |   |   |   }
0x10000069a, registered, matched, active, busy 0 (39 ms), retain 8&gt;
    |   |   |   |   |   |   |   {
    |   |   |   |   |   |   |   "Transport" = "USB"
    |   |   |   |   |   |   |   "BootProtocol" = 0x0
    |   |   |   |   |   |   |   "HIDDefaultBehavior" = ""
    |   |   |   |   |   |   |   "Manufacturer" = "Apple Inc."
    |   |   |   |   |   |   |   "Product" = "Apple Internal Keyboard /
Trackpad"
    |   |   |   |   |   |   |   "MaxInputReportSize" = 0x5
    |   |   |   |   |   |   |   "Built-In" = Yes
    |   |   |   |   |   |   |   "DeviceUsagePairs" =
({ "DeviceUsagePage"=0xff00, "DeviceUsage"=0xb})
    |   |   |   |   |   |   |   "MaxOutputReportSize" = 0x1
    |   |   |   |   |   |   |   "ReportDescriptor" =
&lt;0600ff090ba1010600ff090b150026ff00750896040085e08122c0&gt;
    |   |   |   |   |   |   |   "CountryCode" = 0x0
    |   |   |   |   |   |   |   "VendorID" = 0x5ac
    |   |   |   |   |   |   |   "VersionNumber" = 0x928
    |   |   |   |   |   |   |   "IOServiceDEXTitlements" =
(("com.apple.developer.driverkit.transport.hid", "com.apple.developer.driverkit.b
uiltin"))
    |   |   |   |   |   |   |   "PrimaryUsage" = 0xb
    |   |   |   |   |   |   |   "LocationID" = 0xffffffff80500000
    |   |   |   |   |   |   |   "ProductID" = 0x27d
    |   |   |   |   |   |   |   "SerialNumber" = "FM7923600JWKT58AQ+WDN"
    |   |   |   |   |   |   |   "ReportInterval" = 0x0
    |   |   |   |   |   |   |   "PrimaryUsagePage" = 0xff00
    |   |   |   |   |   |   |   "DeviceOpenedByEventSystem" = Yes
    |   |   |   |   |   |   |   "MaxFeatureReportSize" = 0x1
    |   |   |   |   |   |   |   }
    |   |   |   |   |   |   |   }
    |   |   |   |   |   |   |   }
+-o IOHIDInterface &lt;class IOHIDInterface, id
&lt;class AppleDeviceManagementHIDEventService, id 0x1000006a8, registered,
matched, active, busy 0 (0 ms), retain 9&gt;
    |   |   |   |   |   |   |   {
    |   |   |   |   |   |   |   "IOClass" =
"AppleDeviceManagementHIDEventService"
    |   |   |   |   |   |   |   "MTFW Version" = 0x485
    |   |   |   |   |   |   |   "StandardType" = 0x0
    |   |   |   |   |   |   |   "Transport" = "USB"
    |   |   |   |   |   |   |   "IOPersonalityPublisher" =
"com.apple.driver.AppleTopCaseDriverV2"
    |   |   |   |   |   |   |   "Built-In" = Yes
    |   |   |   |   |   |   |   "Manufacturer" = "Apple Inc."
    |   |   |   |   |   |   |   "IOProviderClass" = "IOHIDInterface"
    |   |   |   |   |   |   |   "Product" = "Apple Internal Keyboard /
Trackpad"
    |   |   |   |   |   |   |   "WakeReason" = "Host (0x01)"
    |   |   |   |   |   |   |   "DeviceUsagePairs" =
({ "DeviceUsagePage"=0xff00, "DeviceUsage"=0xb})
    |   |   |   |   |   |   |   "IOProbeScore" = 0x1c07
    |   |   |   |   |   |   |   "VendorIDSource" = 0x0
    |   |   |   |   |   |   |   "HIDServiceSupport" = Yes
    |   |   |   |   |   |   |   "CountryCode" = 0x0
    |   |   |   |   |   |   |   "VendorID" = 0x5ac
    |   |   |   |   |   |   |   "CFBundleIdentifierKernel" =
"com.apple.driver.AppleTopCaseHIDEventDriver"
    |   |   |   |   |   |   |   "VersionNumber" = 0x928
    |   |   |   |   |   |   |   "IOMatchCategory" = "IODefaultMatchCategory"
    |   |   |   |   |   |   |   "CFBundleIdentifier" =
"com.apple.driver.AppleTopCaseHIDEventDriver"

```







```

| | | | | | | | "bInterfaceProtocol" = 0x1
| | | | | | | | "IOMatchedPersonality" =
{"IOClass"="AppleUserHIDDevice", "CFBundleIdentifier"="com.apple.AppleUserHIDDriv
ers", "IOProviderClass"="IOUSBHostInterface", "IOUserServerCDHash"="2a19a5c5d913aa
2c3471e15ecea21afecba0ef78", "IOProbeScore"=0x3e8, "bInterfaceSubClass"=0x1, "IOUs
erServerName"="com.apple.driverkit.AppleUserUSBHostHIDDeviceKB", "HIDDefaultBehavi
or"="", "bInterfaceProtocol"=0x1, "CFBundleIdentifierKernel"="com.apple.iokit.IOHI
DFamily", "bInterfaceClass"=0x3, "IOUserClass"="AppleUserUSBHostHIDDevice"}
| | | | | | | | "CFBundleIdentifier" =
"com.apple.AppleUserHIDDrivers"
| | | | | | | | "MaxOutputReportSize" = 0x2
| | | | | | | | "IOCFPlugInTypes" = {"FA12FA38-6F1A-11D4-
BA0C-0005028F18D5"="IOHIDFamily.kext/Contents/PlugIns/
IOHIDLib.plugin", "40A57A4E-26A0-11D8-9295-000A958A2C78"="IOHIDFamily.kext/
Contents/PlugIns/IOHIDLib.plugin", "7DDEECA8-A7B4-
11DA-8A0E-0014519758EF"="IOHIDFamily.kext/Contents/PlugIns/IOHIDLib.plugin"}
| | | | | | | | "IOProviderClass" = "IOUSBHostInterface"
| | | | | | | | "IOUserClass" = "AppleUserUSBHostHIDDevice"
| | | | | | | | "LocationID" = 0xffffffff80500000
| | | | | | | | "CFBundleIdentifierKernel" =
"com.apple.iokit.IOHIDFamily"
| | | | | | | | "IOClass" = "AppleUserHIDDevice"
| | | | | | | | "PrimaryUsage" = 0x6
| | | | | | | | "HIDDefaultBehavior" = ""
| | | | | | | | "CountryCode" = 0x21
| | | | | | | | "RequestTimeout" = 0x4c4b40
| | | | | | | | "bInterfaceSubClass" = 0x1
| | | | | | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | | | | | "IOProbeScore" = 0xee48
| | | | | | | | "IOGeneralInterest" = "IOCommand is not
serializable"
| | | | | | | | "bInterfaceClass" = 0x3
| | | | | | | | "HIDDKStart" = Yes
| | | | | | | | }
| | | | | | | | +-o IOHIDInterface &lt;class IOHIDInterface, id
0x10000006a6, registered, matched, active, busy 0 (61 ms), retain 9&gt;;
| | | | | | | | {
| | | | | | | | "Transport" = "USB"
| | | | | | | | "BootProtocol" = 0x1
| | | | | | | | "HIDDefaultBehavior" = ""
| | | | | | | | "Manufacturer" = "Apple Inc."
| | | | | | | | "Product" = "Apple Internal Keyboard /
Trackpad"
| | | | | | | | "MaxInputReportSize" = 0x41
| | | | | | | | "Built-In" = Yes
| | | | | | | | "DeviceUsagePairs" =
({ "DeviceUsagePage"=0x1, "DeviceUsage"=0x6},
{ "DeviceUsagePage"=0xc, "DeviceUsage"=0x1},
{ "DeviceUsagePage"=0xff00, "DeviceUsage"=0x6},
{ "DeviceUsagePage"=0xff00, "DeviceUsage"=0xf})
| | | | | | | | "MaxOutputReportSize" = 0x2
| | | | | | | | "ReportDescriptor" =
&lt;05010906a1018501050719e029e7150025017501950881029501750881019505750105081901
2905910295017503910195067508150026ff000507190029ff8100050c7501950109b81500250181
0205ff0903750795018102c0050c0901a1018552150025017501950109cd810209b3810209b48102
09b5810209b68102810181018101850915002501750895010601ff090bb10275089502b101c00600
ff0906a1010600ff0906150026ff0075089540853f8122c00600ff090fa1010600ff090f150026ff
007508950f85bf8102c0&gt;;
| | | | | | | | "CountryCode" = 0x21
| | | | | | | | "VendorID" = 0x5ac
| | | | | | | | "VersionNumber" = 0x928
| | | | | | | | "IOServiceDEXTentitlements" =
(("com.apple.developer.driverkit.transport.hid", "com.apple.developer.driverkit.b

```





```

| | | | | | | | | "SerialNumber" = "FM7923600JWKT58AQ+WDN"
| | | | | | | | | "VendorIDSource" = 0x0
| | | | | | | | | "HIDRestoreKBDState" = 0x1
| | | | | | | | | "Manufacturer" = "Apple Inc."
| | | | | | | | | "SensorPropertySupported" = 0x0
| | | | | | | | | "CountryCode" = 0x21
| | | | | | | | | "DebugState" =
{"LastReportTime"=0x12829ec656}
| | | | | | | | | }
| | | | | | | | | +-o IOHIDEventServiceUserClient <class
IOHIDEventServiceUserClient, id 0x1000006b8, !registered, !matched, active, busy
0, retain 6>;
| | | | | | | | | {
| | | | | | | | | "DebugState" =
{"EventQueue"={"NoFullMsg"=0x0,"tail"=0x940,"NotificationForce"=0x0,"Notificatio
nCount"=0x25,"head"=0x940},"EnqueueEventCount"=0x25,"LastEventType"=0x3,"LastEve
ntTime"=0x12832da4c4}
| | | | | | | | | "IOUserClientCreator" = "pid 138,
WindowServer"
| | | | | | | | | "IOUserClientDefaultLocking" = Yes
| | | | | | | | | }
| | | | | | | | | +-o IOHIDLibUserClient <class
IOHIDLibUserClient, id 0x1000006a7, !registered, !matched, active, busy 0,
retain 6>;
| | | | | | | | | {
| | | | | | | | | "DebugState" =
{"MaxEnqueueReportSize"=0x2000,"EventQueueMap"={"entrySize"=0x0,"QueueSize"=0x4
000,"EnqueueErrorCount"=0x0,"head"=0x0,"UsagePercentHist"={"100"=0x0,"60"=0x0,"5
0"=0x0,"0"=0x0,"40"=0x0,"30"=0x0,"90"=0x0,"20"=0x0,"80"=0x0,"10"=0x0,"70"=0x0},"
tail"=0x0,"numEntries"=0x0},"ClientOpened"=Yes,"Privileged"=Yes}
| | | | | | | | | "IOUserClientCreator" = "pid 309,
TouchBarServer"
| | | | | | | | | "IOUserClientDefaultLocking" = Yes
| | | | | | | | | }
| | | | | | | | | +-o HID Relay@2 <class IOUSBHostInterface, id
0x10000067b, registered, matched, active, busy 0 (75 ms), retain 12>;
| | | | | | | | | {
| | | | | | | | | "USBSpeed" = 0x3
| | | | | | | | | "iInterface" = 0x6
| | | | | | | | | "IOServiceLegacyMatchingRegistryID" = 0x100000680
| | | | | | | | | "bInterfaceProtocol" = 0x2
| | | | | | | | | "bAlternateSetting" = 0x0
| | | | | | | | | "idProduct" = 0x27d
| | | | | | | | | "bcdDevice" = 0x928
| | | | | | | | | "USB Interface Name" = "HID Relay"
| | | | | | | | | "USB Product Name" = "Apple Internal Keyboard /
Trackpad"
| | | | | | | | | "locationID" = 0xffffffff80500000
| | | | | | | | | "bInterfaceClass" = 0x3
| | | | | | | | | "bInterfaceSubClass" = 0x1
| | | | | | | | | "IOCFPlugInTypes" = {"2d9786c6-9ef3-11d4-ad51-
000a27052861"= "IOUSBHostFamily.kext/Contents/PlugIns/IOUSBLib.bundle"}
| | | | | | | | | "USBPortType" = 0x2
| | | | | | | | | "kUSBString" = "HID Relay"
| | | | | | | | | "bInterfaceNumber" = 0x2
| | | | | | | | | "bConfigurationValue" = 0x1
| | | | | | | | | "USB Vendor Name" = "Apple Inc."
| | | | | | | | | "idVendor" = 0x5ac
| | | | | | | | | "IOServiceDEXTentitlements" =
(("com.apple.developer.driverkit.transport.usb","com.apple.developer.driverkit.b
uilton"))

```

```
| | | | | | | | | | "bNumEndpoints" = 0x1
| | | | | | | | | | "IOEXMatchCount" = 0x1
| | | | | | | | | | "USB Serial Number" = "FM7923600JWKT58AQ+WDN"
| | | | | | | | | | "IOGeneralInterest" = "IOCommand is not
serializable"
| | | | | | | | | | "IOClassNameOverride" = "IOUSBInterface"
| | | | | | | | | | }
| | | | | | | | | | +-o AppleUserUSBHostHIDDevice &lt;class
AppleUserHIDDevice, id 0x100000685, registered, matched, active, busy 0 (24 ms),
retain 12&gt;
| | | | | | | | | | {
| | | | | | | | | | "PrimaryUsagePage" = 0x1
| | | | | | | | | | "MaxInputReportSize" = 0x558
| | | | | | | | | | "IOUserClientClass" = "IOHIDLibUserClient"
| | | | | | | | | | "VersionNumber" = 0x928
| | | | | | | | | | "VendorID" = 0x5ac
| | | | | | | | | | "ReportDescriptor" =
&lt;05010902a1010901a10005091901290315002501850295037501810295017505810105010930
09311581257f750895028106950475088101c0c0050d0905a1010600ff090c150026ff0075089510
853f8122c00600ff090ca1010600ff090c150026ff00854475089657058100c0&gt;;
| | | | | | | | | | "Built-In" = Yes
| | | | | | | | | | "DebugState" =
{"SetReportTime"=0x17e191b9d8, "GetReportTime"=0x17dfe4f07, "InputReportCount"=0x
2835, "SetReportCount"=0x4, "GetReportCount"=0x6, "InputReportTime"=0x510ab5}
| | | | | | | | | | "BootProtocol" = 0x2
| | | | | | | | | | "MaxFeatureReportSize" = 0x1
| | | | | | | | | | "RequiresTCCAuthorization" = Yes
| | | | | | | | | | "Product" = "Apple Internal Keyboard / Trackpad"
| | | | | | | | | | "SerialNumber" = "FM7923600JWKT58AQ+WDN"
| | | | | | | | | | "Transport" = "USB"
| | | | | | | | | | "Elements" =
({ "ReportID"=0x0, "ElementCookie"=0x1, "CollectionType"=0x1, "Type"=0x201, "Variable
Size"=0x0, "Elements"=({ "ReportID"=0x0, "ElementCookie"=0x2, "CollectionType"=0x0, "
Type"=0x201, "VariableSize"=0x0, "Elements"=({ "VariableSize"=0x0, "UnitExponent"=0x
0, "IsRelative"=No, "UsagePage"=0x9, "Max"=0x1, "IsArray"=No, "Type"=0x2, "Size"=0x1, "
Min"=0x0, "Flags"=0x2, "ReportID"=0x2, "Usage"=0x1, "ReportCount"=0x1, "Unit"=0x0, "Ha
sNullState"=No, "ReportSize"=0x1, "HasPreferredState"=Yes, "IsNonLinear"=No, "Scaled
Min"=0x0, "IsWrapping"=No$
| | | | | | | | | | "IOServiceDXTEntitlements" =
"com.apple.developer.driverkit.family.hid.device"
| | | | | | | | | | "Manufacturer" = "Apple Inc."
| | | | | | | | | | "IOUserServerCDHash" =
"2a19a5c5d913aa2c3471e15ecea21afecba0ef78"
| | | | | | | | | | "ProductID" = 0x27d
| | | | | | | | | | "RegisterService" = No
| | | | | | | | | | "DeviceUsagePairs" =
({ "DeviceUsagePage"=0x1, "DeviceUsage"=0x2},
{ "DeviceUsagePage"=0x1, "DeviceUsage"=0x1},
{ "DeviceUsagePage"=0xd, "DeviceUsage"=0x5},
{ "DeviceUsagePage"=0xff00, "DeviceUsage"=0xc})
| | | | | | | | | | "IOPowerManagement" =
{"CapabilityFlags"=0x0, "MaxPowerState"=0x2, "CurrentPowerState"=0x0}
| | | | | | | | | | "IOUserServerName" =
"com.apple.driverkit.AppleUserUSBHostHIDDevice1"
| | | | | | | | | | "ReportInterval" = 0x0
| | | | | | | | | | "InputReportElements" =
({ "ReportID"=0x2, "ElementCookie"=0x56c, "Size"=0x40, "ReportCount"=0x1, "Type"=0x1,
"VariableSize"=0x0, "UsagePage"=0x0, "ReportSize"=0x40, "Usage"=0x0},
{ "ReportID"=0x3f, "ElementCookie"=0x56d, "Size"=0x88, "ReportCount"=0x1, "Type"=0x1,
"VariableSize"=0x0, "UsagePage"=0x0, "ReportSize"=0x88, "Usage"=0x0},
{ "ReportID"=0x44, "ElementCookie"=0x56e, "Size"=0x2ac0, "ReportCount"=0x1, "Type"=0x
1, "VariableSize"=0x0, "UsagePage"=0x0, "ReportSize"=0x2ac0, "Usage"=0x0})
| | | | | | | | | | "IOMatchedPersonality" =
```







```

| | | | | | | | | | "IOPersonalityPublisher" =
"com.apple.driver.AppleTopCaseDriverV2"
| | | | | | | | | | "ProductID" = 0x27d
| | | | | | | | | | "DefaultMultitouchProperties" =
{"HIDScrollAccelerationType"="HIDTrackpadScrollAcceleration", "SupportsGestureScr
olling"=Yes, "parser-
type"=0x3e8, "HIDScrollResolutionX"=0x1900000, "HIDScrollResolutionY"=0x1900000, "H
IDScrollAccelerationTable"=&lt;000080005553422a0007000000000000100010000000100000
000200000100000713b00004ce3000300000000760000004c000000e80000006f14a0017e95e00095
7820023105a000b67a1002c117b000d8dd40034dd3a000f7e9a003bd0b8001258a000465d3500150
000004ed9d80017c0000055caed001ab3e5005b6150001d9000005ed2aa0020b$
| | | | | | | | | | "ReportInterval" = 0x0
| | | | | | | | | | "BuildAMDWithMTInit" = Yes
| | | | | | | | | | "VendorIDSource" = 0x0
| | | | | | | | | | "HIDPointerButtonCount" = 0x3
| | | | | | | | | | "CFBundleIdentifier" =
"com.apple.driver.AppleTopCaseHIDEventDriver"
| | | | | | | | | | "IOCFPlugInTypes" = {"0516B563-
B15B-11DA-96EB-0014519758EF"="AppleMultitouchDriver.kext/Contents/PlugIns/
MultitouchHID.plugin"}
| | | | | | | | | | "HIDAccelCurves" =
({"HIDAccelGainLinear"=0x10000, "HIDAccelTangentSpeedLinear"=0x76666, "HIDAccelTan
gentSpeedParabolicRoot"=0x150000, "HIDAccelIndex"=0x0},
{"HIDAccelGainLinear"=0xfd71, "HIDAccelTangentSpeedLinear"=0x74ccd, "HIDAccelGainC
ubic"=0x147b, "HIDAccelGainParabolic"=0x8000, "HIDAccelTangentSpeedParabolicRoot"=
0x140000, "HIDAccelIndex"=0x2000},
{"HIDAccelGainLinear"=0xfae1, "HIDAccelTangentSpeedLinear"=0x73333, "HIDAccelGainC
ubic"=0x199a, "HIDAccelGainParabolic"=0xa8f6, "HIDAccelTangentSpeedParabolicRoot"=
0x13000$
| | | | | | | | | | "IOProviderClass" = "IOHIDInterface"
| | | | | | | | | | "LocationID" = 0xffffffff80500000
| | | | | | | | | | "HIDPointerAccelerationTable" =
&lt;000080005553422a00070000000000002000400000004000000100000001000000002000000d
000080000000080000001400000018000000200000002e000000300000004e0000004000000074000
00050000000a000000060000000d40000008000000160000000ac000000230000000d0000002f0000
000ec0000038c00000104000004100000011c0000048c00000005000000f00008000000080000001
00000001400000018000000240000002000000038000000280000004e00000030000000660000004
0000000a000000050000000e4000000600000013400000080000001ec000000ac000002ec000000d
0000$
| | | | | | | | | | "HIDServiceSupport" = No
| | | | | | | | | | "IOClass" =
"AppleMultitouchTrackpadHIDEventDriver"
| | | | | | | | | | "HIDScrollAccelCurves" =
({"HIDAccelGainLinear"=0x10000, "HIDAccelTangentSpeedLinear"=0x60000, "HIDAccelTan
gentSpeedParabolicRoot"=0xc0000, "HIDAccelIndex"=0x0},
{"HIDAccelGainLinear"=0xf333, "HIDAccelTangentSpeedLinear"=0x63333, "HIDAccelTange
ntSpeedParabolicRoot"=0xc0000, "HIDAccelGainParabolic"=0x999a, "HIDAccelIndex"=0x2
000},
{"HIDAccelGainLinear"=0xe666, "HIDAccelTangentSpeedLinear"=0x66666, "HIDAccelTange
ntSpeedParabolicRoot"=0xc0000, "HIDAccelGainParabolic"=0xe666, "HIDAccelIndex"=0x8
000}, {"HIDAccelGainLinear"=0xd$
| | | | | | | | | | "ProductIDArray" = (0x27d)
| | | | | | | | | | "CFBundleIdentifierKernel" =
"com.apple.driver.AppleTopCaseHIDEventDriver"
| | | | | | | | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | | | | | | | "SensorPropertySupported" = 0x0
| | | | | | | | | | "IOProbeScore" = 0x1c07
| | | | | | | | | | "StandardType" = 0x0
| | | | | | | | | | "CountryCode" = 0x0
| | | | | | | | | | "PrimaryUsage" = 0x2
| | | | | | | | | | }
| | | | | | | | | | +-o AppleMultitouchDevice &lt;class
AppleMultitouchDevice, id 0x1000006b3, registered, matched, active, busy 0 (0

```

ms), retain 8&gt;

```
| | | | | | | | | {
| | | | | | | | | "Sensor Columns" = 0x1a
| | | | | | | | | "Sensor Surface Descriptor" =
&lt;68330000501f00009de756ff5d1a051e&gt;
| | | | | | | | | "HIDPointerAccelerationTable" =
&lt;000080005553422a0007000000000002000400000004000000100000001000000002000000d
00008000000080000001400000018000000200000002e000000300000004e0000004000000074000
000500000000a000000060000000d40000008000000160000000ac00000230000000d0000002f0000
000ec0000038c00000104000004100000011c0000048c00000005000000f0000800000080000001
00000001400000018000000240000002000000038000000280000004e00000030000000660000004
0000000a000000050000000e4000000600000013400000080000001ec000000ac000002ec000000d
00$
| | | | | | | | | "Multitouch ID" = 0x300000080500000
| | | | | | | | | "HIDAccelCurves" =
({"HIDAccelGainLinear"=0x10000, "HIDAccelTangentSpeedLinear"=0x76666, "HIDAccelTan
gentSpeedParabolicRoot"=0x150000, "HIDAccelIndex"=0x0},
{"HIDAccelGainLinear"=0xfd71, "HIDAccelTangentSpeedLinear"=0x74ccd, "HIDAccelGainC
ubic"=0x147b, "HIDAccelGainParabolic"=0x8000, "HIDAccelTangentSpeedParabolicRoot"=
0x140000, "HIDAccelIndex"=0x2000},
{"HIDAccelGainLinear"=0xfae1, "HIDAccelTangentSpeedLinear"=0x73333, "HIDAccelGainC
ubic"=0x199a, "HIDAccelGainParabolic"=0xa8f6, "HIDAccelTangentSpeedParabolicRoot"=
0x130$
| | | | | | | | | "HIDScrollResolution" = 0x1900000
| | | | | | | | | "Sensor Surface Height" = 0x1f50
| | | | | | | | | "HIDServiceSupport" = Yes
| | | | | | | | | "parser-options" = 0x27
| | | | | | | | | "TrackpadThreeFingerDrag" = Yes
| | | | | | | | | "HIDScrollResolutionY" = 0x1900000
| | | | | | | | | "SupportsSilentClick" = No
| | | | | | | | | "VersionNumber" = 0x928
| | | | | | | | | "Sensor Region Descriptor" =
&lt;0201001001001a00021002010c0200&gt;
| | | | | | | | | "Sensor Surface Width" = 0x3368
| | | | | | | | | "Critical Errors" = 0x0
| | | | | | | | | "SupportsGestureScrolling" = Yes
| | | | | | | | | "IOGeneralInterest" = "IOCommand is not
serializable"
| | | | | | | | | "IOUserClientClass" =
"AppleMultitouchDeviceUserClient"
| | | | | | | | | "bcdVersion" = 0x485
| | | | | | | | | "parser-type" = 0x3e8
| | | | | | | | | "Product" = "Apple Internal Keyboard /
Trackpad"
| | | | | | | | | "TrackpadSecondaryClickCorners" = Yes
| | | | | | | | | "ForceSupported" = Yes
| | | | | | | | | "IOCFPlugInTypes" = {"0516B563-
B15B-11DA-96EB-0014519758EF"="AppleMultitouchDriver.kext/Contents/PlugIns/
MultitouchHID.plugin"}
| | | | | | | | | "MultitouchPreferences" =
{"TrackpadHandResting"=Yes, "TrackpadPinch"=0x1, "TrackpadFourFingerVertSwipeGestu
re"=0x2, "USBMouseStopsTrackpad"=0x0, "ActuateDetents"=0x1, "FirstClickThreshold"=0
x1, "SecondClickThreshold"=0x1, "TrackpadFourFingerPinchGesture"=0x2, "TrackpadHori
zScroll"=0x1, "TrackpadMomentumScroll"=Yes, "TrackpadRotate"=0x1, "TrackpadThreeFin
gerHorizSwipeGesture"=0x2, "Clicking"=0x0, "TrackpadTwoFingerDoubleTapGesture"=0x1
, "UserPreferences"=Yes, "TrackpadScroll"=Yes, "DragLock"=0x0, "TrackpadFiveFingerPi
nchGe$
| | | | | | | | | "Max Packet Size" = 0x57a
| | | | | | | | | "ReportInterval" = 0x0
| | | | | | | | | "ResetCount" = 0x0
| | | | | | | | | "VendorID" = 0x5ac
| | | | | | | | | "TrackpadFourFingerGestures" = Yes
| | | | | | | | | "Endianness" = 0x1
| | | | | | | | | "ProductID" = 0x27d
```



```

| | | | | | | | | | "bInterfaceProtocol" = 0x0
| | | | | | | | | | "bAlternateSetting" = 0x0
| | | | | | | | | | "idProduct" = 0x27d
| | | | | | | | | | "bcdDevice" = 0x928
| | | | | | | | | | "USB Interface Name" = "HID Relay"
| | | | | | | | | | "USB Product Name" = "Apple Internal Keyboard /
Trackpad"
| | | | | | | | | | "locationID" = 0xffffffff80500000
| | | | | | | | | | "bInterfaceClass" = 0x3
| | | | | | | | | | "bInterfaceSubClass" = 0x0
| | | | | | | | | | "IOCFPlugInTypes" = {"2d9786c6-9ef3-11d4-ad51-
000a27052861"="IOUSBHostFamily.kext/Contents/PlugIns/IOSLib.bundle"}
| | | | | | | | | | "USBPortType" = 0x2
| | | | | | | | | | "kUSBString" = "HID Relay"
| | | | | | | | | | "bInterfaceNumber" = 0x3
| | | | | | | | | | "bConfigurationValue" = 0x1
| | | | | | | | | | "USB Vendor Name" = "Apple Inc."
| | | | | | | | | | "idVendor" = 0x5ac
| | | | | | | | | | "IOServiceDXTentitlements" =
(("com.apple.developer.driverkit.transport.usb", "com.apple.developer.driverkit.b
uiltin"))
| | | | | | | | | | "bNumEndpoints" = 0x1
| | | | | | | | | | "IOEXMatchCount" = 0x1
| | | | | | | | | | "USB Serial Number" = "FM7923600JWKT58AQ+WDN"
| | | | | | | | | | "IOGeneralInterest" = "IOCommand is not
serializable"
| | | | | | | | | | "IOClassNameOverride" = "IOUSBInterface"
| | | | | | | | | | }
| | | | | | | | | | +-o AppleUserUSBHostHIDDevice <class
AppleUserHIDDevice, id 0x10000068b, registered, matched, active, busy 0 (13 ms),
retain 12<
| | | | | | | | | | {
| | | | | | | | | | "PrimaryUsagePage" = 0xff00
| | | | | | | | | | "MaxInputReportSize" = 0x10
| | | | | | | | | | "IOUserClientClass" = "IOHIDLibUserClient"
| | | | | | | | | | "VersionNumber" = 0x928
| | | | | | | | | | "VendorID" = 0x5ac
| | | | | | | | | | "ReportDescriptor" =
<0600ff090da1010600ff090d150026ff007508853f960f008102090d8553963f009102c0>
| | | | | | | | | | "Built-In" = Yes
| | | | | | | | | | "DebugState" =
{"SetReportCount"=0x3c, "SetReportTime"=0x6d89069}
| | | | | | | | | | "BootProtocol" = 0x0
| | | | | | | | | | "MaxFeatureReportSize" = 0x1
| | | | | | | | | | "Product" = "Apple Internal Keyboard / Trackpad"
| | | | | | | | | | "SerialNumber" = "FM7923600JWKT58AQ+WDN"
| | | | | | | | | | "Transport" = "USB"
| | | | | | | | | | "Elements" =
({"ReportID"=0x0, "ElementCookie"=0x1, "CollectionType"=0x1, "Type"=0x201, "Variable
Size"=0x0, "Elements"=({"VariableSize"=0x0, "UnitExponent"=0x0, "IsRelative"=No, "Us
agePage"=0xff00, "Max"=0xff, "isArray"=No, "Type"=0x1, "Size"=0x78, "Min"=0x0, "Flags"
=0x2, "ReportID"=0x3f, "Usage"=0xd, "ReportCount"=0x1, "Unit"=0x0, "HasNullState"=No,
"ReportSize"=0x78, "HasPreferredState"=Yes, "IsNonLinear"=No, "ScaledMin"=0x0, "IsWr
apping"=No, "ScaledMax"=0xff, "ElementCookie"=0x8},
{"VariableSize"=0x0, "UnitExponent"=0x0, "IsRelative"=No, $
"IOServiceDXTentitlements" =
"com.apple.developer.driverkit.family.hid.device"
"Manufacturer" = "Apple Inc."
"IOUserServerCDHash" =
"2a19a5c5d913aa2c3471e15ecea21afecba0ef78"
"ProductID" = 0x27d
"RegisterService" = No
"DeviceUsagePairs" =

```





















```

"com.apple.iokit.IOHIDFamily" | "CFBundleIdentifierKernel" =
|                               | "PrimaryUsage" = 0x5
|                               | "CountryCode" = 0x0
|                               | "HIDServiceSupport" = Yes
|                               | "IOGeneralInterest" = "IOCommand is not
serializable"                 |
|                               | "IOMatchCategory" = "IODefaultMatchCategory"
|                               | "StandardType" = 0x0
|                               | "IOProbeScore" = 0x1770
|                               | "HIDDKStart" = Yes
|                               | }
|                               | +-o IOHIDEventServiceUserClient <class
IOHIDEventServiceUserClient, id 0x100000588, !registered, !matched, active, busy
0, retain 6>
|                               | {
|                               |     "DebugState" =
{"EventQueue"={"NoFullMsg"=0x0, "tail"=0x0, "NotificationForce"=0x0, "NotificationC
ount"=0x0, "head"=0x0}}
|                               |     "IOUserClientCreator" = "pid 138,
WindowServer"                 |     "IOUserClientDefaultLocking" = Yes
|                               |     }
|                               | +-o IOUSBHostInterface@1 <class IOUSBHostInterface,
id 0x100000425, registered, matched, active, busy 0 (1 ms), retain 12>
|                               | {
|                               |     "USBSpeed" = 0x3
|                               |     "iInterface" = 0x0
|                               |     "IOServiceLegacyMatchingRegistryID" = 0x10000042e
|                               |     "bInterfaceProtocol" = 0x0
|                               |     "bAlternateSetting" = 0x0
|                               |     "idProduct" = 0x8302
|                               |     "bcdDevice" = 0x201
|                               |     "USB Product Name" = "Touch Bar Display"
|                               |     "locationID" = 0xffffffff80600000
|                               |     "bInterfaceClass" = 0x10
|                               |     "bInterfaceSubClass" = 0x0
|                               |     "IOCFPlugInTypes" = {"2d9786c6-9ef3-11d4-ad51-
000a27052861"="IOUSBHostFamily.kext/Contents/PlugIns/IOUSBLib.bundle"}
|                               |     "USBPortType" = 0x2
|                               |     "bConfigurationValue" = 0x2
|                               |     "bInterfaceNumber" = 0x1
|                               |     "USB Vendor Name" = "Apple Inc."
|                               |     "IOServiceDEXTentitlements" =
(("com.apple.developer.driverkit.transport.usb", "com.apple.developer.driverkit.b
uiltin"))
|                               |     "idVendor" = 0x5ac
|                               |     "bNumEndpoints" = 0x2
|                               |     "USB Serial Number" = "0000000000000000"
|                               |     "IOGeneralInterest" = "IOCommand is not
serializable"                 |
|                               |     "IOClassNameOverride" = "IOUSBInterface"
"com.apple.appledfr.client"   |     "UsbUserClientEntitlementRequired" =
|                               | }
|                               | +-o TouchBarServer <class
AppleUSBHostInterfaceUserClient, id 0x1000005df, !registered, !matched, active,
busy 0, retain 6>
|                               | {
|                               |     "UsbUserClientOwningTaskName" = "TouchBarServer"
|                               |     "IOUserClientCreator" = "pid 309,

```













```

{"DevicePowerState"=0x2,"CurrentPowerState"=0x2,"CapabilityFlags"=0x10000,"MaxPowerState"=0x3,"DriverPowerState"=0x0}
| | | | | | |
| | | | | | | "IOGeneralInterest" = "IOCommand is not serializable"
| | | | | | | "port-status" = 0x2
| | | | | | | "port" = &lt;08000000&gt;
| | | | | | | }
| | | | | | | +-o AppleUSBVHCIPort@80900000 &lt;class AppleUSBVHCIPort,
id 0x1000003bc, registered, matched, active, busy 0 (0 ms), retain 9&gt;
| | | | | | | {
| | | | | | | "locationID" = 0xffffffff80900000
| | | | | | | "port-statistics" =
{"kPortStatEOF2ViolationCurrentConnectCount"=0x0,"kPortStatEOF2ViolationDuringResetCount"=0x0,"kPortStatPowerStateTime"={"kPowerStateOff"=0ms
(0%),"kPowerStateSleep"=2055ms (0%),"kPowerStateOn"=92ms
(0%),"kPowerStateSuspended"=255048ms
(99%)},"kPortStatConnectCount"=0x0,"kPortStatRemoteWakeCount"=0x0,"kPortStatEOF2ViolationRecoveryDuringResetCount"=0x0,"kPortStatAddressFailureCount"=0x0,"kPortStatEOF2ViolationCount"=0x0,"kPortStatEnumerationFailureCount"=0x0,"kPortStatOverCurrentCount"=0x0,$
| | | | | | | "IOPowerManagement" =
{"DevicePowerState"=0x2,"CurrentPowerState"=0x2,"CapabilityFlags"=0x10000,"MaxPowerState"=0x3,"DriverPowerState"=0x0}
| | | | | | | "IOGeneralInterest" = "IOCommand is not serializable"
| | | | | | | "port-status" = 0x2
| | | | | | | "port" = &lt;09000000&gt;
| | | | | | | }
| | | | | | | +-o AppleUSBVHCIPort@80a00000 &lt;class AppleUSBVHCIPort,
id 0x1000003bd, registered, matched, active, busy 0 (0 ms), retain 9&gt;
| | | | | | | {
| | | | | | | "locationID" = 0xffffffff80a00000
| | | | | | | "port-statistics" =
{"kPortStatEOF2ViolationCurrentConnectCount"=0x0,"kPortStatEOF2ViolationDuringResetCount"=0x0,"kPortStatPowerStateTime"={"kPowerStateOff"=0ms
(0%),"kPowerStateSleep"=2055ms (0%),"kPowerStateOn"=128ms
(0%),"kPowerStateSuspended"=255016ms
(99%)},"kPortStatConnectCount"=0x0,"kPortStatRemoteWakeCount"=0x0,"kPortStatEOF2ViolationRecoveryDuringResetCount"=0x0,"kPortStatAddressFailureCount"=0x0,"kPortStatEOF2ViolationCount"=0x0,"kPortStatEnumerationFailureCount"=0x0,"kPortStatOverCurrentCount"=0x0,$
| | | | | | | "IOPowerManagement" =
{"DevicePowerState"=0x2,"CurrentPowerState"=0x2,"CapabilityFlags"=0x10000,"MaxPowerState"=0x3,"DriverPowerState"=0x0}
| | | | | | | "IOGeneralInterest" = "IOCommand is not serializable"
| | | | | | | "port-status" = 0x2
| | | | | | | "port" = &lt;0a000000&gt;
| | | | | | | }
| | | | | | | +-o AppleUSBVHCIPort@80b00000 &lt;class AppleUSBVHCIPort,
id 0x1000003be, registered, matched, active, busy 0 (0 ms), retain 9&gt;
| | | | | | | {
| | | | | | | "locationID" = 0xffffffff80b00000
| | | | | | | "port-statistics" =
{"kPortStatEOF2ViolationCurrentConnectCount"=0x0,"kPortStatEOF2ViolationDuringResetCount"=0x0,"kPortStatPowerStateTime"={"kPowerStateOff"=0ms
(0%),"kPowerStateSleep"=2054ms (0%),"kPowerStateOn"=70ms
(0%),"kPowerStateSuspended"=255065ms
(99%)},"kPortStatConnectCount"=0x0,"kPortStatRemoteWakeCount"=0x0,"kPortStatEOF2ViolationRecoveryDuringResetCount"=0x0,"kPortStatAddressFailureCount"=0x0,"kPortStatEOF2ViolationCount"=0x0,"kPortStatEnumerationFailureCount"=0x0,"kPortStatOverCurrentCount"=0x0,$
| | | | | | | "IOPowerManagement" =
{"DevicePowerState"=0x2,"CurrentPowerState"=0x2,"CapabilityFlags"=0x10000,"MaxPowerState"=0x3,"DriverPowerState"=0x0}

```





```

| | | | | +o iop-nub,sep <class AppleSEPIntelIOPNub, id
0x10000033f, registered, matched, active, busy 0 (0 ms), retain 6>
| | | | | {
| | | | | }
| | | | | +o AppleSEPManager <class AppleSEPManager, id
0x100000340, registered, matched, active, busy 0 (0 ms), retain 13>
| | | | | {
| | | | | "IOProbeScore" = 0x0
| | | | | "CFBundleIdentifier" =
"com.apple.driver.AppleSEPManager"
| | | | | "IOProviderClass" = "AppleSEPIntelIOPNub"
| | | | | "IOClass" = "AppleSEPManager"
| | | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | | "CFBundleIdentifierKernel" =
"com.apple.driver.AppleSEPManager"
| | | | | "IONameMatch" = "iop-nub,sep"
| | | | | "IOUserClientClass" = "AppleSEPUserClient"
| | | | | "IONameMatched" = "iop-nub,sep"
| | | | | "IOPowerManagement" =
{"ChildrenPowerState"=0x1,"CurrentPowerState"=0x1,"CapabilityFlags"=0x8000,"MaxP
owerState"=0x1}
| | | | | }
| | | | | +o ADIO@0,3 <class IOPCIDevice, id 0x1000002a7, registered,
matched, active, busy 0 (117 ms), retain 10>
| | | | | {
| | | | | "assigned-addresses" =
<100302c24000000000000c011000000000004000180302c2400000000001812000000000000
0800200302c24000000000002312000000000000100>
| | | | | "IOInterruptSpecifiers" = (<0e00000000000100>);
| | | | | "class-code" = <00010400>;
| | | | | "IODeviceMemory" =
({{"address"=0x4011c00000,"length"=0x400000}),
({{"address"=0x4012180000,"length"=0x80000}),
({{"address"=0x4012230000,"length"=0x10000})}
| | | | | "IOPowerManagement" =
{"ChildrenPowerState"=0x2,"CurrentPowerState"=0x2,"CapabilityFlags"=0x102,"Child
ProxyPowerState"=0x2,"MaxPowerState"=0x3}
| | | | | "subsystem-vendor-id" = <6b100000>;
| | | | | "built-in" = <00>;
| | | | | "acpi-device" = "IOACPIPlatformDevice is not serializable"
| | | | | "pci-aspm-default" = 0x102
| | | | | "IOInterruptControllers" =
("IOPCIMessageInterruptController")
| | | | | "vendor-id" = <6b100000>;
| | | | | "name" = <706369313036622c3138303300>;
| | | | | "device-id" = <03180000>;
| | | | | "IOChildIndex" = 0x4
| | | | | "acpi-pmcap-offset" = 0x40
| | | | | "IOPCIResourced" = Yes
| | | | | "compatible" =
<706369313036622c3138383500706369313036622c3138303300706369636c6173732c303430
313030004144494f00>;
| | | | | "IOServiceDEXTitlements" =
(("com.apple.developer.driverkit.transport.pci"))
| | | | | "IOPCIExpressLinkCapabilities" = 0x477843
| | | | | "acpi-path" = "IOACPIPlane:/_SB/PCI0@0/RP09@1d0000/ADIO@3"
| | | | | "subsystem-id" = <85180000>;
| | | | | "revision-id" = <01000000>;
| | | | | "IOPCIExpressLinkStatus" = 0x1043
| | | | | "IOPCIExpressCapabilities" = 0x2
| | | | | "pcidebug" = "2:0:3"
| | | | | "IOName" = "pci106b,1803"

```



```

| | | | "reg" =
<00030200000000000000000000000000000000000000000001003024200000000000000000000000000000
4000180302420000000000000000000000000000000000008002003024200000000000000000000000000000
0100>;
| | | | }
| | | | +-o BridgeAudioControllerPCI <class
BridgeAudioControllerPCI, id 0x1000004e9, registered, matched, active, busy 0 (0
ms), retain 8>;
| | | | {
| | | | "IOClass" = "BridgeAudioControllerPCI"
| | | | "CFBundleIdentifier" =
"com.apple.driver.AppleBridgeAudioController"
| | | | "IOProviderClass" = "IOPCIDevice"
| | | | "IOPowerManagement" =
{"CapabilityFlags"=0x8000,"MaxPowerState"=0x1,"CurrentPowerState"=0x1}
| | | | "IOUserClientClass" = "BridgeAudioControllerUserClient"
| | | | "IOProbeScore" = 0x0
| | | | "IONameMatch" = "ADIO"
| | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | "IONameMatched" = "ADIO"
| | | | "IOPersonalityPublisher" =
"com.apple.driver.AppleBridgeAudioController"
| | | | "IOKitDebug" = 0xffff
| | | | "CFBundleIdentifierKernel" =
"com.apple.driver.AppleBridgeAudioController"
| | | | }
| | | | +-o BridgeAudioControllerUserClient <class
BridgeAudioControllerUserClient, id 0x100000512, !registered, !matched, active,
busy 0, retain 6>;
| | | | {
| | | | "IOUserClientCreator" = "pid 180, coreaudiod"
| | | | "IOUserClientDefaultLocking" = Yes
| | | | }
| | | | +-o URT0@1E <class IOPCIDevice, id 0x1000002ae, registered,
matched, active, busy 0 (247 ms), retain 10>;
| | | | {
| | | | "assigned-addresses" =
<10f0008240000000006041120000000000100000>;
| | | | "IOInterruptSpecifiers" = (<1400000007000000>;)
| | | | "class-code" = <00800700>;
| | | | "uart-channel-number" = <0000000000000000>;
| | | | "IODeviceMemory" = ({"address"=0x4012416000,"length"=0x1000})
| | | | "IOReportLegendPublic" = Yes
| | | | "IOPowerManagement" =
{"ChildrenPowerState"=0x2,"CurrentPowerState"=0x2,"CapabilityFlags"=0x102,"Child
ProxyPowerState"=0x2,"MaxPowerState"=0x3}
| | | | "subsystem-vendor-id" = <86800000>;
| | | | "built-in" = <00>;
| | | | "acpi-device" = "IOACPIPlatformDevice is not serializable"
| | | | "IOInterruptControllers" = ("io-apic-0")
| | | | "vendor-id" = <86800000>;
| | | | "name" = <706369383038362c3964613800>;
| | | | "device-id" = <a89d0000>;
| | | | "IOPCIResourced" = Yes
| | | | "compatible" =
<706369383038362c3732373000706369383038362c3964613800706369636c6173732c303738
303030005552543000>;
| | | | "IOServiceDextEntitlements" =
(("com.apple.developer.driverkit.transport.pci"))
| | | | "acpi-path" = "IOACPIPlane:/_SB/PCI0@0/URT0@1e0000"
| | | | "subsystem-id" = <70720000>;

```

```
| | | | "revision-id" = <30000000>;
| | | | "IOPCIMCSState" = 0xb
| | | | "pcidebug" = "0:30:0"
| | | | "IOName" = "pci8086,9da8"
| | | | "IOReportLegend" = ({"IOReportGroupName"="Interrupt Statistics
(by index)", "IOReportChannels"=(0x496e747200000000, 0x100020001, "
First Level Interrupt Handler Count"), (0x496e747200000001, 0x100020001, "
Second Level Interrupt Handler Count"), (0x496e747200000002, 0x100020001, "
First Level Interrupt Handler Time (MATUs)", (0x496e747200000003, 0x100020001, "
Second Level Interrupt Handler CPU Time (MATUs)",
(0x496e747200000004, 0x100020001, "Second Level Interrupt Handler System Time
(MATUs)")), "IORepo$
| | | | "reg" =
<00f0000000000000000000000000000000000000000000000000000000000000000010f000020000000000000000000000000000000
0000>;
| | | | }
| | | |
| | | | +-o AppleIntelLpssUARTv1 <class AppleIntelLpssUARTv1, id
0x1000004c3, !registered, !matched, active, busy 0 (167 ms), retain 6>;
| | | | {
| | | |     "IOClass" = "AppleIntelLpssUARTv1"
| | | |     "CFBundleIdentifier" = "com.apple.driver.AppleIntelLpssUARTv1"
| | | |     "IOProviderClass" = "IOPCIDevice"
| | | |     "IOTTYBaseName" = "URT0"
| | | |     "compatible" = <>;
| | | |     "IOPowerManagement" =
{"CapabilityFlags"=0x8000, "MaxPowerState"=0x1, "CurrentPowerState"=0x1}
| | | |     "IOProbeScore" = 0x3e8
| | | |     "IONameMatch" = ("URT0", "URT1", "URT2")
| | | |     "Master Clock" = 0x0
| | | |     "IOMatchCategory" = "IODefaultMatchCategory"
| | | |     "LpssUartUseSclkRange" = 0x0
| | | |     "IONameMatched" = "URT0"
| | | |     "IOPersonalityPublisher" =
"com.apple.driver.AppleIntelLpssUARTv1"
| | | |     "CFBundleIdentifierKernel" =
"com.apple.driver.AppleIntelLpssUARTv1"
| | | |     "IOTTYSuffix" = ""
| | | | }
| | | | +-o AppleSimpleUARTSync <class AppleSimpleUARTSync, id
0x1000004c5, registered, matched, active, busy 0 (167 ms), retain 9>;
| | | | {
| | | |     "serial flow control" = 0x0
| | | |     "compatible" = <>;
| | | |     "HiddenPort" = Yes
| | | |     "IOTTYBaseName" = "URT0"
| | | |     "serial state" = 0x0
| | | |     "serial data width" = 0x0
| | | |     "serial parity" = 0x0
| | | |     "serial baud rate" = 0x0
| | | |     "IOTTYSuffix" = ""
| | | |     "serial stop bits" = 0x0
| | | | }
| | | | +-o AppleOnboardSerialBSDClient <class
AppleOnboardSerialBSDClient, id 0x1000004f3, !registered, !matched, active, busy
0, retain 5>;
| | | | {
| | | |     "IOProbeScore" = 0x3e8
| | | |     "CFBundleIdentifier" =
"com.apple.driver.AppleOnboardSerial"
| | | |     "IOMatchCategory" = "AppleOnboardSerialBSDClient"
| | | |     "IOClass" = "AppleOnboardSerialBSDClient"
```

```

| | | | "IOPersonalityPublisher" =
"com.apple.driver.AppleOnboardSerial"
| | | | "IOProviderClass" = "AppleOnboardSerialSync"
| | | | "CFBundleIdentifierKernel" =
"com.apple.driver.AppleOnboardSerial"
| | | | "IOResourceMatch" = "IOBSD"
| | | | }
| | | | +-o IOSerialBSDClient <class IOSerialBSDClient, id
0x10000004f4, registered, matched, active, busy 0 (0 ms), retain 5>&
| | | | {
| | | | "IOClass" = "IOSerialBSDClient"
| | | | "CFBundleIdentifier" = "com.apple.iokit.IOSerialFamily"
| | | | "IOProviderClass" = "IOSerialStreamSync"
| | | | "IOTTYBaseName" = "URT0"
| | | | "IOSerialBSDClientType" = "IORS232SerialStream"
| | | | "IOProbeScore" = 0x3e8
| | | | "IOResourceMatch" = "IOBSD"
| | | | "IOCalloutDevice" = "/dev/cu.URT0"
| | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | "IOTTYDevice" = "URT0"
| | | | "IODialinDevice" = "/dev/tty.URT0"
| | | | "IOPersonalityPublisher" =
"com.apple.iokit.IOSerialFamily"
| | | | "CFBundleIdentifierKernel" =
"com.apple.iokit.IOSerialFamily"
| | | | "IOTTYSuffix" = ""
| | | | }
| | | | +-o LPCB@1F <class IOPCIDevice, id 0x1000002a8, registered,
matched, active, busy 0 (0 ms), retain 17>&
| | | | {
| | | | "name" = <706369383038362c3964383400>&
| | | | "subsystem-vendor-id" = <86800000>&
| | | | "compatible" =
<706369383038362c3732373000706369383038362c3964383400706369636c6173732c303630
313030004c50434200>&
| | | | "IOName" = "pci8086,9d84"
| | | | "reg" = <00f8000000000000000000000000000000000000000000000000000000000000>&
| | | | "device-id" = <849d0000>&
| | | | "IOServiceDEXTitlements" =
(("com.apple.developer.driverkit.transport.pci"))
| | | | "IOPowerManagement" =
{"CurrentPowerState"=0x2,"CapabilityFlags"=0x102,"ChildProxyPowerState"=0x2,"Max
PowerState"=0x3}
| | | | "built-in" = <00>&
| | | | "IOPCIResourced" = Yes
| | | | "revision-id" = <30000000>&
| | | | "vendor-id" = <86800000>&
| | | | "pcidebug" = "0:31:0"
| | | | "class-code" = <00010600>&
| | | | "acpi-path" = "IOACPIPlane:/_SB/PCI0@0/LPCB@1f0000"
| | | | "subsystem-id" = <70720000>&
| | | | "acpi-device" = "IOACPIPlatformDevice is not serializable"
| | | | }
| | | | +-o HDEF@1F,3 <class IOPCIDevice, id 0x1000002a9, registered,
matched, active, busy 0 (47 ms), retain 10>&
| | | | {
| | | | "assigned-addresses" =
<10fb0082400000000000004112000000000040000020fb0082400000000000301200000000000
1000>&
| | | | "IOInterruptSpecifiers" =
(<1000000007000000>&;<0c00000000000100>&);

```

```

| | | | "No-idle-support" = <>3000>;
| | | | "class-code" = <>00030400<;
| | | | "IODeviceMemory" = (({"address"=0x4012410000,"length"=0x4000}),
({"address"=0x4012300000,"length"=0x100000}))
| | | | "IOReportLegendPublic" = Yes
| | | | "IOPowerManagement" =
{"ChildrenPowerState"=0x0,"CurrentPowerState"=0x0,"CapabilityFlags"=0x0,"ChildPro
oxyPowerState"=0x2,"MaxPowerState"=0x3}
| | | | "subsystem-vendor-id" = <>86800000<;
| | | | "built-in" = <>00<;
| | | | "acpi-device" = "IOACPIPlatformDevice is not serializable"
| | | | "hda-gfx" = <>6f6e626f6172642d3100<;
| | | | "IOInterruptControllers" = ("io-
apic-0","IOPCIMessageInterruptController")
| | | | "IOPCIMSIMode" = Yes
| | | | "vendor-id" = <>86800000<;
| | | | "name" = <>706369383038362c3964633800<;
| | | | "device-id" = <>c89d0000<;
| | | | "acpi-pmcap-offset" = 0x50
| | | | "IOPCIResourced" = Yes
| | | | "layout-id" = <>00000000<;
| | | | "compatible" =
<>706369383038362c3732373000706369383038362c3964633800706369636c6173732c303430
333030004844454600<;
| | | | "IOServiceDEXTentitlements" =
(("com.apple.developer.driverkit.transport.pci"))
| | | | "acpi-path" = "IOACPIPlane:/_SB/PCI0@0/HDEF@1f0003"
| | | | "subsystem-id" = <>70720000<;
| | | | "revision-id" = <>30000000<;
| | | | "pcidebug" = "0:31:3"
| | | | "IOName" = "pci8086,9dc8"
| | | | "IOReportLegend" = ({"IOReportGroupName"="Interrupt Statistics
(by index)","IOReportChannels"=((0x496e747200010000,0x100020001,"
First Level Interrupt Handler Count"),(0x496e747200010001,0x100020001,"
Second Level Interrupt Handler Count"),(0x496e747200010002,0x100020001,"
First Level Interrupt Handler Time (MATUs)"),(0x496e747200010003,0x100020001,"
Second Level Interrupt Handler CPU Time (MATUs)"),
(0x496e747200010004,0x100020001,"Second Level Interrupt Handler System Time
(MATUs)")), "IORepo$
| | | | "reg" =
<>00fb0000000000000000000000000010fb00020000000000000000000000000040
000020fb0002000000000000000000000000001000<;
| | | | }
| | | | }
| | | | +-o AppleGFXHDA8086_9DC8Controller@1F,3 <>class
AppleGFXHDA8086_9DC8Controller, id 0x1000004ab, registered, matched, active,
busy 0 (0 ms), retain 8<>
| | | | {
| | | | "IOClass" = "AppleGFXHDA8086_9DC8Controller"
| | | | "IOHDAClockStop" = Yes
| | | | "HighFIFOLimitSupport" = ()
| | | | "IOPersonalityPublisher" = "com.apple.driver.AppleGFXHDA"
| | | | "RequireMaxBusStall" = ({"Layouts"=(), "MaxBusStall"=0x3a98})
| | | | "HDAControllerIndex" = 0x0
| | | | "IOPowerManagement" =
{"DevicePowerState"=0x0,"CurrentPowerState"=0x0,"CapabilityFlags"=0x0,"MaxPowerS
tate"=0x2}
| | | | "IOProviderClass" = "IOPCIDevice"
| | | | "InputLowPower" = No
| | | | "IOProbeScore" = 0x1
| | | | "HDAU BDF" = 0xf803
| | | | "CFBundleIdentifierKernel" = "com.apple.driver.AppleGFXHDA"
| | | | "GFXPowerControl" = 0x0
| | | | "IOMatchCategory" = "IODefaultMatchCategory"

```

```

| | | "CFBundleIdentifier" = "com.apple.driver.AppleGFXHDA"
| | | "DPAlwaysDisplayRouting" = (0x3, 0x21, 0x23, 0x58)
| | | "DPAudioDeviceExclusion" =
({ "ManufacturerID"=0x610, "ProductID"=0x2792})
| | | "OutputLowPower" = Yes
| | | "IOKitDebug" = 0x0
| | | "IOPCIMatch" = "0x9DC88086 0xA3488086"
| | | }
| | | +-o SBUS@1F,4 <class IOPCIDevice, id 0x1000002aa, registered,
matched, active, busy 0 (89 ms), retain 10&gt;
| | | {
| | | "assigned-addresses" =
&lt;10fc00824000000000a0411200000000001000020fc008100000000403000000000002000
0000&gt;;
| | | "IOInterruptSpecifiers" = (&lt;1000000007000000&gt;);
| | | "class-code" = &lt;00050c00&gt;;
| | | "IODeviceMemory" =
(({ "address"=0x401241a000, "length"=0x100}), "IOSubMemoryDescriptor is not
serializable")
| | | "IOPowerManagement" =
{ "CurrentPowerState"=0x2, "CapabilityFlags"=0x102, "ChildProxyPowerState"=0x2, "Max
PowerState"=0x3}
| | | "subsystem-vendor-id" = &lt;86800000&gt;;
| | | "built-in" = &lt;00&gt;;
| | | "acpi-device" = "IOACPIPlatformDevice is not serializable"
| | | "IOInterruptControllers" = ("io-apic-0")
| | | "vendor-id" = &lt;86800000&gt;;
| | | "name" = &lt;706369383038362c3964613300&gt;;
| | | "device-id" = &lt;a39d0000&gt;;
| | | "IOPCIResourced" = Yes
| | | "compatible" =
&lt;706369383038362c3732373000706369383038362c3964613300706369636c6173732c306330
353030005342555300&gt;;
| | | "IOServiceDEXTentitlements" =
(("com.apple.developer.driverkit.transport.pci"))
| | | "acpi-path" = "IOACPIPlane:/_SB/PCI0@0/SBUS@1f0004"
| | | "subsystem-id" = &lt;70720000&gt;;
| | | "revision-id" = &lt;30000000&gt;;
| | | "pcidebug" = "0:31:4"
| | | "IOName" = "pci8086,9da3"
| | | "reg" =
&lt;00fc00000000000000000000000000000000000000000000000000000000000010fc0002000000000000000000000000000000
000020fc0001000000000000000000000000000020000000&gt;;
| | | }
| | | +-o XSPI@1F,5 <class IOPCIDevice, id 0x1000002ad, registered,
matched, active, busy 0 (0 ms), retain 8&gt;
| | | {
| | | "name" = &lt;706369383038362c3964613400&gt;;
| | | "pci-device-hidden" = &lt;0100000000000000&gt;;
| | | "subsystem-vendor-id" = &lt;86800000&gt;;
| | | "compatible" =
&lt;706369383038362c3732373000706369383038362c3964613400706369636c6173732c306338
303030005853504900&gt;;
| | | "IOName" = "pci8086,9da4"
| | | "reg" = &lt;00fd000000000000000000000000000000000000000000000000000000000000&gt;;
| | | "device-id" = &lt;a49d0000&gt;;
| | | "IOServiceDEXTentitlements" =
(("com.apple.developer.driverkit.transport.pci"))
| | | "IOPowerManagement" =
{ "CurrentPowerState"=0x2, "CapabilityFlags"=0x102, "ChildProxyPowerState"=0x2, "Max
PowerState"=0x3}
| | | "built-in" = &lt;00&gt;;

```

```

| |         "IOPCIResourced" = Yes
| |         "revision-id" = <<30000000>>;
| |         "vendor-id" = <<86800000>>;
| |         "pcidebug" = "0:31:5"
| |         "class-code" = <<00800c00>>;
| |         "acpi-path" = "IOACPIPlane:/_SB/PCI0@0/XSPI@1f0005"
| |         "subsystem-id" = <<70720000>>;
| |         "acpi-device" = "IOACPIPlatformDevice is not serializable"
| |     }
| |
| +-o DMAC <<class IOACPIPlatformDevice, id 0x1000001ed, registered,
matched, active, busy 0 (0 ms), retain 7>>;
| |     {
| |         "name" = <<504e503032303000>>;
| |         "_STA" = 0xffffffffffffffff
| |         "IODeviceMemory" = (({"address"=0x0,"length"=0x20}),
({"address"=0x81,"length"=0x11}), {"address"=0x93,"length"=0xd}),
({"address"=0xc0,"length"=0x20}))
| |     }
| |
| +-o FWHD <<class IOACPIPlatformDevice, id 0x1000001ee, registered,
matched, active, busy 0 (0 ms), retain 7>>;
| |     {
| |         "name" = <<494e543038303000>>;
| |         "_STA" = 0xffffffffffffffff
| |         "IODeviceMemory" = (({"address"=0xff000000,"length"=0x1000000}))
| |     }
| |
| +-o IPIC <<class IOACPIPlatformDevice, id 0x1000001ef, registered,
matched, active, busy 0 (0 ms), retain 7>>;
| |     {
| |         "_STA" = 0xffffffffffffffff
| |         "IODeviceMemory" = (({"address"=0x20,"length"=0x2}),
({"address"=0x24,"length"=0x2}), {"address"=0x28,"length"=0x2}),
({"address"=0x2c,"length"=0x2}), {"address"=0x30,"length"=0x2}),
({"address"=0x34,"length"=0x2}), {"address"=0x38,"length"=0x2}),
({"address"=0x3c,"length"=0x2}), {"address"=0xa0,"length"=0x2}),
({"address"=0xa4,"length"=0x2}), {"address"=0xa8,"length"=0x2}),
({"address"=0xac,"length"=0x2}), {"address"=0xb0,"length"=0x2}),
({"address"=0xb4,"length"=0x2}), {"address"=0xb8,"length"=0x2}),
({"address"=0xbc,"length"=0x2}), {"ad$
| |         "IOInterruptControllers" = ("io-apic-0")
| |         "IOInterruptSpecifiers" = (<<0200000000000000>>);
| |         "name" = <<504e503030303000>>;
| |     }
| |
| +-o MATH <<class IOACPIPlatformDevice, id 0x1000001f0, registered,
matched, active, busy 0 (0 ms), retain 7>>;
| |     {
| |         "_STA" = 0xffffffffffffffff
| |         "IODeviceMemory" = (({"address"=0xf0,"length"=0x1}))
| |         "IOInterruptControllers" = ("io-apic-0")
| |         "IOInterruptSpecifiers" = (<<0d00000000000000>>);
| |         "name" = <<504e503043303400>>;
| |     }
| |
| +-o LDRC <<class IOACPIPlatformDevice, id 0x1000001f1, registered,
matched, active, busy 0 (0 ms), retain 7>>;
| |     {
| |         "_STA" = 0xffffffffffffffff
| |         "IODeviceMemory" = (({"address"=0x2e,"length"=0x2}),
({"address"=0x4e,"length"=0x2}), {"address"=0x61,"length"=0x1}),
({"address"=0x63,"length"=0x1}), {"address"=0x65,"length"=0x1}),
({"address"=0x67,"length"=0x1}), {"address"=0x80,"length"=0x1}),

```

```

({"address"=0x92, "length"=0x1}), {"address"=0xb2, "length"=0x2}),
({"address"=0xffff, "length"=0x1}), {"address"=0x1800, "length"=0xff}),
({"address"=0x800, "length"=0x80}))
| | |
| | |   "_UID" = "2"
| | |   "name" = <504e503043303200>;
| | | }
| | |
| | | +-o ARTC <class IOACPIPlatformDevice, id 0x1000001f2, registered,
matched, active, busy 0 (31 ms), retain 8>;
| | | {
| | |   "name" = <414350493030304500>;
| | |   "_STA" = 0xffffffffffffffff
| | | }
| | |
| | | +-o AppleSMCRTC <class AppleSMCRTC, id 0x1000002bc, registered,
matched, active, busy 0 (0 ms), retain 8>;
| | | {
| | |   "IOProbeScore" = 0x0
| | |   "CFBundleIdentifier" = "com.apple.driver.AppleSMCRTC"
| | |   "IOProviderClass" = "IOACPIPlatformDevice"
| | |   "IOClass" = "AppleSMCRTC"
| | |   "IOPersonalityPublisher" = "com.apple.driver.AppleSMCRTC"
| | |   "CFBundleIdentifierKernel" = "com.apple.driver.AppleSMCRTC"
| | |   "IOMatchCategory" = "IODefaultMatchCategory"
| | |   "IONameMatch" = "ACPI000E"
| | |   "IOPowerManagement" =
{"CapabilityFlags"=0x0, "MaxPowerState"=0x1, "CurrentPowerState"=0x1}
| | |   "IONameMatched" = "ACPI000E"
| | |   "IOPlatformWakeAction" = 0x2710
| | | }
| | |
| | | +-o TIMR <class IOACPIPlatformDevice, id 0x1000001f3, registered,
matched, active, busy 0 (0 ms), retain 7>;
| | | {
| | |   "name" = <504e503031303000>;
| | |   "_STA" = 0xffffffffffffffff
| | |   "IODeviceMemory" = (({"address"=0x40, "length"=0x4}),
({"address"=0x50, "length"=0x4}))
| | | }
| | |
| | | +-o SMC <class IOACPIPlatformDevice, id 0x1000001f4, registered,
matched, active, busy 0 (123 ms), retain 8>;
| | | {
| | |   "IODeviceMemory" = (({"address"=0x300, "length"=0x20}),
({"address"=0xfe0b0000, "length"=0x10000}))
| | |   "compatible" = <736d632d6875726f6e726976657200>;
| | |   "IOReportLegendPublic" = Yes
| | |   "IOInterruptControllers" = ("io-apic-0")
| | |   "_STA" = 0xb
| | |   "IOInterruptSpecifiers" = (<0600000000000000>;)
| | |   "name" = <4150503030303100>;
| | |   "IOReportLegend" = ("IOReportGroupName"="Interrupt Statistics (by
index)", "IOReportChannels"=(0x496e747200000000, 0x100020001, "
First Level Interrupt Handler Count"), (0x496e747200000001, 0x100020001, "
Second Level Interrupt Handler Count"), (0x496e747200000002, 0x100020001, "
First Level Interrupt Handler Time (MATUs)"), (0x496e747200000003, 0x100020001, "
Second Level Interrupt Handler CPU Time (MATUs)"),
(0x496e747200000004, 0x100020001, "Second Level Interrupt Handler System Time
(MATUs)")), "IOReportCh$
| | | }
| | |
| | | +-o AppleSMC <class AppleSMC, id 0x1000002bb, registered, matched,
active, busy 0 (104 ms), retain 17>;
| | | {

```

```

| | | "IOClass" = "AppleSMC"
| | | "NumIrqMissWithKeyStatOk" = 0x0
| | | "IOPlatformSleepAction" = 0xffffffffffffffff
| | | "IOPlatformPanicAction" = 0x15ba8
| | | "IOPersonalityPublisher" = "com.apple.driver.AppleSMC"
| | | "ShutdownCause" = "1"
| | | "IOPowerManagement" =
{"CapabilityFlags"=0x8000,"MaxPowerState"=0x1,"CurrentPowerState"=0x1}
| | | "IOProviderClass" = "IOACPIPlatformDevice"
| | | "SleepCause" = "5"
| | | "IOProbeScore" = 0x7d0
| | | "IOUserClientClass" = "AppleSMCClient"
| | | "smc-count" = 0x1
| | | "IOMode" = "MMIO"
| | | "NumDirtyArbitration" = 0x0
| | | "IONameMatch" = "APP0001"
| | | "IOPlatformHaltRestartAction" = 0x15ba8
| | | "NumIrqMissing" = 0x0
| | | "CFBundleIdentifierKernel" = "com.apple.driver.AppleSMC"
| | | "Generation" = 0x3
| | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | "CFBundleIdentifier" = "com.apple.driver.AppleSMC"
| | | "IONameMatched" = "APP0001"
| | | "NumIrqMissWithAttnSet" = 0x0
| | | "NumIrqMissWithKeyDoneSet" = 0x0
| | | "IOPlatformWakeAction" = 0xffffffffffffffff
| | | }
| | | +-o SMCWatchDogTimer <class SMCWatchDogTimer, id 0x1000002c4,
registered, matched, active, busy 0 (1 ms), retain 7>;
| | | {
| | | | "PanicWatchdogEnabled" = Yes
| | | }
| | | +-o IOWatchdogUserClient <class IOWatchdogUserClient, id
0x10000043d, registered, matched, active, busy 0 (1 ms), retain 6>;
| | | {
| | | | "IOUserClientCreator" = "pid 93, watchdogd"
| | | | "IOUserClientDefaultLocking" = Yes
| | | }
| | | +-o KextAudit <class KextAudit, id 0x1000002e7, registered,
matched, active, busy 0 (0 ms), retain 6>;
| | | {
| | | | "IOProbeScore" = 0x0
| | | | "CFBundleIdentifier" = "com.apple.private.KextAudit"
| | | | "IOMatchCategory" = "KextAudit"
| | | | "IOClass" = "KextAudit"
| | | | "IOPersonalityPublisher" = "com.apple.private.KextAudit"
| | | | "IOProviderClass" = "AppleSMC"
| | | | "CFBundleIdentifierKernel" = "com.apple.private.KextAudit"
| | | | "IOUserClientClass" = "KextAuditUserClient"
| | | }
| | | +-o KextAuditUserClient <class KextAuditUserClient, id
0x100000464, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | | | "IOUserClientCreator" = "pid 99, kernelmanagerd"
| | | | "IOUserClientDefaultLocking" = Yes
| | | }
| | | +-o AppleSMCPMC <class AppleSMCPMC, id 0x1000004b7, registered,
matched, active, busy 0 (0 ms), retain 5>;
| | | {

```



```

| | | "IOProbeScore" = 0x7d0
| | | "CFBundleIdentifier" = "com.apple.driver.AppleIntelPCHPMC"
| | | "IOMatchCategory" = "AppleSMCPMC"
| | | "IOClass" = "AppleSMCPMC"
| | | "IOPersonalityPublisher" = "com.apple.driver.AppleIntelPCHPMC"
| | | "IOPropertyMatch" = {"Generation"=0x3}
| | | "IOProviderClass" = "AppleSMC"
| | | "CFBundleIdentifierKernel" = "com.apple.driver.AppleIntelPCHPMC"
| | | }
| | +-o AppleSMCClient <class AppleSMCClient, id 0x1000005f1, !
registered, !matched, active, busy 0, retain 6>;
| | | {
| | | "IOUserClientCreator" = "pid 124, PerfPowerService"
| | | "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o AppleSMCClient <class AppleSMCClient, id 0x1000005f8, !
registered, !matched, active, busy 0, retain 6>;
| | | {
| | | "IOUserClientCreator" = "pid 77, systemstats"
| | | "IOUserClientDefaultLocking" = Yes
| | | }
| +-o EC <class IOACPIPlatformDevice, id 0x1000001f5, registered,
matched, active, busy 0 (5 ms), retain 11>;
| | {
| | "_STA" = 0xffffffffffffffff
| | "IODeviceMemory" = (({"address"=0x62, "length"=0x1}),
({"address"=0x66, "length"=0x1}))
| | "_UID" = "0"
| | "IOGeneralInterest" = "IOCommand is not serializable"
| | "name" = <504e503043303900>;
| | "acpi-wake-gpe" = 0x6f
| | }
| +-o SMB0 <class IOACPIPlatformDevice, id 0x1000001f6, registered,
matched, active, busy 0 (4 ms), retain 10>;
| | {
| | "name" = <414350493030303100>;
| | "_STA" = 0xf
| | }
| +-o AppleECSMBusController <class AppleECSMBusController, id
0x1000002bd, registered, matched, active, busy 0 (4 ms), retain 6>;
| | {
| | "_SBS" = 0x1
| | "IOSMBusSmartBatteryManager" = Yes
| | }
| +-o AppleSmartBatteryManager <class AppleSmartBatteryManager, id
0x1000002c7, registered, matched, active, busy 0 (0 ms), retain 7>;
| | {
| | "IOPropertyMatch" = {"IOSMBusSmartBatteryManager"=Yes}
| | "CFBundleIdentifier" =
"com.apple.driver.AppleSmartBatteryManager"
| | "IOProviderClass" = "IOSMBusController"
| | "IOClass" = "AppleSmartBatteryManager"
| | "IOPersonalityPublisher" =
"com.apple.driver.AppleSmartBatteryManager"
| | "CFBundleIdentifierKernel" =
"com.apple.driver.AppleSmartBatteryManager"
| | "IOProbeScore" = 0x0
| | "IOMatchCategory" = "IODefaultMatchCategory"

```

```

| | | "IOUserClientClass" = "AppleSmartBatteryManagerUserClient"
| | | "IOPowerManagement" =
{"CapabilityFlags"=0x2, "MaxPowerState"=0x1, "CurrentPowerState"=0x1}
| | | }
| | |
| | | +-o AppleSmartBattery <class AppleSmartBattery, id 0x1000002c9,
registered, matched, active, busy 0 (0 ms), retain 6>;
| | | {
| | |     "TimeRemaining" = 0x78
| | |     "AvgTimeToEmpty" = 0x78
| | |     "AdapterDetails" = {"FamilyCode"=0x0}
| | |     "AppleRawCurrentCapacity" = 0x898
| | |     "InstantTimeToEmpty" = 0xc1
| | |     "AppleRawMaxCapacity" = 0x106b
| | |     "ExternalChargeCapable" = Yes
| | |     "Voltage" = 0x2b5d
| | |     "PermanentFailureStatus" = 0x0
| | |     "BatteryInvalidWakeSeconds" = 0x1e
| | |     "AdapterInfo" = 0x0
| | |     "MaxCapacity" = 0x106b
| | |     "DesignCycleCount70" = 0x95
| | |     "UpdateTime" = 0x610899ff
| | |     "Manufacturer" = "DSY"
| | |     "AppleRawAdapterDetails" = ()
| | |     "Location" = 0x0
| | |     "CurrentCapacity" = 0x898
| | |     "LegacyBatteryInfo" =
{"Amperage"=0xffffffffffffbb8, "Flags"=0x4, "Capacity"=0x106b, "Current"=0x898, "Voltage"=0x2b5d, "Cycle Count"=0x131}
| | |     "BatteryInstalled" = Yes
| | |     "FirmwareSerialNumber" = 0x1
| | |     "CycleCount" = 0x131
| | |     "ChargerData" =
{"ChargingCurrent"=0x0, "NotChargingReason"=0x1, "ChargingVoltage"=0x319c, "VacVoltageLimit"=0x1090}
| | |     "AvgTimeToFull" = 0xffff
| | |     "BatteryData" =
{"PMUConfigured"=0x3c4, "FccComp2"=0x106b, "ResScale"=0x85, "SystemPower"=0x4193f442, "Qmax"=(0x1384, 0x1398, 0x1351), "DesignCapacity"=0x13ef, "CellVoltage"=(0xe6f, 0xe8c, 0xe62), "PassedCharge"=0x4f8, "RaTableRaw"=(<000000a000800086008c00a600830075007a006f00700074008200ba014301f0>;, <00550085006b006f006d008e0075006d005b005d006500680070009e011101af>;, <0000008b00780082007f009f00820083008a007d00810073007d00bc011301ae>;), "StateOfCharge"=0x35, "PresentDOD"=(0x31, 0x31, 0x32), "Flags"=0x1380001, "DataFlashWriteCount"=0xc35, "DOD0"=(0xf$
| | |     "OperationStatus" = 0xe443
| | |     "PackReserve" = 0x85
| | |     "BestAdapterIndex" = 0xfe
| | |     "DesignCapacity" = 0x13ef
| | |     "BootPathUpdated" = 0x610899c3
| | |     "PostDischargeWaitSeconds" = 0x78
| | |     "Serial" = "F5D92563SDFKGGJ47"
| | |     "Temperature" = 0xc17
| | |     "UserVisiblePathUpdated" = 0x610899ff
| | |     "IOReportLegendPublic" = Yes
| | |     "InstantAmperage" = 0xffffffffffff97e
| | |     "ManufacturerData" =
<00000000100200012400000003353339033031300341544c045000>;
| | |     "FullyCharged" = No
| | |     "MaxErr" = 0x1
| | |     "DeviceName" = "bq20z451"
| | |     "IOGeneralInterest" = "IOCommand is not serializable"
| | |     "IOReportLegend" =
({ "IOReportChannels"=( (0x6379636c65636e74, 0x181120001, "BatteryCycleCount")), "IOReportGroupName"="Battery", "IOReportChannelInfo"={"IOReportChannelUnit"=0x0}})

```

```

        "Amperage" = 0xffffffffffffbb8
        "IsCharging" = No
        "DesignCycleCount9C" = 0x3e8
        "PostChargeWaitSeconds" = 0x78
        "ExternalConnected" = No
    }
+-o SBS0 <class IOACPIPlatformDevice, id 0x1000001f7, registered,
matched, active, busy 0 (0 ms), retain 7>;
    {
        "name" = <414350493030303200>;
        "_STA" = 0xffffffffffffffff
    }
+-o PMCR <class IOACPIPlatformDevice, id 0x1000001f8, registered,
matched, active, busy 0 (46 ms), retain 9>;
    {
        "name" = <4150503938373600>;
        "_STA" = 0xb
        "IODeviceMemory" = (({"address"=0xfe000000,"length"=0x10000}))
    }
+-o AppleACPIPMC <class AppleACPIPMC, id 0x1000004b5, registered,
matched, active, busy 0 (0 ms), retain 6>;
    {
        "IOProbeScore" = 0x0
        "CFBundleIdentifier" = "com.apple.driver.AppleIntelPCHPMC"
        "IOMatchCategory" = "AppleACPIPMC"
        "IOClass" = "AppleACPIPMC"
        "IOPersonalityPublisher" = "com.apple.driver.AppleIntelPCHPMC"
        "IOProviderClass" = "IOACPIPlatformDevice"
        "CFBundleIdentifierKernel" = "com.apple.driver.AppleIntelPCHPMC"
        "IONameMatch" = ("APP9876")
        "IntelPCH" = Yes
        "IONameMatched" = "APP9876"
    }
+-o URT2@190002 <class IOACPIPlatformDevice, id 0x1000001ff,
registered, matched, active, busy 0 (0 ms), retain 8>;
    {
        "IODeviceMemory" = (({"address"=0xfe036000,"length"=0x1000}))
        "device-properties" = {"acpi-device"="IOACPIPlatformDevice is not
serializable", "uart-channel-number"=<0200000000000000>,"acpi-
path"="IOACPIPlane:/_SB/PCI0@0/URT2@190002"}
        "IOInterruptControllers" = ("io-apic-0")
        "_STA" = 0xf
        "IOInterruptSpecifiers" = (<2200000007000000>;)
        "_ADR" = 0x190002
        "name" = <494e543334424100>;
    }
+-o PDRC <class IOACPIPlatformDevice, id 0x100000200, registered,
matched, active, busy 0 (0 ms), retain 7>;
    {
        "_STA" = 0xffffffffffffffff
        "IODeviceMemory" = (({"address"=0xfed10000,"length"=0x8000}),
({"address"=0xfed18000,"length"=0x1000}),
({"address"=0xfed19000,"length"=0x1000}),
({"address"=0xe0000000,"length"=0x100000000}),
({"address"=0xfed20000,"length"=0x20000}),
({"address"=0xfed90000,"length"=0x4000}),
({"address"=0xfed45000,"length"=0x4b000}),
({"address"=0xff000000,"length"=0x1000000}),
({"address"=0xfef00000,"length"=0x100000}),

```

```

({"address"=0x40000000,"length"=0x400000}),
({"address"=0xfd000000,"length"=0x1000000}),
({"address"=0xfe010000,"length"=0x1000}),({"address$
    | | | | | |
    | | | | | |   "_UID" = "1"
    | | | | | |   "name" = <504e503043303200>;
    | | | | | | }
    | | | | | |
    | | | | | | +-o ADP1 <class IOACPIPlatformDevice, id 0x100000212, registered,
matched, active, busy 0 (5 ms), retain 8>;
    | | | | | | {
    | | | | | |   "name" = <414350493030303300>;
    | | | | | |   "acpi-wake-gpe" = 0x6f
    | | | | | |   "_STA" = 0xffffffffffffffff
    | | | | | | }
    | | | | | |
    | | | | | | +-o AppleACPIACAdapter <class AppleACPIACAdapter, id 0x1000002bf, !
registered, !matched, active, busy 0, retain 4>;
    | | | | | | {
    | | | | | |   "IOProbeScore" = 0x0
    | | | | | |   "CFBundleIdentifier" = "com.apple.driver.AppleACPIButtons"
    | | | | | |   "IOProviderClass" = "IOACPIPlatformDevice"
    | | | | | |   "IOClass" = "AppleACPIACAdapter"
    | | | | | |   "IOPersonalityPublisher" = "com.apple.driver.AppleACPIButtons"
    | | | | | |   "CFBundleIdentifierKernel" = "com.apple.driver.AppleACPIButtons"
    | | | | | |   "IOMatchCategory" = "IODefaultMatchCategory"
    | | | | | |   "IONameMatch" = "ACPI0003"
    | | | | | |   "IONameMatched" = "ACPI0003"
    | | | | | | }
    | | | | | |
    | | | | | | +-o LID0 <class IOACPIPlatformDevice, id 0x100000213, registered,
matched, active, busy 0 (8 ms), retain 11>;
    | | | | | | {
    | | | | | |   "_STA" = 0xffffffffffffffff
    | | | | | |   "DeviceOpenedByEventSystem" = Yes
    | | | | | |   "name" = <504e503043304400>;
    | | | | | |   "acpi-wake-gpe" = 0x6f
    | | | | | | }
    | | | | | |
    | | | | | | +-o AppleACPIlid <class AppleACPIlid, id 0x1000002cd, registered,
matched, active, busy 0 (0 ms), retain 8>;
    | | | | | | {
    | | | | | |   "IOClass" = "AppleACPIlid"
    | | | | | |   "IOPersonalityPublisher" = "com.apple.driver.AppleACPIButtons"
    | | | | | |   "HIDDefaultBehavior" = ""
    | | | | | |   "Built-In" = Yes
    | | | | | |   "IOProviderClass" = "IOACPIPlatformDevice"
    | | | | | |   "DeviceUsagePairs" =
    | | | | | |   ({"DeviceUsagePage"=0xff00,"DeviceUsage"=0x29})
    | | | | | |   "IOProbeScore" = 0x0
    | | | | | |   "VendorIDSource" = 0x0
    | | | | | |   "IOUserClientClass" = "IOHIDEventServiceUserClient"
    | | | | | |   "HIDServiceSupport" = Yes
    | | | | | |   "IONameMatch" = "PNP0C0D"
    | | | | | |   "IOCFPlugInTypes" = {"7DDECA8-A7B4-
11DA-8A0E-0014519758EF"="IOHIDFamily.kext/Contents/PlugIns/
IOHIDLib.plugin", "FA12FA38-6F1A-11D4-BA0C-0005028F18D5"="IOHIDFamily.kext/
Contents/PlugIns/IOHIDLib.plugin"}
    | | | | | |   "CountryCode" = 0x0
    | | | | | |   "VendorID" = 0x0
    | | | | | |   "CFBundleIdentifierKernel" = "com.apple.driver.AppleACPIButtons"
    | | | | | |   "RegisterService" = No
    | | | | | |   "IOMatchCategory" = "IODefaultMatchCategory"
    | | | | | |   "CFBundleIdentifier" = "com.apple.driver.AppleACPIButtons"
    | | | | | |   "VersionNumber" = 0x0

```

```

| | | "IONameMatched" = "PNP0C0D"
| | | "LocationID" = 0x0
| | | "ProductID" = 0x0
| | | "PrimaryUsage" = 0x29
| | | "IOGeneralInterest" = "IOCommand is not serializable"
| | | "ReportInterval" = 0x4650
| | | "PrimaryUsagePage" = 0xff00
| | | "HIDEventServiceProperties" =
{"HIDMouseKeysOptionToggles"=0x0,"JitterNoClick"=0x1,"ActuateDetents"=0x1,"Dragging"=0x0,"HIDSlowKeysDelay"=0x0,"JitterNoMove"=0x1,"FlipLeftAndRightEdgeGestures"=No,"HIDTrackpadScrollAcceleration"=0x5000,"HIDInitialKeyRepeat"=0x1dcd6500,"TrackpadThreeFingerHorizSwipeGesture"=0x2,"TrackpadThreeFingerDrag"=No,"MTGestureConfiguration"={"Version"=0x1,"Behaviors"={"BehaviorID"=0x5}},"MTGestureConfigurationOverride"={"Version"=0x1,"Behaviors"={"BehaviorID"=0x1}},"HIDPointerAcceleration"=0xb000,"UserPre$
| | | }
| | |
| | | +-o IOHIDEventServiceUserClient <class
IOHIDEventServiceUserClient, id 0x100000589, !registered, !matched, active, busy
0, retain 6<gt;
| | | {
| | |     "DebugState" =
{"EventQueue"={"NoFullMsg"=0x0,"tail"=0x0,"NotificationForce"=0x0,"NotificationC
ount"=0x0,"head"=0x0}}
| | |     "IOUserClientCreator" = "pid 138, WindowServer"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | |
| | | +-o PWRB <class IOACPIPlatformDevice, id 0x100000214, registered,
matched, active, busy 0 (5 ms), retain 10<gt;
| | | {
| | |     "IOReportLegend" = ({"IOReportGroupName"="Interrupt Statistics (by
index)","IOReportChannels"=(0x496e747200000000,0x100020001,"
First Level Interrupt Handler Count"),(0x496e747200000001,0x100020001,"
Second Level Interrupt Handler Count"),(0x496e747200000002,0x100020001,"
First Level Interrupt Handler Time (MATUs"),(0x496e747200000003,0x100020001,"
Second Level Interrupt Handler CPU Time (MATUs"),
(0x496e747200000004,0x100020001,"Second Level Interrupt Handler System Time
(MATUs)")), "IOReportCh$
| | |     "power-button-usagepage" = <0c00000000000000<gt;
| | |     "DeviceOpenedByEventSystem" = Yes
| | |     "power-button-usage" = <4000000000000000<gt;
| | |     "device-properties" = {"power-button-
usage"=<4000000000000000<gt;,"power-button-
usagepage"=<0c00000000000000<gt;}
| | |     "IOReportLegendPublic" = Yes
| | |     "IOInterruptControllers" = ("ACPIEventController")
| | |     "_STA" = 0xffffffffffffffff
| | |     "IOInterruptSpecifiers" = (<0200000000000000<gt;)
| | |     "name" = <504e503043304300<gt;
| | |     "acpi-wake-type" = 0x1
| | | }
| | |
| | | +-o AppleACPIButton <class AppleACPIButton, id 0x1000002be,
registered, matched, active, busy 0 (4 ms), retain 7<gt;
| | | {
| | |     "IOClass" = "AppleACPIButton"
| | |     "PressCountDoublePresTimeout" = 0x493e0
| | |     "HIDDefaultBehavior" = ""
| | |     "HIDServiceGlobalModifiersUsage" = 0x2
| | |     "IOProviderClass" = "IOACPIPlatformDevice"
| | |     "Built-In" = Yes
| | |     "PressCountTrackingEnabled" = Yes
| | |     "power-button-usage" = 0x40

```

```

| | | "DeviceUsagePairs" = ({"DeviceUsagePage"=0xc, "DeviceUsage"=0x1})
| | | "IOProbeScore" = 0x0
| | | "PressCountTriplePressTimeout" = 0x927c0
| | | "VendorIDSource" = 0x0
| | | "power-button-usagepage" = 0xc
| | | "IOUserClientClass" = "IOHIDEventServiceUserClient"
| | | "HIDServiceSupport" = Yes
| | | "IONameMatch" = ("PNP0C0C", "power-button", "PNP0C0E", "sleep-
button")
| | | "IOCFPlugInTypes" = {"7DDEECA8-A7B4-
11DA-8A0E-0014519758EF"="IOHIDFamily.kext/Contents/PlugIns/
IOHIDLib.plugin", "FA12FA38-6F1A-11D4-BA0C-0005028F18D5"="IOHIDFamily.kext/
Contents/PlugIns/IOHIDLib.plugin"}
| | | "CountryCode" = 0x0
| | | "VendorID" = 0x0
| | | "CFBundleIdentifierKernel" = "com.apple.driver.AppleACPIButtons"
| | | "VersionNumber" = 0x0
| | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | "CFBundleIdentifier" = "com.apple.driver.AppleACPIButtons"
| | | "HIDEventServiceProperties" =
{"HIDMouseKeysOptionToggles"=0x0, "JitterNoClick"=0x1, "ActuateDetents"=0x1, "Dragg
ing"=0x0, "HIDSlowKeysDelay"=0x0, "JitterNoMove"=0x1, "FlipLeftAndRightEdgeGestures
"=No, "HIDTrackpadScrollAcceleration"=0x5000, "HIDInitialKeyRepeat"=0x1dcd6500, "Tr
ackpadThreeFingerHorizSwipeGesture"=0x2, "TrackpadThreeFingerDrag"=No, "MTGestureC
onfiguration"={"Version"=0x1, "Behaviors"={"BehaviorID"=0x5}}, "MTGestureConfigu
rationOverride"={"Version"=0x1, "Behaviors"={"BehaviorID"=0x1}}, "HIDPointerAcce
leration"=0xb000, "UserPre$
| | | "IONameMatched" = "PNP0C0C"
| | | "LocationID" = 0x0
| | | "ProductID" = 0x0
| | | "PrimaryUsage" = 0x1
| | | "IOGeneralInterest" = "IOCommand is not serializable"
| | | "ReportInterval" = 0x4650
| | | "PrimaryUsagePage" = 0xc
| | | }
| | | +-o IOHIDEventServiceUserClient <class
IOHIDEventServiceUserClient, id 0x10000058b, !registered, !matched, active, busy
0, retain 6&gt;
| | | {
| | | "DebugState" =
{"EventQueue"={"NoFullMsg"=0x0, "tail"=0x0, "NotificationForce"=0x0, "NotificationC
ount"=0x0, "head"=0x0}}
| | | "IOUserClientCreator" = "pid 138, WindowServer"
| | | "IOUserClientDefaultLocking" = Yes
| | | }
| | | +-o PNLF@0 <class IOACPIPlatformDevice, id 0x100000216, registered,
matched, active, busy 0 (103 ms), retain 10&gt;
| | | {
| | | "acpi-path" = "IOACPIPlane:/_SB/PNLF@0"
| | | "compatible" = <6261636b6c6967687400&gt;
| | | "AppleBacklightAtBoot" = 0x1613
| | | "AppleMaxBrightness" = 0xe357
| | | "_UID" = "16"
| | | "device-properties" = {"acpi-device"="IOACPIPlatformDevice is not
serializable", "acpi-path"="IOACPIPlane:/_SB/PNLF@0"}
| | | "ApplePanelRawBrightness" = 0x163c
| | | "_STA" = 0xb
| | | "acpi-device" = "IOACPIPlatformDevice is not serializable"
| | | "_ADR" = 0x0
| | | "name" = <4150503030303200&gt;
| | | }

```

```

| | +-o AppleIntelPanelA <class AppleIntelPanelA, id 0x1000004be,
registered, matched, active, busy 0 (0 ms), retain 6>
| | {
| |     "IOClass" = "AppleIntelPanelA"
| |     "CFBundleIdentifier" = "com.apple.driver.AppleBacklight"
| |     "IOProviderClass" = "IOACPIPlatformDevice"
| |     "IODisplayParameters" = {"commit"={"reg"=0x0}}
| |     "ApplePanel" =
{"F16Ia03d"=<00110000028f0353045a05a107ae0a3d0e1413741a5e241831a944595e768311
b6c7ff7b>
| |     "IOProbeScore" = 0x7d0
| |     "IONameMatch" = "backlight"
| |     "IOMatchCategory" = "IODisplayParameters"
| |     "IONameMatched" = "backlight"
| |     "IOPersonalityPublisher" = "com.apple.driver.AppleBacklight"
| |     "CFBundleIdentifierKernel" = "com.apple.driver.AppleBacklight"
| |     "AppleScaledLE" =
<000090023c032b0471052f079109d50c531188172120142cbf3c1054c874d2a257e3>
| |     }
| | }
| | +-o AMFM <class IOACPIPlatformDevice, id 0x100000217, registered,
matched, active, busy 0 (150 ms), retain 8>
| | {
| |     "_STA" = 0xffffffffffffffff
| |     "name" = <4150503030304600>
| |     "root-port" = "RP01"
| |     "device-properties" = {"root-port"="RP01"}
| | }
| | +-o AppleMultiFunctionManager <class AppleMultiFunctionManager, id
0x1000002c3, registered, matched, active, busy 0 (33 ms), retain 10>
| | {
| |     "IOClass" = "AppleMultiFunctionManager"
| |     "CFBundleIdentifier" =
"com.apple.driver.AppleMultiFunctionManagerMac"
| |     "IOProviderClass" = "IOACPIPlatformDevice"
| |     "IOPowerManagement" =
{"ChildrenPowerState"=0x1,"DevicePowerState"=0x1,"CurrentPowerState"=0x1,"Capabi
lityFlags"=0x8002,"MaxPowerState"=0x1,"DriverPowerState"=0x0}
| |     "forceProbeOnLinkdown" = Yes
| |     "manual_s2r_port_ctrl" = No
| |     "IONameMatch" = "APP000F"
| |     "valid_clients" =
("AppleBCM WLANPortInterfacePCIE","AppleOLYHALPortInterfacePCIE","IOService")
| |     "IOMatchCategory" = "AppleMultiFunctionManager"
| |     "IOProbeScore" = 0x0
| |     "IOGeneralInterest" = "IOCommand is not serializable"
| |     "LoggingBundleName" =
"com.apple.driver.AppleMultiFunctionManagerMac"
| |     "IONameMatched" = "APP000F"
| |     "IOPersonalityPublisher" =
"com.apple.driver.AppleMultiFunctionManagerMac"
| |     "constants" =
{"wlan_reg_on_on_delay"=0x78,"wlan_reg_on_off_delay"=0x78}
| |     "CFBundleIdentifierKernel" =
"com.apple.driver.AppleMultiFunctionManagerMac"
| |     }
| | }
| | +-o AppleBluetoothModule <class AppleBluetoothModule, id
0x1000002fd, registered, matched, active, busy 0 (32 ms), retain 12>
| | {
| |     "IOClass" = "AppleBluetoothModule"
| |     "CFBundleIdentifier" = "com.apple.driver.AppleBluetoothModule"
| |     "IOProviderClass" = "AppleMultiFunctionManager"

```

```

| | | "Time Sync" = No
| | | "IOPowerManagement" =
{"ChildrenPowerState"=0x1, "DevicePowerState"=0x1, "CurrentPowerState"=0x1, "Capabi
lityFlags"=0x8002, "MaxPowerState"=0x1, "DriverPowerState"=0x0}
| | | "IOUserClientClass" = "AppleBluetoothModuleUserClient"
| | | "IOProbeScore" = 0x0
| | | "IOGeneralInterest" = "IOCommand is not serializable"
| | | "IOMatchCategory" = "AppleBluetoothModule"
| | | "IOPersonalityPublisher" =
"com.apple.driver.AppleBluetoothModule"
| | | "autoOn" = No
| | | "CFBundleIdentifierKernel" =
"com.apple.driver.AppleBluetoothModule"
| | | "InReset" = No
| | | }
| | +-o BTDebug <class BTDebug, id 0x100000302, registered, matched,
active, busy 0 (0 ms), retain 7>
| | | {
| | | "IOProbeScore" = 0x0
| | | "CFBundleIdentifier" = "com.apple.driver.AppleBluetoothDebug"
| | | "IOMatchCategory" = "BTDebug"
| | | "IOClass" = "BTDebug"
| | | "IOPersonalityPublisher" =
"com.apple.driver.AppleBluetoothDebug"
| | | "IOProviderClass" = "AppleBluetoothModule"
| | | "CFBundleIdentifierKernel" =
"com.apple.driver.AppleBluetoothDebug"
| | | "IOReportLegendPublic" = Yes
| | | "IOUserClientClass" = "BTDebugUserClient"
| | | "IOReportLegend" =
({"IOReportChannels"=((0x4c6f675265616453,0x180000001,"Read Success Count"),
(0x4c6f675265616446,0x180000001,"Read Failure Count"),
(0x4c6f6744756d7073,0x180000001,"Log Dump Count")), "IOReportGroupName"="Logging
Global", "IOReportChannelInfo"={"IOReportChannelUnit"=0x0}},
{"IOReportChannels"=((0x4c6f674e6d627200,0x180000001,"Number of Logs"),
(0x4c6f674279746500,0x180000001,"Number of
Bytes")), "IOReportGroupName"="RealTime
Logs", "IOReportChannelInfo"={"IOReportChannelUnit"=0x0}},
{"IOReportChannels"=((0x4c6f674e6$
| | | }
| | +-o CCDataPipe <class CCDataPipe, id 0x100000304, registered,
matched, active, busy 0 (0 ms), retain 12>
| | | {
| | | "LogDataType" = 0x2
| | | "IOClass" = "CCDataPipe"
| | | "Filename" = ""
| | | "LogType" = 0x2
| | | "Name" = "StateDump"
| | | "NumberOfFiles" = 0x0
| | | "LogIdentifier" = ""
| | | "PipeSize" = 0x40
| | | "MinLogSizeToNotify" = 0x0
| | | "IOReportLegend" =
({"IOReportGroupName"="CoreCapture", "IOReportChannels"=((0x434350204c202020,0x18
0100001,"
Log Calls"),
(0x434350204c4d4442,0x180100001,"
Log Messages Dropped Short Of Buffer"),
(0x434350204c435220,0x180100001,"
Capture
Requests")), "IOReportChannelInfo"={"IOReportChannelUnit"=0x6400000000000000}, "IO
ReportSubGroupName"="Pipe StateDump"})
| | | "LogPolicy" = 0x0
| | | "Owner" = "com.apple.driver.BTDebug"
| | | "FileOptions" = 0x0

```



```

    | | | | | | | | "NotifyThreshold" = 0x0
    | | | | | | | | "DirectoryName" = "BT"
    | | | | | | | | "IOReportLegendPublic" = Yes
    | | | | | | | | "Statistics" = {"timestamp"=0x0,"Errors"={"metaDataCounts:
invalidState"=0x0,"metaDataCounts: invalidPaddingSize"=0x0,"metaDataCounts:
invalidLogLevel"=0x0,"reserveRingEntryDrops"=0x0,"metaDataCounts:
invalidPayloadSize"=0x0}}
    | | | | | | | | "PipeType" = 0x1
    | | | | | | | | "FileSize" = 0x0
    | | | | | | | | }
    | | | | | | | | +-o CCDataStream <class CCDataStream, id 0x100000305,
registered, matched, active, busy 0 (0 ms), retain 7>&gt;
    | | | | | | | | {
    | | | | | | | | "IOReportLegend" =
({ "IOReportGroupName"="CoreCapture", "IOReportChannels"=( (0x434353204c202020, 0x18
0100001, "Log Calls"),
(0x434353204c444343, 0x180100001, "Log Calls Dropped CC Filters"),
(0x434353204c444320, 0x180100001, "Log Calls Dropped Console Filters"),
(0x434353204c4c4520, 0x180100001, "Log Calls [Emergency]"),
(0x434353204c4c4120, 0x180100001, "Log Calls [Alert]"),
(0x434353204c4c4320, 0x180100001, "Log Calls [Crit]"),
(0x434353204c4c5720, $
    | | | | | | | | "LogIdentifier" = ""
    | | | | | | | | "Name" = "StateDump"
    | | | | | | | | "IOReportLegendPublic" = Yes
    | | | | | | | | "IOClass" = "CCDataStream"
    | | | | | | | | "Id" = 0x1
    | | | | | | | | }
    | | | | | | | | +-o CCDataPipeUserClient <class CCDataPipeUserClient, id
0x10000006e5, !registered, !matched, active, busy 0, retain 6>&gt;
    | | | | | | | | {
    | | | | | | | | "IOUserClientCreator" = "pid 418, corecaptured"
    | | | | | | | | "IOUserClientDefaultLocking" = Yes
    | | | | | | | | }
    | | | | | | | | +-o AppleConvergedIPCOLYBTControl <class
AppleConvergedIPCOLYBTControl, id 0x100000303, registered, matched, active, busy
0 (31 ms), retain 28>&gt;
    | | | | | | | | {
    | | | | | | | | "IOClass" = "AppleConvergedIPCOLYBTControl"
    | | | | | | | | "moduledict" = {"stepping"="s=B3","moduleinfo"="M=SPPR m=3.1
V=m"}
    | | | | | | | | "memory_alloc_limit" = 0xa00000
    | | | | | | | | "IOPersonalityPublisher" =
"com.apple.driver.AppleConvergedIPCOLYBTControl"
    | | | | | | | | "lowpower_support" = {"ios"=No,"macos"=Yes}
    | | | | | | | | "IOPowerManagement" =
{"ChildrenPowerState"=0x1,"DevicePowerState"=0x1,"CurrentPowerState"=0x1,"Capabi
lityFlags"=0x8002,"MaxPowerState"=0x1,"DriverPowerState"=0x0}
    | | | | | | | | "IOProviderClass" = "AppleBluetoothModule"
    | | | | | | | | "bootdata" =
<&lt;504fd04294a064e15b28b87813efa39f0f026d4c1e70c4af59bdb2eacf9160cb43c96828d4db
6c9f66d88de4b245408bc0cd792b825ce1b85c55bde83a8339a560b5295f030000000000000000
00000000000000000000000000000000000000000000000000000000000000000000000000
000000000000000000000000000000000000000000000000000000000000000000000000
000000000000000000000000000000000000000000000000000000000000000000000000
000000000000000000000000000000000000000000000000000000000000000000000000
000000000000000000000000000000000000000000000000000000000000000000000000
000000000000000000000000000000000000000000000000000000000000000000000000$
    | | | | | | | | "IOProbeScore" = 0x0
    | | | | | | | | "IOUserClientClass" = "AppleConvergedIPCCControlUserClient"
    | | | | | | | | "bootstage" = 0x2
    | | | | | | | | "devicematch" = Yes

```

```

| | | "RTIDevice" =
{"di_msi"=0x0, "completion_ring"={{"count"=0x80, "setting"={"accum
delay"=0x0, "intmod
delay"=0x0, "msi"=0x0, "doorbell"={"time"=0x3e8, "threshold"=0x50}, "accum
bytes"=0x0, "intmod bytes"=0xffffffffffffffff}}, {"count"=0x100, "setting"={"accum
delay"=0x0, "intmod
delay"=0x3e8, "msi"=0x0, "doorbell"={"time"=0x3e8, "threshold"=0x50}, "accum
bytes"=0x0, "intmod bytes"=0xffffffffffffffff}},
{"count"=0x100, "foot_size"=0x42, "setting"={"accum delay"=0x0, "intmod
delay"=0x3e8, "msi"=0x0, "doorbell"={"time"=0x3e8, "threshold"=0x50}, "accum b$
| | | "CFBundleIdentifierKernel" =
"com.apple.driver.AppleConvergedIPCOLYBTControl"
| | | "num_addr_bits" = {"ios"=0x40, "macos"=0x20}
| | | "IOMatchCategory" = "AppleConvergedIPCOLYBTControl"
| | | "CFBundleIdentifier" =
"com.apple.driver.AppleConvergedIPCOLYBTControl"
| | | "logSnapshotBufferSize" = 0x10000
| | | "IOGeneralInterest" = "IOCommand is not serializable"
| | | "read_otp" = {"ios"=No, "macos"=Yes}
| | | }
| | | +-o AppleConvergedIPCOLYBTCoreDumpProvider <class
AppleConvergedIPCOLYBTCoreDumpProvider, id 0x100000307, registered, matched,
active, busy 0 (0 ms), retain 6&gt;
| | | {
| | | "IOProbeScore" = 0x0
| | | "CFBundleIdentifier" =
"com.apple.driver.AppleConvergedIPCOLYBTControl"
| | | "IOMatchCategory" = "AppleConvergedIPCOLYBTCoreDumpProvider"
| | | "IOClass" = "AppleConvergedIPCOLYBTCoreDumpProvider"
| | | "IOPersonalityPublisher" =
"com.apple.driver.AppleConvergedIPCOLYBTControl"
| | | "IOProviderClass" = "AppleConvergedIPCOLYBTControl"
| | | "CFBundleIdentifierKernel" =
"com.apple.driver.AppleConvergedIPCOLYBTControl"
| | | }
| | | +-o IOBluetoothHostControllerPCIeTransport <class
IOBluetoothHostControllerPCIeTransport, id 0x100000308, registered, matched,
active, busy 0 (0 ms), retain 11&gt;
| | | {
| | | "IOClass" = "IOBluetoothHostControllerPCIeTransport"
| | | "CFBundleIdentifier" =
"com.apple.driver.IOBluetoothHostControllerPCIeTransport"
| | | "IOProviderClass" = "AppleConvergedIPCOLYBTControl"
| | | "SupportBTRS" = No
| | | "SupportBTPD" = No
| | | "IOPowerManagement" =
{"DevicePowerState"=0x1, "CurrentPowerState"=0x1, "CapabilityFlags"=0x8000, "MaxPow
erState"=0x1}
| | | "IOProbeScore" = 0x0
| | | "LMPLoggingEnabled" = Yes
| | | "IOMatchCategory" = "IOBluetoothHostControllerPCIeTransport"
| | | "SupportBTPU" = No
| | | "SupportBTRB" = No
| | | "IOPersonalityPublisher" =
"com.apple.driver.IOBluetoothHostControllerPCIeTransport"
| | | "SupportNewIdlePolicy" = Yes
| | | "CFBundleIdentifierKernel" =
"com.apple.driver.IOBluetoothHostControllerPCIeTransport"
| | | "SupportBTL" = No
| | | "LMPLoggingAvailable" = No
| | | }

```

```

| | | | +-o IOBluetoothACPIMethods &lt;class IOBluetoothACPIMethods, id
0x1000000326, !registered, !matched, active, busy 0, retain 5&gt;
| | | | {
| | | | }
| | | | +-o AppleConvergedIPCRTIDevice &lt;class
AppleConvergedIPCRTIDevice, id 0x10000046a, registered, matched, active, busy 0
(0 ms), retain 14&gt;
| | | | {
| | | | }
| | | | +-o AppleConvergedIPCRTIInterface &lt;class
AppleConvergedIPCRTIInterface, id 0x10000046b, registered, matched, active, busy
0 (0 ms), retain 8&gt;
| | | | {
| | | | "ACIPCIInterfaceProtocol" = "hci"
| | | | "ACIPCIInterfaceUnit" = 0x0
| | | | "IOUserClientClass" = "AppleConvergedIPCUserClient"
| | | | }
| | | | +-o AppleConvergedIPCRTIInterface &lt;class
AppleConvergedIPCRTIInterface, id 0x10000046c, registered, matched, active, busy
0 (0 ms), retain 8&gt;
| | | | {
| | | | "ACIPCIInterfaceProtocol" = "sco"
| | | | "ACIPCIInterfaceUnit" = 0x1
| | | | "IOUserClientClass" = "AppleConvergedIPCUserClient"
| | | | }
| | | | +-o AppleConvergedIPCRTIInterface &lt;class
AppleConvergedIPCRTIInterface, id 0x10000046d, registered, matched, active, busy
0 (0 ms), retain 8&gt;
| | | | {
| | | | "ACIPCIInterfaceProtocol" = "acl"
| | | | "ACIPCIInterfaceUnit" = 0x2
| | | | "IOUserClientClass" = "AppleConvergedIPCUserClient"
| | | | }
| | | | +-o AppleConvergedIPCRTIInterface &lt;class
AppleConvergedIPCRTIInterface, id 0x10000046e, registered, matched, active, busy
0 (0 ms), retain 8&gt;
| | | | {
| | | | "ACIPCIInterfaceProtocol" = "debug"
| | | | "ACIPCIInterfaceUnit" = 0x3
| | | | "IOUserClientClass" = "AppleConvergedIPCUserClient"
| | | | }
| | | | +-o AppleConvergedIPCPLYBTLogProvider &lt;class
AppleConvergedIPCPLYBTLogProvider, id 0x100000470, registered, matched, active,
busy 0 (0 ms), retain 6&gt;
| | | | {
| | | | "IOProbeScore" = 0x2710
| | | | "CFBundleIdentifier" =
"com.apple.driver.AppleConvergedIPCPLYBTControl"
| | | | "IOMatchCategory" = "AppleConvergedIPCPLYBTLogProvider"
| | | | "IOClass" = "AppleConvergedIPCPLYBTLogProvider"
| | | | "IOPersonalityPublisher" =
"com.apple.driver.AppleConvergedIPCPLYBTControl"
| | | | "IOProviderClass" = "AppleConvergedIPCRTIInterface"
| | | | "CFBundleIdentifierKernel" =
"com.apple.driver.AppleConvergedIPCPLYBTControl"
| | | | "ACIPCIInterfaceProtocol" = "debug"
| | | | }

```



```
000000000000000000000000000000000000000000000000000424c4f428c00000$
    | | |   "wlan.rx.ring.size" = 0x200
    | | |   }
    | | |   |
    | | |   +-o AppleBCM WLANBusInterfacePCIe <class
AppleBCM WLANBusInterfacePCIe, id 0x1000002c5, registered, matched, active, busy
0 (2305 ms), retain 40&gt;
    | | |   {
    | | |       "IOClass" = "AppleBCM WLANBusInterfacePCIe"
    | | |       "TruePowerOff" = Yes
    | | |       "IOPersonalityPublisher" =
"com.apple.driver.AppleBCM WLANBusInterfacePCIeMac"
    | | |       "IOReportLegendPublic" = Yes
    | | |       "built-in" = <00&gt;
    | | |       "IOProviderClass" = "IOACPIPlatformDevice"
    | | |       "IOPowerManagement" =
{"ChildrenPowerState"=0x1, "CurrentPowerState"=0x1, "CapabilityFlags"=0x8002, "MaxP
owerState"=0x1}
    | | |       "OTP" =
<151d08000000733d4233004d3d53505052206d3d332e31202020563d6d00ff8009830c06f000
155dfb0200000000000000000000000000000000000000000000000000000000000000000000
00000000000000000000000000000000000000000000000000000000000000000000000000
00000000000000000000000000000000000000000000000000000000000000000000000000
00000000000000000000000000000000000000000000000000000000000000000000000000
00000000000000000000000000000000000000000000000000000000000000000000000000
00000000000000000000000000000000000000000000000000000000000000000000000000
00000000000000000000000000000000000000000000000000000000000000000000000000
00000000000000000000000000000000000000000000000000000000000000000000000000
00000000000000000000000000000000000000000000000000000000000000000000000000
    | | |   "wifi-antenna-sku-info" = <01000000000000000058320000000000&gt;
    | | |   "module-instance" = "formosa"
    | | |   "IOProbeScore" = 0x0
    | | |   "vendor-id" = "Murata"
    | | |   "IONameMatch" = "APP00DA"
    | | |   "IOPCIUseDeviceMapper" = Yes
    | | |   "CFBundleIdentifierKernel" =
"com.apple.driver.AppleBCM WLANBusInterfacePCIeMac"
    | | |   "ChipOTP" =
<07224c82119127403da1fb0100000000000000000000000000000800f00000000000c0ff01ff03
fc0f00c0ff01ff03fc0f50c3ff01ff03fc0fe01c0000774301583300500077436b10af0c7e3b08eb
c42b642a6429642ce73c00463c01320103021218059e148a20002000160000000000a1001f042100
a3600000000000000000000000000000000000000000000000000000000000000000000000
00000000000000000000000000000000000000000000000000000000000000000000000000
00000000000000000000000000000000000000000000000000000000000000000000000000
00000000000000000000000000000000000000000000000000000000000000000000000000
0000000000000000000000000000000000000000008844008002$
    | | |   "HWIdentifiers" =
{"v"="m", "M"="SPPR", "C"=0x4377b, "s"="B3", "P"="formosa", "m"="3.1"}
    | | |   "IOMatchCategory" = "AppleBCM WLANBusInterfacePCIe"
    | | |   "CFBundleIdentifier" =
"com.apple.driver.AppleBCM WLANBusInterfacePCIeMac"
    | | |   "IONameMatched" = "APP00DA"
    | | |   "IOReportLegend" =
({"IOReportGroupName"="AppleBCM WLANBusInterfacePCIe", "IOReportChannels"=((0x5077
72537465, 0xe00020002, "Power
States")), "IOReportChannelInfo"={"IOReportChannelUnit"=0x100007900000000}, "IORep
ortSubGroupName"="Power States"},
{"IOReportGroupName"="AppleBCM WLANBusInterfacePCIe", "IOReportChannels"=((0x44532
054494d4520, 0x2b00020003, "
Deep Sleep Exit
Delay")), "IOReportChannelInfo"={"IOReportChannelConfig"=lt;0100000000000000100
000001000000050000000000000001000000010000000a0000000000000001000000010000001900
00000000$
    | | |   }
    | | |   |
    | | |   +-o CCLogPipe <class CCLogPipe, id 0x1000002c6, registered,
matched, active, busy 0 (0 ms), retain 22&gt;
    | | |   |
    | | |   {
    | | |       "LogDataType" = 0x1
```

```
| | | | "IOClass" = "CCLogPipe"
| | | | "Filename" = "AppleBCM WLAN_Logs"
| | | | "LogType" = 0x0
| | | | "Name" = "DriverLogs"
| | | | "NumberOfFiles" = 0x2
| | | | "LogIdentifier" = "wlan0"
| | | | "PipeSize" = 0x200000
| | | | "MinLogSizeToNotify" = 0xccccc
| | | | "IOReportLegend" =
({ "IOReportGroupName"="CoreCapture", "IOReportChannels"=( (0x434350204c202020, 0x18
0100001, " Log Calls"),
(0x434350204c4d4442, 0x180100001, " Log Messages Dropped Short Of Buffer"),
(0x434350204c435220, 0x180100001, " Capture
Requests")), "IOReportChannelInfo"={"IOReportChannelUnit"=0x6400000000000000}, "IO
ReportSubGroupName"="Pipe DriverLogs"})
| | | | "LogPolicy" = 0x0
| | | | "Owner" = "com.apple.driver.AppleBCM WLANCoreV3.0"
| | | | "FileOptions" = 0x0
| | | | "NotifyThreshold" = 0x3e8
| | | | "DirectoryName" = "WiFi"
| | | | "IOReportLegendPublic" = Yes
| | | | "Statistics" =
{"timestamp"=0x3d35b6932c, "Errors"={"metaDataCounts:
invalidState"=0x0, "metaDataCounts: invalidPaddingSize"=0x0, "metaDataCounts:
invalidLogLevel"=0x0, "reserveRingEntryDrops"=0x0, "metaDataCounts:
invalidPayloadSize"=0x0}}
| | | | "PipeType" = 0x0
| | | | "FileSize" = 0x1000000
| | | | }
| | | | +-o CCLogStream <class CCLogStream, id 0x1000002ce, registered,
matched, active, busy 0 (0 ms), retain 51>
| | | | {
| | | | "IOClass" = "CCLogStream"
| | | | "CoreCaptureLevel" = 0x5
| | | | "Name" = "loggerstream"
| | | | "Id" = 0x1
| | | | "LogIdentifier" = "wlan0"
| | | | "ConsoleFlag" = 0x0
| | | | "ConsoleLevel" = 0x1
| | | | "MiscInfo" = 0x0
| | | | "IOReportLegend" =
({ "IOReportGroupName"="CoreCapture", "IOReportChannels"=( (0x434353204c202020, 0x18
0100001, " Log Calls"),
(0x434353204c444343, 0x180100001, " Log Calls Dropped CC Filters"),
(0x434353204c444320, 0x180100001, " Log Calls Dropped Console Filters"),
(0x434353204c4c4520, 0x180100001, " Log Calls [Emergency]"),
(0x434353204c4c4120, 0x180100001, " Log Calls [Alert]"),
(0x434353204c4c4320, 0x180100001, " Log Calls [Crit]"),
(0x434353204c4c5720, 0x18$
| | | | "IOReportLegendPublic" = Yes
| | | | "CoreCaptureFlag" = 0x2047b81
| | | | "NamedFlags" =
{"60"="-", "47"="-", "54"="-", "61"="-", "48"="-", "55"="-", "62"="-", "49"="-", "56"="-",
"63"="-", "57"="-", "58"="-", "0"="wlanLogDevIf", "59"="-", "1"="wlanLogIrq", "2"="W
lanLogCmds", "3"="wlanLogPkts", "4"="wlanLogEvents", "5"="wlanLogPwr", "6"="wlanLogS
cans", "7"="wlanLogInit", "10"="wlanLogProximity", "8"="wlanLogJoins", "9"="wlanLogN
et", "11"="wlanLogSecurity", "12"="wlanLogDongle", "13"="wlanLogMMIO", "20"="wlanLog
GAS", "14"="wlanLogRoams", "21"="wlanLogIO", "15"="wlanLogBeacons", "22"="wlanLogChi
pMsgs", "16"="wlanLogStack", "23"="wla$
| | | | }
| | | | +-o CCLogStream <class CCLogStream, id 0x100000441, registered,
matched, active, busy 0 (0 ms), retain 7>
```

```

| | | | {
| | | |   "IOReportLegend" =
({ "IOReportGroupName"="CoreCapture", "IOReportChannels"=((0x434353204c202020, 0x18
0100001, "
| | | |     Log Calls"),
| | | |     (0x434353204c444343, 0x180100001, "
| | | |       Log Calls Dropped CC Filters"),
| | | |     (0x434353204c444320, 0x180100001, "
| | | |       Log Calls Dropped Console Filters"),
| | | |     (0x434353204c4c4520, 0x180100001, "
| | | |       Log Calls [Emergency]"),
| | | |     (0x434353204c4c4120, 0x180100001, "
| | | |       Log Calls [Alert]"),
| | | |     (0x434353204c4c4320, 0x180100001, "
| | | |       Log Calls [Crit]"),
| | | |     (0x434353204c4c5720, 0x18$
| | | |     "Id" = 0x2
| | | |     "CoreCaptureFlag" = 0x0
| | | |     "CoreCaptureLevel" = 0x5
| | | |     "ConsoleLevel" = 0x3
| | | |     "IOClass" = "CCLogStream"
| | | |     "IOReportLegendPublic" = Yes
| | | |     "LogIdentifier" = "io80211"
| | | |     "Name" = "I080211Logger"
| | | |     "ConsoleFlag" = 0x0
| | | |     "MiscInfo" = 0x0
| | | |   }
| | | | }
| | | | +-o CCLogStream <class CCLogStream, id 0x10000047b, registered,
matched, active, busy 0 (0 ms), retain 7>
| | | | {
| | | |   "IOReportLegend" =
({ "IOReportGroupName"="CoreCapture", "IOReportChannels"=((0x434353204c202020, 0x18
0100001, "
| | | |     Log Calls"),
| | | |     (0x434353204c444343, 0x180100001, "
| | | |       Log Calls Dropped CC Filters"),
| | | |     (0x434353204c444320, 0x180100001, "
| | | |       Log Calls Dropped Console Filters"),
| | | |     (0x434353204c4c4520, 0x180100001, "
| | | |       Log Calls [Emergency]"),
| | | |     (0x434353204c4c4120, 0x180100001, "
| | | |       Log Calls [Alert]"),
| | | |     (0x434353204c4c4320, 0x180100001, "
| | | |       Log Calls [Crit]"),
| | | |     (0x434353204c4c5720, 0x18$
| | | |     "Id" = 0x3
| | | |     "CoreCaptureFlag" = 0x0
| | | |     "CoreCaptureLevel" = 0x5
| | | |     "ConsoleLevel" = 0x3
| | | |     "IOClass" = "CCLogStream"
| | | |     "IOReportLegendPublic" = Yes
| | | |     "LogIdentifier" = "io80211"
| | | |     "Name" = "I080211Logger_ap1"
| | | |     "ConsoleFlag" = 0x0
| | | |     "MiscInfo" = 0x0
| | | |   }
| | | | }
| | | | +-o CCLogStream <class CCLogStream, id 0x100000569, registered,
matched, active, busy 0 (0 ms), retain 7>
| | | | {
| | | |   "IOReportLegend" =
({ "IOReportGroupName"="CoreCapture", "IOReportChannels"=((0x434353204c202020, 0x18
0100001, "
| | | |     Log Calls"),
| | | |     (0x434353204c444343, 0x180100001, "
| | | |       Log Calls Dropped CC Filters"),
| | | |     (0x434353204c444320, 0x180100001, "
| | | |       Log Calls Dropped Console Filters"),
| | | |     (0x434353204c4c4520, 0x180100001, "
| | | |       Log Calls [Emergency]"),
| | | |     (0x434353204c4c4120, 0x180100001, "
| | | |       Log Calls [Alert]"),
| | | |     (0x434353204c4c4320, 0x180100001, "
| | | |       Log Calls [Crit]"),
| | | |     (0x434353204c4c5720, 0x18$
| | | |     "Id" = 0x4
| | | |     "CoreCaptureFlag" = 0x0
| | | |     "CoreCaptureLevel" = 0x5
| | | |     "ConsoleLevel" = 0x3
| | | |     "IOClass" = "CCLogStream"
| | | |     "IOReportLegendPublic" = Yes

```

```

| | | | "LogIdentifier" = "io80211"
| | | | "Name" = "IO80211Logger_awdl0"
| | | | "ConsoleFlag" = 0x0
| | | | "MiscInfo" = 0x0
| | | | }
| | | | +-o CCLogPipeUserClient <class CCLogPipeUserClient, id
0x1000006dd, !registered, !matched, active, busy 0, retain 6>;
| | | | {
| | | |     "IOUserClientCreator" = "pid 418, corecaptured"
| | | |     "IOUserClientDefaultLocking" = Yes
| | | | }
| | | | +-o CCLogPipe <class CCLogPipe, id 0x1000002cf, registered,
matched, active, busy 0 (1 ms), retain 73>;
| | | | {
| | | |     "LogDataType" = 0x0
| | | |     "IOClass" = "CCLogPipe"
| | | |     "Filename" = "AppleBCM WLAN_Datapath"
| | | |     "LogType" = 0x0
| | | |     "Name" = "DatapathEvents"
| | | |     "NumberOfFiles" = 0x2
| | | |     "LogIdentifier" = ""
| | | |     "PipeSize" = 0x200000
| | | |     "MinLogSizeToNotify" = 0xc0000
| | | |     "IOReportLegend" =
({ "IOReportGroupName" = "CoreCapture", "IOReportChannels" = ((0x434350204c202020, 0x18
0100001, "
| | | |         Log Calls"),
(0x434350204c4d4442, 0x180100001, "
| | | |         Log Messages Dropped Short Of Buffer"),
(0x434350204c435220, 0x180100001, "
| | | |         Capture
Requests")), "IOReportChannelInfo" = {"IOReportChannelUnit" = 0x6400000000000000}, "IO
ReportSubGroupName" = "Pipe DatapathEvents"})
| | | |     "LogPolicy" = 0x0
| | | |     "Owner" = "com.apple.driver.AppleBCM WLANCoreV3.0"
| | | |     "FileOptions" = 0x0
| | | |     "NotifyThreshold" = 0x3e8
| | | |     "DirectoryName" = "WiFi"
| | | |     "IOReportLegendPublic" = Yes
| | | |     "Statistics" =
{"timestamp" = 0x468076178c, "Errors" = {"metaDataCounts:
invalidState" = 0x0, "metaDataCounts: invalidPaddingSize" = 0x0, "metaDataCounts:
invalidLogLevel" = 0x0, "reserveRingEntryDrops" = 0x0, "metaDataCounts:
invalidPayloadSize" = 0x0}}
| | | |     "PipeType" = 0x0
| | | |     "FileSize" = 0x2800000
| | | | }
| | | | +-o CCLogStream <class CCLogStream, id 0x1000002d3, registered,
matched, active, busy 0 (0 ms), retain 7>;
| | | | {
| | | |     "IOClass" = "CCLogStream"
| | | |     "StreamHeader" = <08000000000000a5a5>;
| | | |     "Name" = "requestiotxpcie"
| | | |     "Id" = 0x1
| | | |     "LogIdentifier" = ""
| | | |     "CoreCaptureLevel" = 0x7f
| | | |     "ConsoleLevel" = 0xffffffffffffffff
| | | |     "MiscInfo" = 0x96
| | | |     "ConsoleFlag" = 0x0
| | | |     "IOReportLegend" =
({ "IOReportGroupName" = "CoreCapture", "IOReportChannels" = ((0x434353204c202020, 0x18
0100001, "
| | | |         Log Calls"),
(0x434353204c444343, 0x180100001, "
| | | |         Log Calls Dropped CC Filters"),
(0x434353204c444320, 0x180100001, "
| | | |         Log Calls Dropped Console Filters"),
```



```

(0x434353204c4c4520,0x180100001,"          Log Calls [Emergency]"),
(0x434353204c4c4120,0x180100001,"          Log Calls      [Alert]"),
(0x434353204c4c4320,0x180100001,"          Log Calls      [Crit]"),
(0x434353204c4c5720,0x18$
    | | | | |
    | | | | | "CoreCaptureFlag" = 0x7
    | | | | | "IOReportLegendPublic" = Yes
    | | | | | }
    | | | | |
    | | | | | +-o CCLogStream <class CCLogStream, id 0x1000002d4, registered,
matched, active, busy 0 (0 ms), retain 7&gt;
    | | | | | {
    | | | | |   "IOClass" = "CCLogStream"
    | | | | |   "StreamHeader" = <0900000000000a5a5&gt;
    | | | | |   "Name" = "rxpacketpcie"
    | | | | |   "Id" = 0x2
    | | | | |   "LogIdentifier" = ""
    | | | | |   "CoreCaptureLevel" = 0x7f
    | | | | |   "ConsoleLevel" = 0xffffffffffffffff
    | | | | |   "MiscInfo" = 0x96
    | | | | |   "ConsoleFlag" = 0x0
    | | | | |   "IOReportLegend" =
({ "IOReportGroupName"="CoreCapture", "IOReportChannels"=((0x434353204c202020,0x18
0100001,"          Log Calls"),
(0x434353204c444343,0x180100001,"          Log Calls Dropped CC Filters"),
(0x434353204c444320,0x180100001,"          Log Calls Dropped Console Filters"),
(0x434353204c4c4520,0x180100001,"          Log Calls [Emergency]"),
(0x434353204c4c4120,0x180100001,"          Log Calls      [Alert]"),
(0x434353204c4c4320,0x180100001,"          Log Calls      [Crit]"),
(0x434353204c4c5720,0x18$
    | | | | |
    | | | | | "CoreCaptureFlag" = 0x3
    | | | | | "IOReportLegendPublic" = Yes
    | | | | | }
    | | | | |
    | | | | | +-o CCLogStream <class CCLogStream, id 0x1000002d5, registered,
matched, active, busy 0 (0 ms), retain 7&gt;
    | | | | | {
    | | | | |   "IOClass" = "CCLogStream"
    | | | | |   "StreamHeader" = <0700000000000a5a5&gt;
    | | | | |   "Name" = "driverstatepcie"
    | | | | |   "Id" = 0x3
    | | | | |   "LogIdentifier" = ""
    | | | | |   "CoreCaptureLevel" = 0x7f
    | | | | |   "ConsoleLevel" = 0xffffffffffffffff
    | | | | |   "MiscInfo" = 0x96
    | | | | |   "ConsoleFlag" = 0x0
    | | | | |   "IOReportLegend" =
({ "IOReportGroupName"="CoreCapture", "IOReportChannels"=((0x434353204c202020,0x18
0100001,"          Log Calls"),
(0x434353204c444343,0x180100001,"          Log Calls Dropped CC Filters"),
(0x434353204c444320,0x180100001,"          Log Calls Dropped Console Filters"),
(0x434353204c4c4520,0x180100001,"          Log Calls [Emergency]"),
(0x434353204c4c4120,0x180100001,"          Log Calls      [Alert]"),
(0x434353204c4c4320,0x180100001,"          Log Calls      [Crit]"),
(0x434353204c4c5720,0x18$
    | | | | |
    | | | | | "CoreCaptureFlag" = 0x3
    | | | | | "IOReportLegendPublic" = Yes
    | | | | | }
    | | | | |
    | | | | | +-o CCLogStream <class CCLogStream, id 0x100000392, registered,
matched, active, busy 0 (0 ms), retain 7&gt;
    | | | | | {
    | | | | |   "IOClass" = "CCLogStream"
    | | | | |   "StreamHeader" = <0300000000000a5a5&gt;
    | | | | |   "Name" = "commander"

```

```

| | | | "Id" = 0x4
| | | | "LogIdentifier" = ""
| | | | "CoreCaptureLevel" = 0x7f
| | | | "ConsoleLevel" = 0xffffffffffffffff
| | | | "MiscInfo" = 0x96
| | | | "ConsoleFlag" = 0x0
| | | | "IOReportLegend" =
({ "IOReportGroupName"="CoreCapture", "IOReportChannels"=((0x434353204c202020,0x18
0100001, " Log Calls"),
(0x434353204c444343,0x180100001, " Log Calls Dropped CC Filters"),
(0x434353204c444320,0x180100001, " Log Calls Dropped Console Filters"),
(0x434353204c4c4520,0x180100001, " Log Calls [Emergency]"),
(0x434353204c4c4120,0x180100001, " Log Calls [Alert]"),
(0x434353204c4c4320,0x180100001, " Log Calls [Crit]"),
(0x434353204c4c5720,0x18$
| | | | "CoreCaptureFlag" = 0x3
| | | | "IOReportLegendPublic" = Yes
| | | | }
| | | | +-o CCLogStream <<class CCLogStream, id 0x100000395, registered,
matched, active, busy 0 (0 ms), retain 7>>
| | | | {
| | | | "IOClass" = "CCLogStream"
| | | | "StreamHeader" = <<0200000000000a5a5>>;
| | | | "Name" = "events"
| | | | "Id" = 0x5
| | | | "LogIdentifier" = ""
| | | | "CoreCaptureLevel" = 0x7f
| | | | "ConsoleLevel" = 0xffffffffffffffff
| | | | "MiscInfo" = 0x96
| | | | "ConsoleFlag" = 0x0
| | | | "IOReportLegend" =
({ "IOReportGroupName"="CoreCapture", "IOReportChannels"=((0x434353204c202020,0x18
0100001, " Log Calls"),
(0x434353204c444343,0x180100001, " Log Calls Dropped CC Filters"),
(0x434353204c444320,0x180100001, " Log Calls Dropped Console Filters"),
(0x434353204c4c4520,0x180100001, " Log Calls [Emergency]"),
(0x434353204c4c4120,0x180100001, " Log Calls [Alert]"),
(0x434353204c4c4320,0x180100001, " Log Calls [Crit]"),
(0x434353204c4c5720,0x18$
| | | | "CoreCaptureFlag" = 0x1
| | | | "IOReportLegendPublic" = Yes
| | | | }
| | | | +-o CCLogStream <<class CCLogStream, id 0x100000443, registered,
matched, active, busy 0 (0 ms), retain 7>>
| | | | {
| | | | "IOClass" = "CCLogStream"
| | | | "StreamHeader" = <<01000000000007373>>;
| | | | "Name" = "networkfamilystack"
| | | | "Id" = 0x6
| | | | "LogIdentifier" = ""
| | | | "CoreCaptureLevel" = 0x7f
| | | | "ConsoleLevel" = 0xffffffffffffffff
| | | | "MiscInfo" = 0x96
| | | | "ConsoleFlag" = 0x0
| | | | "IOReportLegend" =
({ "IOReportGroupName"="CoreCapture", "IOReportChannels"=((0x434353204c202020,0x18
0100001, " Log Calls"),
(0x434353204c444343,0x180100001, " Log Calls Dropped CC Filters"),
(0x434353204c444320,0x180100001, " Log Calls Dropped Console Filters"),
(0x434353204c4c4520,0x180100001, " Log Calls [Emergency]"),
(0x434353204c4c4120,0x180100001, " Log Calls [Alert]"),
(0x434353204c4c4320,0x180100001, " Log Calls [Crit]"),

```

```

(0x434353204c4c5720,0x18$
| | | | "CoreCaptureFlag" = 0x0
| | | | "IOReportLegendPublic" = Yes
| | | | }
| | | | +-o CCLogStream <class CCLogStream, id 0x100000444, registered,
matched, active, busy 0 (0 ms), retain 7>;
| | | | {
| | | | "IOClass" = "CCLogStream"
| | | | "StreamHeader" = <02000000000007373>;
| | | | "Name" = "interfacequeue"
| | | | "Id" = 0x7
| | | | "LogIdentifier" = ""
| | | | "CoreCaptureLevel" = 0x7f
| | | | "ConsoleLevel" = 0xffffffffffffffff
| | | | "MiscInfo" = 0x96
| | | | "ConsoleFlag" = 0x0
| | | | "IOReportLegend" =
({"IOReportGroupName"="CoreCapture", "IOReportChannels"=((0x434353204c202020, 0x18
0100001, " Log Calls"),
(0x434353204c444343, 0x180100001, " Log Calls Dropped CC Filters"),
(0x434353204c444320, 0x180100001, " Log Calls Dropped Console Filters"),
(0x434353204c4c4520, 0x180100001, " Log Calls [Emergency]"),
(0x434353204c4c4120, 0x180100001, " Log Calls [Alert]"),
(0x434353204c4c4320, 0x180100001, " Log Calls [Crit]"),
(0x434353204c4c5720, 0x18$
| | | | "CoreCaptureFlag" = 0x0
| | | | "IOReportLegendPublic" = Yes
| | | | }
| | | | +-o CCLogStream <class CCLogStream, id 0x100000445, registered,
matched, active, busy 0 (0 ms), retain 7>;
| | | | {
| | | | "IOClass" = "CCLogStream"
| | | | "StreamHeader" = <03000000000007373>;
| | | | "Name" = "peerqueue"
| | | | "Id" = 0x8
| | | | "LogIdentifier" = ""
| | | | "CoreCaptureLevel" = 0x7f
| | | | "ConsoleLevel" = 0xffffffffffffffff
| | | | "MiscInfo" = 0x96
| | | | "ConsoleFlag" = 0x0
| | | | "IOReportLegend" =
({"IOReportGroupName"="CoreCapture", "IOReportChannels"=((0x434353204c202020, 0x18
0100001, " Log Calls"),
(0x434353204c444343, 0x180100001, " Log Calls Dropped CC Filters"),
(0x434353204c444320, 0x180100001, " Log Calls Dropped Console Filters"),
(0x434353204c4c4520, 0x180100001, " Log Calls [Emergency]"),
(0x434353204c4c4120, 0x180100001, " Log Calls [Alert]"),
(0x434353204c4c4320, 0x180100001, " Log Calls [Crit]"),
(0x434353204c4c5720, 0x18$
| | | | "CoreCaptureFlag" = 0x0
| | | | "IOReportLegendPublic" = Yes
| | | | }
| | | | +-o CCLogStream <class CCLogStream, id 0x100000446, registered,
matched, active, busy 0 (0 ms), retain 7>;
| | | | {
| | | | "IOClass" = "CCLogStream"
| | | | "StreamHeader" = <04000000000007373>;
| | | | "Name" = "peerinput"
| | | | "Id" = 0x9
| | | | "LogIdentifier" = ""
| | | | "CoreCaptureLevel" = 0x7f

```

```

| | | | "ConsoleLevel" = 0xffffffffffffffff
| | | | "MiscInfo" = 0x96
| | | | "ConsoleFlag" = 0x0
| | | | "IOReportLegend" =
({ "IOReportGroupName"="CoreCapture", "IOReportChannels"=((0x434353204c202020,0x18
0100001, "
| | | | | Log Calls"),
(0x434353204c444343,0x180100001, "
| | | | | Log Calls Dropped CC Filters"),
(0x434353204c444320,0x180100001, "
| | | | | Log Calls Dropped Console Filters"),
(0x434353204c4c4520,0x180100001, "
| | | | | Log Calls [Emergency]"),
(0x434353204c4c4120,0x180100001, "
| | | | | Log Calls [Alert]"),
(0x434353204c4c4320,0x180100001, "
| | | | | Log Calls [Crit]"),
(0x434353204c4c5720,0x18$
| | | | | "CoreCaptureFlag" = 0x0
| | | | | "IOReportLegendPublic" = Yes
| | | | }
| | | | +-o CCLogStream <class CCLogStream, id 0x100000447, registered,
matched, active, busy 0 (0 ms), retain 7>&gt;
| | | | {
| | | | | "IOClass" = "CCLogStream"
| | | | | "StreamHeader" = <05000000000007373>&gt;
| | | | | "Name" = "bpf_tap_in"
| | | | | "Id" = 0xa
| | | | | "LogIdentifier" = ""
| | | | | "CoreCaptureLevel" = 0x7f
| | | | | "ConsoleLevel" = 0xffffffffffffffff
| | | | | "MiscInfo" = 0x96
| | | | | "ConsoleFlag" = 0x0
| | | | | "IOReportLegend" =
({ "IOReportGroupName"="CoreCapture", "IOReportChannels"=((0x434353204c202020,0x18
0100001, "
| | | | | | Log Calls"),
(0x434353204c444343,0x180100001, "
| | | | | | Log Calls Dropped CC Filters"),
(0x434353204c444320,0x180100001, "
| | | | | | Log Calls Dropped Console Filters"),
(0x434353204c4c4520,0x180100001, "
| | | | | | Log Calls [Emergency]"),
(0x434353204c4c4120,0x180100001, "
| | | | | | Log Calls [Alert]"),
(0x434353204c4c4320,0x180100001, "
| | | | | | Log Calls [Crit]"),
(0x434353204c4c5720,0x18$
| | | | | | "CoreCaptureFlag" = 0x16
| | | | | | "IOReportLegendPublic" = Yes
| | | | | }
| | | | +-o CCLogStream <class CCLogStream, id 0x10000047d, registered,
matched, active, busy 0 (0 ms), retain 7>&gt;
| | | | {
| | | | | "IOClass" = "CCLogStream"
| | | | | "StreamHeader" = <01000000000007373>&gt;
| | | | | "Name" = "networkfamilystack_ap1"
| | | | | "Id" = 0xb
| | | | | "LogIdentifier" = ""
| | | | | "CoreCaptureLevel" = 0x7f
| | | | | "ConsoleLevel" = 0xffffffffffffffff
| | | | | "MiscInfo" = 0x96
| | | | | "ConsoleFlag" = 0x0
| | | | | "IOReportLegend" =
({ "IOReportGroupName"="CoreCapture", "IOReportChannels"=((0x434353204c202020,0x18
0100001, "
| | | | | | Log Calls"),
(0x434353204c444343,0x180100001, "
| | | | | | Log Calls Dropped CC Filters"),
(0x434353204c444320,0x180100001, "
| | | | | | Log Calls Dropped Console Filters"),
(0x434353204c4c4520,0x180100001, "
| | | | | | Log Calls [Emergency]"),
(0x434353204c4c4120,0x180100001, "
| | | | | | Log Calls [Alert]"),
(0x434353204c4c4320,0x180100001, "
| | | | | | Log Calls [Crit]"),
(0x434353204c4c5720,0x18$
| | | | | | "CoreCaptureFlag" = 0x0
| | | | | | "IOReportLegendPublic" = Yes

```



```

| | | | "IOReportLegend" =
({ "IOReportGroupName"="CoreCapture", "IOReportChannels"=((0x434353204c202020, 0x18
0100001, " Log Calls"),
(0x434353204c444343, 0x180100001, " Log Calls Dropped CC Filters"),
(0x434353204c444320, 0x180100001, " Log Calls Dropped Console Filters"),
(0x434353204c4c4520, 0x180100001, " Log Calls [Emergency]"),
(0x434353204c4c4120, 0x180100001, " Log Calls [Alert]"),
(0x434353204c4c4320, 0x180100001, " Log Calls [Crit]"),
(0x434353204c4c5720, 0x18$
| | | | "CoreCaptureFlag" = 0x0
| | | | "IOReportLegendPublic" = Yes
| | | | }
| | | | +-o CCLogStream <class CCLogStream, id 0x100000481, registered,
matched, active, busy 0 (0 ms), retain 7>>
| | | | {
| | | | "IOClass" = "CCLogStream"
| | | | "StreamHeader" = <05000000000007373>>
| | | | "Name" = "bpf_tap_in_ap1"
| | | | "Id" = 0xf
| | | | "LogIdentifier" = ""
| | | | "CoreCaptureLevel" = 0x7f
| | | | "ConsoleLevel" = 0xffffffffffffffff
| | | | "MiscInfo" = 0x96
| | | | "ConsoleFlag" = 0x0
| | | | "IOReportLegend" =
({ "IOReportGroupName"="CoreCapture", "IOReportChannels"=((0x434353204c202020, 0x18
0100001, " Log Calls"),
(0x434353204c444343, 0x180100001, " Log Calls Dropped CC Filters"),
(0x434353204c444320, 0x180100001, " Log Calls Dropped Console Filters"),
(0x434353204c4c4520, 0x180100001, " Log Calls [Emergency]"),
(0x434353204c4c4120, 0x180100001, " Log Calls [Alert]"),
(0x434353204c4c4320, 0x180100001, " Log Calls [Crit]"),
(0x434353204c4c5720, 0x18$
| | | | "CoreCaptureFlag" = 0x0
| | | | "IOReportLegendPublic" = Yes
| | | | }
| | | | +-o CCLogStream <class CCLogStream, id 0x10000056b, registered,
matched, active, busy 0 (0 ms), retain 7>>
| | | | {
| | | | "IOClass" = "CCLogStream"
| | | | "StreamHeader" = <01000000000007373>>
| | | | "Name" = "networkfamilystack_awdl0"
| | | | "Id" = 0x10
| | | | "LogIdentifier" = ""
| | | | "CoreCaptureLevel" = 0x7f
| | | | "ConsoleLevel" = 0xffffffffffffffff
| | | | "MiscInfo" = 0x96
| | | | "ConsoleFlag" = 0x0
| | | | "IOReportLegend" =
({ "IOReportGroupName"="CoreCapture", "IOReportChannels"=((0x434353204c202020, 0x18
0100001, " Log Calls"),
(0x434353204c444343, 0x180100001, " Log Calls Dropped CC Filters"),
(0x434353204c444320, 0x180100001, " Log Calls Dropped Console Filters"),
(0x434353204c4c4520, 0x180100001, " Log Calls [Emergency]"),
(0x434353204c4c4120, 0x180100001, " Log Calls [Alert]"),
(0x434353204c4c4320, 0x180100001, " Log Calls [Crit]"),
(0x434353204c4c5720, 0x18$
| | | | "CoreCaptureFlag" = 0x0
| | | | "IOReportLegendPublic" = Yes
| | | | }
| | | | +-o CCLogStream <class CCLogStream, id 0x10000056c, registered,

```

```

matched, active, busy 0 (0 ms), retain 7&gt;
    | | | | {
    | | | |   "IOClass" = "CCLogStream"
    | | | |   "StreamHeader" = &lt;02000000000007373&gt;;
    | | | |   "Name" = "interfacequeue_awdl0"
    | | | |   "Id" = 0x11
    | | | |   "LogIdentifier" = ""
    | | | |   "CoreCaptureLevel" = 0x7f
    | | | |   "ConsoleLevel" = 0xffffffffffffffff
    | | | |   "MiscInfo" = 0x96
    | | | |   "ConsoleFlag" = 0x0
    | | | |   "IOReportLegend" =
    | | | |   ({"IOReportGroupName"="CoreCapture", "IOReportChannels"=((0x434353204c202020, 0x18
0100001, "
    | | | |     Log Calls"),
    | | | |     (0x434353204c444343, 0x180100001, "
    | | | |       Log Calls Dropped CC Filters"),
    | | | |     (0x434353204c444320, 0x180100001, "
    | | | |       Log Calls Dropped Console Filters"),
    | | | |     (0x434353204c4c4520, 0x180100001, "
    | | | |       Log Calls [Emergency]"),
    | | | |     (0x434353204c4c4120, 0x180100001, "
    | | | |       Log Calls [Alert]"),
    | | | |     (0x434353204c4c4320, 0x180100001, "
    | | | |       Log Calls [Crit]"),
    | | | |     (0x434353204c4c5720, 0x18$
    | | | |     "CoreCaptureFlag" = 0x0
    | | | |     "IOReportLegendPublic" = Yes
    | | | |   }
    | | | | }
    | | | | +-o CCLogStream &lt;class CCLogStream, id 0x10000056d, registered,
matched, active, busy 0 (0 ms), retain 7&gt;
    | | | | {
    | | | |   "IOClass" = "CCLogStream"
    | | | |   "StreamHeader" = &lt;03000000000007373&gt;;
    | | | |   "Name" = "peerqueue_awdl0"
    | | | |   "Id" = 0x12
    | | | |   "LogIdentifier" = ""
    | | | |   "CoreCaptureLevel" = 0x7f
    | | | |   "ConsoleLevel" = 0xffffffffffffffff
    | | | |   "MiscInfo" = 0x96
    | | | |   "ConsoleFlag" = 0x0
    | | | |   "IOReportLegend" =
    | | | |   ({"IOReportGroupName"="CoreCapture", "IOReportChannels"=((0x434353204c202020, 0x18
0100001, "
    | | | |     Log Calls"),
    | | | |     (0x434353204c444343, 0x180100001, "
    | | | |       Log Calls Dropped CC Filters"),
    | | | |     (0x434353204c444320, 0x180100001, "
    | | | |       Log Calls Dropped Console Filters"),
    | | | |     (0x434353204c4c4520, 0x180100001, "
    | | | |       Log Calls [Emergency]"),
    | | | |     (0x434353204c4c4120, 0x180100001, "
    | | | |       Log Calls [Alert]"),
    | | | |     (0x434353204c4c4320, 0x180100001, "
    | | | |       Log Calls [Crit]"),
    | | | |     (0x434353204c4c5720, 0x18$
    | | | |     "CoreCaptureFlag" = 0x0
    | | | |     "IOReportLegendPublic" = Yes
    | | | |   }
    | | | | }
    | | | | +-o CCLogStream &lt;class CCLogStream, id 0x10000056e, registered,
matched, active, busy 0 (0 ms), retain 7&gt;
    | | | | {
    | | | |   "IOClass" = "CCLogStream"
    | | | |   "StreamHeader" = &lt;04000000000007373&gt;;
    | | | |   "Name" = "peerinput_awdl0"
    | | | |   "Id" = 0x13
    | | | |   "LogIdentifier" = ""
    | | | |   "CoreCaptureLevel" = 0x7f
    | | | |   "ConsoleLevel" = 0xffffffffffffffff
    | | | |   "MiscInfo" = 0x96
    | | | |   "ConsoleFlag" = 0x0
    | | | |   "IOReportLegend" =
    | | | |   ({"IOReportGroupName"="CoreCapture", "IOReportChannels"=((0x434353204c202020, 0x18
0100001, "
    | | | |     Log Calls"),

```

```

(0x434353204c444343,0x180100001,"      Log Calls Dropped CC Filters"),
(0x434353204c444320,0x180100001,"      Log Calls Dropped Console Filters"),
(0x434353204c4c4520,0x180100001,"      Log Calls [Emergency]"),
(0x434353204c4c4120,0x180100001,"      Log Calls [Alert]"),
(0x434353204c4c4320,0x180100001,"      Log Calls [Crit]"),
(0x434353204c4c5720,0x18$
| | | | |      "CoreCaptureFlag" = 0x0
| | | | |      "IOReportLegendPublic" = Yes
| | | | |    }
| | | | |    +-o CCLogStream <class CCLogStream, id 0x10000056f, registered,
matched, active, busy 0 (0 ms), retain 7>>
| | | | |    {
| | | | |      "IOClass" = "CCLogStream"
| | | | |      "StreamHeader" = <05000000000007373>&gt;
| | | | |      "Name" = "bpf_tap_in_awdl0"
| | | | |      "Id" = 0x14
| | | | |      "LogIdentifier" = ""
| | | | |      "CoreCaptureLevel" = 0x7f
| | | | |      "ConsoleLevel" = 0xffffffffffffff
| | | | |      "MiscInfo" = 0x96
| | | | |      "ConsoleFlag" = 0x0
| | | | |      "IOReportLegend" =
({ "IOReportGroupName"="CoreCapture", "IOReportChannels"=((0x434353204c202020,0x18
0100001,"      Log Calls"),
(0x434353204c444343,0x180100001,"      Log Calls Dropped CC Filters"),
(0x434353204c444320,0x180100001,"      Log Calls Dropped Console Filters"),
(0x434353204c4c4520,0x180100001,"      Log Calls [Emergency]"),
(0x434353204c4c4120,0x180100001,"      Log Calls [Alert]"),
(0x434353204c4c4320,0x180100001,"      Log Calls [Crit]"),
(0x434353204c4c5720,0x18$
| | | | |      "CoreCaptureFlag" = 0x4
| | | | |      "IOReportLegendPublic" = Yes
| | | | |    }
| | | | |    +-o CCLogPipeUserClient <class CCLogPipeUserClient, id
0x1000006dc, !registered, !matched, active, busy 0, retain 6>>
| | | | |    {
| | | | |      "IOUserClientCreator" = "pid 418, corecaptured"
| | | | |      "IOUserClientDefaultLocking" = Yes
| | | | |    }
| | | | |    +-o CCDataPipe <class CCDataPipe, id 0x1000002d1, registered,
matched, active, busy 0 (0 ms), retain 22>>
| | | | |    {
| | | | |      "LogDataType" = 0x2
| | | | |      "IOClass" = "CCDataPipe"
| | | | |      "Filename" = "StateSnapshots"
| | | | |      "LogType" = 0x2
| | | | |      "Name" = "StateSnapshots"
| | | | |      "NumberOfFiles" = 0x0
| | | | |      "LogIdentifier" = "0"
| | | | |      "PipeSize" = 0x80
| | | | |      "MinLogSizeToNotify" = 0x0
| | | | |      "IOReportLegend" =
({ "IOReportGroupName"="CoreCapture", "IOReportChannels"=((0x434350204c202020,0x18
0100001,"      Log Calls"),
(0x434350204c4d4442,0x180100001,"      Log Messages Dropped Short Of Buffer"),
(0x434350204c435220,0x180100001,"      Capture
Requests")), "IOReportChannelInfo"={"IOReportChannelUnit"=0x6400000000000000}, "IO
ReportSubGroupName"="Pipe StateSnapshots"})
| | | | |      "LogPolicy" = 0x0
| | | | |      "Owner" = "com.apple.driver.AppleBCM WLANCoreV3.0"
| | | | |      "FileOptions" = 0x0

```



```

    | | | | "NotifyThreshold" = 0x0
    | | | | "DirectoryName" = "WiFi"
    | | | | "IOReportLegendPublic" = Yes
    | | | | "Statistics" = {"timestamp"=0x0, "Errors"={"metaDataCounts:
invalidState"=0x0, "metaDataCounts: invalidPaddingSize"=0x0, "metaDataCounts:
invalidLogLevel"=0x0, "reserveRingEntryDrops"=0x0, "metaDataCounts:
invalidPayloadSize"=0x0}}
    | | | | "PipeType" = 0x1
    | | | | "FileSize" = 0x0
    | | | | }
    | | | | +-o CCDataStream &lt;class CCDataStream, id 0x1000002d2,
registered, matched, active, busy 0 (0 ms), retain 10&gt;
    | | | | {
    | | | | | | "IOReportLegend" =
({ "IOReportGroupName"="CoreCapture", "IOReportChannels"=(0x434353204c202020, 0x18
0100001, "
Log Calls"),
(0x434353204c444343, 0x180100001, "
Log Calls Dropped CC Filters"),
(0x434353204c444320, 0x180100001, "
Log Calls Dropped Console Filters"),
(0x434353204c4c4520, 0x180100001, "
Log Calls [Emergency]"),
(0x434353204c4c4120, 0x180100001, "
Log Calls [Alert]"),
(0x434353204c4c4320, 0x180100001, "
Log Calls [Crit]"),
(0x434353204c4c5720, 0x18$
"LogIdentifier" = ""
"Name" = "FaultReporter"
"IOReportLegendPublic" = Yes
"IOClass" = "CCDataStream"
"Id" = 0x1
}
    | | | | | | +-o CCFaultReporter &lt;class CCFaultReporter, id 0x100000327, !
registered, !matched, active, busy 0, retain 20&gt;
    | | | | | | {
    | | | | | | | | "IOClass" = "CCFaultReporter"
    | | | | | | | | "Owners" =
["com.apple.driver.AppleMultiFunctionManager", "com.apple.iokit.IO80211Family", "c
om.apple.driver.AppleBCM WLANCoreV3.0"]
    | | | | | | }
    | | | | | | +-o CCDataStream &lt;class CCDataStream, id 0x100000442,
registered, matched, active, busy 0 (0 ms), retain 7&gt;
    | | | | | | {
    | | | | | | | | "IOReportLegend" =
({ "IOReportGroupName"="CoreCapture", "IOReportChannels"=(0x434353204c202020, 0x18
0100001, "
Log Calls"),
(0x434353204c444343, 0x180100001, "
Log Calls Dropped CC Filters"),
(0x434353204c444320, 0x180100001, "
Log Calls Dropped Console Filters"),
(0x434353204c4c4520, 0x180100001, "
Log Calls [Emergency]"),
(0x434353204c4c4120, 0x180100001, "
Log Calls [Alert]"),
(0x434353204c4c4320, 0x180100001, "
Log Calls [Crit]"),
(0x434353204c4c5720, 0x18$
"LogIdentifier" = "io80211"
"Name" = "IO80211DataStream"
"IOReportLegendPublic" = Yes
"IOClass" = "CCDataStream"
"Id" = 0x2
}
    | | | | | | +-o CCDataStream &lt;class CCDataStream, id 0x10000047c,
registered, matched, active, busy 0 (0 ms), retain 7&gt;
    | | | | | | {
    | | | | | | | | "IOReportLegend" =
({ "IOReportGroupName"="CoreCapture", "IOReportChannels"=(0x434353204c202020, 0x18
0100001, "
Log Calls"),

```

```

(0x434353204c444343,0x180100001,"          Log Calls Dropped CC Filters"),
(0x434353204c444320,0x180100001,"      Log Calls Dropped Console Filters"),
(0x434353204c4c4520,0x180100001,"          Log Calls [Emergency]"),
(0x434353204c4c4120,0x180100001,"          Log Calls      [Alert]"),
(0x434353204c4c4320,0x180100001,"          Log Calls      [Crit]"),
(0x434353204c4c5720,0x18$
| | | | |
| | | | |      "LogIdentifier" = "io80211"
| | | | |      "Name" = "IO80211DataStream"
| | | | |      "IOReportLegendPublic" = Yes
| | | | |      "IOClass" = "CCDataStream"
| | | | |      "Id" = 0x3
| | | | |      }
| | | | |      +-o CCDataStream &lt;class CCDataStream, id 0x10000056a,
registered, matched, active, busy 0 (0 ms), retain 7&gt;
| | | | |      {
| | | | |          "IOReportLegend" =
({ "IOReportGroupName"="CoreCapture", "IOReportChannels"=((0x434353204c202020,0x18
0100001,"          Log Calls"),
(0x434353204c444343,0x180100001,"          Log Calls Dropped CC Filters"),
(0x434353204c444320,0x180100001,"      Log Calls Dropped Console Filters"),
(0x434353204c4c4520,0x180100001,"          Log Calls [Emergency]"),
(0x434353204c4c4120,0x180100001,"          Log Calls      [Alert]"),
(0x434353204c4c4320,0x180100001,"          Log Calls      [Crit]"),
(0x434353204c4c5720,0x18$
| | | | |          "LogIdentifier" = "io80211"
| | | | |          "Name" = "IO80211DataStream"
| | | | |          "IOReportLegendPublic" = Yes
| | | | |          "IOClass" = "CCDataStream"
| | | | |          "Id" = 0x4
| | | | |          }
| | | | |      +-o CCDataPipeUserClient &lt;class CCDataPipeUserClient, id
0x1000006e3, !registered, !matched, active, busy 0, retain 6&gt;
| | | | |      {
| | | | |          "IOUserClientCreator" = "pid 418, corecaptured"
| | | | |          "IOUserClientDefaultLocking" = Yes
| | | | |      }
| | | | |      +-o CCLogPipe &lt;class CCLogPipe, id 0x100000328, registered,
matched, active, busy 0 (0 ms), retain 12&gt;
| | | | |      {
| | | | |          "LogDataType" = 0x0
| | | | |          "IOClass" = "CCLogPipe"
| | | | |          "Filename" = "FirmwareBusLogs"
| | | | |          "LogType" = 0x0
| | | | |          "Name" = "FirmwareBusLogs"
| | | | |          "NumberOfFiles" = 0x2
| | | | |          "LogIdentifier" = "brcm0"
| | | | |          "PipeSize" = 0x200000
| | | | |          "MinLogSizeToNotify" = 0xccccc
| | | | |          "IOReportLegend" =
({ "IOReportGroupName"="CoreCapture", "IOReportChannels"=((0x434350204c202020,0x18
0100001,"          Log Calls"),
(0x434350204c4d4442,0x180100001,"      Log Messages Dropped Short Of Buffer"),
(0x434350204c435220,0x180100001,"          Capture
Requests")), "IOReportChannelInfo"={"IOReportChannelUnit"=0x6400000000000000}, "IO
ReportSubGroupName"="Pipe FirmwareBusLogs"})
| | | | |          "LogPolicy" = 0x0
| | | | |          "Owner" = "com.apple.driver.AppleBCM WLANCoreV3.0"
| | | | |          "FileOptions" = 0x0
| | | | |          "NotifyThreshold" = 0x3e8
| | | | |          "DirectoryName" = "WiFi"
| | | | |          "IOReportLegendPublic" = Yes

```

```

| | | | "Statistics" =
{"timestamp"=0x2f25df0448,"Errors"={"metaDataCounts:
invalidState"=0x0,"metaDataCounts: invalidPaddingSize"=0x0,"metaDataCounts:
invalidLogLevel"=0x0,"reserveRingEntryDrops"=0x0,"metaDataCounts:
invalidPayloadSize"=0x0}}
| | | | "PipeType" = 0x0
| | | | "FileSize" = 0x200000
| | | | }
| | | | +-o CCLogStream <&class CCLogStream, id 0x10000032a, registered,
matched, active, busy 0 (0 ms), retain 7&&gt;
| | | | {
| | | | "IOClass" = "CCLogStream"
| | | | "StreamHeader" = <&0d00000000000a5a5&&gt;
| | | | "Name" = "Firmware_Bus"
| | | | "Id" = 0x1
| | | | "LogIdentifier" = ""
| | | | "CoreCaptureLevel" = 0x7f
| | | | "ConsoleLevel" = 0xffffffffffffffff
| | | | "MiscInfo" = 0x96
| | | | "ConsoleFlag" = 0x0
| | | | "IOReportLegend" =
({"IOReportGroupName"="CoreCapture","IOReportChannels"=(0x434353204c202020,0x18
0100001," Log Calls"),
(0x434353204c444343,0x180100001," Log Calls Dropped CC Filters"),
(0x434353204c444320,0x180100001," Log Calls Dropped Console Filters"),
(0x434353204c4c4520,0x180100001," Log Calls [Emergency]"),
(0x434353204c4c4120,0x180100001," Log Calls [Alert]"),
(0x434353204c4c4320,0x180100001," Log Calls [Crit]"),
(0x434353204c4c5720,0x18$
| | | | "CoreCaptureFlag" = 0x0
| | | | "IOReportLegendPublic" = Yes
| | | | }
| | | | +-o CCLogPipeUserClient <&class CCLogPipeUserClient, id
0x10000006e1, !registered, !matched, active, busy 0, retain 6&&gt;
| | | | {
| | | | "IOUserClientCreator" = "pid 418, corecaptured"
| | | | "IOUserClientDefaultLocking" = Yes
| | | | }
| | | | +-o AppleBCM WLANCore <&class AppleBCM WLANCore, id 0x100000329,
registered, matched, active, busy 0 (2024 ms), retain 63&&gt;
| | | | {
| | | | "IO80211Family.BuildDate" = "Jun 23 2021 00:19:38"
| | | | "FirmwareLoaded" = Yes
| | | | "IO80211Family.BuildTag" = "AirPortFamily_kexts-1852.1"
| | | | "IO80211Family.BuildTagGit" = ""AirPortFamily_kexts-1852.1""
| | | | "ModuleInfo" = "chip='s=B3' module='M=SPPR m=3.1 V=m'
prod='17544' manuf='5348'"
| | | | "vendor-id" = "Murata"
| | | | "CoreDriverInitializationTime" = 0xe116e1e8
| | | | "Debuggable - isSoCRAMCaptureAllowed" = Yes
| | | | "AppleBCM WLANCorePowerManaged" = Yes
| | | | "IOMaxPacketSize" = 0x5ee
| | | | "IOPacketFilters" =
{"IONetworkFilterGroup"=0x110,"IOEthernetDisabledWakeOnLANFilterGroup"=0x0,"IOEt
hernetWakeOnLANFilterGroup"=0x1}
| | | | "LastSleepMode" = 0x0
| | | | "IOResourceMatch" = "IOBSD"
| | | | "IOMinPacketSize" = 0x40
| | | | "FirmwareVersion" = "wl0: Jul 7 2021 03:22:32 version
16.50.21.0.3.6.102 FWID 01-d1a61353"
| | | | "IOModel" = "Wireless Network Adapter (802.11 a/b/g/n/ac)"

```

```

| | | | "mDNS_Keepalive" = Yes
| | | | "Debuggable - isVerboseDebugLoggingAllowed" = Yes
| | | | "LastWakeReason" = 0x0
| | | | "IOPowerManagement" =
{"ChildrenPowerState"=0x1, "CurrentPowerState"=0x1, "CapabilityFlags"=0x8002, "MaxP
owerState"=0x1}
| | | | "mDNS_KEY" = "2009-07-30"
| | | | "Debuggable - isDebugCommandActionAllowed" = No
| | | | "RequestedFiles" =
({"Firmware"="C-4377__s-B3/formosa.trx", "TxCap"="C-4377__s-B3/formosa-
X2.txcb", "Regulatory"="C-4377__s-B3/formosa-X2.clmb", "NVRAM"="C-4377__s-B3/P-
formosa-X2_M-SPPR_V-m__m-3.1.txt"})
| | | | "IOMediumDictionary" =
{"00000080"={"Index"=0x0, "Type"=0x80, "Flags"=0x0, "Speed"=0x337f980}, "00000082"={
"Index"=0x0, "Type"=0x82, "Flags"=0x0, "Speed"=0x0}}
| | | | "IOMACAddress" = &lt;a483e74a8c21&gt;
| | | | "AppleBCM WLAN.BuildDate" = "Jun 23 2021 00:20:18"
| | | | "wlan.hw.feature-flags" = 0x0
| | | | "AppleBCM WLAN.BuildTag" = "AppleBCM WLANV3_DriversMac-828.1"
| | | | "AVBControllerState" = 0x1
| | | | "IOLinkSpeed" = 0x0
| | | | "IONetworkRootType" = "airport"
| | | | "CFBundleIdentifier" = "com.apple.driver.AppleBCM WLANCoreMac"
| | | | "IOVendor" = "Apple"
| | | | "PlatformConfigFileName" = "formosa-PlatformConfig.plist"
| | | | "IOProviderClass" = "AppleBCM WLANBusInterfacePCIE"
| | | | "IOSelectedMedium" = "00000080"
| | | | "IOFeatures" = 0x0
| | | | "IOReportLegendPublic" = Yes
| | | | "TxCapVersion" = "Data Title:
Formosa_Final_WIFICap_2019Mar22_v2.0 Data Creation: 2021-07-07 02:52:55 "
| | | | "IOClass" = "AppleBCM WLANCore"
| | | | "CFBundleIdentifierKernel" =
"com.apple.driver.AppleBCM WLANCoreMac"
| | | | "IOLinkStatus" = 0x1
| | | | "IOActiveMedium" = ""
| | | | "AppleBCM WLAN.BuildType" = "release"
| | | | "IOReportLegend" =
({"IOReportGroupName"="Chip", "IOReportChannels"=((0x2054436e42797465, 0x100140001
, " Tx Bytes"), (0x2052436e42797465, 0x100140001, " Rx
Bytes")), "IOReportChannelInfo"={"IOReportChannelUnit"=0x900820000000000}, "IORepo
rtSubGroupName"="Bytes Transferred"},
{"IOReportGroupName"="Chip", "IOReportChannels"=((0x5478436e54784672, 0x180100001,
" Tx Data Frames"), (0x5478436e54785265, 0x180100001, " Tx
Retransmissions"), (0x5478436e54784465, 0x180100001, " Tx Data Errors"),
(0x5478436e54784472, 0x180100001, " Tx $
| | | | "IOMatchCategory" = "WiFiDriver"
| | | | "CLMVersion" = "API: 19.2 Data: Oly.Formosa Compiler: 1.59.3
ClmImport: 1.49.3 Customization: v5 Final 190320 Creation: 2021-07-07 02:52:54 "
| | | | "IOProbeScore" = 0x0
| | | | "FWCap" = "ap sta wme 802.11d 802.11h cqa cac dualband ampdu
ampdu_tx ampdu_rx amsdurx amsdtx radio_pwrsave proptxstatus anqpo proxd vht-
prop-rates multi-user-beamformee single-user-beamformee dfrts lpas txpwr cache
stbc-tx stbc-rx-1ss rsdb mfp ndoe txcap epno pfnx scanmac bdo pktfltr2 ecounters
event_log cdef awdl txcap hchk logtrace d11status icmp ifver tko idauth ifst ucm
fie tvpm tdmtx lpr_scan bkoff_evt etd_info evt_ext clm_restrict dfsp
btc_wifi_prot txcap3 smd idsup sae sae-ap hp2p rng_reseed arpoe iot_bm iot_bd
avoid-bs$
| | | | "ModuleDictionary" =
{"ManufacturerID"=0x14e4, "ModuleInfo"="M=SPPR m=3.1 V=m", "subsystem-vendor-
id"=0x106b, "ChipInfo"="s=B3", "ProductID"=0x4488}
| | | | "AppleBCM WLAN.BuildTagGit" = ""AppleBCM WLANV3_DriversMac-828.1""
| | | | }
| | | | }

```

```

| | | +-o CCLogPipe <class CCLogPipe, id 0x100000372, registered,
matched, active, busy 0 (0 ms), retain 12&gt;
| | | | {
| | | | "LogDataType" = 0x3
| | | | "IOClass" = "CCLogPipe"
| | | | "Filename" = "CCIOReporter"
| | | | "LogType" = 0x0
| | | | "Name" = "OneStats"
| | | | "NumberOfFiles" = 0x2
| | | | "LogIdentifier" = "CCIOReporters"
| | | | "PipeSize" = 0x10000
| | | | "MinLogSizeToNotify" = 0x6666
| | | | "IOReportLegend" =
({ "IOReportGroupName"="CoreCapture", "IOReportChannels"=((0x434350204c202020, 0x18
0100001, "
Log Calls"),
(0x434350204c4d4442, 0x180100001, " Log Messages Dropped Short Of Buffer"),
(0x434350204c435220, 0x180100001, " Capture
Requests")), "IOReportChannelInfo"={"IOReportChannelUnit"=0x6400000000000000}, "IO
ReportSubGroupName"="Pipe OneStats"})
| | | | "LogPolicy" = 0x0
| | | | "Owner" = "com.apple.iokit.IO80211Family"
| | | | "FileOptions" = 0x0
| | | | "NotifyThreshold" = 0x3e8
| | | | "DirectoryName" = "WiFi"
| | | | "IOReportLegendPublic" = Yes
| | | | "Statistics" = {"timestamp"=0x0, "Errors"={"metaDataCounts:
invalidState"=0x0, "metaDataCounts: invalidPaddingSize"=0x0, "metaDataCounts:
invalidLogLevel"=0x0, "reserveRingEntryDrops"=0x0, "metaDataCounts:
invalidPayloadSize"=0x0}}
| | | | "PipeType" = 0x0
| | | | "FileSize" = 0x200000
| | | | }
| | | | +-o CCIOReporterLogStream <class CCIOReporterLogStream, id
0x1000000375, registered, matched, active, busy 0 (0 ms), retain 7&gt;
| | | | | {
| | | | | "IOReportLegend" =
({ "IOReportGroupName"="CoreCapture", "IOReportChannels"=((0x434353204c202020, 0x18
0100001, "
Log Calls"),
(0x434353204c444343, 0x180100001, " Log Calls Dropped CC Filters"),
(0x434353204c444320, 0x180100001, " Log Calls Dropped Console Filters"),
(0x434353204c4c4520, 0x180100001, " Log Calls [Emergency]"),
(0x434353204c4c4120, 0x180100001, " Log Calls [Alert]"),
(0x434353204c4c4320, 0x180100001, " Log Calls [Crit]"),
(0x434353204c4c5720, 0x$
| | | | | "Id" = 0x1
| | | | | "CoreCaptureFlag" = 0x0
| | | | | "CoreCaptureLevel" = 0x5
| | | | | "ConsoleLevel" = 0xffffffffffffffff
| | | | | "IOClass" = "CCLogStream"
| | | | | "IOReportLegendPublic" = Yes
| | | | | "LogIdentifier" = "CCIOReporters"
| | | | | "Name" = "IO80211 IOReporter Stream"
| | | | | "ConsoleFlag" = 0x0
| | | | | "MiscInfo" = 0x0
| | | | | }
| | | | | +-o CCLogPipeUserClient <class CCLogPipeUserClient, id
0x10000006e0, !registered, !matched, active, busy 0, retain 6&gt;
| | | | | {
| | | | | "IOUserClientCreator" = "pid 418, corecaptured"
| | | | | "IOUserClientDefaultLocking" = Yes
| | | | | }

```

```

| | | +-o CCLogPipe <class CCLogPipe, id 0x100000386, registered,
matched, active, busy 0 (0 ms), retain 15>
| | | | {
| | | |   "LogDataType" = 0x0
| | | |   "IOClass" = "CCLogPipe"
| | | |   "Filename" = "ControlPath"
| | | |   "LogType" = 0x0
| | | |   "Name" = "ControlPath"
| | | |   "NumberOfFiles" = 0x2
| | | |   "LogIdentifier" = "ControlPath"
| | | |   "PipeSize" = 0x10000
| | | |   "MinLogSizeToNotify" = 0x6666
| | | |   "IOReportLegend" =
({"IOReportGroupName"="CoreCapture", "IOReportChannels"=((0x434350204c202020, 0x18
0100001, "
                                Log Calls"),
(0x434350204c4d4442, 0x180100001, "  Log Messages Dropped Short Of Buffer"),
(0x434350204c435220, 0x180100001, "
                                Capture
Requests")), "IOReportChannelInfo"={"IOReportChannelUnit"=0x6400000000000000}, "IO
ReportSubGroupName"="Pipe ControlPath"})
| | | |   "LogPolicy" = 0x0
| | | |   "Owner" = "com.apple.iokit.IO80211Family"
| | | |   "FileOptions" = 0x0
| | | |   "NotifyThreshold" = 0x3e8
| | | |   "DirectoryName" = "WiFi"
| | | |   "IOReportLegendPublic" = Yes
| | | |   "Statistics" = {"timestamp"=0x0, "Errors"={"metaDataCounts:
invalidState"=0x0, "metaDataCounts: invalidPaddingSize"=0x0, "metaDataCounts:
invalidLogLevel"=0x0, "reserveRingEntryDrops"=0x0, "metaDataCounts:
invalidPayloadSize"=0x0}}
| | | |   "PipeType" = 0x0
| | | |   "FileSize" = 0x200000
| | | | }
| | | | +-o CCLogStream <class CCLogStream, id 0x100000387,
registered, matched, active, busy 0 (0 ms), retain 7>
| | | | | {
| | | | |   "IOClass" = "CCLogStream"
| | | | |   "StreamHeader" = <06000000000007373>
| | | | |   "Name" = "IO80211 IOCTL Stream"
| | | | |   "Id" = 0x1
| | | | |   "LogIdentifier" = "ioctl"
| | | | |   "CoreCaptureLevel" = 0x5
| | | | |   "ConsoleLevel" = 0xffffffffffffffff
| | | | |   "MiscInfo" = 0x96
| | | | |   "ConsoleFlag" = 0x0
| | | | |   "IOReportLegend" =
({"IOReportGroupName"="CoreCapture", "IOReportChannels"=((0x434353204c202020, 0x18
0100001, "
                                Log Calls"),
(0x434353204c444343, 0x180100001, "
                                Log Calls Dropped CC Filters"),
(0x434353204c444320, 0x180100001, "
                                Log Calls Dropped Console Filters"),
(0x434353204c4c4520, 0x180100001, "
                                Log Calls [Emergency]"),
(0x434353204c4c4120, 0x180100001, "
                                Log Calls
                                [Alert]"),
(0x434353204c4c4320, 0x180100001, "
                                Log Calls
                                [Crit]"),
(0x434353204c4c5720, 0x$
| | | | |   "CoreCaptureFlag" = 0x0
| | | | |   "IOReportLegendPublic" = Yes
| | | | | }
| | | | | +-o CCLogStream <class CCLogStream, id 0x100000388,
registered, matched, active, busy 0 (0 ms), retain 7>
| | | | | | {
| | | | | |   "IOClass" = "CCLogStream"
| | | | | |   "StreamHeader" = <07000000000007373>
| | | | | |   "Name" = "IO80211 Event Stream"

```

```

| | | | | "Id" = 0x2
| | | | | "LogIdentifier" = "event"
| | | | | "CoreCaptureLevel" = 0x5
| | | | | "ConsoleLevel" = 0xffffffffffffffff
| | | | | "MiscInfo" = 0x96
| | | | | "ConsoleFlag" = 0x0
| | | | | "IOReportLegend" =
({ "IOReportGroupName"="CoreCapture", "IOReportChannels"=((0x434353204c202020,0x18
0100001, " Log Calls"),
(0x434353204c444343,0x180100001, " Log Calls Dropped CC Filters"),
(0x434353204c444320,0x180100001, " Log Calls Dropped Console Filters"),
(0x434353204c4c4520,0x180100001, " Log Calls [Emergency]"),
(0x434353204c4c4120,0x180100001, " Log Calls [Alert]"),
(0x434353204c4c4320,0x180100001, " Log Calls [Crit]"),
(0x434353204c4c5720,0x$
| | | | | "CoreCaptureFlag" = 0x0
| | | | | "IOReportLegendPublic" = Yes
| | | | | }
| | | | | +-o CCLogPipeUserClient <class CCLogPipeUserClient, id
0x1000006df, !registered, !matched, active, busy 0, retain 6>&gt;
| | | | | {
| | | | | "IOUserClientCreator" = "pid 418, corecaptured"
| | | | | "IOUserClientDefaultLocking" = Yes
| | | | | }
| | | | | +-o IOImageLoader <class IOImageLoader, id 0x100000389,
registered, matched, active, busy 0 (3 ms), retain 12>&gt;
| | | | | {
| | | | | "consumer-id" = "com.apple.driver.AppleBCMWLANCore"
| | | | | }
| | | | | +-o BCMWLANFirmware4355_Hashstore <class
BCMWLANFirmware4355_Hashstore, id 0x10000038a, registered, matched, active, busy
0 (0 ms), retain 6>&gt;
| | | | | {
| | | | | "IOPropertyMatch" = {"consumer-
id"="com.apple.driver.AppleBCMWLANCore"}
| | | | | "CFBundleIdentifier" =
"com.apple.driver.BCMWLANFirmware4355.Hashstore"
| | | | | "IOMatchCategory" = "BCMWLANFirmware4355_Hashstore"
| | | | | "IOClass" = "BCMWLANFirmware4355_Hashstore"
| | | | | "IOProviderClass" = "IOImageLoader"
| | | | | "CFBundleIdentifierKernel" =
"com.apple.driver.BCMWLANFirmware4355.Hashstore"
| | | | | "IOProbeScore" = 0x0
| | | | | "consumer-id" = "com.apple.driver.AppleBCMWLANCore"
| | | | | "BuildDate" = "Jul 7 2021 17:56:37"
| | | | | }
| | | | | +-o BCMWLANFirmware4364_Hashstore <class
BCMWLANFirmware4364_Hashstore, id 0x10000038b, registered, matched, active, busy
0 (0 ms), retain 6>&gt;
| | | | | {
| | | | | "IOPropertyMatch" = {"consumer-
id"="com.apple.driver.AppleBCMWLANCore"}
| | | | | "CFBundleIdentifier" =
"com.apple.driver.BCMWLANFirmware4364.Hashstore"
| | | | | "IOMatchCategory" = "BCMWLANFirmware4364_Hashstore"
| | | | | "IOClass" = "BCMWLANFirmware4364_Hashstore"
| | | | | "IOProviderClass" = "IOImageLoader"
| | | | | "CFBundleIdentifierKernel" =
"com.apple.driver.BCMWLANFirmware4364.Hashstore"
| | | | | "IOProbeScore" = 0x0

```

```

| | | | | "consumer-id" = "com.apple.driver.AppleBCMWLANCore"
| | | | | "BuildDate" = "Jul 7 2021 17:56:36"
| | | | | }
| | | | | +-o BCMWLANFirmware4377_Hashstore <class
BCMWLANFirmware4377_Hashstore, id 0x10000038c, registered, matched, active, busy
0 (0 ms), retain 6&gt;
| | | | | {
| | | | | "IOPropertyMatch" = {"consumer-
id"="com.apple.driver.AppleBCMWLANCore"}
| | | | | "CFBundleIdentifier" =
"com.apple.driver.BCMWLANFirmware4377.Hashstore"
| | | | | "IOMatchCategory" = "BCMWLANFirmware4377_Hashstore"
| | | | | "IOClass" = "BCMWLANFirmware4377_Hashstore"
| | | | | "IOProviderClass" = "IOImageLoader"
| | | | | "CFBundleIdentifierKernel" =
"com.apple.driver.BCMWLANFirmware4377.Hashstore"
| | | | | "IOProbeScore" = 0x0
| | | | | "consumer-id" = "com.apple.driver.AppleBCMWLANCore"
| | | | | "BuildDate" = "Jul 7 2021 17:55:15"
| | | | | }
| | | | | +-o BCMWLANFirmware4378_Hashstore <class
BCMWLANFirmware4378_Hashstore, id 0x10000038f, registered, matched, active, busy
0 (0 ms), retain 6&gt;
| | | | | {
| | | | | "IOPropertyMatch" = {"consumer-
id"="com.apple.driver.AppleBCMWLANCore"}
| | | | | "CFBundleIdentifier" =
"com.apple.driver.BCMWLANFirmware4378.Hashstore"
| | | | | "IOMatchCategory" = "BCMWLANFirmware4378_Hashstore"
| | | | | "IOClass" = "BCMWLANFirmware4378_Hashstore"
| | | | | "IOProviderClass" = "IOImageLoader"
| | | | | "CFBundleIdentifierKernel" =
"com.apple.driver.BCMWLANFirmware4378.Hashstore"
| | | | | "IOProbeScore" = 0x0
| | | | | "consumer-id" = "com.apple.driver.AppleBCMWLANCore"
| | | | | "BuildDate" = "Jul 7 2021 17:55:59"
| | | | | }
| | | | | +-o IOImageLoaderRequest <class IOImageLoaderRequest, id
0x100000396, registered, matched, active, busy 0 (0 ms), retain 6&gt;
| | | | | {
| | | | | "images" = {"C-4377__s-B3/formosa-
X2.txcb"={"imagetype"="TxCap", "required"=No, "imagename"="C-4377__s-B3/formosa-
X2.txcb"}, "C-4377__s-B3/
formosa.trx"={"imagetype"="Firmware", "required"=Yes, "imagename"="C-4377__s-B3/
formosa.trx"}, "C-4377__s-B3/formosa-
X2.clmb"={"imagetype"="Regulatory", "required"=Yes, "imagename"="C-4377__s-B3/
formosa-X2.clmb"}, "C-4377__s-B3/P-formosa-X2_M-SPPR_V-
m__m-3.1.txt"={"imagetype"="NVRAM", "required"=Yes, "imagename"="C-4377__s-B3/P-
formosa-X2_M-SPPR_V-m__m-3.1.txt"}}
| | | | | }
| | | | | +-o CCLogPipe <class CCLogPipe, id 0x100000393, registered,
matched, active, busy 0 (0 ms), retain 12&gt;
| | | | | {
| | | | | "LogDataType" = 0x1
| | | | | "IOClass" = "CCLogPipe"
| | | | | "Filename" = "FirmwareLogs"
| | | | | "LogType" = 0x0
| | | | | "Name" = "FirmwareLogs"
| | | | | "NumberOfFiles" = 0x2
| | | | | "LogIdentifier" = "brcm0"

```







```

| | | | | "IOMACAddress" = <a683e74a8c21>;
| | | | | "BSD Name" = "ap1"
| | | | | "IO80211VirtualInterfaceRole" = "SoftAP"
| | | | | }
| | | | | +-o CCDataPipe <class CCDataPipe, id 0x100000483, registered,
matched, active, busy 0 (0 ms), retain 12>;
| | | | | {
| | | | | "LogDataType" = 0x5
| | | | | "IOClass" = "CCDataPipe"
| | | | | "Filename" = "AssociationEventHistory"
| | | | | "LogType" = 0x2
| | | | | "Name" = "AssociationEventHistory"
| | | | | "NumberOfFiles" = 0x0
| | | | | "LogIdentifier" = "AssociationEventHistory"
| | | | | "PipeSize" = 0x40
| | | | | "MinLogSizeToNotify" = 0x0
| | | | | "IOReportLegend" =
({ "IOReportGroupName"="CoreCapture", "IOReportChannels"=(0x434350204c202020, 0x18
0100001, "
Log Calls"),
(0x434350204c4d4442, 0x180100001, "
Log Messages Dropped Short Of Buffer"),
(0x434350204c435220, 0x180100001, "
Capture
Requests")), "IOReportChannelInfo"={"IOReportChannelUnit"=0x6400000000000000}, "IO
ReportSubGroupName"="Pipe AssociationEventHistory"})
| | | | | "LogPolicy" = 0x0
| | | | | "Owner" = "com.apple.iokit.IO80211Family"
| | | | | "FileOptions" = 0x0
| | | | | "NotifyThreshold" = 0x0
| | | | | "DirectoryName" = "WiFi"
| | | | | "IOReportLegendPublic" = Yes
| | | | | "Statistics" = {"timestamp"=0x0, "Errors"={"metaDataCounts:
invalidState"=0x0, "metaDataCounts: invalidPaddingSize"=0x0, "metaDataCounts:
invalidLogLevel"=0x0, "reserveRingEntryDrops"=0x0, "metaDataCounts:
invalidPayloadSize"=0x0}}
| | | | | "PipeType" = 0x1
| | | | | "FileSize" = 0x0
| | | | | }
| | | | | +-o CCIReporterDataStream <class CCIReporterDataStream, id
0x100000484, registered, matched, active, busy 0 (0 ms), retain 7>;
| | | | | {
| | | | | "IOReportLegend" =
({ "IOReportGroupName"="CoreCapture", "IOReportChannels"=(0x434353204c202020, 0x18
0100001, "
Log Calls"),
(0x434353204c444343, 0x180100001, "
Log Calls Dropped CC Filters"),
(0x434353204c444320, 0x180100001, "
Log Calls Dropped Console Filters"),
(0x434353204c4c4520, 0x180100001, "
Log Calls [Emergency]"),
(0x434353204c4c4120, 0x180100001, "
Log Calls [Alert]"),
(0x434353204c4c4320, 0x180100001, "
Log Calls [Crit]"),
(0x434353204c4c5720, 0x$
| | | | | "LogIdentifier" = "AssociationEventHistory"
| | | | | "Name" = "com.apple.iokit.IO80211Family"
| | | | | "IOReportLegendPublic" = Yes
| | | | | "IOClass" = "CCDataStream"
| | | | | "Id" = 0x1
| | | | | }
| | | | | +-o CCDataPipeUserClient <class CCDataPipeUserClient, id
0x1000006e2, !registered, !matched, active, busy 0, retain 6>;
| | | | | {
| | | | | "IOUserClientCreator" = "pid 418, corecaptured"
| | | | | "IOUserClientDefaultLocking" = Yes
| | | | | }

```

```

| | | +-o CCLogPipe <class CCLogPipe, id 0x100000570, registered,
matched, active, busy 0 (0 ms), retain 12&gt;
| | | | {
| | | |   "LogDataType" = 0x0
| | | |   "IOClass" = "CCLogPipe"
| | | |   "Filename" = "io80211Family"
| | | |   "LogType" = 0x0
| | | |   "Name" = "IO80211P2PPeerManager"
| | | |   "NumberOfFiles" = 0x2
| | | |   "LogIdentifier" = ""
| | | |   "PipeSize" = 0x10000
| | | |   "MinLogSizeToNotify" = 0x6666
| | | |   "IOReportLegend" =
({"IOReportGroupName"="CoreCapture", "IOReportChannels"=((0x434350204c202020, 0x18
0100001, "
                                Log Calls"),
(0x434350204c4d4442, 0x180100001, "  Log Messages Dropped Short Of Buffer"),
(0x434350204c435220, 0x180100001, "          Capture
Requests")), "IOReportChannelInfo"={"IOReportChannelUnit"=0x6400000000000000}, "IO
ReportSubGroupName"="Pipe IO80211P2PPeerManager"})
| | | |   "LogPolicy" = 0x0
| | | |   "Owner" = "com.apple.iokit.IO80211Family"
| | | |   "FileOptions" = 0x0
| | | |   "NotifyThreshold" = 0x3e8
| | | |   "DirectoryName" = "WiFi"
| | | |   "IOReportLegendPublic" = Yes
| | | |   "Statistics" = {"timestamp"=0x0, "Errors"={"metaDataCounts:
invalidState"=0x0, "metaDataCounts: invalidPaddingSize"=0x0, "metaDataCounts:
invalidLogLevel"=0x0, "reserveRingEntryDrops"=0x0, "metaDataCounts:
invalidPayloadSize"=0x0}}
| | | |   "PipeType" = 0x0
| | | |   "FileSize" = 0xa00000
| | | | }
| | | | +-o CCLogStream <class CCLogStream, id 0x100000571,
registered, matched, active, busy 0 (0 ms), retain 7&gt;
| | | | | {
| | | | |   "IOClass" = "CCLogStream"
| | | | |   "StreamHeader" = <050000000000007373&gt;
| | | | |   "Name" = "bpfIO80211AWDL"
| | | | |   "Id" = 0x1
| | | | |   "LogIdentifier" = "IO80211P2P"
| | | | |   "CoreCaptureLevel" = 0x4
| | | | |   "ConsoleLevel" = 0xffffffffffffffff
| | | | |   "MiscInfo" = 0x96
| | | | |   "ConsoleFlag" = 0x0
| | | | |   "IOReportLegend" =
({"IOReportGroupName"="CoreCapture", "IOReportChannels"=((0x434353204c202020, 0x18
0100001, "
                                Log Calls"),
(0x434353204c444343, 0x180100001, "          Log Calls Dropped CC Filters"),
(0x434353204c444320, 0x180100001, "          Log Calls Dropped Console Filters"),
(0x434353204c4c4520, 0x180100001, "          Log Calls [Emergency]"),
(0x434353204c4c4120, 0x180100001, "          Log Calls [Alert]"),
(0x434353204c4c4320, 0x180100001, "          Log Calls [Crit]"),
(0x434353204c4c5720, 0x$
| | | | |   "CoreCaptureFlag" = 0x4
| | | | |   "IOReportLegendPublic" = Yes
| | | | | }
| | | | | +-o CCLogPipeUserClient <class CCLogPipeUserClient, id
0x1000006da, !registered, !matched, active, busy 0, retain 6&gt;
| | | | | {
| | | | |   "IOUserClientCreator" = "pid 418, corecaptured"
| | | | |   "IOUserClientDefaultLocking" = Yes
| | | | | }

```

```

| | | | +-o AppleBCM WLANProximityInterface <class
AppleBCM WLANProximityInterface, id 0x100000572, registered, matched, active,
busy 0 (0 ms), retain 10&gt;
| | | | {
| | | |     "IO MACAddress" = <faef19632b9e&gt;
| | | |     "BSD Name" = "awdl0"
| | | |     "IO80211VirtualInterfaceRole" = "AirLink"
| | | | }
| | | | +-o AppleBCM WLANLowLatencyInterface <class
AppleBCM WLANLowLatencyInterface, id 0x100000577, registered, matched, active,
busy 0 (101 ms), retain 10&gt;
| | | | {
| | | |     "IO80211InterfaceRole" = "LowLatency"
| | | |     "BSD Name" = "llw0"
| | | |     "IOInterfaceType" = 0x6
| | | |     "IO MACAddress" = <faef19632b9e&gt;
| | | |     "IOInterfaceNamePrefix" = "llw"
| | | |     "IOInterfaceUnit" = 0x0
| | | | }
| | | | +-o IOSkywalkNetworkBSDClient <class
IOSkywalkNetworkBSDClient, id 0x100000578, registered, matched, active, busy 0
(0 ms), retain 8&gt;
| | | | {
| | | |     "IOProbeScore" = 0x3e8
| | | |     "CFBundleIdentifier" = "com.apple.iokit.IOSkywalkFamily"
| | | |     "IOProviderClass" = "IOSkywalkNetworkInterface"
| | | |     "IOClass" = "IOSkywalkNetworkBSDClient"
| | | |     "IOPersonalityPublisher" = "com.apple.iokit.IOSkywalkFamily"
| | | |     "CFBundleIdentifierKernel" =
"com.apple.iokit.IOSkywalkFamily"
| | | |     "IOMatchCategory" = "IODefaultMatchCategory"
| | | |     "IOPowerManagement" =
{"DevicePowerState"=0x1, "CurrentPowerState"=0x1, "CapabilityFlags"=0x8102, "MaxPow
erState"=0x1}
| | | |     "IOResourceMatch" = "IOBSD"
| | | |     "IOSkywalkNexusUUID" = "FEA5EF18-F0CD-424F-8EA0-
56A525CB229C"
| | | | }
| | | | +-o CCDataPipe <class CCDataPipe, id 0x10000032b, registered,
matched, active, busy 0 (0 ms), retain 12&gt;
| | | | {
| | | |     "LogDataType" = 0x6
| | | |     "IOClass" = "CCDataPipe"
| | | |     "Filename" = "CrashTracerLog"
| | | |     "LogType" = 0x2
| | | |     "Name" = "CrashTracerLogs"
| | | |     "NumberOfFiles" = 0x0
| | | |     "LogIdentifier" = "brcm0"
| | | |     "PipeSize" = 0x40
| | | |     "MinLogSizeToNotify" = 0x0
| | | |     "IOReportLegend" =
({"IOReportGroupName"="CoreCapture", "IOReportChannels"=((0x434350204c202020, 0x18
0100001, "
Log Calls"),
(0x434350204c4d4442, 0x180100001, "
Log Messages Dropped Short Of Buffer"),
(0x434350204c435220, 0x180100001, "
Capture
Requests")), "IOReportChannelInfo"={"IOReportChannelUnit"=0x6400000000000000}, "IO
ReportSubGroupName"="Pipe CrashTracerLogs"})
| | | |     "LogPolicy" = 0x0
| | | |     "Owner" = "com.apple.driver.AppleBCM WLANCoreV3.0"
| | | |     "FileOptions" = 0x0

```

```

| | | | "NotifyThreshold" = 0x0
| | | | "DirectoryName" = "WiFi"
| | | | "IOReportLegendPublic" = Yes
| | | | "Statistics" = {"timestamp"=0x0, "Errors"={"metaDataCounts:
invalidState"=0x0, "metaDataCounts: invalidPaddingSize"=0x0, "metaDataCounts:
invalidLogLevel"=0x0, "reserveRingEntryDrops"=0x0, "metaDataCounts:
invalidPayloadSize"=0x0}}
| | | | "PipeType" = 0x1
| | | | "FileSize" = 0x0
| | | | }
| | | | +-o CCDataStream &lt;class CCDataStream, id 0x10000032c,
registered, matched, active, busy 0 (0 ms), retain 7&gt;
| | | | {
| | | | "IOReportLegend" =
({ "IOReportGroupName"="CoreCapture", "IOReportChannels"=(0x434353204c202020, 0x18
0100001, "
Log Calls"),
(0x434353204c444343, 0x180100001, "
Log Calls Dropped CC Filters"),
(0x434353204c444320, 0x180100001, "
Log Calls Dropped Console Filters"),
(0x434353204c4c4520, 0x180100001, "
Log Calls [Emergency]"),
(0x434353204c4c4120, 0x180100001, "
Log Calls [Alert]"),
(0x434353204c4c4320, 0x180100001, "
Log Calls [Crit]"),
(0x434353204c4c5720, 0x18$
"LogIdentifier" = ""
"Name" = "CrashTracerStream"
"IOReportLegendPublic" = Yes
"IOClass" = "CCDataStream"
"Id" = 0x1
}
| | | | +-o CCDataPipeUserClient &lt;class CCDataPipeUserClient, id
0x10000006e4, !registered, !matched, active, busy 0, retain 6&gt;
| | | | {
| | | | "IOUserClientCreator" = "pid 418, corecaptured"
| | | | "IOUserClientDefaultLocking" = Yes
| | | | }
| | | | +-o CCLogPipe &lt;class CCLogPipe, id 0x100000467, registered,
matched, active, busy 0 (0 ms), retain 12&gt;
| | | | {
| | | | "LogDataType" = 0x0
| | | | "IOClass" = "CCLogPipe"
| | | | "Filename" = "FirmwareEcounterLogs"
| | | | "LogType" = 0x0
| | | | "Name" = "FirmwareEcounterLogs"
| | | | "NumberOfFiles" = 0x2
| | | | "LogIdentifier" = "brcm0"
| | | | "PipeSize" = 0x8000
| | | | "MinLogSizeToNotify" = 0x3333
| | | | "IOReportLegend" =
({ "IOReportGroupName"="CoreCapture", "IOReportChannels"=(0x434350204c202020, 0x18
0100001, "
Log Calls"),
(0x434350204c4d4442, 0x180100001, "
Log Messages Dropped Short Of Buffer"),
(0x434350204c435220, 0x180100001, "
Capture
Requests")), "IOReportChannelInfo"={"IOReportChannelUnit"=0x6400000000000000}, "IO
ReportSubGroupName"="Pipe FirmwareEcounterLogs"})
| | | | "LogPolicy" = 0x0
| | | | "Owner" = "com.apple.driver.AppleBCM WLANCoreV3.0"
| | | | "FileOptions" = 0x0
| | | | "NotifyThreshold" = 0x3e8
| | | | "DirectoryName" = "WiFi"
| | | | "IOReportLegendPublic" = Yes
| | | | "Statistics" =
{"timestamp"=0x468076affc, "Errors"={"metaDataCounts:

```

```

invalidState"=0x0,"metaDataCounts: invalidPaddingSize"=0x0,"metaDataCounts:
invalidLogLevel"=0x0,"reserveRingEntryDrops"=0x0,"metaDataCounts:
invalidPayloadSize"=0x0}}
| | | | | "PipeType" = 0x0
| | | | | "FileSize" = 0x2000000
| | | | | }
| | | | | }
| | | | | +-o CCLogStream <class CCLogStream, id 0x100000468, registered,
matched, active, busy 0 (0 ms), retain 7>>
| | | | | {
| | | | |   "IOClass" = "CCLogStream"
| | | | |   "StreamHeader" = <0d00000000000a5a5>>
| | | | |   "Name" = "FirmwareEcounterLogs"
| | | | |   "Id" = 0x1
| | | | |   "LogIdentifier" = ""
| | | | |   "CoreCaptureLevel" = 0x7f
| | | | |   "ConsoleLevel" = 0xffffffffffffffff
| | | | |   "MiscInfo" = 0x96
| | | | |   "ConsoleFlag" = 0x0
| | | | |   "IOReportLegend" =
({ "IOReportGroupName"="CoreCapture", "IOReportChannels"=(0x434353204c202020,0x18
0100001, "      Log Calls"),
(0x434353204c444343,0x180100001, "      Log Calls Dropped CC Filters"),
(0x434353204c444320,0x180100001, "      Log Calls Dropped Console Filters"),
(0x434353204c4c4520,0x180100001, "      Log Calls [Emergency]"),
(0x434353204c4c4120,0x180100001, "      Log Calls [Alert]"),
(0x434353204c4c4320,0x180100001, "      Log Calls [Crit]"),
(0x434353204c4c5720,0x18$
| | | | |     "CoreCaptureFlag" = 0x800000000000
| | | | |     "IOReportLegendPublic" = Yes
| | | | |   }
| | | | | }
| | | | | +-o CCLogPipeUserClient <class CCLogPipeUserClient, id
0x1000006db, !registered, !matched, active, busy 0, retain 6>>
| | | | | {
| | | | |   "IOUserClientCreator" = "pid 418, corecaptured"
| | | | |   "IOUserClientDefaultLocking" = Yes
| | | | | }
| | | | | }
| | | | | +-o SLPB <class IOACPIPlatformDevice, id 0x100000219, registered,
matched, active, busy 0 (5 ms), retain 9>>
| | | | | {
| | | | |   "name" = <504e503043304500>>
| | | | |   "_STA" = 0xb
| | | | |   "DeviceOpenedByEventSystem" = Yes
| | | | | }
| | | | | }
| | | | | +-o AppleACPIButton <class AppleACPIButton, id 0x1000002c1,
registered, matched, active, busy 0 (4 ms), retain 7>>
| | | | | {
| | | | |   "IOClass" = "AppleACPIButton"
| | | | |   "PressCountDoublePresTimeout" = 0x493e0
| | | | |   "HIDDefaultBehavior" = ""
| | | | |   "HIDServiceGlobalModifiersUsage" = 0x2
| | | | |   "IOProviderClass" = "IOACPIPlatformDevice"
| | | | |   "Built-In" = Yes
| | | | |   "PressCountTrackingEnabled" = Yes
| | | | |   "power-button-usage" = 0x30
| | | | |   "DeviceUsagePairs" = ({ "DeviceUsagePage"=0xc, "DeviceUsage"=0x1})
| | | | |   "IOProbeScore" = 0x0
| | | | |   "PressCountTriplePresTimeout" = 0x927c0
| | | | |   "VendorIDSource" = 0x0
| | | | |   "power-button-usagepage" = 0xc
| | | | |   "IOUserClientClass" = "IOHIDEventServiceUserClient"

```

```

    | | | "HIDServiceSupport" = Yes
    | | | "IONameMatch" = ("PNP0C0C", "power-button", "PNP0C0E", "sleep-
button")
    | | | "IOCFPlugInTypes" = {"7DDEECA8-A7B4-
11DA-8A0E-0014519758EF"="IOHIDFamily.kext/Contents/PlugIns/
IOHIDLib.plugin", "FA12FA38-6F1A-11D4-BA0C-0005028F18D5"="IOHIDFamily.kext/
Contents/PlugIns/IOHIDLib.plugin"}
    | | | "CountryCode" = 0x0
    | | | "VendorID" = 0x0
    | | | "CFBundleIdentifierKernel" = "com.apple.driver.AppleACPIButtons"
    | | | "VersionNumber" = 0x0
    | | | "IOMatchCategory" = "IODefaultMatchCategory"
    | | | "CFBundleIdentifier" = "com.apple.driver.AppleACPIButtons"
    | | | "HIDEventServiceProperties" =
{"HIDMouseKeysOptionToggles"=0x0, "JitterNoClick"=0x1, "ActuateDetents"=0x1, "Dragg
ing"=0x0, "HIDSlowKeysDelay"=0x0, "JitterNoMove"=0x1, "FlipLeftAndRightEdgeGestures
"=No, "HIDTrackpadScrollAcceleration"=0x5000, "HIDInitialKeyRepeat"=0x1dcd6500, "Tr
ackpadThreeFingerHorizSwipeGesture"=0x2, "TrackpadThreeFingerDrag"=No, "MTGestureC
onfiguration"={"Version"=0x1, "Behaviors"={"BehaviorID"=0x5}}, "MTGestureConfigu
rationOverride"={"Version"=0x1, "Behaviors"={"BehaviorID"=0x1}}, "HIDPointerAcce
leration"=0xb000, "UserPre$
    | | | "IONameMatched" = "PNP0C0E"
    | | | "LocationID" = 0x0
    | | | "ProductID" = 0x0
    | | | "PrimaryUsage" = 0x1
    | | | "IOGeneralInterest" = "IOCommand is not serializable"
    | | | "ReportInterval" = 0x4650
    | | | "PrimaryUsagePage" = 0xc
    | | | }
    | | | +-o IOHIDEventServiceUserClient <class
IOHIDEventServiceUserClient, id 0x10000058a, !registered, !matched, active, busy
0, retain 6>
    | | | {
    | | | "DebugState" =
{"EventQueue"={"NoFullMsg"=0x0, "tail"=0x0, "NotificationForce"=0x0, "NotificationC
ount"=0x0, "head"=0x0}}
    | | | "IOUserClientCreator" = "pid 138, WindowServer"
    | | | "IOUserClientDefaultLocking" = Yes
    | | | }
    | | | +-o AppleEFIRuntime <class AppleEFIRuntime, id 0x1000002c0,
registered, matched, active, busy 0 (228 ms), retain 8>
    | | | {
    | | | "IOProbeScore" = 0x0
    | | | "CFBundleIdentifier" = "com.apple.driver.AppleEFIRuntime"
    | | | "IOMatchCategory" = "AppleEFIRuntime"
    | | | "IOClass" = "AppleEFIRuntime"
    | | | "IOPersonalityPublisher" = "com.apple.driver.AppleEFIRuntime"
    | | | "IOProviderClass" = "AppleACPIplatformExpert"
    | | | "CFBundleIdentifierKernel" = "com.apple.driver.AppleEFIRuntime"
    | | | "IOResourceMatch" = "ACPI"
    | | | }
    | | | +-o AppleEFINVRAM <class AppleEFINVRAM, id 0x1000002d0, registered,
matched, active, busy 0 (0 ms), retain 102>
    | | | {
    | | | "good-samaritan-message" = <4b6f73204f6d616b>
    | | | "efi-boot-device" =
<3c61727261793e3c646963743e3c6b65793e494f4d617463683c2f6b65793e3c646963743e3c
6b65793e494f50726f7669646572436c6173733c2f6b65793e3c737472696e673e494f4d65646961
3c2f737472696e673e3c6b65793e494f50726f70657274794d617463683c2f6b65793e3c64696374
3e3c6b65793e555549443c2f6b65793e3c737472696e673e37383643433338372d313238342d3441
41312d393934362d4439453543343539443630423c2f737472696e673e3c2f646963743e3c2f6469

```





```

| | "IOResourceMatched" =
("intel_cpupm_matching", "IOKit", "IOTimeSyncTime", "AppleUSBRestrictedModeWithReason", "AppleUSBRestrictedMode", "AppleUSBRestrictedModeTimeout", "AKSFileSystemService", "AKSKernelServices", "AKSFileVaultServices", "IOResourceMatched", "ACPI", "SMBIOS", "efi-runtime", "IORTC", "CCPipe", "IOPlatformUUID", "IONVRAM", "com.apple.AppleFSCompression.Type1", "IOBSD", "com.apple.AppleFSCompression.Type5", "com.apple.AppleFSCompression.Type3", "com.apple.AppleFSCompression.Type4", "com.apple.AppleFSCompression.Type7", "com.apple.AppleFSC$
| | "ACPI" = "AppleACPIPlatformExpert is not serializable"
| | "AppleUSBRestrictedModeTimeout" = 0x3f480
| | "IONVRAM" = "IOService"
| | "com.apple.AppleFSCompression.Type10" = Yes
| | "IOPlatformDeviceASPMEnable" = "X86PlatformPlugin is not serializable"
| | "IOAVBNub" = "IOService"
| | "com.apple.AppleFSCompression.Type1" = Yes
| | "IOTimeSyncTime" = "IOService"
| | "SMBIOS" = "IOService"
| | "com.apple.AppleFSCompression.Type11" = Yes
| | "AppleBCM WLANCoreFirmwareLoader" = "IOService"
| | "IORTC" = "AppleSMCRTC is not serializable"
| | "IOSerialManagerMustLoad" = Yes
| | "com.apple.AppleFSCompression.Type3" = Yes
| | "AKSFileSystemService" = "AppleKeyStore is not serializable"
| | "com.apple.AppleFSCompression.Type12" = Yes
| | "boot-uuid-media" = "AppleAPFSVolume is not serializable"
| | "IOPlatformPlugin" = "X86PlatformPlugin is not serializable"
| | "com.apple.AppleFSCompression.Type4" = Yes
| | "als-lgp-version" = 0x7
| | "com.apple.display.ArmTBTT0" = Yes
| | "GmuxS0iReady" = "X86PlatformPlugin is not serializable"
| | "com.apple.AppleFSCompression.Type5" = Yes
| | "AKSFileVaultServices" = "AppleKeyStore is not serializable"
| | "efi-runtime" = "AppleEFIRuntime is not serializable"
| | "AKSKernelServices" = "AppleKeyStore is not serializable"
| | "CCPipe" = "IOService"
| | "com.apple.AppleFSCompression.Type7" = Yes
| | "com.apple.iokit.SCSISubsystemGlobals" = Yes
| | "FB_Triage" = "FB Driver Info : 59 0 ff 54 57 55 57 56"
| | "Triage" =
"0102030405060708090a0b0c0d0e0f101112131415161718191a1b1c1d1e1f20"
| | "com.apple.AppleFSCompression.Type8" = Yes
| | "IOKit" = "IOService"
| | "IOAF_Triage-IGPU" =
&lt;0102030405060708090a0b0c0d0e0f101112131415161718191a&gt;
| | "IOPlatformUUID" = "0ACBA955-ECEC-5E3E-A351-B997600A8192"
| | "WindowServer" = "IOService"
| | "com.apple.AppleFSCompression.Type9" = Yes
| | "IOTimeSyncClockManager" = "IOService"
| | "IOConsoleUsers" =
({ "kCGSSessionOnConsoleKey"=Yes, "kCGSSessionAuditIDKey"=0x186a7, "kSCSecuritySessionID"=0x186a7, "kCGSessionLongUserNameKey"="Kosomak", "kCGSSessionLoginwindowSafeLogin"=No, "kCGSSessionUserIDKey"=0x1f5, "kCGSessionLoginDoneKey"=Yes, "kCGSSessionIDKey"=0x101, "kCGSSessionGroupIDKey"=0x14, "kCGSSessionSystemSafeBoot"=No, "kCGSSessionUserNameKey"="kos"})
| | "IOConsoleUsersSeed" = &lt;07000000&gt;
| | }
| | }
| +-o AppleCredentialManager &lt;class AppleCredentialManager, id
0x10000011c, registered, matched, active, busy 0 (1 ms), retain 13&gt;
| | {
| | | "IOClass" = "AppleCredentialManager"
| | | "CFBundleIdentifier" = "com.apple.driver.AppleCredentialManager"
| | | "IOProviderClass" = "IOResources"

```



```
| | |
| | | +-o AppleKeyStoreUserClient <class AppleKeyStoreUserClient, id
0x100000457, !registered, !matched, active, busy 0, retain 6>;
| | | {
| | |     "IOUserClientCreator" = "pid 108, opendiroryd"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | |
| | | +-o AppleKeyStoreUserClient <class AppleKeyStoreUserClient, id
0x10000045b, !registered, !matched, active, busy 0, retain 6>;
| | | {
| | |     "IOUserClientCreator" = "pid 69, UserEventAgent"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | |
| | | +-o AppleKeyStoreUserClient <class AppleKeyStoreUserClient, id
0x1000004a0, !registered, !matched, active, busy 0, retain 6>;
| | | {
| | |     "IOUserClientCreator" = "pid 250, containermanager"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | |
| | | +-o AppleKeyStoreUserClient <class AppleKeyStoreUserClient, id
0x1000004a5, !registered, !matched, active, busy 0, retain 6>;
| | | {
| | |     "IOUserClientCreator" = "pid 124, PerfPowerService"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | |
| | | +-o AppleKeyStoreUserClient <class AppleKeyStoreUserClient, id
0x100000516, !registered, !matched, active, busy 0, retain 6>;
| | | {
| | |     "IOUserClientCreator" = "pid 280, containermanager"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | |
| | | +-o AppleKeyStoreUserClient <class AppleKeyStoreUserClient, id
0x10000059e, !registered, !matched, active, busy 0, retain 6>;
| | | {
| | |     "IOUserClientCreator" = "pid 305, biometrickitd"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | |
| | | +-o AppleKeyStoreUserClient <class AppleKeyStoreUserClient, id
0x10000065d, !registered, !matched, active, busy 0, retain 6>;
| | | {
| | |     "IOUserClientCreator" = "pid 380, secd"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | |
| | | +-o AppleKeyStoreUserClient <class AppleKeyStoreUserClient, id
0x1000006f7, !registered, !matched, active, busy 0, retain 6>;
| | | {
| | |     "IOUserClientCreator" = "pid 421, securityd_servic"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | |
| | | +-o AppleKeyStoreUserClient <class AppleKeyStoreUserClient, id
0x1000006f9, !registered, !matched, active, busy 0, retain 6>;
| | | {
| | |     "IOUserClientCreator" = "pid 421, securityd_servic"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | |
```

```

| | +-o AppleKeyStoreUserClient <class AppleKeyStoreUserClient, id
0x1000006fa, !registered, !matched, active, busy 0, retain 6>;
| | | {
| | |     "IOUserClientCreator" = "pid 141, loginwindow"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o AppleKeyStoreUserClient <class AppleKeyStoreUserClient, id
0x100000703, !registered, !matched, active, busy 0, retain 6>;
| | | {
| | |     "IOUserClientCreator" = "pid 448, containermanager"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o AppleKeyStoreUserClient <class AppleKeyStoreUserClient, id
0x10000071c, !registered, !matched, active, busy 0, retain 6>;
| | | {
| | |     "IOUserClientCreator" = "pid 466, ctkd"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o AppleKeyStoreUserClient <class AppleKeyStoreUserClient, id
0x100000720, !registered, !matched, active, busy 0, retain 6>;
| | | {
| | |     "IOUserClientCreator" = "pid 447, rapportd"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o AppleKeyStoreUserClient <class AppleKeyStoreUserClient, id
0x100000722, !registered, !matched, active, busy 0, retain 6>;
| | | {
| | |     "IOUserClientCreator" = "pid 470, sharingd"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o AppleKeyStoreUserClient <class AppleKeyStoreUserClient, id
0x10000072a, !registered, !matched, active, busy 0, retain 6>;
| | | {
| | |     "IOUserClientCreator" = "pid 470, sharingd"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o AppleKeyStoreUserClient <class AppleKeyStoreUserClient, id
0x100000733, !registered, !matched, active, busy 0, retain 6>;
| | | {
| | |     "IOUserClientCreator" = "pid 495, CloudKeychainPro"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o AppleKeyStoreUserClient <class AppleKeyStoreUserClient, id
0x10000073c, !registered, !matched, active, busy 0, retain 6>;
| | | {
| | |     "IOUserClientCreator" = "pid 508, corespeechd"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o AppleKeyStoreUserClient <class AppleKeyStoreUserClient, id
0x100000752, !registered, !matched, active, busy 0, retain 6>;
| | | {
| | |     "IOUserClientCreator" = "pid 519, cloudpaired"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o AppleKeyStoreUserClient <class AppleKeyStoreUserClient, id

```

```

0x100000764, !registered, !matched, active, busy 0, retain 6&gt;
| | {
| |   "IOUserClientCreator" = "pid 574, appstoreagent"
| |   "IOUserClientDefaultLocking" = Yes
| | }
| |
| +-o AppleSSE &lt;class AppleSSE, id 0x10000011f, registered, matched,
active, busy 0 (0 ms), retain 7&gt;
| | {
| |   "IOProbeScore" = 0x0
| |   "CFBundleIdentifier" = "com.apple.driver.AppleSSE"
| |   "IOMatchCategory" = "AppleSSE"
| |   "IOClass" = "AppleSSE"
| |   "IOPersonalityPublisher" = "com.apple.driver.AppleSSE"
| |   "IOProviderClass" = "IOResources"
| |   "CFBundleIdentifierKernel" = "com.apple.driver.AppleSSE"
| |   "IOUserClientClass" = "AppleSSEUserClient"
| |   "IOPowerManagement" =
{"CapabilityFlags"=0x0,"MaxPowerState"=0x1,"CurrentPowerState"=0x0}
| | }
| |
| +-o CoreAnalyticsHub &lt;class CoreAnalyticsHub, id 0x100000120,
registered, matched, active, busy 0 (0 ms), retain 13&gt;
| | {
| |   "IOClass" = "CoreAnalyticsHub"
| |   "CFBundleIdentifier" = "com.apple.iokit.CoreAnalyticsFamily"
| |   "IOProviderClass" = "IOResources"
| |   "IOUserClientClass" = "CoreAnalyticsUserClient"
| |   "IOResourceMatch" = "IOKit"
| |   "IOProbeScore" = 0x0
| |   "IOReportLegend" = ({"IOReportGroupName"="Hub
Stats", "IOReportChannels"=((0x4573692020202020,0x180000001,"API calls"),
(0x4573702020202020,0x180000001,"Pending Retained Items"),
(0x4573662020202020,0x180000001,"API dropped and freed"),
(0x45736d2020202020,0x180000001,"Serialized Messages"),
(0x4573622020202020,0x180000001,"Serialized Message Bytes"),
(0x4573662020202020,0x180000001,"Serializing Failures"),
(0x45756d2020202020,0x180000001,"MessageClient Sent"),
(0x45756c2020202020,0x180000001,"UserClient Launches"),(0x4575632020202020,0x18$
| |   "IOMatchCategory" = "CoreAnalyticsHub"
| |   "IOReportLegendPublic" = Yes
| |   "IOGeneralInterest" = "IOCommand is not serializable"
| |   "IOPersonalityPublisher" = "com.apple.iokit.CoreAnalyticsFamily"
| |   "CFBundleIdentifierKernel" = "com.apple.iokit.CoreAnalyticsFamily"
| | }
| |
| +-o CoreAnalyticsUserClient &lt;class CoreAnalyticsUserClient, id
0x1000004a2, !registered, !matched, active, busy 0, retain 6&gt;
| | {
| |   "IOUserClientCreator" = "pid 143, analyticsd"
| |   "IOUserClientDefaultLocking" = Yes
| | }
| |
| +-o EndpointSecurityDriver &lt;class EndpointSecurityDriver, id
0x100000121, registered, matched, active, busy 0 (0 ms), retain 11&gt;
| | {
| |   "IOProbeScore" = 0x0
| |   "CFBundleIdentifier" = "com.apple.iokit.EndpointSecurity"
| |   "IOMatchCategory" = "EndpointSecurityDriver"
| |   "IOClass" = "EndpointSecurityDriver"
| |   "IOPersonalityPublisher" = "com.apple.iokit.EndpointSecurity"
| |   "IOProviderClass" = "IOResources"
| |   "CFBundleIdentifierKernel" = "com.apple.iokit.EndpointSecurity"
| |   "IOUserClientClass" = "EndpointSecurityDriverClient"

```

```

| | | "IOResourceMatch" = "IOKit"
| | | }
| | |
| | + -o EndpointSecurityDriverClient <class
EndpointSecurityDriverClient, id 0x10000043a, !registered, !matched, active,
busy 0, retain 5>
| | | {
| | |     "IOUserClientCreator" = "pid 80, endpointsecurity"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | |
| | + -o EndpointSecurityExternalClient <class
EndpointSecurityExternalClient, id 0x10000060c, !registered, !matched, active,
busy 0, retain 6>
| | | {
| | |     "IOUserClientCreator" = "pid 266, com.avira.scanse"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | |
| | + -o EndpointSecurityExternalClient <class
EndpointSecurityExternalClient, id 0x10000060d, !registered, !matched, active,
busy 0, retain 6>
| | | {
| | |     "IOUserClientCreator" = "pid 266, com.avira.scanse"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | |
| | + -o EndpointSecurityExternalClient <class
EndpointSecurityExternalClient, id 0x10000060e, !registered, !matched, active,
busy 0, retain 6>
| | | {
| | |     "IOUserClientCreator" = "pid 266, com.avira.scanse"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | |
| | + -o EndpointSecurityExternalClient <class
EndpointSecurityExternalClient, id 0x10000060f, !registered, !matched, active,
busy 0, retain 6>
| | | {
| | |     "IOUserClientCreator" = "pid 266, com.avira.scanse"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | |
| | + -o EndpointSecurityExternalClient <class
EndpointSecurityExternalClient, id 0x100000610, !registered, !matched, active,
busy 0, retain 6>
| | | {
| | |     "IOUserClientCreator" = "pid 266, com.avira.scanse"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | |
| + -o IOBluetoothHCIController <class IOBluetoothHCIController, id
0x100000122, registered, matched, active, busy 0 (4 ms), retain 26>
| | | {
| | |     "ClassOfDevice" = 0x38010c
| | |     "SkipAutoFWUpdate" = No
| | |     "BootFromROM" = No
| | |     "IOPersonalitPublisher" = "com.apple.iokit.IOBluetoothFamily"
| | |     "BluetoothDeviceAddress" = "A4-83-E7-2F-15-A9"
| | |     "IOMatchCategory" = "IOBluetoothHCIController"
| | |     "SupportBTRS" = No
| | |     "RemoteWakeEnabled" = No
| | |     "BluetoothLocalName" = "Kosomakâ€™s MacBook Pro"
| | |     "ActiveControllerInfo" =

```

```

{"ActiveControllerProductID"=0x92,"ActiveControllerActiveConnections"=0x0,"ActiveControllerLocationID"=0x0,"ActiveControllerVendorID"=0x5ac,"ActiveControllerAddress"=&lt;a483e72f15a9&gt;}
| | | "Built-In" = Yes
| | | "TransportType" = "PCIe"
| | | "IOProbeScore" = 0x0
| | | "HCIRevision" = 0x8f
| | | "DefaultIdleTime" = 0x1f4
| | | "IOClass" = "IOBluetoothHCIController"
| | | "SupportDPLE" = Yes
| | | "SupportWoBT" = Yes
| | | "IOGeneralInterest" = "IOCommand is not serializable"
| | | "IOReportLegend" =
({"IOReportChannels"=(0x425420506f776572,0x400020002,"Bluetooth Internal Power State")), "IOReportGroupName"="Bluetooth", "IOReportChannelInfo"={"IOReportChannel Unit"=0x100007600000001}}, {"IOReportChannels"=(0x4274546d72457870,0x100040001,"Total number of times Bluetooth Idle Timer expired"), (0x4164527074437472,0x100040001,"Total number of BTLE Advertising Reports received (including Apple)"}, (0x4861736800000000,0x100040001,"Apple BTLE Advertising Rep$
| | | "ChipsetID" = 0x92
| | | "SupportBTPD" = No
| | | "SupportBTLP" = No
| | | "ConfigState" = 0x0
| | | "HCIVersion" = 0x9
| | | "CFBundleIdentifier" = "com.apple.iokit.IOBluetoothFamily"
| | | "AllowedIncomingRFCOMMChannels" =
({"ChannelIsSecure"=0x0,"ChannelNumber"=0x1}, {"ChannelIsSecure"=0x0,"ChannelNumber"=0x2}, {"ChannelIsSecure"=0x0,"ChannelNumber"=0x4}, {"ChannelIsSecure"=0x0,"ChannelNumber"=0x3})
| | | "BluetoothTransportConnected" = Yes
| | | "idVendor" = 0x5ac
| | | "HCIControllerPowerIsOn" = Yes
| | | "HCIResetHappenedDuringWake" = No
| | | "SupportPowerOff" = Yes
| | | "SupportConcurrentCreateConnection" = No
| | | "SupportNewIdlePolicy" = Yes
| | | "IOResourceMatch" = "IOKit"
| | | "CFBundleIdentifierKernel" = "com.apple.iokit.IOBluetoothFamily"
| | | "IOReportLegendPublic" = Yes
| | | "FeatureFlags" = 0xf
| | | "HCISupportedFeatures" = &lt;877bffdfebfcffebf&gt;
| | | "ManufacturerName" = 0xf
| | | "LMPSubversion" = 0x204b
| | | "BluetoothVendor" = "AppleBroadcom"
| | | "SupportBTPU" = No
| | | "PowerOptions" = 0x7
| | | "BluetoothDeviceAddressData" = &lt;a483e72f15a9&gt;
| | | "ActiveBluetoothControllerVendor" = "Broadcom"
| | | "FirmwareVersion" = 0x4b
| | | "SupportDeepIdle" = Yes
| | | "IOProviderClass" = "IOResources"
| | | "SupportLighthouse" = Yes
| | | "SupportBTRB" = No
| | | "LMPVersion" = 0x9
| | | "LMPLoggingEnabled" = Yes
| | | "idProduct" = 0x92
| | | "FirmwareVersionString" = "v75 c143"
| | | "AllowedIncomingL2CAPChannels" = {"PSM"=0x3}, {"PSM"=0x1}, {"PSM"=0x1f}, {"PSM"=0x11}, {"PSM"=0x13}, {"PSM"=0xf}, {"PSM"=0x17}, {"PSM"=0x19})
| | | "LocationID" = 0x0
| | | }
| | | }

```



```

| | +-o IOBluetoothACPIMethods <class IOBluetoothACPIMethods, id
0x10000012a, !registered, !matched, active, busy 0, retain 5>>
| | | {
| | | }
| | +-o AppleBroadcomBluetoothHostController <class
AppleBroadcomBluetoothHostController, id 0x10000046f, registered, matched,
active, busy 0 (0 ms), retain 6>>
| | | {
| | |     "SupportWoBT" = Yes
| | |     "HCIVersion" = 0x9
| | |     "SupportBTPU" = No
| | |     "ActiveControllerInfo" =
{"ActiveControllerProductID"=0x92,"ActiveControllerActiveConnections"=0x0,"Activ
eControllerLocationID"=0x0,"ActiveControllerVendorID"=0x5ac,"ActiveControllerAdd
ress"=<a483e72f15a9>}
| | |     "ConfigState" = 0x0
| | |     "BluetoothDeviceAddressData" = <a483e72f15a9>;
| | |     "PowerOptions" = 0x7
| | |     "ChipsetID" = 0x92
| | |     "Built-In" = Yes
| | |     "SupportConcurrentCreateConnection" = No
| | |     "SupportPowerOff" = Yes
| | |     "FirmwareVersion" = 0x4b
| | |     "BluetoothDeviceAddress" = "A4-83-E7-2F-15-A9"
| | |     "BluetoothTransportConnected" = Yes
| | |     "LMPLoggingEnabled" = Yes
| | |     "HCIControllerPowerIsOn" = Yes
| | |     "SupportBTRB" = No
| | |     "BluetoothVendor" = "AppleBroadcom"
| | |     "SupportDPLE" = Yes
| | |     "HCIResetHappenedDuringWake" = No
| | |     "SupportBTPD" = No
| | |     "FirmwareVersionString" = "v75 c143"
| | |     "SupportLighthouse" = Yes
| | |     "ActiveBluetoothControllerVendor" = "Broadcom"
| | |     "SupportNewIdlePolicy" = Yes
| | |     "SupportBTLP" = No
| | |     "BluetoothLocalName" = "Kosomak™s MacBook Pro"
| | |     "FeatureFlags" = 0xf
| | |     "idVendor" = 0x5ac
| | |     "ClassOfDevice" = 0x38010c
| | |     "BootFromROM" = No
| | |     "idProduct" = 0x92
| | |     "LMPVersion" = 0x9
| | |     "ManufacturerName" = 0xf
| | |     "HCISupportedFeatures" = <877bffd9fecffebf>;
| | |     "AllowedIncomingL2CAPChannels" = ({"PSM"=0x3}, {"PSM"=0x1},
{"PSM"=0x1f}, {"PSM"=0x11}, {"PSM"=0x13}, {"PSM"=0xf}, {"PSM"=0x17}, {"PSM"=0x19})
| | |     "RemotewakeEnabled" = No
| | |     "AllowedIncomingRFCOMMChannels" =
({"ChannelIsSecure"=0x0,"ChannelNumber"=0x1},
{"ChannelIsSecure"=0x0,"ChannelNumber"=0x2},
{"ChannelIsSecure"=0x0,"ChannelNumber"=0x4},
{"ChannelIsSecure"=0x0,"ChannelNumber"=0x3})
| | |     "TransportType" = "PCIe"
| | |     "IOReportLegendPublic" = Yes
| | |     "HCIRevision" = 0x8f
| | |     "LocationID" = 0x0
| | |     "DefaultIdleTime" = 0x1f4
| | |     "IOGeneralInterest" = "IOCommand is not serializable"
| | |     "IOReportLegend" =
({"IOReportChannels"=((0x425420506f776572,0x400020002,"Bluetooth Internal Power
State")), "IOReportGroupName"="Bluetooth", "IOReportChannelInfo"={"IOReportChannel

```

```

Unit"=0x100007600000001}}, {"IOReportChannels"=(0x4274546d72457870,0x100040001,"
Total number of times Bluetooth Idle Timer expired"),
(0x4164527074437472,0x100040001,"      Total number of BTLE Advertising Reports
received (including Apple)" ),(0x4861736800000000,0x100040001,"
Apple BTLE Advertising R$
    | | |      "SkipAutoFWUpdate" = No
    | | |      "SupportBTRS" = No
    | | |      "LMPSubversion" = 0x204b
    | | |      }
    | | |      +-o IOBluetoothHCIUserClient <class IOBluetoothHCIUserClient, id
0x100000472, !registered, !matched, active, busy 0, retain 6>;
    | | |      {
    | | |      "IOUserClientCreator" = "pid 130, bluetoothd"
    | | |      "IOUserClientDefaultLocking" = Yes
    | | |      }
    | | |      +-o IOBluetoothHCIUserClient <class IOBluetoothHCIUserClient, id
0x100000574, !registered, !matched, active, busy 0, retain 6>;
    | | |      {
    | | |      "IOUserClientCreator" = "pid 77, systemstats"
    | | |      "IOUserClientDefaultLocking" = Yes
    | | |      }
    | | |      +-o IOBluetoothHCIUserClient <class IOBluetoothHCIUserClient, id
0x100000603, !registered, !matched, active, busy 0, retain 6>;
    | | |      {
    | | |      "IOUserClientCreator" = "pid 124, PerfPowerService"
    | | |      "IOUserClientDefaultLocking" = Yes
    | | |      }
    | | |      +-o IOBluetoothHCIUserClient <class IOBluetoothHCIUserClient, id
0x100000702, !registered, !matched, active, busy 0, retain 6>;
    | | |      {
    | | |      "IOUserClientCreator" = "pid 422, UserEventAgent"
    | | |      "IOUserClientDefaultLocking" = Yes
    | | |      }
    | | |      +-o IOBluetoothHCIUserClient <class IOBluetoothHCIUserClient, id
0x100000717, !registered, !matched, active, busy 0, retain 6>;
    | | |      {
    | | |      "IOUserClientCreator" = "pid 458, useractivityd"
    | | |      "IOUserClientDefaultLocking" = Yes
    | | |      }
    | | |      +-o IOBluetoothHCIUserClient <class IOBluetoothHCIUserClient, id
0x100000724, !registered, !matched, active, busy 0, retain 6>;
    | | |      {
    | | |      "IOUserClientCreator" = "pid 470, sharingd"
    | | |      "IOUserClientDefaultLocking" = Yes
    | | |      }
    | | |      +-o IOBluetoothHCIUserClient <class IOBluetoothHCIUserClient, id
0x10000074b, !registered, !matched, active, busy 0, retain 6>;
    | | |      {
    | | |      "IOUserClientCreator" = "pid 519, cloudpaired"
    | | |      "IOUserClientDefaultLocking" = Yes
    | | |      }
    | | |      +-o IOBluetoothPacketLogger <class IOBluetoothPacketLogger, id
0x100000123, registered, matched, active, busy 0 (0 ms), retain 6>;
    | | |      {
    | | |      "IOProbeScore" = 0x0
    | | |      "CFBundleIdentifier" = "com.apple.iokit.IOBluetoothPacketLogger"

```

```

| | "IOMatchCategory" = "IOBluetoothPacketLogger"
| | "IOClass" = "IOBluetoothPacketLogger"
| | "IOPersonalityPublisher" = "com.apple.iokit.IOBluetoothPacketLogger"
| | "IOProviderClass" = "IOResources"
| | "CFBundleIdentifierKernel" =
"com.apple.iokit.IOBluetoothPacketLogger"
| | "IOResourceMatch" = "IOKit"
| | }
| |
| +-o IOHDIXController <class IOHDIXController, id 0x100000124,
registered, matched, active, busy 0 (0 ms), retain 5>
| | {
| | | "IOClass" = "IOHDIXController"
| | | "CFBundleIdentifier" = "com.apple.driver.DiskImages"
| | | "IOProviderClass" = "IOResources"
| | | "Product Name" = "Disk Image Driver for MacOS X"
| | | "IOUserClientClass" = "IOHDIXControllerUserClient"
| | | "IOResourceMatch" = "IOKit"
| | | "IOProbeScore" = 0x0
| | | "revision" = "595.140.1"
| | | "IOMatchCategory" = "IOHDIXController"
| | | "Vendor Name" = "Apple"
| | | "Product Revision Level" = "595.140.1"
| | | "vendor" = "Apple"
| | | "IOPersonalityPublisher" = "com.apple.driver.DiskImages"
| | | "CFBundleIdentifierKernel" = "com.apple.driver.DiskImages"
| | | "model" = "Disk Image Driver for MacOS X"
| | | }
| |
| +-o IOKitRegistryCompatibility <class IOKitRegistryCompatibility, id
0x100000125, !registered, !matched, active, busy 0 (0 ms), retain 6>
| | | {
| | | | "IOProbeScore" = 0x0
| | | | "CFBundleIdentifier" = "com.apple.iokit.IOKitRegistryCompatibility"
| | | | "IOMatchCategory" = "IOKitRegistryCompatibility"
| | | | "IOClass" = "IOKitRegistryCompatibility"
| | | | "IOPersonalityPublisher" =
"com.apple.iokit.IOKitRegistryCompatibility"
| | | | "Entries" = ({"IOName"="display", "IOClass"="IOPCIDevice", "class-
code"=&lt;00000300&gt;, "model"=&lt;556e6b6e6f776e20556e6b6e6f776e00&gt;, "device-
id"=&lt;10680000&gt;, "vendor-id"=&lt;02100000&gt;, "revision-
id"=&lt;00000000&gt;, "subsystem-id"=&lt;00000000&gt;},
{"IOClass"="IOFramebuffer", "IOName"="IOFB", "ParentIndex"=0x0},
{"IOName"="IOAccelerator", "CFBundleIdentifier"="com.unknown.bundle", "ParentIndex
"=0x0, "IOClass"="IOAccelerator", "PerformanceStatistics"={"vramFreeBytes"=0xf0000
0}, "IOGLBundleName"="AppleMetalGLRenderer", "MetalPluginName"="AGXMetalA12", "VRAM
, totalMB"=0x4$
| | | | "IOProviderClass" = "IOResources"
| | | | "CFBundleIdentifierKernel" =
"com.apple.iokit.IOKitRegistryCompatibility"
| | | | "IOResourceMatch" = "IOKit"
| | | | }
| | |
| | +-o display <class IOServiceCompatibility, id 0x10000012b,
registered, matched, active, busy 0 (0 ms), retain 7>
| | | {
| | | | "IOCompatibilityProperties" =
{"IOName"="display", "IOClass"="IOPCIDevice", "class-
code"=&lt;00000300&gt;, "model"=&lt;556e6b6e6f776e20556e6b6e6f776e00&gt;, "device-
id"=&lt;10680000&gt;, "vendor-id"=&lt;02100000&gt;, "revision-
id"=&lt;00000000&gt;, "subsystem-id"=&lt;00000000&gt;}
| | | | }
| | |
| | +-o IOFB <class IOServiceCompatibility, id 0x10000012c,

```

```

registered, matched, active, busy 0 (0 ms), retain 5&gt;
| | | | {
| | | |   "IOCompatibilityProperties" =
{"IOClass"="IOFramebuffer", "IOName"="IOFB", "ParentIndex"=0x0}
| | | | }
| | | | +-o IOAccelerator &lt;class IOServiceCompatibility, id 0x10000012d,
registered, matched, active, busy 0 (0 ms), retain 5&gt;
| | | | {
| | | |   "IOCompatibilityProperties" =
{"IOName"="IOAccelerator", "CFBundleIdentifier"="com.unknown.bundle", "ParentIndex"
"=0x0", "IOClass"="IOAccelerator", "PerformanceStatistics"={"vramFreeBytes"=0xf0000
0}, "IOGLBundleName"="AppleMetalGLRenderer", "MetalPluginName"="AGXMetalA12", "VRAM
, totalMB"=0x4000}
| | | | }
| | | | +-o memory &lt;class IOServiceCompatibility, id 0x10000012e,
registered, matched, active, busy 0 (0 ms), retain 5&gt;
| | | | {
| | | |   "IOCompatibilityProperties" =
{"IOClass"="IOService", "IOName"="memory", "compat-dimm-serial-
number"=&lt;30783031323334353637003078373635343332313000&gt;; "IOPath"="IODeviceT
ree:/memory"}
| | | | }
| | | | +-o IOReportHub &lt;class IOReportHub, id 0x100000126, registered,
matched, active, busy 0 (0 ms), retain 13&gt;
| | | | {
| | | |   "IOProbeScore" = 0x0
| | | |   "CFBundleIdentifier" = "com.apple.iokit.IOReportFamily"
| | | |   "IOMatchCategory" = "IOReportHub"
| | | |   "IOClass" = "IOReportHub"
| | | |   "IOPersonalityPublisher" = "com.apple.iokit.IOReportFamily"
| | | |   "IOProviderClass" = "IOResources"
| | | |   "CFBundleIdentifierKernel" = "com.apple.iokit.IOReportFamily"
| | | |   "IOUserClientClass" = "IOReportUserClient"
| | | |   "IOResourceMatch" = "IOKit"
| | | | }
| | | | +-o IOReportUserClient &lt;class IOReportUserClient, id 0x1000005f3, !
registered, !matched, active, busy 0, retain 5&gt;
| | | | {
| | | |   "IOUserClientCreator" = "pid 77, systemstats"
| | | |   "IOUserClientDefaultLocking" = Yes
| | | | }
| | | | +-o IOReportUserClient &lt;class IOReportUserClient, id 0x1000005f4, !
registered, !matched, active, busy 0, retain 5&gt;
| | | | {
| | | |   "IOUserClientCreator" = "pid 77, systemstats"
| | | |   "IOUserClientDefaultLocking" = Yes
| | | | }
| | | | +-o IOReportUserClient &lt;class IOReportUserClient, id 0x1000005f5, !
registered, !matched, active, busy 0, retain 5&gt;
| | | | {
| | | |   "IOUserClientCreator" = "pid 77, systemstats"
| | | |   "IOUserClientDefaultLocking" = Yes
| | | | }
| | | | +-o IOReportUserClient &lt;class IOReportUserClient, id 0x1000005f6, !
registered, !matched, active, busy 0, retain 5&gt;
| | | | {
| | | |   "IOUserClientCreator" = "pid 77, systemstats"

```

```

| | | "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o IOReportUserClient <class IOReportUserClient, id 0x1000005f7, !
registered, !matched, active, busy 0, retain 5>>
| | | {
| | | "IOUserClientCreator" = "pid 77, systemstats"
| | | "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o IOReportUserClient <class IOReportUserClient, id 0x1000005fd, !
registered, !matched, active, busy 0, retain 5>>
| | | {
| | | "IOUserClientCreator" = "pid 124, PerfPowerService"
| | | "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o IOReportUserClient <class IOReportUserClient, id 0x100000609, !
registered, !matched, active, busy 0, retain 5>>
| | | {
| | | "IOUserClientCreator" = "pid 124, PerfPowerService"
| | | "IOUserClientDefaultLocking" = Yes
| | | }
| | +-o IOReportUserClient <class IOReportUserClient, id 0x10000065b, !
registered, !matched, active, busy 0, retain 5>>
| | | {
| | | "IOUserClientCreator" = "pid 124, PerfPowerService"
| | | "IOUserClientDefaultLocking" = Yes
| | | }
| +-o IOTimeSyncClockManager <class IOTimeSyncClockManager, id
0x100000127, registered, matched, active, busy 0 (79 ms), retain 13>>
| | | {
| | | "IOClass" = "IOTimeSyncClockManager"
| | | "CFBundleIdentifier" = "com.apple.iokit.IOTimeSyncFamily"
| | | "IOProviderClass" = "IOResources"
| | | "TranslationClockID" = 0xa483e74a8c210001
| | | "WantsgPTPServices" = Yes
| | | "IOUserClientClass" = "IOTimeSyncClockManagerUserClient"
| | | "TimeSyncTimeClockID" = 0xa483e74a8c210000
| | | "IOProbeScore" = 0x0
| | | "TimeSyncTineCoreAudioClockDomain" = 0x63690000
| | | "IOMatchCategory" = "IOTimeSyncClockManager"
| | | "IOPersonalityPublisher" = "com.apple.iokit.IOTimeSyncFamily"
| | | "CFBundleIdentifierKernel" = "com.apple.iokit.IOTimeSyncFamily"
| | | }
| | +-o IOTimeSyncTranslationMach <class IOTimeSyncTranslationMach, id
0x10000049b, registered, matched, active, busy 0 (0 ms), retain 10>>
| | | {
| | | "ClockIdentifier" = 0xa483e74a8c210001
| | | "IOUserClientClass" = "IOTimeSyncUserClient"
| | | "ClockLockState" = 0x2
| | | "IOGeneralInterest" = "IOCommand is not serializable"
| | | }
| | +-o IOTimeSyncUserClient <class IOTimeSyncUserClient, id
0x10000049d, !registered, !matched, active, busy 0, retain 6>>
| | | {
| | | "IOUserClientCreator" = "pid 134, AirPlayXPCHelper"
| | | "IOUserClientDefaultLocking" = Yes
| | | }

```

```

| | | +-o IOTimeSyncUserClient <class IOTimeSyncUserClient, id
0x10000049f, !registered, !matched, active, busy 0, retain 6>;
| | | {
| | |     "IOUserClientCreator" = "pid 180, coreaudiod"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | |
| | | +-o IOTimeSyncClockManagerUserClient <class
IOTimeSyncClockManagerUserClient, id 0x10000049c, !registered, !matched, active,
busy 0, retain 5>;
| | | {
| | |     "IOUserClientCreator" = "pid 134, AirPlayXPCHelper"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | |
| | | +-o IOTimeSyncClockManagerUserClient <class
IOTimeSyncClockManagerUserClient, id 0x10000049e, !registered, !matched, active,
busy 0, retain 5>;
| | | {
| | |     "IOUserClientCreator" = "pid 180, coreaudiod"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | |
| | | +-o IOTimeSyncgPTPManager <class IOTimeSyncgPTPManager, id
0x1000004a6, registered, matched, active, busy 0 (0 ms), retain 9>;
| | | {
| | |     "IOProbeScore" = 0x0
| | |     "CFBundleIdentifier" = "com.apple.plugin.IOgPTPPlugin"
| | |     "IOMatchCategory" = "IOTimeSyncgPTPManager"
| | |     "IOClass" = "IOTimeSyncgPTPManager"
| | |     "IOPersonalityPublisher" = "com.apple.plugin.IOgPTPPlugin"
| | |     "IOPropertyMatch" = {"WantsgPTPServices"=Yes}
| | |     "IOProviderClass" = "IOTimeSyncClockManager"
| | |     "TemperatureSensor" = {"MacBookPro17,1"="PMU
tdev7", "Macmini9,1"="PMU tdev8", "iMac21,1"="PMU tdev8", "iMac21,2"="PMU
tdev8", "MacBookAir10,1"="PMU tdev5"}
| | |     "IOUserClientClass" = "IOTimeSyncgPTPManagerUserClient"
| | |     "CFBundleIdentifierKernel" = "com.apple.plugin.IOgPTPPlugin"
| | |     "SystemDomainIdentifier" = 0xa483e74a8c210008
| | | }
| | |
| | | +-o IOTimeSyncDomain <class IOTimeSyncDomain, id 0x1000004a7,
registered, matched, active, busy 0 (0 ms), retain 16>;
| | | {
| | |     "GrandmasterID" = 0xa483e74a8c210008
| | |     "ASPath" = (0xa483e74a8c210008)
| | |     "IOGeneralInterest" = "IOCommand is not serializable"
| | |     "ClockIdentity" = 0xa483e74a8c210008
| | |     "IOUserClientClass" = "IOTimeSyncDomainUserClient"
| | |     "ClockLockState" = 0x2
| | |     "ClockIdentifier" = 0xa483e74a8c210008
| | | }
| | |
| | | +-o IOTimeSyncTimeSyncTimePort <class
IOTimeSyncTimeSyncTimePort, id 0x1000004a8, registered, matched, active, busy 0
(0 ms), retain 7>;
| | | {
| | |     "PortNumber" = 0x0
| | |     "ReceivedTimeSource" = 0xa0
| | |     "ClockPriority1" = 0xfa
| | |     "BatteryPowered" = Yes
| | |     "ClockAccuracy" = 0x21
| | |     "GrandmasterID" = 0xa483e74a8c210008
| | |     "LocalOscillatorType" = 0x0

```

```

| | | | "StepsRemoved" = 0x0
| | | | "ClockClass" = 0xf8
| | | | "ExternalPowerConnected" = No
| | | | "HasWiFiHardwareTimestamping" = No
| | | | "TimeSource" = 0xa0
| | | | "OffsetScaledLogVariance" = 0x436a
| | | | "ReceivedClockPriority1" = 0xfa
| | | | "ReceivedClockClass" = 0xf8
| | | | "ReceivedOffsetScaledLogVariance" = 0x436a
| | | | "ReceivedClockPriority2" = 0xf0
| | | | "ReceivedClockAccuracy" = 0x21
| | | | "ReceivedGrandmasterID" = 0xa483e74a8c210008
| | | | "PortRole" = 0x2
| | | | "ClockIdentifier" = 0xa483e74a8c210008
| | | | "ClockPriority2" = 0xf0
| | | | "HasWiredEthernetLinkActive" = Yes
| | | | "ReceivedStepsRemoved" = 0x0
| | | | "IOGeneralInterest" = "IOCommand is not serializable"
| | | | "HasEthernetHardwareTimestamping" = No
| | | | }
| | | | +-o IOTimeSyncDomainUserClient <class
IOTimeSyncDomainUserClient, id 0x1000004b3, !registered, !matched, active, busy
0, retain 7&gt;
| | | | {
| | | | | "IOUserClientCreator" = "pid 134, AirPlayXPCHelper"
| | | | | "IOUserClientDefaultLocking" = Yes
| | | | }
| | | | +-o IOTimeSyncDomainUserClient <class
IOTimeSyncDomainUserClient, id 0x1000004b4, !registered, !matched, active, busy
0, retain 7&gt;
| | | | {
| | | | | "IOUserClientCreator" = "pid 180, coreaudiod"
| | | | | "IOUserClientDefaultLocking" = Yes
| | | | }
| | | | +-o IOTimeSyncDomainUserClient <class
IOTimeSyncDomainUserClient, id 0x1000004b6, !registered, !matched, active, busy
0, retain 7&gt;
| | | | {
| | | | | "IOUserClientCreator" = "pid 134, AirPlayXPCHelper"
| | | | | "IOUserClientDefaultLocking" = Yes
| | | | }
| | | | +-o IOTimeSyncgPTPManagerUserClient <class
IOTimeSyncgPTPManagerUserClient, id 0x1000004b2, !registered, !matched, active,
busy 0, retain 5&gt;
| | | | {
| | | | | "IOUserClientCreator" = "pid 134, AirPlayXPCHelper"
| | | | | "IOUserClientDefaultLocking" = Yes
| | | | }
| | | | +-o IOUSBMassStorageResource <class IOUSBMassStorageResource, id
0x100000128, registered, matched, active, busy 0 (0 ms), retain 5&gt;
| | | | {
| | | | | "IOProbeScore" = 0x0
| | | | | "CFBundleIdentifier" = "com.apple.iokit.IOUSBMassStorageDriver"
| | | | | "IOMatchCategory" = "IOUSBMassStorageResource"
| | | | | "IOClass" = "IOUSBMassStorageResource"
| | | | | "IOPersonalityPublisher" = "com.apple.iokit.IOUSBMassStorageDriver"
| | | | | "IOProviderClass" = "IOResources"
| | | | | "CFBundleIdentifierKernel" =
"com.apple.iokit.IOUSBMassStorageDriver"

```

```

| | "Devices Referenced" = 0x0
| | "Device Stats" = {}
| | "IOUserClientClass" = "IOUSBMassStorageUserClient"
| | "IOResourceMatch" = "IOKit"
| | }
| |
| +-o AppleBusPowerController <class AppleBusPowerController, id
0x1000002e9, registered, matched, active, busy 0 (0 ms), retain 6>
| | {
| |   "IOProbeScore" = 0x0
| |   "CFBundleIdentifier" = "com.apple.driver.AppleBusPowerController"
| |   "IOMatchCategory" = "AppleBusPowerController"
| |   "IOClass" = "AppleBusPowerController"
| |   "IOPersonalityPublisher" =
"com.apple.driver.AppleBusPowerController"
| |   "IOProviderClass" = "IOResources"
| |   "CFBundleIdentifierKernel" =
"com.apple.driver.AppleBusPowerController"
| |   "IOGeneralInterest" = "IOCommand is not serializable"
| |   "UsbSmcBusCurrentPoolID" = 0x1000001f5
| |   "IOResourceMatch" = "IORTC"
| | }
| |
| +-o AppleUSBHostResourcesTypeCBPC <class
AppleUSBHostResourcesTypeCBPC, id 0x1000002ec, registered, matched, active, busy
0 (259 ms), retain 31>
| | {
| |   "IOClass" = "AppleUSBHostResourcesTypeCBPC"
| |   "CFBundleIdentifier" = "com.apple.iokit.IOUSBHostFamily"
| |   "IOProviderClass" = "IOResources"
| |   "kUSBSleepPortCurrentLimit" = 0xbb8
| |   "kUSBWakePortCurrentLimit" = 0xbb8
| |   "IOResourceMatch" = "IORTC"
| |   "IOProbeScore" = 0x7d0
| |   "IOMatchCategory" = "AppleUSBHostResources"
| |   "UsbSmcBusCurrentPoolID" = 0x1000001f5
| |   "UsbBusCurrentPoolID" = 0x1000002ec
| |   "IOPersonalityPublisher" = "com.apple.iokit.IOUSBHostFamily"
| |   "CFBundleIdentifierKernel" = "com.apple.iokit.IOUSBHostFamily"
| | }
| |
| +-o AppleUSBLegacyRoot <class AppleUSBLegacyRoot, id 0x1000002ed,
registered, matched, active, busy 0 (4 ms), retain 24>
| | {
| |   "IOProbeScore" = 0x64
| |   "CFBundleIdentifier" = "com.apple.iokit.IOUSBFamily"
| |   "IOProviderClass" = "AppleUSBHostResources"
| |   "IOClass" = "AppleUSBLegacyRoot"
| |   "IOPersonalityPublisher" = "com.apple.iokit.IOUSBFamily"
| |   "CFBundleIdentifierKernel" = "com.apple.iokit.IOUSBFamily"
| |   "IOMatchCategory" = "IODefaultMatchCategory"
| |   "IOPowerManagement" =
{"ChildrenPowerState"=0x4,"DevicePowerState"=0x0,"CurrentPowerState"=0x4,"Capabi
lityFlags"=0x8000,"MaxPowerState"=0x4,"DriverPowerState"=0x4}
| |   "HIDVirtualDevice" = No
| | }
| |
| +-o AppleUSBVHCIBCE@80000000 <class AppleUSBController, id
0x1000003dc, registered, matched, active, busy 0 (4 ms), retain 21>
| | {
| |   "locationID" = 0xffffffff80000000
| | }
| |
| +-o AppleUSBVHCIBCE Root Hub Simulation@80000000 <class

```



```

AppleUSBRootHubDevice, id 0x1000003dd, registered, matched, active, busy 0 (0
ms), retain 15&gt;
    {
        "idProduct" = 0x8007
        "bNumConfigurations" = 0x1
        "Built-In" = Yes
        "bDeviceClass" = 0x9
        "bMaxPacketSize0" = 0x8
        "iManufacturer" = 0x0
        "iProduct" = 0x0
        "iSerialNumber" = 0x0
        "USB Product Name" = "AppleUSBVHCIBCE Root Hub Simulation"
        "IOPowerManagement" =
{"DevicePowerState"=0x0,"CurrentPowerState"=0x4,"CapabilityFlags"=0x8000,"MaxPow
erState"=0x4,"DriverPowerState"=0x4}
        "IOUserClientClass" = "AppleUSBLegacyDeviceUserClient"
        "locationID" = 0xffffffff80000000
        "bDeviceSubClass" = 0xff
        "bcdUSB" = 0x100
        "non-removable" = "yes"
        "IOCFPlugInTypes" = {"9dc7b780-9ec0-11d4-
a54f-000a27052861"="IOUSBFamily.kext/Contents/PlugIns/IOUSBLib.bundle"}
        "bDeviceProtocol" = 0x3
        "Device Speed" = 0x3
        "USB Vendor Name" = "Apple Inc."
        "idVendor" = 0x5ac
        "IOClassNameOverride" = "IOUSBRootHubDevice"
    }
+-o Headset@80400000 &lt;class AppleUSBDevice, id 0x1000003df,
registered, matched, active, busy 0 (0 ms), retain 11&gt;
    {
        "kUSBSerialNumberString" = "000000000000"
        "bDeviceClass" = 0x0
        "bDeviceSubClass" = 0x0
        "iSerialNumber" = 0x3
        "Bus Power Available" = 0xfa
        "Built-In" = Yes
        "AppleUSBAlternateServiceRegistryID" = 0x1000003d5
        "iProduct" = 0x2
        "USB Serial Number" = "000000000000"
        "USB Vendor Name" = "Apple"
        "bNumConfigurations" = 0x1
        "kUSBProductString" = "Headset"
        "IOPowerManagement" =
{"DevicePowerState"=0x2,"CurrentPowerState"=0x3,"CapabilityFlags"=0x10000,"MaxPo
werState"=0x4,"DriverPowerState"=0x3}
        "kUSBVendorString" = "Apple"
        "USB Product Name" = "Headset"
        "iManufacturer" = 0x1
        "idVendor" = 0x5ac
        "Device Speed" = 0x2
        "kUSBCurrentConfiguration" = 0x1
        "idProduct" = 0x8103
        "bcdDevice" = 0x210
        "non-removable" = "yes"
        "USB Address" = 0x5
        "sessionID" = 0x48a42df7
        "UsbUserClientEntitlementRequired" =
"com.apple.ibridge.control"
        "IOCFPlugInTypes" = {"9dc7b780-9ec0-11d4-
a54f-000a27052861"="IOUSBHostFamily.kext/Contents/PlugIns/IOUSBLib.bundle"}
        "IOClassNameOverride" = "IOUSBDevice"
        "PortNum" = 0x4

```

```

| | | | | "bDeviceProtocol" = 0x0
| | | | | "locationID" = 0xffffffff80400000
| | | | | "IOGeneralInterest" = "IOCommand is not serializable"
| | | | | "bcdUSB" = 0x200
| | | | | "bMaxPacketSize0" = 0x40
| | | | | }
| | | | | +-o HID Relay@0 <class AppleUSBInterface, id 0x10000041b,
registered, matched, active, busy 0 (0 ms), retain 5>
| | | | | {
| | | | |   "IOCFPlugInTypes" = {"2d9786c6-9ef3-11d4-ad51-
000a27052861"="IOUSBHostFamily.kext/Contents/PlugIns/IOUSBLib.bundle"}
| | | | |   "bcdDevice" = 0x210
| | | | |   "idProduct" = 0x8103
| | | | |   "bInterfaceSubClass" = 0x0
| | | | |   "bConfigurationValue" = 0x1
| | | | |   "locationID" = 0xffffffff80400000
| | | | |   "USB Interface Name" = "HID Relay"
| | | | |   "AppleUSBAlternateServiceRegistryID" = 0x100000410
| | | | |   "IOClassNameOverride" = "IOUSBInterface"
| | | | |   "bInterfaceProtocol" = 0x0
| | | | |   "iInterface" = 0x6
| | | | |   "bAlternateSetting" = 0x0
| | | | |   "idVendor" = 0x5ac
| | | | |   "bInterfaceNumber" = 0x0
| | | | |   "bInterfaceClass" = 0x3
| | | | |   "bNumEndpoints" = 0x1
| | | | | }
| | | | | +-o Apple T2 Controller@80100000 <class AppleUSBDevice, id
0x1000003e4, registered, matched, active, busy 0 (0 ms), retain 13>
| | | | | {
| | | | |   "kUSBSerialNumberString" = "0000000000000000"
| | | | |   "bDeviceClass" = 0x0
| | | | |   "bDeviceSubClass" = 0x0
| | | | |   "iSerialNumber" = 0x3
| | | | |   "Bus Power Available" = 0xfa
| | | | |   "Built-In" = Yes
| | | | |   "AppleUSBAlternateServiceRegistryID" = 0x1000003cc
| | | | |   "iProduct" = 0x2
| | | | |   "USB Serial Number" = "0000000000000000"
| | | | |   "USB Vendor Name" = "Apple Inc."
| | | | |   "bNumConfigurations" = 0x1
| | | | |   "kUSBProductString" = "Apple T2 Controller"
| | | | |   "IOPowerManagement" =
{"DevicePowerState"=0x2,"CurrentPowerState"=0x3,"CapabilityFlags"=0x10000,"MaxPo
werState"=0x4,"DriverPowerState"=0x3}
| | | | |   "kUSBVendorString" = "Apple Inc."
| | | | |   "USB Product Name" = "Apple T2 Controller"
| | | | |   "iManufacturer" = 0x1
| | | | |   "idVendor" = 0x5ac
| | | | |   "Device Speed" = 0x2
| | | | |   "kUSBCurrentConfiguration" = 0x1
| | | | |   "idProduct" = 0x8233
| | | | |   "bcdDevice" = 0x201
| | | | |   "non-removable" = "yes"
| | | | |   "USB Address" = 0x1
| | | | |   "sessionID" = 0x48e336af
| | | | |   "UsbUserClientEntitlementRequired" =
"com.apple.ibridge.control"
| | | | |   "IOCFPlugInTypes" = {"9dc7b780-9ec0-11d4-
a54f-000a27052861"="IOUSBHostFamily.kext/Contents/PlugIns/IOUSBLib.bundle"}
| | | | |   "IOClassNameOverride" = "IOUSBDevice"
| | | | |   "PortNum" = 0x1

```

```

| | | | | "bDeviceProtocol" = 0x0
| | | | | "locationID" = 0xffffffff80100000
| | | | | "IOGeneralInterest" = "IOCommand is not serializable"
| | | | | "bcdUSB" = 0x200
| | | | | "bMaxPacketSize0" = 0x40
| | | | | }
| | | | | +-o NCM Control@0 <class AppleUSBInterface, id 0x100000421,
registered, matched, active, busy 0 (0 ms), retain 5>
| | | | | {
| | | | |   "IOCFPlugInTypes" = {"2d9786c6-9ef3-11d4-ad51-
000a27052861"="IOUSBHostFamily.kext/Contents/PlugIns/IOUSBLib.bundle"}
| | | | |   "bcdDevice" = 0x201
| | | | |   "idProduct" = 0x8233
| | | | |   "bInterfaceSubClass" = 0xd
| | | | |   "bConfigurationValue" = 0x1
| | | | |   "locationID" = 0xffffffff80100000
| | | | |   "USB Interface Name" = "NCM Control"
| | | | |   "AppleUSBAlternateServiceRegistryID" = 0x100000416
| | | | |   "IOClassNameOverride" = "IOUSBInterface"
| | | | |   "bInterfaceProtocol" = 0x0
| | | | |   "iInterface" = 0x7
| | | | |   "bAlternateSetting" = 0x0
| | | | |   "idVendor" = 0x5ac
| | | | |   "bInterfaceNumber" = 0x0
| | | | |   "bInterfaceClass" = 0x2
| | | | |   "bNumEndpoints" = 0x1
| | | | | }
| | | | | +-o NCM Data@1 <class AppleUSBInterface, id 0x100000422,
registered, matched, active, busy 0 (0 ms), retain 5>
| | | | | {
| | | | |   "IOCFPlugInTypes" = {"2d9786c6-9ef3-11d4-ad51-
000a27052861"="IOUSBHostFamily.kext/Contents/PlugIns/IOUSBLib.bundle"}
| | | | |   "bcdDevice" = 0x201
| | | | |   "idProduct" = 0x8233
| | | | |   "bInterfaceSubClass" = 0x0
| | | | |   "bConfigurationValue" = 0x1
| | | | |   "locationID" = 0xffffffff80100000
| | | | |   "USB Interface Name" = "NCM Data"
| | | | |   "AppleUSBAlternateServiceRegistryID" = 0x10000041c
| | | | |   "IOClassNameOverride" = "IOUSBInterface"
| | | | |   "bInterfaceProtocol" = 0x1
| | | | |   "iInterface" = 0x8
| | | | |   "bAlternateSetting" = 0x1
| | | | |   "idVendor" = 0x5ac
| | | | |   "bInterfaceNumber" = 0x1
| | | | |   "bInterfaceClass" = 0xa
| | | | |   "bNumEndpoints" = 0x2
| | | | | }
| | | | | +-o FaceTime HD Camera (Built-in)@80200000 <class
AppleUSBDevice, id 0x1000003eb, registered, matched, active, busy 0 (0 ms),
retain 14>
| | | | | {
| | | | |   "kUSBSerialNumberString" = "CC29263RC4CJ3Y38H"
| | | | |   "bDeviceClass" = 0xef
| | | | |   "bDeviceSubClass" = 0x2
| | | | |   "iSerialNumber" = 0x3
| | | | |   "Bus Power Available" = 0xfa
| | | | |   "Built-In" = Yes
| | | | |   "AppleUSBAlternateServiceRegistryID" = 0x1000003d1
| | | | |   "iProduct" = 0x2
| | | | |   "USB Serial Number" = "CC29263RC4CJ3Y38H"

```

```

| | | | "USB Vendor Name" = "Apple Inc."
| | | | "bNumConfigurations" = 0x1
| | | | "kUSBProductString" = "FaceTime HD Camera (Built-in)"
| | | | "IOPowerManagement" =
{"DevicePowerState"=0x2, "CurrentPowerState"=0x3, "CapabilityFlags"=0x10000, "MaxPowerState"=0x4, "DriverPowerState"=0x3}
| | | | "kUSBVendorString" = "Apple Inc."
| | | | "USB Product Name" = "FaceTime HD Camera (Built-in)"
| | | | "iManufacturer" = 0x1
| | | | "idVendor" = 0x5ac
| | | | "Device Speed" = 0x2
| | | | "kUSBCurrentConfiguration" = 0x1
| | | | "idProduct" = 0x8514
| | | | "bcdDevice" = 0x201
| | | | "non-removable" = "yes"
| | | | "USB Address" = 0x3
| | | | "sessionID" = 0x493a4ed0
| | | | "UsbUserClientEntitlementRequired" =
"com.apple.ibridge.control"
| | | | "IOCFPlugInTypes" = {"9dc7b780-9ec0-11d4-
a54f-000a27052861"="IOUSBHostFamily.kext/Contents/PlugIns/IOUSBLib.bundle"}
| | | | "IOClassNameOverride" = "IOUSBDevice"
| | | | "PortNum" = 0x2
| | | | "bDeviceProtocol" = 0x1
| | | | "locationID" = 0xffffffff80200000
| | | | "IOGeneralInterest" = "IOCommand is not serializable"
| | | | "bcdUSB" = 0x200
| | | | "bMaxPacketSize0" = 0x40
| | | | }
| | | | +-o AppleUSBInterface@0 <class AppleUSBInterface, id
0x100000413, registered, matched, active, busy 0 (0 ms), retain 6>
| | | | {
| | | | | "IOCFPlugInTypes" = {"2d9786c6-9ef3-11d4-ad51-
000a27052861"="IOUSBHostFamily.kext/Contents/PlugIns/IOUSBLib.bundle"}
| | | | | "bcdDevice" = 0x201
| | | | | "idProduct" = 0x8514
| | | | | "bInterfaceSubClass" = 0x1
| | | | | "bConfigurationValue" = 0x1
| | | | | "locationID" = 0xffffffff80200000
| | | | | "AppleUSBAAlternateServiceRegistryID" = 0x10000040e
| | | | | "IOClassNameOverride" = "IOUSBInterface"
| | | | | "bInterfaceProtocol" = 0x0
| | | | | "iInterface" = 0x0
| | | | | "bAlternateSetting" = 0x0
| | | | | "idVendor" = 0x5ac
| | | | | "bInterfaceNumber" = 0x0
| | | | | "bInterfaceClass" = 0xe
| | | | | "bNumEndpoints" = 0x0
| | | | | }
| | | | +-o AppleUSBInterface@1 <class AppleUSBInterface, id
0x100000418, registered, matched, active, busy 0 (0 ms), retain 6>
| | | | {
| | | | | "IOCFPlugInTypes" = {"2d9786c6-9ef3-11d4-ad51-
000a27052861"="IOUSBHostFamily.kext/Contents/PlugIns/IOUSBLib.bundle"}
| | | | | "bcdDevice" = 0x201
| | | | | "idProduct" = 0x8514
| | | | | "bInterfaceSubClass" = 0x2
| | | | | "bConfigurationValue" = 0x1
| | | | | "locationID" = 0xffffffff80200000
| | | | | "AppleUSBAAlternateServiceRegistryID" = 0x100000411
| | | | | "IOClassNameOverride" = "IOUSBInterface"
| | | | | "bInterfaceProtocol" = 0x0

```

```

        "iInterface" = 0x0
        "bAlternateSetting" = 0x0
        "idVendor" = 0x5ac
        "bInterfaceNumber" = 0x1
        "bInterfaceClass" = 0xe
        "bNumEndpoints" = 0x1
    }
+-o Touch Bar Backlight@80700000 <class AppleUSBDevice, id
0x1000003f5, registered, matched, active, busy 0 (0 ms), retain 11>
    {
        "kUSBSerialNumberString" = "0000000000000000"
        "bDeviceClass" = 0x0
        "bDeviceSubClass" = 0x0
        "iSerialNumber" = 0x3
        "Bus Power Available" = 0xfa
        "Built-In" = Yes
        "AppleUSBAlternateServiceRegistryID" = 0x1000003d3
        "iProduct" = 0x2
        "USB Serial Number" = "0000000000000000"
        "USB Vendor Name" = "Apple Inc."
        "bNumConfigurations" = 0x1
        "kUSBProductString" = "Touch Bar Backlight"
        "IOPowerManagement" =
{"DevicePowerState"=0x2,"CurrentPowerState"=0x3,"CapabilityFlags"=0x10000,"MaxPo
werState"=0x4,"DriverPowerState"=0x3}
        "kUSBVendorString" = "Apple Inc."
        "USB Product Name" = "Touch Bar Backlight"
        "iManufacturer" = 0x1
        "idVendor" = 0x5ac
        "Device Speed" = 0x2
        "kUSBCurrentConfiguration" = 0x1
        "idProduct" = 0x8102
        "bcdDevice" = 0x201
        "non-removable" = "yes"
        "USB Address" = 0x4
        "sessionID" = 0x494fd451
        "UsbUserClientEntitlementRequired" =
"com.apple.ibridge.control"
        "IOCFPlugInTypes" = {"9dc7b780-9ec0-11d4-
a54f-000a27052861"="IOUSBHostFamily.kext/Contents/PlugIns/IOUSBLib.bundle"}
        "IOClassNameOverride" = "IOUSBDevice"
        "PortNum" = 0x7
        "bDeviceProtocol" = 0x0
        "locationID" = 0xffffffff80700000
        "IOGeneralInterest" = "IOCommand is not serializable"
        "bcdUSB" = 0x200
        "bMaxPacketSize0" = 0x40
    }
+-o HID Relay@0 <class AppleUSBInterface, id 0x10000041e,
registered, matched, active, busy 0 (0 ms), retain 5>
    {
        "IOCFPlugInTypes" = {"2d9786c6-9ef3-11d4-ad51-
000a27052861"="IOUSBHostFamily.kext/Contents/PlugIns/IOUSBLib.bundle"}
        "bcdDevice" = 0x201
        "idProduct" = 0x8102
        "bInterfaceSubClass" = 0x0
        "bConfigurationValue" = 0x1
        "locationID" = 0xffffffff80700000
        "USB Interface Name" = "HID Relay"
        "AppleUSBAlternateServiceRegistryID" = 0x100000419
        "IOClassNameOverride" = "IOUSBInterface"
        "bInterfaceProtocol" = 0x0
    }

```

```

    "iInterface" = 0x6
    "bAlternateSetting" = 0x0
    "idVendor" = 0x5ac
    "bInterfaceNumber" = 0x0
    "bInterfaceClass" = 0x3
    "bNumEndpoints" = 0x1
}
+-o Ambient Light Sensor@80300000 <class AppleUSBDevice, id
0x1000003fd, registered, matched, active, busy 0 (0 ms), retain 11>;
{
    "kUSBSerialNumberString" = "000000000000"
    "bDeviceClass" = 0x0
    "bDeviceSubClass" = 0x0
    "iSerialNumber" = 0x3
    "Bus Power Available" = 0xfa
    "Built-In" = Yes
    "AppleUSBAlternateServiceRegistryID" = 0x1000003ce
    "iProduct" = 0x2
    "USB Serial Number" = "000000000000"
    "USB Vendor Name" = "Apple Inc."
    "bNumConfigurations" = 0x1
    "kUSBProductString" = "Ambient Light Sensor"
    "IOPowerManagement" =
{"DevicePowerState"=0x2,"CurrentPowerState"=0x3,"CapabilityFlags"=0x10000,"MaxPo
werState"=0x4,"DriverPowerState"=0x3}
    "kUSBVendorString" = "Apple Inc."
    "USB Product Name" = "Ambient Light Sensor"
    "iManufacturer" = 0x1
    "idVendor" = 0x5ac
    "Device Speed" = 0x2
    "kUSBCurrentConfiguration" = 0x1
    "idProduct" = 0x8262
    "bcdDevice" = 0x201
    "non-removable" = "yes"
    "USB Address" = 0x2
    "sessionID" = 0x493a4730
    "UsbUserClientEntitlementRequired" =
"com.apple.ibridge.control"
    "IOCFPlugInTypes" = {"9dc7b780-9ec0-11d4-
a54f-000a27052861"="IOUSBHostFamily.kext/Contents/PlugIns/IOUSBLib.bundle"}
    "IOClassNameOverride" = "IOUSBDevice"
    "PortNum" = 0x3
    "bDeviceProtocol" = 0x0
    "locationID" = 0xffffffff80300000
    "IOGeneralInterest" = "IOCommand is not serializable"
    "bcdUSB" = 0x200
    "bMaxPacketSize0" = 0x40
}
+-o HID Relay@0 <class AppleUSBInterface, id 0x10000041a,
registered, matched, active, busy 0 (0 ms), retain 5>;
{
    "IOCFPlugInTypes" = {"2d9786c6-9ef3-11d4-ad51-
000a27052861"="IOUSBHostFamily.kext/Contents/PlugIns/IOUSBLib.bundle"}
    "bcdDevice" = 0x201
    "idProduct" = 0x8262
    "bInterfaceSubClass" = 0x0
    "bConfigurationValue" = 0x1
    "locationID" = 0xffffffff80300000
    "USB Interface Name" = "HID Relay"
    "AppleUSBAlternateServiceRegistryID" = 0x100000417
    "IOClassNameOverride" = "IOUSBInterface"
    "bInterfaceProtocol" = 0x0

```

```

    "iInterface" = 0x6
    "bAlternateSetting" = 0x0
    "idVendor" = 0x5ac
    "bInterfaceNumber" = 0x0
    "bInterfaceClass" = 0x3
    "bNumEndpoints" = 0x1
}
+-o Touch Bar Display@80600000 <class AppleUSBDevice, id
0x100000404, registered, matched, active, busy 0 (0 ms), retain 13>
{
    "kUSBSerialNumberString" = "0000000000000000"
    "bDeviceClass" = 0x0
    "bDeviceSubClass" = 0x0
    "iSerialNumber" = 0x3
    "Bus Power Available" = 0xfa
    "Built-In" = Yes
    "AppleUSBAlternateServiceRegistryID" = 0x1000003da
    "iProduct" = 0x2
    "USB Serial Number" = "0000000000000000"
    "USB Vendor Name" = "Apple Inc."
    "bNumConfigurations" = 0x2
    "kUSBProductString" = "Touch Bar Display"
    "IOPowerManagement" =
{"DevicePowerState"=0x2,"CurrentPowerState"=0x3,"CapabilityFlags"=0x10000,"MaxPo
werState"=0x4,"DriverPowerState"=0x3}
    "kUSBVendorString" = "Apple Inc."
    "USB Product Name" = "Touch Bar Display"
    "iManufacturer" = 0x1
    "idVendor" = 0x5ac
    "Device Speed" = 0x2
    "kUSBCurrentConfiguration" = 0x2
    "idProduct" = 0x8302
    "bcdDevice" = 0x201
    "non-removable" = "yes"
    "USB Address" = 0x7
    "sessionID" = 0x4b09db03
    "UsbUserClientEntitlementRequired" =
"com.apple.ibridge.control"
    "IOCFPlugInTypes" = {"9dc7b780-9ec0-11d4-
a54f-000a27052861"="IOUSBHostFamily.kext/Contents/PlugIns/IOUSBLib.bundle"}
    "IOClassNameOverride" = "IOUSBDevice"
    "PortNum" = 0x6
    "bDeviceProtocol" = 0x0
    "locationID" = 0xffffffff80600000
    "IOGeneralInterest" = "IOCommand is not serializable"
    "bcdUSB" = 0x200
    "bMaxPacketSize0" = 0x40
}
+-o HID Relay@0 <class AppleUSBInterface, id 0x10000042b,
registered, matched, active, busy 0 (0 ms), retain 5>
{
    "IOCFPlugInTypes" = {"2d9786c6-9ef3-11d4-ad51-
000a27052861"="IOUSBHostFamily.kext/Contents/PlugIns/IOUSBLib.bundle"}
    "bcdDevice" = 0x201
    "idProduct" = 0x8302
    "bInterfaceSubClass" = 0x0
    "bConfigurationValue" = 0x2
    "locationID" = 0xffffffff80600000
    "USB Interface Name" = "HID Relay"
    "AppleUSBAlternateServiceRegistryID" = 0x10000041f
    "IOClassNameOverride" = "IOUSBInterface"
    "bInterfaceProtocol" = 0x0

```

```

| | | | | "iInterface" = 0x7
| | | | | "bAlternateSetting" = 0x0
| | | | | "idVendor" = 0x5ac
| | | | | "bInterfaceNumber" = 0x0
| | | | | "bInterfaceClass" = 0x3
| | | | | "bNumEndpoints" = 0x1
| | | | | }
| | | | | +-o AppleUSBInterface@1 <class AppleUSBInterface, id
0x10000042e, registered, matched, active, busy 0 (0 ms), retain 6>
| | | | | {
| | | | | "IOCFPlugInTypes" = {"2d9786c6-9ef3-11d4-ad51-
000a27052861"="IOUSBHostFamily.kext/Contents/PlugIns/IOUSBLib.bundle"}
| | | | | "UsbUserClientEntitlementRequired" =
"com.apple.appledfr.client"
| | | | | "bcdDevice" = 0x201
| | | | | "idProduct" = 0x8302
| | | | | "bInterfaceSubClass" = 0x0
| | | | | "bConfigurationValue" = 0x2
| | | | | "locationID" = 0xffffffff80600000
| | | | | "AppleUSBAlternateServiceRegistryID" = 0x100000425
| | | | | "IOClassNameOverride" = "IOUSBInterface"
| | | | | "bInterfaceProtocol" = 0x0
| | | | | "iInterface" = 0x0
| | | | | "bAlternateSetting" = 0x0
| | | | | "idVendor" = 0x5ac
| | | | | "bInterfaceNumber" = 0x1
| | | | | "bInterfaceClass" = 0x10
| | | | | "bNumEndpoints" = 0x2
| | | | | }
| | | | | +-o Apple Internal Keyboard / Trackpad@80500000 <class
AppleUSBDevice, id 0x100000667, registered, matched, active, busy 0 (1 ms),
retain 19>
| | | | | {
| | | | | "sessionID" = 0x24151731ee
| | | | | "idProduct" = 0x27d
| | | | | "iManufacturer" = 0x1
| | | | | "bDeviceClass" = 0x0
| | | | | "bMaxPacketSize0" = 0x40
| | | | | "bcdDevice" = 0x928
| | | | | "iProduct" = 0x2
| | | | | "iSerialNumber" = 0x3
| | | | | "bNumConfigurations" = 0x1
| | | | | "Bus Power Available" = 0xfa
| | | | | "USB Address" = 0x8
| | | | | "Built-In" = Yes
| | | | | "locationID" = 0xffffffff80500000
| | | | | "bDeviceSubClass" = 0x0
| | | | | "bcdUSB" = 0x200
| | | | | "USB Product Name" = "Apple Internal Keyboard / Trackpad"
| | | | | "PortNum" = 0x5
| | | | | "non-removable" = "yes"
| | | | | "kUSBSerialNumberString" = "FM7923600JWKT58AQ+WDN"
| | | | | "bDeviceProtocol" = 0x0
| | | | | "AppleUSBAlternateServiceRegistryID" = 0x100000665
| | | | | "IOCFPlugInTypes" = {"9dc7b780-9ec0-11d4-
a54f-000a27052861"="IOUSBHostFamily.kext/Contents/PlugIns/IOUSBLib.bundle"}
| | | | | "IOPowerManagement" =
{"DevicePowerState"=0x0,"CurrentPowerState"=0x3,"CapabilityFlags"=0x10000,"MaxPo
werState"=0x4,"DriverPowerState"=0x3}
| | | | | "Device Speed" = 0x2
| | | | | "USB Vendor Name" = "Apple Inc."
| | | | | "idVendor" = 0x5ac

```



```

| | | | "kUSBCurrentConfiguration" = 0x1
| | | | "IOGeneralInterest" = "IOCommand is not serializable"
| | | | "kUSBProductString" = "Apple Internal Keyboard / Trackpad"
| | | | "USB Serial Number" = "FM7923600JWKT58AQ+WDN"
| | | | "kUSBVendorString" = "Apple Inc."
| | | | "IOClassNameOverride" = "IOUSBDevice"
| | | | }
| | | | +-o HID Relay@0 <class AppleUSBInterface, id 0x10000067e,
registered, matched, active, busy 0 (0 ms), retain 5>
| | | | {
| | | | | "IOCFPlugInTypes" = {"2d9786c6-9ef3-11d4-ad51-
000a27052861"="IOUSBHostFamily.kext/Contents/PlugIns/IOUSBLib.bundle"}
| | | | | "bcdDevice" = 0x928
| | | | | "idProduct" = 0x27d
| | | | | "bInterfaceSubClass" = 0x0
| | | | | "bConfigurationValue" = 0x1
| | | | | "locationID" = 0xffffffff80500000
| | | | | "USB Interface Name" = "HID Relay"
| | | | | "AppleUSBAlternateServiceRegistryID" = 0x100000679
| | | | | "IOClassNameOverride" = "IOUSBInterface"
| | | | | "bInterfaceProtocol" = 0x0
| | | | | "iInterface" = 0x8
| | | | | "bAlternateSetting" = 0x0
| | | | | "idVendor" = 0x5ac
| | | | | "bInterfaceNumber" = 0x0
| | | | | "bInterfaceClass" = 0x3
| | | | | "bNumEndpoints" = 0x1
| | | | | }
| | | | +-o HID Relay@1 <class AppleUSBInterface, id 0x10000067f,
registered, matched, active, busy 0 (0 ms), retain 5>
| | | | {
| | | | | "IOCFPlugInTypes" = {"2d9786c6-9ef3-11d4-ad51-
000a27052861"="IOUSBHostFamily.kext/Contents/PlugIns/IOUSBLib.bundle"}
| | | | | "bcdDevice" = 0x928
| | | | | "idProduct" = 0x27d
| | | | | "bInterfaceSubClass" = 0x1
| | | | | "bConfigurationValue" = 0x1
| | | | | "locationID" = 0xffffffff80500000
| | | | | "USB Interface Name" = "HID Relay"
| | | | | "AppleUSBAlternateServiceRegistryID" = 0x10000067a
| | | | | "IOClassNameOverride" = "IOUSBInterface"
| | | | | "bInterfaceProtocol" = 0x1
| | | | | "iInterface" = 0x7
| | | | | "bAlternateSetting" = 0x0
| | | | | "idVendor" = 0x5ac
| | | | | "bInterfaceNumber" = 0x1
| | | | | "bInterfaceClass" = 0x3
| | | | | "bNumEndpoints" = 0x1
| | | | | }
| | | | +-o HID Relay@2 <class AppleUSBInterface, id 0x100000680, registered,
matched, active, busy 0 (0 ms), retain 5>
| | | | {
| | | | | "IOCFPlugInTypes" = {"2d9786c6-9ef3-11d4-ad51-
000a27052861"="IOUSBHostFamily.kext/Contents/PlugIns/IOUSBLib.bundle"}
| | | | | "bcdDevice" = 0x928
| | | | | "idProduct" = 0x27d
| | | | | "bInterfaceSubClass" = 0x1
| | | | | "bConfigurationValue" = 0x1
| | | | | "locationID" = 0xffffffff80500000
| | | | | "USB Interface Name" = "HID Relay"

```

```
| | | "AppleUSBAlternateServiceRegistryID" = 0x10000067b
| | | "IOClassNameOverride" = "IOUSBInterface"
| | | "bInterfaceProtocol" = 0x2
| | | "iInterface" = 0x6
| | | "bAlternateSetting" = 0x0
| | | "idVendor" = 0x5ac
| | | "bInterfaceNumber" = 0x2
| | | "bInterfaceClass" = 0x3
| | | "bNumEndpoints" = 0x1
| | | }
| | | +-o HID Relay@3 &lt;class AppleUSBInterface, id 0x100000681,
registered, matched, active, busy 0 (0 ms), retain 5&gt;;
| | | {
| | | "IOCFPlugInTypes" = {"2d9786c6-9ef3-11d4-ad51-
000a27052861"="IOUSBHostFamily.kext/Contents/PlugIns/IOUSBLib.bundle"}
| | | "bcdDevice" = 0x928
| | | "idProduct" = 0x27d
| | | "bInterfaceSubClass" = 0x0
| | | "bConfigurationValue" = 0x1
| | | "locationID" = 0xffffffff80500000
| | | "USB Interface Name" = "HID Relay"
| | | "AppleUSBAlternateServiceRegistryID" = 0x10000067c
| | | "IOClassNameOverride" = "IOUSBInterface"
| | | "bInterfaceProtocol" = 0x0
| | | "iInterface" = 0xa
| | | "bAlternateSetting" = 0x0
| | | "idVendor" = 0x5ac
| | | "bInterfaceNumber" = 0x3
| | | "bInterfaceClass" = 0x3
| | | "bNumEndpoints" = 0x1
| | | }
| | | +-o HID Relay@4 &lt;class AppleUSBInterface, id 0x100000682,
registered, matched, active, busy 0 (0 ms), retain 5&gt;;
| | | {
| | | "IOCFPlugInTypes" = {"2d9786c6-9ef3-11d4-ad51-
000a27052861"="IOUSBHostFamily.kext/Contents/PlugIns/IOUSBLib.bundle"}
| | | "bcdDevice" = 0x928
| | | "idProduct" = 0x27d
| | | "bInterfaceSubClass" = 0x0
| | | "bConfigurationValue" = 0x1
| | | "locationID" = 0xffffffff80500000
| | | "USB Interface Name" = "HID Relay"
| | | "AppleUSBAlternateServiceRegistryID" = 0x10000067d
| | | "IOClassNameOverride" = "IOUSBInterface"
| | | "bInterfaceProtocol" = 0x0
| | | "iInterface" = 0x9
| | | "bAlternateSetting" = 0x0
| | | "idVendor" = 0x5ac
| | | "bInterfaceNumber" = 0x4
| | | "bInterfaceClass" = 0x3
| | | "bNumEndpoints" = 0x1
| | | }
| | | +-o com_apple_AppleFSCompression_AppleFSCompressionTypeDataless &lt;class
com_apple_AppleFSCompression_AppleFSCompressionTypeDataless, id 0x100000362, !
registered, !matched, active, busy 0, retain 4&gt;;
| | | {
| | | "IOProbeScore" = 0x0
| | | "CFBundleIdentifier" =
"com.apple.AppleFSCompression.AppleFSCompressionTypeDataless"
| | | "IOMatchCategory" =
"com_apple_AppleFSCompression_AppleFSCompressionTypeDataless"
```

```

| | "IOClass" =
"com.apple.AppleFSCompression.AppleFSCompressionTypeDataless"
| | "IOPersonalityPublisher" =
"com.apple.AppleFSCompression.AppleFSCompressionTypeDataless"
| | "IOProviderClass" = "IOResources"
| | "com.apple.AppleFSCompression.providesType5" = Yes
| | "CFBundleIdentifierKernel" =
"com.apple.AppleFSCompression.AppleFSCompressionTypeDataless"
| | "IOResourceMatch" = "IOBSD"
| | }
| +-o com.apple.AppleFSCompression.AppleFSCompressionTypeZlib <class
com.apple.AppleFSCompression.AppleFSCompressionTypeZlib, id 0x100000363, !
registered, !matched, active, busy 0, retain 4>
| | {
| | "IOClass" =
"com.apple.AppleFSCompression.AppleFSCompressionTypeZlib"
| | "CFBundleIdentifier" =
"com.apple.AppleFSCompression.AppleFSCompressionTypeZlib"
| | "IOProviderClass" = "IOResources"
| | "com.apple.AppleFSCompression.providesType7" = Yes
| | "IOResourceMatch" = "IOBSD"
| | "com.apple.AppleFSCompression.providesType9" = Yes
| | "IOProbeScore" = 0x0
| | "IOMatchCategory" =
"com.apple.AppleFSCompression.AppleFSCompressionTypeZlib"
| | "com.apple.AppleFSCompression.providesType4" = Yes
| | "IOPersonalityPublisher" =
"com.apple.AppleFSCompression.AppleFSCompressionTypeZlib"
| | "com.apple.AppleFSCompression.providesType10" = Yes
| | "com.apple.AppleFSCompression.providesType8" = Yes
| | "com.apple.AppleFSCompression.providesType11" = Yes
| | "CFBundleIdentifierKernel" =
"com.apple.AppleFSCompression.AppleFSCompressionTypeZlib"
| | "com.apple.AppleFSCompression.providesType12" = Yes
| | "com.apple.AppleFSCompression.providesType3" = Yes
| | }
| +-o AppleImage4 <class AppleImage4, id 0x100000364, registered,
matched, active, busy 0 (0 ms), retain 5>
| | {
| | "IOProbeScore" = 0x0
| | "CFBundleIdentifier" = "com.apple.security.AppleImage4"
| | "IOMatchCategory" = "AppleImage4"
| | "IOClass" = "AppleImage4"
| | "IOPersonalityPublisher" = "com.apple.security.AppleImage4"
| | "IOProviderClass" = "IOResources"
| | "CFBundleIdentifierKernel" = "com.apple.security.AppleImage4"
| | "IOUserClientClass" = "AppleImage4UserClient"
| | "IOResourceMatch" = "IOBSD"
| | }
| +-o AppleMobileFileIntegrity <class AppleMobileFileIntegrity, id
0x100000365, registered, matched, active, busy 0 (0 ms), retain 7>
| | {
| | "IOProbeScore" = 0x0
| | "CFBundleIdentifier" = "com.apple.driver.AppleMobileFileIntegrity"
| | "IOMatchCategory" = "AppleMobileFileIntegrity"
| | "IOClass" = "AppleMobileFileIntegrity"
| | "IOPersonalityPublisher" =
"com.apple.driver.AppleMobileFileIntegrity"
| | "IOProviderClass" = "IOResources"
| | "CFBundleIdentifierKernel" =
"com.apple.driver.AppleMobileFileIntegrity"

```

```

| |     "IOUserClientClass" = "AppleMobileFileIntegrityUserClient"
| |     "IOResourceMatch" = "IOBSD"
| | }
| |
| +-o AppleSystemPolicy <class AppleSystemPolicy, id 0x100000366,
registered, matched, active, busy 0 (0 ms), retain 7>;
| | {
| | |     "IOProbeScore" = 0x0
| | |     "CFBundleIdentifier" = "com.apple.AppleSystemPolicy"
| | |     "IOMatchCategory" = "AppleSystemPolicy"
| | |     "IOClass" = "AppleSystemPolicy"
| | |     "IOPersonalityPublisher" = "com.apple.AppleSystemPolicy"
| | |     "IOProviderClass" = "IOResources"
| | |     "CFBundleIdentifierKernel" = "com.apple.AppleSystemPolicy"
| | |     "IOUserClientClass" = "AppleSystemPolicyUserClient"
| | |     "IOPowerManagement" =
{"CapabilityFlags"=0x2,"MaxPowerState"=0x1,"CurrentPowerState"=0x1}
| | |     "IOResourceMatch" = "IOBSD"
| | | }
| |
| +-o AppleSystemPolicyUserClient <class AppleSystemPolicyUserClient,
id 0x10000048c, !registered, !matched, active, busy 0, retain 5>;
| | {
| | |     "IOUserClientCreator" = "pid 164, syspolicyd"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| |
| +-o com_apple_BootCache <class com_apple_BootCache, id 0x100000367, !
registered, !matched, active, busy 0, retain 4>;
| | {
| | |     "IOProbeScore" = 0x0
| | |     "CFBundleIdentifier" = "com.apple.BootCache"
| | |     "IOMatchCategory" = "com_apple_BootCache"
| | |     "IOClass" = "com_apple_BootCache"
| | |     "IOPersonalityPublisher" = "com.apple.BootCache"
| | |     "IOProviderClass" = "IOResources"
| | |     "CFBundleIdentifierKernel" = "com.apple.BootCache"
| | |     "IOResourceMatch" = "IOBSD"
| | | }
| |
| +-o com_apple_filesystems_hfs <class com_apple_filesystems_hfs, id
0x100000368, !registered, !matched, active, busy 0, retain 4>;
| | {
| | |     "IOProbeScore" = 0x0
| | |     "CFBundleIdentifier" = "com.apple.filesystems.hfs.kext"
| | |     "IOMatchCategory" = "com_apple_filesystems_hfs"
| | |     "IOClass" = "com_apple_filesystems_hfs"
| | |     "IOPersonalityPublisher" = "com.apple.filesystems.hfs.kext"
| | |     "IOProviderClass" = "IOResources"
| | |     "CFBundleIdentifierKernel" = "com.apple.filesystems.hfs.kext"
| | |     "IOResourceMatch" = "IOBSD"
| | | }
| |
| +-o com_apple_filesystems_hfs_encodings <class
com_apple_filesystems_hfs_encodings, id 0x100000369, !registered, !matched,
active, busy 0, retain 4>;
| | {
| | |     "IOProbeScore" = 0x0
| | |     "CFBundleIdentifier" = "com.apple.filesystems.hfs.encodings.kext"
| | |     "IOMatchCategory" = "com_apple_filesystems_hfs_encodings"
| | |     "IOClass" = "com_apple_filesystems_hfs_encodings"
| | |     "IOPersonalityPublisher" =
"com.apple.filesystems.hfs.encodings.kext"
| | |     "IOProviderClass" = "IOResources"

```

```

| | "CFBundleIdentifierKernel" =
"com.apple.filesystems.hfs.encodings.kext"
| | "IOResourceMatch" = "IOBSD"
| | }
| |
| +-o IOHIDResource <class IOHIDResource, id 0x10000036a, registered,
matched, active, busy 0 (84 ms), retain 9>;
| | {
| | | "IOProbeScore" = 0x0
| | | "CFBundleIdentifier" = "com.apple.iokit.IOHIDFamily"
| | | "IOMatchCategory" = "IOHIDResource"
| | | "IOClass" = "IOHIDResource"
| | | "IOPersonalityPublisher" = "com.apple.iokit.IOHIDFamily"
| | | "IOProviderClass" = "IOResources"
| | | "CFBundleIdentifierKernel" = "com.apple.iokit.IOHIDFamily"
| | | "IOUserClientClass" = "IOHIDResourceDeviceUserClient"
| | | "IOResourceMatch" = "IOBSD"
| | | }
| | +-o IOHIDResourceDeviceUserClient <class
IOHIDResourceDeviceUserClient, id 0x1000006b9, !registered, !matched, active,
busy 0 (3 ms), retain 6>;
| | | {
| | | | "IOHIDUserDeviceDebugState" =
{"MaxClientTimeoutUS"=0xf4240,"ReportQueue"={"EnqueueTimestamp"=0x3dc7841811,"tail"=0x13c,"QueueSize"=0x4000,"head"=0x13c},"SetReportCount"=0x8,"SetReportCompletedCount"=0x8}
| | | | "IOUserClientCreator" = "pid 138, WindowServer"
| | | | "IOUserClientDefaultLocking" = Yes
| | | | }
| | | +-o IOHIDUserDevice <class IOHIDUserDevice, id 0x1000006ba,
registered, matched, active, busy 0 (3 ms), retain 10>;
| | | {
| | | | "HIDVirtualDevice" = Yes
| | | | "Transport" = "USB"
| | | | "Built-In" = Yes
| | | | "Product" = "Keyboard Backlight"
| | | | "KeyboardUniqueID" = 0x5ac027d
| | | | "HIDDefaultBehavior" = Yes
| | | | "MaxInputReportSize" = 0x1
| | | | "Privileged" = Yes
| | | | "DeviceUsagePairs" =
({"DeviceUsagePage"=0xff00,"DeviceUsage"=0xf})
| | | | "ReportDescriptor" =
<&0600ff0a0f00a10185010670ff090116200026000275209501b1420902660110550d150027ff
ff000075209501b142850309031500250175089501b1420904660110550d150027ffff0000752095
01b142c0>;
| | | | "MaxOutputReportSize" = 0x1
| | | | "IOUserClientClass" = "IOHIDLibUserClient"
| | | | "IOCFPlugInTypes" = {"FA12FA38-6F1A-11D4-
BA0C-0005028F18D5"="IOHIDFamily.kext/Contents/PlugIns/
IOHIDLib.plugin", "40A57A4E-26A0-11D8-9295-000A958A2C78"="IOHIDFamily.kext/
Contents/PlugIns/IOHIDLib.plugin", "7DDEECA8-A7B4-
11DA-8A0E-0014519758EF"="IOHIDFamily.kext/Contents/PlugIns/IOHIDLib.plugin"}
| | | | "VendorID" = 0x5ac
| | | | "PrimaryUsage" = 0xf
| | | | "ProductID" = 0x27d
| | | | "Elements" =
({"ReportID"=0x0,"ElementCookie"=0x1,"CollectionType"=0x1,"Type"=0x201,"Variable
Size"=0x0,"Elements"=({"VariableSize"=0x0,"UnitExponent"=0x0,"IsRelative"=No,"Us
agePage"=0xff70,"Max"=0x200,"IsArray"=No,"Type"=0x101,"Size"=0x20,"Min"=0x20,"Fl
ags"=0x42,"ReportID"=0x1,"Usage"=0x1,"ReportCount"=0x1,"Unit"=0x0,"HasNullState"
=Yes,"ReportSize"=0x20,"HasPreferredState"=Yes,"IsNonLinear"=No,"ScaledMin"=0x20

```

```

, "IsWrapping"=No, "ScaledMax"=0x200, "ElementCookie"=0x8},
{"VariableSize"=0x0, "UnitExponent"=0xd, "IsRelative"=No, "UsagePage$
| | | | | "IOGeneralInterest" = "IOCommand is not serializable"
| | | | | "PrimaryUsagePage" = 0xff00
| | | | | "ReportInterval" = 0x1f40
| | | | | "MaxFeatureReportSize" = 0x9
| | | | | "InputReportElements" =
({ "ReportID"=0x1, "ElementCookie"=0xc, "Size"=0x8, "ReportCount"=0x1, "Type"=0x1, "Va
variableSize"=0x0, "UsagePage"=0x0, "ReportSize"=0x8, "Usage"=0x0},
{ "ReportID"=0x3, "ElementCookie"=0xd, "Size"=0x8, "ReportCount"=0x1, "Type"=0x1, "Var
variableSize"=0x0, "UsagePage"=0x0, "ReportSize"=0x8, "Usage"=0x0})
| | | | | }
| | | | | +-o IOHIDInterface &lt;class IOHIDInterface, id 0x1000006bd,
registered, matched, active, busy 0 (3 ms), retain 6&gt;
| | | | | {
| | | | | "MaxOutputReportSize" = 0x1
| | | | | "VendorID" = 0x5ac
| | | | | "IOServiceDXTEntitlements" =
(("com.apple.developer.driverkit.transport.hid", "com.apple.developer.driverkit.b
uiltin"))
| | | | | "Product" = "Keyboard Backlight"
| | | | | "PrimaryUsage" = 0xf
| | | | | "ProductID" = 0x27d
| | | | | "DeviceUsagePairs" =
({ "DeviceUsagePage"=0xff00, "DeviceUsage"=0xf})
| | | | | "Transport" = "USB"
| | | | | "ReportInterval" = 0x1f40
| | | | | "ReportDescriptor" =
&lt;0600ff0a0f00a10185010670ff090116200026000275209501b1420902660110550d150027ff
ff000075209501b142850309031500250175089501b1420904660110550d150027ffff0000752095
01b142c0&gt;
| | | | | "HIDDefaultBehavior" = Yes
| | | | | "PrimaryUsagePage" = 0xff00
| | | | | "MaxFeatureReportSize" = 0x9
| | | | | "Built-In" = Yes
| | | | | "MaxInputReportSize" = 0x1
| | | | | }
| | | | | +-o IOHIDLibUserClient &lt;class IOHIDLibUserClient, id
0x1000006be, !registered, !matched, active, busy 0, retain 6&gt;
| | | | | {
| | | | | "DebugState" =
{"MaxEnqueueReportSize"=0x2000, "EventQueueMap"=(), "ClientOpened"=Yes, "Privileged
"=Yes}
| | | | | "IOUserClientCreator" = "pid 133, corebrightnessd"
| | | | | "IOUserClientDefaultLocking" = Yes
| | | | | }
| | | | | +-o IOHIDResourceDeviceUserClient &lt;class
IOHIDResourceDeviceUserClient, id 0x1000006bf, !registered, !matched, active,
busy 0 (13 ms), retain 6&gt;
| | | | | {
| | | | | "IOHIDUserDeviceDebugState" = {"MaxClientTimeoutUS"=0xf4240}
| | | | | "IOUserClientCreator" = "pid 309, TouchBarServer"
| | | | | "IOUserClientDefaultLocking" = Yes
| | | | | }
| | | | | +-o IOHIDUserDevice &lt;class IOHIDUserDevice, id 0x1000006c0,
registered, matched, active, busy 0 (13 ms), retain 11&gt;
| | | | | {
| | | | | "AppleVendorSupported" = Yes
| | | | | "HIDVirtualDevice" = Yes
| | | | | "Built-In" = Yes

```

```

| | | "Product" = "TouchBarUserDevice"
| | | "HIDDefaultBehavior" = Yes
| | | "MaxInputReportSize" = 0x7
| | | "RequiresTCCAuthorization" = Yes
| | | "Privileged" = Yes
| | | "DeviceUsagePairs" = ({"DeviceUsagePage"=0x1,"DeviceUsage"=0x6})
| | | "ReportDescriptor" =
&lt;05010906a10185010507190029ff95067508150026ff0081008502050c190029ff9506750815
0026ff00810085030601ff190029ff95027508150026ff008100850405ff190029ff950475081500
26ff008100c0&gt;
| | | "alt_sender_id" = 0x1000006ae
| | | "MaxOutputReportSize" = 0x1
| | | "IOUserClientClass" = "IOHIDLibUserClient"
| | | "IOCFPlugInTypes" = {"FA12FA38-6F1A-11D4-
BA0C-0005028F18D5"="IOHIDFamily.kext/Contents/PlugIns/
IOHIDLib.plugin", "40A57A4E-26A0-11D8-9295-000A958A2C78"="IOHIDFamily.kext/
Contents/PlugIns/IOHIDLib.plugin", "7DDEECA8-A7B4-
11DA-8A0E-0014519758EF"="IOHIDFamily.kext/Contents/PlugIns/IOHIDLib.plugin"}
| | | "VendorID" = 0x5ac
| | | "PrimaryUsage" = 0x6
| | | "ProductID" = 0x8600
| | | "Elements" =
({ "ReportID"=0x0, "ElementCookie"=0x1, "CollectionType"=0x1, "Type"=0x201, "Variable
Size"=0x0, "Elements"=({ "VariableSize"=0x0, "UnitExponent"=0x0, "IsRelative"=No, "Us
agePage"=0x7, "Max"=0xff, "IsArray"=Yes, "Type"=0x2, "Size"=0x30, "Min"=0x0, "Flags"=0
x0, "ReportID"=0x1, "Usage"=0xffffffffffffffff, "ReportCount"=0x6, "Unit"=0x0, "HasNu
llState"=No, "ReportSize"=0x8, "HasPreferredState"=Yes, "IsNonLinear"=No, "ScaledMin
"=0x0, "IsWrapping"=No, "ScaledMax"=0xff, "ElementCookie"=0xc},
{ "VariableSize"=0x0, "UnitExponent"=0x0, "IsRelative"=No, "Dupl$
| | | "IOGeneralInterest" = "IOCommand is not serializable"
| | | "ReportInterval" = 0x1f40
| | | "PrimaryUsagePage" = 0x1
| | | "DeviceOpenedByEventSystem" = Yes
| | | "MaxFeatureReportSize" = 0x1
| | | "InputReportElements" =
({ "ReportID"=0x1, "ElementCookie"=0x422, "Size"=0x38, "ReportCount"=0x1, "Type"=0x1,
"VariableSize"=0x0, "UsagePage"=0x0, "ReportSize"=0x38, "Usage"=0x0},
{ "ReportID"=0x2, "ElementCookie"=0x423, "Size"=0x38, "ReportCount"=0x1, "Type"=0x1, "
VariableSize"=0x0, "UsagePage"=0x0, "ReportSize"=0x38, "Usage"=0x0},
{ "ReportID"=0x3, "ElementCookie"=0x424, "Size"=0x18, "ReportCount"=0x1, "Type"=0x1, "
VariableSize"=0x0, "UsagePage"=0x0, "ReportSize"=0x18, "Usage"=0x0},
{ "ReportID"=0x4, "ElementCookie"=0x425, "Size"=0x28, "ReportCount"=0x1, "Type$
| | | }
| | | }
| | | +-o IOHIDInterface &lt;class IOHIDInterface, id 0x1000006c3,
registered, matched, active, busy 0 (12 ms), retain 10&gt;
| | | {
| | | | "MaxOutputReportSize" = 0x1
| | | | "VendorID" = 0x5ac
| | | | "IOServiceDXTEntitlements" =
(("com.apple.developer.driverkit.transport.hid", "com.apple.developer.driverkit.b
uiltin"))
| | | | "Product" = "TouchBarUserDevice"
| | | | "PrimaryUsage" = 0x6
| | | | "IOEXTMatchCount" = 0x2
| | | | "ProductID" = 0x8600
| | | | "DeviceUsagePairs" =
({ "DeviceUsagePage"=0x1, "DeviceUsage"=0x6})
| | | | "HIDDefaultBehavior" = Yes
| | | | "ReportInterval" = 0x1f40
| | | | "ReportDescriptor" =
&lt;05010906a10185010507190029ff95067508150026ff0081008502050c190029ff9506750815
0026ff00810085030601ff190029ff95027508150026ff008100850405ff190029ff950475081500
26ff008100c0&gt;

```

```

| | | | "Built-In" = Yes
| | | | "PrimaryUsagePage" = 0x1
| | | | "MaxFeatureReportSize" = 0x1
| | | | "DeviceOpenedByEventSystem" = Yes
| | | | "MaxInputReportSize" = 0x7
| | | | }
| | | | +-o AppleUserHIDEventDriver <class AppleUserHIDEventService,
id 0x1000006c5, registered, matched, active, busy 0 (0 ms), retain 11>;
| | | | {
| | | |   "PrimaryUsagePage" = 0x1
| | | |   "IOUserClientClass" = "IOHIDEventServiceUserClient"
| | | |   "VersionNumber" = 0x0
| | | |   "VendorID" = 0x5ac
| | | |   "Built-In" = Yes
| | | |   "Product" = "TouchBarUserDevice"
| | | |   "HIDKeyboardSupportedModifiers" = 0x19e20ff
| | | |   "IOServiceDEXTentitlements" =
"com.apple.developer.driverkit.family.hid.eventservice"
| | | |   "IOUserServerCDHash" =
"2a19a5c5d913aa2c3471e15ecea21afecba0ef78"
| | | |   "ProductID" = 0x8600
| | | |   "RegisterService" = No
| | | |   "DeviceUsagePairs" =
({ "DeviceUsagePage"=0x1, "DeviceUsage"=0x6 })
| | | |   "IOPowerManagement" =
{ "CapabilityFlags"=0x0, "MaxPowerState"=0x2, "CurrentPowerState"=0x0 }
| | | |   "IOUserServerName" =
"com.apple.driverkit.AppleUserHIDEventDriver.dfrv1"
| | | |   "ReportInterval" = 0x1f40
| | | |   "VendorIDSource" = 0x0
| | | |   "IOMatchedPersonality" =
{ "IOUserClass"="AppleUserHIDEventDriver", "VendorID"=0x5ac, "IOUserServerCDHash"="
2a19a5c5d913aa2c3471e15ecea21afecba0ef78", "IOClass"="AppleUserHIDEventService", "
CFBundleIdentifier"="com.apple.AppleUserHIDDrivers", "CFBundleIdentifierKernel"="
com.apple.iokit.IOHIDFamily", "IOProviderClass"="IOHIDInterface", "ProductID"=0x86
00, "IOUserServerName"="com.apple.driverkit.AppleUserHIDEventDriver.dfrv1"}
| | | |   "HIDEventServiceProperties" =
{ "HIDMouseKeysOptionToggles"=0x0, "JitterNoClick"=0x1, "ActuateDetents"=0x1, "Dragg
ing"=0x0, "HIDSlowKeysDelay"=0x0, "JitterNoMove"=0x1, "FlipLeftAndRightEdgeGestures
"=No, "HIDTrackpadScrollAcceleration"=0x5000, "HIDInitialKeyRepeat"=0x1dcd6500, "Tr
ackpadThreeFingerHorizSwipeGesture"=0x2, "TrackpadThreeFingerDrag"=No, "MTGestureC
onfiguration"={"Version"=0x1, "Behaviors"={{"BehaviorID"=0x5}}}, "MTGestureConfigu
rationOverride"={"Version"=0x1, "Behaviors"={{"BehaviorID"=0x1}}}, "HIDPointerAcce
leration"=0xb000, "U$
| | | |   "CFBundleIdentifier" = "com.apple.AppleUserHIDDrivers"
| | | |   "HIDKeyboardKeysDefined" = Yes
| | | |   "IOCFPlugInTypes" = {"7DDEECA8-A7B4-
11DA-8A0E-0014519758EF"="IOHIDFamily.kext/Contents/PlugIns/
IOHIDLib.plugin", "FA12FA38-6F1A-11D4-BA0C-0005028F18D5"="IOHIDFamily.kext/
Contents/PlugIns/IOHIDLib.plugin"}
| | | |   "IOProviderClass" = "IOHIDInterface"
| | | |   "IOUserClass" = "AppleUserHIDEventDriver"
| | | |   "LocationID" = 0x0
| | | |   "IOClass" = "AppleUserHIDEventService"
| | | |   "CFBundleIdentifierKernel" = "com.apple.iokit.IOHIDFamily"
| | | |   "PrimaryUsage" = 0x6
| | | |   "CountryCode" = 0x0
| | | |   "HIDServiceSupport" = Yes
| | | |   "IOGeneralInterest" = "IOCommand is not serializable"
| | | |   "IOMatchCategory" = "IODefaultMatchCategory"
| | | |   "StandardType" = 0x0
| | | |   "IOProbeScore" = 0x1770
| | | |   "HIDKeyboardSupportsEscKey" = Yes

```



```

| | | | "HIDDKStart" = Yes
| | | | }
| | | | +-o IOHIDEventServiceUserClient &lt;class
IOHIDEventServiceUserClient, id 0x1000006ca, !registered, !matched, active, busy
0, retain 6&gt;
| | | | {
| | | |     "DebugState" =
{"EventQueue"={"NoFullMsg"=0x0,"tail"=0x0,"NotificationForce"=0x0,"NotificationC
ount"=0x0,"head"=0x0}}
| | | |     "IOUserClientCreator" = "pid 138, WindowServer"
| | | |     "IOUserClientDefaultLocking" = Yes
| | | | }
| | | | +-o IOHIDLibUserClient &lt;class IOHIDLibUserClient, id
0x1000006c4, !registered, !matched, active, busy 0, retain 6&gt;
| | | | {
| | | |     "DebugState" =
{"MaxEnqueueReportSize"=0x2000,"EventQueueMap"={"entrySize"=0x0,"QueueSize"=0x4
000,"EnqueueErrorCount"=0x0,"head"=0x0,"UsagePercentHist"={"100"=0x0,"60"=0x0,"5
0"=0x0,"0"=0x0,"40"=0x0,"30"=0x0,"90"=0x0,"20"=0x0,"80"=0x0,"10"=0x0,"70"=0x0},"
tail"=0x0,"numEntries"=0x0},"ClientOpened"=Yes,"Privileged"=Yes}
| | | |     "IOUserClientCreator" = "pid 309, TouchBarServer"
| | | |     "IOUserClientDefaultLocking" = Yes
| | | | }
| | | | +-o IOHIDSystem &lt;class IOHIDSystem, id 0x10000036b, registered,
matched, active, busy 0 (1 ms), retain 13&gt;
| | | | {
| | | |     "IOClass" = "IOHIDSystem"
| | | |     "HIDScrollCountMaxTimeDeltaBetween" = 0x258
| | | |     "IOPersonalityPublisher" = "com.apple.iokit.IOHIDFamily"
| | | |     "IOResourceMatch" = "IOBSD"
| | | |     "IOReportLegendPublic" = Yes
| | | |     "HIDServiceGlobalModifiersUsage" = 0x1
| | | |     "IOProviderClass" = "IOResources"
| | | |     "IOProbeScore" = 0x0
| | | |     "HIDIdleTime" = 0xebba2a2
| | | |     "HIDScrollCountIgnoreMomentumScrolls" = Yes
| | | |     "HIDScrollCountAccelerationFactor" = 0x28000
| | | |     "HIDServiceSupport" = Yes
| | | |     "HIDScrollCountMouseCanReset" = Yes
| | | |     "IOCFPlugInTypes" = {"0516B563-
B15B-11DA-96EB-0014519758EF"="IOHIDFamily.kext/Contents/PlugIns/
IOHIDNXEventRouter.plugin"}
| | | |     "VendorID" = 0x5ac
| | | |     "CFBundleIdentifierKernel" = "com.apple.iokit.IOHIDFamily"
| | | |     "HIDScrollCountMinDeltaToSustain" = 0x14
| | | |     "IOMatchCategory" = "IOHID"
| | | |     "CFBundleIdentifier" = "com.apple.iokit.IOHIDFamily"
| | | |     "HIDScrollCountBootDefault" =
{"HIDScrollCountMinDeltaToStart"=0x1e,"HIDScrollCountAccelerationFactor"=0x28000
,"HIDScrollCountMouseCanReset"=Yes,"HIDScrollCountIgnoreMomentumScrolls"=Yes,"HI
DScrollCountMinDeltaToSustain"=0x14,"HIDScrollCountMax"=0x7d0,"HIDScrollCountMax
TimeDeltaBetween"=0x258,"HIDScrollCountMaxTimeDeltaToSustain"=0xfa}
| | | |     "PrimaryUsage" = 0x17
| | | |     "CursorState" = {"LastMoveCursor (Seconds
ago)"="250.469691","LastShowCursor (Seconds ago)"="250.468038","LastHideCursor
(Seconds ago)"="250.468044"}
| | | |     "HIDPowerOnDelayNS" = 0x1dcd6500
| | | |     "IOGeneralInterest" = "IOCommand is not serializable"
| | | |     "PrimaryUsagePage" = 0xff00
| | | |     "HIDScrollCountMinDeltaToStart" = 0x1e
| | | |     "HIDScrollCountMaxTimeDeltaToSustain" = 0xfa

```

```

    | | | "IOReportLegend" =
({ "IOReportGroupName"="Cursor", "IOReportChannels"=(0x437572736f72546f,0xf001800
03,"Cursor Total
Latency")), "IOReportChannelInfo"={"IOReportChannelConfig"=&lt;640000000000000000
0000000a000000204e000000000000001000000005000000&gt;; "IOReportChannelUnit"=0x10000
7900000000}, "IOReportSubGroupName"="Total"},
{ "IOReportGroupName"="Cursor", "IOReportChannels"=(0x437572736f724772,0xf0018000
3,"Cursor Graphics
Latency")), "IOReportChannelInfo"={"IOReportChannelConfig"=&lt;640000000000000000
0000000a000000204e000000000000001000000005000000&gt;;$
    | | | "HIDParameters" =
{"HIDMouseKeysOptionToggles"=0x0, "JitterNoClick"=0x1, "ActuateDetents"=0x1, "Dragg
ing"=0x0, "HIDSlowKeysDelay"=0x0, "JitterNoMove"=0x1, "TrackpadThreeFingerHorizSwip
eGesture"=0x2, "HIDInitialKeyRepeat"=0x1dcd6500, "TrackpadThreeFingerDrag"=No, "HID
PointerAcceleration"=0xb000, "UserPreferences"=Yes, "HIDDefaultParameters"=Yes, "Tr
ackpadHorizScroll"=0x1, "HIDF12EjectDelay"=0xfa, "TrackpadFourFingerVertSwipeGestu
re"=0x2, "TrackpadTwoFingerFromRightEdgeSwipeGesture"=0x3, "USBMouseStopsTrackpad"
=0x0, "TrackpadThreeFingerTapGesture"=0x$
    | | | "HIDScrollCountMax" = 0x7d0
    | | | }
    | | +-o IOHIDUserClient &lt;class IOHIDUserClient, id 0x100000567, !
registered, !matched, active, busy 0, retain 5&gt;;
    | | | {
    | | | "IOUserClientCrossEndianCompatible" = Yes
    | | | "IOUserClientCreator" = "pid 138, WindowServer"
    | | | "IOUserClientDefaultLocking" = Yes
    | | | }
    | | +-o IOHIDEventSystemUserClient &lt;class IOHIDEventSystemUserClient, id
0x100000583, !registered, !matched, active, busy 0, retain 5&gt;;
    | | | {
    | | | "IOUserClientCrossEndianCompatible" = Yes
    | | | "IOUserClientCreator" = "pid 138, WindowServer"
    | | | "IOUserClientDefaultLocking" = Yes
    | | | }
    | | +-o IOHIDParamUserClient &lt;class IOHIDParamUserClient, id
0x1000005ce, !registered, !matched, active, busy 0, retain 5&gt;;
    | | | {
    | | | "IOUserClientCrossEndianCompatible" = Yes
    | | | "IOUserClientCreator" = "pid 138, WindowServer"
    | | | "IOUserClientDefaultLocking" = Yes
    | | | }
    | | +-o IOHIDParamUserClient &lt;class IOHIDParamUserClient, id
0x1000005e2, !registered, !matched, active, busy 0, retain 5&gt;;
    | | | {
    | | | "IOUserClientCrossEndianCompatible" = Yes
    | | | "IOUserClientCreator" = "pid 141, loginwindow"
    | | | "IOUserClientDefaultLocking" = Yes
    | | | }
    | | +-o IOHIDParamUserClient &lt;class IOHIDParamUserClient, id
0x1000006cf, !registered, !matched, active, busy 0, retain 5&gt;;
    | | | {
    | | | "IOUserClientCrossEndianCompatible" = Yes
    | | | "IOUserClientCreator" = "pid 138, WindowServer"
    | | | "IOUserClientDefaultLocking" = Yes
    | | | }
    | | +-o IOHIDParamUserClient &lt;class IOHIDParamUserClient, id
0x100000700, !registered, !matched, active, busy 0, retain 5&gt;;
    | | | {

```

```

| |         "IOUserClientCrossEndianCompatible" = Yes
| |         "IOUserClientCreator" = "pid 428, Dock"
| |         "IOUserClientDefaultLocking" = Yes
| |     }
| |
| +-o IONetworkStack <&class IONetworkStack, id 0x10000036c, registered,
matched, active, busy 0 (0 ms), retain 14&gt;
| |     {
| |         "IOProbeScore" = 0x0
| |         "CFBundleIdentifier" = "com.apple.iokit.IONetworkingFamily"
| |         "IOMatchCategory" = "IONetworkStack"
| |         "IOClass" = "IONetworkStack"
| |         "IOPersonalityPublisher" = "com.apple.iokit.IONetworkingFamily"
| |         "IOProviderClass" = "IOResources"
| |         "CFBundleIdentifierKernel" = "com.apple.iokit.IONetworkingFamily"
| |         "IOUserClientClass" = "IONetworkStackUserClient"
| |         "IOResourceMatch" = "IOBSD"
| |     }
| |
| +-o IONetworkStackUserClient <&class IONetworkStackUserClient, id
0x10000045e, !registered, !matched, active, busy 0, retain 5&gt;
| |     {
| |         "IOUserClientCreator" = "pid 79, configd"
| |         "IOUserClientDefaultLocking" = Yes
| |     }
| |
| +-o IOSkywalkTester <&class IOSkywalkTester, id 0x10000036d,
registered, matched, active, busy 0 (0 ms), retain 5&gt;
| |     {
| |         "IOProbeScore" = 0x0
| |         "CFBundleIdentifier" = "com.apple.iokit.IOSkywalkFamily"
| |         "IOMatchCategory" = "IOSkywalkTester"
| |         "IOClass" = "IOSkywalkTester"
| |         "IOPersonalityPublisher" = "com.apple.iokit.IOSkywalkFamily"
| |         "IOProviderClass" = "IOResources"
| |         "CFBundleIdentifierKernel" = "com.apple.iokit.IOSkywalkFamily"
| |         "IOResourceMatch" = "IOBSD"
| |     }
| |
| +-o IOSurfaceRoot <&class IOSurfaceRoot, id 0x10000036e, registered,
matched, active, busy 0 (10 ms), retain 226&gt;
| |     {
| |         "IOProbeScore" = 0x0
| |         "CFBundleIdentifier" = "com.apple.iokit.IOSurface"
| |         "IOMatchCategory" = "IOSurfaceRoot"
| |         "IOClass" = "IOSurfaceRoot"
| |         "IOPersonalityPublisher" = "com.apple.iokit.IOSurface"
| |         "IOProviderClass" = "IOResources"
| |         "CFBundleIdentifierKernel" = "com.apple.iokit.IOSurface"
| |         "IOResourceMatch" = "IOBSD"
| |     }
| |
| +-o IOSurfaceRootUserClient <&class IOSurfaceRootUserClient, id
0x1000005b3, !registered, !matched, active, busy 0, retain 5&gt;
| |     {
| |         "IOUserClientCreator" = "pid 138, WindowServer"
| |     }
| |
| +-o IOSurfaceRootUserClient <&class IOSurfaceRootUserClient, id
0x1000005fc, !registered, !matched, active, busy 0, retain 5&gt;
| |     {
| |         "IOUserClientCreator" = "pid 309, TouchBarServer"
| |     }

```

```

| | +-o IOSurfaceRootUserClient <class IOSurfaceRootUserClient, id
0x100000642, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | |   "IOUserClientCreator" = "pid 339, iconservicesagen"
| | | }
| | +-o IOSurfaceRootUserClient <class IOSurfaceRootUserClient, id
0x100000657, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | |   "gpu-policies" = {"GPUSelectionPolicy"="avoidRemovable"}
| | |   "IOUserClientCreator" = "pid 141, loginwindow"
| | |   "gpu-policies-info" = {"GPUSelectionPolicy"="bundle"}
| | | }
| | +-o IOSurfaceRootUserClient <class IOSurfaceRootUserClient, id
0x1000006eb, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | |   "IOUserClientCreator" = "pid 236, VDCAssistant"
| | | }
| | +-o IOSurfaceRootUserClient <class IOSurfaceRootUserClient, id
0x10000070f, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | |   "IOUserClientCreator" = "pid 460, iconservicesagen"
| | | }
| | +-o IOSurfaceRootUserClient <class IOSurfaceRootUserClient, id
0x100000725, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | |   "IOUserClientCreator" = "pid 459, com.apple.dock.e"
| | | }
| | +-o IOSurfaceRootUserClient <class IOSurfaceRootUserClient, id
0x10000072c, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | |   "IOUserClientCreator" = "pid 449, ControlStrip"
| | | }
| | +-o IOSurfaceRootUserClient <class IOSurfaceRootUserClient, id
0x10000073e, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | |   "IOUserClientCreator" = "pid 432, Finder"
| | | }
| | +-o IOSurfaceRootUserClient <class IOSurfaceRootUserClient, id
0x10000074d, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | |   "IOUserClientCreator" = "pid 545, SafeEjectGPUServ"
| | | }
| | +-o IOSurfaceRootUserClient <class IOSurfaceRootUserClient, id
0x100000766, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | |   "IOUserClientCreator" = "pid 586, System Informati"
| | | }
| | +-o IOSurfaceRootUserClient <class IOSurfaceRootUserClient, id
0x100000786, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | |   "IOUserClientCreator" = "pid 598, com.apple.appkit"
| | | }
| | +-o AppleBSDKextStarterTMPFS <class AppleBSDKextStarter, id
0x10000036f, !registered, !matched, active, busy 0, retain 4>;

```

```
| | {
| |   "IOName" = "AppleBSDKextStarterTMPFS"
| |   "CFBundleIdentifier" = "com.apple.driver.AppleBSDKextStarter"
| |   "IOMatchCategory" = "com_apple_driver_AppleBSDKextStarterTMPFS"
| |   "IOClass" = "AppleBSDKextStarter"
| |   "AppleBSDKextStarterBundleIdentifiers" =
"com.apple.filesystems.tmpfs"
| |   "IOPersonalityPublisher" =
"com.apple.driver.AppleBSDKextStarterTMPFS"
| |   "IOProviderClass" = "IOResources"
| |   "CFBundleIdentifierKernel" = "com.apple.driver.AppleBSDKextStarter"
| |   "IOProbeScore" = 0x0
| |   "IOResourceMatch" = "IOBSD"
| | }
| |
| +-o AppleSCSISubsystemGlobals <class AppleSCSISubsystemGlobals, id
0x10000043b, registered, matched, active, busy 0 (0 ms), retain 6>
| | {
| |   "IOProbeScore" = 0x0
| |   "CFBundleIdentifier" =
"com.apple.iokit.IO SCSIArchitectureModelFamily"
| |   "IOMatchCategory" = "com.apple.iokit.IO SCSIArchitectureModelFamily"
| |   "IOClass" = "AppleSCSISubsystemGlobals"
| |   "IOPersonalityPublisher" =
"com.apple.iokit.IO SCSIArchitectureModelFamily"
| |   "IOProviderClass" = "IOResources"
| |   "CFBundleIdentifierKernel" =
"com.apple.iokit.IO SCSIArchitectureModelFamily"
| |   "IOResourceMatch" = "com.apple.iokit.SCSISubsystemGlobals"
| | }
| |
| +-o AppleIntelSlowAdaptiveClockingManager <class
AppleIntelSlowAdaptiveClockingManager, id 0x1000004dc, registered, matched,
active, busy 0 (0 ms), retain 5>
| | {
| |   "IOProbeScore" = 0xfa0
| |   "CFBundleIdentifier" =
"com.apple.driver.AppleIntelSlowAdaptiveClocking"
| |   "IOMatchCategory" = "AppleIntelSlowAdaptiveClockingManager"
| |   "IOClass" = "AppleIntelSlowAdaptiveClockingManager"
| |   "IOPersonalityPublisher" =
"com.apple.driver.AppleIntelSlowAdaptiveClocking"
| |   "IOProviderClass" = "IOResources"
| |   "CFBundleIdentifierKernel" =
"com.apple.driver.AppleIntelSlowAdaptiveClocking"
| | }
| |
| +-o AppleGPUWrangler <class AppleGPUWrangler, id 0x1000004dd,
registered, matched, active, busy 0 (18 ms), retain 10>
| | | {
| | |   "IOClass" = "AppleGPUWrangler"
| | |   "CFBundleIdentifier" = "com.apple.AppleGPUWrangler"
| | |   "IOProviderClass" = "IOResources"
| | |   "stats" =
<0100000000000000000000000000000000000000000000000000000000000000
000000000000000000000000000000000000000000000000000000000000000
0000>
| | |   "IOUserClientClass" = "AppleGPUWranglerClient"
| | |   "IOProbeScore" = 0x64
| | |   "IOResourceMatch" = "IOKit"
| | |   "Config" = {"default"}={"InitFlags"}=0x7,"default"}=Yes}}
| | |   "IOMatchCategory" = "AppleGPUWrangler"
| | |   "diagnose" = <00000000000000000000>
| | |   "IOGeneralInterest" = "IOCommand is not serializable"
```

```

| | | "NeedsPolicyDriver" = No
| | | "PlatformSupportsExternalGPUs" = &lt;01&gt;
| | | "IOPersonalityPublisher" = "com.apple.AppleGPUWrangler"
| | | "CFBundleIdentifierKernel" = "com.apple.AppleGPUWrangler"
| | | "debug-gpus" =
({ "id"=0x56fc, "acc"=0x1000004f9, "fbs"=(0x1000004fb, 0x1000004fc, 0x1000004fd), "gpu
c"=0x0, "pci"=0x10000021c, "agdp"=0x10000050d, "tsa"=0x17f543785, "tgp"=0x6229db, "cc
"=0x7, "tgd"=0x5e70f9, "flags"=0xb2000010, "tds"=0x0})
| | | }
| | |
| | | +-o AppleGraphicsDeviceControlPlugin &lt;class
AppleGraphicsDeviceControlPlugin, id 0x1000004e7, registered, matched, active,
busy 0 (1 ms), retain 6&gt;
| | | | {
| | | | | }
| | | |
| | | | +-o AGDCPluginDisplayMetrics &lt;class AGDCPluginDisplayMetrics, id
0x1000004ea, !registered, !matched, active, busy 0, retain 5&gt;
| | | | | {
| | | | | | "IOProbeScore" = 0x3e8
| | | | | | "CFBundleIdentifier" = "com.apple.AGDCPluginDisplayMetrics"
| | | | | | "IOMatchCategory" = "AGDCPluginDisplayMetrics"
| | | | | | "IOClass" = "AGDCPluginDisplayMetrics"
| | | | | | "IOPersonalityPublisher" = "com.apple.AGDCPluginDisplayMetrics"
| | | | | | "IOProviderClass" = "AppleGraphicsDeviceControlPlugin"
| | | | | | "CFBundleIdentifierKernel" =
"com.apple.AGDCPluginDisplayMetrics"
| | | | | | "IOResourceMatch" = "IOKit"
| | | | | }
| | | |
| | | | +-o AppleGPUWranglerClient &lt;class AppleGPUWranglerClient, id
0x100000505, !registered, !matched, active, busy 0, retain 5&gt;
| | | | | {
| | | | | | "IOUserClientCreator" = "pid 119, displaypolicyd"
| | | | | | "IOUserClientDefaultLocking" = Yes
| | | | | }
| | | |
| | | | +-o AppleGPUWranglerClient &lt;class AppleGPUWranglerClient, id
0x100000597, !registered, !matched, active, busy 0, retain 5&gt;
| | | | | {
| | | | | | "IOUserClientCreator" = "pid 138, WindowServer"
| | | | | | "IOUserClientDefaultLocking" = Yes
| | | | | }
| | | |
| | | | +-o AppleGPUWranglerClient &lt;class AppleGPUWranglerClient, id
0x1000005f9, !registered, !matched, active, busy 0, retain 5&gt;
| | | | | {
| | | | | | "IOUserClientCreator" = "pid 138, WindowServer"
| | | | | | "IOUserClientDefaultLocking" = Yes
| | | | | }
| | | |
| | | | +-o AppleGPUWranglerClient &lt;class AppleGPUWranglerClient, id
0x10000074c, !registered, !matched, active, busy 0, retain 5&gt;
| | | | | {
| | | | | | "IOUserClientCreator" = "pid 545, SafeEjectGPUServ"
| | | | | | "IOUserClientDefaultLocking" = Yes
| | | | | }
| | | |
| | | | +-o AppleDiskImagesController &lt;class AppleDiskImagesController, id
0x1000004de, registered, matched, active, busy 0 (0 ms), retain 5&gt;
| | | | | {
| | | | | | "IOProbeScore" = 0x0
| | | | | | "CFBundleIdentifier" = "com.apple.driver.AppleDiskImages2"
| | | | | | "IOMatchCategory" = "AppleDiskImageDevice"

```

```

| | "IOClass" = "AppleDiskImagesController"
| | "IOPersonalityPublisher" = "com.apple.driver.AppleDiskImages2"
| | "IOProviderClass" = "IOResources"
| | "CFBundleIdentifierKernel" = "com.apple.driver.AppleDiskImages2"
| | "IOUserClientClass" = "DIDeviceCreatorUserClient"
| | "IOResourceMatch" = "IOKit"
| | }
| |
| +-o AppleHV <class AppleHV, id 0x1000004df, registered, matched,
active, busy 0 (0 ms), retain 5>
| | {
| | "IOProbeScore" = 0x0
| | "CFBundleIdentifier" = "com.apple.driver.AppleHV"
| | "IOMatchCategory" = "AppleHV"
| | "IOClass" = "AppleHV"
| | "IOPersonalityPublisher" = "com.apple.driver.AppleHV"
| | "IOProviderClass" = "IOResources"
| | "CFBundleIdentifierKernel" = "com.apple.driver.AppleHV"
| | "IOUserClientClass" = "AppleHVClient"
| | "IOResourceMatch" = "IOKit"
| | }
| |
| +-o Dont_Steal_Mac_OS_X <class Dont_Steal_Mac_OS_X, id 0x1000004e0, !
registered, !matched, active, busy 0, retain 5>
| | {
| | "IOProbeScore" = 0x0
| | "CFBundleIdentifier" = "com.apple.Dont_Steal_Mac_OS_X"
| | "IOMatchCategory" = "Dont_Steal_Mac_OS_X"
| | "IOClass" = "Dont_Steal_Mac_OS_X"
| | "IOPersonalityPublisher" = "com.apple.Dont_Steal_Mac_OS_X"
| | "IOProviderClass" = "IOResources"
| | "CFBundleIdentifierKernel" = "com.apple.Dont_Steal_Mac_OS_X"
| | "IOResourceMatch" = "IOKit"
| | }
| |
| +-o IOAVBnub <class IOAVBnub, id 0x1000004e1, registered, matched,
active, busy 0 (0 ms), retain 5>
| | {
| | "IOProbeScore" = 0x0
| | "CFBundleIdentifier" = "com.apple.iokit.IOAVBFamily"
| | "IOMatchCategory" = "IOAVBnub"
| | "IOClass" = "IOAVBnub"
| | "IOPersonalityPublisher" = "com.apple.iokit.IOAVBFamily"
| | "IOProviderClass" = "IOResources"
| | "CFBundleIdentifierKernel" = "com.apple.iokit.IOAVBFamily"
| | "IOUserClientClass" = "IOAVBnubUserClient"
| | "IOResourceMatch" = "IOTimeSyncClockManager"
| | }
| |
| +-o IOBluetoothSerialManager <class IOBluetoothSerialManager, id
0x1000004e2, registered, matched, active, busy 0 (13 ms), retain 6>
| | {
| | "IOPropertyMatch" = {"IOSerialManagerMustLoad"=Yes}
| | "CFBundleIdentifier" = "com.apple.iokit.IOBluetoothSerialManager"
| | "IOMatchCategory" = "IOBluetoothSerialManager"
| | "IOClass" = "IOBluetoothSerialManager"
| | "IOPersonalityPublisher" =
"com.apple.iokit.IOBluetoothSerialManager"
| | "IOProviderClass" = "IOResources"
| | "CFBundleIdentifierKernel" =
"com.apple.iokit.IOBluetoothSerialManager"
| | "IOProbeScore" = 0x0
| | "IOResourceMatch" = "IOKit"
| | }

```

```

| | |
| | | +-o IOBluetoothSerialClient <class IOBluetoothSerialClient, id
0x1000004f0, !registered, !matched, active, busy 0 (12 ms), retain 5>>
| | | {
| | |     "BTName" = "incoming port - Bluetooth-Incoming-Port"
| | |     "P49SerialPort" = 0x1
| | |     "HiddenPort" = 0x1
| | |     "IOTTYBaseName" = "Bluetooth-Incoming-Port"
| | |     "BTRFCOMMChannel" = 0x3
| | |     "BTAuthenticationRequired" = No
| | |     "BTTYName" = "Bluetooth-Incoming-Port"
| | |     "BTSerialConnectionType" = 0x0
| | |     "BTEncryptionType" = No
| | |     "BTPSM" = 0x3
| | | }
| | |
| | | +-o IOBluetoothSerialClientSerialStreamSync <class
IOBluetoothSerialClientSerialStreamSync, id 0x1000004f2, registered, matched,
active, busy 0 (12 ms), retain 7>>
| | | {
| | |     "IOTTYBaseName" = "Bluetooth-Incoming-Port"
| | |     "IOTTYSuffix" = ""
| | | }
| | |
| | | +-o IOSerialBSDClient <class IOSerialBSDClient, id 0x1000004f5,
registered, matched, active, busy 0 (0 ms), retain 5>>
| | | {
| | |     "IOClass" = "IOSerialBSDClient"
| | |     "CFBundleIdentifier" = "com.apple.iokit.IOSerialFamily"
| | |     "IOProviderClass" = "IOSerialStreamSync"
| | |     "IOTTYBaseName" = "Bluetooth-Incoming-Port"
| | |     "IOSerialBSDClientType" = "IORS232SerialStream"
| | |     "IOProbeScore" = 0x3e8
| | |     "IOResourceMatch" = "IOBSD"
| | |     "IOCalloutDevice" = "/dev/cu.Bluetooth-Incoming-Port"
| | |     "IOMatchCategory" = "IODefaultMatchCategory"
| | |     "IOTTYDevice" = "Bluetooth-Incoming-Port"
| | |     "IODialinDevice" = "/dev/tty.Bluetooth-Incoming-Port"
| | |     "IOPersonalityPublisher" = "com.apple.iokit.IOSerialFamily"
| | |     "CFBundleIdentifierKernel" = "com.apple.iokit.IOSerialFamily"
| | |     "IOTTYSuffix" = ""
| | | }
| | |
| | | +-o IODisplayWrangler <class IODisplayWrangler, id 0x1000004e3,
registered, matched, active, busy 0 (0 ms), retain 11>>
| | | {
| | |     "IOClass" = "IODisplayWrangler"
| | |     "CFBundleIdentifier" = "com.apple.iokit.IOGraphicsFamily"
| | |     "IOProviderClass" = "IOResources"
| | |     "IOPowerManagement" =
{"CapabilityFlags"=0x8040,"MaxPowerState"=0x4,"ActivityTickles"=0x4,"DevicePower
State"=0x4,"IdleTimerPeriod"=0x16b48,"TimeSinceLastTickle"=0x3026,"IdleTimerElap
sedTime"=0x16e,"CurrentPowerState"=0x4}
| | |     "IOGraphicsIgnoreParameters" = {"aupc"=Yes,"auph"=Yes,"
bpc"=Yes,"aums"=Yes,"aupp"=Yes}
| | |     "AAPL,builtin-panel-power" = Yes
| | |     "IOGraphicsPrefsParameters" =
{"thue"=Yes,"pscn"=Yes,"vbst"=Yes,"oscn"=Yes,"tbri"=Yes,"cyuv"=0x10000000,"tsat"
=Yes}
| | |     "IOResourceMatch" = "IOKit"
| | |     "IOProbeScore" = 0x0
| | |     "IOMatchCategory" = "IOGraphics"
| | |     "IOGeneralInterest" = "IOCommand is not serializable"
| | |     "IOPersonalityPublisher" = "com.apple.iokit.IOGraphicsFamily"

```



```

| | | "CFBundleIdentifierKernel" = "com.apple.iokit.IOGraphicsFamily"
| | | }
| | |
| | | +-o IOGDDiagnosticGTraceClient <class IOGDDiagnosticGTraceClient, id
0x100000596, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | |     "IOUserClientCreator" = "pid 138, WindowServer"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | |
| | | +-o IOAccelerationUserClient <class IOAccelerationUserClient, id
0x1000005cf, !registered, !matched, active, busy 0, retain 5>;
| | | {
| | |     "IOUserClientCreator" = "pid 138, WindowServer"
| | |     "IOUserClientDefaultLocking" = Yes
| | | }
| | |
| | | +-o AppleUSBUserHCIResources <class AppleUSBUserHCIResources, id
0x1000004e4, registered, matched, active, busy 0 (0 ms), retain 5>;
| | | {
| | |     "IOProbeScore" = 0x0
| | |     "CFBundleIdentifier" = "com.apple.driver.usb.AppleUSBUserHCI"
| | |     "IOMatchCategory" = "AppleUSBUserHCIResources"
| | |     "IOClass" = "AppleUSBUserHCIResources"
| | |     "IOPersonalityPublisher" = "com.apple.driver.usb.AppleUSBUserHCI"
| | |     "IOProviderClass" = "IOResources"
| | |     "CFBundleIdentifierKernel" = "com.apple.driver.usb.AppleUSBUserHCI"
| | |     "IOResourceMatch" = "IORTC"
| | | }
| | |
| | | +-o IOUserEthernetResource <class IOUserEthernetResource, id
0x1000004e5, registered, matched, active, busy 0 (0 ms), retain 5>;
| | | {
| | |     "IOProbeScore" = 0x0
| | |     "CFBundleIdentifier" = "com.apple.iokit.IOUserEthernet"
| | |     "IOMatchCategory" = "IOUserEthernetResource"
| | |     "IOClass" = "IOUserEthernetResource"
| | |     "IOPersonalityPublisher" = "com.apple.iokit.IOUserEthernet"
| | |     "IOProviderClass" = "IOResources"
| | |     "CFBundleIdentifierKernel" = "com.apple.iokit.IOUserEthernet"
| | |     "IOUserClientClass" = "IOUserEthernetResourceUserClient"
| | |     "IOResourceMatch" = "IOKit"
| | | }
| | |
| | | +-o com_apple_driver_pmtelemetry <class com_apple_driver_pmtelemetry,
id 0x1000004e6, registered, matched, active, busy 0 (0 ms), retain 5>;
| | | {
| | |     "IOProbeScore" = 0x0
| | |     "CFBundleIdentifier" = "com.apple.driver.pmtelemetry"
| | |     "IOMatchCategory" = "com_apple_driver_pmtelemetry"
| | |     "IOClass" = "com_apple_driver_pmtelemetry"
| | |     "IOPersonalityPublisher" = "com.apple.driver.pmtelemetry"
| | |     "IOProviderClass" = "IOResources"
| | |     "CFBundleIdentifierKernel" = "com.apple.driver.pmtelemetry"
| | |     "IOReportLegendPublic" = Yes
| | |     "IOResourceMatch" = "IOBSD"
| | |     "IOReportLegend" =
({ "IOReportChannels"=(0x4c54525f53504100,0x100020001,"SPA Raw"),
(0x4c54525f53504101,0x100020001,"SPA Snoop"),
(0x4c54525f53504102,0x100020001,"SPA No Snoop"),
(0x4c54525f53504103,0x100020001,"SPA Ign"),(0x4c54525f53504200,0x100020001,"SPB
Raw"),(0x4c54525f53504201,0x100020001,"SPB Snoop"),
(0x4c54525f53504202,0x100020001,"SPB No Snoop"),
(0x4c54525f53504203,0x100020001,"SPB Ign"),(0x4c54525f53415441,0x100020001,"SATA

```

```

Raw"), (0x4c54525f53415442, 0x100020001, "SATA Snoop"),
(0x4c54525f53415443, 0x100020001, "SATA No Snoop")$
    |
    |   }
    |
+-o IOUserResources <class IOUserResources, id 0x100000118, registered,
matched, active, busy 0 (6 ms), retain 6>>
    |   {
    |     "IOKit" = "IOService"
    |     "IOResourceMatched" = ("IOKit")
    |   }
    |
+-o IOUserServer(com.apple.driverkit.AppleUserUSBHostHIDDevice0-0x1000004c6)
<class IOUserServer, id 0x100000519, registered, matched, active, busy 0 (2
ms), retain 11>>
    |   {
    |     "IOUserClientDefaultLocking" = Yes
    |     "IOPowerManagement" =
{"CapabilityFlags"=0x0, "MaxPowerState"=0x2, "CurrentPowerState"=0x0}
    |     "IOUserClientCreator" = "pid 288, com.apple.AppleU"
    |     "IOUserServerName" = "com.apple.driverkit.AppleUserUSBHostHIDDevice0"
    |     "IOUserServerTag" = 0x1000004c6
    |   }
    |
+-o IOUserServer(com.apple.driverkit.AppleUserUSBHostHIDDevice0-0x1000004cb)
<class IOUserServer, id 0x10000051b, registered, matched, active, busy 0 (1
ms), retain 11>>
    |   {
    |     "IOUserClientDefaultLocking" = Yes
    |     "IOPowerManagement" =
{"CapabilityFlags"=0x0, "MaxPowerState"=0x2, "CurrentPowerState"=0x0}
    |     "IOUserClientCreator" = "pid 290, com.apple.AppleU"
    |     "IOUserServerName" = "com.apple.driverkit.AppleUserUSBHostHIDDevice0"
    |     "IOUserServerTag" = 0x1000004cb
    |   }
    |
+-o IOUserServer(com.apple.driverkit.AppleUserUSBHostHIDDevice0-0x1000004a9)
<class IOUserServer, id 0x10000051d, registered, matched, active, busy 0 (0
ms), retain 11>>
    |   {
    |     "IOUserClientDefaultLocking" = Yes
    |     "IOPowerManagement" =
{"CapabilityFlags"=0x0, "MaxPowerState"=0x2, "CurrentPowerState"=0x0}
    |     "IOUserClientCreator" = "pid 281, com.apple.AppleU"
    |     "IOUserServerName" = "com.apple.driverkit.AppleUserUSBHostHIDDevice0"
    |     "IOUserServerTag" = 0x1000004a9
    |   }
    |
+-o IOUserServer(com.apple.driverkit.AppleUserUSBHostHIDDevice0-0x1000004c7)
<class IOUserServer, id 0x10000051e, registered, matched, active, busy 0 (0
ms), retain 11>>
    |   {
    |     "IOUserClientDefaultLocking" = Yes
    |     "IOPowerManagement" =
{"CapabilityFlags"=0x0, "MaxPowerState"=0x2, "CurrentPowerState"=0x0}
    |     "IOUserClientCreator" = "pid 286, com.apple.AppleU"
    |     "IOUserServerName" = "com.apple.driverkit.AppleUserUSBHostHIDDevice0"
    |     "IOUserServerTag" = 0x1000004c7
    |   }
    |
+-o IOUserServer(com.apple.driverkit.AppleUserHIDEventDriver.dfrv2-
0x100000524) <class IOUserServer, id 0x10000052b, registered, matched,
active, busy 0 (0 ms), retain 11>>
    |   {
    |     "IOUserClientDefaultLocking" = Yes

```

```

|         "IOPowerManagement" =
{"CapabilityFlags"=0x0,"MaxPowerState"=0x2,"CurrentPowerState"=0x0}
|         "IOUserClientCreator" = "pid 293, com.apple.AppleU"
|         "IOUserServerName" =
"com.apple.driverkit.AppleUserHIDEventDriver.dfrv2"
|         "IOUserServerTag" = 0x100000524
|     }
|
+-o IOUserServer(com.apple.driverkit.AppleUserHIDEventDriver-0x10000052c)
<&class IOUserServer, id 0x100000532, registered, matched, active, busy 0 (0
ms), retain 11<&gt;
|     {
|         "IOUserClientDefaultLocking" = Yes
|         "IOPowerManagement" =
{"CapabilityFlags"=0x0,"MaxPowerState"=0x2,"CurrentPowerState"=0x0}
|         "IOUserClientCreator" = "pid 294, com.apple.AppleU"
|         "IOUserServerName" = "com.apple.driverkit.AppleUserHIDEventDriver"
|         "IOUserServerTag" = 0x10000052c
|     }
|
+-o IOUserServer(com.apple.driverkit.AppleUserUSBHostHIDDevice0-0x100000683)
<&class IOUserServer, id 0x100000690, registered, matched, active, busy 0 (0
ms), retain 11<&gt;
|     {
|         "IOUserClientDefaultLocking" = Yes
|         "IOPowerManagement" =
{"CapabilityFlags"=0x0,"MaxPowerState"=0x2,"CurrentPowerState"=0x0}
|         "IOUserClientCreator" = "pid 406, com.apple.AppleU"
|         "IOUserServerName" = "com.apple.driverkit.AppleUserUSBHostHIDDevice0"
|         "IOUserServerTag" = 0x100000683
|     }
|
+-o IOUserServer(com.apple.driverkit.AppleUserUSBHostHIDDevice1-0x100000685)
<&class IOUserServer, id 0x100000693, registered, matched, active, busy 0 (0
ms), retain 11<&gt;
|     {
|         "IOUserClientDefaultLocking" = Yes
|         "IOPowerManagement" =
{"CapabilityFlags"=0x0,"MaxPowerState"=0x2,"CurrentPowerState"=0x0}
|         "IOUserClientCreator" = "pid 407, com.apple.AppleU"
|         "IOUserServerName" = "com.apple.driverkit.AppleUserUSBHostHIDDevice1"
|         "IOUserServerTag" = 0x100000685
|     }
|
+-o
IOUserServer(com.apple.driverkit.AppleUserUSBHostHIDDeviceKB-0x100000687)
<&class IOUserServer, id 0x100000694, registered, matched, active, busy 0 (0
ms), retain 11<&gt;
|     {
|         "IOUserClientDefaultLocking" = Yes
|         "IOPowerManagement" =
{"CapabilityFlags"=0x0,"MaxPowerState"=0x2,"CurrentPowerState"=0x0}
|         "IOUserClientCreator" = "pid 408, com.apple.AppleU"
|         "IOUserServerName" = "com.apple.driverkit.AppleUserUSBHostHIDDeviceKB"
|         "IOUserServerTag" = 0x100000687
|     }
|
+-o IOUserServer(com.apple.driverkit.AppleUserUSBHostHIDDevice0-0x10000068b)
<&class IOUserServer, id 0x100000695, registered, matched, active, busy 0 (0
ms), retain 11<&gt;
|     {
|         "IOUserClientDefaultLocking" = Yes
|         "IOPowerManagement" =
{"CapabilityFlags"=0x0,"MaxPowerState"=0x2,"CurrentPowerState"=0x0}

```

```

    |     "IOUserClientCreator" = "pid 409, com.apple.AppleU"
    |     "IOUserServerName" = "com.apple.driverkit.AppleUserUSBHostHIDDevice0"
    |     "IOUserServerTag" = 0x10000068b
    | }
    |
+-o IOUserServer(com.apple.driverkit.AppleUserUSBHostHIDDevice0-0x10000068d)
<class IOUserServer, id 0x100000696, registered, matched, active, busy 0 (0
ms), retain 11>
    | {
    |     "IOUserClientDefaultLocking" = Yes
    |     "IOPowerManagement" =
{"CapabilityFlags"=0x0,"MaxPowerState"=0x2,"CurrentPowerState"=0x0}
    |     "IOUserClientCreator" = "pid 410, com.apple.AppleU"
    |     "IOUserServerName" = "com.apple.driverkit.AppleUserUSBHostHIDDevice0"
    |     "IOUserServerTag" = 0x10000068d
    | }
    |
+-o IOUserServer(com.apple.driverkit.AppleUserHIDEventDriver.dfrv1-
0x1000006c5) <class IOUserServer, id 0x1000006c8, registered, matched,
active, busy 0 (0 ms), retain 11>
    | {
    |     "IOUserClientDefaultLocking" = Yes
    |     "IOPowerManagement" =
{"CapabilityFlags"=0x0,"MaxPowerState"=0x2,"CurrentPowerState"=0x0}
    |     "IOUserClientCreator" = "pid 411, com.apple.AppleU"
    |     "IOUserServerName" =
"com.apple.driverkit.AppleUserHIDEventDriver.dfrv1"
    |     "IOUserServerTag" = 0x1000006c5
    | }
</string>

```

```

<key>lastModified</key>
<date>2021-08-03T01:21:46Z</date>
<key>source</key>
<string>/usr/sbin/ioreg -lxw550</string>
</dict>
<dict>

```

```

    <key>_name</key>
    <string>power_management_log_description</string>
    <key>byteSize</key>
    <integer>66547</integer>
    <key>contents</key>
    <string> slow(msg: SetState to 2)(943 ms)] [IGPU driver
is slow(msg: SetState to 2)(951 ms)] [AppleIntelFramebuffer driver is slow(msg:
SetState to 2)(331 ms)]
2021-08-03 07:43:52 +0800 Assertions PID 868(loginwindow) Created
UserIsActive "Loginwindow User Activity" 00:00:00 id:0x0x900008b26 [System:
DeclUser IPushSrcv kCPU kDisp]
2021-08-03 07:43:52 +0800 Assertions PID 868(loginwindow) Released
UserIsActive "Loginwindow User Activity" 00:00:00 id:0x0x900008b26 [System:
DeclUser IPushSrcv kCPU kDisp]
2021-08-03 07:44:25 +0800 Assertions PID 1281(studentd) Created
NetworkClientActive "studentd:1281:CRKNetworkPowerAssertion:0x7faa96049bb0"
00:00:00 id:0x0x1100008b3a [System: PrevIdle DeclUser NetAcc IPushSrcv kCPU
kDisp]
2021-08-03 07:44:30 +0800 Assertions PID 1281(studentd) Released
NetworkClientActive "studentd:1281:CRKNetworkPowerAssertion:0x7faa96049bb0"
00:00:05 id:0x0x1100008b3a [System: DeclUser IPushSrcv kCPU kDisp]
2021-08-03 07:45:17 +0800 Assertions PID 1281(studentd) Created
NetworkClientActive "studentd:1281:CRKNetworkPowerAssertion:0x7faa96049bb0"
00:00:00 id:0x0x1100008b62 [System: PrevIdle DeclUser NetAcc kDisp]
2021-08-03 07:45:22 +0800 Assertions PID 1281(studentd) Released
NetworkClientActive "studentd:1281:CRKNetworkPowerAssertion:0x7faa96049bb0"
00:00:05 id:0x0x1100008b62 [System: PrevIdle DeclUser kDisp]

```

```

2021-08-03 07:46:17 +0800 Assertions PID 923(cloudd) Released
PreventUserIdleSystemSleep "Operation running -
CKDFetchDatabaseChangesOperation<&0x7f8cbcd9cc30>; id=EBFEDA7947C14C3"
00:01:00 id:0x0x100008b60 [System: PrevIdle DeclUser kDisp]
2021-08-03 07:46:17 +0800 Assertions PID 923(cloudd) Released
PreventUserIdleSystemSleep "Operation running -
CKDFetchDatabaseChangesOperation<&0x7f8cbf84eb00>; id=DE46FCAA25E5C019"
00:01:00 id:0x0x100008b61 [System: DeclUser kDisp]
2021-08-03 07:52:01 +0800 Assertions PID 96(WindowServer) TimedOut
UserIsActive "com.apple.iohideventsystem.queue.tickle serviceID:100002857
name:AppleHIDKeyboardEve product:Apple Internal Keyb eventType:3" 00:02:00
id:0x0x9000089f2 [System: DeclUser kDisp]
2021-08-03 07:52:01 +0800 Assertions Summary- [System: No
Assertions] Using Batt(Charge: 84)
2021-08-03 07:52:01 +0800 Notification Display is turned off
2021-08-03 07:52:01 +0800 Assertions PID 887(UserEventAgent)
Summary BackgroundTask "com.apple.coreduet.sync.update-source-device-
identifiers" 14:04:18 id:0x0xb0000869b [System: No Assertions]
2021-08-03 07:52:15 +0800 Assertions Kernel Idle sleep preventers:
-None-
2021-08-03 07:52:16 +0800 Assertions [System: No Assertions]
2021-08-03 07:52:46 +0800 Assertions PID 37(powerd) Created
InternalPreventSleep "com.apple.powermanagement.darkwakelinger" 00:00:00
id:0x0xd00008bf2 [System: SRPrevSleep kCPU]
2021-08-03 07:53:01 +0800 Assertions PID 37(powerd) TimedOut
InternalPreventSleep "com.apple.powermanagement.darkwakelinger" 00:00:15
id:0x0xd00008bf2 [System: SRPrevSleep kCPU]
Sleep/Wakes since boot at 2021-08-02 15:27:09 +0800 :12 Dark Wake Count in
this sleep cycle:4

```

Time stamp	Domain	Message
Duration	Delay	
=====	=====	=====
=====	=====	
UUID: 2C6602E9-3E70-4836-802D-2C0EF53F6CC2		
2021-08-03 07:53:16 +0800 Sleep		Entering Sleep state due to
'Idle Sleep':TCPKeepAlive=active Using Batt (Charge:84%) 10 secs		
2021-08-03 07:53:20 +0800 Wake Requests		[*process=powerd
request=TCPKATurnOff deltaSecs=43255 wakeAt=2021-08-03 04:54:16]		
2021-08-03 07:53:20 +0800 PM Client Acks		Delays to Sleep notifications:
[com.apple.apsd is slow(4715 ms)]		
2021-08-03 07:53:23 +0800 Assertions		PID 144(mDNSResponder) Created
MaintenanceWake "mDNSResponder:maintenance" 00:00:00 id:0x0xd00008c0c [System:		
No Assertions]		
2021-08-03 07:53:24 +0800 Assertions		PID 144(mDNSResponder)
Released MaintenanceWake "mDNSResponder:maintenance" 00:00:01 id:0x0xd00008c0c		
[System: PrevIdle]		
2021-08-03 07:53:26 +0800 Assertions		PID 37(powerd) Created
InternalPreventSleep "PM configd - Wait for Device enumeration" 00:00:00		
id:0x0xd00008c11 [System: No Assertions]		
2021-08-03 07:53:26 +0800 DarkWake		DarkWake from Deep Idle
[CDN] : due to EC.ARPT/Maintenance Using BATT (Charge:84%) 45 secs		
2021-08-03 07:53:26 +0800 WakeDetails		DriverReason:pci14e4,5fa0 -
DriverDetails:		
2021-08-03 07:53:26 +0800 HibernateStats		hibmode=3
standbydelaylow=10800 standbydelayhigh=86400		
13		
2021-08-03 07:53:26 +0800 WakeTime		WakeTime: 3.199 sec
2021-08-03 07:53:26 +0800 Kernel Client Acks		Delays to Sleep notifications:
[AppleIntelFramebuffer driver is slow(msg: SetState to 1)(363 ms)]		
[com.apple.prefer timed out(30000 ms)] [com.apple.prefer timed out(30000 ms)]		
[powerd is slow(4717 ms)] [DSB1 driver is slow(msg: SetState to 2)(660 ms)]		
[DSB4 driver is slow(msg: SetState to 2)(660 ms)] [DSB0 driver is slow(msg:		
SetState to 2)(656 ms)] [AppleHPMIECS driver is slow(msg: WillChangeState to 2)		

(815 ms)] [AppleUSBVHCIBCE driver is slow(msg: SetState to 1)(329 ms)] [RP01 driver is slow(msg: SetState to 0)(1011 ms)]  
2021-08-03 07:53:26 +0800 Kernel Client Acks Delays to Wake notifications:  
[RP09 driver is slow(msg: SetState to 2)(318 ms)] [UPSB driver is slow(msg: SetState to 2)(942 ms)] [ADIO driver is slow(msg: SetState to 2)(608 ms)] [XHC2 driver is slow(msg: SetState to 2)(656 ms)] [AppleUSB30GLHub driver is slow(msg: DidChangeState to 2)(669 ms)] [IOUSBMassStorageInterfaceNub driver is slow(msg: SetState to 1)(1152 ms)] [IOUSBMassStorageDriverNub driver is slow(msg: SetState to 1)(3004 ms)]  
2021-08-03 07:54:11 +0800 Assertions PID 37(powerd) Released  
InternalPreventSleep "PM configd - Wait for Device enumeration" 00:00:44 id:0x0xd00008c11 [System: No Assertions]  
2021-08-03 07:54:11 +0800 Sleep Entering Sleep state due to 'Maintenance Sleep':TCPKeepAlive=active Using Batt (Charge:83%) 533 secs  
2021-08-03 07:54:13 +0800 Wake Requests [\*process=powerd request=TCPKATurnOff deltaSecs=43203 wakeAt=2021-08-03 04:54:16]  
2021-08-03 07:54:13 +0800 PM Client Acks Delays to Sleep notifications: [com.apple.apsd is slow(1977 ms)]  
2021-08-03 08:03:01 +0800 Notification Display is turned on  
2021-08-03 08:03:01 +0800 Assertions Kernel Idle sleep preventers: IODisplayWrangler  
2021-08-03 08:03:01 +0800 Assertions PID 144(mDNSResponder) Created  
MaintenanceWake "mDNSResponder:maintenance" 00:00:00 id:0x0xd00008c23 [System: No Assertions]  
2021-08-03 08:03:01 +0800 Assertions PID 1281(studentd) Created  
NetworkClientActive "studentd:1281:CRKNetworkPowerAssertion:0x7faa96049bb0" 00:00:00 id:0x0x1100008c26 [System: PrevIdle NetAcc]  
2021-08-03 08:03:02 +0800 Assertions PID 96(WindowServer) Created  
UserIsActive "com.apple.iohideeventsystem.queue.tickle serviceID:100000594 name:AppleUserHIDEEventSe product:Touch Bar Display eventType:11" 00:00:00 id:0x0x900008c28 [System: PrevIdle DeclUser NetAcc kDisp]  
2021-08-03 08:03:03 +0800 Assertions PID 144(mDNSResponder) Released  
MaintenanceWake "mDNSResponder:maintenance" 00:00:01 id:0x0xd00008c23 [System: PrevIdle DeclUser NetAcc kDisp]  
2021-08-03 08:03:03 +0800 Assertions PID 868(loginwindow) Created  
UserIsActive "Loginwindow User Activity" 00:00:00 id:0x0x900008c2a [System: DeclUser NetAcc kDisp]  
2021-08-03 08:03:03 +0800 Assertions PID 868(loginwindow) Released  
UserIsActive "Loginwindow User Activity" 00:00:00 id:0x0x900008c2a [System: DeclUser NetAcc kDisp]  
2021-08-03 08:03:04 +0800 Wake Wake from Deep Idle [CDNVA] : due to EC.PowerButton/UserActivity Assertion Using BATT (Charge:83%) 203 secs  
2021-08-03 08:03:04 +0800 HibernateStats hibmode=3  
standbydelaylow=10800 standbydelayhigh=86400  
14  
2021-08-03 08:03:04 +0800 WakeTime WakeTime: 2.962 sec  
2021-08-03 08:03:04 +0800 Kernel Client Acks Delays to Sleep notifications:  
[AppleIntelFramebuffer driver is slow(msg: SetState to 1)(363 ms)]  
[com.apple.prefer timed out(30000 ms)] [com.apple.prefer timed out(30000 ms)]  
[powerd is slow(4717 ms)] [DSB1 driver is slow(msg: SetState to 2)(660 ms)]  
[DSB4 driver is slow(msg: SetState to 2)(660 ms)] [DSB0 driver is slow(msg: SetState to 2)(656 ms)] [AppleHPMIECS driver is slow(msg: WillChangeState to 2)(815 ms)] [AppleUSBVHCIBCE driver is slow(msg: SetState to 1)(329 ms)] [RP01 driver is slow(msg: SetState to 0)(1011 ms)]  
2021-08-03 08:03:04 +0800 Kernel Client Acks Delays to Wake notifications:  
[RP09 driver is slow(msg: SetState to 2)(318 ms)] [UPSB driver is slow(msg: SetState to 2)(942 ms)] [ADIO driver is slow(msg: SetState to 2)(608 ms)] [XHC2 driver is slow(msg: SetState to 2)(656 ms)] [AppleUSB30GLHub driver is slow(msg: DidChangeState to 2)(669 ms)] [IOUSBMassStorageInterfaceNub driver is slow(msg: SetState to 1)(1152 ms)] [IOUSBMassStorageDriverNub driver is slow(msg: SetState to 1)(3004 ms)] [DSB1 driver is slow(msg: SetState to 2)(661 ms)] [DSB4 driver is slow(msg: SetState to 2)(661 ms)] [DSB0 driver is slow(msg: SetState to 2)(657 ms)] [AppleHPMIECS driver is slow(msg: WillChangeState to 2)(817 ms)] [AppleUSBVHCIBCE driver is slow(msg: SetState to 1)(327 ms)] [RP01 driver is

```

slow(msg: SetState to 0)(1014 ms)] [RP09 driver is slow(msg: SetState to 2)(722
ms)] [UPSB driver is slow(msg: SetState to 2)(941 ms)] [IGPU driver is slow(msg:
SetState to 2)(950 ms)] [AppleIntelFramebuffer driver is slow(msg: SetState to
2)(325 ms)] [XHC2 driver is slow(msg: SetState to 2)(622 ms)] [AppleUSB30GLHub
driver is slow(msg: DidChangeState to 2)(622 ms)] [IOUSBMassStorageInterfaceNub
driver is slow(msg: SetState to 1)(1069 ms)] [IOUSBMassStorageDriverNub driver
is slow(msg: SetState to 1)(2888 ms)]
2021-08-03 08:03:06 +0800 Assertions PID 1281(studentd) Released
NetworkClientActive "studentd:1281:CRKNetworkPowerAssertion:0x7faa96049bb0"
00:00:05 id:0x0x1100008c26 [System: DeclUser IPushSrcv kCPU kDisp]
2021-08-03 08:05:28 +0800 Assertions PID 96(WindowServer) TimedOut
UserIsActive "com.apple.iohideventsystem.queue.tickle serviceID:100002d36
name:NULL product:Apple Internal Keyb eventType:11" 00:01:59 id:0x0x900008c28
[System: DeclUser kDisp]
2021-08-03 08:05:28 +0800 Notification Display is turned off
2021-08-03 08:05:28 +0800 Assertions PID 887(UserEventAgent)
Summary BackgroundTask "com.apple.coreduet.sync.update-source-device-
identifiers" 14:17:45 id:0x0xb0000869b [System: No Assertions]
2021-08-03 08:05:42 +0800 Assertions Kernel Idle sleep preventers:
-None-
2021-08-03 08:05:42 +0800 Assertions [System: No Assertions]
2021-08-03 08:06:09 +0800 Assertions PID 64(apsd) Released
ApplePushServiceTask "com.apple.apsd-keepalive-push.apple.com" 00:00:20
id:0x0xb00008c6c [System: No Assertions]
2021-08-03 08:06:12 +0800 Assertions PID 37(powerd) Created
InternalPreventSleep "com.apple.powermanagement.darkwakelinger" 00:00:00
id:0x0xd00008c6e [System: SRPrevSleep kCPU]
2021-08-03 08:06:27 +0800 Assertions PID 37(powerd) TimedOut
InternalPreventSleep "com.apple.powermanagement.darkwakelinger" 00:00:15
id:0x0xd00008c6e [System: SRPrevSleep kCPU]
Sleep/Wakes since boot at 2021-08-02 15:27:09 +0800 :14 Dark Wake Count in
this sleep cycle:1

```

Time stamp	Domain	Message
Duration	Delay	=====
=====	=====	=====
=====	=====	=====
UUID: 0EB7432F-5D98-47FF-B214-F25396A4CF26		
2021-08-03 08:06:27 +0800 Sleep		Entering Sleep state due to
'Idle Sleep':TCPKeepAlive=active Using Batt (Charge:82%) 81 secs		
2021-08-03 08:06:29 +0800 Wake Requests		[*process=powerd
request=TCPKATurnOff deltaSecs=43258 wakeAt=2021-08-03 05:07:27]		
2021-08-03 08:06:29 +0800 PM Client Acks		Delays to Sleep notifications:
[com.apple.apsd is slow(1834 ms)]		
2021-08-03 08:07:46 +0800 Notification		Display is turned on
2021-08-03 08:07:46 +0800 Assertions		Kernel Idle sleep preventers:
IODisplayWrangler		
2021-08-03 08:07:46 +0800 Assertions		PID 144(mDNSResponder) Created
MaintenanceWake "mDNSResponder:maintenance" 00:00:00 id:0x0xd00008c8c [System:		
No Assertions]		
2021-08-03 08:07:47 +0800 Assertions		PID 144(mDNSResponder)
Released MaintenanceWake "mDNSResponder:maintenance" 00:00:00 id:0x0xd00008c8c		
[System: No Assertions]		
2021-08-03 08:07:48 +0800 Wake		Wake from Deep Idle [CDNVA] :
due to EC.PowerButton/User Using BATT (Charge:82%)		
2021-08-03 08:07:48 +0800 HibernateStats		hibmode=3
standbydelaylow=10800 standbydelayhigh=86400		
15		
2021-08-03 08:07:48 +0800 WakeTime		WakeTime: 1.387 sec
2021-08-03 08:07:48 +0800 Kernel Client Acks		Delays to Sleep notifications:
[DSB1 driver is slow(msg: SetState to 2)(661 ms)] [DSB0 driver is slow(msg:		
SetState to 2)(657 ms)] [DSB4 driver is slow(msg: SetState to 2)(657 ms)] [DSB0		
driver is slow(msg: SetState to 0)(505 ms)] [com.apple.prefer timed out(30000		
ms)] [UPSB driver is slow(msg: SetState to 2)(950 ms)] [AppleHPMIECS driver is		

slow(msg: WillChangeState to 2)(1112 ms)] [AppleUSBVHCIBCE driver is slow(msg: SetState to 1)(327 ms)] [RP01 driver is slow(msg: SetState to 0)(1013 ms)]  
2021-08-03 08:07:48 +0800 Kernel Client Acks Delays to Wake notifications:  
[RP09 driver is slow(msg: SetState to 2)(724 ms)] [UPSB driver is slow(msg: SetState to 2)(943 ms)] [IGPU driver is slow(msg: SetState to 2)(953 ms)]  
[AppleIntelFramebuffer driver is slow(msg: SetState to 2)(333 ms)]  
2021-08-03 08:07:48 +0800 Assertions PID 96(WindowServer) Created  
UserIsActive "com.apple.iohideventsystem.queue.tickle serviceID:0 name:NULL  
product:NULL eventType:29" 00:00:00 id:0x0x900008c94 [System: DeclUser  
IPushSrcv kCPU kDisp]  
2021-08-03 08:07:53 +0800 Assertions PID 1281(studentd) Created  
NetworkClientActive "studentd:1281:CRKNetworkPowerAssertion:0x7faa96049bb0"  
00:00:00 id:0x0x1100008ca3 [System: DeclUser NetAcc kDisp]  
2021-08-03 08:07:58 +0800 Assertions PID 1281(studentd) Released  
NetworkClientActive "studentd:1281:CRKNetworkPowerAssertion:0x7faa96049bb0"  
00:00:05 id:0x0x1100008ca3 [System: DeclUser kDisp]  
2021-08-03 08:09:45 +0800 Assertions PID 1281(studentd) Created  
NetworkClientActive "studentd:1281:CRKNetworkPowerAssertion:0x7faa96049bb0"  
00:00:00 id:0x0x1100008ce5 [System: PrevIdle DeclUser NetAcc kDisp]  
2021-08-03 08:09:50 +0800 Assertions PID 1281(studentd) Released  
NetworkClientActive "studentd:1281:CRKNetworkPowerAssertion:0x7faa96049bb0"  
00:00:05 id:0x0x1100008ce5 [System: PrevIdle DeclUser kDisp]  
2021-08-03 08:10:40 +0800 Assertions PID 126(coreaudiod) Released  
PreventUserIdleDisplaySleep  
"com.apple.audio.context229.preventuseridledisplayssleep" 00:23:51  
id:0x0x500008b96 [System: DeclUser kDisp]  
2021-08-03 08:10:40 +0800 Assertions PID 126(coreaudiod) Released  
PreventUserIdleSystemSleep "com.apple.audio.context229.preventuseridlesleep"  
00:23:51 id:0x0x100008b95 [System: DeclUser kDisp]  
2021-08-03 08:10:40 +0800 Assertions PID 126(coreaudiod) Released  
PreventUserIdleDisplaySleep  
"com.apple.audio.context230.preventuseridledisplayssleep" 00:23:51  
id:0x0x500008b9a [System: DeclUser kDisp]  
2021-08-03 08:10:40 +0800 Assertions PID 126(coreaudiod) Released  
PreventUserIdleSystemSleep "com.apple.audio.context230.preventuseridlesleep"  
00:23:51 id:0x0x100008b99 [System: DeclUser kDisp]  
2021-08-03 08:10:40 +0800 Assertions PID 126(coreaudiod) Released  
PreventUserIdleDisplaySleep  
"com.apple.audio.BuiltInSpeakerDevice.context.preventuseridledisplayssleep"  
00:23:51 id:0x0x500008b9e [System: DeclUser kDisp]  
2021-08-03 08:10:40 +0800 Assertions PID 126(coreaudiod) Released  
PreventUserIdleSystemSleep  
"com.apple.audio.BuiltInSpeakerDevice.context.preventuseridlesleep" 00:23:33  
id:0x0x100008b9d [System: DeclUser kDisp]  
2021-08-03 08:10:40 +0800 Assertions PID 91(AirPlayXPCHelper)  
Released PreventUserIdleSystemSleep  
"com.apple.airplay.APAudioEngineBuffered.timed" 00:23:50 id:0x0x100008ba2  
[System: DeclUser kDisp]  
2021-08-03 08:10:40 +0800 Assertions PID 91(AirPlayXPCHelper)  
Released PreventUserIdleSystemSleep  
"com.apple.airplay.APAudioEngineBuffered.timed" 00:23:51 id:0x0x100008ba0  
[System: DeclUser kDisp]  
2021-08-03 08:10:40 +0800 Assertions PID 91(AirPlayXPCHelper)  
Released PreventUserIdleSystemSleep  
"com.apple.airplay.APAudioEngineBuffered.counted" 00:23:50 id:0x0x100008ba1  
[System: DeclUser kDisp]  
2021-08-03 08:10:40 +0800 Assertions PID 91(AirPlayXPCHelper)  
Released PreventUserIdleSystemSleep  
"com.apple.airplay.APAudioEngineBuffered.counted" 00:23:51 id:0x0x100008b9f  
[System: DeclUser kDisp]  
2021-08-03 08:10:45 +0800 Assertions PID 126(coreaudiod) Released  
PreventUserIdleDisplaySleep  
"com.apple.audio.context222.preventuseridledisplayssleep" 00:25:42  
id:0x0x500008b46 [System: DeclUser kDisp]



2021-08-03 08:10:45 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleSystemSleep "com.apple.audio.context222.preventuseridlesleep"  
00:25:42 id:0x0x100008b45 [System: DeclUser kDisp]  
2021-08-03 08:10:45 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleDisplaySleep  
"com.apple.audio.context223.preventuseridledisplaysleep" 00:25:42  
id:0x0x500008b4a [System: DeclUser kDisp]  
2021-08-03 08:10:45 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleSystemSleep "com.apple.audio.context223.preventuseridlesleep"  
00:25:42 id:0x0x100008b49 [System: DeclUser kDisp]  
2021-08-03 08:10:45 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleDisplaySleep  
"com.apple.audio.context224.preventuseridledisplaysleep" 00:25:42  
id:0x0x500008b4e [System: DeclUser kDisp]  
2021-08-03 08:10:45 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleSystemSleep "com.apple.audio.context224.preventuseridlesleep"  
00:25:42 id:0x0x100008b4d [System: DeclUser kDisp]  
2021-08-03 08:10:45 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleDisplaySleep  
"com.apple.audio.context225.preventuseridledisplaysleep" 00:25:42  
id:0x0x500008b52 [System: DeclUser kDisp]  
2021-08-03 08:10:45 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleSystemSleep "com.apple.audio.context225.preventuseridlesleep"  
00:25:42 id:0x0x100008b51 [System: DeclUser kDisp]  
2021-08-03 08:10:45 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleDisplaySleep  
"com.apple.audio.BuiltInSpeakerDevice.context.preventuseridledisplaysleep"  
00:25:42 id:0x0x500008b56 [System: DeclUser kDisp]  
2021-08-03 08:10:45 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleSystemSleep  
"com.apple.audio.BuiltInSpeakerDevice.context.preventuseridlesleep" 00:25:27  
id:0x0x100008b55 [System: DeclUser kDisp]  
2021-08-03 08:10:45 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleDisplaySleep  
"com.apple.audio.context227.preventuseridledisplaysleep" 00:25:42  
id:0x0x500008b5a [System: DeclUser kDisp]  
2021-08-03 08:10:45 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleSystemSleep "com.apple.audio.context227.preventuseridlesleep"  
00:25:42 id:0x0x100008b59 [System: DeclUser kDisp]  
2021-08-03 08:15:41 +0800 Assertions PID  
1899(AddressBookSourceSync) Released PreventUserIdleSystemSleep "Address Book  
Source Sync" 00:01:42 id:0x0x100008d56 [System: DeclUser kDisp]  
2021-08-03 08:15:41 +0800 Assertions PID 887(UserEventAgent)  
Released BackgroundTask "com.apple.AddressBook.ScheduledSync" 00:01:42  
id:0x0xb00008d5a [System: DeclUser kDisp]  
2021-08-03 08:21:43 +0800 Assertions PID 96(WindowServer) Summary  
UserIsActive "com.apple.iohideventsystem.queue.tickle serviceID:100002dbe  
name:AppleHIDKeyboardEve product:Apple Internal Keyb eventType:3" 00:00:00  
id:0x0x900008c94 [System: DeclUser kDisp]  
2021-08-03 08:21:43 +0800 Assertions PID 887(UserEventAgent)  
Summary BackgroundTask "com.apple.coreduet.sync.update-source-device-  
identifiers" 14:34:00 id:0x0xb0000869b [System: DeclUser kDisp]  
2021-08-03 08:36:43 +0800 Assertions PID 96(WindowServer) Summary  
UserIsActive "com.apple.iohideventsystem.queue.tickle serviceID:100002dc2  
name:NULL product:Apple Internal Keyb eventType:11" 00:00:15 id:0x0x900008c94  
[System: DeclUser kDisp]  
2021-08-03 08:36:43 +0800 Assertions PID 887(UserEventAgent)  
Summary BackgroundTask "com.apple.coreduet.sync.update-source-device-  
identifiers" 14:49:00 id:0x0xb0000869b [System: DeclUser kDisp]  
2021-08-03 08:37:25 +0800 Assertions PID 887(UserEventAgent)  
Released BackgroundTask "com.apple.coreduet.sync.update-source-device-  
identifiers" 14:49:42 id:0x0xb0000869b [System: DeclUser kDisp]  
2021-08-03 08:41:55 +0800 Assertions PID 96(WindowServer) TimedOut  
UserIsActive "com.apple.iohideventsystem.queue.tickle serviceID:100002dc2

name:NULL product:Apple Internal Keyb eventType:11" 00:02:00 id:0x0x900008c94  
[System: DeclUser kDisp]  
2021-08-03 08:41:55 +0800 Notification Display is turned off  
2021-08-03 08:41:57 +0800 Assertions PID 96(WindowServer) Created  
UserIsActive "com.apple.iohideventsystem.queue.tickle serviceID:100002dc2  
name:NULL product:Apple Internal Keyb eventType:11" 00:00:00 id:0x0x900008e27  
[System: DeclUser kDisp]  
2021-08-03 08:41:57 +0800 Notification Display is turned on  
2021-08-03 08:43:09 +0800 Assertions PID 1281(studentd) Created  
NetworkClientActive "studentd:1281:CRKNetworkPowerAssertion:0x7faa96049bb0"  
00:00:00 id:0x0x1100008e29 [System: DeclUser NetAcc kDisp]  
2021-08-03 08:43:14 +0800 Assertions PID 1281(studentd) Released  
NetworkClientActive "studentd:1281:CRKNetworkPowerAssertion:0x7faa96049bb0"  
00:00:05 id:0x0x1100008e29 [System: DeclUser kDisp]  
2021-08-03 08:43:43 +0800 Assertions PID 1281(studentd) Created  
NetworkClientActive "studentd:1281:CRKNetworkPowerAssertion:0x7faa96049bb0"  
00:00:00 id:0x0x1100008e2f [System: DeclUser NetAcc kDisp]  
2021-08-03 08:43:48 +0800 Assertions PID 1281(studentd) Released  
NetworkClientActive "studentd:1281:CRKNetworkPowerAssertion:0x7faa96049bb0"  
00:00:05 id:0x0x1100008e2f [System: DeclUser kDisp]  
2021-08-03 08:49:36 +0800 Assertions PID 1281(studentd) Created  
NetworkClientActive "studentd:1281:CRKNetworkPowerAssertion:0x7faa96049bb0"  
00:00:00 id:0x0x1100008ee5 [System: DeclUser NetAcc kDisp]  
2021-08-03 08:49:37 +0800 Assertions PID 1281(studentd) Released  
NetworkClientActive "studentd:1281:CRKNetworkPowerAssertion:0x7faa96049bb0"  
00:00:01 id:0x0x1100008ee5 [System: DeclUser kDisp]  
2021-08-03 08:49:38 +0800 Assertions PID 1281(studentd) Created  
NetworkClientActive "studentd:1281:CRKNetworkPowerAssertion:0x7faa96049bb0"  
00:00:00 id:0x0x1100008eea [System: DeclUser NetAcc kDisp]  
2021-08-03 08:49:44 +0800 Assertions PID 1281(studentd) Released  
NetworkClientActive "studentd:1281:CRKNetworkPowerAssertion:0x7faa96049bb0"  
00:00:05 id:0x0x1100008eea [System: DeclUser kDisp]  
2021-08-03 08:55:57 +0800 Assertions PID 1281(studentd) Created  
NetworkClientActive "studentd:1281:CRKNetworkPowerAssertion:0x7faa96049bb0"  
00:00:00 id:0x0x1100008f0c [System: DeclUser NetAcc kDisp]  
2021-08-03 08:56:02 +0800 Assertions PID 1281(studentd) Released  
NetworkClientActive "studentd:1281:CRKNetworkPowerAssertion:0x7faa96049bb0"  
00:00:05 id:0x0x1100008f0c [System: DeclUser kDisp]  
2021-08-03 08:56:55 +0800 Assertions PID 96(WindowServer) Summary  
UserIsActive "com.apple.iohideventsystem.queue.tickle serviceID:100002dc2  
name:NULL product:Apple Internal Keyb eventType:11" 00:00:13 id:0x0x900008e27  
[System: DeclUser kDisp]  
2021-08-03 08:58:57 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleDisplaySleep  
"com.apple.audio.context258.preventuseridledisplayssleep" 00:02:22  
id:0x0x500008f17 [System: DeclUser kDisp]  
2021-08-03 08:58:57 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleSystemSleep "com.apple.audio.context258.preventuseridlesleep"  
00:02:22 id:0x0x100008f16 [System: DeclUser kDisp]  
2021-08-03 08:58:57 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleDisplaySleep  
"com.apple.audio.context259.preventuseridledisplayssleep" 00:02:22  
id:0x0x500008f1b [System: DeclUser kDisp]  
2021-08-03 08:58:57 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleSystemSleep "com.apple.audio.context259.preventuseridlesleep"  
00:02:22 id:0x0x100008f1a [System: DeclUser kDisp]  
2021-08-03 08:58:57 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleDisplaySleep  
"com.apple.audio.context260.preventuseridledisplayssleep" 00:02:22  
id:0x0x500008f1f [System: DeclUser kDisp]  
2021-08-03 08:58:57 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleSystemSleep "com.apple.audio.context260.preventuseridlesleep"  
00:02:22 id:0x0x100008f1e [System: DeclUser kDisp]  
2021-08-03 08:58:57 +0800 Assertions PID 126(coreaudioid) Released

PreventUserIdleDisplaySleep  
"com.apple.audio.context261.preventuseridledisplayssleep" 00:02:22  
id:0x0x500008f23 [System: DeclUser kDisp]  
2021-08-03 08:58:57 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleSystemSleep "com.apple.audio.context261.preventuseridlesleep"  
00:02:22 id:0x0x100008f22 [System: DeclUser kDisp]  
2021-08-03 08:58:57 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleDisplaySleep  
"com.apple.audio.BuiltInSpeakerDevice.context.preventuseridledisplayssleep"  
00:02:22 id:0x0x500008f27 [System: DeclUser kDisp]  
2021-08-03 08:58:57 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleDisplaySleep  
"com.apple.audio.context263.preventuseridledisplayssleep" 00:02:22  
id:0x0x500008f2b [System: DeclUser kDisp]  
2021-08-03 08:58:57 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleSystemSleep "com.apple.audio.context263.preventuseridlesleep"  
00:02:22 id:0x0x100008f2a [System: DeclUser kDisp]  
2021-08-03 08:59:03 +0800 Assertions PID 1281(studentd) Created  
NetworkClientActive "studentd:1281:CRKNetworkPowerAssertion:0x7faa96049bb0"  
00:00:00 id:0x0x1100008f67 [System: DeclUser NetAcc kDisp]  
2021-08-03 08:59:08 +0800 Assertions PID 1281(studentd) Released  
NetworkClientActive "studentd:1281:CRKNetworkPowerAssertion:0x7faa96049bb0"  
00:00:05 id:0x0x1100008f67 [System: DeclUser kDisp]  
2021-08-03 09:00:03 +0800 Assertions PID 1281(studentd) Created  
NetworkClientActive "studentd:1281:CRKNetworkPowerAssertion:0x7faa96049bb0"  
00:00:00 id:0x0x1100008f95 [System: DeclUser NetAcc kDisp]  
2021-08-03 09:00:06 +0800 Assertions PID 1281(studentd) Released  
NetworkClientActive "studentd:1281:CRKNetworkPowerAssertion:0x7faa96049bb0"  
00:00:02 id:0x0x1100008f95 [System: DeclUser kDisp]  
2021-08-03 09:00:07 +0800 Assertions PID 1281(studentd) Created  
NetworkClientActive "studentd:1281:CRKNetworkPowerAssertion:0x7faa96049bb0"  
00:00:00 id:0x0x1100008f9b [System: DeclUser NetAcc kDisp]  
2021-08-03 09:00:12 +0800 Assertions PID 1281(studentd) Released  
NetworkClientActive "studentd:1281:CRKNetworkPowerAssertion:0x7faa96049bb0"  
00:00:05 id:0x0x1100008f9b [System: DeclUser kDisp]  
2021-08-03 09:11:55 +0800 Assertions PID 96(WindowServer) Summary  
UserIsActive "com.apple.iohideventsystem.queue.tickle serviceID:100002dbe  
name:AppleHIDKeyboardEve product:Apple Internal Keyb eventType:3" 00:00:00  
id:0x0x900008e27 [System: DeclUser kDisp]  
2021-08-03 09:16:22 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleDisplaySleep  
"com.apple.audio.context272.preventuseridledisplayssleep" 00:17:13  
id:0x0x500008f6c [System: PrevIdle DeclUser kDisp]  
2021-08-03 09:16:22 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleSystemSleep "com.apple.audio.context272.preventuseridlesleep"  
00:17:13 id:0x0x100008f6b [System: PrevIdle DeclUser kDisp]  
2021-08-03 09:16:22 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleDisplaySleep  
"com.apple.audio.context273.preventuseridledisplayssleep" 00:17:13  
id:0x0x500008f70 [System: PrevIdle DeclUser kDisp]  
2021-08-03 09:16:22 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleSystemSleep "com.apple.audio.context273.preventuseridlesleep"  
00:17:13 id:0x0x100008f6f [System: PrevIdle DeclUser kDisp]  
2021-08-03 09:16:22 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleDisplaySleep  
"com.apple.audio.context274.preventuseridledisplayssleep" 00:17:13  
id:0x0x500008f74 [System: PrevIdle DeclUser kDisp]  
2021-08-03 09:16:22 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleSystemSleep "com.apple.audio.context274.preventuseridlesleep"  
00:17:13 id:0x0x100008f73 [System: PrevIdle DeclUser kDisp]  
2021-08-03 09:16:22 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleDisplaySleep  
"com.apple.audio.context275.preventuseridledisplayssleep" 00:17:13  
id:0x0x500008f78 [System: PrevIdle DeclUser kDisp]

2021-08-03 09:16:22 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleSystemSleep "com.apple.audio.context275.preventuseridlesleep"  
00:17:13 id:0x0x100008f77 [System: PrevIdle DeclUser kDisp]  
2021-08-03 09:16:22 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleDisplaySleep  
"com.apple.audio.BuiltInSpeakerDevice.context.preventuseridledisplayleep"  
00:17:13 id:0x0x500008f7c [System: PrevIdle DeclUser kDisp]  
2021-08-03 09:16:22 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleSystemSleep  
"com.apple.audio.BuiltInSpeakerDevice.context.preventuseridlesleep" 00:16:45  
id:0x0x100008f7b [System: PrevIdle DeclUser kDisp]  
2021-08-03 09:16:22 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleDisplaySleep  
"com.apple.audio.context277.preventuseridledisplayleep" 00:17:13  
id:0x0x500008f80 [System: PrevIdle DeclUser kDisp]  
2021-08-03 09:16:22 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleSystemSleep "com.apple.audio.context277.preventuseridlesleep"  
00:17:13 id:0x0x100008f7f [System: PrevIdle DeclUser kDisp]  
2021-08-03 09:16:23 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleDisplaySleep  
"com.apple.audio.context245.preventuseridledisplayleep" 00:43:36  
id:0x0x500008ddd [System: PrevIdle DeclUser kDisp]  
2021-08-03 09:16:23 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleSystemSleep "com.apple.audio.context245.preventuseridlesleep"  
00:43:36 id:0x0x100008ddc [System: PrevIdle DeclUser kDisp]  
2021-08-03 09:16:23 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleDisplaySleep  
"com.apple.audio.context247.preventuseridledisplayleep" 00:43:36  
id:0x0x500008de5 [System: PrevIdle DeclUser kDisp]  
2021-08-03 09:16:23 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleSystemSleep "com.apple.audio.context247.preventuseridlesleep"  
00:43:36 id:0x0x100008de4 [System: PrevIdle DeclUser kDisp]  
2021-08-03 09:16:23 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleDisplaySleep  
"com.apple.audio.context248.preventuseridledisplayleep" 00:43:36  
id:0x0x500008de9 [System: PrevIdle DeclUser kDisp]  
2021-08-03 09:16:23 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleSystemSleep "com.apple.audio.context248.preventuseridlesleep"  
00:43:36 id:0x0x100008de8 [System: PrevIdle DeclUser kDisp]  
2021-08-03 09:16:23 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleDisplaySleep  
"com.apple.audio.context250.preventuseridledisplayleep" 00:43:36  
id:0x0x500008df1 [System: PrevIdle DeclUser kDisp]  
2021-08-03 09:16:23 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleSystemSleep "com.apple.audio.context250.preventuseridlesleep"  
00:43:36 id:0x0x100008df0 [System: PrevIdle DeclUser kDisp]  
2021-08-03 09:16:23 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleDisplaySleep  
"com.apple.audio.BuiltInSpeakerDevice.context.preventuseridledisplayleep"  
00:43:36 id:0x0x500008df9 [System: PrevIdle DeclUser kDisp]  
2021-08-03 09:16:23 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleSystemSleep  
"com.apple.audio.BuiltInSpeakerDevice.context.preventuseridlesleep" 00:43:00  
id:0x0x100008df8 [System: PrevIdle DeclUser kDisp]  
2021-08-03 09:16:23 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleDisplaySleep  
"com.apple.audio.context254.preventuseridledisplayleep" 00:43:36  
id:0x0x500008e01 [System: PrevIdle DeclUser kDisp]  
2021-08-03 09:16:23 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleSystemSleep "com.apple.audio.context254.preventuseridlesleep"  
00:43:36 id:0x0x100008e00 [System: PrevIdle DeclUser kDisp]  
2021-08-03 09:16:23 +0800 Assertions PID 126(coreaudioid) Released  
PreventUserIdleDisplaySleep  
"com.apple.audio.context237.preventuseridledisplayleep" 00:43:36







```

17:40:24 id:0x0x10000824c [System: PrevIdle DeclUser kDisp]
2021-08-03 09:16:23 +0800 Assertions PID 126(coreaudiod) Released
PreventUserIdleDisplaySleep
"com.apple.audio.context173.preventuseridledisplayssleep" 17:40:24
id:0x0x500008251 [System: PrevIdle DeclUser kDisp]
2021-08-03 09:16:23 +0800 Assertions PID 126(coreaudiod) Released
PreventUserIdleSystemSleep "com.apple.audio.context173.preventuseridlesleep"
17:40:24 id:0x0x100008250 [System: PrevIdle DeclUser kDisp]
2021-08-03 09:16:23 +0800 Assertions PID 126(coreaudiod) Released
PreventUserIdleDisplaySleep
"com.apple.audio.context174.preventuseridledisplayssleep" 17:40:24
id:0x0x500008255 [System: PrevIdle DeclUser kDisp]
2021-08-03 09:16:23 +0800 Assertions PID 126(coreaudiod) Released
PreventUserIdleSystemSleep "com.apple.audio.context174.preventuseridlesleep"
17:40:24 id:0x0x100008254 [System: PrevIdle DeclUser kDisp]
2021-08-03 09:16:41 +0800 ShutdownCause SMC shutdown cause: 1: Normal
warm reset
Sleep/Wakes since boot at 2021-08-02 15:27:09 +0800 :15 Dark Wake Count in
this sleep cycle:1

```

Time stamp	Domain	Message
Duration	Delay	
=====	=====	=====
=====	=====	=====
UUID: (null)		
2021-08-03 09:16:42 +0800	Start	powerd process is started
2021-08-03 09:16:42 +0800	Assertions	Summary- [System: No
	Assertions]	Using Batt
2021-08-03 09:16:46 +0800	Assertions	Kernel Idle sleep preventers:
	IODisplayWrangler	
2021-08-03 09:18:18 +0800	Assertions	PID 109(apsd) Released
	ApplePushServiceTask	"com.apple.apsd-login" 00:01:25 id:0x0xb000080bc [System:
	No Assertions]	
2021-08-03 09:18:36 +0800	Notification	Display is turned off
2021-08-03 09:18:36 +0800	Assertions	PID 109(apsd) Summary
	ApplePushServiceTask	"com.apple.apsd-connectionestablish-push.apple.com"
	00:00:26 id:0x0xb000080d4	[System: No Assertions]
2021-08-03 09:18:36 +0800	Assertions	PID 69(UserEventAgent) Summary
	BackgroundTask	"com.apple.mds.Health check (2).3" 00:01:25 id:0x0xb000080c4
	[System: No Assertions]	
2021-08-03 09:18:36 +0800	Assertions	PID 291(mds_stores) Summary
	BackgroundTask	"com.apple.metadata.mds_stores.power" 00:01:49 id:0x0xb00008024
	[System: No Assertions]	
2021-08-03 09:18:36 +0800	Assertions	PID 97(mds) Summary
	BackgroundTask	"com.apple.metadata.mds.power" 00:01:49 id:0x0xb00008017
	[System: No Assertions]	
2021-08-03 09:18:39 +0800	Assertions	PID 109(apsd) Released
	ApplePushServiceTask	"com.apple.apsd-connectionestablish-push.apple.com"
	00:00:30 id:0x0xb000080d4	[System: No Assertions]
2021-08-03 09:18:41 +0800	Assertions	PID 69(UserEventAgent)
	Released BackgroundTask	"com.apple.mds.Health check (2).3" 00:01:30
	id:0x0xb000080c4	[System: No Assertions]
2021-08-03 09:18:50 +0800	Assertions	Kernel Idle sleep preventers:
	-None-	
2021-08-03 09:18:50 +0800	Assertions	[System: No Assertions]
2021-08-03 09:18:50 +0800	Assertions	PID 81(powerd) Created
	InternalPreventSleep	"com.apple.powermanagement.darkwakelinger" 00:00:00
	id:0x0xd000080d8	[System: SRPrevSleep kCPU]
2021-08-03 09:18:50 +0800	AppWakeReason	AppWoke:com.apple.bluetoothd-
	blueavengers Reason:BlueAvengers: Toggle beacon state	
2021-08-03 09:18:50 +0800	Assertions	PID 97(mds) Released
	BackgroundTask	"com.apple.metadata.mds.power" 00:02:03 id:0x0xb00008017
	[System: SRPrevSleep kCPU]	
2021-08-03 09:18:50 +0800	Assertions	PID 291(mds_stores) Released



BackgroundTask "com.apple.metadata.mds\_stores.power" 00:02:03 id:0x0xb00008024  
[System: SRPrevSleep kCPU]  
2021-08-03 09:19:05 +0800 Assertions PID 81(powerd) TimedOut  
InternalPreventSleep "com.apple.powermanagement.darkwakelinger" 00:00:15  
id:0x0xd000080d8 [System: SRPrevSleep kCPU]  
Sleep/Wakes since boot at 2021-08-03 09:16:42 +0800 :0 Dark Wake Count in this  
sleep cycle:1

Time stamp	Delay	Domain	Message
Duration	Delay		
=====	=====	=====	=====
=====	=====		
UUID: 89E87F68-6801-48D9-AFC2-AA873B912582			
2021-08-03 09:19:05 +0800 Sleep			Entering Sleep state due to 'Idle Sleep':TCPKeepAlive=active Using Batt (Charge:55%) 58 secs
2021-08-03 09:19:09 +0800 Assertions			PID 109(apsd) Released
InteractivePushServiceTask "com.apple.apsd-wakeconnection-push.apple.com"			
00:00:19 id:0x0x12000080dd [System: No Assertions]			
2021-08-03 09:19:09 +0800 Assertions			PID 109(apsd) Released
ApplePushServiceTask "com.apple.apsd-connectionestablish-push.apple.com"			
00:00:30 id:0x0xb000080d6 [System: No Assertions]			
2021-08-03 09:19:11 +0800 Wake Requests			[*process=powerd request=AdaptiveWake deltaSecs=28800 wakeAt=2021-08-03 17:19:11] [process=powerd request=TCPKATurnOff deltaSecs=43253 wakeAt=2021-08-03 21:20:05]
2021-08-03 09:19:11 +0800 PM Client Acks			Delays to Sleep notifications: [com.apple.apsd is slow(6633 ms)]
2021-08-03 09:20:02 +0800 Assertions			PID 198(mDNSResponder) Created
MaintenanceWake "mDNSResponder:maintenance" 00:00:00 id:0x0xd000080e9 [System: No Assertions]			
2021-08-03 09:20:02 +0800 Assertions			Kernel Idle sleep preventers: IODisplayWrangler
2021-08-03 09:20:02 +0800 Notification			Display is turned on
2021-08-03 09:20:03 +0800 Assertions			PID 198(mDNSResponder)
Released MaintenanceWake "mDNSResponder:maintenance" 00:00:00 id:0x0xd000080e9 [System: No Assertions]			
2021-08-03 09:20:03 +0800 Wake			Wake from Deep Idle [CDNVA] : due to EC.KeyboardTouchpad/User Using BATT (Charge:55%)
2021-08-03 09:20:03 +0800 HibernateStats			hibmode=3 standbydelaylow=10800 standbydelayhigh=86400 16
2021-08-03 09:20:03 +0800 WakeTime			WakeTime: 1.367 sec
2021-08-03 09:20:03 +0800 Kernel Client Acks			Delays to Sleep notifications: [powerd is slow(6638 ms)] [UPSB driver is slow(msg: SetState to 2)(950 ms)] [AppleHPMIECS driver is slow(msg: willChangeState to 2)(1111 ms)] [AppleUSBVHCIBCE driver is slow(msg: SetState to 1)(328 ms)] [RP01 driver is slow(msg: SetState to 0)(1017 ms)]
2021-08-03 09:20:03 +0800 Kernel Client Acks			Delays to Wake notifications: [RP09 driver is slow(msg: SetState to 2)(723 ms)] [UPSB driver is slow(msg: SetState to 2)(942 ms)] [IGPU driver is slow(msg: SetState to 2)(954 ms)] [AppleIntelFramebuffer driver is slow(msg: SetState to 2)(312 ms)]
2021-08-03 09:20:04 +0800 Assertions			PID 138(WindowServer) Created
UserIsActive "com.apple.iohideventsystem.queue.tickle serviceID:1000006b3 name:NULL product:Apple Internal Keyb eventType:11" 00:00:00 id:0x0x9000080f1 [System: DeclUser IPushSrcv kCPU kDisp]			
2021-08-03 09:20:31 +0800 Assertions			PID 180(coreaudiod) Released
PreventUserIdleDisplaySleep "com.apple.audio.context130.preventuseridledisplayssleep" 00:03:40 id:0x0x50000808b [System: DeclUser IPushSrcv kCPU kDisp]			
2021-08-03 09:20:31 +0800 Assertions			PID 180(coreaudiod) Released
PreventUserIdleSystemSleep "com.apple.audio.context130.preventuseridlesleep" 00:03:40 id:0x0x10000808a [System: DeclUser IPushSrcv kCPU kDisp]			
2021-08-03 09:20:31 +0800 Assertions			PID 180(coreaudiod) Released
PreventUserIdleDisplaySleep "com.apple.audio.context131.preventuseridledisplayssleep" 00:03:40			



```

2021-08-03 09:20:31 +0800 Assertions PID 180(coreaudioid) Released
PreventUserIdleSystemSleep "com.apple.audio.context121.preventuseridlesleep"
00:03:42 id:0x0x100008062 [System: DeclUser IPushSrcv kCPU kDisp]
2021-08-03 09:20:31 +0800 Assertions PID 180(coreaudioid) Released
PreventUserIdleDisplaySleep
"com.apple.audio.context122.preventuseridledisplayssleep" 00:03:42
id:0x0x500008067 [System: DeclUser IPushSrcv kCPU kDisp]
2021-08-03 09:20:31 +0800 Assertions PID 180(coreaudioid) Released
PreventUserIdleSystemSleep "com.apple.audio.context122.preventuseridlesleep"
00:03:42 id:0x0x100008066 [System: DeclUser IPushSrcv kCPU kDisp]
2021-08-03 09:20:31 +0800 Assertions PID 180(coreaudioid) Released
PreventUserIdleDisplaySleep
"com.apple.audio.context137.preventuseridledisplayssleep" 00:03:40
id:0x0x5000080a3 [System: DeclUser IPushSrcv kCPU kDisp]
2021-08-03 09:20:31 +0800 Assertions PID 180(coreaudioid) Released
PreventUserIdleSystemSleep "com.apple.audio.context137.preventuseridlesleep"
00:03:40 id:0x0x1000080a2 [System: DeclUser IPushSrcv kCPU kDisp]
2021-08-03 09:20:31 +0800 Assertions PID 180(coreaudioid) Released
PreventUserIdleDisplaySleep
"com.apple.audio.context138.preventuseridledisplayssleep" 00:03:40
id:0x0x5000080a7 [System: DeclUser IPushSrcv kCPU kDisp]
2021-08-03 09:20:31 +0800 Assertions PID 180(coreaudioid) Released
PreventUserIdleSystemSleep "com.apple.audio.context138.preventuseridlesleep"
00:03:40 id:0x0x1000080a6 [System: DeclUser IPushSrcv kCPU kDisp]
2021-08-03 09:20:31 +0800 Assertions PID 180(coreaudioid) Released
PreventUserIdleDisplaySleep
"com.apple.audio.context139.preventuseridledisplayssleep" 00:03:40
id:0x0x5000080ab [System: DeclUser IPushSrcv kCPU kDisp]
2021-08-03 09:20:31 +0800 Assertions PID 180(coreaudioid) Released
PreventUserIdleSystemSleep "com.apple.audio.context139.preventuseridlesleep"
00:03:40 id:0x0x1000080aa [System: DeclUser IPushSrcv kCPU kDisp]
2021-08-03 09:20:31 +0800 Assertions PID 180(coreaudioid) Released
PreventUserIdleDisplaySleep
"com.apple.audio.context140.preventuseridledisplayssleep" 00:03:40
id:0x0x5000080af [System: DeclUser IPushSrcv kCPU kDisp]
2021-08-03 09:20:31 +0800 Assertions PID 180(coreaudioid) Released
PreventUserIdleSystemSleep "com.apple.audio.context140.preventuseridlesleep"
00:03:40 id:0x0x1000080ae [System: DeclUser IPushSrcv kCPU kDisp]
2021-08-03 09:20:31 +0800 Assertions PID 180(coreaudioid) Released
PreventUserIdleDisplaySleep
"com.apple.audio.context141.preventuseridledisplayssleep" 00:03:40
id:0x0x5000080b3 [System: DeclUser IPushSrcv kCPU kDisp]
2021-08-03 09:20:31 +0800 Assertions PID 180(coreaudioid) Released
PreventUserIdleSystemSleep "com.apple.audio.context141.preventuseridlesleep"
00:03:40 id:0x0x1000080b2 [System: DeclUser IPushSrcv kCPU kDisp]
2021-08-03 09:20:31 +0800 Assertions PID 180(coreaudioid) Released
PreventUserIdleDisplaySleep
"com.apple.audio.context142.preventuseridledisplayssleep" 00:03:40
id:0x0x5000080b7 [System: DeclUser IPushSrcv kCPU kDisp]
2021-08-03 09:20:31 +0800 Assertions PID 180(coreaudioid) Released
PreventUserIdleSystemSleep "com.apple.audio.context142.preventuseridlesleep"
00:03:40 id:0x0x1000080b6 [System: DeclUser IPushSrcv kCPU kDisp]

```

Total Sleep/Wakes since boot at 2021-08-03 09:16:42 +0800 :1

2021-08-03 09:21:47 +0800 : Showing all currently held IOKit power assertions  
Assertion status system-wide:

```

BackgroundTask 0
ApplePushServiceTask 0
UserIsActive 1
PreventUserIdleDisplaySleep 0
InteractivePushServiceTask 1
PreventSystemSleep 0
ExternalMedia 0

```

```
PreventUserIdleSystemSleep      1
NetworkClientActive              0
Listed by owning process:
  pid 138(WindowServer): [0x00000009c000980f1] 00:00:00 UserIsActive named:
"com.apple.iohideventsystem.queue.tickle serviceID:1000006b3 name:NULL
product:Apple Internal Keyb eventType:11"
    Timeout will fire in 120 secs Action=TimeoutActionRelease
  pid 109(apsd): [0x000000fb00128242] 00:00:07 InteractivePushServiceTask
named: "com.apple.apsd-connectionestablish-push.apple.com"
    Timeout will fire in 173 secs Action=TimeoutActionTurnOff
  pid 185(runningboardd): [0x0000010200018273] 00:00:00
PreventUserIdleSystemSleep named: "daemon<com.apple.studentd(501)>;185-
665-181:Contacts shared filesystem lock;185-665-182:Contacts shared filesystem
lock"
    Created for PID: 665.
No kernel assertions.
Idle sleep preventers: IODisplayWrangler
</string>
```

```
      <key>lastModified</key>
      <date>2021-08-03T01:21:47Z</date>
      <key>source</key>
      <string>/usr/bin/pmset -g log</string>
    </dict>
  </array>
  <key>_parentDataType</key>
  <string>SPSoftwareDataType</string>
  <key>_properties</key>
  <dict>
    <key>_name</key>
    <dict>
      <key>_isColumn</key>
      <string>YES</string>
      <key>_order</key>
      <string>0</string>
    </dict>
    <key>byteSize</key>
    <dict>
      <key>_isByteSize</key>
      <true/>
      <key>_isColumn</key>
      <true/>
      <key>_order</key>
      <integer>2</integer>
    </dict>
    <key>lastModified</key>
    <dict>
      <key>_dateFormat</key>
      <string>%X</string>
      <key>_isColumn</key>
      <string>YES</string>
      <key>_order</key>
      <string>3</string>
    </dict>
    <key>source</key>
    <dict>
      <key>_isColumn</key>
      <true/>
      <key>_isURL</key>
      <string>YES</string>
      <key>_openURLWhenOutLineViewDoubleClicked</key>
      <true/>
      <key>_order</key>
      <integer>1</integer>
    </dict>
  </dict>
```

```

        <key>volumes</key>
        <dict>
            <key>_detailLevel</key>
            <string>0</string>
        </dict>
    </dict>
    <key>_splitPercentage</key>
    <real>0.20000000298023224</real>
    <key>_timeStamp</key>
    <date>2021-08-03T01:21:45Z</date>
    <key>_versionInfo</key>
    <dict>
        <key>com.apple.SystemProfiler.SPLogsReporter</key>
        <string>915</string>
    </dict>
</dict>
<dict>
    <key>_SPCommandLineArguments</key>
    <array>
        <string>/usr/sbin/system_profiler</string>
        <string>-nospawn</string>
        <string>-xml</string>
        <string>SPManagedClientDataType</string>
        <string>-detailLevel</string>
        <string>full</string>
    </array>
    <key>_SPCompletionInterval</key>
    <real>0.25461697578430176</real>
    <key>_SPResponseTime</key>
    <real>0.33716702461242676</real>
    <key>_dataType</key>
    <string>SPManagedClientDataType</string>
    <key>_detailLevel</key>
    <integer>1</integer>
    <key>_items</key>
    <array/>
    <key>_parentDataType</key>
    <string>SPSoftwareDataType</string>
    <key>_properties</key>
    <dict>
        <key>_name</key>
        <dict>
            <key>_isColumn</key>
            <string>YES</string>
            <key>_isOutlineColumn</key>
            <string>YES</string>
            <key>_order</key>
            <string>10</string>
            <key>_suppressLocalization</key>
            <string>YES</string>
        </dict>
        <key>data_keyValue</key>
        <dict>
            <key>_isColumn</key>
            <string>YES</string>
            <key>_order</key>
            <string>30</string>
            <key>_suppressLocalization</key>
            <string>YES</string>
        </dict>
        <key>data_source</key>
        <dict>
            <key>_order</key>
            <string>50</string>

```

```

    </dict>
    <key>data_state</key>
    <dict>
      <key>_order</key>
      <string>40</string>
    </dict>
    <key>volumes</key>
    <dict>
      <key>_detailLevel</key>
      <string>0</string>
    </dict>
  </dict>
  <key>_timeStamp</key>
  <date>2021-08-03T01:21:45Z</date>
  <key>_versionInfo</key>
  <dict>
    <key>com.apple.SPManagedClientReporter</key>
    <string>1455</string>
  </dict>
</dict>
<dict>
  <key>_SPCommandLineArguments</key>
  <array>
    <string>/usr/sbin/system_profiler</string>
    <string>-nospawn</string>
    <string>-xml</string>
    <string>SPMemoryDataType</string>
    <string>-detailLevel</string>
    <string>full</string>
  </array>
  <key>_SPCompletionInterval</key>
  <real>0.24211704730987549</real>
  <key>_SPResponseTime</key>
  <real>0.32313299179077148</real>
  <key>_dataType</key>
  <string>SPMemoryDataType</string>
  <key>_detailLevel</key>
  <integer>-1</integer>
  <key>_items</key>
  <array>
    <dict>
      <key>_items</key>
      <array>
        <dict>
          <key>_name</key>
          <string>BANK 0/ChannelA-DIMM0</string>
          <key>dimmm_manufacturer</key>
          <string>Micron</string>
          <key>dimmm_part_number</key>
          <string>-</string>
          <key>dimmm_serial_number</key>
          <string>-</string>
          <key>dimmm_size</key>
          <string>4 GB</string>
          <key>dimmm_speed</key>
          <string>2133 MHz</string>
          <key>dimmm_status</key>
          <string>ok</string>
          <key>dimmm_type</key>
          <string>LPDDR3</string>
        </dict>
      </array>
    </dict>
  </array>
  <key>_name</key>
  <string>BANK 2/ChannelB-DIMM0</string>

```

```

        <key>dimm_manufacturer</key>
        <string>Micron</string>
        <key>dimm_part_number</key>
        <string>-</string>
        <key>dimm_serial_number</key>
        <string>-</string>
        <key>dimm_size</key>
        <string>4 GB</string>
        <key>dimm_speed</key>
        <string>2133 MHz</string>
        <key>dimm_status</key>
        <string>ok</string>
        <key>dimm_type</key>
        <string>LPDDR3</string>
    </dict>
</array>
<key>_name</key>
<string>global_name</string>
<key>global_ecc_state</key>
<string>ecc_disabled</string>
<key>is_memory_upgradeable</key>
<string>No</string>
</dict>
</array>
<key>_parentDataType</key>
<string>SPHardwareDataType</string>
<key>_properties</key>
<dict>
    <key>SPMemoryDataType</key>
    <dict>
        <key>_isColumn</key>
        <string>YES</string>
        <key>_order</key>
        <string>12</string>
    </dict>
    <key>_name</key>
    <dict>
        <key>_isColumn</key>
        <string>YES</string>
        <key>_isOutlineColumn</key>
        <string>YES</string>
        <key>_order</key>
        <string>10</string>
    </dict>
    <key>dimm_ecc_errors</key>
    <dict>
        <key>_order</key>
        <string>60</string>
    </dict>
    <key>dimm_serial_number</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
    </dict>
    <key>dimm_size</key>
    <dict>
        <key>_isColumn</key>
        <string>YES</string>
        <key>_order</key>
        <string>20</string>
    </dict>
    <key>dimm_speed</key>
    <dict>
        <key>_isColumn</key>

```

```
        <string>YES</string>
        <key>_order</key>
        <string>40</string>
    </dict>
    <key>dimmm_status</key>
    <dict>
        <key>_isColumn</key>
        <string>YES</string>
        <key>_order</key>
        <string>50</string>
    </dict>
    <key>dimmm_type</key>
    <dict>
        <key>_isColumn</key>
        <string>YES</string>
        <key>_order</key>
        <string>30</string>
    </dict>
    <key>volumes</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
    </dict>
</dict>
<key>_timeStamp</key>
<date>2021-08-03T01:21:45Z</date>
<key>_versionInfo</key>
<dict>
    <key>com.apple.SystemProfiler.SPMemoryReporter</key>
    <string>80</string>
</dict>
</dict>
<dict>
    <key>_SPCommandLineArguments</key>
    <array>
        <string>/usr/sbin/system_profiler</string>
        <string>-nospawn</string>
        <string>-xml</string>
        <string>SPNVMeDataType</string>
        <string>-detailLevel</string>
        <string>full</string>
    </array>
    <key>_SPCompletionInterval</key>
    <real>0.47485601902008057</real>
    <key>_SPResponseTime</key>
    <real>0.55804693698883057</real>
    <key>_dataType</key>
    <string>SPNVMeDataType</string>
    <key>_detailLevel</key>
    <integer>-1</integer>
    <key>_items</key>
    <array>
        <dict>
            <key>_items</key>
            <array>
                <dict>
                    <key>_name</key>
                    <string>APPLE SSD AP0256N</string>
                    <key>bsd_name</key>
                    <string>disk0</string>
                    <key>detachable_drive</key>
                    <string>no</string>
                    <key>device_model</key>
                    <string>APPLE SSD AP0256N</string>
                </dict>
            </array>
        </dict>
    </array>
</dict>
</dict>
```



```

    <key>device_revision</key>
    <string>1161.100</string>
    <key>device_serial</key>
    <string>FV9928209NRKRFBWL</string>
    <key>partition_map_type</key>
    <string>guid_partition_map_type</string>
    <key>removable_media</key>
    <string>no</string>
    <key>size</key>
    <string>251 GB</string>
    <key>size_in_bytes</key>
    <integer>251000193024</integer>
    <key>smart_status</key>
    <string>Verified</string>
    <key>spnvme_linkspeed</key>
    <string>8.0 GT/s</string>
    <key>spnvme_linkwidth</key>
    <string>x4</string>
    <key>spnvme_trim_support</key>
    <string>Yes</string>
    <key>volumes</key>
    <array>
      <dict>
        <key>_name</key>
        <string>EFI</string>
        <key>bsd_name</key>
        <string>disk0s1</string>
        <key>file_system</key>
        <string>MS-DOS FAT32</string>
        <key>iocontent</key>
        <string>EFI</string>
        <key>size</key>
        <string>314.6 MB</string>
        <key>size_in_bytes</key>
        <integer>314572800</integer>
        <key>volume_uuid</key>
        <string>E783267B-A4C3-3556-B751-
DBED770EB996</string>
      </dict>
      <dict>
        <key>_name</key>
        <string>disk0s2</string>
        <key>bsd_name</key>
        <string>disk0s2</string>
        <key>iocontent</key>
        <string>Apple_APFS</string>
        <key>size</key>
        <string>250.69 GB</string>
        <key>size_in_bytes</key>
        <integer>250685575168</integer>
      </dict>
    </array>
  </dict>
</array>
<key>_name</key>
<string>Apple SSD Controller</string>
</dict>
</array>
<key>parentDataType</key>
<string>SPHardwareDataType</string>
<key>properties</key>
<dict>
  <key>_name</key>
  <dict>

```

```
        <key>_isColumn</key>
        <string>YES</string>
        <key>_isOutlineColumn</key>
        <string>YES</string>
        <key>_order</key>
        <string>0</string>
    </dict>
    <key>bsd_name</key>
    <dict>
        <key>_order</key>
        <string>62</string>
    </dict>
    <key>detachable_drive</key>
    <dict>
        <key>_order</key>
        <string>59</string>
    </dict>
    <key>device_manufacturer</key>
    <dict>
        <key>_order</key>
        <string>40</string>
    </dict>
    <key>device_model</key>
    <dict>
        <key>_order</key>
        <string>42</string>
    </dict>
    <key>device_revision</key>
    <dict>
        <key>_order</key>
        <string>44</string>
    </dict>
    <key>device_serial</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
        <key>_order</key>
        <string>46</string>
    </dict>
    <key>file_system</key>
    <dict>
        <key>_order</key>
        <string>60</string>
    </dict>
    <key>free_space</key>
    <dict>
        <key>_deprecated</key>
        <true/>
        <key>_order</key>
        <string>12</string>
    </dict>
    <key>free_space_in_bytes</key>
    <dict>
        <key>_isByteSize</key>
        <true/>
        <key>_order</key>
        <string>12</string>
    </dict>
    <key>mount_point</key>
    <dict>
        <key>_order</key>
        <string>64</string>
    </dict>
    <key>size</key>
```

```
<dict>
  <key>_deprecated</key>
  <true/>
  <key>_order</key>
  <string>10</string>
</dict>
<key>size_in_bytes</key>
<dict>
  <key>_isByteSize</key>
  <true/>
  <key>_order</key>
  <string>10</string>
</dict>
<key>spnvme_linkspeed</key>
<dict>
  <key>_order</key>
  <string>49</string>
</dict>
<key>spnvme_linkwidth</key>
<dict>
  <key>_order</key>
  <string>48</string>
</dict>
<key>spnvme_name</key>
<dict>
  <key>_order</key>
  <string>20</string>
</dict>
<key>spnvme_product</key>
<dict>
  <key>_order</key>
  <string>30</string>
</dict>
<key>spnvme_revision</key>
<dict>
  <key>_order</key>
  <string>32</string>
</dict>
<key>spnvme_rom-revision</key>
<dict>
  <key>_order</key>
  <string>26</string>
</dict>
<key>spnvme_slot_name</key>
<dict>
  <key>_order</key>
  <string>24</string>
</dict>
<key>spnvme_trim_support</key>
<dict>
  <key>_order</key>
  <string>29</string>
</dict>
<key>spnvme_vendor</key>
<dict>
  <key>_order</key>
  <string>28</string>
</dict>
<key>volumes</key>
<dict>
  <key>_detailLevel</key>
  <string>0</string>
</dict>
<key>writable</key>
```

```
        <dict>
          <key>_order</key>
          <string>58</string>
        </dict>
      </dict>
    <key>_timeStamp</key>
    <date>2021-08-03T01:21:45Z</date>
    <key>_versionInfo</key>
    <dict>
      <key>com.apple.SystemProfiler.SPVMReporter</key>
      <string>2.7</string>
    </dict>
  </dict>
<dict>
  <key>_SPCommandLineArguments</key>
  <array>
    <string>/usr/sbin/system_profiler</string>
    <string>-nospawn</string>
    <string>-xml</string>
    <string>SPNetworkDataType</string>
    <string>-detailLevel</string>
    <string>full</string>
  </array>
  <key>_SPCompletionInterval</key>
  <real>0.33824098110198975</real>
  <key>_SPResponseTime</key>
  <real>0.45973801612854004</real>
  <key>_dataType</key>
  <string>SPNetworkDataType</string>
  <key>_detailLevel</key>
  <integer>-1</integer>
  <key>_items</key>
  <array>
    <dict>
      <key>IPv4</key>
      <dict>
        <key>ConfigMethod</key>
        <string>DHCP</string>
      </dict>
      <key>IPv6</key>
      <dict>
        <key>ConfigMethod</key>
        <string>Automatic</string>
      </dict>
      <key>Proxies</key>
      <dict>
        <key>ExceptionsList</key>
        <array>
          <string>*.local</string>
          <string>169.254/16</string>
        </array>
        <key>FTPPassive</key>
        <string>yes</string>
      </dict>
      <key>_name</key>
      <string>USB 10/100/1000 LAN</string>
      <key>hardware</key>
      <string>Ethernet</string>
      <key>interface</key>
      <string>en3</string>
      <key>spnetwork_service_order</key>
      <integer>0</integer>
      <key>type</key>
      <string>Ethernet</string>
    </dict>
  </array>
</dict>
</dict>
```

```
</dict>
<dict>
  <key>Ethernet</key>
  <dict>
    <key>MAC Address</key>
    <string>a4:83:e7:4a:8c:21</string>
    <key>MediaOptions</key>
    <array/>
    <key>MediaSubType</key>
    <string>autoselect</string>
  </dict>
  <key>IPv4</key>
  <dict>
    <key>ConfigMethod</key>
    <string>DHCP</string>
  </dict>
  <key>IPv6</key>
  <dict>
    <key>ConfigMethod</key>
    <string>Automatic</string>
  </dict>
  <key>Proxies</key>
  <dict>
    <key>ExceptionsList</key>
    <array>
      <string>*.local</string>
      <string>169.254/16</string>
    </array>
    <key>FTPPassive</key>
    <string>yes</string>
  </dict>
  <key>_name</key>
  <string>Wi-Fi</string>
  <key>hardware</key>
  <string>AirPort</string>
  <key>interface</key>
  <string>en0</string>
  <key>spnetwork_service_order</key>
  <integer>1</integer>
  <key>type</key>
  <string>AirPort</string>
</dict>
<dict>
  <key>IPv4</key>
  <dict>
    <key>ConfigMethod</key>
    <string>DHCP</string>
  </dict>
  <key>IPv6</key>
  <dict>
    <key>ConfigMethod</key>
    <string>Automatic</string>
  </dict>
  <key>Proxies</key>
  <dict>
    <key>ExceptionsList</key>
    <array>
      <string>*.local</string>
      <string>169.254/16</string>
    </array>
    <key>FTPPassive</key>
    <string>yes</string>
  </dict>
  <key>_name</key>
```

```

        <string>Bluetooth PAN</string>
        <key>hardware</key>
        <string>Ethernet</string>
        <key>interface</key>
        <string>en5</string>
        <key>spnetwork_service_order</key>
        <integer>2</integer>
        <key>type</key>
        <string>Ethernet</string>
    </dict>
</dict>
<dict>
    <key>IPv4</key>
    <dict>
        <key>ConfigMethod</key>
        <string>DHCP</string>
    </dict>
    <key>IPv6</key>
    <dict>
        <key>ConfigMethod</key>
        <string>Automatic</string>
    </dict>
    <key>Proxies</key>
    <dict>
        <key>ExceptionsList</key>
        <array>
            <string>*.local</string>
            <string>169.254/16</string>
        </array>
        <key>FTPPassive</key>
        <string>yes</string>
    </dict>
    <key>_name</key>
    <string>Thunderbolt Bridge</string>
    <key>hardware</key>
    <string>Ethernet</string>
    <key>interface</key>
    <string>bridge0</string>
    <key>spnetwork_service_order</key>
    <integer>3</integer>
    <key>type</key>
    <string>Ethernet</string>
</dict>
</array>
<key>_parentDataType</key>
<string>SPRootDataType</string>
<key>_properties</key>
<dict>
    <key>AppleTalk</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
        <key>_order</key>
        <string>300</string>
    </dict>
    <key>DNS</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
        <key>_order</key>
        <string>400</string>
    </dict>
    <key>Ethernet</key>
    <dict>
        <key>_detailLevel</key>

```

```
        <string>0</string>
        <key>_order</key>
        <string>700</string>
    </dict>
<key>IPv4</key>
<dict>
    <key>_detailLevel</key>
    <string>0</string>
    <key>_order</key>
    <string>100</string>
</dict>
<key>IPv6</key>
<dict>
    <key>_detailLevel</key>
    <string>0</string>
    <key>_order</key>
    <string>200</string>
</dict>
<key>Proxies</key>
<dict>
    <key>_detailLevel</key>
    <string>0</string>
    <key>_order</key>
    <string>900</string>
</dict>
<key>_name</key>
<dict>
    <key>_detailLevel</key>
    <string>-1</string>
    <key>_isColumn</key>
    <string>YES</string>
    <key>_order</key>
    <string>0</string>
</dict>
<key>dhcp</key>
<dict>
    <key>_detailLevel</key>
    <string>0</string>
    <key>_order</key>
    <string>500</string>
</dict>
<key>hardware</key>
<dict>
    <key>_detailLevel</key>
    <string>-1</string>
    <key>_isColumn</key>
    <string>YES</string>
    <key>_order</key>
    <string>15</string>
</dict>
<key>interface</key>
<dict>
    <key>_detailLevel</key>
    <string>-1</string>
    <key>_isColumn</key>
    <string>YES</string>
    <key>_order</key>
    <string>20</string>
</dict>
<key>ip_address</key>
<dict>
    <key>_detailLevel</key>
    <string>0</string>
    <key>_isColumn</key>
```

```
        <string>YES</string>
        <key>_order</key>
        <string>30</string>
    </dict>
    <key>sleep_proxies</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
        <key>_order</key>
        <string>910</string>
    </dict>
    <key>type</key>
    <dict>
        <key>_detailLevel</key>
        <string>-1</string>
        <key>_isColumn</key>
        <string>YES</string>
        <key>_order</key>
        <string>10</string>
    </dict>
    <key>volumes</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
    </dict>
</dict>
<key>_timeStamp</key>
<date>2021-08-03T01:21:45Z</date>
<key>_versionInfo</key>
<dict>
    <key>com.apple.SystemProfiler.SPNetworkReporter</key>
    <string>915</string>
</dict>
</dict>
<dict>
    <key>_SPCommandLineArguments</key>
    <array>
        <string>/usr/sbin/system_profiler</string>
        <string>-nospawn</string>
        <string>-xml</string>
        <string>SPPCIDataType</string>
        <string>-detailLevel</string>
        <string>full</string>
    </array>
    <key>_SPCompletionInterval</key>
    <real>0.24288606643676758</real>
    <key>_SPResponseTime</key>
    <real>0.26192903518676758</real>
    <key>_dataType</key>
    <string>SPPCIDataType</string>
    <key>_detailLevel</key>
    <integer>-1</integer>
    <key>_items</key>
    <array/>
    <key>_parentDataType</key>
    <string>SPHardwareDataType</string>
    <key>_properties</key>
    <dict>
        <key>_name</key>
        <dict>
            <key>_isColumn</key>
            <string>YES</string>
            <key>_order</key>
            <string>0</string>
```



```
</dict>
<key>sppci_bus</key>
<dict>
  <key>_order</key>
  <string>26</string>
</dict>
<key>sppci_device-id</key>
<dict>
  <key>_order</key>
  <string>50</string>
</dict>
<key>sppci_device_type</key>
<dict>
  <key>_isColumn</key>
  <string>YES</string>
  <key>_order</key>
  <string>20</string>
</dict>
<key>sppci_driver_installed</key>
<dict>
  <key>_isColumn</key>
  <string>YES</string>
  <key>_order</key>
  <string>22</string>
</dict>
<key>sppci_link-width</key>
<dict>
  <key>_order</key>
  <string>100</string>
</dict>
<key>sppci_model</key>
<dict>
  <key>_order</key>
  <string>1</string>
</dict>
<key>sppci_msi</key>
<dict>
  <key>_order</key>
  <string>25</string>
</dict>
<key>sppci_name</key>
<dict>
  <key>_order</key>
  <string>10</string>
</dict>
<key>sppci_pause-compatible</key>
<dict>
  <key>_order</key>
  <string>24</string>
</dict>
<key>sppci_revision-id</key>
<dict>
  <key>_order</key>
  <string>90</string>
</dict>
<key>sppci_rom-revision</key>
<dict>
  <key>_order</key>
  <string>80</string>
</dict>
<key>sppci_serialnumber</key>
<dict>
  <key>_order</key>
  <string>95</string>
```

```
    </dict>
    <key>sppci_slot_name</key>
    <dict>
      <key>_isColumn</key>
      <string>YES</string>
      <key>_order</key>
      <string>30</string>
    </dict>
    <key>sppci_subsystem-id</key>
    <dict>
      <key>_order</key>
      <string>70</string>
    </dict>
    <key>sppci_subsystem-vendor-id</key>
    <dict>
      <key>_order</key>
      <string>60</string>
    </dict>
    <key>sppci_tunnel-compatible</key>
    <dict>
      <key>_order</key>
      <string>23</string>
    </dict>
    <key>sppci_vendor-id</key>
    <dict>
      <key>_order</key>
      <string>40</string>
    </dict>
    <key>volumes</key>
    <dict>
      <key>_detailLevel</key>
      <string>0</string>
    </dict>
  </dict>
  <key>_timeStamp</key>
  <date>2021-08-03T01:21:46Z</date>
  <key>_versionInfo</key>
  <dict>
    <key>com.apple.SystemProfiler.SPPIReporter</key>
    <string>605</string>
  </dict>
</dict>
<dict>
  <key>_SPCommandLineArguments</key>
  <array>
    <string>/usr/sbin/system_profiler</string>
    <string>-nospawn</string>
    <string>-xml</string>
    <string>SPPParallelSCSIDataType</string>
    <string>-detailLevel</string>
    <string>full</string>
  </array>
  <key>_SPCompletionInterval</key>
  <real>0.23675298690795898</real>
  <key>_SPResponseTime</key>
  <real>0.31776797771453857</real>
  <key>_dataType</key>
  <string>SPPParallelSCSIDataType</string>
  <key>_detailLevel</key>
  <integer>-1</integer>
  <key>_items</key>
  <array/>
  <key>_parentDataType</key>
  <string>SPHardwareDataType</string>
```

```
<key>_properties</key>
<dict>
  <key>_name</key>
  <dict>
    <key>_isColumn</key>
    <string>YES</string>
    <key>_isOutlineColumn</key>
    <string>YES</string>
    <key>_order</key>
    <string>0</string>
  </dict>
  <key>bsd_name</key>
  <dict>
    <key>_order</key>
    <string>62</string>
  </dict>
  <key>detachable_drive</key>
  <dict>
    <key>_order</key>
    <string>59</string>
  </dict>
  <key>device_manufacturer</key>
  <dict>
    <key>_order</key>
    <string>41</string>
  </dict>
  <key>device_model</key>
  <dict>
    <key>_order</key>
    <string>42</string>
  </dict>
  <key>device_pdt</key>
  <dict>
    <key>_order</key>
    <string>40</string>
  </dict>
  <key>device_revision</key>
  <dict>
    <key>_order</key>
    <string>44</string>
  </dict>
  <key>device_serial</key>
  <dict>
    <key>_detailLevel</key>
    <string>0</string>
    <key>_order</key>
    <string>46</string>
  </dict>
  <key>disc_burning</key>
  <dict>
    <key>_order</key>
    <string>54</string>
  </dict>
  <key>file_system</key>
  <dict>
    <key>_order</key>
    <string>60</string>
  </dict>
  <key>free_space</key>
  <dict>
    <key>_deprecated</key>
    <true/>
    <key>_order</key>
    <string>12</string>
  </dict>
</dict>
```

```
</dict>
<key>free_space_in_bytes</key>
<dict>
  <key>_isByteSize</key>
  <true/>
  <key>_order</key>
  <string>12</string>
</dict>
<key>mount_point</key>
<dict>
  <key>_order</key>
  <string>64</string>
</dict>
<key>optical_drive_type</key>
<dict>
  <key>_order</key>
  <string>51</string>
</dict>
<key>optical_media_type</key>
<dict>
  <key>_order</key>
  <string>52</string>
</dict>
<key>os9_drivers</key>
<dict>
  <key>_order</key>
  <string>68</string>
</dict>
<key>raid_drive</key>
<dict>
  <key>_order</key>
  <string>66</string>
</dict>
<key>removable_media</key>
<dict>
  <key>_order</key>
  <string>56</string>
</dict>
<key>size</key>
<dict>
  <key>_deprecated</key>
  <true/>
  <key>_order</key>
  <string>10</string>
</dict>
<key>size_in_bytes</key>
<dict>
  <key>_isByteSize</key>
  <true/>
  <key>_order</key>
  <string>10</string>
</dict>
<key>spparallelscsi_alua_support</key>
<dict>
  <key>_order</key>
  <string>48</string>
</dict>
<key>spparallelscsi_bus</key>
<dict>
  <key>_order</key>
  <string>22</string>
</dict>
<key>spparallelscsi_device_features</key>
<dict>
```

```
        <key>_order</key>
        <string>101</string>
    </dict>
    <key>spparallelscsi_domainidentifier</key>
    <dict>
        <key>_order</key>
        <string>33</string>
    </dict>
    <key>spparallelscsi_initiatorid</key>
    <dict>
        <key>_order</key>
        <string>34</string>
    </dict>
    <key>spparallelscsi_it_nexus_features</key>
    <dict>
        <key>_order</key>
        <string>102</string>
    </dict>
    <key>spparallelscsi_load_balancing_algorithm</key>
    <dict>
        <key>_order</key>
        <string>50</string>
    </dict>
    <key>spparallelscsi_logical_unit_access_state</key>
    <dict>
        <key>_order</key>
        <string>49</string>
    </dict>
    <key>spparallelscsi_logical_unit_unique_id</key>
    <dict>
        <key>_order</key>
        <string>40</string>
    </dict>
    <key>spparallelscsi_lun</key>
    <dict>
        <key>_order</key>
        <string>110</string>
    </dict>
    <key>spparallelscsi_port_description</key>
    <dict>
        <key>_order</key>
        <string>36</string>
    </dict>
    <key>spparallelscsi_product</key>
    <dict>
        <key>_order</key>
        <string>30</string>
    </dict>
    <key>spparallelscsi_revision</key>
    <dict>
        <key>_order</key>
        <string>32</string>
    </dict>
    <key>spparallelscsi_signal_type</key>
    <dict>
        <key>_order</key>
        <string>35</string>
    </dict>
    <key>spparallelscsi_slot_name</key>
    <dict>
        <key>_order</key>
        <string>24</string>
    </dict>
    <key>spparallelscsi_target</key>
```

```

    <dict>
      <key>_order</key>
      <string>100</string>
    </dict>
    <key>spparallelscsi_vendor</key>
    <dict>
      <key>_order</key>
      <string>28</string>
    </dict>
    <key>volumes</key>
    <dict>
      <key>_detailLevel</key>
      <string>0</string>
    </dict>
    <key>writable</key>
    <dict>
      <key>_order</key>
      <string>58</string>
    </dict>
  </dict>
  <key>_timeStamp</key>
  <date>2021-08-03T01:21:46Z</date>
  <key>_versionInfo</key>
  <dict>
    <key>com.apple.SystemProfiler.SPParallelSCSIReporter</key>
    <string>2.7</string>
  </dict>
</dict>
<dict>
  <key>_SPCommandLineArguments</key>
  <array>
    <string>/usr/sbin/system_profiler</string>
    <string>-nospawn</string>
    <string>-xml</string>
    <string>SPPowerDataType</string>
    <string>-detailLevel</string>
    <string>full</string>
  </array>
  <key>_SPCompletionInterval</key>
  <real>0.21969997882843018</real>
  <key>_SPResponseTime</key>
  <real>0.30008101463317871</real>
  <key>_dataType</key>
  <string>SPPowerDataType</string>
  <key>_detailLevel</key>
  <string>0</string>
  <key>_items</key>
  <array>
    <dict>
      <key>_name</key>
      <string>spbattery_information</string>
      <key>sppower_battery_charge_info</key>
      <dict>
        <key>sppower_battery_fully_charged</key>
        <string>FALSE</string>
        <key>sppower_battery_is_charging</key>
        <string>FALSE</string>
        <key>sppower_battery_max_capacity</key>
        <integer>4203</integer>
        <key>sppower_battery_state_of_charge</key>
        <integer>54</integer>
      </dict>
      <key>sppower_battery_health_info</key>
    </dict>
  </array>

```

```
        <key>sppower_battery_cycle_count</key>
        <integer>305</integer>
        <key>sppower_battery_health</key>
        <string>Good</string>
    </dict>
    <key>sppower_battery_model_info</key>
    <dict>
        <key>PCB Lot Code</key>
        <string>0000</string>
        <key>Pack Lot Code</key>
        <string>0000</string>
        <key>sppower_battery_cell_revision</key>
        <string>2400</string>
        <key>sppower_battery_device_name</key>
        <string>bq20z451</string>
        <key>sppower_battery_firmware_version</key>
        <string>1002</string>
        <key>sppower_battery_hardware_revision</key>
        <string>0001</string>
        <key>sppower_battery_manufacturer</key>
        <string>DSY</string>
    </dict>
</dict>
<dict>
    <key>AC Power</key>
    <dict>
        <key>Disk Sleep Timer</key>
        <integer>10</integer>
        <key>Display Sleep Timer</key>
        <integer>10</integer>
        <key>Display Sleep Uses Dim</key>
        <string>Yes</string>
        <key>Hibernate Mode</key>
        <integer>3</integer>
        <key>PrioritizeNetworkReachabilityOverSleep</key>
        <integer>0</integer>
        <key>System Sleep Timer</key>
        <integer>1</integer>
        <key>Wake On AC Change</key>
        <string>No</string>
        <key>Wake On Clamshell Open</key>
        <string>Yes</string>
        <key>Wake On LAN</key>
        <string>Yes</string>
    </dict>
    <key>Battery Power</key>
    <dict>
        <key>Current Power Source</key>
        <string>TRUE</string>
        <key>Disk Sleep Timer</key>
        <integer>10</integer>
        <key>Display Sleep Timer</key>
        <integer>2</integer>
        <key>Display Sleep Uses Dim</key>
        <string>Yes</string>
        <key>Hibernate Mode</key>
        <integer>3</integer>
        <key>ReduceBrightness</key>
        <string>Yes</string>
        <key>System Sleep Timer</key>
        <integer>1</integer>
        <key>Wake On AC Change</key>
        <string>No</string>
        <key>Wake On Clamshell Open</key>
```

```

        <string>Yes</string>
    </dict>
    <key>_name</key>
    <string>sppower_information</string>
</dict>
<dict>
    <key>_name</key>
    <string>sppower_hwconfig_information</string>
    <key>sppower_ups_installed</key>
    <string>FALSE</string>
</dict>
<dict>
    <key>_name</key>
    <string>sppower_ac_charger_information</string>
    <key>sppower_battery_charger_connected</key>
    <string>FALSE</string>
    <key>sppower_battery_is_charging</key>
    <string>FALSE</string>
</dict>
</array>
<key>_parentDataType</key>
<string>SPHardwareDataType</string>
<key>_properties</key>
<dict>
    <key>Automatic Restart On Power Loss</key>
    <dict>
        <key>_isColumn</key>
        <string>NO</string>
        <key>_order</key>
        <string>107</string>
    </dict>
    <key>Disk Sleep Timer</key>
    <dict>
        <key>_isColumn</key>
        <string>NO</string>
        <key>_order</key>
        <string>102</string>
    </dict>
    <key>Display Sleep Timer</key>
    <dict>
        <key>_isColumn</key>
        <string>NO</string>
        <key>_order</key>
        <string>103</string>
    </dict>
    <key>Dynamic Power Step</key>
    <dict>
        <key>_isColumn</key>
        <string>NO</string>
        <key>_order</key>
        <string>104</string>
    </dict>
    <key>PCB Lot Code</key>
    <dict>
        <key>_isColumn</key>
        <string>NO</string>
        <key>_order</key>
        <string>404</string>
    </dict>
    <key>Pack Lot Code</key>
    <dict>
        <key>_isColumn</key>
        <string>NO</string>
        <key>_order</key>

```



```
        <string>403</string>
    </dict>
    <key>Reduce Processor Speed</key>
    <dict>
        <key>_isColumn</key>
        <string>NO</string>
        <key>_order</key>
        <string>105</string>
    </dict>
    <key>Sleep On Power Button</key>
    <dict>
        <key>_isColumn</key>
        <string>NO</string>
        <key>_order</key>
        <string>106</string>
    </dict>
    <key>System Sleep Timer</key>
    <dict>
        <key>_isColumn</key>
        <string>NO</string>
        <key>_order</key>
        <string>101</string>
    </dict>
    <key>Wake On AC Change</key>
    <dict>
        <key>_isColumn</key>
        <string>NO</string>
        <key>_order</key>
        <string>108</string>
    </dict>
    <key>Wake On Clamshell Open</key>
    <dict>
        <key>_isColumn</key>
        <string>NO</string>
        <key>_order</key>
        <string>109</string>
    </dict>
    <key>Wake On LAN</key>
    <dict>
        <key>_isColumn</key>
        <string>NO</string>
        <key>_order</key>
        <string>110</string>
    </dict>
    <key>Wake On Modem Ring</key>
    <dict>
        <key>_isColumn</key>
        <string>NO</string>
        <key>_order</key>
        <string>111</string>
    </dict>
    <key>spbattery_information</key>
    <dict>
        <key>_isColumn</key>
        <string>NO</string>
        <key>_order</key>
        <string>200</string>
    </dict>
    <key>sppower_ac_charger_ID</key>
    <dict>
        <key>_isColumn</key>
        <string>NO</string>
        <key>_order</key>
        <string>310</string>
```

```
</dict>
<key>sppower_ac_charger_family</key>
<dict>
  <key>_isColumn</key>
  <string>NO</string>
  <key>_order</key>
  <string>313</string>
</dict>
<key>sppower_ac_charger_firmware_version</key>
<dict>
  <key>_isColumn</key>
  <string>NO</string>
  <key>_order</key>
  <string>318</string>
</dict>
<key>sppower_ac_charger_hardware_version</key>
<dict>
  <key>_isColumn</key>
  <string>NO</string>
  <key>_order</key>
  <string>317</string>
</dict>
<key>sppower_ac_charger_information</key>
<dict>
  <key>_isColumn</key>
  <string>NO</string>
  <key>_order</key>
  <string>300</string>
</dict>
<key>sppower_ac_charger_manufacturer</key>
<dict>
  <key>_isColumn</key>
  <string>NO</string>
  <key>_order</key>
  <string>316</string>
</dict>
<key>sppower_ac_charger_name</key>
<dict>
  <key>_isColumn</key>
  <string>NO</string>
  <key>_order</key>
  <string>315</string>
</dict>
<key>sppower_ac_charger_revision</key>
<dict>
  <key>_isColumn</key>
  <string>NO</string>
  <key>_order</key>
  <string>312</string>
</dict>
<key>sppower_ac_charger_serial_number</key>
<dict>
  <key>_isColumn</key>
  <string>NO</string>
  <key>_order</key>
  <string>314</string>
</dict>
<key>sppower_ac_charger_watts</key>
<dict>
  <key>_isColumn</key>
  <string>NO</string>
  <key>_order</key>
  <string>311</string>
</dict>
```

```
<key>sppower_battery_cannot_charge</key>
<dict>
  <key>_isColumn</key>
  <string>NO</string>
  <key>_order</key>
  <string>401</string>
</dict>
<key>sppower_battery_cell_revision</key>
<dict>
  <key>_isColumn</key>
  <string>NO</string>
  <key>_order</key>
  <string>407</string>
</dict>
<key>sppower_battery_charge_info</key>
<dict>
  <key>_isColumn</key>
  <string>NO</string>
  <key>_order</key>
  <string>2</string>
</dict>
<key>sppower_battery_charger_connected</key>
<dict>
  <key>_isColumn</key>
  <string>NO</string>
  <key>_order</key>
  <string>302</string>
</dict>
<key>sppower_battery_depleted</key>
<dict>
  <key>_isColumn</key>
  <string>NO</string>
  <key>_order</key>
  <string>203</string>
</dict>
<key>sppower_battery_device_name</key>
<dict>
  <key>_isColumn</key>
  <string>NO</string>
  <key>_order</key>
  <string>402</string>
</dict>
<key>sppower_battery_firmware_version</key>
<dict>
  <key>_isColumn</key>
  <string>NO</string>
  <key>_order</key>
  <string>405</string>
</dict>
<key>sppower_battery_hardware_revision</key>
<dict>
  <key>_isColumn</key>
  <string>NO</string>
  <key>_order</key>
  <string>406</string>
</dict>
<key>sppower_battery_health_info</key>
<dict>
  <key>_isColumn</key>
  <string>NO</string>
  <key>_order</key>
  <string>3</string>
</dict>
<key>sppower_battery_installed</key>
```

```
<dict>
  <key>_isColumn</key>
  <string>NO</string>
  <key>_order</key>
  <string>201</string>
</dict>
<key>sppower_battery_manufacturer</key>
<dict>
  <key>_isColumn</key>
  <string>NO</string>
  <key>_order</key>
  <string>401</string>
</dict>
<key>sppower_battery_model_info</key>
<dict>
  <key>_isColumn</key>
  <string>NO</string>
  <key>_order</key>
  <string>1</string>
</dict>
<key>sppower_battery_serial_number</key>
<dict>
  <key>_isColumn</key>
  <string>NO</string>
  <key>_order</key>
  <string>400</string>
</dict>
<key>sppower_clamshell_closed</key>
<dict>
  <key>_isColumn</key>
  <string>NO</string>
  <key>_order</key>
  <string>401</string>
</dict>
<key>sppower_current_amperage</key>
<dict>
  <key>_isColumn</key>
  <string>NO</string>
  <key>_order</key>
  <string>206</string>
</dict>
<key>sppower_current_voltage</key>
<dict>
  <key>_isColumn</key>
  <string>NO</string>
  <key>_order</key>
  <string>207</string>
</dict>
<key>sppower_events_info</key>
<dict>
  <key>_isColumn</key>
  <string>NO</string>
  <key>_order</key>
  <string>500</string>
</dict>
<key>sppower_hwconfig_information</key>
<dict>
  <key>_isColumn</key>
  <string>NO</string>
  <key>_order</key>
  <string>400</string>
</dict>
<key>sppower_information</key>
<dict>
```

```
        <key>_isColumn</key>
        <string>NO</string>
        <key>_order</key>
        <string>100</string>
    </dict>
    <key>sppower_repeating_events_info</key>
    <dict>
        <key>_isColumn</key>
        <string>NO</string>
        <key>_order</key>
        <string>520</string>
    </dict>
    <key>sppower_scheduled_events_info</key>
    <dict>
        <key>_isColumn</key>
        <string>NO</string>
        <key>_order</key>
        <string>510</string>
    </dict>
    <key>sppower_watts</key>
    <dict>
        <key>_isColumn</key>
        <string>NO</string>
        <key>_order</key>
        <string>301</string>
    </dict>
    <key>volumes</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
    </dict>
</dict>
<key>_timeStamp</key>
<date>2021-08-03T01:21:46Z</date>
<key>_versionInfo</key>
<dict>
    <key>com.apple.SystemProfiler.SPPowerReporter</key>
    <string>150</string>
</dict>
</dict>
<dict>
    <key>_SPCommandLineArguments</key>
    <array>
        <string>/usr/sbin/system_profiler</string>
        <string>-nospawn</string>
        <string>-xml</string>
        <string>SPPrefPaneDataType</string>
        <string>-detailLevel</string>
        <string>full</string>
    </array>
    <key>_SPCompletionInterval</key>
    <real>0.55199801921844482</real>
    <key>_SPResponseTime</key>
    <real>0.63679301738739014</real>
    <key>_dataType</key>
    <string>SPPrefPaneDataType</string>
    <key>_detailLevel</key>
    <integer>1</integer>
    <key>_items</key>
    <array>
        <dict>
            <key>_name</key>
            <string>Accessibility</string>
            <key>spprefpane_bundlePath</key>
```

<string>/System/Library/PreferencePanes/UniversalAccessPref.prefPane</string>

<key>spprefpane\_identifcier</key>  
<string>com.apple.preference.universalaccess</string>  
<key>spprefpane\_isVisible</key>  
<string>yes</string>  
<key>spprefpane\_kind</key>  
<string>spprefpane\_i64</string>  
<key>spprefpane\_support</key>  
<string>spprefpane\_support\_apple</string>  
<key>spprefpane\_version</key>  
<string>7.0</string>

</dict>

<dict>

<key>\_name</key>  
<string>AppleIDPrefPane</string>  
<key>spprefpane\_bundlePath</key>

<string>/System/Library/PreferencePanes/AppleIDPrefPane.prefPane</string>

<key>spprefpane\_identifcier</key>  
<string>com.apple.preferences.AppleIDPrefPane</string>  
<key>spprefpane\_isVisible</key>  
<string>yes</string>  
<key>spprefpane\_kind</key>  
<string>spprefpane\_i64</string>  
<key>spprefpane\_support</key>  
<string>spprefpane\_support\_apple</string>  
<key>spprefpane\_version</key>  
<string>1.0</string>

</dict>

<dict>

<key>\_name</key>  
<string>Battery</string>  
<key>spprefpane\_bundlePath</key>

<string>/System/Library/PreferencePanes/Battery.prefPane</string>

<key>spprefpane\_identifcier</key>  
<string>com.apple.preference.battery</string>  
<key>spprefpane\_isVisible</key>  
<string>no</string>  
<key>spprefpane\_kind</key>  
<string>spprefpane\_i64</string>  
<key>spprefpane\_support</key>  
<string>spprefpane\_support\_apple</string>  
<key>spprefpane\_version</key>  
<string>1.0</string>

</dict>

<dict>

<key>\_name</key>  
<string>Bluetooth</string>  
<key>spprefpane\_bundlePath</key>

<string>/System/Library/PreferencePanes/Bluetooth.prefPane</string>

<key>spprefpane\_identifcier</key>  
<string>com.apple.preferences.Bluetooth</string>  
<key>spprefpane\_isVisible</key>  
<string>yes</string>  
<key>spprefpane\_kind</key>  
<string>spprefpane\_i64</string>  
<key>spprefpane\_support</key>  
<string>spprefpane\_support\_apple</string>  
<key>spprefpane\_version</key>  
<string>8.0.5</string>

```

    </dict>
    <dict>
      <key>_name</key>
      <string>CDs & DVDs</string>
      <key>spprefpane_bundlePath</key>

<string>/System/Library/PreferencePanes/DigiHubDiscs.prefPane</string>
  <key>spprefpane_identififier</key>
  <string>com.apple.preference.digihub.discs</string>
  <key>spprefpane_isVisible</key>
  <string>no</string>
  <key>spprefpane_kind</key>
  <string>spprefpane_i64</string>
  <key>spprefpane_support</key>
  <string>spprefpane_support_apple</string>
  <key>spprefpane_version</key>
  <string>1.7</string>
</dict>
<dict>
  <key>_name</key>
  <string>ClassKitPreferencePane</string>
  <key>spprefpane_bundlePath</key>

<string>/System/Library/PreferencePanes/ClassKitPreferencePane.prefPane</
string>
  <key>spprefpane_identififier</key>

<string>com.apple.preferences.ClassKitPreferencePane</string>
  <key>spprefpane_isVisible</key>
  <string>no</string>
  <key>spprefpane_kind</key>
  <string>spprefpane_i64</string>
  <key>spprefpane_support</key>
  <string>spprefpane_support_apple</string>
  <key>spprefpane_version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Classroom</string>
  <key>spprefpane_bundlePath</key>

<string>/System/Library/PreferencePanes/ClassroomSettings.prefPane</
string>
  <key>spprefpane_identififier</key>
  <string>com.apple.ClassroomSettings</string>
  <key>spprefpane_isVisible</key>
  <string>no</string>
  <key>spprefpane_kind</key>
  <string>spprefpane_i64</string>
  <key>spprefpane_support</key>
  <string>spprefpane_support_apple</string>
  <key>spprefpane_version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>DateAndTime</string>
  <key>spprefpane_bundlePath</key>

<string>/System/Library/PreferencePanes/DateAndTime.prefPane</string>
  <key>spprefpane_identififier</key>
  <string>com.apple.preference.datetime</string>
  <key>spprefpane_isVisible</key>

```

```
    <string>yes</string>
    <key>spprefpane_kind</key>
    <string>spprefpane_i64</string>
    <key>spprefpane_support</key>
    <string>spprefpane_support_apple</string>
    <key>spprefpane_version</key>
    <string>7.0</string>
  </dict>
  <dict>
    <key>_name</key>
    <string>Desktop & Screen Saver</string>
    <key>spprefpane_bundlePath</key>
```

```
<string>/System/Library/PreferencePanes/DesktopScreenEffectsPref.prefPane</string>
```

```
    <key>spprefpane_identififier</key>
```

```
  <string>com.apple.preference.desktopscreeneffect</string>
  <key>spprefpane_isVisible</key>
  <string>yes</string>
  <key>spprefpane_kind</key>
  <string>spprefpane_i64</string>
  <key>spprefpane_support</key>
  <string>spprefpane_support_apple</string>
  <key>spprefpane_version</key>
  <string>5.1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Displays</string>
  <key>spprefpane_bundlePath</key>
```

```
<string>/System/Library/PreferencePanes/Displays.prefPane</string>
```

```
    <key>spprefpane_identififier</key>
    <string>com.apple.preference.displays</string>
    <key>spprefpane_isVisible</key>
    <string>yes</string>
    <key>spprefpane_kind</key>
    <string>spprefpane_i64</string>
    <key>spprefpane_support</key>
    <string>spprefpane_support_apple</string>
    <key>spprefpane_version</key>
    <string>4.1</string>
```

```
</dict>
<dict>
```

```
  <key>_name</key>
  <string>Dock</string>
  <key>spprefpane_bundlePath</key>
```

```
<string>/System/Library/PreferencePanes/Dock.prefPane</string>
```

```
    <key>spprefpane_identififier</key>
    <string>com.apple.preference.dock</string>
    <key>spprefpane_isVisible</key>
    <string>yes</string>
    <key>spprefpane_kind</key>
    <string>spprefpane_i64</string>
    <key>spprefpane_support</key>
    <string>spprefpane_support_apple</string>
    <key>spprefpane_version</key>
    <string>2.0</string>
```

```
</dict>
<dict>
```

```
  <key>_name</key>
```



```
        <string>Energy Saver</string>
        <key>spprefpane_bundlePath</key>
<string>/System/Library/PreferencePanes/EnergySaver.prefPane</string>
  <key>spprefpane_identifi er</key>
  <string>com.apple.preference.energysaver</string>
  <key>spprefpane_isVisible</key>
  <string>no</string>
  <key>spprefpane_kind</key>
  <string>spprefpane_i64</string>
  <key>spprefpane_support</key>
  <string>spprefpane_support_apple</string>
  <key>spprefpane_version</key>
  <string>9.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Extensions</string>
  <key>spprefpane_bundlePath</key>
<string>/System/Library/PreferencePanes/Extensions.prefPane</string>
  <key>spprefpane_identifi er</key>
  <string>com.apple.preferences.extensions</string>
  <key>spprefpane_isVisible</key>
  <string>yes</string>
  <key>spprefpane_kind</key>
  <string>spprefpane_i64</string>
  <key>spprefpane_support</key>
  <string>spprefpane_support_apple</string>
  <key>spprefpane_version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>FamilySharingPrefPane</string>
  <key>spprefpane_bundlePath</key>
<string>/System/Library/PreferencePanes/FamilySharingPrefPane.prefPane</
string>
  <key>spprefpane_identifi er</key>
<string>com.apple.preferences.FamilySharingPrefPane</string>
  <key>spprefpane_isVisible</key>
  <string>yes</string>
  <key>spprefpane_kind</key>
  <string>spprefpane_i64</string>
  <key>spprefpane_support</key>
  <string>spprefpane_support_apple</string>
  <key>spprefpane_version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Fibre Channel</string>
  <key>spprefpane_bundlePath</key>
<string>/System/Library/PreferencePanes/FibreChannel.prefPane</string>
  <key>spprefpane_identifi er</key>
  <string>com.apple.prefpanel.fibrechannel</string>
  <key>spprefpane_isVisible</key>
  <string>no</string>
  <key>spprefpane_kind</key>
  <string>spprefpane_i64</string>
  <key>spprefpane_support</key>
```

```

        <string>spprefpane_support_apple</string>
        <key>spprefpane_version</key>
        <string>2.6</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>General</string>
        <key>spprefpane_bundlePath</key>

<string>/System/Library/PreferencePanes/Appearance.prefPane</string>
    <key>spprefpane_idenfifier</key>
    <string>com.apple.preference.general</string>
    <key>spprefpane_isVisible</key>
    <string>yes</string>
    <key>spprefpane_kind</key>
    <string>spprefpane_i64</string>
    <key>spprefpane_support</key>
    <string>spprefpane_support_apple</string>
    <key>spprefpane_version</key>
    <string>7.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>Internet Accounts</string>
    <key>spprefpane_bundlePath</key>

<string>/System/Library/PreferencePanes/InternetAccounts.prefPane</string>
    <key>spprefpane_idenfifier</key>
    <string>com.apple.preferences.internetaccounts</string>
    <key>spprefpane_isVisible</key>
    <string>yes</string>
    <key>spprefpane_kind</key>
    <string>spprefpane_i64</string>
    <key>spprefpane_support</key>
    <string>spprefpane_support_apple</string>
    <key>spprefpane_version</key>
    <string>258</string>
</dict>
<dict>
    <key>_name</key>
    <string>Keyboard</string>
    <key>spprefpane_bundlePath</key>

<string>/System/Library/PreferencePanes/Keyboard.prefPane</string>
    <key>spprefpane_idenfifier</key>
    <string>com.apple.preference.keyboard</string>
    <key>spprefpane_isVisible</key>
    <string>yes</string>
    <key>spprefpane_kind</key>
    <string>spprefpane_i64</string>
    <key>spprefpane_support</key>
    <string>spprefpane_support_apple</string>
    <key>spprefpane_version</key>
    <string>14.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>Language & Region</string>
    <key>spprefpane_bundlePath</key>

<string>/System/Library/PreferencePanes/Localization.prefPane</string>
    <key>spprefpane_idenfifier</key>
    <string>com.apple.Localization</string>
    <key>spprefpane_isVisible</key>

```

```
        <string>yes</string>
        <key>spprefpane_kind</key>
        <string>spprefpane_i64</string>
        <key>spprefpane_support</key>
        <string>spprefpane_support_apple</string>
        <key>spprefpane_version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Mission Control</string>
        <key>spprefpane_bundlePath</key>
    </dict>
<string>/System/Library/PreferencePanes/Expose.prefPane</string>
    <key>spprefpane_identifier</key>
    <string>com.apple.preference.expose</string>
    <key>spprefpane_isVisible</key>
    <string>yes</string>
    <key>spprefpane_kind</key>
    <string>spprefpane_i64</string>
    <key>spprefpane_support</key>
    <string>spprefpane_support_apple</string>
    <key>spprefpane_version</key>
    <string>1.8</string>
</dict>
<dict>
    <key>_name</key>
    <string>Mouse</string>
    <key>spprefpane_bundlePath</key>
</dict>
<string>/System/Library/PreferencePanes/Mouse.prefPane</string>
    <key>spprefpane_identifier</key>
    <string>com.apple.preference.mouse</string>
    <key>spprefpane_isVisible</key>
    <string>yes</string>
    <key>spprefpane_kind</key>
    <string>spprefpane_i64</string>
    <key>spprefpane_support</key>
    <string>spprefpane_support_apple</string>
    <key>spprefpane_version</key>
    <string>14.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>Network</string>
    <key>spprefpane_bundlePath</key>
</dict>
<string>/System/Library/PreferencePanes/Network.prefPane</string>
    <key>spprefpane_identifier</key>
    <string>com.apple.preference.network</string>
    <key>spprefpane_isVisible</key>
    <string>yes</string>
    <key>spprefpane_kind</key>
    <string>spprefpane_i64</string>
    <key>spprefpane_support</key>
    <string>spprefpane_support_apple</string>
    <key>spprefpane_version</key>
    <string>4.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>Notifications</string>
    <key>spprefpane_bundlePath</key>
```

```
<string>/System/Library/PreferencePanes/Notifications.prefPane</string>
  <key>spprefpane_identififier</key>
  <string>com.apple.preference.notifications</string>
  <key>spprefpane_isVisible</key>
  <string>yes</string>
  <key>spprefpane_kind</key>
  <string>spprefpane_i64</string>
  <key>spprefpane_support</key>
  <string>spprefpane_support_apple</string>
  <key>spprefpane_version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Printers & Scanners</string>
  <key>spprefpane_bundlePath</key>

<string>/System/Library/PreferencePanes/PrintAndScan.prefPane</string>
  <key>spprefpane_identififier</key>
  <string>com.apple.preference.printfax</string>
  <key>spprefpane_isVisible</key>
  <string>yes</string>
  <key>spprefpane_kind</key>
  <string>spprefpane_i64</string>
  <key>spprefpane_support</key>
  <string>spprefpane_support_apple</string>
  <key>spprefpane_version</key>
  <string>9.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Profiles</string>
  <key>spprefpane_bundlePath</key>

<string>/System/Library/PreferencePanes/Profiles.prefPane</string>
  <key>spprefpane_identififier</key>

<string>com.apple.preferences.configurationprofiles</string>
  <key>spprefpane_isVisible</key>
  <string>no</string>
  <key>spprefpane_kind</key>
  <string>spprefpane_i64</string>
  <key>spprefpane_support</key>
  <string>spprefpane_support_apple</string>
  <key>spprefpane_version</key>
  <string>8.5</string>
</dict>
<dict>
  <key>_name</key>
  <string>Screen Time</string>
  <key>spprefpane_bundlePath</key>

<string>/System/Library/PreferencePanes/ScreenTime.prefPane</string>
  <key>spprefpane_identififier</key>
  <string>com.apple.preference.screentime</string>
  <key>spprefpane_isVisible</key>
  <string>yes</string>
  <key>spprefpane_kind</key>
  <string>spprefpane_i64</string>
  <key>spprefpane_support</key>
  <string>spprefpane_support_apple</string>
  <key>spprefpane_version</key>
  <string>1.0</string>
</dict>
```

```
<dict>
  <key>_name</key>
  <string>Security</string>
  <key>spprefpane_bundlePath</key>

<string>/System/Library/PreferencePanes/Security.prefPane</string>
  <key>spprefpane_identifier</key>
  <string>com.apple.preference.security</string>
  <key>spprefpane_isVisible</key>
  <string>yes</string>
  <key>spprefpane_kind</key>
  <string>spprefpane_i64</string>
  <key>spprefpane_support</key>
  <string>spprefpane_support_apple</string>
  <key>spprefpane_version</key>
  <string>14.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sharing</string>
  <key>spprefpane_bundlePath</key>

<string>/System/Library/PreferencePanes/SharingPref.prefPane</string>
  <key>spprefpane_identifier</key>
  <string>com.apple.preferences.sharing</string>
  <key>spprefpane_isVisible</key>
  <string>yes</string>
  <key>spprefpane_kind</key>
  <string>spprefpane_i64</string>
  <key>spprefpane_support</key>
  <string>spprefpane_support_apple</string>
  <key>spprefpane_version</key>
  <string>13.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sidecar</string>
  <key>spprefpane_bundlePath</key>

<string>/System/Library/PreferencePanes/Sidecar.prefPane</string>
  <key>spprefpane_identifier</key>
  <string>com.apple.preference.sidecar</string>
  <key>spprefpane_isVisible</key>
  <string>yes</string>
  <key>spprefpane_kind</key>
  <string>spprefpane_i64</string>
  <key>spprefpane_support</key>
  <string>spprefpane_support_apple</string>
  <key>spprefpane_version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Speech</string>
  <key>spprefpane_bundlePath</key>

<string>/System/Library/PreferencePanes/Speech.prefPane</string>
  <key>spprefpane_identifier</key>
  <string>com.apple.preference.speech</string>
  <key>spprefpane_isVisible</key>
  <string>yes</string>
  <key>spprefpane_kind</key>
  <string>spprefpane_i64</string>
  <key>spprefpane_support</key>
```

```

        <string>spprefpane_support_apple</string>
        <key>spprefpane_version</key>
        <string>3006.2.1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>SoftwareUpdate</string>
        <key>spprefpane_bundlePath</key>

<string>/System/Library/PreferencePanels/SoftwareUpdate.prefPane</string>
    <key>spprefpane_identififier</key>
    <string>com.apple.preferences.softwareupdate</string>
    <key>spprefpane_isVisible</key>
    <string>yes</string>
    <key>spprefpane_kind</key>
    <string>spprefpane_i64</string>
    <key>spprefpane_support</key>
    <string>spprefpane_support_apple</string>
    <key>spprefpane_version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>Sound</string>
    <key>spprefpane_bundlePath</key>

<string>/System/Library/PreferencePanels/Sound.prefPane</string>
    <key>spprefpane_identififier</key>
    <string>com.apple.preference.sound</string>
    <key>spprefpane_isVisible</key>
    <string>yes</string>
    <key>spprefpane_kind</key>
    <string>spprefpane_i64</string>
    <key>spprefpane_support</key>
    <string>spprefpane_support_apple</string>
    <key>spprefpane_version</key>
    <string>10.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>Spotlight</string>
    <key>spprefpane_bundlePath</key>

<string>/System/Library/PreferencePanels/Spotlight.prefPane</string>
    <key>spprefpane_identififier</key>
    <string>com.apple.preference.spotlight</string>
    <key>spprefpane_isVisible</key>
    <string>yes</string>
    <key>spprefpane_kind</key>
    <string>spprefpane_i64</string>
    <key>spprefpane_support</key>
    <string>spprefpane_support_apple</string>
    <key>spprefpane_version</key>
    <string>6.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>Startup Disk</string>
    <key>spprefpane_bundlePath</key>

<string>/System/Library/PreferencePanels/StartupDisk.prefPane</string>
    <key>spprefpane_identififier</key>
    <string>com.apple.preference.startupdisk</string>
    <key>spprefpane_isVisible</key>

```

```
        <string>yes</string>
        <key>spprefpane_kind</key>
        <string>spprefpane_i64</string>
        <key>spprefpane_support</key>
        <string>spprefpane_support_apple</string>
        <key>spprefpane_version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>TimeMachine</string>
        <key>spprefpane_bundlePath</key>
    </dict>
<string>/System/Library/PreferencePanels/TimeMachine.prefPane</string>
    <key>spprefpane_identifier</key>
    <string>com.apple.prefs.backup</string>
    <key>spprefpane_isVisible</key>
    <string>yes</string>
    <key>spprefpane_kind</key>
    <string>spprefpane_i64</string>
    <key>spprefpane_support</key>
    <string>spprefpane_support_apple</string>
    <key>spprefpane_version</key>
    <string>10.9</string>
</dict>
<dict>
    <key>_name</key>
    <string>TouchID</string>
    <key>spprefpane_bundlePath</key>
</dict>
<string>/System/Library/PreferencePanels/TouchID.prefPane</string>
    <key>spprefpane_identifier</key>
    <string>com.apple.preferences.password</string>
    <key>spprefpane_isVisible</key>
    <string>no</string>
    <key>spprefpane_kind</key>
    <string>spprefpane_i64</string>
    <key>spprefpane_support</key>
    <string>spprefpane_support_apple</string>
    <key>spprefpane_version</key>
    <string>1.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>Trackpad</string>
    <key>spprefpane_bundlePath</key>
</dict>
<string>/System/Library/PreferencePanels/Trackpad.prefPane</string>
    <key>spprefpane_identifier</key>
    <string>com.apple.preference.trackpad</string>
    <key>spprefpane_isVisible</key>
    <string>yes</string>
    <key>spprefpane_kind</key>
    <string>spprefpane_i64</string>
    <key>spprefpane_support</key>
    <string>spprefpane_support_apple</string>
    <key>spprefpane_version</key>
    <string>14.0</string>
</dict>
<dict>
    <key>_name</key>
    <string>Users & Groups</string>
    <key>spprefpane_bundlePath</key>
</dict>
```

```

<string>/System/Library/PreferencePanes/Accounts.prefPane</string>
  <key>spprefpane_identififier</key>
  <string>com.apple.preferences.users</string>
  <key>spprefpane_isVisible</key>
  <string>yes</string>
  <key>spprefpane_kind</key>
  <string>spprefpane_i64</string>
  <key>spprefpane_support</key>
  <string>spprefpane_support_apple</string>
  <key>spprefpane_version</key>
  <string>14.0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Wallet & Apple Pay</string>
  <key>spprefpane_bundlePath</key>
</dict>
<string>/System/Library/PreferencePanes/Wallet.prefPane</string>
  <key>spprefpane_identififier</key>
  <string>com.apple.preferences.wallet</string>
  <key>spprefpane_isVisible</key>
  <string>no</string>
  <key>spprefpane_kind</key>
  <string>spprefpane_i64</string>
  <key>spprefpane_support</key>
  <string>spprefpane_support_apple</string>
  <key>spprefpane_version</key>
  <string>1.0</string>
</dict>
</array>
<key>_parentDataType</key>
<string>SPSoftwareDataType</string>
<key>_properties</key>
<dict>
  <key>_name</key>
  <dict>
    <key>_isColumn</key>
    <string>YES</string>
    <key>_order</key>
    <string>0</string>
  </dict>
  <key>spprefpane_bundlePath</key>
  <dict>
    <key>_order</key>
    <string>6</string>
  </dict>
  <key>spprefpane_identififier</key>
  <dict>
    <key>_order</key>
    <string>5</string>
  </dict>
  <key>spprefpane_info</key>
  <dict>
    <key>_order</key>
    <string>7</string>
  </dict>
  <key>spprefpane_isEnabled</key>
  <dict>
    <key>_order</key>
    <string>3</string>
  </dict>
  <key>spprefpane_isVisible</key>
  <dict>
    <key>_isColumn</key>

```



```
        <string>YES</string>
        <key>_order</key>
        <string>4</string>
    </dict>
    <key>spprefpane_kind</key>
    <dict>
        <key>_isColumn</key>
        <string>YES</string>
        <key>_order</key>
        <integer>8</integer>
    </dict>
    <key>spprefpane_support</key>
    <dict>
        <key>_isColumn</key>
        <string>YES</string>
        <key>_order</key>
        <string>2</string>
    </dict>
    <key>spprefpane_version</key>
    <dict>
        <key>_isColumn</key>
        <string>YES</string>
        <key>_order</key>
        <string>1</string>
        <key>_suppressLocalization</key>
        <true/>
    </dict>
    <key>volumes</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
    </dict>
</dict>
<key>_splitPercentage</key>
<real>0.20000000298023224</real>
<key>_timeStamp</key>
<date>2021-08-03T01:21:46Z</date>
<key>_versionInfo</key>
<dict>
    <key>com.apple.SystemProfiler.SPPrefPaneReporter</key>
    <string>915</string>
</dict>
</dict>
<dict>
    <key>_SPCommandLineArguments</key>
    <array>
        <string>/usr/sbin/system_profiler</string>
        <string>-nospawn</string>
        <string>-xml</string>
        <string>SPPrintersSoftwareDataType</string>
        <string>-detailLevel</string>
        <string>full</string>
    </array>
    <key>_SPCompletionInterval</key>
    <real>4.3064439296722412</real>
    <key>_SPResponseTime</key>
    <real>4.3256040811538696</real>
    <key>_dataType</key>
    <string>SPPrintersSoftwareDataType</string>
    <key>_detailLevel</key>
    <string>-2</string>
    <key>_items</key>
    <array>
        <dict>
```

```

        <key>_name</key>
        <string>ppds</string>
        <key>ppds</key>
        <array/>
    </dict>
    <dict>
        <key>_name</key>
        <string>printers</string>
        <key>printers</key>
        <array/>
    </dict>
    <dict>
        <key>_name</key>
        <string>image capture devices</string>
        <key>image capture devices</key>
        <array/>
    </dict>
    <dict>
        <key>_name</key>
        <string>image capture support</string>
        <key>image capture support</key>
        <array>
            <dict>
                <key>info path</key>
                <string>/Library/Image
Capture/Support/LegacyDeviceDiscoveryHelpers/AirScanLegacyDiscovery.app/
Contents/Info.plist</string>
                <key>info version</key>
                <string>16.1</string>
            </dict>
        </array>
    </dict>
    <dict>
        <key>_name</key>
        <string>extensions</string>
        <key>extensions</key>
        <array>
            <dict>
                <key>info path</key>
                <string>/System/Library/Extensions/AppleStorageDrivers.kext/Contents/
PlugIns/AppleXserveRAID.kext</string>
                <key>info version</key>
                <string>511.141.1</string>
            </dict>
            <dict>
                <key>info path</key>
                <string>/System/Library/Extensions/AppleStorageDrivers.kext/Contents/
PlugIns/FireWireStorageDeviceSpecifics.kext</string>
                <key>info version</key>
                <string>511.141.1</string>
            </dict>
            <dict>
                <key>info path</key>
                <string>/System/Library/Extensions/AppleStorageDrivers.kext/Contents/
PlugIns/USBStorageDeviceSpecifics.kext</string>
                <key>info version</key>
                <string>511.141.1</string>
            </dict>
            <dict>
                <key>info path</key>

```

```
<string>/System/Library/Extensions/AppleStorageDrivers.kext/Contents/
PlugIns/AppleATAPIStorage.kext</string>
  <key>info version</key>
  <string>511.141.1</string>
</dict>
<dict>
  <key>info path</key>

<string>/System/Library/Extensions/AppleStorageDrivers.kext/Contents/
PlugIns/SCSIDeviceSpecifics.kext</string>
  <key>info version</key>
  <string>511.141.1</string>
</dict>
<dict>
  <key>info path</key>

<string>/System/Library/Extensions/AppleStorageDrivers.kext/Contents/
PlugIns/SonyXDCAMDriver.kext</string>
  <key>info version</key>
  <string>511.141.1</string>
</dict>
<dict>
  <key>info path</key>

<string>/System/Library/Extensions/AFKACIPCKext.kext</string>
  <key>info version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>info path</key>

<string>/System/Library/Extensions/AppleHIDKeyboardEmbedded.kext</string>
  <key>info version</key>
  <string>1.2.0</string>
</dict>
<dict>
  <key>info path</key>

<string>/System/Library/Extensions/IOStreamFamily.kext/Contents/PlugIns/
IOStreamUserClient.kext</string>
  <key>info version</key>
  <string>1.1.0</string>
</dict>
<dict>
  <key>info path</key>

<string>/System/Library/Extensions/AppleBSDKextStarter.kext/Contents/
PlugIns/AppleBSDKextStarterVPN.kext</string>
  <key>info version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>info path</key>

<string>/System/Library/Extensions/AppleBSDKextStarter.kext/Contents/
PlugIns/AppleBSDKextStarterTMPFS.kext</string>
  <key>info version</key>
  <string>1.0</string>
</dict>
<dict>
  <key>info path</key>

<string>/System/Library/Extensions/AppleTopCase.kext</string>
  <key>info version</key>
```

```
        <string>4050.1</string>
    </dict>
    <dict>
        <key>info path</key>
        <string>/System/Library/Extensions/AppleTopCase.kext/Contents/PlugIns/
AppleTopCaseDriverV2.kext</string>
        <key>info version</key>
        <string>4050.1</string>
    </dict>
    <dict>
        <key>info path</key>
        <string>/System/Library/Extensions/AppleTopCase.kext/Contents/PlugIns/
AppleTopCaseActuatorHIDDriver.kext</string>
        <key>info version</key>
        <string>4050.1</string>
    </dict>
    <dict>
        <key>info path</key>
        <string>/System/Library/Extensions/IOVideoFamily.kext/Contents/PlugIns/
IOVideoDeviceUserClient.kext</string>
        <key>info version</key>
        <string>1.2.0</string>
    </dict>
    <dict>
        <key>info path</key>
        <string>/System/Library/Extensions/AppleGameControllerPersonality.kext</
string>
        <key>info version</key>
        <string>1.0</string>
    </dict>
    <dict>
        <key>info path</key>
        <string>/System/Library/Extensions/AppleUSBTopCase.kext</string>
        <key>info version</key>
        <string>256</string>
    </dict>
    <dict>
        <key>info path</key>
        <string>/System/Library/Extensions/IOHIDFamily.kext/Contents/PlugIns/
IOHIDEventDriver.kext</string>
        <key>info version</key>
        <string>2.0.0</string>
    </dict>
    <dict>
        <key>info path</key>
        <string>/System/Library/Extensions/IOHIDFamily.kext/Contents/PlugIns/
IOHIDUserClient.kext</string>
        <key>info version</key>
        <string>2.0.0</string>
    </dict>
    <dict>
        <key>info path</key>
        <string>/System/Library/Extensions/IOHIDFamily.kext/Contents/PlugIns/
IOHIDEventDriverSafeBoot.kext</string>
        <key>info version</key>
        <string>2.0.0</string>
```

```

        </dict>
        <dict>
            <key>info path</key>
            <string>/System/Library/Extensions/IOUSBFamily.kext/Contents/PlugIns/
IOUSBHIDDriverSafeBoot.kext</string>
            <key>info version</key>
            <string>900.4.2</string>
        </dict>
        <dict>
            <key>info path</key>
            <string>/System/Library/Extensions/CellPhoneHelper.kext</string>
            <key>info version</key>
            <string>1.4.0</string>
        </dict>
        <dict>
            <key>info path</key>
            <string>/System/Library/Extensions/IOUSBHostFamily.kext/Contents/PlugIns/
IOUSBHostHIDDeviceSafeBoot.kext</string>
            <key>info version</key>
            <string>1.2</string>
        </dict>
    </array>
</dict>
<dict>
    <key>_name</key>
    <string>libExtensions</string>
    <key>libExtensions</key>
    <array/>
</dict>
</array>
<key>_parentDataType</key>
<string>SPSoftwareDataType</string>
<key>_properties</key>
<dict>
    <key>_name</key>
    <dict>
        <key>-order</key>
        <string>10</string>
        <key>_isColumn</key>
        <string>YES</string>
    </dict>
    <key>info path</key>
    <dict>
        <key>_order</key>
        <string>12</string>
    </dict>
    <key>info version</key>
    <dict>
        <key>_order</key>
        <string>15</string>
        <key>_suppressLocalization</key>
        <string>YES</string>
    </dict>
    <key>volumes</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
    </dict>
</dict>
<key>_timeStamp</key>
<date>2021-08-03T01:21:46Z</date>

```

```
<key>_versionInfo</key>
<dict>
  <key>com.apple.SystemProfiler.SPPrintersSoftwareReporter</key>
  <string>628.3</string>
</dict>
</dict>
<dict>
  <key>_SPCommandLineArguments</key>
  <array>
    <string>/usr/sbin/system_profiler</string>
    <string>-nospawn</string>
    <string>-xml</string>
    <string>SPPrintersDataType</string>
    <string>-detailLevel</string>
    <string>full</string>
  </array>
  <key>_SPCompletionInterval</key>
  <real>0.30983996391296387</real>
  <key>_SPResponseTime</key>
  <real>0.32941591739654541</real>
  <key>_dataType</key>
  <string>SPPrintersDataType</string>
  <key>_detailLevel</key>
  <string>-2</string>
  <key>_items</key>
  <array>
    <dict>
      <key>cupsversion</key>
      <string>2.3.4 (cups-494.1)</string>
      <key>status</key>
      <string>no_info_found</string>
    </dict>
  </array>
  <key>_parentDataType</key>
  <string>SPHardwareDataType</string>
  <key>_properties</key>
  <dict>
    <key>Bundle</key>
    <dict>
      <key>_order</key>
      <string>233</string>
    </dict>
    <key>PDEs</key>
    <dict>
      <key>_order</key>
      <string>240</string>
    </dict>
    <key>Path</key>
    <dict>
      <key>_order</key>
      <string>232</string>
    </dict>
    <key>Permissions</key>
    <dict>
      <key>_order</key>
      <string>235</string>
    </dict>
    <key>Sandbox</key>
    <dict>
      <key>_order</key>
      <string>242</string>
    </dict>
    <key>Version</key>
  </dict>
</dict>
```

```
        <key>_order</key>
        <string>234</string>
        <key>_suppressLocalization</key>
        <string>YES</string>
    </dict>
    <key>_name</key>
    <dict>
        <key>_isColumn</key>
        <string>YES</string>
        <key>_order</key>
        <string>10</string>
    </dict>
    <key>airprintversion</key>
    <dict>
        <key>_order</key>
        <string>250</string>
    </dict>
    <key>cupsfilters</key>
    <dict>
        <key>_order</key>
        <string>230</string>
    </dict>
    <key>cupsversion</key>
    <dict>
        <key>_order</key>
        <string>110</string>
        <key>_suppressLocalization</key>
        <string>YES</string>
    </dict>
    <key>default</key>
    <dict>
        <key>_order</key>
        <string>50</string>
    </dict>
    <key>driverversion</key>
    <dict>
        <key>_order</key>
        <string>40</string>
        <key>_suppressLocalization</key>
        <string>YES</string>
    </dict>
    <key>escLversion</key>
    <dict>
        <key>_order</key>
        <string>270</string>
    </dict>
    <key>fax</key>
    <dict>
        <key>_order</key>
        <string>120</string>
    </dict>
    <key>lowinktool</key>
    <dict>
        <key>_order</key>
        <string>190</string>
    </dict>
    <key>lowinktoolversion</key>
    <dict>
        <key>_order</key>
        <string>200</string>
        <key>_suppressLocalization</key>
        <string>YES</string>
    </dict>
    <key>ppd</key>
```

```
<dict>
  <key>_order</key>
  <string>80</string>
</dict>
<key>ppdfversion</key>
<dict>
  <key>_order</key>
  <string>90</string>
  <key>_suppressLocalization</key>
  <string>YES</string>
</dict>
<key>printercommands</key>
<dict>
  <key>_order</key>
  <string>180</string>
</dict>
<key>printerfirmwareversion</key>
<dict>
  <key>_order</key>
  <string>280</string>
</dict>
<key>printersharing</key>
<dict>
  <key>_order</key>
  <string>55</string>
</dict>
<key>printerutility</key>
<dict>
  <key>_order</key>
  <string>210</string>
</dict>
<key>printerutilityversion</key>
<dict>
  <key>_order</key>
  <string>220</string>
  <key>_suppressLocalization</key>
  <string>YES</string>
</dict>
<key>printserver</key>
<dict>
  <key>_order</key>
  <string>30</string>
</dict>
<key>psversion</key>
<dict>
  <key>_order</key>
  <string>100</string>
  <key>_suppressLocalization</key>
  <string>YES</string>
</dict>
<key>scanner</key>
<dict>
  <key>_order</key>
  <string>130</string>
</dict>
<key>scannerUUID</key>
<dict>
  <key>_order</key>
  <string>170</string>
</dict>
<key>scannerappbundlepath</key>
<dict>
  <key>_order</key>
  <string>150</string>
</dict>
```



```
    </dict>
    <key>scannerapppath</key>
    <dict>
      <key>_order</key>
      <string>140</string>
    </dict>
    <key>scannerappversion</key>
    <dict>
      <key>_order</key>
      <string>160</string>
      <key>_suppressLocalization</key>
      <string>YES</string>
    </dict>
    <key>shared</key>
    <dict>
      <key>_order</key>
      <string>60</string>
    </dict>
    <key>status</key>
    <dict>
      <key>_order</key>
      <string>20</string>
    </dict>
    <key>urfversion</key>
    <dict>
      <key>_order</key>
      <string>260</string>
    </dict>
    <key>uri</key>
    <dict>
      <key>_order</key>
      <string>70</string>
    </dict>
    <key>volumes</key>
    <dict>
      <key>_detailLevel</key>
      <string>0</string>
    </dict>
  </dict>
  <key>_timeStamp</key>
  <date>2021-08-03T01:21:46Z</date>
  <key>_versionInfo</key>
  <dict>
    <key>com.apple.SystemProfiler.SPPrintersReporter</key>
    <string>628.3</string>
  </dict>
</dict>
<dict>
  <key>_SPCommandLineArguments</key>
  <array>
    <string>/usr/sbin/system_profiler</string>
    <string>-nospawn</string>
    <string>-xml</string>
    <string>SPConfigurationProfileDataType</string>
    <string>-detailLevel</string>
    <string>full</string>
  </array>
  <key>_SPCompletionInterval</key>
  <real>0.45889806747436523</real>
  <key>_SPResponseTime</key>
  <real>0.55143702030181885</real>
  <key>_dataType</key>
  <string>SPConfigurationProfileDataType</string>
  <key>_detailLevel</key>
```

```
<integer>1</integer>
<key>_items</key>
<array/>
<key>_parentDataType</key>
<string>SPSoftwareDataType</string>
<key>_properties</key>
<dict>
  <key>_name</key>
  <dict>
    <key>_isColumn</key>
    <string>YES</string>
    <key>_isOutlineColumn</key>
    <string>YES</string>
    <key>_order</key>
    <string>0</string>
  </dict>
  <key>provprofile_cert_expired</key>
  <dict>
    <key>_order</key>
    <string>1621</string>
  </dict>
  <key>provprofile_cert_expires</key>
  <dict>
    <key>_order</key>
    <string>1620</string>
  </dict>
  <key>provprofile_cert_issuer</key>
  <dict>
    <key>_order</key>
    <string>1630</string>
  </dict>
  <key>provprofile_cert_name</key>
  <dict>
    <key>_order</key>
    <string>1610</string>
  </dict>
  <key>provprofile_cert_serial</key>
  <dict>
    <key>_order</key>
    <string>1640</string>
  </dict>
  <key>provprofile_created</key>
  <dict>
    <key>_order</key>
    <string>1100</string>
  </dict>
  <key>provprofile_devCertificates</key>
  <dict>
    <key>_order</key>
    <string>1600</string>
  </dict>
  <key>provprofile_devices</key>
  <dict>
    <key>_order</key>
    <string>1400</string>
    <key>_suppressLocalization</key>
    <string>YES</string>
  </dict>
  <key>provprofile_entitlements</key>
  <dict>
    <key>_order</key>
    <string>1500</string>
  </dict>
  <key>provprofile_expired</key>
```

```
<dict>
  <key>_order</key>
  <string>1111</string>
</dict>
<key>provprofile_expires</key>
<dict>
  <key>_order</key>
  <string>1110</string>
</dict>
<key>provprofile_teamIdentifier</key>
<dict>
  <key>_order</key>
  <string>1300</string>
</dict>
<key>spconfigprofile_configuration_items</key>
<dict>
  <key>_order</key>
  <string>70</string>
</dict>
<key>spconfigprofile_contains_computer_items</key>
<dict>
  <key>_order</key>
  <string>55</string>
</dict>
<key>spconfigprofile_description</key>
<dict>
  <key>_isColumn</key>
  <string>YES</string>
  <key>_order</key>
  <string>5</string>
</dict>
<key>spconfigprofile_expire_date</key>
<dict>
  <key>_order</key>
  <string>20</string>
</dict>
<key>spconfigprofile_install_date</key>
<dict>
  <key>_order</key>
  <string>15</string>
</dict>
<key>spconfigprofile_internal_data</key>
<dict>
  <key>_order</key>
  <string>65</string>
</dict>
<key>spconfigprofile_organization</key>
<dict>
  <key>_isColumn</key>
  <string>YES</string>
  <key>_order</key>
  <string>10</string>
</dict>
<key>spconfigprofile_other_info</key>
<dict>
  <key>_order</key>
  <string>130</string>
</dict>
<key>spconfigprofile_payload_data</key>
<dict>
  <key>_order</key>
  <string>120</string>
</dict>
<key>spconfigprofile_payload_display_name</key>
```

```
<dict>
  <key>_order</key>
  <string>100</string>
</dict>
<key>spconfigprofile_payload_identifler</key>
<dict>
  <key>_order</key>
  <string>105</string>
</dict>
<key>spconfigprofile_payload_uuid</key>
<dict>
  <key>_order</key>
  <string>110</string>
</dict>
<key>spconfigprofile_payload_version</key>
<dict>
  <key>_order</key>
  <string>115</string>
</dict>
<key>spconfigprofile_profile_identifler</key>
<dict>
  <key>_order</key>
  <string>25</string>
</dict>
<key>spconfigprofile_profile_type</key>
<dict>
  <key>_order</key>
  <string>35</string>
</dict>
<key>spconfigprofile_profile_uuid</key>
<dict>
  <key>_order</key>
  <string>30</string>
</dict>
<key>spconfigprofile_requires_administrator_authorization_to_install</key>
<dict>
  <key>_order</key>
  <string>60</string>
</dict>
<key>spconfigprofile_uninstall_policy</key>
<dict>
  <key>_order</key>
  <string>50</string>
</dict>
<key>spconfigprofile_verification_state</key>
<dict>
  <key>_order</key>
  <string>45</string>
</dict>
<key>spconfigprofile_version</key>
<dict>
  <key>_order</key>
  <string>40</string>
</dict>
<key>volumes</key>
<dict>
  <key>_detailLevel</key>
  <string>0</string>
</dict>
</dict>
<key>_timeStamp</key>
<date>2021-08-03T01:21:47Z</date>
<key>_versionInfo</key>
```

```
<dict>
  <key>com.apple.SPConfigurationProfileReporter</key>
  <string>1455</string>
</dict>
</dict>
<dict>
  <key>_SPCommandLineArguments</key>
  <array>
    <string>/usr/sbin/system_profiler</string>
    <string>-nospawn</string>
    <string>-xml</string>
    <string>SPRawCameraDataType</string>
    <string>-detailLevel</string>
    <string>full</string>
  </array>
  <key>_SPCompletionInterval</key>
  <real>0.90015697479248047</real>
  <key>_SPResponseTime</key>
  <real>0.99586296081542969</real>
  <key>_dataType</key>
  <string>SPRawCameraDataType</string>
  <key>_detailLevel</key>
  <integer>1</integer>
  <key>_items</key>
  <array>
    <dict>
      <key>_name</key>
      <string>Canon EOS 800D</string>
    </dict>
    <dict>
      <key>_name</key>
      <string>PENTAX RICOH GR II</string>
    </dict>
    <dict>
      <key>_name</key>
      <string>Panasonic LUMIX DMC-LX5</string>
    </dict>
    <dict>
      <key>_name</key>
      <string>Canon PowerShot G3</string>
    </dict>
    <dict>
      <key>_name</key>
      <string>Canon EOS Rebel T4i</string>
    </dict>
    <dict>
      <key>_name</key>
      <string>iPhone 9,4 backtelephotocamera</string>
    </dict>
    <dict>
      <key>_name</key>
      <string>Leica D-Lux 4</string>
    </dict>
    <dict>
      <key>_name</key>
      <string>Panasonic LUMIX DMC-G7</string>
    </dict>
    <dict>
      <key>_name</key>
      <string>Nikon D2Xs</string>
    </dict>
    <dict>
      <key>_name</key>
      <string>Fujifilm X-E3</string>
    </dict>
  </array>
</dict>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Rebel SL3</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha ILCE-9M2</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPhone9,2 tele</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon COOLPIX P340</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 1200D</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPad 8,3 backcamera</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon PowerShot G9 X Mark II</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon 1 J4</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha DSLR-A580</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha SLT-A35</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-FZ300</string>
</dict>
<dict>
  <key>_name</key>
  <string>Pentax K110D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Hasselblad H5D-50c</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Kiss 8000D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-GH1</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPad 8,7 backcamera</string>
</dict>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-TZ82</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D7100</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha ILCE-7R II</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Cyber-shot DSC-RX100</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D600</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPhone11,4 back telephoto</string>
</dict>
<dict>
  <key>_name</key>
  <string>PENTAX RICOH GR III</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha NEX-5T</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-FZ1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leaf Aptus-II 7</string>
</dict>
<dict>
  <key>_name</key>
  <string>Fujifilm X20</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-LX10</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus E-3</string>
</dict>
<dict>
  <key>_name</key>
  <string>Fujifilm FinePix S2Pro</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D90</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony DSC-RX0M2</string>
</dict>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-FZ38</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus C70Z</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon E8800</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon PowerShot G1 X Mark II</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Cyber-shot DSC-RX100 III</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 5D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony DSC-HX99</string>
</dict>
<dict>
  <key>_name</key>
  <string>Fujifilm X-T20</string>
</dict>
<dict>
  <key>_name</key>
  <string>Fujifilm X-T1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Phase One IQ3 100</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Kiss X4</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Cyber-shot DSC-RX100 V</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 70D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus OM-D E-M1</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPhone11,2 back telephoto</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D1H</string>
</dict>
```



```
</dict>
<dict>
  <key>_name</key>
  <string>Canon PowerShot G1 X Mark III</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Digital Rebel XSi</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-GX7MK3</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D3</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Rebel T3i</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leica D-Lux 6</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS M100</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha NEX-C3</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha NEX-F3</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon 1 J3</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-TZ202</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Cyber-shot DSC-RX10 III</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 5D Mark II</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leica Q (Typ 116)</string>
</dict>
<dict>
  <key>_name</key>
  <string>Fujifilm FinePix X100</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus SP-570UZ</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS M200</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-TZ71</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus PEN E-PL1s</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-GX1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-GM1S</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leica X (Typ 113)</string>
</dict>
<dict>
  <key>_name</key>
  <string>Konica Minolta ALPHA-7 DIGITAL</string>
</dict>
<dict>
  <key>_name</key>
  <string>Hasselblad H3D-31</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus OM-D E-M10</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-G10</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Digital Rebel XS</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha DSLR-A100</string>
</dict>
<dict>
  <key>_name</key>
  <string>Pentax Q</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-GX850</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon Df</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-GF5</string>
</dict>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-TZ93</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D4S</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Rebel T6s</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 20D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus E-300</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus PEN Lite E-PL6</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPhone12,5 backtelephoto</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Kiss X70</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Rebel T2i</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha DSLR-A550</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon 1 J2</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-ZS70</string>
</dict>
<dict>
  <key>_name</key>
  <string>Fujifilm X-T3</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Cyber-shot DSC-RX1R</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leica X Vario (Typ 107)</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-LX1</string>
</dict>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Hasselblad CFV-16</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-TZ60</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-FZ80</string>
</dict>
<dict>
  <key>_name</key>
  <string>Fujifilm X-T10</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus OM-D E-M10 MarkIII</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon COOLPIX P7800</string>
</dict>
<dict>
  <key>_name</key>
  <string>Fujifilm XQ1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Fujifilm X-H1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon Z50</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-LX15</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 1300D</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPhone 10,1 back camera</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPad 7,3 backcamera</string>
</dict>
<dict>
  <key>_name</key>
  <string>Fujifilm X-A2</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D3200</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony DSC-RX10M4</string>
</dict>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D3500</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon 1 V3</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPhone 11,8 backcamera</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D850</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Cyber-shot DSC-RX100 II</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D200</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon PowerShot SX50 HS</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon PowerShot G16</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus PEN E-PL2</string>
</dict>
<dict>
  <key>_name</key>
  <string>Pentax K-m</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-LC1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D60</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha SLT-A99</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon PowerShot SX1 IS</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-TZ80</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon 1 AW1</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Kiss Digital</string>
</dict>
<dict>
  <key>_name</key>
  <string>Hasselblad CF-39</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon 1 J1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha SLT-A55</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D3X</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Rebel T1i</string>
</dict>
<dict>
  <key>_name</key>
  <string>Hasselblad CF-22</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha ILCE-6500</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon PowerShot S95</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon PowerShot S100V</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-FZ85</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon 1 S2</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leica X2</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha DSLR-A390</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Kiss X80</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS M50</string>
</dict>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-ZS110</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon PowerShot G10</string>
</dict>
<dict>
  <key>_name</key>
  <string>Pentax K200D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon COOLPIX P7000</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 6D Mark II</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha NEX-3N</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Rebel T5</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-GF9</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon 1 V2</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-TZ200</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon Kiss X8</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leica M8</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon PowerShot G9 X</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Kiss Digital F</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-ZS40</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-GH2</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-FZ2000</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS M5</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus PEN E-PM1</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPhone 10,3 backcamera</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-GH5S</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus PEN E-P3</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon 1 S1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Digital Rebel</string>
</dict>
<dict>
  <key>_name</key>
  <string>Pentax K-7</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D5100</string>
</dict>
<dict>
  <key>_name</key>
  <string>Samsung GX-1S</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon COOLPIX P1000</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus OM-D E-M1 Mark II</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leaf Aptus 65S</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon PowerShot G7 X Mark III</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPad 8,4 backcamera</string>
</dict>
```



```
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-G90</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon COOLPIX A1000</string>
</dict>
<dict>
  <key>_name</key>
  <string>Konica Minolta ALPHA SWEET DIGITAL</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-GF1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus E-1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-TZ220</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha SLT-A65</string>
</dict>
<dict>
  <key>_name</key>
  <string>Pentax 645D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-TZ110</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPad 8,8 backcamera</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon 1 V1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-ZS60</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus E-600</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 50D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha DSLR-A850</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-CM1</string>
</dict>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS-1D X Mark II</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon Kiss X10</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon PowerShot S100</string>
</dict>
<dict>
  <key>_name</key>
  <string>Pentax K20D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Pentax *ist DL</string>
</dict>
<dict>
  <key>_name</key>
  <string>Konica Minolta MAXXUM 5D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D4</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS RP</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-TZ85</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-G95</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-LX100M2</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha NEX-5</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon PowerShot G7 X Mark II</string>
</dict>
<dict>
  <key>_name</key>
  <string>Konica Minolta DYNAX 7D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 2000D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-TZ101</string>
</dict>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D500</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon PowerShot G5</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D40X</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus C7070WZ</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-LF1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha ILCE-6100</string>
</dict>
<dict>
  <key>_name</key>
  <string>Fujifilm X70</string>
</dict>
<dict>
  <key>_name</key>
  <string>Pentax MX-1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-FZ100</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-GF6</string>
</dict>
<dict>
  <key>_name</key>
  <string>Konica Minolta DiMAGE A200</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon PowerShot Pro1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Cyber-shot DSC-RX1R II</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leaf Aptus 54S</string>
</dict>
<dict>
  <key>_name</key>
  <string>Konica Minolta MAXXUM 7D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leica CL</string>
</dict>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Leaf Valeo 11</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony NEX-VG20</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus E-330</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Rebel SL1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha SLT-A37</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPhone 10,2 back telephoto camera</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D2H</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-LX2</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-FZ81</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 7D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon PowerShot G5 X</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-FZ150</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-G1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-GX7</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D7000</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leica M</string>
</dict>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Leaf AFi 75S</string>
</dict>
<dict>
  <key>_name</key>
  <string>PENTAX RICOH GR</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-ZS220</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon E8400</string>
</dict>
<dict>
  <key>_name</key>
  <string>Pentax K-70</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leica V-Lux 2</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D610</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-G70</string>
</dict>
<dict>
  <key>_name</key>
  <string>Pentax K-5</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon E8700</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha 9</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Kiss X6i</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus OM-D E-M5</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Rebel T6</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-S1H</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS-1D Mark II</string>
</dict>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Sony DSC-V3</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leica S2</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-G6</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-L1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leica C-Lux</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon COOLPIX P7700</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-ZS100</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha DSLR-A450</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-LX7</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-GH5</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-TX1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha DSLR-A700</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leaf AFi-II 6</string>
</dict>
<dict>
  <key>_name</key>
  <string>Pentax *ist DL2</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha DSLR-A330</string>
</dict>
<dict>
  <key>_name</key>
  <string>Epson R-D1s</string>
</dict>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Olympus E-620</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus EVOLT E-520</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS-1D X</string>
</dict>
<dict>
  <key>_name</key>
  <string>Pentax K-3 II</string>
</dict>
<dict>
  <key>_name</key>
  <string>Fujifilm X-100F</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leica V-Lux 4</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-FZ330</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 80D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Epson R-D1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Kodak DCS Pro SLR/n</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-S1R</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-GH3</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus STYLUS TG-4 Tough</string>
</dict>
<dict>
  <key>_name</key>
  <string>Fujifilm GFX 50R</string>
</dict>
<dict>
  <key>_name</key>
  <string>Pentax K100D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D750</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 9000D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leica D-Lux 3</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Kiss X7i</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D100</string>
</dict>
<dict>
  <key>_name</key>
  <string>Samsung NX100</string>
</dict>
<dict>
  <key>_name</key>
  <string>Fujifilm X-E2S</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPhone 9,1 backcamera</string>
</dict>
<dict>
  <key>_name</key>
  <string>Fujifilm X-E2</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha SLT-A99 II</string>
</dict>
<dict>
  <key>_name</key>
  <string>Fujifilm X-Pro1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D800</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leaf AFi 7</string>
</dict>
<dict>
  <key>_name</key>
  <string>Samsung GX-10</string>
</dict>
<dict>
  <key>_name</key>
  <string>Pentax K-5 IIs</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 100D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-TZ100</string>
</dict>
```



```
</dict>
<dict>
  <key>_name</key>
  <string>Leica M9</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D70</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPhone10,6 backwide</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D780</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha ILCE-6400</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-LX100</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS-1Ds</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon PowerShot G6</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-GF2</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leaf Aptus 17</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-TZ90</string>
</dict>
<dict>
  <key>_name</key>
  <string>Samsung NX11</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon PowerShot G1 X</string>
</dict>
<dict>
  <key>_name</key>
  <string>Pentax K-3</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha DSLR-A290</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D3100</string>
</dict>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 4000D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS-M6</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D3400</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus E-30</string>
</dict>
<dict>
  <key>_name</key>
  <string>Samsung GX-1L</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPad 8,1 backcamera</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-GX800</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-ZS80</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 30D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Pentax K-5 II</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus E-400</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-GF10</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leaf AFi 6</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony DSC-F828</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS-1Ds Mark III</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leica D-LUX (Typ 109)</string>
</dict>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 7D Mark II</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha SLT-A57</string>
</dict>
<dict>
  <key>_name</key>
  <string>Minolta DiMAGE A2</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leica M10</string>
</dict>
<dict>
  <key>_name</key>
  <string>Fujifilm X-M1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leica D-Lux 5</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D5</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leica X-U (Typ 113)</string>
</dict>
<dict>
  <key>_name</key>
  <string>Samsung GX-20</string>
</dict>
<dict>
  <key>_name</key>
  <string>Adobe DNG</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D2Hs</string>
</dict>
<dict>
  <key>_name</key>
  <string>Hasselblad H3DII-50</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon PowerShot G11</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-GF7</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha ILCE-7RM4</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-TZ95</string>
</dict>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS M</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha DSLR-A300</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-GF90</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon Z6</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha ILCE-7R</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Kiss X8i</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon PowerShot S120</string>
</dict>
<dict>
  <key>_name</key>
  <string>Konica Minolta DYNAX 5D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon PowerShot SX60 HS</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Rebel T7</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 200D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Hasselblad H6D-100C</string>
</dict>
<dict>
  <key>_name</key>
  <string>Pentax K-x</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 5D Mark IV</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leaf AFi 54S</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha NEX-5N</string>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Konica Minolta ALPHA-5 DIGITAL</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPhone 10,3 backtelephotocamera</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leaf Valeo 17</string>
</dict>
<dict>
  <key>_name</key>
  <string>Fujifilm XF10</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-FZ1000</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-LX3</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Cyber-shot DSC-RX100 VI</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon PowerShot S90</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-FZ82</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-TZ61</string>
</dict>
<dict>
  <key>_name</key>
  <string>Hasselblad H3D-31 II</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus C7000Z</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leaf AFi 5</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-G3</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-GX8</string>
</dict>
<dict>
  <key>_name</key>
  <string>Pentax *ist DS2</string>
</dict>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS D30</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha DSLR-A380</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPhone12,3 backtelephoto</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-GX80</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus E-410</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leica C (Typ 112)</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 77D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Digital Rebel XTi</string>
</dict>
<dict>
  <key>_name</key>
  <string>Pentax K-30</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus PEN E-PL1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D5000</string>
</dict>
<dict>
  <key>_name</key>
  <string>Fujifilm X-T2</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha NEX-6</string>
</dict>
<dict>
  <key>_name</key>
  <string>Fujifilm X-T100</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Kiss Digital X3</string>
</dict>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D5300</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-FZ72</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPhone11,2 backwide</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 250D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon PowerShot G5 X Mark II</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha ILCE-6000</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-G8</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leica D-Lux 7</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D5600</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-TZ81</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon COOLPIX P950</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D40</string>
</dict>
<dict>
  <key>_name</key>
  <string>Pentax K-1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Fujifilm X-Pro2</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D1X</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPhone SE backcamera</string>
</dict>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 300D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Kiss Digital N</string>
</dict>
<dict>
  <key>_name</key>
  <string>Fujifilm X-A1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Pentax K10D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-TX2</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leaf Aptus 75s</string>
</dict>
<dict>
  <key>_name</key>
  <string>Pentax K-S2</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Kiss X5</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha ILCE-3000</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus OM-D E-M1X</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPad 7,1 backcamera</string>
</dict>
<dict>
  <key>_name</key>
  <string>Fujifilm FinePix S3Pro</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPhone11,4 backwide</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-TZ70</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-GH4</string>
</dict>
<dict>
  <key>_name</key>
  <string>Fujifilm X100S</string>
</dict>
```



```
</dict>
<dict>
  <key>_name</key>
  <string>Olympus PEN E-PL8</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha ILCE-5100</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPhone 10,2 back camera</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus PEN E-P1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 60D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 350D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-FZ200</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Rebel SL2</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha SLT-A58</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha SLT-A77</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus STYLUS 1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 400D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha DSLR-A350</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha SLT-A33</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-GF3</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-GX85</string>
</dict>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-TZ91</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Cyber-shot DSC-RX10 II</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon PowerShot S70</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus EVOLT E-420</string>
</dict>
<dict>
  <key>_name</key>
  <string>Fujifilm X30</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D7200</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 6D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Fujifilm X-A3</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPad Pro (9.7-inch) backcamera</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leica SL2</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPhone10,4 wide</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha 7S II</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D7500</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-FZ50</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha ILCE-7S</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS M3</string>
</dict>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha DSLR-A230</string>
</dict>
<dict>
  <key>_name</key>
  <string>Samsung NX10</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 1000D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leica T (Typ 701)</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha NEX-3</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPhone 6s backcamera</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-G99</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 5DS R</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus C8080WZ</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPhone11,6 backwide</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon COOLPIX A</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus PEN Lite E-PL7</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 10D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Fujifilm X100T</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPhone10,6 back telephoto</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leica M8.2</string>
</dict>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Leica M Monochrom</string>
</dict>
<dict>
  <key>_name</key>
  <string>Fujifilm GFX 50S</string>
</dict>
<dict>
  <key>_name</key>
  <string>Pentax 645Z</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D700</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus OM-D E-M10 Mark II</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 450D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Pentax K-S1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-FZ70</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-G80</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-FZ1000M2</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Kiss Digital X2</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-ZS200</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus PEN E-PL3</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha DSLR-A560</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D80</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-GF8</string>
</dict>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha ILCE-6300</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-ZS50</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPad 8,2 backcamera</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leica DIGILUX 2</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 500D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon PowerShot S60</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-GX9</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leica SL (Typ 601)</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha SLT-A68</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-TZ96</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-GM5</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS-1D Mark II N</string>
</dict>
<dict>
  <key>_name</key>
  <string>Fujifilm X-A5</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPad 8,6 backcamera</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Cyber-shot DSC-RX10</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-FZ35</string>
</dict>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-FZ83</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS M6 Mark II</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon Z7</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leaf Aptus 65</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-G5</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Rebel T7i</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Digital Rebel XT</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon PowerShot G7 X</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha ILCE-7 II</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D300S</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon Kiss X9i</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPhone 9,3 backcamera</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS D60</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony DSC-RX0</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D810</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Kiss X7</string>
</dict>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-S1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Pentax *ist DS</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha SLT-A77 II</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus STYLUS XZ-2</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-G85</string>
</dict>
<dict>
  <key>_name</key>
  <string>LEICA M MONOCHROM (Typ 246)</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus OM-D E-M5 Mark II</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus E-5</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPhone12,1 backwide</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus XZ-1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Cyber-shot DSC-RX100 IV</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 550D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS-1Ds Mark II</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D3000</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha DSLR-A200</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D3300</string>
</dict>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>iPad8,5 backwide</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leica V-Lux 1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DMC-LX9</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D800E</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D3S</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony DSC-R1</string>
</dict>
<dict>
  <key>_name</key>
  <string>Hasselblad H4D-40</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 90D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Pentax K2000</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus PEN E-P5</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus PEN E-PM2</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Kiss Digital X</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 600D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Cyber-shot DSC-RX100M7</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus STYLUS SH-2</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon PowerShot G15</string>
</dict>
```



```
</dict>
<dict>
  <key>_name</key>
  <string>Samsung NX200</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha ILCE-7M3</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha ILCE-7</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 5DS</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha DSLR-A900</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Rebel T6i</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Cyber-shot DSC-RX100M5A</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leaf Aptus 75</string>
</dict>
<dict>
  <key>_name</key>
  <string>Epson R-D1x</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon B700</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPhone11,6 back telephoto</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 1100D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Fujifilm FinePix S5Pro</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha ILCE-7R III</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS-1D Mark IV</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon PowerShot G12</string>
</dict>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Leica Q2</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leica S (Typ 007)</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leaf Aptus 22</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha NEX-5R</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-G91</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Rebel T100</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D300</string>
</dict>
<dict>
  <key>_name</key>
  <string>iPhone12,3 backwide</string>
</dict>
<dict>
  <key>_name</key>
  <string>Pentax *ist D</string>
</dict>
<dict>
  <key>_name</key>
  <string>DxO ONE</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony Alpha NEX-7</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus E-450</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS-1D C</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D50</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 5D Mark III</string>
</dict>
<dict>
  <key>_name</key>
  <string>Pentax K-r</string>
</dict>
```

```
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS Rebel T3</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 40D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus E-500</string>
</dict>
<dict>
  <key>_name</key>
  <string>Olympus PEN-F</string>
</dict>
<dict>
  <key>_name</key>
  <string>Sony DSC-HX95</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leaf Aptus-II 6</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon
COOLPIX P6000</string>
</dict>
<dict>
  <key>_name</key>
  <string>Nikon D2X</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 650D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS-1D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Panasonic LUMIX DC-TZ92</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leica DIGILUX 3</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS M10</string>
</dict>
<dict>
  <key>_name</key>
  <string>Canon EOS 700D</string>
</dict>
<dict>
  <key>_name</key>
  <string>Leica V-LUX (Typ 114)</string>
</dict>
<dict>
  <key>_name</key>
```

```
        <string>iPhone 6s Plus backcamera</string>
</dict>
<dict>
    <key>_name</key>
    <string>Fujifilm X-A10</string>
</dict>
<dict>
    <key>_name</key>
    <string>Sony Alpha ILCE-6600</string>
</dict>
<dict>
    <key>_name</key>
    <string>Fujifilm XQ2</string>
</dict>
<dict>
    <key>_name</key>
    <string>Leica D-Lux 2</string>
</dict>
<dict>
    <key>_name</key>
    <string>Canon PowerShot S110</string>
</dict>
<dict>
    <key>_name</key>
    <string>Olympus PEN E-PL5</string>
</dict>
<dict>
    <key>_name</key>
    <string>Canon EOS Rebel T5i</string>
</dict>
<dict>
    <key>_name</key>
    <string>Nikon COOLPIX P330</string>
</dict>
<dict>
    <key>_name</key>
    <string>Fujifilm X-E1</string>
</dict>
<dict>
    <key>_name</key>
    <string>Nikon D70s</string>
</dict>
<dict>
    <key>_name</key>
    <string>Panasonic LUMIX DMC-GM1</string>
</dict>
<dict>
    <key>_name</key>
    <string>Canon PowerShot G3 X</string>
</dict>
<dict>
    <key>_name</key>
    <string>Canon PowerShot SX70 HS</string>
</dict>
<dict>
    <key>_name</key>
    <string>Panasonic LUMIX DMC-FZ2500</string>
</dict>
<dict>
    <key>_name</key>
    <string>Nikon D5200</string>
</dict>
<dict>
    <key>_name</key>
```

```
        <string>Canon EOS-1D Mark III</string>
</dict>
<dict>
    <key>_name</key>
    <string>Minolta DiMAGE A1</string>
</dict>
<dict>
    <key>_name</key>
    <string>Nikon D5500</string>
</dict>
<dict>
    <key>_name</key>
    <string>Leica TL2</string>
</dict>
<dict>
    <key>_name</key>
    <string>Canon EOS M2</string>
</dict>
<dict>
    <key>_name</key>
    <string>Olympus PEN Lite E-PL9</string>
</dict>
<dict>
    <key>_name</key>
    <string>Pentax K100D Super</string>
</dict>
<dict>
    <key>_name</key>
    <string>Leaf Valeo 22</string>
</dict>
<dict>
    <key>_name</key>
    <string>iPhone12,5 backwide</string>
</dict>
<dict>
    <key>_name</key>
    <string>Sony Alpha ILCE-5000</string>
</dict>
<dict>
    <key>_name</key>
    <string>Sony Cyber-shot DSC-RX1</string>
</dict>
<dict>
    <key>_name</key>
    <string>iPhone10,5 telephoto</string>
</dict>
<dict>
    <key>_name</key>
    <string>Canon EOS Kiss X50</string>
</dict>
<dict>
    <key>_name</key>
    <string>Canon EOS-M100</string>
</dict>
<dict>
    <key>_name</key>
    <string>iPhone9,2 wide</string>
</dict>
<dict>
    <key>_name</key>
    <string>Nikon 1 J5</string>
</dict>
<dict>
    <key>_name</key>
```

```
        <string>Leaf AFi-II 7</string>
</dict>
<dict>
    <key>_name</key>
    <string>Nikon D810A</string>
</dict>
<dict>
    <key>_name</key>
    <string>Nikon COOLPIX P7100</string>
</dict>
<dict>
    <key>_name</key>
    <string>Panasonic LUMIX DMC-G81</string>
</dict>
<dict>
    <key>_name</key>
    <string>iPhone10,5 wide</string>
</dict>
<dict>
    <key>_name</key>
    <string>Olympus PEN E-P2</string>
</dict>
<dict>
    <key>_name</key>
    <string>iPhone 9,4 backcamera</string>
</dict>
<dict>
    <key>_name</key>
    <string>Panasonic LUMIX DMC-G2</string>
</dict>
<dict>
    <key>_name</key>
    <string>Canon EOS R</string>
</dict>
<dict>
    <key>_name</key>
    <string>Fujifilm X-T30</string>
</dict>
<dict>
    <key>_name</key>
    <string>Canon EOS 750D</string>
</dict>
<dict>
    <key>_name</key>
    <string>Olympus E-510</string>
</dict>
<dict>
    <key>_name</key>
    <string>Panasonic LUMIX DC-G9</string>
</dict>
<dict>
    <key>_name</key>
    <string>Canon PowerShot G9</string>
</dict>
<dict>
    <key>_name</key>
    <string>Panasonic LUMIX DMC-GX7MK2</string>
</dict>
<dict>
    <key>_name</key>
    <string>Panasonic LUMIX DC-TZ97</string>
</dict>
<dict>
    <key>_name</key>
```

```

        <string>Leica X1</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Leica V-Lux 5</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Canon EOS 760D</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Sony Alpha DSLR-A500</string>
    </dict>
</array>
<key>_parentDataType</key>
<string>SPSoftwareDataType</string>
<key>_properties</key>
<dict>
    <key>_name</key>
    <dict>
        <key>_isColumn</key>
        <string>YES</string>
        <key>_order</key>
        <integer>10</integer>
    </dict>
    <key>volumes</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
    </dict>
</dict>
<key>_timeStamp</key>
<date>2021-08-03T01:21:47Z</date>
<key>_versionInfo</key>
<dict>
    <key>com.apple.SPRawCameraReporter</key>
    <string>4</string>
</dict>
</dict>
<dict>
    <key>_SPCommandLineArguments</key>
    <array>
        <string>/usr/sbin/system_profiler</string>
        <string>-nospawn</string>
        <string>-xml</string>
        <string>SPSASDataType</string>
        <string>-detailLevel</string>
        <string>full</string>
    </array>
    <key>_SPCompletionInterval</key>
    <real>0.31416201591491699</real>
    <key>_SPResponseTime</key>
    <real>0.33502602577209473</real>
    <key>_dataType</key>
    <string>SPSASDataType</string>
    <key>_detailLevel</key>
    <integer>-1</integer>
    <key>_items</key>
    <array/>
    <key>_parentDataType</key>
    <string>SPHardwareDataType</string>
    <key>_properties</key>
</dict>

```

```
<key>_name</key>
<dict>
  <key>_isColumn</key>
  <string>YES</string>
  <key>_isOutlineColumn</key>
  <string>YES</string>
  <key>_order</key>
  <string>0</string>
</dict>
<key>bsd_name</key>
<dict>
  <key>_order</key>
  <string>62</string>
</dict>
<key>detachable_drive</key>
<dict>
  <key>_order</key>
  <string>59</string>
</dict>
<key>device_manufacturer</key>
<dict>
  <key>_order</key>
  <string>41</string>
</dict>
<key>device_model</key>
<dict>
  <key>_order</key>
  <string>42</string>
</dict>
<key>device_revision</key>
<dict>
  <key>_order</key>
  <string>44</string>
</dict>
<key>device_serial</key>
<dict>
  <key>_detailLevel</key>
  <string>0</string>
  <key>_order</key>
  <string>46</string>
</dict>
<key>disc_burning</key>
<dict>
  <key>_order</key>
  <string>54</string>
</dict>
<key>file_system</key>
<dict>
  <key>_order</key>
  <string>60</string>
</dict>
<key>free_space</key>
<dict>
  <key>_deprecated</key>
  <true/>
  <key>_order</key>
  <string>12</string>
</dict>
<key>free_space_in_bytes</key>
<dict>
  <key>_isByteSize</key>
  <true/>
  <key>_order</key>
  <string>12</string>
</dict>
```



```
</dict>
<key>mount_point</key>
<dict>
  <key>_order</key>
  <string>64</string>
</dict>
<key>optical_drive_type</key>
<dict>
  <key>_order</key>
  <string>51</string>
</dict>
<key>optical_media_type</key>
<dict>
  <key>_order</key>
  <string>52</string>
</dict>
<key>os9_drivers</key>
<dict>
  <key>_order</key>
  <string>68</string>
</dict>
<key>raid_drive</key>
<dict>
  <key>_order</key>
  <string>66</string>
</dict>
<key>removable_media</key>
<dict>
  <key>_order</key>
  <string>56</string>
</dict>
<key>size</key>
<dict>
  <key>_deprecated</key>
  <true/>
  <key>_order</key>
  <string>10</string>
</dict>
<key>size_in_bytes</key>
<dict>
  <key>_isByteSize</key>
  <true/>
  <key>_order</key>
  <string>10</string>
</dict>
<key>spsas_alua_support</key>
<dict>
  <key>_order</key>
  <string>48</string>
</dict>
<key>spsas_bus</key>
<dict>
  <key>_order</key>
  <string>23</string>
</dict>
<key>spsas_cablingtype</key>
<dict>
  <key>_order</key>
  <string>35</string>
</dict>
<key>spsas_device_type</key>
<dict>
  <key>_order</key>
  <string>40</string>
```

```
</dict>
<key>spsas_domainidentifier</key>
<dict>
  <key>_order</key>
  <string>25</string>
</dict>
<key>spsas_initiatorid</key>
<dict>
  <key>_order</key>
  <string>26</string>
</dict>
<key>spsas_load_balancing_algorithm</key>
<dict>
  <key>_order</key>
  <string>50</string>
</dict>
<key>spsas_logical_unit_access_state</key>
<dict>
  <key>_order</key>
  <string>49</string>
</dict>
<key>spsas_logical_unit_unique_id</key>
<dict>
  <key>_order</key>
  <string>40</string>
</dict>
<key>spsas_lun</key>
<dict>
  <key>_order</key>
  <string>39</string>
</dict>
<key>spsas_portdescription</key>
<dict>
  <key>_order</key>
  <string>31</string>
</dict>
<key>spsas_portspeed</key>
<dict>
  <key>_order</key>
  <string>32</string>
</dict>
<key>spsas_portstatus</key>
<dict>
  <key>_order</key>
  <string>34</string>
</dict>
<key>spsas_product</key>
<dict>
  <key>_order</key>
  <string>21</string>
</dict>
<key>spsas_revision</key>
<dict>
  <key>_order</key>
  <string>22</string>
</dict>
<key>spsas_sasaddress</key>
<dict>
  <key>_order</key>
  <string>28</string>
</dict>
<key>spsas_satadevice</key>
<dict>
  <key>_order</key>
```

```
        <string>47</string>
      </dict>
    <key>spsas_slot_name</key>
    <dict>
      <key>_order</key>
      <string>24</string>
    </dict>
    <key>spsas_target</key>
    <dict>
      <key>_order</key>
      <string>38</string>
    </dict>
    <key>spsas_vendor</key>
    <dict>
      <key>_order</key>
      <string>20</string>
    </dict>
    <key>volumes</key>
    <dict>
      <key>_detailLevel</key>
      <string>0</string>
    </dict>
    <key>writable</key>
    <dict>
      <key>_order</key>
      <string>58</string>
    </dict>
  </dict>
  <key>_timeStamp</key>
  <date>2021-08-03T01:21:47Z</date>
  <key>_versionInfo</key>
  <dict>
    <key>com.apple.SystemProfiler.SPASReporter</key>
    <string>2.7</string>
  </dict>
</dict>
<dict>
  <key>_SPCommandLineArguments</key>
  <array>
    <string>/usr/sbin/system_profiler</string>
    <string>-nospawn</string>
    <string>-xml</string>
    <string>SPSerialATADataType</string>
    <string>-detailLevel</string>
    <string>full</string>
  </array>
  <key>_SPCompletionInterval</key>
  <real>0.31206798553466797</real>
  <key>_SPResponseTime</key>
  <real>0.39685702323913574</real>
  <key>_dataType</key>
  <string>SPSerialATADataType</string>
  <key>_detailLevel</key>
  <integer>-1</integer>
  <key>_items</key>
  <array/>
  <key>_parentDataType</key>
  <string>SPHardwareDataType</string>
  <key>_properties</key>
  <dict>
    <key>_name</key>
    <dict>
      <key>_isColumn</key>
      <string>YES</string>
    </dict>
  </dict>
</dict>
</dict>
```

```
        <key>_isOutlineColumn</key>
        <string>YES</string>
        <key>_order</key>
        <string>0</string>
    </dict>
    <key>bsd_name</key>
    <dict>
        <key>_order</key>
        <string>62</string>
    </dict>
    <key>detachable_drive</key>
    <dict>
        <key>_order</key>
        <string>59</string>
    </dict>
    <key>device_manufacturer</key>
    <dict>
        <key>_order</key>
        <string>40</string>
    </dict>
    <key>device_model</key>
    <dict>
        <key>_order</key>
        <string>42</string>
    </dict>
    <key>device_revision</key>
    <dict>
        <key>_order</key>
        <string>44</string>
    </dict>
    <key>device_serial</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
        <key>_order</key>
        <string>46</string>
    </dict>
    <key>disc_burning</key>
    <dict>
        <key>_order</key>
        <string>54</string>
    </dict>
    <key>file_system</key>
    <dict>
        <key>_order</key>
        <string>60</string>
    </dict>
    <key>free_space</key>
    <dict>
        <key>_deprecated</key>
        <true/>
        <key>_order</key>
        <string>12</string>
    </dict>
    <key>free_space_in_bytes</key>
    <dict>
        <key>_isByteSize</key>
        <true/>
        <key>_order</key>
        <string>12</string>
    </dict>
    <key>mount_point</key>
    <dict>
        <key>_order</key>
```

```
        <string>64</string>
    </dict>
    <key>optical_drive_type</key>
    <dict>
        <key>_order</key>
        <string>50</string>
    </dict>
    <key>optical_media_type</key>
    <dict>
        <key>_order</key>
        <string>52</string>
    </dict>
    <key>removable_media</key>
    <dict>
        <key>_order</key>
        <string>56</string>
    </dict>
    <key>size</key>
    <dict>
        <key>_deprecated</key>
        <true/>
        <key>_order</key>
        <string>10</string>
    </dict>
    <key>size_in_bytes</key>
    <dict>
        <key>_isByteSize</key>
        <true/>
        <key>_order</key>
        <string>10</string>
    </dict>
    <key>spsata_async_notify</key>
    <dict>
        <key>_order</key>
        <string>140</string>
    </dict>
    <key>spsata_bus</key>
    <dict>
        <key>_order</key>
        <string>22</string>
    </dict>
    <key>spsata_linkspeed</key>
    <dict>
        <key>_order</key>
        <string>38</string>
    </dict>
    <key>spsata_linkwidth</key>
    <dict>
        <key>_order</key>
        <string>37</string>
    </dict>
    <key>spsata_medium_type</key>
    <dict>
        <key>_order</key>
        <string>151</string>
    </dict>
    <key>spsata_name</key>
    <dict>
        <key>_order</key>
        <string>20</string>
    </dict>
    <key>spsata_ncq</key>
    <dict>
        <key>_order</key>
```

```
        <string>47</string>
</dict>
<key>spsata_ncq_depth</key>
<dict>
    <key>_order</key>
    <string>48</string>
</dict>
<key>spsata_negotiatedlinkspeed</key>
<dict>
    <key>_order</key>
    <string>35</string>
</dict>
<key>spsata_physical_interconnect</key>
<dict>
    <key>_order</key>
    <string>36</string>
</dict>
<key>spsata_pm_fbs</key>
<dict>
    <key>_order</key>
    <string>8</string>
</dict>
<key>spsata_pm_product_name</key>
<dict>
    <key>_order</key>
    <string>4</string>
</dict>
<key>spsata_pm_revision</key>
<dict>
    <key>_order</key>
    <string>6</string>
</dict>
<key>spsata_pm_snotification</key>
<dict>
    <key>_order</key>
    <string>10</string>
</dict>
<key>spsata_pm_vendor_name</key>
<dict>
    <key>_order</key>
    <string>2</string>
</dict>
<key>spsata_portspeed</key>
<dict>
    <key>_order</key>
    <string>34</string>
</dict>
<key>spsata_power_off</key>
<dict>
    <key>_order</key>
    <string>130</string>
</dict>
<key>spsata_product</key>
<dict>
    <key>_order</key>
    <string>30</string>
</dict>
<key>spsata_protocol</key>
<dict>
    <key>_order</key>
    <string>100</string>
</dict>
<key>spsata_revision</key>
<dict>
```

```
        <key>_order</key>
        <string>32</string>
    </dict>
    <key>spsata_rom-revision</key>
    <dict>
        <key>_order</key>
        <string>26</string>
    </dict>
    <key>spsata_rotational_rate</key>
    <dict>
        <key>_order</key>
        <string>150</string>
    </dict>
    <key>spsata_slot_name</key>
    <dict>
        <key>_order</key>
        <string>24</string>
    </dict>
    <key>spsata_socket_type</key>
    <dict>
        <key>_order</key>
        <string>120</string>
    </dict>
    <key>spsata_trim_support</key>
    <dict>
        <key>_order</key>
        <string>152</string>
    </dict>
    <key>spsata_unit_number</key>
    <dict>
        <key>_order</key>
        <string>110</string>
    </dict>
    <key>spsata_vendor</key>
    <dict>
        <key>_order</key>
        <string>28</string>
    </dict>
    <key>volumes</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
    </dict>
    <key>writable</key>
    <dict>
        <key>_order</key>
        <string>58</string>
    </dict>
</dict>
<key>_timeStamp</key>
<date>2021-08-03T01:21:47Z</date>
<key>_versionInfo</key>
<dict>
    <key>com.apple.SystemProfiler.SPSerialLATAReporter</key>
    <string>2.7</string>
</dict>
</dict>
<dict>
    <key>_SPCommandLineArguments</key>
    <array>
        <string>/usr/sbin/system_profiler</string>
        <string>-nospawn</string>
        <string>-xml</string>
        <string>SPSPIDataType</string>
    </array>
</dict>
```

```
        <string>-detailLevel</string>
        <string>full</string>
    </array>
    <key>_SPCompletionInterval</key>
    <real>0.37033092975616455</real>
    <key>_SPResponseTime</key>
    <real>0.38839995861053467</real>
    <key>_dataType</key>
    <string>SPSPIDataType</string>
    <key>_detailLevel</key>
    <integer>-1</integer>
    <key>_items</key>
    <array/>
    <key>_parentDataType</key>
    <string>SPHardwareDataType</string>
    <key>_properties</key>
    <dict>
        <key>_name</key>
        <dict>
            <key>_isColumn</key>
            <string>YES</string>
            <key>_isOutlineColumn</key>
            <string>YES</string>
            <key>_order</key>
            <string>0</string>
        </dict>
        <key>a_product_id</key>
        <dict>
            <key>_order</key>
            <string>1</string>
        </dict>
        <key>b_vendor_id</key>
        <dict>
            <key>_order</key>
            <string>2</string>
        </dict>
        <key>c_stfw_version</key>
        <dict>
            <key>_order</key>
            <string>3</string>
            <key>_suppressLocalization</key>
            <string>YES</string>
        </dict>
        <key>d_serial_num</key>
        <dict>
            <key>_order</key>
            <string>5</string>
            <key>_suppressLocalization</key>
            <string>YES</string>
        </dict>
        <key>e_device_speed</key>
        <dict>
            <key>_order</key>
            <string>6</string>
        </dict>
        <key>f_manufacturer</key>
        <dict>
            <key>_order</key>
            <string>7</string>
        </dict>
        <key>g_location_id</key>
        <dict>
            <key>_order</key>
            <string>8</string>
        </dict>
    </dict>
</dict>
```



```
    </dict>
    <key>h_mtfw_version</key>
    <dict>
      <key>_order</key>
      <string>4</string>
      <key>_suppressLocalization</key>
      <string>YES</string>
    </dict>
    <key>volumes</key>
    <dict>
      <key>_detailLevel</key>
      <string>0</string>
    </dict>
  </dict>
  <key>_timeStamp</key>
  <date>2021-08-03T01:21:47Z</date>
  <key>_versionInfo</key>
  <dict>
    <key>com.apple.SystemProfiler.SPSPReporter</key>
    <string>4050.1</string>
  </dict>
</dict>
<dict>
  <key>_SPCommandLineArguments</key>
  <array>
    <string>/usr/sbin/system_profiler</string>
    <string>-nospawn</string>
    <string>-xml</string>
    <string>SPSmartCardsDataType</string>
    <string>-detailLevel</string>
    <string>full</string>
  </array>
  <key>_SPCompletionInterval</key>
  <real>0.57000207901000977</real>
  <key>_SPResponseTime</key>
  <real>0.59264397621154785</real>
  <key>_dataType</key>
  <string>SPSmartCardsDataType</string>
  <key>_detailLevel</key>
  <integer>1</integer>
  <key>_items</key>
  <array>
    <dict>
      <key>_name</key>
      <string>READERS</string>
    </dict>
    <dict>
      <key>#01</key>
      <string>org.debian.aliOTH.pcsc-lite.smartcardccid:1.4.32
(/usr/libexec/SmartCardServices/drivers/ifd-ccid.bundle)</string>
      <key>_name</key>
      <string>READERS_DRIVERS</string>
    </dict>
    <dict>
      <key>#01</key>
      <string>com.apple.CryptoTokenKit.pivtoken:1.0
(/System/Library/Frameworks/CryptoTokenKit.framework/PlugIns/pivtoken.appex)</
string>
      <key>_name</key>
      <string>SMARTCARDS_DRIVERS</string>
    </dict>
  </array>
  <key>_items</key>
  <array>
```

```
        <dict>
          <key>_name</key>
          <string>com.apple.setoken</string>
        </dict>
        <dict>
          <key>_name</key>
          <string>com.apple.setoken:aks</string>
        </dict>
      </array>
      <key>_name</key>
      <string>AVAIL_SMARTCARDS_KEYCHAIN</string>
    </dict>
    <dict>
      <key>_items</key>
      <array>
        <dict>
          <key>_name</key>
          <string>com.apple.setoken</string>
        </dict>
        <dict>
          <key>_name</key>
          <string>com.apple.setoken:aks</string>
        </dict>
      </array>
      <key>_name</key>
      <string>AVAIL_SMARTCARDS_TOKEN</string>
    </dict>
  </array>
  <key>_parentDataType</key>
  <string>SPSoftwareDataType</string>
  <key>_properties</key>
  <dict>
    <key>_name</key>
    <dict>
      <key>_isColumn</key>
      <string>NO</string>
      <key>_isOutlineColumn</key>
      <string>NO</string>
      <key>_order</key>
      <string>0</string>
    </dict>
    <key>volumes</key>
    <dict>
      <key>_detailLevel</key>
      <string>0</string>
    </dict>
  </dict>
  <key>_timeStamp</key>
  <date>2021-08-03T01:21:47Z</date>
  <key>_versionInfo</key>
  <dict>
    <key>com.apple.SystemProfiler.CtkReporter</key>
    <string>1</string>
  </dict>
</dict>
<dict>
  <key>_SPCommandLineArguments</key>
  <array>
    <string>/usr/sbin/system_profiler</string>
    <string>-nospawn</string>
    <string>-xml</string>
    <string>SPSoftwareDataType</string>
    <string>-detailLevel</string>
    <string>full</string>
  </array>
</dict>
```

```
</array>
<key>_SPCompletionInterval</key>
<real>0.14634799957275391</real>
<key>_SPResponseTime</key>
<real>0.27379906177520752</real>
<key>_dataType</key>
<string>SPSoftwareDataType</string>
<key>_detailLevel</key>
<integer>-2</integer>
<key>_items</key>
<array>
  <dict>
    <key>_name</key>
    <string>os_overview</string>
    <key>boot_mode</key>
    <string>normal_boot</string>
    <key>boot_volume</key>
    <string>HD</string>
    <key>kernel_version</key>
    <string>Darwin 20.6.0</string>
    <key>local_host_name</key>
    <string>Kosomak's MacBook Pro</string>
    <key>os_version</key>
    <string>macOS 11.5.1 (20G80)</string>
    <key>secure_vm</key>
    <string>secure_vm_enabled</string>
    <key>system_integrity</key>
    <string>integrity_enabled</string>
    <key>uptime</key>
    <string>up 0:0:5:5</string>
    <key>user_name</key>
    <string>Kosomak (kos)</string>
  </dict>
</array>
<key>_parentDataType</key>
<string>SPRootDataType</string>
<key>_properties</key>
<dict>
  <key>boot_mode</key>
  <dict>
    <key>_detailLevel</key>
    <string>0</string>
    <key>_order</key>
    <string>32</string>
  </dict>
  <key>boot_volume</key>
  <dict>
    <key>_detailLevel</key>
    <string>0</string>
    <key>_order</key>
    <string>30</string>
    <key>_suppressLocalization</key>
    <string>YES</string>
  </dict>
  <key>kernel_version</key>
  <dict>
    <key>_order</key>
    <string>20</string>
    <key>_suppressLocalization</key>
    <true/>
  </dict>
  <key>local_host_name</key>
  <dict>
    <key>_detailLevel</key>
```

```
        <string>0</string>
        <key>_order</key>
        <string>35</string>
    </dict>
    <key>os_version</key>
    <dict>
        <key>_order</key>
        <string>10</string>
        <key>_suppressLocalization</key>
        <true/>
    </dict>
    <key>secure_vm</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
        <key>_order</key>
        <string>50</string>
    </dict>
    <key>server_configuration</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
        <key>_order</key>
        <string>12</string>
    </dict>
    <key>system_integrity</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
        <key>_order</key>
        <string>50</string>
    </dict>
    <key>user_name</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
        <key>_order</key>
        <string>40</string>
    </dict>
    <key>volumes</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
    </dict>
</dict>
<key>_timeStamp</key>
<date>2021-08-03T01:21:15Z</date>
<key>_versionInfo</key>
<dict>
    <key>com.apple.SystemProfiler.SPOSReporter</key>
    <string>915</string>
</dict>
</dict>
<dict>
    <key>_SPCommandLineArguments</key>
    <array>
        <string>/usr/sbin/system_profiler</string>
        <string>-nospawn</string>
        <string>-xml</string>
        <string>SPStartupItemDataType</string>
        <string>-detailLevel</string>
        <string>full</string>
    </array>
    <key>_SPCompletionInterval</key>
```

```
<real>0.35610997676849365</real>
<key>_SPResponseTime</key>
<real>0.37775099277496338</real>
<key>_dataType</key>
<string>SPStartupItemDataType</string>
<key>_detailLevel</key>
<integer>1</integer>
<key>_items</key>
<array/>
<key>_parentDataType</key>
<string>SPSoftwareDataType</string>
<key>_properties</key>
<dict>
  <key>Description</key>
  <dict>
    <key>_isColumn</key>
    <string>YES</string>
    <key>_order</key>
    <string>1</string>
  </dict>
  <key>Provides</key>
  <dict>
    <key>_order</key>
    <string>3</string>
  </dict>
  <key>Requires</key>
  <dict>
    <key>_order</key>
    <string>4</string>
  </dict>
  <key>Uses</key>
  <dict>
    <key>_order</key>
    <string>5</string>
  </dict>
  <key>_name</key>
  <dict>
    <key>_isColumn</key>
    <string>YES</string>
    <key>_order</key>
    <string>0</string>
  </dict>
  <key>spstartupitem_enabled</key>
  <dict>
    <key>_isColumn</key>
    <string>YES</string>
    <key>_order</key>
    <string>3</string>
  </dict>
  <key>spstartupitem_location</key>
  <dict>
    <key>_isColumn</key>
    <string>YES</string>
    <key>_order</key>
    <string>2</string>
  </dict>
  <key>volumes</key>
  <dict>
    <key>_detailLevel</key>
    <string>0</string>
  </dict>
</dict>
<key>_timeStamp</key>
<date>2021-08-03T01:21:48Z</date>
```

```
<key>_versionInfo</key>
<dict>
  <key>com.apple.SystemProfiler.SPStartupItemReporter</key>
  <string>915</string>
</dict>
</dict>
<dict>
  <key>_SPCommandLineArguments</key>
  <array>
    <string>/usr/sbin/system_profiler</string>
    <string>-nospawn</string>
    <string>-xml</string>
    <string>SPStorageDataType</string>
    <string>-detailLevel</string>
    <string>full</string>
  </array>
  <key>_SPCompletionInterval</key>
  <real>0.77116906642913818</real>
  <key>_SPResponseTime</key>
  <real>0.79257094860076904</real>
  <key>_dataType</key>
  <string>SPStorageDataType</string>
  <key>_items</key>
  <array>
    <dict>
      <key>_name</key>
      <string>HD - Data</string>
      <key>bsd_name</key>
      <string>disk1s5</string>
      <key>file_system</key>
      <string>APFS</string>
      <key>free_space_in_bytes</key>
      <integer>229779570688</integer>
      <key>ignore_ownership</key>
      <string>no</string>
      <key>mount_point</key>
      <string>/System/Volumes/Data</string>
      <key>physical_drive</key>
      <dict>
        <key>device_name</key>
        <string>APPLE SSD AP0256N</string>
        <key>is_internal_disk</key>
        <string>yes</string>
        <key>media_name</key>
        <string>AppleAPFSMedia</string>
        <key>medium_type</key>
        <string>ssd</string>
        <key>partition_map_type</key>
        <string>unknown_partition_map_type</string>
        <key>protocol</key>
        <string>PCI-Express</string>
        <key>smart_status</key>
        <string>Verified</string>
      </dict>
      <key>size_in_bytes</key>
      <integer>250685575168</integer>
      <key>volume_uuid</key>
      <string>C405B46F-78E9-45EE-BE13-8451292ED829</string>
      <key>writable</key>
      <string>yes</string>
    </dict>
  </array>
  <dict>
    <key>_name</key>
    <string>HD</string>
  </dict>
</dict>
```

```
<key>bsd_name</key>
<string>disk1s1s1</string>
<key>file_system</key>
<string>APFS</string>
<key>free_space_in_bytes</key>
<integer>229780254720</integer>
<key>ignore_ownership</key>
<string>no</string>
<key>mount_point</key>
<string>/</string>
<key>physical_drive</key>
<dict>
  <key>device_name</key>
  <string>APPLE SSD AP0256N</string>
  <key>is_internal_disk</key>
  <string>yes</string>
  <key>media_name</key>
  <string>AppleAPFSMedia</string>
  <key>medium_type</key>
  <string>ssd</string>
  <key>partition_map_type</key>
  <string>unknown_partition_map_type</string>
  <key>protocol</key>
  <string>PCI-Express</string>
  <key>smart_status</key>
  <string>Verified</string>
</dict>
<key>size_in_bytes</key>
<integer>250685575168</integer>
<key>volume_uuid</key>
<string>95B6CA09-C88B-44BA-A32C-F07A3E678D30</string>
<key>writable</key>
<string>no</string>
</dict>
</array>
<key>_parentDataType</key>
<string>SPHardwareDataType</string>
<key>_properties</key>
<dict>
  <key>_name</key>
  <dict>
    <key>_isColumn</key>
    <string>YES</string>
    <key>_order</key>
    <string>100</string>
    <key>_suppressLocalization</key>
    <true/>
  </dict>
  <key>bsd_name</key>
  <dict>
    <key>_isColumn</key>
    <true/>
    <key>_order</key>
    <string>180</string>
  </dict>
  <key>com.apple.corestorage.lv</key>
  <dict>
    <key>_order</key>
    <string>200</string>
  </dict>
  <key>com.apple.corestorage.lv.bytesConverted</key>
  <dict>
    <key>_isByteSize</key>
    <true/>
  </dict>
</dict>
```

```
        <key>_order</key>
        <string>250</string>
    </dict>
    <key>com.apple.corestorage.lv.conversionState</key>
    <dict>
        <key>_order</key>
        <string>240</string>
    </dict>
    <key>com.apple.corestorage.lv.encrypted</key>
    <dict>
        <key>_order</key>
        <string>220</string>
    </dict>
    <key>com.apple.corestorage.lv.encryptedType</key>
    <dict>
        <key>_order</key>
        <string>225</string>
    </dict>
    <key>com.apple.corestorage.lv.locked</key>
    <dict>
        <key>_order</key>
        <string>230</string>
    </dict>
    <key>com.apple.corestorage.lv.revertible</key>
    <dict>
        <key>_order</key>
        <string>210</string>
    </dict>
    <key>com.apple.corestorage.lv.uuid</key>
    <dict>
        <key>_order</key>
        <string>290</string>
    </dict>
    <key>com.apple.corestorage.lvg</key>
    <dict>
        <key>_order</key>
        <string>400</string>
    </dict>
    <key>com.apple.corestorage.lvg.freeSpace</key>
    <dict>
        <key>_isByteSize</key>
        <true/>
        <key>_order</key>
        <string>430</string>
    </dict>
    <key>com.apple.corestorage.lvg.name</key>
    <dict>
        <key>_order</key>
        <string>410</string>
    </dict>
    <key>com.apple.corestorage.lvg.size</key>
    <dict>
        <key>_isByteSize</key>
        <true/>
        <key>_order</key>
        <string>420</string>
    </dict>
    <key>com.apple.corestorage.lvg.uuid</key>
    <dict>
        <key>_order</key>
        <string>440</string>
    </dict>
    <key>com.apple.corestorage.pv</key>
    <dict>
```



```
        <key>_order</key>
        <string>500</string>
</dict>
<key>com.apple.corestorage.pv.size</key>
<dict>
    <key>_isByteSize</key>
    <true/>
    <key>_order</key>
    <string>520</string>
</dict>
<key>com.apple.corestorage.pv.status</key>
<dict>
    <key>_order</key>
    <string>565</string>
</dict>
<key>com.apple.corestorage.pv.uuid</key>
<dict>
    <key>_order</key>
    <string>590</string>
</dict>
<key>device_name</key>
<dict>
    <key>_order</key>
    <string>505</string>
</dict>
<key>file_system</key>
<dict>
    <key>_isColumn</key>
    <true/>
    <key>_order</key>
    <string>140</string>
</dict>
<key>free_space_in_bytes</key>
<dict>
    <key>_isByteSize</key>
    <true/>
    <key>_isColumn</key>
    <true/>
    <key>_order</key>
    <string>110</string>
</dict>
<key>ignore_ownership</key>
<dict>
    <key>_order</key>
    <string>160</string>
</dict>
<key>is_internal_disk</key>
<dict>
    <key>_order</key>
    <string>550</string>
</dict>
<key>media_name</key>
<dict>
    <key>_order</key>
    <string>510</string>
</dict>
<key>medium_type</key>
<dict>
    <key>_order</key>
    <string>530</string>
</dict>
<key>mount_point</key>
<dict>
    <key>_isColumn</key>
```

```
        <true/>
        <key>_order</key>
        <string>130</string>
    </dict>
    <key>optical_media_type</key>
    <dict>
        <key>_order</key>
        <string>535</string>
    </dict>
    <key>partition_map_type</key>
    <dict>
        <key>_order</key>
        <string>560</string>
    </dict>
    <key>protocol</key>
    <dict>
        <key>_order</key>
        <string>540</string>
    </dict>
    <key>size_in_bytes</key>
    <dict>
        <key>_isByteSize</key>
        <string>YES</string>
        <key>_isColumn</key>
        <true/>
        <key>_order</key>
        <string>120</string>
    </dict>
    <key>smart_status</key>
    <dict>
        <key>_order</key>
        <string>570</string>
    </dict>
    <key>volume_uuid</key>
    <dict>
        <key>_order</key>
        <string>190</string>
    </dict>
    <key>volumes</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
    </dict>
    <key>writable</key>
    <dict>
        <key>_order</key>
        <string>150</string>
    </dict>
</dict>
<key>_timeStamp</key>
<date>2021-08-03T01:21:48Z</date>
<key>_versionInfo</key>
<dict>
    <key>com.apple.SystemProfiler.SPStorageReporter</key>
    <string>900</string>
</dict>
</dict>
<dict>
    <key>_SPCommandLineArguments</key>
    <array>
        <string>/usr/sbin/system_profiler</string>
        <string>-nospawn</string>
        <string>-xml</string>
        <string>SPSyncServicesDataType</string>
    </array>
</dict>
```

```

        <string>-detailLevel</string>
        <string>full</string>
    </array>
    <key>_SPCompletionInterval</key>
    <real>0.3793339729309082</real>
    <key>_SPResponseTime</key>
    <real>0.40471899509429932</real>
    <key>_dataType</key>
    <string>SPSyncServicesDataType</string>
    <key>_detailLevel</key>
    <string>1</string>
    <key>_items</key>
    <array>
        <dict>
            <key>_items</key>
            <array>
                <dict>
                    <key>_name</key>
                    <string>system.log</string>
                    <key>summary_of_sync_log</key>
                    <string></string>
                </dict>
            </array>
            <key>_name</key>
            <string>summary_tree_name</string>
            <key>summary_os_version</key>
            <string>10.6</string>
        </dict>
        <dict>
            <key>_items</key>
            <array>
                <dict>
                    <key>_name</key>
                    <string>system.log</string>
                    <key>contents</key>
                    <string>...

```

```

Aug  3 09:16:49 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]
(com.apple.FileProvider): Invalid type for event (event/type): Delay/int64
Aug  3 09:16:49 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]
(com.apple.FileProvider): Invalid type for event (event/type):
RequireNetworkConnectivity/bool
Aug  3 09:16:49 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]
(com.apple.FileProvider): Invalid type for event (event/type): Priority/string
Aug  3 09:16:49 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]
(com.apple.FileProvider): Invalid type for event (event/type): Interval/int64
Aug  3 09:16:49 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]
(com.apple.FileProvider): Invalid type for event (event/type): Delay/int64
Aug  3 09:16:49 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]
(com.apple.FileProvider): Invalid type for event (event/type): AllowBattery/bool
Aug  3 09:16:49 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]
(com.apple.FileProvider): Invalid type for event (event/type): Priority/string
Aug  3 09:16:49 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]
(com.apple.distnoted.xpc.agent): This service is defined to be constantly
running and is inherently inefficient.
Aug  3 09:16:49 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.lsd):
Event stream com.apple.launchservices.LSObserver is already monitored by
com.apple.lsd, ignoring
Aug  3 09:16:49 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]
(com.apple.coreimportd): Unknown key for dictionary: NoEnvironmentVariables
Aug  3 09:16:49 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.user.92): exiting bootstrap mode
Aug  3 09:16:49 Kosomaks-MacBook-Pro VTDecoderXPCService[337]: DEPRECATED USE in
libdispatch client: Changing the target of a source after it has been activated;

```

set a breakpoint on \_dispatch\_bug\_deprecated to debug  
Aug 3 09:16:49 Kosomaks-MacBook-Pro VTDecoderXPService[337]: DEPRECATED USE in libdispatch client: Changing target queue hierarchy after xpc connection was activated; set a breakpoint on \_dispatch\_bug\_deprecated to debug  
Aug 3 09:16:49 Kosomaks-MacBook-Pro VTDecoderXPService[337]: getattrib failed for /Library/GPUBundles/AppleIntelKBLGraphicsVADriver.bundle/Contents/MacOS/AppleIntelKBLGraphicsVADriver: #2: No such file or directory  
Aug 3 09:16:49 Kosomaks-MacBook-Pro VTDecoderXPService[337]: getattrib failed for /Library/GPUBundles/AppleIntelCFLGraphicsVAME.bundle/Contents/MacOS/AppleIntelCFLGraphicsVAME: #2: No such file or directory  
Aug 3 09:16:49 Kosomaks-MacBook-Pro VTDecoderXPService[337]: DEPRECATED USE in libdispatch client: Changing the target of a source after it has been activated; set a breakpoint on \_dispatch\_bug\_deprecated to debug  
Aug 3 09:16:49 Kosomaks-MacBook-Pro VTDecoderXPService[337]: DEPRECATED USE in libdispatch client: Changing target queue hierarchy after xpc connection was activated; set a breakpoint on \_dispatch\_bug\_deprecated to debug  
Aug 3 09:16:50 Kosomaks-MacBook-Pro coreauthd[342]: objc[342]: Class OwnerInfo is implemented in both /System/Library/Frameworks/LocalAuthentication.framework/Support/coreauthd (0x10336aa60) and /System/Library/Frameworks/LocalAuthentication.framework/Support/ModulePlugins/ModuleACM.bundle/Contents/MacOS/ModuleACM (0x103408ed8). One of the two will be used. Which one is undefined.  
Aug 3 09:16:50 Kosomaks-MacBook-Pro coreauthd[342]: objc[342]: Class OwnerInfos is implemented in both /System/Library/Frameworks/LocalAuthentication.framework/Support/coreauthd (0x10336aab0) and /System/Library/Frameworks/LocalAuthentication.framework/Support/ModulePlugins/ModuleACM.bundle/Contents/MacOS/ModuleACM (0x103408f28). One of the two will be used. Which one is undefined.  
Aug 3 09:16:50 Kosomaks-MacBook-Pro loginwindow[141]: client 0x7fae3c249060: phaseName = "loginwindow Boot" is done  
Aug 3 09:16:50 Kosomaks-MacBook-Pro loginwindow[141]: ISAP: Done with Phase "loginwindow Boot"  
Aug 3 09:16:50 Kosomaks-MacBook-Pro Installer Progress[101]: Progress Updated: currentPhase = "loginwindow Boot", phase progress = 100.000, total progress = 100.000  
Aug 3 09:16:50 Kosomaks-MacBook-Pro Installer Progress[101]: Done with phase = "loginwindow Boot"  
Aug 3 09:16:50 Kosomaks-MacBook-Pro Installer Progress[101]: Progress Updated: currentPhase = "loginwindow Boot", phase progress = 100.000, total progress = 100.000  
Aug 3 09:16:50 Kosomaks-MacBook-Pro Installer Progress[101]: IASClearInstallProgress: Clearing Registry  
Aug 3 09:16:51 Kosomaks-MacBook-Pro Installer Progress[101]: Calling animation completion handler  
Aug 3 09:16:51 Kosomaks-MacBook-Pro Installer Progress[101]: Progress complete, notifying registered clients  
Aug 3 09:16:51 Kosomaks-MacBook-Pro Installer Progress[101]: Calling completion handler for phase "loginwindow Boot"  
Aug 3 09:16:51 Kosomaks-MacBook-Pro loginwindow[141]: Calling completion handler for 0x7fae3c249060  
Aug 3 09:16:51 Kosomaks-MacBook-Pro loginwindow[141]: client 0x7fae3c249060: phaseName = "loginwindow Boot", hide progress UI called  
Aug 3 09:16:51 Kosomaks-MacBook-Pro loginwindow[141]: ISAP: hide progress UI called  
Aug 3 09:16:51 Kosomaks-MacBook-Pro loginwindow[141]: client 0x7fae3c249060: phaseName = "loginwindow Boot" is being released  
Aug 3 09:16:51 Kosomaks-MacBook-Pro Installer Progress[101]: Hiding Progress UI  
Aug 3 09:16:51 Kosomaks-MacBook-Pro loginwindow[141]: Releasing Connection  
Aug 3 09:16:51 Kosomaks-MacBook-Pro Installer Progress[101]: Showing the cursor in Progress UI  
Aug 3 09:16:51 Kosomaks-MacBook-Pro Installer Progress[101]: GUI session is not logged in

```
Aug 3 09:16:51 Kosomaks-MacBook-Pro Installer Progress[101]: Setting window
alpha values to 0.0
Aug 3 09:16:51 Kosomaks-MacBook-Pro Installer Progress[101]: Ordering windows
out
Aug 3 09:16:51 Kosomaks-MacBook-Pro Installer Progress[101]:
_LSSetMetaApplicationInformationItem remove from frontmost list success
Aug 3 09:16:51 Kosomaks-MacBook-Pro Installer Progress[101]: HotKeys enabled
Aug 3 09:16:51 Kosomaks-MacBook-Pro Installer Progress[101]: Start quit timer,
will attempt to quit in 5 second(s) at 9:16:56 AM
Aug 3 09:16:51 Kosomaks-MacBook-Pro Installer Progress[101]: Saving completion
handler for phase loginwindow Boot
Aug 3 09:16:51 Kosomaks-MacBook-Pro Installer Progress[101]: Connected
processes {
    "6928F3A3-927A-4DA2-BA7A-C2300DB51DC5" = {
        CompletionHandlerKey = "&lt;__NSMallocBlock__:
0x600002ad8a00&gt;";
        "Phase Name" = "loginwindow Boot";
        "Process ID" = 141;
        UUID = "6928F3A3-927A-4DA2-BA7A-C2300DB51DC5";
    };
}
Aug 3 09:16:51 Kosomaks-MacBook-Pro Installer Progress[101]: Unregister process
141, phaseName loginwindow Boot, uuid 6928F3A3-927A-4DA2-BA7A-C2300DB51DC5
Aug 3 09:16:51 Kosomaks-MacBook-Pro Installer Progress[101]: Connected
processes {
}
Aug 3 09:16:51 Kosomaks-MacBook-Pro Installer Progress[101]: Start quit timer,
will attempt to quit in 5 second(s) at 9:16:56 AM
Aug 3 09:16:52 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.user.55): entering bootstrap mode
Aug 3 09:16:52 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]
(com.apple.FileProvider): Unknown key for dictionary: com.apple.xpc.activity
Aug 3 09:16:52 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]
(com.apple.FileProvider): Invalid type for event (event/type): Interval/int64
Aug 3 09:16:52 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]
(com.apple.FileProvider): Invalid type for event (event/type):
NetworkDownloadSize/int64
Aug 3 09:16:52 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]
(com.apple.FileProvider): Invalid type for event (event/type): Delay/int64
Aug 3 09:16:52 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]
(com.apple.FileProvider): Invalid type for event (event/type):
RequireNetworkConnectivity/bool
Aug 3 09:16:52 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]
(com.apple.FileProvider): Invalid type for event (event/type): Priority/string
Aug 3 09:16:52 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]
(com.apple.FileProvider): Invalid type for event (event/type): Interval/int64
Aug 3 09:16:52 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]
(com.apple.FileProvider): Invalid type for event (event/type): Delay/int64
Aug 3 09:16:52 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]
(com.apple.FileProvider): Invalid type for event (event/type): AllowBattery/bool
Aug 3 09:16:52 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]
(com.apple.FileProvider): Invalid type for event (event/type): Priority/string
Aug 3 09:16:52 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]
(com.apple.distnoted.xpc.agent): This service is defined to be constantly
running and is inherently inefficient.
Aug 3 09:16:52 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.lsd):
Event stream com.apple.launchservices.LSObserver is already monitored by
com.apple.lsd, ignoring
Aug 3 09:16:52 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]
(com.apple.coreimportd): Unknown key for dictionary: NoEnvironmentVariables
Aug 3 09:16:52 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.user.55): exiting bootstrap mode
Aug 3 09:16:52 Kosomaks-MacBook-Pro Installer Progress[101]: Order Out CG
Shield Window
```

Aug 3 09:16:52 Kosomaks-MacBook-Pro wifiFirmwareLoader[354]: sandbox initialization failed: wifiFirmwareLoader: profile not found  
Aug 3 09:16:56 Kosomaks-MacBook-Pro Installer Progress[101]: Quitting because there are no phases. There are no connected processes. The UI is not showing.  
Aug 3 09:16:56 Kosomaks-MacBook-Pro Installer Progress[101]: Quitting Progress App  
Aug 3 09:16:56 Kosomaks-MacBook-Pro Installer Progress[101]: Showing the cursor in Progress UI  
Aug 3 09:16:56 Kosomaks-MacBook-Pro Installer Progress[101]: GUI session is not logged in  
Aug 3 09:16:56 Kosomaks-MacBook-Pro Installer Progress[101]: Setting window alpha values to 0.0  
Aug 3 09:16:56 Kosomaks-MacBook-Pro Installer Progress[101]: Ordering windows out  
Aug 3 09:16:56 Kosomaks-MacBook-Pro Installer Progress[101]: Showing the cursor in Progress UI  
Aug 3 09:16:56 Kosomaks-MacBook-Pro loginwindow[141]: The connection was interrupted, calling interruption handlers  
Aug 3 09:17:11 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.ManagedClient[268]): Probabilistic Guard Malloc-enabled process exited: com.apple.ManagedClient  
Aug 3 09:17:49 Kosomaks-MacBook-Pro loginwindow[141]: There is still an active connection  
Aug 3 09:18:21 --- last message repeated 1 time ---  
Aug 3 09:18:40 Kosomaks-MacBook-Pro mdsync[358]: objc[358]: Class MDSPathFilter is implemented in both /System/Library/Frameworks/CoreServices.framework/Versions/A/Frameworks/Metadata.framework/Versions/A/Metadata and /System/Library/Frameworks/CoreServices.framework/Versions/A/Frameworks/Metadata.framework/Versions/A/Support/mdsync. One of the two will be used. Which one is undefined.  
Aug 3 09:18:40 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.xpc.launchd.domain.user.501): entering bootstrap mode  
Aug 3 09:18:40 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.FileProvider): Unknown key for dictionary: com.apple.xpc.activity  
Aug 3 09:18:40 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.FileProvider): Invalid type for event (event/type): Interval/int64  
Aug 3 09:18:40 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.FileProvider): Invalid type for event (event/type): NetworkDownloadSize/int64  
Aug 3 09:18:40 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.FileProvider): Invalid type for event (event/type): Delay/int64  
Aug 3 09:18:40 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.FileProvider): Invalid type for event (event/type): RequireNetworkConnectivity/bool  
Aug 3 09:18:40 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.FileProvider): Invalid type for event (event/type): Priority/string  
Aug 3 09:18:40 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.FileProvider): Invalid type for event (event/type): Interval/int64  
Aug 3 09:18:40 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.FileProvider): Invalid type for event (event/type): Delay/int64  
Aug 3 09:18:40 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.FileProvider): Invalid type for event (event/type): AllowBattery/bool  
Aug 3 09:18:40 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.FileProvider): Invalid type for event (event/type): Priority/string  
Aug 3 09:18:40 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.distnoted.xpc.agent): This service is defined to be constantly running and is inherently inefficient.  
Aug 3 09:18:40 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.lsd): Event stream com.apple.launchservices.LSObserver is already monitored by com.apple.lsd, ignoring  
Aug 3 09:18:40 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.coreimportd): Unknown key for dictionary: NoEnvironmentVariables  
Aug 3 09:18:40 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]

(com.apple.xpc.launchd.domain.user.501): exiting bootstrap mode  
Aug 3 09:18:41 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.mdworker.shared.04000000-0000-0000-0000-000000000000[361]): Service  
exited due to SIGKILL | sent by mds[97]  
Aug 3 09:18:41 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.mdworker.shared.01000000-0000-0000-0000-000000000000[366]): Service  
exited due to SIGKILL | sent by mds[97]  
Aug 3 09:18:41 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.mdworker.shared.0B000000-0000-0000-0000-000000000000[371]): Service  
exited due to SIGKILL | sent by mds[97]  
Aug 3 09:18:41 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.mdworker.shared.10000000-0000-0000-0000-000000000000[379]): Service  
exited due to SIGKILL | sent by mds[97]  
Aug 3 09:18:41 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.mdworker.shared.02000000-0000-0000-0000-000000000000[362]): Service  
exited due to SIGKILL | sent by mds[97]  
Aug 3 09:18:41 Kosomaks-MacBook-Pro sec2[380]: objc[380]: Class  
CTKClientSEP\_SEParameters is implemented in both  
/System/Library/Frameworks/Security.framework/Versions/A/Security and  
/usr/libexec/sec2. One of the two will be used. Which one is undefined.  
Aug 3 09:18:41 Kosomaks-MacBook-Pro sec2[380]: objc[380]: Class  
CTKClientSEP\_SEKey is implemented in both  
/System/Library/Frameworks/Security.framework/Versions/A/Security and  
/usr/libexec/sec2. One of the two will be used. Which one is undefined.  
Aug 3 09:18:41 Kosomaks-MacBook-Pro sec2[380]: objc[380]: Class  
CTKClientSEP\_TKDataSource is implemented in both  
/System/Library/Frameworks/Security.framework/Versions/A/Security and  
/usr/libexec/sec2. One of the two will be used. Which one is undefined.  
Aug 3 09:18:41 Kosomaks-MacBook-Pro sec2[380]: objc[380]: Class  
CTKClientSEP\_TKTLVRecord is implemented in both  
/System/Library/Frameworks/Security.framework/Versions/A/Security and  
/usr/libexec/sec2. One of the two will be used. Which one is undefined.  
Aug 3 09:18:41 Kosomaks-MacBook-Pro sec2[380]: objc[380]: Class  
CTKClientSEP\_TKBERTLVRecord is implemented in both  
/System/Library/Frameworks/Security.framework/Versions/A/Security and  
/usr/libexec/sec2. One of the two will be used. Which one is undefined.  
Aug 3 09:18:41 Kosomaks-MacBook-Pro sec2[380]: objc[380]: Class  
CTKClientSEP\_TKSimpleTLVRecord is implemented in both  
/System/Library/Frameworks/Security.framework/Versions/A/Security and  
/usr/libexec/sec2. One of the two will be used. Which one is undefined.  
Aug 3 09:18:41 Kosomaks-MacBook-Pro sec2[380]: objc[380]: Class  
CTKClientSEP\_TKCompactTLVRecord is implemented in both  
/System/Library/Frameworks/Security.framework/Versions/A/Security and  
/usr/libexec/sec2. One of the two will be used. Which one is undefined.  
Aug 3 09:18:41 Kosomaks-MacBook-Pro sec2[380]: objc[380]: Class  
CTKClientSEP\_TKTokenRefSEP is implemented in both  
/System/Library/Frameworks/Security.framework/Versions/A/Security and  
/usr/libexec/sec2. One of the two will be used. Which one is undefined.  
Aug 3 09:18:41 Kosomaks-MacBook-Pro sec2[380]: objc[380]: Class SecXPCUtils is  
implemented in both  
/System/Library/Frameworks/Security.framework/Versions/A/Security and  
/usr/libexec/sec2. One of the two will be used. Which one is undefined.  
Aug 3 09:18:41 Kosomaks-MacBook-Pro sec2[380]: objc[380]: Class SecXPCHelper is  
implemented in both  
/System/Library/Frameworks/Security.framework/Versions/A/Security and  
/usr/libexec/sec2. One of the two will be used. Which one is undefined.  
Aug 3 09:18:42 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.mdworker.shared.0B000000-0100-0000-0000-000000000000[387]): Service  
exited due to SIGKILL | sent by mds[97]  
Aug 3 09:20:03 Kosomaks-MacBook-Pro airportd[231]: DEPRECATED USE in  
libdispatch client: dispatch source activated with no event handler set; set a  
breakpoint on \_dispatch\_bug\_deprecated to debug  
Aug 3 09:20:07 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.mdworker.shared.04000000-0100-0000-0000-000000000000[385]): Service





Aug 3 09:20:08 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.mdworker.shared.0B000000-0200-0000-0000-000000000000[390]): Service  
exited due to SIGKILL | sent by mds[97]  
Aug 3 09:20:08 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.mdworker.shared.03000000-0000-0000-0000-000000000000[367]): Service  
exited due to SIGKILL | sent by mds[97]  
Aug 3 09:20:08 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.mdworker.shared.0D000000-0000-0000-0000-000000000000[373]): Service  
exited due to SIGKILL | sent by mds[97]  
Aug 3 09:20:08 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.mdworker.shared.04000000-0000-0000-0000-000000000000[394]): Service  
exited due to SIGKILL | sent by mds[97]  
Aug 3 09:20:08 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.mdworker.shared.02000000-0000-0000-0000-000000000000[378]): Service  
exited due to SIGKILL | sent by mds[97]  
Aug 3 09:20:08 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.mdworker.shared.07000000-0000-0000-0000-000000000000[393]): Service  
exited due to SIGKILL | sent by mds[97]  
Aug 3 09:20:09 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.mdworker.shared.06000000-0000-0000-0000-000000000000[360]): Service  
exited due to SIGKILL | sent by mds[97]  
Aug 3 09:20:09 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.mdworker.shared.0F000000-0000-0000-0000-000000000000[376]): Service  
exited due to SIGKILL | sent by mds[97]  
Aug 3 09:20:09 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.mdworker.shared.0E000000-0000-0000-0000-000000000000[374]): Service  
exited due to SIGKILL | sent by mds[97]  
Aug 3 09:20:09 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.mdworker.shared.10000000-0000-0000-0000-000000000000[397]): Service  
exited due to SIGKILL | sent by mds[97]  
Aug 3 09:20:30 Kosomaks-MacBook-Pro loginwindow[141]: USER\_PROCESS: 141 console  
Aug 3 09:20:30 Kosomaks-MacBook-Pro VDCAssistant[236]: getattrlist failed  
for /Library/GPUbundles/AppleIntelKBLGraphicsVADriver.bundle/Contents/MacOS/  
AppleIntelKBLGraphicsVADriver: #2: No such file or directory  
Aug 3 09:20:30 Kosomaks-MacBook-Pro VDCAssistant[236]: getattrlist failed  
for /Library/GPUbundles/AppleIntelCFLGraphicsVAME.bundle/Contents/MacOS/  
AppleIntelCFLGraphicsVAME: #2: No such file or directory  
Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): entering bootstrap mode  
Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): entering ondemand mode  
Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): com.apple.AirPlayUIAgent  
(lint): EnablePressuredExit is not compatible with KeepAlive=true. Ignoring  
EnablePressuredExit.  
Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.AirPlayUIAgent): This service is defined to be constantly running and  
is inherently inefficient.  
Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.usernoted): This service is defined to be constantly running and is  
inherently inefficient.  
Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua):  
com.apple.quicklook.ui.helper (lint): The HideUntilCheckIn property is an  
architectural performance issue. Please transition away from it.  
Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.UserEventAgent-Aqua): This service is defined to be constantly  
running and is inherently inefficient.  
Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.imklaunchagent): This service is defined to be constantly running and  
is inherently inefficient.  
Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.coreservices.UASharedPasteboardProgressUI): Unknown key for Boolean:  
DrainMessagesAfterFailedInit

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua):  
com.apple.cvmsCompAgent\_arm64\_1 (lint): UserName is not supported for non-System  
services.

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua):  
com.apple.cvmsCompAgent\_arm64 (lint): UserName is not supported for non-System  
services.

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua):  
com.apple.notificationcenterui.agent (lint): The HideUntilCheckIn property is an  
architectural performance issue. Please transition away from it.

Aug 3 09:20:31 --- last message repeated 6 times ---

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.notificationcenterui.agent): This service is defined to be constantly  
running and is inherently inefficient.

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.diagnostics\_agent): This service is defined to be constantly running  
and is inherently inefficient.

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): com.apple.Dock.agent  
(lint): The HideUntilCheckIn property is an architectural performance issue.  
Please transition away from it.

Aug 3 09:20:31 --- last message repeated 10 times ---

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): Could not import service  
from caller: path =  
/System/Library/LaunchAgents/com.apple.eospreflightagent.plist, caller =  
loginwindow.141, error = 138: Service cannot be loaded on this hardware

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): com.apple.universalaccessd  
(lint): The HideUntilCheckIn property is an architectural performance issue.  
Please transition away from it.

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): com.apple.VoiceOver (lint):  
The HideUntilCheckIn property is an architectural performance issue. Please  
transition away from it.

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): com.apple.TextInputSwitcher  
(lint): The HideUntilCheckIn property is an architectural performance issue.  
Please transition away from it.

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua):  
com.apple.accessibility.AXVisualSupportAgent (lint): The HideUntilCheckIn  
property is an architectural performance issue. Please transition away from it.

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): Caller tried to import  
service with same label as an existing service: path =  
/System/Library/LaunchAgents/com.apple.ctkd.plist, caller = loginwindow.141

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): com.apple.ReportCrash  
(lint): Unrecognized MachService property: DrainMessagesOnCrash

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): com.apple.AskPermissionUI  
(lint): UserName is not supported for non-System services.

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): com.apple.AssistiveControl  
(lint): The HideUntilCheckIn property is an architectural performance issue.  
Please transition away from it.

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.colorsync.useragent): Unknown key for string: RunLoopType

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua):  
com.apple.TextInputMenuAgent (lint): The HideUntilCheckIn property is an

architectural performance issue. Please transition away from it.

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.unmanaged.SecurityAgent.326[326]): Unmanaged endpoint "com.apple.tsm.uiserver" was canceled to transfer the ownership to:  
com.apple.TextInputMenuAgent

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): Caller tried to import service with same label as an existing service: path =  
/System/Library/LaunchAgents/com.apple.trustd.agent.plist, caller =  
loginwindow.141

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): Could not import service from caller: path =  
/System/Library/LaunchAgents/com.apple.MemorySlotNotification.plist, caller =  
loginwindow.141, error = 138: Service cannot be loaded on this hardware

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.sharingd): This service is defined to be constantly running and is inherently inefficient.

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): com.apple.corespeechd (lint): EnablePressuredExit is not compatible with KeepAlive=true. Ignoring EnablePressuredExit.

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.corespeechd): This service is defined to be constantly running and is inherently inefficient.

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.proactiveeventtrackerd): Unknown key for Boolean: PowerNap

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): com.apple.remindd (lint): Invalid type for a LaunchEvent stream, should be a dictionary (stream/type):  
com.apple.alarm/bool

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): com.apple.warmd\_agent (lint): Assuming EnablePressuredExit=false given EnableTransactions=false.

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): Could not import service from caller: path =  
/System/Library/LaunchAgents/com.apple.ExpansionSlotNotification.plist, caller =  
loginwindow.141, error = 138: Service cannot be loaded on this hardware

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): com.apple.DwellControl (lint): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.icloud.searchpartyuseragent): Invalid type for event (event/type):  
com.apple.icloud.searchpartyd.fetchServerConfiguration/array

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.gamed): The ServiceIPC key is no longer respected. Please remove it.

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua):  
com.apple.universalaccesscontrol (lint): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.icdd): This service is defined to be constantly running and is inherently inefficient.

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.RemoteManagementAgent): Event stream  
com.apple.remotemanagement.configs is already monitored by  
com.apple.remotemanagementd, ignoring

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.corespotlightd): Unknown key for dictionary: NoEnvironmentVariables

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): com.apple.midiserver (lint): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): com.apple.amsengagementd  
(lint): UserName is not supported for non-System services.  
Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua):  
com.apple.SystemUIServer.agent (lint): The HideUntilCheckIn property is an  
architectural performance issue. Please transition away from it.  
Aug 3 09:20:31 --- last message repeated 5 times ---  
Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): Caller tried to import  
service with same label as an existing service: path =  
/System/Library/LaunchAgents/com.apple.CoreAuthentication.agent.plist, caller =  
loginwindow.141  
Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.coreservices.useractivityd): Unknown key for Boolean:  
DrainMessagesAfterFailedInit  
Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.replayd): Unknown key for Boolean: com.apple.private.security.no-  
sandbox  
Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.replayd): Unknown key for dictionary: UNUserNotificationCenter  
Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): com.apple.replayd (lint):  
UserName is not supported for non-System services.  
Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): com.apple.replayd (lint):  
GroupName is not supported for non-System services.  
Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.mobiledeviceupdater): Unknown key for Boolean: \_AdjustProgramPath  
Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.avira.security.statusmenu): This service is defined to be constantly  
running and is inherently inefficient.  
Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.avira.security.UIAgent): This service is defined to be constantly running  
and is inherently inefficient.  
Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): Failed to bootstrap path:  
path = /System/Library/LaunchAgents/com.apple.CoreAuthentication.agent.plist,  
error = 17: File exists  
Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): Failed to bootstrap path:  
path = /System/Library/LaunchAgents/com.apple.MemorySlotNotification.plist,  
error = 138: Service cannot be loaded on this hardware  
Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): Failed to bootstrap path:  
path = /System/Library/LaunchAgents/com.apple.trustd.agent.plist, error = 17:  
File exists  
Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): Failed to bootstrap path:  
path = /System/Library/LaunchAgents/com.apple.eospreflightagent.plist, error =  
138: Service cannot be loaded on this hardware  
Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): Failed to bootstrap path:  
path = /System/Library/LaunchAgents/com.apple.ExpansionSlotNotification.plist,  
error = 138: Service cannot be loaded on this hardware  
Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): Failed to bootstrap path:  
path = /System/Library/LaunchAgents/com.apple.ctkd.plist, error = 17: File  
exists  
Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): exiting bootstrap mode  
Aug 3 09:20:31 Kosomaks-MacBook-Pro otherbsd[423]: assertion failed: 20G80:  
otherbsd + 20731 [63542256-2EC8-345D-9EF7-C4AA943C7BE6]: 0x0  
Aug 3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]

```
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): entering bootstrap mode
Aug  3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): exiting bootstrap mode
Aug  3 09:20:31 Kosomaks-MacBook-Pro backgroundtaskmanagementagent[430]:
objc[430]: Class BTMLoginItem is implemented in both
/System/Library/PrivateFrameworks/BackgroundTaskManagement.framework/Versions/A/BackgroundTaskManagement and
/System/Library/CoreServices/backgroundtaskmanagementagent. One of the two will
be used. Which one is undefined.
Aug  3 09:20:31 Kosomaks-MacBook-Pro backgroundtaskmanagementagent[430]:
objc[430]: Class BTMBackgroundItem is implemented in both
/System/Library/PrivateFrameworks/BackgroundTaskManagement.framework/Versions/A/BackgroundTaskManagement and
/System/Library/CoreServices/backgroundtaskmanagementagent. One of the two will
be used. Which one is undefined.
Aug  3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): Could not import service
from caller: caller = otherbsd.423, service = ch.protonvpn.ProtonVPNStarter,
error = 119: Service is disabled
Aug  3 09:20:31 Kosomaks-MacBook-Pro UserEventAgent[422]: objc[422]: Class SPLog
is implemented in both
/System/Library/PrivateFrameworks/SystemPolicy.framework/Versions/A/SystemPolicy
(0x7fff8220f180) and
/System/Library/UserEventPlugins/SystemPolicyEvents.plugin/Contents/MacOS/
SystemPolicyEvents (0x10adb350). One of the two will be used. Which one is
undefined.
Aug  3 09:20:31 Kosomaks-MacBook-Pro usernoted[436]: DEPRECATED USE in
libdispatch client: dispatch source activated with no event handler set; set a
breakpoint on _dispatch_bug_deprecated to debug
Aug  3 09:20:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.user.501): com.apple.package-script-service
(lint): JoinExistingSession is only available to Application services.
Aug  3 09:20:31 Kosomaks-MacBook-Pro NotificationCenter[439]: objc[439]: Class
NCCAFenceWrapper is implemented in both
/System/Library/PrivateFrameworks/NotificationCenterUI.framework/Versions/A/
NotificationCenterUI and
/System/Library/CoreServices/NotificationCenter.app/Contents/MacOS/
NotificationCenter. One of the two will be used. Which one is undefined.
Aug  3 09:20:31 Kosomaks-MacBook-Pro NotificationCenter[439]: objc[439]: Class
NCJSONTransformer is implemented in both
/System/Library/Frameworks/NotificationCenter.framework/Versions/A/
NotificationCenter and
/System/Library/CoreServices/NotificationCenter.app/Contents/MacOS/
NotificationCenter. One of the two will be used. Which one is undefined.
Aug  3 09:20:31 Kosomaks-MacBook-Pro rapportd[447]: objc[447]: Class
RPEventRegistration is implemented in both
/System/Library/PrivateFrameworks/Rapport.framework/Versions/A/Rapport and
/usr/libexec/rapportd. One of the two will be used. Which one is undefined.
Aug  3 09:20:31 Kosomaks-MacBook-Pro rapportd[447]: objc[447]: Class
RPRequestRegistration is implemented in both
/System/Library/PrivateFrameworks/Rapport.framework/Versions/A/Rapport and
/usr/libexec/rapportd. One of the two will be used. Which one is undefined.
Aug  3 09:20:31 Kosomaks-MacBook-Pro rapportd[447]: objc[447]: Class
RPRequestEntry is implemented in both
/System/Library/PrivateFrameworks/Rapport.framework/Versions/A/Rapport and
/usr/libexec/rapportd. One of the two will be used. Which one is undefined.
Aug  3 09:20:32 Kosomaks-MacBook-Pro CommCenter[438]: objc[438]: Class
CTCellularPlanManagerCameraScanAction is implemented in both
/System/Library/Frameworks/CoreTelephony.framework/Versions/A/CoreTelephony
(0x7fff8014f730) and
/System/Library/Frameworks/CoreTelephony.framework/Support/CommCenter
(0x10680b1c0). One of the two will be used. Which one is undefined.
Aug  3 09:20:32 Kosomaks-MacBook-Pro CommCenter[438]: objc[438]: Class
CTSimLabel is implemented in both
```

/System/Library/Frameworks/CoreTelephony.framework/Versions/A/CoreTelephony (0x7fff8014de30) and /System/Library/Frameworks/CoreTelephony.framework/Support/CommCenter (0x10680c3e0). One of the two will be used. Which one is undefined.

Aug 3 09:20:32 Kosomaks-MacBook-Pro AMPDeviceDiscoveryAgent[464]: objc[464]: Class AMSupportURLConnectionDelegate is implemented in both /usr/lib/libauthinstall.dylib (0x7fff82fb0440) and /System/Library/PrivateFrameworks/MobileDevice.framework/Versions/A/MobileDevice (0x108c0e910). One of the two will be used. Which one is undefined.

Aug 3 09:20:32 Kosomaks-MacBook-Pro AMPDeviceDiscoveryAgent[464]: objc[464]: Class AMSupportURLSession is implemented in both /usr/lib/libauthinstall.dylib (0x7fff82fb0490) and /System/Library/PrivateFrameworks/MobileDevice.framework/Versions/A/MobileDevice (0x108c0e960). One of the two will be used. Which one is undefined.

Aug 3 09:20:32 Kosomaks-MacBook-Pro AMPDeviceDiscoveryAgent[464]: objc[464]: Class RPStream is implemented in both /System/Library/PrivateFrameworks/EmbeddedOSInstall.framework/Versions/A/EmbeddedOSInstall (0x7fff8259b820) and /System/Library/PrivateFrameworks/MobileDevice.framework/Versions/A/MobileDevice (0x108c0e9b0). One of the two will be used. Which one is undefined.

Aug 3 09:20:32 Kosomaks-MacBook-Pro syncdefaultsd[473]: objc[473]: Class SYDClient is implemented in both /System/Library/PrivateFrameworks/SyncedDefaults.framework/Versions/A/SyncedDefaults and /System/Library/PrivateFrameworks/SyncedDefaults.framework/Support/syncdefaultsd. One of the two will be used. Which one is undefined.

Aug 3 09:20:32 Kosomaks-MacBook-Pro syncdefaultsd[473]: objc[473]: Class SYDJournal is implemented in both /System/Library/PrivateFrameworks/SyncedDefaults.framework/Versions/A/SyncedDefaults and /System/Library/PrivateFrameworks/SyncedDefaults.framework/Support/syncdefaultsd. One of the two will be used. Which one is undefined.

Aug 3 09:20:33 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.xpc.launchd.domain.user.501): Service "com.apple.sharingd" tried to register for endpoint "com.apple.private.alloy.nearby-idswake" already registered by owner: com.apple.rapportd

Aug 3 09:20:34 Kosomaks-MacBook-Pro CloudKeychainProxy[495]: objc[495]: Class SecXPCUtils is implemented in both /System/Library/Frameworks/Security.framework/Versions/A/Security and /System/Library/Frameworks/Security.framework/Versions/A/Resources/CloudKeychainProxy.bundle/Contents/MacOS/CloudKeychainProxy. One of the two will be used. Which one is undefined.

Aug 3 09:20:34 Kosomaks-MacBook-Pro CloudKeychainProxy[495]: objc[495]: Class SecXPCHelper is implemented in both /System/Library/Frameworks/Security.framework/Versions/A/Security and /System/Library/Frameworks/Security.framework/Versions/A/Resources/CloudKeychainProxy.bundle/Contents/MacOS/CloudKeychainProxy. One of the two will be used. Which one is undefined.

Aug 3 09:20:34 Kosomaks-MacBook-Pro assistantd[496]: objc[496]: Class AFCoreAnalyticsCrossDeviceEvent is implemented in both /System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/AssistantServices and /System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/Support/assistantd. One of the two will be used. Which one is undefined.

Aug 3 09:20:34 Kosomaks-MacBook-Pro assistantd[496]: objc[496]: Class AFHeadphonesAnnouncementRequestCapabilityProvider is implemented in both /System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/AssistantServices and /System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/Support/assistantd. One of the two will be used. Which one is undefined.

Aug 3 09:20:34 Kosomaks-MacBook-Pro assistantd[496]: objc[496]: Class AFPersonalUserSettings is implemented in both /System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/AssistantServices and

/System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/Support/assistantd. One of the two will be used. Which one is undefined.  
Aug 3 09:20:34 Kosomaks-MacBook-Pro assistantd[496]: objc[496]: Class AFAssertionContext is implemented in both /System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/AssistantServices and /System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/Support/assistantd. One of the two will be used. Which one is undefined.  
Aug 3 09:20:34 Kosomaks-MacBook-Pro assistantd[496]: objc[496]: Class \_AFAssertionContextMutation is implemented in both /System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/AssistantServices and /System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/Support/assistantd. One of the two will be used. Which one is undefined.  
Aug 3 09:20:34 Kosomaks-MacBook-Pro assistantd[496]: objc[496]: Class AFAnalytics is implemented in both /System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/AssistantServices and /System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/Support/assistantd. One of the two will be used. Which one is undefined.  
Aug 3 09:20:34 Kosomaks-MacBook-Pro assistantd[496]: objc[496]: Class AFSiriUserNotificationRequest is implemented in both /System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/AssistantServices and /System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/Support/assistantd. One of the two will be used. Which one is undefined.  
Aug 3 09:20:34 Kosomaks-MacBook-Pro assistantd[496]: objc[496]: Class AFSiriUserNotificationRequestCapabilityManager is implemented in both /System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/AssistantServices and /System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/Support/assistantd. One of the two will be used. Which one is undefined.  
Aug 3 09:20:34 Kosomaks-MacBook-Pro assistantd[496]: objc[496]: Class AFSiriNotificationRequest is implemented in both /System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/AssistantServices and /System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/Support/assistantd. One of the two will be used. Which one is undefined.  
Aug 3 09:20:34 Kosomaks-MacBook-Pro assistantd[496]: objc[496]: Class AFSiriAnnouncementRequestCapabilityManager is implemented in both /System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/AssistantServices and /System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/Support/assistantd. One of the two will be used. Which one is undefined.  
Aug 3 09:20:34 Kosomaks-MacBook-Pro neagent[497]: objc[497]: Class NEAgentAppPushExtension is implemented in both /System/Library/Frameworks/NetworkExtension.framework/Versions/A/NetworkExtension (0x7fff81703378) and /usr/libexec/neagent (0x109cb50c8). One of the two will be used. Which one is undefined.  
Aug 3 09:20:34 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.CoreLocationAgent[490]): Endpoint has been activated through legacy launch(3) APIs. Please switch to XPC or bootstrap\_check\_in(): com.apple.CoreLocation.agent  
Aug 3 09:20:34 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.suggestd): Skipping remaining event endpoints for importance boosting.  
Aug 3 09:20:34 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.suggestd): Skipping remaining instance endpoints for importance boosting.  
Aug 3 09:20:35 Kosomaks-MacBook-Pro remindd[507]: objc[507]: Class REMCDChangeTrackingState is implemented in both /System/Library/PrivateFrameworks/ReminderKit.framework/Versions/A/ReminderKit and /usr/libexec/remindd. One of the two will be used. Which one is undefined.  
Aug 3 09:20:35 Kosomaks-MacBook-Pro Finder[432]: assertion failed: 20G80:

libxpc.dylib + 88455 [D3D34FC5-2269-399E-A637-4D33E6BAFC64]: 0x89  
Aug 3 09:20:35 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): exiting ondemand mode  
Aug 3 09:20:35 Kosomaks-MacBook-Pro corespeechd[508]: objc[508]: Class  
CSSelectiveChannelAudioFileWriter is implemented in both  
/System/Library/PrivateFrameworks/SpeakerRecognition.framework/Versions/A/  
SpeakerRecognition and  
/System/Library/PrivateFrameworks/CoreSpeech.framework/corespeechd. One of the  
two will be used. Which one is undefined.  
Aug 3 09:20:35 Kosomaks-MacBook-Pro corespeechd[508]: objc[508]: Class  
CSAudioFileManager is implemented in both  
/System/Library/PrivateFrameworks/SpeakerRecognition.framework/Versions/A/  
SpeakerRecognition and  
/System/Library/PrivateFrameworks/CoreSpeech.framework/corespeechd. One of the  
two will be used. Which one is undefined.  
Aug 3 09:20:35 Kosomaks-MacBook-Pro corespeechd[508]: objc[508]: Class  
CSPlainAudioFileWriter is implemented in both  
/System/Library/PrivateFrameworks/SpeakerRecognition.framework/Versions/A/  
SpeakerRecognition and  
/System/Library/PrivateFrameworks/CoreSpeech.framework/corespeechd. One of the  
two will be used. Which one is undefined.  
Aug 3 09:20:35 Kosomaks-MacBook-Pro corespeechd[508]: objc[508]: Class  
CSAudioRecordContext is implemented in both  
/System/Library/PrivateFrameworks/SpeakerRecognition.framework/Versions/A/  
SpeakerRecognition and  
/System/Library/PrivateFrameworks/CoreSpeech.framework/corespeechd. One of the  
two will be used. Which one is undefined.  
Aug 3 09:20:35 Kosomaks-MacBook-Pro corespeechd[508]: objc[508]: Class  
CSRemoteRecordClient is implemented in both  
/System/Library/PrivateFrameworks/SpeakerRecognition.framework/Versions/A/  
SpeakerRecognition and  
/System/Library/PrivateFrameworks/CoreSpeech.framework/corespeechd. One of the  
two will be used. Which one is undefined.  
Aug 3 09:20:35 Kosomaks-MacBook-Pro askpermissiond[516]: objc[516]: Class  
Request is implemented in both  
/System/Library/Frameworks/LocalAuthentication.framework/Support/DaemonUtils.fra  
mework/Versions/A/DaemonUtils and  
/System/Library/PrivateFrameworks/AskPermission.framework/Versions/A/Resources/  
askpermissiond. One of the two will be used. Which one is undefined.  
Aug 3 09:20:35 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.user.domain.501.100007.Aqua): Caller not allowed to  
perform action: seedusage.517, action = service removal, code = 150: Operation  
not permitted while System Integrity Protection is engaged, uid = 501, euid =  
501, gid = 20, egid = 20, asid = 100007  
Aug 3 09:20:35 Kosomaks-MacBook-Pro fud[533]: objc[533]: Class  
AMSupportURLConnectionDelegate is implemented in both  
/usr/lib/libamsupport.dylib and  
/System/Library/PrivateFrameworks/MobileAccessoryUpdater.framework/Support/fud.  
One of the two will be used. Which one is undefined.  
Aug 3 09:20:35 Kosomaks-MacBook-Pro fud[533]: objc[533]: Class  
AMSupportURLSession is implemented in both /usr/lib/libamsupport.dylib and  
/System/Library/PrivateFrameworks/MobileAccessoryUpdater.framework/Support/fud.  
One of the two will be used. Which one is undefined.  
Aug 3 09:20:35 Kosomaks-MacBook-Pro amsaccountsd[523]: objc[523]: Class  
AMSDaemonConnectionInterface is implemented in both  
/System/Library/PrivateFrameworks/AppleMediaServices.framework/Versions/A/  
AppleMediaServices and  
/System/Library/PrivateFrameworks/AppleMediaServices.framework/Versions/A/  
Resources/amsaccountsd. One of the two will be used. Which one is undefined.  
Aug 3 09:20:36 Kosomaks-MacBook-Pro amsaccountsd[523]: objc[523]: Class  
AMSXDProtoMessage is implemented in both  
/System/Library/PrivateFrameworks/AppleMediaServices.framework/Versions/A/  
AppleMediaServices and  
/System/Library/PrivateFrameworks/AppleMediaServices.framework/Versions/A/



Resources/amsaccountsd. One of the two will be used. Which one is undefined.  
Aug 3 09:20:36 Kosomaks-MacBook-Pro com.apple.geod[536]: objc[536]: Class GEOETAProvider is implemented in both /System/Library/PrivateFrameworks/GeoServices.framework/Versions/A/GeoServices and /System/Library/PrivateFrameworks/GeoServices.framework/Versions/A/XPCServices/com.apple.geod.xpc/Contents/MacOS/com.apple.geod. One of the two will be used. Which one is undefined.  
Aug 3 09:20:36 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.bsd.dirhelper[542]): Endpoint has been activated through legacy launch(3) APIs. Please switch to XPC or bootstrap\_check\_in(): com.apple.bsd.dirhelper  
Aug 3 09:20:36 Kosomaks-MacBook-Pro MRT[524]: getatrrlist failed for : #2: No such file or directory  
Aug 3 09:20:41 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.xpc.launchd.domain.user.269): entering bootstrap mode  
Aug 3 09:20:41 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.FileProvider): Unknown key for dictionary: com.apple.xpc.activity  
Aug 3 09:20:41 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.FileProvider): Invalid type for event (event/type): Interval/int64  
Aug 3 09:20:41 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.FileProvider): Invalid type for event (event/type): NetworkDownloadSize/int64  
Aug 3 09:20:41 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.FileProvider): Invalid type for event (event/type): Delay/int64  
Aug 3 09:20:41 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.FileProvider): Invalid type for event (event/type): RequireNetworkConnectivity/bool  
Aug 3 09:20:41 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.FileProvider): Invalid type for event (event/type): Priority/string  
Aug 3 09:20:41 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.FileProvider): Invalid type for event (event/type): Interval/int64  
Aug 3 09:20:41 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.FileProvider): Invalid type for event (event/type): Delay/int64  
Aug 3 09:20:41 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.FileProvider): Invalid type for event (event/type): AllowBattery/bool  
Aug 3 09:20:41 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.FileProvider): Invalid type for event (event/type): Priority/string  
Aug 3 09:20:41 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.distnoted.xpc.agent): This service is defined to be constantly running and is inherently inefficient.  
Aug 3 09:20:41 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.lsd): Event stream com.apple.launchservices.LSObserver is already monitored by com.apple.lsd, ignoring  
Aug 3 09:20:41 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.coreimportd): Unknown key for dictionary: NoEnvironmentVariables  
Aug 3 09:20:41 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.xpc.launchd.domain.user.269): exiting bootstrap mode  
Aug 3 09:20:45 Kosomaks-MacBook-Pro rtcreportingd[555]: objc[555]: Class UpdateAndReportServices is implemented in both /System/Library/PrivateFrameworks/RTCReporting.framework/Versions/A/RTCReporting and /usr/libexec/rtcreportingd. One of the two will be used. Which one is undefined.  
Aug 3 09:20:45 Kosomaks-MacBook-Pro rtcreportingd[555]: objc[555]: Class RTCReportingDeallocNotifier is implemented in both /System/Library/PrivateFrameworks/RTCReporting.framework/Versions/A/RTCReporting and /usr/libexec/rtcreportingd. One of the two will be used. Which one is undefined.  
Aug 3 09:20:45 Kosomaks-MacBook-Pro rtcreportingd[555]: objc[555]: Class RTCReportingAggregationObject is implemented in both /System/Library/PrivateFrameworks/RTCReporting.framework/Versions/A/RTCReporting and /usr/libexec/rtcreportingd. One of the two will be used. Which one is undefined.  
Aug 3 09:20:45 Kosomaks-MacBook-Pro rtcreportingd[555]: objc[555]: Class RTCReporting is implemented in both

/System/Library/PrivateFrameworks/RTCReporting.framework/Versions/A/RTCReporting and /usr/libexec/rtcreportingd. One of the two will be used. Which one is undefined.

Aug 3 09:20:49 Kosomaks-MacBook-Pro akd[556]: objc[556]: Class AKCarrierBundlePhoneCertificate is implemented in both /System/Library/PrivateFrameworks/AuthKit.framework/Versions/A/AuthKit and /System/Library/PrivateFrameworks/AuthKit.framework/Versions/A/Support/akd. One of the two will be used. Which one is undefined.

Aug 3 09:20:49 Kosomaks-MacBook-Pro akd[556]: objc[556]: Class AKCarrierBundleUtilities is implemented in both /System/Library/PrivateFrameworks/AuthKit.framework/Versions/A/AuthKit and /System/Library/PrivateFrameworks/AuthKit.framework/Versions/A/Support/akd. One of the two will be used. Which one is undefined.

Aug 3 09:21:07 Kosomaks-MacBook-Pro TVCacheExtension[579]: objc[579]: Class PDFToRasterImageRef is implemented in both /System/Library/PrivateFrameworks/AMPLibrary.framework/Versions/A/AMPLibrary and /System/Applications/TV.app/Contents/PlugIns/TVCacheExtension.appex/Contents/MacOS/TVCacheExtension. One of the two will be used. Which one is undefined.

Aug 3 09:21:07 Kosomaks-MacBook-Pro MusicCacheExtension[580]: objc[580]: Class PDFToRasterImageRef is implemented in both /System/Library/PrivateFrameworks/AMPLibrary.framework/Versions/A/AMPLibrary and /System/Applications/Music.app/Contents/PlugIns/MusicCacheExtension.appex/Contents/MacOS/MusicCacheExtension. One of the two will be used. Which one is undefined.

Aug 3 09:21:07 Kosomaks-MacBook-Pro replayd[569]: objc[569]: Class RPSession is implemented in both /System/Library/PrivateFrameworks/Rapport.framework/Versions/A/Rapport and /usr/libexec/replayd. One of the two will be used. Which one is undefined.

Aug 3 09:21:07 Kosomaks-MacBook-Pro replayd[569]: objc[569]: Class RPCClient is implemented in both /System/Library/PrivateFrameworks/Rapport.framework/Versions/A/Rapport and /usr/libexec/replayd. One of the two will be used. Which one is undefined.

Aug 3 09:21:07 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.xpc.launchd.domain.user.235): entering bootstrap mode

Aug 3 09:21:07 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.FileProvider): Unknown key for dictionary: com.apple.xpc.activity

Aug 3 09:21:07 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.FileProvider): Invalid type for event (event/type): Interval/int64

Aug 3 09:21:07 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.FileProvider): Invalid type for event (event/type): NetworkDownloadSize/int64

Aug 3 09:21:07 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.FileProvider): Invalid type for event (event/type): Delay/int64

Aug 3 09:21:07 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.FileProvider): Invalid type for event (event/type): RequireNetworkConnectivity/bool

Aug 3 09:21:07 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.FileProvider): Invalid type for event (event/type): Priority/string

Aug 3 09:21:07 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.FileProvider): Invalid type for event (event/type): Interval/int64

Aug 3 09:21:07 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.FileProvider): Invalid type for event (event/type): Delay/int64

Aug 3 09:21:07 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.FileProvider): Invalid type for event (event/type): AllowBattery/bool

Aug 3 09:21:07 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.FileProvider): Invalid type for event (event/type): Priority/string

Aug 3 09:21:07 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.distnoted.xpc.agent): This service is defined to be constantly running and is inherently inefficient.

Aug 3 09:21:07 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.lsd): Event stream com.apple.launchservices.LSObserver is already monitored by com.apple.lsd, ignoring

Aug 3 09:21:07 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1] (com.apple.coreimportd): Unknown key for dictionary: NoEnvironmentVariables

Aug 3 09:21:07 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.xpc.launchd.domain.user.235): exiting bootstrap mode  
Aug 3 09:21:23 Kosomaks-MacBook-Pro  
com.apple.appkit.xpc.openAndSavePanelService[598]: assertion failed: 20G80:  
libxpc.dylib + 88455 [D3D34FC5-2269-399E-A637-4D33E6BAFC64]: 0x89  
Aug 3 09:21:31 Kosomaks-MacBook-Pro com.apple.xpc.launchd[1]  
(com.apple.mdworker.shared.000000000-0000-0000-0000-000000000000[603]): Service  
exited due to SIGKILL | sent by mds[97]  
Aug 3 09:21:46 Kosomaks-MacBook-Pro coreauthd[676]: objc[676]: Class OwnerInfo  
is implemented in both  
/System/Library/Frameworks/LocalAuthentication.framework/Support/coreauthd  
(0x10a1c0a60) and  
/System/Library/Frameworks/LocalAuthentication.framework/Support/ModulePlugins/  
ModuleACM.bundle/Contents/MacOS/ModuleACM (0x10a266ed8). One of the two will be  
used. Which one is undefined.  
Aug 3 09:21:46 Kosomaks-MacBook-Pro coreauthd[676]: objc[676]: Class OwnerInfos  
is implemented in both  
/System/Library/Frameworks/LocalAuthentication.framework/Support/coreauthd  
(0x10a1c0ab0) and  
/System/Library/Frameworks/LocalAuthentication.framework/Support/ModulePlugins/  
ModuleACM.bundle/Contents/MacOS/ModuleACM (0x10a266f28). One of the two will be  
used. Which one is undefined.  
</string>

```
                <key>description</key>
                <string>system_log_description</string>
                <key>lastModified</key>
                <date>2021-08-03T01:21:46Z</date>
                <key>size</key>
                <string>527 KB</string>
            </dict>
        </array>
        <key>_name</key>
        <string>log_tree_name</string>
    </dict>
</array>
<key>_parentDataType</key>
<string>SPSoftwareDataType</string>
<key>_properties</key>
<dict>
    <key>_name</key>
    <dict>
        <key>_isColumn</key>
        <string>YES</string>
        <key>_isOutlineColumn</key>
        <string>YES</string>
        <key>_order</key>
        <string>10</string>
    </dict>
    <key>contents</key>
    <dict>
        <key>_order</key>
        <string>40</string>
    </dict>
    <key>description</key>
    <dict>
        <key>_isColumn</key>
        <string>YES</string>
        <key>_order</key>
        <string>10</string>
    </dict>
    <key>engine_version_string</key>
    <dict>
        <key>_order</key>
        <string>30</string>
```

```
    </dict>
    <key>lastModified</key>
    <dict>
      <key>_isColumn</key>
      <string>YES</string>
      <key>_order</key>
      <string>20</string>
    </dict>
    <key>size</key>
    <dict>
      <key>_isColumn</key>
      <string>YES</string>
      <key>_order</key>
      <string>30</string>
    </dict>
    <key>summary</key>
    <dict>
      <key>_order</key>
      <string>20</string>
    </dict>
    <key>volumes</key>
    <dict>
      <key>_detailLevel</key>
      <string>0</string>
    </dict>
  </dict>
  <key>_timeStamp</key>
  <date>2021-08-03T01:21:48Z</date>
  <key>_versionInfo</key>
  <dict>
    <key>com.apple.syncservices.diagnostics</key>
    <string>729</string>
  </dict>
</dict>
<dict>
  <key>_SPCommandLineArguments</key>
  <array>
    <string>/usr/sbin/system_profiler</string>
    <string>-nospawn</string>
    <string>-xml</string>
    <string>SPThunderboltDataType</string>
    <string>-detailLevel</string>
    <string>full</string>
  </array>
  <key>_SPCompletionInterval</key>
  <real>0.34117209911346436</real>
  <key>_SPResponseTime</key>
  <real>0.42426693439483643</real>
  <key>_dataType</key>
  <string>SPThunderboltDataType</string>
  <key>_detailLevel</key>
  <integer>-1</integer>
  <key>_items</key>
  <array>
    <dict>
      <key>_name</key>
      <string>thunderbolt_bus</string>
      <key>device_name_key</key>
      <string>MacBook Pro</string>
      <key>domain_uuid_key</key>
      <string>3D00FE8A-D377-7A5D-BC8F-29CE29FAD8AA</string>
      <key>receptacle_1_tag</key>
      <dict>
        <key>current_link_width_key</key>
```

```

        <string>0x1</string>
        <key>current_speed_key</key>
        <string>Up to 40 Gb/s x1</string>
        <key>lc_version_key</key>
        <string>1.43.0</string>
        <key>link_status_key</key>
        <string>0x101</string>
        <key>receptacle_id_key</key>
        <string>2</string>
        <key>receptacle_status_key</key>
        <string>receptacle_no_devices_connected</string>
    </dict>
    <key>receptacle_2_tag</key>
    <dict>
        <key>current_link_width_key</key>
        <string>0x1</string>
        <key>current_speed_key</key>
        <string>Up to 40 Gb/s x1</string>
        <key>lc_version_key</key>
        <string>1.43.0</string>
        <key>link_status_key</key>
        <string>0x101</string>
        <key>receptacle_id_key</key>
        <string>1</string>
        <key>receptacle_status_key</key>
        <string>receptacle_no_devices_connected</string>
    </dict>
    <key>route_string_key</key>
    <string>0</string>
    <key>switch_uid_key</key>
    <string>0x0001DD9D99084600</string>
    <key>switch_version_key</key>
    <string>63.5</string>
    <key>vendor_name_key</key>
    <string>Apple Inc.</string>
</dict>
</array>
<key>_parentDataType</key>
<string>SPHardwareDataType</string>
<key>_properties</key>
<dict>
    <key>_name</key>
    <dict>
        <key>_isColumn</key>
        <string>YES</string>
        <key>_isOutlineColumn</key>
        <string>YES</string>
        <key>_order</key>
        <integer>10</integer>
    </dict>
    <key>aapl_serial_number_key</key>
    <dict>
        <key>_order</key>
        <integer>350</integer>
    </dict>
    <key>bsd_name</key>
    <dict>
        <key>_order</key>
        <string>505</string>
    </dict>
    <key>cm_asn_key</key>
    <dict>
        <key>_order</key>
        <integer>800</integer>

```

```
</dict>
<key>cm_version_key</key>
<dict>
  <key>_order</key>
  <integer>790</integer>
</dict>
<key>current_link_placeholder</key>
<dict>
  <key>_order</key>
  <integer>530</integer>
</dict>
<key>current_link_width_key</key>
<dict>
  <key>_order</key>
  <integer>520</integer>
</dict>
<key>current_speed_key</key>
<dict>
  <key>_order</key>
  <integer>510</integer>
</dict>
<key>detachable_drive</key>
<dict>
  <key>_order</key>
  <string>535</string>
</dict>
<key>device_id_key</key>
<dict>
  <key>_order</key>
  <integer>130</integer>
</dict>
<key>device_manufacturer</key>
<dict>
  <key>_order</key>
  <string>525</string>
</dict>
<key>device_name_key</key>
<dict>
  <key>_order</key>
  <integer>110</integer>
</dict>
<key>device_revision_key</key>
<dict>
  <key>_order</key>
  <integer>150</integer>
</dict>
<key>disc_burning</key>
<dict>
  <key>_order</key>
  <string>550</string>
</dict>
<key>dm_version_key</key>
<dict>
  <key>_order</key>
  <integer>710</integer>
</dict>
<key>domain_uuid_key</key>
<dict>
  <key>_order</key>
  <integer>810</integer>
</dict>
<key>far_cm_version_key</key>
<dict>
  <key>_order</key>
```

```
        <integer>792</integer>
</dict>
<key>file_system</key>
<dict>
    <key>_order</key>
    <string>510</string>
</dict>
<key>free_space</key>
<dict>
    <key>_deprecated</key>
    <true/>
    <key>_order</key>
    <string>520</string>
</dict>
<key>free_space_in_bytes</key>
<dict>
    <key>_isByteSize</key>
    <true/>
    <key>_order</key>
    <string>520</string>
</dict>
<key>link_status_key</key>
<dict>
    <key>_order</key>
    <integer>500</integer>
</dict>
<key>lr_version_key</key>
<dict>
    <key>_order</key>
    <integer>700</integer>
</dict>
<key>mode_key</key>
<dict>
    <key>_order</key>
    <integer>120</integer>
</dict>
<key>mount_point</key>
<dict>
    <key>_order</key>
    <string>500</string>
</dict>
<key>near_cm_version_key</key>
<dict>
    <key>_order</key>
    <integer>791</integer>
</dict>
<key>optical_drive_type</key>
<dict>
    <key>_order</key>
    <string>540</string>
</dict>
<key>optical_media_type</key>
<dict>
    <key>_order</key>
    <string>545</string>
</dict>
<key>partition_map_type</key>
<dict>
    <key>_order</key>
    <string>512</string>
</dict>
<key>pm_version_key</key>
<dict>
    <key>_order</key>
```

```
        <integer>730</integer>
</dict>
<key>port_mode_key</key>
<dict>
    <key>_order</key>
    <integer>799</integer>
</dict>
<key>protocol_id_key</key>
<dict>
    <key>_order</key>
    <string>100</string>
</dict>
<key>protocol_revision_key</key>
<dict>
    <key>_order</key>
    <string>120</string>
</dict>
<key>protocol_version_key</key>
<dict>
    <key>_order</key>
    <string>110</string>
</dict>
<key>receptacle_1_tag</key>
<dict>
    <key>_order</key>
    <integer>10040</integer>
</dict>
<key>receptacle_2_tag</key>
<dict>
    <key>_order</key>
    <integer>10040</integer>
</dict>
<key>receptacle_3_tag</key>
<dict>
    <key>_order</key>
    <integer>10040</integer>
</dict>
<key>receptacle_4_tag</key>
<dict>
    <key>_order</key>
    <integer>10040</integer>
</dict>
<key>receptacle_5_tag</key>
<dict>
    <key>_order</key>
    <integer>10040</integer>
</dict>
<key>receptacle_6_tag</key>
<dict>
    <key>_order</key>
    <integer>10040</integer>
</dict>
<key>receptacle_ambiguous_tag</key>
<dict>
    <key>_order</key>
    <integer>10030</integer>
</dict>
<key>receptacle_id_key</key>
<dict>
    <key>_order</key>
    <integer>540</integer>
</dict>
<key>receptacle_status_key</key>
<dict>
```



```
        <key>_order</key>
        <integer>490</integer>
</dict>
<key>receptacle_tag_format</key>
<dict>
    <key>_order</key>
    <integer>10020</integer>
</dict>
<key>receptacle_unknown_tag</key>
<dict>
    <key>_order</key>
    <integer>10040</integer>
</dict>
<key>receptacle_upstream_ambiguous_tag</key>
<dict>
    <key>_order</key>
    <integer>10010</integer>
</dict>
<key>receptacle_upstream_tag_format</key>
<dict>
    <key>_order</key>
    <integer>10000</integer>
</dict>
<key>removable_media</key>
<dict>
    <key>_order</key>
    <string>525</string>
</dict>
<key>route_string_key</key>
<dict>
    <key>_order</key>
    <integer>400</integer>
</dict>
<key>service_enabled_key</key>
<dict>
    <key>_order</key>
    <string>150</string>
</dict>
<key>service_key_key</key>
<dict>
    <key>_order</key>
    <string>130</string>
</dict>
<key>service_uuid_key</key>
<dict>
    <key>_order</key>
    <string>140</string>
</dict>
<key>size</key>
<dict>
    <key>_deprecated</key>
    <true/>
    <key>_order</key>
    <string>515</string>
</dict>
<key>size_in_bytes</key>
<dict>
    <key>_isByteSize</key>
    <true/>
    <key>_order</key>
    <string>515</string>
</dict>
<key>smart_status</key>
<dict>
```

```
        <key>_order</key>
        <string>530</string>
    </dict>
    <key>spm_version_key</key>
    <dict>
        <key>_order</key>
        <integer>720</integer>
    </dict>
    <key>switch_four</key>
    <dict>
        <key>_order</key>
        <integer>9030</integer>
    </dict>
    <key>switch_one</key>
    <dict>
        <key>_order</key>
        <integer>9000</integer>
    </dict>
    <key>switch_three</key>
    <dict>
        <key>_order</key>
        <integer>9020</integer>
    </dict>
    <key>switch_two</key>
    <dict>
        <key>_order</key>
        <integer>9010</integer>
    </dict>
    <key>switch_uid_key</key>
    <dict>
        <key>_order</key>
        <integer>300</integer>
    </dict>
    <key>switch_unknown</key>
    <dict>
        <key>_order</key>
        <integer>9040</integer>
    </dict>
    <key>switch_version_key</key>
    <dict>
        <key>_order</key>
        <integer>700</integer>
        <key>_suppressLocalization</key>
        <string>YES</string>
    </dict>
    <key>tdm_disk_info_key</key>
    <dict>
        <key>_order</key>
        <string>250</string>
    </dict>
    <key>vendor_id_key</key>
    <dict>
        <key>_order</key>
        <integer>140</integer>
    </dict>
    <key>vendor_name_key</key>
    <dict>
        <key>_order</key>
        <integer>100</integer>
    </dict>
    <key>volumes</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
```

```
        </dict>
    </dict>
    <key>_timeStamp</key>
    <date>2021-08-03T01:21:48Z</date>
    <key>_versionInfo</key>
    <dict>
        <key>com.apple.SystemProfiler.SPThunderboltReporter</key>
        <string>2.1.0</string>
    </dict>
</dict>
<dict>
    <key>_SPCommandLineArguments</key>
    <array>
        <string>/usr/sbin/system_profiler</string>
        <string>-nospawn</string>
        <string>-xml</string>
        <string>SPUSBDataType</string>
        <string>-detailLevel</string>
        <string>full</string>
    </array>
    <key>_SPCompletionInterval</key>
    <real>0.3411639928817749</real>
    <key>_SPResponseTime</key>
    <real>0.36582398414611816</real>
    <key>_dataType</key>
    <string>SPUSBDataType</string>
    <key>_detailLevel</key>
    <integer>-1</integer>
    <key>_items</key>
    <array>
        <dict>
            <key>_name</key>
            <string>USB31Bus</string>
            <key>host_controller</key>
            <string>AppleUSBXHCITR</string>
            <key>pci_device</key>
            <string>0x15ec </string>
            <key>pci_revision</key>
            <string>0x0006 </string>
            <key>pci_vendor</key>
            <string>0x8086 </string>
            <key>usb_bus_number</key>
            <string>0x00 </string>
        </dict>
        <dict>
            <key>_name</key>
            <string>USB31Bus</string>
            <key>host_controller</key>
            <string>AppleIntelCNLUSBXHCI</string>
            <key>pci_device</key>
            <string>0x9ded </string>
            <key>pci_revision</key>
            <string>0x0030 </string>
            <key>pci_vendor</key>
            <string>0x8086 </string>
        </dict>
        <dict>
            <key>_items</key>
            <array>
                <dict>
                    <key>_name</key>
                    <string>Touch Bar Backlight</string>
                    <key>bcd_device</key>
                    <string>2.01</string>
                </dict>
            </array>
        </dict>
    </array>
</dict>
</dict>
```

```

    <key>location_id</key>
    <string>0x80700000</string>
    <key>manufacturer</key>
    <string>Apple Inc.</string>
    <key>product_id</key>
    <string>0x8102</string>
    <key>serial_num</key>
    <string>0000000000000000</string>
    <key>vendor_id</key>
    <string>apple_vendor_id</string>
</dict>
<dict>
    <key>_name</key>
    <string>Touch Bar Display</string>
    <key>bcd_device</key>
    <string>2.01</string>
    <key>location_id</key>
    <string>0x80600000</string>
    <key>manufacturer</key>
    <string>Apple Inc.</string>
    <key>product_id</key>
    <string>0x8302</string>
    <key>serial_num</key>
    <string>0000000000000000</string>
    <key>vendor_id</key>
    <string>apple_vendor_id</string>
</dict>
<dict>
    <key>_name</key>
    <string>Apple Internal Keyboard /
Trackpad</string>
    <key>bcd_device</key>
    <string>9.28</string>
    <key>location_id</key>
    <string>0x80500000</string>
    <key>manufacturer</key>
    <string>Apple Inc.</string>
    <key>product_id</key>
    <string>0x027d</string>
    <key>serial_num</key>
    <string>FM7923600JWKT58AQ+WDN</string>
    <key>vendor_id</key>
    <string>apple_vendor_id</string>
</dict>
<dict>
    <key>_name</key>
    <string>Headset</string>
    <key>bcd_device</key>
    <string>2.10</string>
    <key>location_id</key>
    <string>0x80400000</string>
    <key>manufacturer</key>
    <string>Apple</string>
    <key>product_id</key>
    <string>0x8103</string>
    <key>serial_num</key>
    <string>000000000000</string>
    <key>vendor_id</key>
    <string>apple_vendor_id</string>
</dict>
<dict>
    <key>_name</key>
    <string>Ambient Light Sensor</string>
    <key>bcd_device</key>

```

```

        <string>2.01</string>
        <key>location_id</key>
        <string>0x80300000</string>
        <key>manufacturer</key>
        <string>Apple Inc.</string>
        <key>product_id</key>
        <string>0x8262</string>
        <key>serial_num</key>
        <string>000000000000</string>
        <key>vendor_id</key>
        <string>apple_vendor_id</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>FaceTime HD Camera

(Built-in)</string>

        <key>bcd_device</key>
        <string>2.01</string>
        <key>location_id</key>
        <string>0x80200000</string>
        <key>manufacturer</key>
        <string>Apple Inc.</string>
        <key>product_id</key>
        <string>0x8514</string>
        <key>serial_num</key>
        <string>CC29263RC4CJ3Y38H</string>
        <key>vendor_id</key>
        <string>apple_vendor_id</string>
    </dict>
    <dict>
        <key>_name</key>
        <string>Apple T2 Controller</string>
        <key>bcd_device</key>
        <string>2.01</string>
        <key>location_id</key>
        <string>0x80100000</string>
        <key>manufacturer</key>
        <string>Apple Inc.</string>
        <key>product_id</key>
        <string>0x8233</string>
        <key>serial_num</key>
        <string>0000000000000000</string>
        <key>vendor_id</key>
        <string>apple_vendor_id</string>
    </dict>
</array>
<key>_name</key>
<string>T2Bus</string>
<key>host_controller</key>
<string>AppleUSBVHCIBCE</string>
</dict>
</array>
<key>_parentDataType</key>
<string>SPHardwareDataType</string>
<key>_properties</key>
<dict>
    <key>1284DeviceID</key>
    <dict>
        <key>_order</key>
        <string>13</string>
    </dict>
    <key>_name</key>
    <dict>
        <key>_isColumn</key>

```

```
        <string>YES</string>
        <key>_isOutlineColumn</key>
        <string>YES</string>
        <key>_order</key>
        <string>0</string>
    </dict>
    <key>bcd_device</key>
    <dict>
        <key>_order</key>
        <string>3</string>
        <key>_suppressLocalization</key>
        <string>YES</string>
    </dict>
    <key>bsd_name</key>
    <dict>
        <key>_order</key>
        <string>42</string>
    </dict>
    <key>bus_power</key>
    <dict>
        <key>_order</key>
        <string>8</string>
    </dict>
    <key>bus_power_desired</key>
    <dict>
        <key>_order</key>
        <string>9</string>
    </dict>
    <key>bus_power_used</key>
    <dict>
        <key>_order</key>
        <string>10</string>
    </dict>
    <key>detachable_drive</key>
    <dict>
        <key>_order</key>
        <string>39</string>
    </dict>
    <key>device_manufacturer</key>
    <dict>
        <key>_order</key>
        <string>20</string>
    </dict>
    <key>device_model</key>
    <dict>
        <key>_order</key>
        <string>22</string>
    </dict>
    <key>device_revision</key>
    <dict>
        <key>_order</key>
        <string>24</string>
    </dict>
    <key>device_serial</key>
    <dict>
        <key>_order</key>
        <string>26</string>
    </dict>
    <key>device_speed</key>
    <dict>
        <key>_order</key>
        <string>5</string>
    </dict>
    <key>disc_burning</key>
```

```
<dict>
  <key>_order</key>
  <string>32</string>
</dict>
<key>extra_current_used</key>
<dict>
  <key>_order</key>
  <string>11</string>
</dict>
<key>file_system</key>
<dict>
  <key>_order</key>
  <string>40</string>
</dict>
<key>free_space</key>
<dict>
  <key>_deprecated</key>
  <true/>
  <key>_order</key>
  <string>19</string>
</dict>
<key>free_space_in_bytes</key>
<dict>
  <key>_isByteSize</key>
  <true/>
  <key>_order</key>
  <string>19</string>
</dict>
<key>location_id</key>
<dict>
  <key>_order</key>
  <string>7</string>
</dict>
<key>manufacturer</key>
<dict>
  <key>_order</key>
  <string>6</string>
</dict>
<key>mount_point</key>
<dict>
  <key>_order</key>
  <string>44</string>
</dict>
<key>optical_drive_type</key>
<dict>
  <key>_order</key>
  <string>30</string>
</dict>
<key>optical_media_type</key>
<dict>
  <key>_order</key>
  <string>31</string>
</dict>
<key>product_id</key>
<dict>
  <key>_order</key>
  <string>1</string>
</dict>
<key>removable_media</key>
<dict>
  <key>_order</key>
  <string>34</string>
</dict>
<key>serial_num</key>
```

```
<dict>
  <key>_order</key>
  <string>4</string>
  <key>_suppressLocalization</key>
  <string>YES</string>
</dict>
<key>size</key>
<dict>
  <key>_deprecated</key>
  <true/>
  <key>_order</key>
  <string>18</string>
</dict>
<key>size_in_bytes</key>
<dict>
  <key>_isByteSize</key>
  <true/>
  <key>_order</key>
  <string>18</string>
</dict>
<key>sleep_current</key>
<dict>
  <key>_order</key>
  <string>12</string>
</dict>
<key>vendor_id</key>
<dict>
  <key>_order</key>
  <string>2</string>
</dict>
<key>volumes</key>
<dict>
  <key>_detailLevel</key>
  <string>0</string>
</dict>
<key>writable</key>
<dict>
  <key>_order</key>
  <string>36</string>
</dict>
</dict>
<key>_timeStamp</key>
<date>2021-08-03T01:21:48Z</date>
<key>_versionInfo</key>
<dict>
  <key>com.apple.SystemProfiler.SPUSBReporter</key>
  <string>900.4.2</string>
</dict>
</dict>
<dict>
  <key>_SPCommandLineArguments</key>
  <array>
    <string>/usr/sbin/system_profiler</string>
    <string>-nospawn</string>
    <string>-xml</string>
    <string>SPNetworkVolumeDataType</string>
    <string>-detailLevel</string>
    <string>full</string>
  </array>
  <key>_SPCompletionInterval</key>
  <real>0.42081892490386963</real>
  <key>_SPResponseTime</key>
  <real>0.44336593151092529</real>
  <key>_dataType</key>
```



```
<string>SPNetworkVolumeDataType</string>
<key>_detailLevel</key>
<integer>0</integer>
<key>_items</key>
<array>
  <dict>
    <key>_name</key>
    <string>home</string>
    <key>spnetworkvolume_automounted</key>
    <string>Yes</string>
    <key>spnetworkvolume_fsmtnonname</key>
    <string>/System/Volumes/Data/home</string>
    <key>spnetworkvolume_fstypename</key>
    <string>autofs</string>
    <key>spnetworkvolume_mntfromname</key>
    <string>map auto_home</string>
  </dict>
</array>
<key>_parentDataType</key>
<string>SPNetworkDataType</string>
<key>_properties</key>
<dict>
  <key>_name</key>
  <dict>
    <key>_isColumn</key>
    <string>YES</string>
    <key>_order</key>
    <string>0</string>
  </dict>
  <key>spnetworkvolume_fsmtnonname</key>
  <dict>
    <key>_isColumn</key>
    <string>YES</string>
    <key>_order</key>
    <string>2</string>
  </dict>
  <key>spnetworkvolume_fstypename</key>
  <dict>
    <key>_isColumn</key>
    <string>YES</string>
    <key>_order</key>
    <string>1</string>
  </dict>
  <key>spnetworkvolume_mntfromname</key>
  <dict>
    <key>_order</key>
    <string>3</string>
  </dict>
  <key>volumes</key>
  <dict>
    <key>_detailLevel</key>
    <string>0</string>
  </dict>
</dict>
<key>_timeStamp</key>
<date>2021-08-03T01:21:49Z</date>
<key>_versionInfo</key>
<dict>
  <key>com.apple.SystemProfiler.SPNetworkVolumeReporter</key>
  <string>915</string>
</dict>
</dict>
<dict>
  <key>_SPCommandLineArguments</key>
```

```
<array>
  <string>/usr/sbin/system_profiler</string>
  <string>-nospawn</string>
  <string>-xml</string>
  <string>SPWWANDataType</string>
  <string>-detailLevel</string>
  <string>full</string>
</array>
<key>_SPCompletionInterval</key>
<real>0.39318907260894775</real>
<key>_SPResponseTime</key>
<real>0.41717898845672607</real>
<key>_dataType</key>
<string>SPWWANDataType</string>
<key>_detailLevel</key>
<integer>-1</integer>
<key>_items</key>
<array/>
<key>_parentDataType</key>
<string>SPNetworkDataType</string>
<key>_properties</key>
<dict>
  <key>spwwan_countryinfo</key>
  <dict>
    <key>_order</key>
    <string>80</string>
  </dict>
  <key>spwwan_driverinfo</key>
  <dict>
    <key>_order</key>
    <string>70</string>
  </dict>
  <key>spwwan_fwvers</key>
  <dict>
    <key>_order</key>
    <string>60</string>
  </dict>
  <key>spwwan_hwversion</key>
  <dict>
    <key>_order</key>
    <string>50</string>
  </dict>
  <key>spwwan_interfacetype</key>
  <dict>
    <key>_order</key>
    <string>20</string>
  </dict>
  <key>spwwan_model</key>
  <dict>
    <key>_order</key>
    <string>10</string>
  </dict>
  <key>spwwan_modemInUseBy</key>
  <dict>
    <key>_order</key>
    <string>90</string>
  </dict>
  <key>spwwan_modulation</key>
  <dict>
    <key>_order</key>
    <string>30</string>
  </dict>
  <key>spwwan_skuname</key>
  <dict>
```

```
        <key>_order</key>
        <string>40</string>
    </dict>
    <key>volumes</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
    </dict>
</dict>
<key>_timeStamp</key>
<date>2021-08-03T01:21:49Z</date>
<key>_versionInfo</key>
<dict>
    <key>com.apple.SystemProfiler.SPWWANReporter</key>
    <string>3.0.0</string>
</dict>
</dict>
<dict>
    <key>_SPCommandLineArguments</key>
    <array>
        <string>/usr/sbin/system_profiler</string>
        <string>-nospawn</string>
        <string>-xml</string>
        <string>SPAirPortDataType</string>
        <string>-detailLevel</string>
        <string>full</string>
    </array>
    <key>_SPCompletionInterval</key>
    <real>0.48333895206451416</real>
    <key>_SPResponseTime</key>
    <real>0.57250499725341797</real>
    <key>_dataType</key>
    <string>SPAirPortDataType</string>
    <key>_detailLevel</key>
    <integer>-1</integer>
    <key>_items</key>
    <array>
        <dict>
            <key>spairport_airport_interfaces</key>
            <array>
                <dict>
                    <key>_name</key>
                    <string>en0</string>
                    <key>spairport_airdrop_channel</key>
                    <integer>6</integer>
                    <key>spairport_caps_airdrop</key>
                    <string>spairport_caps_supported</string>
                    <key>spairport_caps_autounlock</key>
                    <string>spairport_caps_supported</string>
                    <key>spairport_caps_wow</key>
                    <string>spairport_caps_supported</string>
                    <key>spairport_status_information</key>
                    <string>spairport_status_off</string>
                    <key>spairport_wireless_card_type</key>
                    <string>spairport_wireless_card_type_airport_extreme</string>
                    <key>spairport_wireless_country_code</key>
                    <string>X2</string>
                </dict>
            </array>
            <key>spairport_wireless_firmware_version</key>
            <string>wl0: Jul 7 2021 03:22:32 version
16.50.21.0.3.6.102 FWID 01-d1a61353</string>
            <key>spairport_wireless_locale</key>
            <string>Row</string>
        </dict>
    </array>
</dict>
</dict>
```

```
        <key>spairport_wireless_mac_address</key>
        <string>a4:83:e7:4a:8c:21</string>
    </dict>
</array>
<key>spairport_software_information</key>
<dict>
    <key>spairport_corewlan_version</key>
    <string>16.0 (1657)</string>
    <key>spairport_corewlankit_version</key>
    <string>16.0 (1657)</string>
    <key>spairport_diagnostics_version</key>
    <string>11.0 (1163)</string>
    <key>spairport_extra_version</key>
    <string>17.0 (1728)</string>
    <key>spairport_family_version</key>
    <string>12.0 (1200.12.2b1)</string>
    <key>spairport_profiler_version</key>
    <string>15.0 (1502)</string>
    <key>spairport_utility_version</key>
    <string>6.3.9 (639.15)</string>
</dict>
</dict>
</array>
<key>_name</key>
<string>_name</string>
<key>_parentDataType</key>
<string>SPNetworkDataType</string>
<key>_properties</key>
<dict>
    <key>spairport_airdrop_channel</key>
    <dict>
        <key>_order</key>
        <string>142</string>
    </dict>
    <key>spairport_airport_local_wireless_networks</key>
    <dict>
        <key>_detailLevel</key>
        <string>1</string>
        <key>_order</key>
        <string>250</string>
    </dict>
    <key>spairport_airport_other_local_wireless_networks</key>
    <dict>
        <key>_detailLevel</key>
        <string>1</string>
        <key>_order</key>
        <string>260</string>
    </dict>
    <key>spairport_caps_airdrop</key>
    <dict>
        <key>_order</key>
        <string>141</string>
    </dict>
    <key>spairport_caps_autounlock</key>
    <dict>
        <key>_order</key>
        <string>144</string>
    </dict>
    <key>spairport_caps_awdl</key>
    <dict>
        <key>_order</key>
        <string>143</string>
    </dict>
    <key>spairport_caps_wow</key>
```

```
<dict>
  <key>_order</key>
  <string>140</string>
</dict>
<key>spairport_corewlan_version</key>
<dict>
  <key>_order</key>
  <string>15</string>
</dict>
<key>spairport_corewlankit_version</key>
<dict>
  <key>_order</key>
  <string>16</string>
</dict>
<key>spairport_current_network_information</key>
<dict>
  <key>_detailLevel</key>
  <string>0</string>
  <key>_order</key>
  <string>160</string>
</dict>
<key>spairport_diagnostics_version</key>
<dict>
  <key>_order</key>
  <string>75</string>
</dict>
<key>spairport_extra_version</key>
<dict>
  <key>_order</key>
  <string>20</string>
</dict>
<key>spairport_family_version</key>
<dict>
  <key>_order</key>
  <string>70</string>
</dict>
<key>spairport_net_prefs_version</key>
<dict>
  <key>_order</key>
  <string>50</string>
</dict>
<key>spairport_network_bssid</key>
<dict>
  <key>_order</key>
  <string>180</string>
</dict>
<key>spairport_network_channel</key>
<dict>
  <key>_order</key>
  <string>190</string>
</dict>
<key>spairport_network_country_code</key>
<dict>
  <key>_order</key>
  <string>195</string>
</dict>
<key>spairport_network_mcs</key>
<dict>
  <key>_order</key>
  <string>240</string>
</dict>
<key>spairport_network_phymode</key>
<dict>
  <key>_order</key>
```

```
        <string>170</string>
    </dict>
    <key>spairport_network_rate</key>
    <dict>
        <key>_order</key>
        <string>230</string>
    </dict>
    <key>spairport_network_type</key>
    <dict>
        <key>_order</key>
        <string>200</string>
    </dict>
    <key>spairport_profiler_version</key>
    <dict>
        <key>_order</key>
        <string>40</string>
    </dict>
    <key>spairport_security_mode</key>
    <dict>
        <key>_order</key>
        <string>210</string>
    </dict>
    <key>spairport_signal_noise</key>
    <dict>
        <key>_order</key>
        <string>220</string>
    </dict>
    <key>spairport_software_information</key>
    <dict>
        <key>_order</key>
        <string>10</string>
    </dict>
    <key>spairport_status_information</key>
    <dict>
        <key>_order</key>
        <string>150</string>
    </dict>
    <key>spairport_supported_channels</key>
    <dict>
        <key>_order</key>
        <string>130</string>
    </dict>
    <key>spairport_supported_phymodes</key>
    <dict>
        <key>_order</key>
        <string>120</string>
    </dict>
    <key>spairport_utility_version</key>
    <dict>
        <key>_order</key>
        <string>79</string>
    </dict>
    <key>spairport_wireless_card_type</key>
    <dict>
        <key>_order</key>
        <string>80</string>
    </dict>
    <key>spairport_wireless_country_code</key>
    <dict>
        <key>_order</key>
        <string>110</string>
    </dict>
    <key>spairport_wireless_firmware_version</key>
    <dict>
```

```
        <key>_order</key>
        <string>90</string>
    </dict>
    <key>spairport_wireless_locale</key>
    <dict>
        <key>_order</key>
        <string>100</string>
    </dict>
    <key>spairport_wireless_mac_address</key>
    <dict>
        <key>_order</key>
        <string>95</string>
    </dict>
    <key>volumes</key>
    <dict>
        <key>_detailLevel</key>
        <string>0</string>
    </dict>
</dict>
<key>_timeStamp</key>
<date>2021-08-03T01:21:49Z</date>
<key>_versionInfo</key>
<dict>
    <key>com.apple.SystemProfiler.SPAirPortReporter</key>
    <string>1502</string>
</dict>
</dict>
</array>
</plist>
```